
INCH-POUND
MS27243K
7 June 2011
SUPERSEDING
MS27243J
15 December 2001

DETAIL SPECIFICATION SHEET

# RELAY, 10 AMP, 4PDT, SEALED, CLASS O

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the relay described herein shall consist of this specification and MIL-PRF-6106.





| Terminal cover dash number | For use with relay |
|---|---|
| -1 | MS24376-A1<br>-A2<br>-D1<br>-D2<br><br>MS24143-D1<br>-D2 |

| Terminal cover dash number | For use with relay |
|---|---|
| -2 | MS24141-D1<br>-D2<br><br>MS24183-D1 |

FIGURE 1. Configurations and dimensions.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:19Z
Check the source to verify that this is the current version before use.





| Terminal cover dash number | For use with relay |
|---|---|
| -3 | MS24140-1<br>-2<br>-D1<br>-D2<br><br>MS24182-1<br>-D1 |

FIGURE 1. Configurations and dimensions - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:19Z
Check the source to verify that this is the current version before use.





| Terminal cover dash number | For use with relay |
|---|---|
| -4 | MS24168-D1<br>-D2 |

FIGURE 1. Configurations and dimensions - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:19Z
Check the source to verify that this is the current version before use.





| Terminal cover dash number | For use with relay |
|---|---|
| -5 | MS24142-D1<br>-D2<br><br>MS24184-D2 |

FIGURE 1. Configurations and dimensions - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:19Z
Check the source to verify that this is the current version before use.




| Terminal cover dash number | For use with relay |
|---|---|
| -6 | MS27222-1<br>-2<br><br>MS27997-D1<br>-D2 |

FIGURE 1. Configurations and dimensions - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:19Z
Check the source to verify that this is the current version before use.

| Inches | mm | Inches | mm | Inches | mm | Inches | mm |
|---|---|---|---|---|---|---|---|
| .002 | 0.05 | .094 | 2.39 | .531 | 13.49 | 1.531 | 38.89 |
| .003 | 0.08 | .125 | 3.18 | .609 | 15.47 | 1.583 | 40.21 |
| .005 | 0.13 | .188 | 4.78 | .625 | 15.88 | 1.850 | 46.99 |
| .010 | 0.25 | .218 | 5.54 | .743 | 18.87 | 1.980 | 50.29 |
| .01 | 0.3 | .271 | 6.88 | .750 | 19.05 | 2.047 | 51.99 |
| .015 | 0.38 | .312 | 7.92 | .796 | 20.22 | 2.050 | 52.07 |
| .020 | 0.51 | .328 | 8.33 | .812 | 20.62 | 2.150 | 54.61 |
| .025 | 0.64 | .348 | 8.84 | 1.000 | 25.40 | 2.250 | 57.15 |
| .030 | 0.76 | .354 | 8.99 | 1.058 | 26.87 | 2.327 | 59.11 |
| .042 | 1.07 | .355 | 9.02 | 1.062 | 26.97 | 2.562 | 65.07 |
| .046 | 1.17 | .375 | 9.52 | 1.111 | 28.22 | 2.656 | 67.46 |
| .047 | 1.19 | .406 | 10.31 | 1.174 | 29.82 | 2.750 | 69.85 |
| .051 | 1.30 | .438 | 11.13 | 1.187 | 30.15 | 2.937 | 74.60 |
| .052 | 1.32 | .463 | 11.76 | 1.250 | 31.75 | 3.000 | 76.20 |
| .062 | 1.57 | .468 | 11.89 | 1.468 | 37.29 | 3.812 | 96.82 |
| .070 | 1.78 | .500 | 12.70 | 1.500 | 38.10 | | |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.010 (0.25 mm).

FIGURE 1. Configurations and dimensions - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:19Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and configurations: See figure 1.

Material: Nylon in accordance with ASTM D4066, natural color.

Qualification: The qualifying requirements excluding examination of product and tests specified by MIL-PRF-6106 are not applicable to items covered by this specification.

Part or Identifying Number (PIN): MS27243 (plus dash number from figure 1).

Reference documents:
MIL-PRF-6106
ASTM-D4066

Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Air Force - 85
Navy – AS
DLA - CC

Preparing activity:
DLA - CC

Review activity:
Air Force - 99

(Project 5945-2011-018)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.daps.dla.mil/ .



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:19Z
Check the source to verify that this is the current version before use.