
This document has been promulgated by the Department of Defense as the military standard to limit the selection of the item, product, or design, covered herein in engineering, design, and procurement. This standard shall become effective not later than 90 days after the latest date of approval shown.

FED. SUP CLASS, 5340



1. All dimensions in inches.

2. Tapped hole for:
   Size 1 - #6-32 NC-2B 9/32 deep
   2 - 1/4-28 UNF-2B 3/8 deep
   3 - 3/8-24 UNF-2B 9/16 deep

3. The nominal design value at minimum rated load is 1-3/8 for dimpled mounting and 1-9/16 for flat mounting. The manufacturer's rated loaded height at minimum rated load is the nominal design value ±1/32, -1/16. (See note 4.)

4. The loaded height of the vibration mount at minimum rated load is the manufacturer's rated loaded height ±3/64.

5. This dimension is the final clearance diameter, with or without eyelet.

6. The MS part number consists of the MS military-standard number followed by a dash number The dash number indicates the following:
   First character - Size.
   Second character - Class.
   Third character - Serially assigned to load ranges within each size and class.
   Fourth character - "D" indicates short stud for dimpled mounting, "H" indicates long stud for flat mounting

7. Qualification inspection required.

8. Referenced document shall be of the issue in effect on date of invitation for bids.

9. This standard takes precedence over document referenced herein.

APPROVED 11 Oct 1955 — REVISED (A) 11 Sept 1956 — (B) 8 Dec 1958

(B) ENTIRE STANDARD REVISED

CUSTODIANS	OTHER INT:	MILITARY STANDARD	MS91527
SigC Aer USAF	-	MOUNTS, VIBRATION, CUP-TYPE, CLASSES A AND B (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)	
PROCUREMENT SPECIFICATION MIL-C-172		SUPERSEDES:	SHEET 1 OF 3

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:43Z
Check the source to verify that this is the current version before use.

CLASS A					
MS part number (see note 6)	Size	Dimensions		Two-to-one load rating	FIN 1/
		A	B		
		Inches	Inches	Pounds	
MS91527-1AAH	1	1-3/8	1-13/16	1-1/2 to 3	
MS91527-1AAD				1-1/2 to 3	
MS91527-1ABH				2-1/2 to 5-1/2	
MS91527-1ABD				2-1/2 to 5-1/2	
MS91527-2AAH	2	1-15/16	2-3/8	2 to 4-1/2	
MS91527-2AAD				2 to 4-1/2	
MS91527-2ABH				3 to 5	
MS91527-2ABD				3 to 5	
MS91527-2ACH				4-1/2 to 10	
MS91527-2ACD				4-1/2 to 10	
MS91527-2ADH				6-1/4 to 12-1/2	
MS91527-2ADD				6-1/4 to 12-1/2	
MS91527-2AEH				10 to 20	
MS91527-2AED				10 to 20	

1/ Federal Item Identification Number

APPROVED 11 Oct 1955 REVISED (A) 11 Sept 1956 (B) 8 Dec 19*

NOTICE When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto

CUSTODIANS.	OTHER INT:	MILITARY STANDARD	MS91527
SigC Aer USAF	a-	MOUNTS, VIBRATION, CUP-TYPE, CLASSES A AND B (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)	
PROCUREMENT SPECIFICATION MIL-C-172		SUPERSEDES	SHEET 2 OF 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:43Z
Check the source to verify that this is the current version before use.

CLASS B					
MS part number (see note 5)	Size	Dimensions		Load rating ±15%	FIIN 1/
		A	B		
		Inches	Inches	Pounds	
MS91527-1BAH				.2	
MS91527-1BAD				.2	
MS91527-1BBH				.3	
MS91527-1BBD				.3	
MS91527-1BCH				.4	
MS91527-1BCD				.4	
MS91527-1BDH				.6	
MS91527-1BDD				.6	
MS91527-1BEH				.8	
MS91527-1BED				.8	
MS91527-1BFH				1	
MS91527-1BFD				1	
MS91527-1BGH				1-3/8	
MS91527-1BGD	1	1-3/8	1-13/16	1-3/8	
MS91527-1BHH				1-3/4	
MS91527-1BHD				1-3/4	
MS91527-1BJH				2-3/8	
MS91527-1BJD				2-3/8	
MS91527-1BKH				3-1/4	
MS91527-1BKD				3-1/4	
MS91527-1BLH				4-1/4	
MS91527-1BLD				4-1/4	
MS91527-1BMH				5-3/4	
MS91527-1BMD				5-3/4	
MS91527-1BNH				7-3/4	
MS91527-1BND				7-3/4	
MS91527-1BOH				10	
MS91527-1BOD				10	
MS91527-2BAH				2-1/4	
MS91527-2BAD				2-1/4	
MS91527-2BBH				3	
MS91527-2BBD				3	
MS91527-2BCH				4	
MS91527-2BCD				4	
MS91527-2BDH				5-1/2	
MS91527-2BDD				5-1/2	
MS91527-2BEH				7-1/2	
MS91527-2BED				7-1/2	
MS91527-2BFH				10	
MS91527-2BFD	2	1-15/16	2-3/8	10	
MS91527-2BGH				13-1/2	
MS91527-2BGD				13-1/2	
MS91527-2BHH				18	
MS91527-2BHD				18	
MS91527-2BJH				24	
MS91527-2BJD				24	
MS91527-2BKH				32	
MS91527-2BKD				32	
MS91527-2BLH				43	
MS91527-2BLD				43	
MS91527-3BAH				20	
MS91527-3BAD				20	
MS91527-3BBH				27	
MS91527-3BBD				27	
MS91527-3BCH				36	
MS91527-3BCD				36	
MS91527-3BDH	3	2-1/2	3	48	
MS91527-3BDD				48	
MS91527-3BEH				64	
MS91527-3BED				64	
MS91527-3BFH				86	
MS91527-3BFD				86	

1/ Federal Item Identification Number.

APPROVED 11 Oct 1955 REVISED (A) 11 Sept 1956 (B) 8 Dec 1958

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CUSTODIANS: SigC, Aer, USAF

OTHER INT: N-

PROCUREMENT SPECIFICATION: MIL-C-172

MILITARY STANDARD

MOUNTS, VIBRATION, CUP-TYPE, CLASSES A AND B
(FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)

SUPERSEDES:

MS91527

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:43Z
Check the source to verify that this is the current version before use.