DATA ITEM DESCRIPTION

Title: TRAINING SYSTEMS SUSTAINMENT BILL OF MATERIALS (TSS BOM)

Number: DI-PSSS-82450
AMSC Number: N10492
DTIC Applicable: N/A
Preparing Activity: AS
Applicable Forms: None

Approval Date: 20240819
Limitation: None
GIDEP Applicable: No
Project Number: PSSS-2024-020

Use/relationship: The Training Systems Sustainment Bill of Materials (TSS BOM) comprises the support and support-related engineering and logistics data acquired from contractors using support analysis information collected during the design, development, and initial fielding process of a training system or training end item. This includes data for maintenance planning, logistics design requirements, reliability and maintainability, system safety, supply support, initial sparing, and item management; providing information that can be used to establish the production status of parts used in a training system and identify supply chain risks so they can be mitigated during the development of the training system.

This DID contains the format, content, and intended use information for the data deliverable resulting from the work task described in the solicitation.

The TSS BOM will also provide Diminishing Manufacturing Sources and Material Shortages (DMSMS) management-essential information that enables the identification, forecasting, mitigation, and management of Hardware and Software obsolescence as a part of the Department of Defense (DoD) Program Manager's Total System Life Cycle Management responsibilities. The data will be used in DMSMS forecasting tools to allow for standard and efficient sharing of information on common items.

Requirements:

1. Reference documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

2. Format. The TSS BOM shall be in Government's format as an electronic copy using Excel 2010 or later. The TSS BOM shall consist of three tabs: a. Tab 1, TSS BOM.

2.1. Tab 2, Supporting Data. Embedded PDF Data Files.

2.2. Tab 3, Definitions, and Instructions.

3. Content. The TSS BOM shall contain all information specified below:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

3.1. Tab 1. The BOM shall contain all of the information specified in Figure 1, with the path to each system level using the part/Next Higher Assembly method. The information shall be included to the lowest indenture level (component level) specified in the contract. All fields shall be included. Fields which do not require data shall be indicated as “N/A”.

3.2. Tab 2. The Supporting Data shall be a Product Data Sheet (PDS) for each recommended spare. In the event a PDS is not available, an engineering drawing or specification will suffice. Each supporting data file recommended as a spare shall be an embedded PDF in the spreadsheet, titled with item PLISN and Part Number (P/N) in sequence with the items on the BOM tab. A hyperlink shall be contained to link the PLISN on BOM tab to embedded corresponding supporting data file.

3.3. Tab 3. The Definitions and Instructions shall contain all of the information specified in Figure 1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Figure 1:Definitions and Instructions

Column Header	Definition	Notes and Instructions	Data Type
Item Number	Numeric list, beginning with "1" to be used as a point of reference on the TSS BOM spreadsheet.	Required for all parts.	Numeric
Training Device Name	Name of training device. EXAMPLE: H-60 Tactical Operational Flight Trainer (TOFT).	Required for all parts.	Alphanumeric
Training Device Serial Number	The training device serial number that the items will be procured to support.	Required for all parts if numerous devices are supported. Enter “N/A” in the field if a singular device or item will be supported.	Alphanumeric
Location	Physical location of training device. EXAMPLE: Naval Station (NS) Mayport. If multiple trainers reside at the same location, then also provide building number. EXAMPLE: NS Mayport Bldg. 1436	Required for all parts.	Alphanumeric
Indenture Level	A number that represents the specific level of the top-down structure.	Required for all parts. Starts with the top level as one (1).	Numeric
Provisioning List Item Sequence Number (PLISN)**	An alpha numeric sequentially assigned value for each item contained in the system/equipment breakdown. EXAMPLE: A001Cockpit, B001-Visual, etc. This alphanumeric format will allow for separate system sorting. Once a PLISN Number has been assigned to an item, that number may not be used again.	Required only for parts that are being recommended as spares.	Alphanumeric

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Duplicate Item**	Mark "Y" for any items that are listed multiple times due to locations at multiple sites or variations in training system types. Used in sorting to ensure sufficient spares are selected for purchase.	Required only for parts that are being recommended as spares. Enter “Y" for duplicate items.	Alphanumeric

Manufacturer's Part Number	The part number assigned by the actual manufacturer of the referenced item. This number will be used to monitor the part for obsolescence issues.	Required for all parts.	Alphanumeric
Nomenclature	The name or designation of the referenced part.	Required for all parts.	Alphanumeric
Quantity per Assembly	The total number of times a line item is used in the assembly of which it is a part.	Required for all parts.	Numeric
Unit of Issue (UI)	A code that indicates the UI quantity of an item. The UI quantity is the managing activity’s established accounting unit upon which the smallest unit pack is based, accountable records are maintained, and requirements are computed. For applicable codes see Defense Logistics Agency (DLA) Cataloging Data and Transaction Standards, Volume 10, Table 53.	Required for all parts.	Alphanumeric
Unit Price	The price of each item	Required for all parts.	Numeric
Spares Total Quantity Recommended**	A recommended quantity of an item required to support a specific number of applications for the initial performance period of one (1) year. The applications may be to a system, end item, component, or combinations thereof, which are contained in the applicable contract.	Required only for parts that are being recommended as spares.	Numeric
Spares Quantity Selected at PISC**	The quantity of spares discussed at Provisioning Items Selection Conference (PISC).	Required only for parts that are being recommended as spares.	Numeric

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Total Spares Price**	The total price after multiplying the Spares Unit Price and the Spares Total Quantity Recommended.	Required only for parts that are being recommended as spares.	Numeric
Lead Time**	The time expressed in days from when an item is purchased to the time the item is shipped.	Required only for parts that are being recommended as spares.	Numeric
Essentiality Code	A numeric code to indicate the degree to which the failure of the part affects the ability of the end item to perform its intended operation.	Required for all parts.	Numeric
	Codes are as follows:		
	1 - Failure to this part will render the training system completely inoperable		
	2 - Failure to this part will not render the training system inoperable but will reduce the training capability of the system by over 50%.		
	3 - Failure to this part will not render the training system inoperable, will reduce the training capability of the system by less than 50%.		
	4 - Failure to this part will not render the training system inoperable, but procurement time of a replacement item may cause an extended period of trainer down time that exceeds 6 months		
Part Availability Code	A numeric code showing the manufacturer's estimated time before the part becomes discontinued and unavailable.	Required for all parts.	Numeric
	(1) 1 - 6 months		
	(2) 7 - 12 months		
	(3) 1 - 2 years		
	(4) 2 - 5 years		
	(5) Greater than 5 years		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Type Of Change Code (TOCC)**	This field, which is blank on initial submissions of data, shall be used as a type of change code that indicates deletions, modifications, typographical errors, quantity changes (increase, decrease), and limited part applications as follows:	Required only for parts that are being recommended as spares.	Numeric
	A – Added Item		
	D - Deleted item		
	G - Deleted data element		
	L - Item is replaced during production and support of the old part may be required for prior production quantities modifications, typographical errors, quantity changes (increase, decrease), and limited part		
	M - Indicates a modified item		
	Q - Quantity field changes		
	T - Typographical error correction		
Spares Quantity Procured**	This field, which is blank on initial submittal of data, denotes spare items on contract.	Required only for parts that are being recommended as spares.	Numeric
Mean Time Between Failure (MTBF)	MTBF for a particular interval calculated by dividing total functional life of a population of an item by total number of failures within the population during the measurement interval. The definition holds for time, rounds, miles, events, or other measure of life units. MTBF is documented as both technical and operational characteristics. Technical parameters reflect the technical reliability that the system/equipment must demonstrate. In determining these parameter values, all failures and resultant actions to restore the item will be considered.	Required for all parts.	Numeric

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

National Stock Number (NSN)/National Item Identification Number (NIIN)	A NIIN provides a unique identification of an item of supply within a specified Product Service Code (PSC). The combination of the two identifiers (FSC and NIIN) constitutes the NSN.	Required for all parts that have an NSN/NIIN assigned.	Numeric
Next Higher Assembly (NHA) Part Number	The Manufacturer's Part Number of the referenced part's parent (NHA).	Required for all parts except the top-level assembly.	Alphanumeric
Drawing Part Number	Sometimes referred to the Configuration Part Number, Referenced number in trainer drawings or Prime Contractor-assigned part number	Required for all parts if assigned. Enter "N/A" if trainer drawings are not required.	Numeric
Reference Designator	A reference designator identifies the referenced part. ASME Y14.442008 and IEEE-315-1975 provide details for the proper configuration and use of references designators.	Required for all parts if assigned. Enter "N/A" if	Alphanumeric
		trainer drawings are not required.	
Find Number	Find number refers to the ordinal number that gives an ID tag to the referenced part in a parts list.	Required for all parts if assigned. Enter "N/A" if trainer drawings are not required.	Alphanumeric
Manufacturer's Name	The full legal name of the entity that manufacturers the referenced part.	Required for all parts.	Alphanumeric

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Manufacturer's CAGE Code	The CAGE code of the entity that manufactures the referenced part.	Required for all parts. If no CAGE exists, the following is required in the Remarks field: Manufacturers Physical Address, Website Address and Point of Contact Name and Phone Number.	Alphanumeric (5 characters)
Assembly Type	Identifies whether the item is Commercial Off the Shelf (COTS)	Required for all parts.	Y/N
Remarks	Narrative clarification or additional information.	As needed.	Alphanumeric

**Applies to recommended spared items only.

End of DI-PSSS-82450

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.