
MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, RECTANGULAR,
RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 16

This specification is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for acquiring the connectors described herein shall consist of this specification and the latest issue of MIL-C-28748




NOTE: The polarization feature (Pin) on the plug shell shall be adjacent to the side closest to the Number 1 or A contact position.

FIGURE 1 Connector assembly

© denotes changes

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:09Z
Check the source to verify that this is the current version before use.



FSC 5935

REQUIREMENTS:

(C) Dimensions and configuration See figure 1 and applicable listed military standards for inserts, shields, retaining plates, jackscrews, guidelines, screws, nuts, and contacts.

Screws MS35275-215 furnished with MS24132, MS24133, and MS18193-T1, -S1, -T3, and -S3 when required MS35275-229 furnished with MS18193-T2, -S2, -T4, and -S4 when required Cross drilled hole is optional

Nuts As specified on MS18197 Not required with shield

Mating connectors See MIL-C-28748/2 and MIL-C-28748/4

Part number As shown in the following example

XAMPLE OF PART NUMBER

(See part number code)

| M28748/1- | A | 1 | 0 | L | 1A |
|---|---|---|---|---|---|
| Basic number of specification sheet | Insert | Shield and shield clamp location or retaining plate | Shell type | Jackscrews or guidepins | Contacts |

PART NUMBER CODE

| Insert | Number of contacts |
|---|---|
| A - MS18264 | 9 |
| B - MS18240 | 14 |
| C - MS18242 | 20 |
| D - MS18244 | 34 |
| E - MS18246 | 42 |
| F - MS18248 | 50 |
| G - MS18250 | 66 |
| H - MS18252 | 75 |
| J - MS18254 | 104 |

Shield and shield clamp location or retaining plate

| | Shield | |
|---|---|---|
| 1-Top | MS24132 | 1/ |
| 2-Side | MS24132 | 1/ |
| 3-Top | MS24133 | 1/ |
| 4-Side | MS24133 | 1/ |
| 5-Top | MS18193 | 2/ |
| 6-Side | MS18193 | 2/ |
| A-Top | MS18192 | 3/ |
| B-Side | MS18192 | 3/ |
| 0-None | | |

1/ Used when no shell is specified
2/ Used with or without shells
3/ Used when shell is specified.

Shell type

| | |
|---|---|
| A-A of MS18203 | Polarization |
| B-B of MS18203 | |
| C-C of MS18203 | |
| D-D of MS18203 | |
| E-E of MS18203 | |
| F-F of MS18203 | |
| G-G of MS18203 | |
| H-Unpolarized MS18203 | |
| J-A of MS18204 | Polarization |
| K-B of MS18204 | |
| L-C of MS18204 | |
| M-D of MS18204 | |
| N-E of MS18204 | |
| P-F of MS18204 | |
| Q-G of MS18204 | |
| R-Unpolarized MS18204 | |
| 0-No shell included | |

Retaining plate

7 - MS18198
8 - MS18199
9 - MS18200



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:09Z
Check the source to verify that this is the current version before use.

| Jackscrews or guidepins | | |
|---|---|---|
| L - Long jackscrews | MS18194 | |
| S - Short jackscrews | MS18195 | (Not used with shield) |
| F - Fixed jackscrews | MS18196 | (Not used with shield) |
| G - Guidepins | MS18197 | |
| 0 - None included | | |

(C) Jack and guide location The female jackscrew (turning or fixed) or female guidepin shall be located by the "A" or "1" contact

Contacts: Per MIL-C-28748

1A - 100 percent size 16

Custodians
Army - CR
Navy - EC
Air Force - 85

Review activities
Army - AT, MI
Navy - AS,
Air Force - 11, 17, 99
DLA - ES

User activities
Army - AV, ME, AR
Navy - MC, OS, SH
Air Force -

Agent
DLA - ES

Preparing activity.
Navy - EC

(Project 5935-3244-1)



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:09Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side staple in corner and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE
MIL-C-28748/1C

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:09Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

**BUSINESS REPLY MAIL**

FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20360
ATTN: ELEX 8111

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:09Z
Check the source to verify that this is the current version before use.