
MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, RECTANGULAR,
RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS,
SIZES 16 AND 20

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the connectors described herein shall consist of this specification and the latest issue of MIL-C-28748.



NOTE The polarization feature (Pin) on the plug shell shall be adjacent to the side closest to the Number 1 or A contact position.

FIGURE 1. Connector assembly.

Ⓓ denotes changes

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:11Z
Check the source to verify that this is the current version before use.




FIGURE 1. Connector assembly - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:11Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and configuration See figure 1 and applicable listed military standards for inserts, shields, retaining plates, shells, jackscrews, guide pins, screws, nuts, and contacts.

Screws. MS35275-215 furnished with MS18192 and MS18193-T1, -S1, -T3 and -S3 when required. MS35275-229 furnished with MS18192 and MS19193-T2, -S2, -T4 and -S4 when required. Cross drilled hole optional.

Nuts As specified on MS18197. Not required with shield.

Mating connectors: See MIL-C-28748/2 and MIL-C-28748/4.

Part number: As shown in the following example

EXAMPLE OF PART NUMBER:

(See part number code)

M28748/3-	A	1	A	L	14
Basic number of specification sheet	Insert	Shield and shield clamp location or retaining plate	Shell type	Jackscrews or guide pins	Contacts

PART NUMBER CODE

Insert	Number of contacts
A - MS14010	7
B - MS14007	9
C - MS18174	14
D - MS18176	20
E - MS14008	26
F - MS18178	34
G - MS18180	42
H - MS18182	50
J - MS18184	66
K - MS18187	75
L - MS18189	104

Shield and shield clamp location or retaining plate

Shield

1 - Top MS18192
2 - Side MS18192
3 - Top MS18193
4 - Side MS18193
0 - None included

Retaining plate

5 - MS18198
6 - MS18199
7 - MS18200
0 - No shield or retaining plate included

Shell type

A - A of MS18203	
B - B of MS18203	
C - C of MS18203	
D - D of MS18203	Polarization
E - E of MS18203	
F - F of MS18203	
G - G of MS18203	
H - Unpolarized MS18203	
J - A of MS18204	
K - B of MS18204	
L - C of MS18204	
M - D of MS18204	Polarization
N - E of MS18204	
P - F of MS18204	
Q - G of MS18204	
R - Unpolarized MS18204	
0 - No shell included.	

Jackscrews or guide pins

L - Long jackscrews MS18194
S - Short jackscrews MS18195 (Not used with shield)
F - Fixed jackscrews MS18196 (Not used with shield)
G - Guide pins MS18197 (Not used with shield)
0 - No jackscrews or guide pins included

Jack and guide location The female jackscrew (turning or fixed) or female guide pin shall be located by the "A" or "1" pin contact.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:11Z
Check the source to verify that this is the current version before use.

D

TABLE I. Contact size percent.

Contact	Size 16-16 M39029/34-273 (percent)	Size 16-20 M39029/34-272 (percent)	Size 20-20 M39029/34-271 (percent)
1A	100	0	0
1B	90	0	0
1C	80	0	0
1D	70	0	0
1E	60	0	0
1F	50	0	0
1G	40	0	0
1H	30	0	0
1J	20	0	0
1K	10	0	0
1L	0	0	0
2A	0	100	0
2B	0	90	0
2C	0	80	0
2D	0	70	0
2E	0	60	0
2F	0	50	0
2G	0	40	0
2H	0	30	0
2J	0	20	0
2K	0	10	0
3A	0	0	100
3B	0	0	90
3C	0	0	80
3D	0	0	70
3E	0	0	60
3F	0	0	50
3G	0	0	40
3H	0	0	30
3J	0	0	20
3K	0	0	10

Custodians
Army - CR
Navy - EC
Air Force - 95

Review activities:
Army - AT, MI
Navy - AS
Air Force - 11, 17, 99
DLA - ES

User activities
Army - AR, AV, ME
Navy - MC, OS, SH

Agent
DLA - ES

Preparing activity:
Navy - EC

(Project 5935-3378-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:11Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

Naval Electronic Systems Command
Washington, DC 20363

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:11Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-28748/SD	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)* _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426

PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:11Z
Check the source to verify that this is the current version before use.