QUALIFICATIONS CERTIFIED
JULY 1992

QPL-16392-40
27 September 1993
SUPERSEDING
QPL-16392-39
12 February 1993

QUALIFIED PRODUCTS LIST

OF FSC 6110

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-B-16392

BRAKES, MAGNET, NAVAL SHIPBOARD

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote indorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice revision or amendment of this list will be issued as necessary. The listing of a product does not release the contractor from compliance with the specificatio requirements.

THE ACTTIVITY RESPONSIBLE FOR LTHIS QUALIFIED PRODUCTGS LIST IS THE NAVAL SEA SYSTEMS COMMAND, SEA 03Q42 , 2531 JEFFERSON DAVIS HWY, ARLINGTON, VA 22242--5160.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Type: Shoe Voltage: DC Torque: 40 ft.lb.	5" SBE PN=10QA9603	Harnischfeger Corp. Tst. Rpt. #4825, 4826 & Noise Unlimited Inc. Tst. Rpts. 6547.2, 6547.3	Harnischfeger Corp P.o. Box M-2015 Milwaukae, WI 53201 Plant: 4107 w. orchard ~ Milwaukee, WI 53215-1707
Type: shoe voltage:DC Torque: 120 ft.lb.	8" SBE PN=10QA7353	Hamischfeger Corp. Tst. Rpt. #4825, 4826 & Noise! Unlimited Inc. Tst. Rpts. 6547.2, 6547.3	Harnischfeger Corp. P.o. Box M-2015 Milwaukee, WI 53201 Plant: 4107 w. Orchard Street milwaukee, WI 53215-1707

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 2026t0-26T13:11Z
Check the source to verify that this is the currentversion before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Type: Shoe Voltage: DC Torque: 240 ft.lb.	10" SBE PN=100A7357	Harnischfeger Corp. Tst. Rpt. #4825, 4826 & Noise unlimited Inc. Tst. Rpt. 6547.2, 6547.3	Harnischfeger Corp. P.O. Box M-2015 Milwaukee, WI 53201 Plant: 4107 W. Orchard Street Milwaukee, WI 53215-1707
Type: Shoe Voltage: DC Torque: 660 ft. lb.	13" SBE PN=100A7361	Harnischfeger Corp. Tst. Rpt. #4825, 4826 & Noise Unlimited Inc. Tst. Rpts. 6547.2, 6547.3	Harnischfeger Corp. P.O. Box M-2015 Milwaukee, WI 53201 Plant: 4107 W. Orchard Street Milwaukee, WI 53215-1707
Type: Shoe Voltage: DC Torque: 1200 ft.lb.	16" SBE PN=100A7365	Harnischfeger Corp. Tst. Rpt. #4825, 4826 & Noise Unlimited Inc. Tst. Rpts. 6547.2, 6547.3	Haranischfeger Corp P.O. Box M-2015 Milwaukee, WI 53201 Plant: 4107 W. Orcharad Street Milwaukee, WI 53215-1707
Type: Shoe Voltage: DC Torque: 2650 40ft.lb.	19" SBE PN=100A7369	Harnischfeger Corp. Tst. Rpt. #4825, 4826 & Noise Unlimited Inc. Tst. Rpts. 6547.2, 6547.3	P.O. Box-M-2015 Milwaukee, WI 53201 Plant: 4107 W.Orchard Street Milwaukee, WI 53215-1707
Type: Shoe Voltage: DC Torque: 4800 ft.lb.	23" SE PN=100A7372	Harnischfeger Corp. Tst. Rpt. #4825, 4826 & Noise Unlimited Inc. Tst. Rpts. 6547.2, 6547.3	Harnischfeger Corp P.O. Box H-2015 Milwaukee, WI 53201 Plant: 4107 W.Orchard Street Milwaukee, WI 53215-1707

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:11Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Type: Shoe Voltage: DC Torque: 11000 ft.lb.	30" SBE PN=100A10496	Harnischfeger Corp. Tst. Rpt. #4825, 4826 & Noise unlimited Inc. Tst. Rpts. 6547.2, 6547.3	Harnischfeger Corp. P.O. Box M-2015 Milwaukee, WI 53201 Plant: 4107 W. Orchard Street Milwaukee, WI 53215-1707
Type: Shoe Voltage: DC Torque: 230 lb. ft.	Model ESF10	Lake Shore Rpt. ESF10-3791-1 Lockheed Electronics Test Rpt. 2839-3-3763	Lake Shore, Inc. P.O. BOX 809 Iron Mountain, MI 49801 Plant: 900 W. Breitung Av. Kingsford, MI 49801
Type: Shoe voltage: dc 375 lb. ft.	Model ESF12	Lake Shore Rpt. ESF-12-3791-1 Lockheed Electronics Test Rpt. 2839-3-3763	Lake Shore, Inc. P.O. Box 809 Iron Mountain, MI 49801 Plant: 900 W. BReitung Av. Kingsford, MI 49801
Type: Shoe Voltage: dc 375 lb. ft.	Model 4570	NAVSEA Contract # N00024-84-C-4334 East West Tech. Corp. Rpt.mNo 4401-D40 Lockheed Elec. tst. Rpt. No. 6948-3685	Union Flonetics Waeco valve Div. Hunt valve Co, Inc. 1913 East State St. Salem, Ohio 44460 Plant: same
Type: Shoe Voltage: dc Torque: 600 lbs. ft.	Model ESF14	Lake Shore Rpt. ESF-14-3791-1 Lockheed Electronics Test Rpt. 2839-3-3763	Lake Shlore, Inc P.o. BOX 809 Iaron Mountain,' MI 49801 Plant: 900 W. Breitung Av. Kingsford, MI 49801

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T13:11Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Type: SHOe VolTAge: dc tORQUE: 135 lb. ft.	Model ES-10	LSake Shore Rpt. TP-77061-A Lockheed Electronics Test Rpt. 5469-3155	Lake Shore, Inc. P.O. Box 809 Iron Mountain, MI 49801 Plant: 900 W. Breitung Av. Kingsford, MI 49801
type: shoe VolTAGe:DC Torque: 345 lb. ft.	Model ES-14-12	Lake Shore Rpt. TP-77905 Lockheed Electronics Test Rpt. 5470-3156	Lake Shore, Inc. P.o. Box-809 Iron Mountain, MI 49801 Plant: 900 W. Breitung Av. Kingsford, MI 49801
Type: Shoe voltage: dc Torque: 470 lb. ft.	Model ES-14	Lake Shore Rpt. TP-77905 Lockheed Electronics Test Rpt. 5470-3156	Lake Shore, MI. P.O. Box 809 Iron Mountain, MI 49801 Plant: 900 W. Breitung Av. Kingsford, MI 49801
Type: Shoe Voltage: dc Torque: 1200 lb. ft.	Model ES-18	Lake Shore Rpt. TP-05414 & Aero-Nav Labs. Rpt. 3-7725	Lake Shore Inc. P.O. Box 809 Iron Mountain, MI 49801 Plant: 900 W. Breitung Av. Kingsford, MI 49801
Type: shoe Voltage: DC Torque: 3300 lb. ft.	Model ED-5	Lake Shore Rpt. TP-29712 & Aero-Nav Labs. Rpt. 3-7998	Lake Shore, Inc. P.O. Box 809 Iron Mountain, MI 49801 Plant: 900 W. Breitung Av. Kingsford, MI 49801

Source: https://assist.dla.mil -- Downloaded: 2026t0-26T13:11Z
Check the source to verify that this is the currentversion before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Type: Disc (1-4 discS) Voltage: AC up to 600 volts Torque: 3 1b thru 75 lb. ft.	Model 5-7000-42	Dings Rpt. NO. 170-102-01 Dings Rpt. No. 17O-104-01	Dings Company 4740 W. Electric Av. Milwaukee, WI 53219 Plant: Same
Type: Disc (l-5 discs) voltage: AC up to 600 Volts Torque: 25 lb. ft. thru 180 lb. ft.	Model 5-8000-27 Series	Dings Rpt. No. 180-120-01 DingS Rpt. No. 18O-104-1	Dings Company 4740 W. Electric Av. Milwaukee, WI 53219 Plant: Same
Type: Disc (1-5) Voltage: AC Up To 600 Volts Torque: 25 lb. ft. thru 175 lb. ft.	Model 5-8000-51 Series	Dings Rpt. No. 180-102-02 Dings Rpt. No. 180-104-01	Dings Company 4740 W. Electric Ave. Milwaukee, WI 53219 Plant: Same address
Type: Disc (l-4 disc) Voltage: AC up to 600 volts Torque: 3 lb. thru 75 lb. ft.	Model 5-7000-85	Dings Rpt. No. 17O-102-01 Dings Rpt. No. 17O-104-01	Dings Company 4740 W. Electric Ave Milwaukee, WI 53219 Plant: Same
T'ype: Disc (1 disc) voltage: d Torque 3300 lb. ft.	Model ED-5	Lake Shore Rpt. TP-29712 & Aero-Nav Labs., Rpt. 3-7998	Lake Shore, Inc. P.O. Box 809 Iron Mountain, MI 49801 Plant: 900 W. Breitung Ave. Kingsford, MI 49801

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T13:11Z
Check the source to verify that this is the currentversion before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
Type: Disc (3 or4 discs) voltage: single phase a.c. Torque: 90 and 135 lb. ft.	NA1000 Series	Stearns #200	Rexnord Corporation Stearns Division 120 N. Broadway Milwaukee, WI 53202 Plant: Same address
Type: Disc (3-5 discs) Voltage: Single Phase a.c. Torque: 125, 175 and 230, lb. ft.	81,600-6 series	Stearns X-1061	Rexnord Corporation Stearns Division 120 N. Broadway Milwaukee, WI 53202 Plant: Same address
Type: Disc Voltage: Siingle Phase a.c. Torque: 125, 175, 230, 330, 440 and 550 lb. ft.	1-082-600	Stearns Rpt. X-3048	Rexmond Corporation Stearns Division 120 N. Broadway Milwaukee, MI 53202 Plant: Same
Type: Disc (2-4 discs) voltage: Single phase a.c. Torque: 370, 500, 750 and 1000 lb. ft.	1-086-600 Series	PT Components Stearns Div. Rpt. x-3456	REXmond Corp Stearns Div. 3.20 N. Broadway Milwaukee, WI 53202 Plant: same
Type: Disc Voltage: Single Phase a.c. Torque: 10, 15, 25, 35, 50, 75 & 105 lb. ft.	1-087-600	PT Components Stearns Div. Rpt. X3606 & Lockheed Electro-nics Rpt. #6793-3529	Rexnord Corporation Stearns Div 120 N. Broadway Milwaukee, WI 5320 Plant: Same

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:11Z
Check the source to verify that this is the current version before use.