QUALIFICATIONS CERTIFIED
Every 2 Years

QPL-22759-35
1 May 1997
SUPERSEDING
QPL-22759-34
3 March 1997

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-W-22759
WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED,
COPPER OR COPPER ALLOY
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST FOR MIL-W-22759/1-31 & /80 - /92 IS THE NAVAL AIR SYSTEMS COMMAND. Questions concerning this QPL may be di rected to Hughes Air Warfare Center, Kathy Lyons, (317) 306-4763, Code 4.5.6.2/MS-60, 6125 E. 21st Street, Indianapolis, IN 46219-2058.

The activity responsible for MIL-W-22759/32 - /35 and /41 - /46 is the Air Force 645th, Log/ESP, 1060 Hamilton Street, Dayton, Ohio 45444-5740.

For the sake of brevity, part number designations are displayed and interpreted as shown.

M22759/4-	18 thru 14	-*	JNM04-	34 thru 30	

Matrices generate the following fictitious part numbers: (intervals of two).

AMSC N/A
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

FSC 6145

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.

For the sake of brevity, part number designations are displayed and interpreted as shown.

M22759/4-	18 thru 14	-*	JNMO4-	34 thru 30	

Matrices generate the following fictitious part numbers: (intervals of two)

M22759/4-18-*	JNMO4-34
M22759/4-16-*	JNMO4-32
M22759/4-14-*	JNMO4-30

* The asterisk in the part number will be replaced by color code designation.

MIL-W-22759/1 Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Silver-Coated Copper Conductor, 600-Volt

M22759/1-	22 thru 04	-*	CUSA22759/1	22 thru 04	Cable USA Inc. NAC F16.168/3-30-95

M22759/1-22-*	J1128-*	Harbour Industries, Inc. NAC H16.82/3-30-95
-20	J1127	
-18	J1126	
-16	J1125	
-14	J1123	
-12	J3665	
-10	J1122	
- 8	J3078	
- 6	J1121	
- 4	J1120	
- 2	J1119	
- 1	J1118	
-01	J3223	
-02	J3300	
-03	J3886	
-04	J3221	

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/1-22-*	819-4639373	Specialty Cable Corp.
-20	-4639472	
-18	-4639076	NAC C16.184/3-30-95
-16	-4639274	
-14	-4639571	
-12	-4639771	
-10	-4629878	
- 8	-4639977	
- 6	-4640074	
- 4	-4640173	
- 2	-4640272	
- 1	-4640371	
-01	-4640470	
-02	-4640579	
-03	-4640678	
-04	-4640777	
M22759/1- 22 thru 04	-* 22759/1- 22 thru 04	Tensolite Company
		NAC H16.67/03-31-95
MIL-W-22759/2	Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Nickel-Coated Copper Conductor, 600-Volt	
M22759/2- 22 thru 04	-* CUSA22759/2- 22 thru 04	Cable USA Inc.
		NAC F16.168/3-30-95
M22759/2-22-*	J1117-*	Harbour Industries, Inc.
-20	J1112	NAC H16.82/3-30-95
-18	J1116	
-16	J2890	
-14	J3887	
-12	J1115	
-10	J1114	
- 8	J3142	
- 6	J3021	
- 4	J2909	
- 2	J2963	
- 1	J2831	
-01	J1113	
-02	J2876	
-03	J3143	
-04	J3888	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/2-22-*	819-4621470	Speciality Cable Corp.
-20	-4621371	
-18	-4621272	NAC C16.184/3-30-95
-16	-4621074	
-14	-4621173	
-12	-4620977	
-10	-4620878	
- 8	-4620779	
- 6	-4620670	
- 4	-4620571	
- 2	-4620472	
- 1	-4620373	
-01	-4620274	
-02	-4620175	
-03	-4620076	
-04	-4699739	
M22759/2- 22 thru 04	-* 22759/2- 22 thru 04	Tensolite Company NAC H16.67/03-31-95
MIL-W-22759/3 Wire, Electric, Fluoropolymer - Insulated, TFE-Glass-TFE Medium Weight, Nickel-Coated Copper Conductor, 600-Volt		
M22759/3- 22 thru 02	-* CUSA22759/3 22 thru 02	Cable USA Inc. NAC F16.168/3-30-95
M22759/3- 22 thru 02	-* 75903- 22 thru 02	ComScope NAC G16.75/03-30-95
M22759/3-22-*	J1146-*	Harbour Industries, Inc.
-20	J1145	
-18	J1144	NAC H16.82/3-30-95
-16	J1143	
-14	J1142	
-12	J1141	
-10	J1140	
- 8	J1139	
- 6	J1138	
- 4	J1137	
- 2	J2855	
- 1	J2889	
-01	J2652	
-02	J3185	

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/3-22-*	819-4692679	Specialty Cable Corp
-20	2570	
-18	2471	NAC C16.184/3-30-95
-16	2372	
-14	2273	
-12	2174	
-10	2075	
- 8	1978	
- 6	1879	
- 4	1770	
- 2	1671	
- 1	1572	
-01	1473	
-02	1374	
M22759/3- 22 thru 02 -*	22759/3- 22 thru 02	Tensolite Company
		NAC H16.67/03-31-95

MIL-W-22759/4 Wire, Electric, Fluoropolymer-Insulated, TFE-Glass-FEP, Medium Weight, Silver-Coated Copper Conductor, 600-Volt

M22759/4- 22 thru 02 -*	CUSA22759/4 22 thru 02	Cable USA Inc.
		NAC F16.168/3-31-95
M22759/4- 22 thru 02 -*	75904- 22 thru 02	ComScope
		NAC G16.75/03-30-95
M22759/4-22-*	J1155-*	Harbour Industries, Inc.
-20	J1154	
-18	J1153	
-16	J1152	NAC H16.82/3-30-95
-14	J3515	
-12	J3227	
-10	J1151	
- 8	J1150	
- 6	J1149	
- 4	J1148	
- 2	J1147	
- 1	J3890	
-01	J3188	
-02	J3891	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/4-22	819-4690871	Specialty Cable Corp
-20	-4690772	
-18	-4690673	NAC C16.184/3-30-95
-16	-4690574	
-14	-4690475	
-12	-4690376	
-10	-4690277	
- 8	-4690178	
- 6	-4690079	
- 4	-4689972	
- 2	-4689873	
- 1	-4689774	
-01	-4689675	
-02	-4689576	
M22759/4- | 22 thru 02 |	-*	22759/4- | 22 thru 02 |	Tensolite Company NAC H16.67/03-31-95
MIL-W-22759/5	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Silver-Coated Copper Conductor, 600 Volt	
M22759/5- | 24 thru 4 |	-*	BR22759/5 | 24 thru 4 |	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96
M22759/5- | 24 thru 10 |	-*	HM22759/5- | 24 thru 10 |	-*	Harbour Industries Ltd. (Canada) NAC G16.112/03-31-96
M22759/5 -24-*	ATE-1936-A	Surprenant Cable Corp.
-22-	-1934-A	
-20-	-1932-A	NAC F16.152/03-31-96
-18-	-1930-A	
-16-	-1929-A	
-14-	-1927-A	
-12-	-1925-A	
-10-	-3726-A	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/5-24-* -22- -20-	275-241*9 -221*9 -201*9	Specialty Cable NAC 16.202/12-16-96
M22759/5- | 24 thru 4 | -*	22759/5- | 24 thru 4 |	Tensolite Company NAC E16.154/03-31-96
M22759/5-24-* -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	24-AF3XT-1936 22-AF3XT-1934 20-AF3XT-1932 18-AF3XT-1930 16-AF3XT-1929 14-AF3XT-1927 12-AF3XT-1925 10-AF3XT-3726 8-AF3XT-13329 6-AF3XT-13327 4-AF3XT-13325	Thermax Wire Corp. (MX) J16.104/3-31-96
MIL-W-22759/6	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt	
M22759/6- | 24 thru 4 | -*	BR22759/6 | 24 thru 4 |	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96
M22759/6- | 24 thru 10 | -*	HM22759/6- | 24 thru 10 |	Harbour Industries Ltd. (Canada) NAC G16.112/3-31-96
M22759/6-24-* -22- -20-	376-241*9 -221*9 -201*9	Specialty Cable NAC 16.202/12-16-96

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/6 -24-*	ATE-1936NIC	Surprenant Cable Corp.
-22-	-1934NIC	
-20-	-1932NIC	NAC F16.152/03-31-96
-18-	-1930NIC	
-16-	-1929NIC	
-14-	-1927NIC	
-12-	-1925NIC	
-10-	-3726NIC	
- 8-	-13329NIC	
- 6-	-13327NIC	
- 4-	-13325NIC	
M22759/6- 24 thru 4 -*	22759/6- 24 thru 4	Tensolite Company
		NAC E16.154/03-31-96
M22759/6-24-	24-AF3XTN-1936	Thermax Wire Corp. (MX)
-22	22-AF3XTN-1934	
-20	20-AF3XTN-1932	
-18	18-AF3XTN-1930	
-16	16-AF3XTN-1929	J16.104/3-31-96
-14	14-AF3XTN-1927	
-12	12-AF3XTN-3726	
-10	10-AF3XTN-1925	
- 8	8-AF3XTN-13329	
- 6	6-AF3XTN-13327	
- 4	4-AF3XTN-13325	
MIL-W-22759/7	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Medium Weight, Silver-Coated Copper Conductor, 600-Volt	
M22759/7- 24 thru 4 -*	BR22759/7 24 thru 4	BICC Brand-Rex Co. (2)
		NAC E16.157/3-31-96
M22759/7- 24 thru 4 -*	75907- 24 thru 4	ComScope
		NAC F16.106/03-31-96
M22759/7- 24 thru 10 -*	HM22759/7 24 thru 10	Harbour Industries Ltd. (Canada)
		NAC G16.112/03-31-96

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/7-24-*	277-241*9	Specialty Cable
-22-	-221*9	
-20-	-201*9	NAC 16.202/12-16-96
-18-	-181*9	
-16-	-161*9	
-14-	-141*9	
-12-	-121*9	
-10-	-101*9	
M22759/7-24-*	24-AF2XT-1936	Thermax Wire Corp. (MX)
-22	22-AF2XT-1934	
-20	20-AF2XT-1932	
-18	18-AF2XT-1930	J16.104/3-31-96
-16	16-AF2XT-1929	
-14	14-AF2XT-1927	
-12	12-AF2XT-1925	
-10	10-AF2XT-3726	
- 8	8-AF2XT-13329	
- 6	6-AF2XT-13327	
- 4	4-AF2XT-13325	
M22759/7-24-*	TATE 1936A	Surprenant Cable Corp.
-22-	1934A	
-20-	1932A	NAC F16.152/03-31-96
-18-	1930A	
-16-	1929A	
-14-	1927A	
-12-	1925A	
-10-	3726A	
M22759/7- 24 thru 4	-* 22759/7- 24 thru 4	Tensolite Company
		NAC E16.154/03-31-96
MIL-W-22759/8	Wire, Electric, Fluoropolymer-Insulated Abrasion Resistant, Extruded TFE, Medium Weight, Nickel-Coated Copper Conductor, 600-Volt	
M22759/8- 24 thru 4	-* BR22759/8 24 thru 4	BICC Brand-Rex Co. (2)
		NAC E16.157/3-31-96
M22759/8- 24 thru 4	-* 75908- 24 thru 4	ComScope
		NAC F16.106/03-31-96

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/8- | 24 thru 10 | -*	HM22759/8- | 24 thru 10 |	Harbour Industries Ltd. (Canada) NAC G16.112/03-31-96
M22759/8-24-* -22- -20- -18- -16- -14- -12- -10-	378-241*9 -221*9 -201*9 -181*9 -161*9 -141*9 -121*9 -101*9	Specialty Cable NAC 16.202/12-16-96
M22759/8-24-* -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	TATE-1936NIC -1934NIC -1932NIC -1930NIC -1929NIC -1927NIC -1925NIC -3726NIC -13329NIC -13327NIC -13325NIC	Surprenant Cable Corp. NAC F16.152/03-31-96
M22759/8- | 24 thru 4 | -*	22759/8- | 24 thru 4 |	Tensolite Company NAC E16.154/03-31-96
M22759/8-24-* -22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4	24-AF2XTN-1936 22-AF2XTN-1934 20-AF2XTN-1932 18-AF2XTN-1930 16-AF2XTN-1929 14-AF2XTN-1927 12-AF2XTN-1925 10-AF2XTN-3726 8-AF2XTN-13329 6-AF2XTN-13327 4-AF2XTN-13325	Thermax Wire Corp. (MX) J16.104/3-31-96
MIL-W-22759/9	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 1000-Volt	

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/9- 28 thru 8 -*	22759/9- 28 thru 8	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/9- 24 thru 8 -*	BR22759/9- 24 thru 8	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/9- 28 thru 10 -*	75909- 28 thru 10	CommScope 01623603.AA/6-30-96
M22759/9-28-* -26 -24 -22 -20 -18 -16 -14 -12 -10 - 8	J1134-* J3602 J1133 J1132 J1131 J1130 J2962 J1129 J2894 J3892 J3390	Harbour Industries, Inc. NAC H16.79/06-30-96
M22759/9- 28 thru 8	HM22759/9- 28 thru 8	Harbour Ind. Ltd. (Canada) NAC G16.92/6-30-96
M22759/9- 28 thru 10 -*	X22759/9- 28 thru 10	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/9- 28 thru 8 -*	28 thru 8 XHS-9	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/9- 28 thru 10 -*	S-C-22759/9 28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/9-	28 thru 8	-*	22759/9-	28 thru 8	Tensolite Company NAC I16.96/06-30-96
M22759/9-28-*			28-AXT-736		Thermax Wire Corp. (MX)
-26			26-AXT-1938		
-24			24-AXT-1936		NAC L16.104/6-30-96
-22			22-AXT-1934		
-20			20-AXT-1932		
-18			18-AXT-1930		
-16			16-AXT-1929		
-14			14-AXT-1927		
-12			12-AXT-1925		
-10			10-AXT-3726		
- 8			8-AXT-13329		
MIL-W-22759/10	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 1000-Volt				
M22759/10-	28 thru 8	-*	22759/10-	28 thru 8	Astro Industries NAC E16.173/6-30-96
M22759/10-	24 thru 8	-*	BR22759/10	24 thru 8	BICC Brand-Rex Co. 2) NAC F16.156/6-30-96
M22759/10-	28 thru 8	-*	75910-	28 thru 8	ComScope 01623603.AA/6-30-96
M22759/10-28-*			J3893-*		Harbour Industries, Inc.
-26			J3894		NAC H16.79/6-30-96
-24			J3895		
-22			J1136		
-20			J1135		
-18			J3181		
-16			J3168		
-14			J3896		
-12			J3897		
-10			J3898		
-8			J3899		

Source: https://assist.dla.mil - Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/10- 28 thru 8 -*	HM22759/10- 28 thru 8	Harbour Industries Ltd. (Canada) NAC G16.92/6-30-96
M22759/10- 28 thru 10 -*	X22759/10- 28 thru 10	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/10- 28 thru 8 -*	28 thru 8 XHN-10	Quirk Wire Co, Inc. NAC J16.103/06-30-96
M22759/10- 28 thru 10 -*	S-C-22759/10- 28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/10- 28 thru 8 -*	22759/10- 28 thru 8	Tensolite Company NAC I16.96/06-30-96
M22759/10-28-*	28-AXTN-736	Thermax Wire Corp. (MX) NAC L16.104/6-30-96
-26-	26-AXTN-1938	
-24-	24-AXTN-1936	
-22-	22-AXTN-1934	
-20	20-AXTN-1932	
-18	18-AXTN-1930	
-16	16-AXTN-1929	
-14	14-AXTN-1927	
-12	12-AXTN-1925	
-10	10-AXTN-3726	
- 8	8-AXTN-13329	
MIL-W-22759/11 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 600-Volt		
M22759/11- 28 thru 8 -*	22759/11- 28 thru 8	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/11- 28 thru 8 -*	E759/11- 28 thru 8 -SPC	Axon' Cable S.A. NAC E16.118/6-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/11- 28 thru 14 -*	BR22759/11 28 thru 14	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/11- 28 thru 8 -*	75911- 28 thru 8	ComScope 01623603.AA/6-30-96
M22759/11-28-* -26 -24 -22 -20 -18 -16 -14 -12 -10 - 8	J1165-* J1164 J1163 J1162 J1161 J1160 J1159 J1158 J1157 J1156 J3504	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/11- 28 thru 10 -*	FM22759/11- 28 thru 10	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/11- 28 thru 8 -*	X22759/11- 28 thru 8	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/11- 28 thru 12 -*	28 thru 12 XES-11	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/11- 28 thru 10 -*	S-C-22759/11 28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96

Source: https://assist.dla.mil - Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/11- | 28 thru 8 |-*	22759/11- | 28 thru 8 |	Tensolite Company NAC I16.96/06-30-96
M22759/11 -28-*	28-ATE-736	Thermax Wire Corp. (MX) NAC L16.104/06-30-96
-26-	26-ATE-1938	
-24-	24-ATE-1936	
-22-	22-ATE-1934	
-20-	20-ATE-1932	
-18-	18-ATE-1930	
-16-	16-ATE-1929	
-14-	14-ATE-1927	
-12-	12-ATE-1925	
-10-	10-ATE-3726	
- 8-	8-ATE-13329	
MIL-W-22759/12 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt		
M22759/12- | 28 thru 8 |-*	22759/12- | 28 thru 8 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/12- | 28 thru 8 |-*	E759/12- | 28 thru 8 |-NPC	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/12- | 28 thru 14 |-*	BR22759/12 | 28 thru 14 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/12- | 28 thru 8 |-*	75912- | 28 thru 8 |	ComScope 01623603.AA/6-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/12-28-*	J3295	Harbour Industries, Inc.
-26	J1170	NAC H16.79/6-30-96
-24	J3109	
-22	J1169	
-20	J1168	
-18	J3900	
-16	J1167	
-14	J2901	
-12	J1166	
-10	J3902	
- 8	J3903	
M22759/12- 28 thru 10 -*	FM22759/12- 28 thru 10	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/12- 28 thru 8 -*	X22759/12- 28 thru 8	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/12- 28 thru 12 -*	28 thru 12 XEN-12	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/12- 28 thru 10 -*	S-C-22759/12- 28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/12- 28 thru 8 -*	22759/12- 28 thru 8	Tensolite Company NAC I16.96/06-30-96
M22759/12-28-*	28-ATEN-736	Thermax Wire Corp. (MX) NAC L16.104/06-30-96
-26-	26-ATEN-1938	
-24-	24-ATEN-1936	
-22-	22-ATEN-1934	
-20-	20-ATEN-1932	
-18-	18-ATEN-1930	
-16-	16-ATEN-1929	
-14-	14-ATEN-1927	
-12-	12-ATEN-1925	
-10-	10-ATEN-3726	
- 8-	8-ATEN-13329	

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/13	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF 2, Medium Weight, Tin-Coated Copper Conductor, 600-Volt			
M22759/13-	24 thru 10	-*	75913- 24 thru 10	ComScope NAC F16.111/06-30-95
MIL-W-22759/14	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF 2, Light Weight, Tin-Coated Copper Conductor, 600-Volt			
M22759/14-	26 thru 12	-*	75914- 26 thru 12	ComScope NAC F16.111/06-30-95
MIL-W-22759/15	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF 2, Light Weight, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt			
M22759/15-	26 thru 20	-*	75915- 26 thru 20	ComScope NAC F16.111/06-30-95
MIL-W-22759/16	Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Tin-Coated Copper, 600-Volt			
M22759/16-	24 thru 02	-*	LB-01-2142 24 thru 02	Barcel Wire & Cable 01602304.AA/1-31-97
M22759/16-	24 thru 10	-*	31-E5-56- 100 thru 107	BICC Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturers part numbers are expanded in intervals of one.
M22759/16-	24 thru 02	-*	BR22759/16- 24 thru 02	BICC Brand-Rex Co. (1) NAC H16.59/1-31-95

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-	24 thru 02	-*	CUSA 22759/16-	24 thru 02	Cable USA, Inc. NAC D16.165/1-31-95
M22759/16-	24 thru 02	-*	75916-	24 thru 02	ComScope 01623504.AA/1-31-97
M22759/16-	24 thru 02	-*	D-266	1 thru 15	Dacon Systems, Inc. 01607104.AA/1-31-97
M22759/16-24		-*	J1183-*		Harbour Industries, Inc. 01610904.AA1/1-31-97
-22			J1182		
-20			J1181		
-18			J1180		
-16			J1179		
-14			J1178		
-12			J1177		
-10			J1175		
- 8			J1174		
- 6			J2659		
- 4			J1173		
- 2			J1172		
- 1			J1171		
-01			J1184		
-02			J3904		
M22759/16-	24 thru 4	-*	HM22759/16-	24 thru 4	Harbour Industries Ltd. (Canada) NAC I16.93/1-31-95
M22759/16-	24 thru 00	-*	314-1004-	24 thru 00	Helistrand, Inc. 01611304.AA/1-31-97

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-24-*	503-247-*	Huber & Suhner
-22-	503-216	
-20-	500-594	NAC H16.66/1-31-97
-18-	503-250	
-16-	217	
-14-	249	
-12-	218	
-10-	248	
- 8-	219	
- 6-	246	
- 4-	245	
M22759/16- 24 thru 10 -*	X22759/16- 24 thru 10	Intech, Div. of Belden
		NAC J16.86/06-30-96
M22759/16- 24 thru 10 -*	S-W-22759/16- 24 thru 10 S-W-1-22759/16- 24 thru 10 S-W-2-22759/16- 24 thru 10	Specialty Cable Corp.
		01622304.AA/1-31-97
M22759/16-24-*	TFZ 1936U(011)	Rockbestos/Surprenant
-22-	1934U(011)	
-20-	1932U(011)	01607404.AA/1-31-97
-18-	1930U(012)	
-16-	1929U(0125)	
-14-	1927U(013)	
-12-	3728U(014)	
-10-	3726U(016)	
-8-	13329U(015)	
-6-	13327U(0185)	
-4-	13325U(0215)	
M22759/16-24-*	24-ACFZ-1936	Thermax Wire Corp.
-22-	22- -1934	
-20-	20- -1932	NAC D16.188/1-31-95
-18-	18- -1930	
-16-	16- -1929	
-14-	14- -1927	
-12-	12- -3728	
-10-	10- -3726	
- 8-	8- -13329	
- 6-	6- -13327	
- 4-	4- -13325	
- 2-	2- -66530	
- 1-	1- -81730	
-01-	1/0- -104530	
-02-	2/0- -133030	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-24-*	1XZ24-19-36	Thermofil
-22-	22-19-34	
-20-	20-19-32	G16.98/1-31-95
-18-	18-19-30	
-16-	16-19-29	
-14-	14-19-27	
-12-	12-37-36	
-10-	10-37-36	
- 8-	8-133-25	
- 6-	6-133-25	
- 4-	4-133-25	
MIL-W-22759/17	Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Silver-Plated High Strength Copper Alloy, 600-Volt	
M22759/17- 26 thru 20 -*	LB-01-2143- 26 thru 20	Barcel Wire & Cable 01602304.AA/1-31-95
M22759/17- 26 thru 20 -*	31-E5-56- 120 thru 123	Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturer's part numbers are expanded in intervals of one
M22759/17- 26 thru 20 -*	BR22759/17 26 thru 20	BICC Brand-Rex Co. (1) NAC H16.59/1-31-95
M22759/17- 24 thru 20 -*	CUSA 22759/17- 24 thru 20	Cable USA, Inc NAC D16.165/1-31-95
M22759/17- 26 thru 20 -*	75917- 26 thru 20	Comscope 01623604.AA/1-31-97
M22759/17- 24 thru 02 -*	D-227 1 thru 4	Dacon Systems, Inc. 01607104.AA/1-31-97

Source: https://assist.dla.mil Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/17-26-* -24 -22 -20	J3905 J1185 J3906 J3907	Harbour Industries, Inc. 01610404.AA/1-31-97
M22759/17- 26 thru 20 -*	HM22759/17- 26 thru 20	Harbour Industries Ltd. (Canada) NAC I16.93/1-31-95
M22759/17- 26 thru 20 -*	354-1004- 26 thru 20 -*	Helistrand, Inc. 01611304.AA/1-31-97
M22759/17-26-* -24- -22- -20-	503-255-* 256 257 258	Huber & Suhner NAC H16.66/1-31-97
M22759/17- 26 thru 20	X22759/17- 26 thru 20	Intech, Div. of Belden NAC K16.58/1-31-95
M22759/17- 26 thru 20 -*	S-W-22759/17- 26 thru 20 S-W-1-22759/17- S-W-2-22759/17-	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/17-26-* -24- -22- -20-	TFZ 1938-AY73(011) 1936-AY73(011) 1934-AY73(011) 1932-AY73(011)	Rockbestos/Surprenant 01607404.AA/1-31-97
M22759/17-26-* -24- -22- -20-	26-ACFTF-1938 24 1936 22 1934 20 1932	Thermax Wire Corp. (MX) NAC D16.188/1-31-95
M22759/17- 26 thru 20 -*	1XZA 26-19-38 thru 20-19-32	Thermofil NAC G16.98/1-31-95

MIL-W-22759/18 Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Tin-Coated Copper, 600-Volt

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18- 26 thru 10 -*	LB-01-2144- 26 thru 10	Barcel Wire & Cable 01602304.AA/1-31-97
M22759/18- 26 thru 10 -*	31-E5-56- 140 thru 148	BICC Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturer's part numbers are expanded in intervals of one
M22759/18- 26 thru 20 -*	BR22759/18 26 thru 20	BICC Brand-Rex Co. (1) NAC H16.59/1-31-95
M22759/18- 26 thru 10 -*	CUSA 22759/18- 26 thru 10	Cable USA, Inc. NAC D16.165/1-31-95
M22759/18- 26 thru 10 -*	X22759/18- 26 thru 10	Intech, Div. of Belden NAC K16.58/1-31-95
M22759/18- 26 thru 10 -*	75918- 26 thru 10	Comscope 01623604.AA/1-31-97
M22759/18-26-* -24 -22 -20 -18 -16 -14 -12 -10	J2816-* J1194 J1193 J1192 J1191 J1190 J1188 J1187 J1186	Harbour Industries, Inc. 01610904.AA1/1-31-97
M22759/18- 26 thru 10 -*	HM22759/18- 26 thru 10	Harbour Industries Ltd.(Canada) NAC I16.93/1-31-95
M22759/18- 26 thru 10 -*	313-1004- 26 thru 10	Helistrand, Inc. 01611304.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18-26-*	503-251-*	Huber & Suhner
-24-	503-252	
-22-	503-214	NAC H16.66/1-31-97
-20-	500-599	
-18-	503-253	
-16-	503-215	
-14-	503-254	
M22759/18- 26 thru 10 -*	S-W-22759-18- 26 thru 10 S-W-1-22759/18- 26 thru 10	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/18- 26 thru 16 -*	S-W-2-22759/18- 26 thru 16	
M22759/18-26-*	TFZ 1938U(0065)	Rockbestos/Surprenant
-24-	1936U(0065)	
-22-	1934U(0065)	01607404.AA/1-31-97
-20-	1932U(0065)	
-18-	1930U(007)	
-16-	1929U(0065)	
-14-	1927U(007)	
-12-	3728U(0085)	
-10-	3726U(0095)	
M22759/18-26-*	26-AMCFZ-1938	Thermax Wire Corp. (MX)
-24-	24-AMCFZ-1936	NAC D16.188/1-31-95
-22-	22-AMCFZ-1934	
-20-	20-AMCFZ-1932	
-18-	18-AMCFZ-1930	
-16-	16-AMCFZ-1929	
-14-	14-AMCFZ-1927	
-12-	12-AMCFZ-3728	
-10-	10-AMCFZ-3726	
M22759/18-26-*	3XZ26-19-38	Thermofil
-24-	24-19-36	
-22-	22-19-34	NAC G16.98/1-31-95
-20-	20-19-32	
-18-	18-19-30	
-16-	16-19-29	
-14	12-37-28	
-10-	10-37-26	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/19 Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Silver-Plated High Strength Copper Alloy, 600-Volt		
M22759/19- 26 thru 20 -*	LB-01-2145- 26 thru 20	Barcel Wire & Cable 01602304.AA/1-31-97
M22759/19- 26 thru 20 -*	31-E5-56- 160 thru 163	BICC Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturer's part numbers are expanded in intervals of one
M22759/19- 26 thru 20 -*	BR22759/19 26 thru 20	BICC Brand-Rex Co. (1) NAC GH6.59/1-31-95
M22759/19- 26 thru 20 -*	CUSA 22759/19- 26 thru 20	Cable USA, Inc. NAC D16.165/1-31-95
M22759/19- 26 thru 20 -*	75919- 26 thru 20	Comscope 01623604.AA/1-31-97
M22759/19-26-* -24 -22 -20	J3908-* J3124 J3123 J3909	Harbour Industries, Inc. 01610904.AA/1-31-97
M22759/19- 26 thru 20 -*	HM22759/19- 26 thru 20	Harbour Industries Ltd. (Canada) NAC I16.93/1-31-95
M22759/19- 26 thru 20 -*	353-1004- 26 thru 20	Helistrand, Inc. 01611304.AA/1-31-97
M22759/19-26-* -24- -22- -20-	503-259-* -260- -261- -262-	Huber & Suhner NAC H16.66/1-31-97
M22759/19- 26 thru 20 -*	X22759/19- 26 thru 20	Intech, Div. of Belden

Source: https://assist.dla.mil - Downloaded: 202640-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/19- 26 thru 20 -*	S-W-22759/19- 26 thru 20 S-W-1-22759/19- 26 thru 20	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/19-26-* -24- -22- -20-	TFZ 1938A-AY73(0065) TFZ 1936A-AY73(0065) TFZ 1934A-AY73(0065) TFZ 1932A-AY73(0065)	Rockbestos/Surprenant 01607404.AA/1-31-97
M22759/19-26-* -24- -22- -20-	26-AMCFTF-1938 24-AMCFTF-1936 22-AMCFTF-1934 20-AMCFTF-1932	Thermax Wire Corp. (MX) NAC D16.188/1-31-95
M22759/19- 26 thru 20 -*	3XZA26-19-38 thru 3XZA20-19-32	Thermofil NAC G16.98/1-31-95
MIL-W-22759/20	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 1000-Volt	
M22759/20- 28 thru 20 -*	22759/20- 28 thru 20	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/20- 24 thru 20 -*	BR22759/20- 24 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/20-28-* -26 -24 -22 -20	J3910-* J3911 J3912 J3913 J3914	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/20- 28 thru 20 -*	HM22759/20- 28 thru 20	Harbour Industries LTD. (Canada) NAC G16.92/6-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/20- 28 thru 20	X22759/20- 28 thru 20	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/20- 28 thru 20 -*	28 thru 20 XHSA-20	Quirk Wire Co. Inc. NAC J16.103/06-30-96
M22759/20- 28 thru 20 -*	S-C-22759/20- 28 thru 20	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/20- 28 thru 20 -*	75920- 28 thru 20	ComScope 01623603.AA/6-30-96
M22759/20- 28 thru 20 -*	22759/20- 28 thru 20	Tensolite Company NAC I16.96/06-30-96
M22759/20-28-* -26 -24 -22 -20	28-AXTTF-736 26- -1938 24- -1936 22- -1934 20- -1932	Thermax Wire Corp (MX) NAC L16.104/6-30-96
MIL-W-22759/21	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 1000-Volt	
22759/21- 28 thru 20 -*	22759/21- 28 thru 20	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/21- 24 thru 20 -*	BR22759/21 24 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/21- 28 thru 20 -*	75921- 28 thru 20	ComScope 01623603.AA/6-30-96
M22759/21-28-* -26 -24 -22 -20	J3915-* J3916 J3917 J3918 J3919	Harbour Industries, Inc. NAC H16.79/6-30-96

Source: https://assist.dla.mil Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/21-	28 thru 20	HM22759/21-	28 thru 20	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/21-	28 thru 20 *	X22759/21-	28 thru 20	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/21-	28 thru 20 -*	28 thru 20	XHNA-21	Quirk Wire Co. Inc., NAC J16.103/06-30-96
M22759/21-	28 thru 20 -*	S-C-22759/21-	28 thru 20	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/21-	28 thru 20 -*	22759/21-	28 thru 20	Tensolite Company NAC I16.96/06-30-96
M22759/21-28-*		28-AXTTFN-736		Thermax Wire Corp. (MX) NAC L16.104/6-30-96
-26		26-AXTTFN-1938		
-24		24-AXTTFN-1936		
-22		22-AXTTFN-1934		
-20		20-AXTTFN-1932		
MIL-W-22759/22	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt			
M22759/22-	28 thru 20 -*	22759/22-	28 thru 20	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/22-	28 thru 20 -*	E759/22-	28 thru 20 -SPTF	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/22-	28 thru 20 -*	BR22759/22	28 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/22- 28 thru 20 -*	75922- 28 thru 20	ComScope 01623603.AA/6-30-96
M22759/22-28-* -26 -24 -22 -20	J1199-* J1198 J1197 J1196 J1195	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/22- 28 thru 20 -*	HM22759/22- 28 thru 20 -*	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/22- 28 thru 20 -	X22759/22 -28 thru 20	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/22- 28 thru 20 -*	28 thru 20 XESA-22	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/22- 28 thru 20 -*	S-C-22759/22- 28 thru 20	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/22- 28 thru 20 -*	22759/22- 28 thru 20 -*	Tensolite Company NAC I16.96/06-30-96
M22759/22-28-* -26- -24- -22- -20-	28-ATETF-736 26-ATETF-1938 24-ATETF-1936 22-ATETF-1934 20-ATETF-1932	Thermax Wire Corp. (MX) NAC L16.104/06-30-96
MIL-W-22759/23	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/23- 28 thru 20 -*	22759/23- 28 thru 20	Astro Industries Inc. NAC E16.173/6-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/23- 28 thru 20 -*	E759/23- 28 thru 20 -SPC	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/23- 28 thru 20 -*	BR22759/23 28 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/23- 28 thru 20 -*	75923- 28 thru 20	ComScope 01623603.AA/6-30-96
M22759/23-28-* -26 -24 -22 -20	J3920-* J2896 J1200 J3200 J3921	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/23- 28 thru 20 -*	HM22759/23- 28 thru 20 -*	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/23- 28 thru 20- -*	X22759/23- 28 thru 20	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/23- 28 thru 20 -*	28 thru 20 XENA-23	Quirk Wire Co. NAC J16.103/06-30-96
M22759/23- 28 thru 20 -*	S-C-22759/23- 28 thru 20	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/23- 28 thru 20 -*	22759/23- 28 thru 20	Tensolite Company NAC I16.96/06-30-96
M22759/23-28-* -26- -24- -22- -20-	28-ATETFN-736 26-ATETFN-1938 24-ATETFN-1936 22-ATETFN-1934 20-ATETFN-1932	Thermax Wire Corp. (MX) NAC L16.104/6-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/28 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated Copper Conductor, 600-Volt		
M22759/28- | 28 thru 10 |-*	75928- | 28 thru 10 |	ComScope 01623603.AA/6-30-96
M22759/28- | 28 thru 8 |-*	22759/28- | 28 thru 8 |	Tensolite Company NAC I16.96/06-30-96
M22759/28-28-* -26- -24- -22- -20- -18- -16- -14-	28-ATEH-763 26-ATEH-1938 24-ATEH-1936 22-ATEH-1934 20-ATEH-1932 18-ATEH-1930 16-ATEH-1929 14-ATEH-1927	Thermax (MX) NAC L16.104/6-30-96
MIL-W-22759/29 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated Copper Conductor, 600-Volt		
M22759/29- | 28 thru 10 |-*	75929- | 28 thru 10 |	ComScope 01623603.AA/6-30-96
M22759/29- | 28 thru 8 |-*	22759/29- | 28 thru 8 |	Tensolite Company NAC I16.96/06-30-96
M22759/29-28-* -26- -24- -22- -20- -18- -16- -14-	28-ATEH-763 26-ATEH-1938 24-ATEH-1936 22-ATEH-1934 20-ATEH-1932 18-ATEH-1930 16-ATEH-1929 14-ATEH-1927	Thermax (MX) NAC L16.104/6-30-96
MIL-W-22759/30 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt		

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/30-	28 thru 20	-*	75930-	28 thru 20		ComScope 01623603.AA/6-30-96
M22759/30-	28 thru 20	-*	22759/30-	28 thru 20		Tensolite Company NAC H16.96/06-30-96
M22759/30-28-*			28-ATETFH-736			Thermax (MX)
-26-			26-ATETFH-1938			
-24-			24-ATETFH-1936			NAC L16.104/6-30-96
-22-			22-ATETFH-1934			
-20-			20-ATETFH-1932			
MIL-W-22759/31	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt					
M22759/31-	28 thru 20	-*	75931-	28 thru 20		ComScope 01623603.AA/6-30-96
M22759/31-	28 thru 20	-*	22759/31-	28 thru 20		Tensolite Company NAC I16.96/06-30-96
M22759/31-28-*			28-ATETFNH-736			Thermax (MX)
-26-			26-ATETFNH-1938			
-24-			24-ATETFNH-1936			NAC L16.104/6-30-96
-22-			22-ATETFNH-1934			
-20-			20-ATETFNH-1932			
MIL-W-22759/32	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Tin-Coated Copper 600-Volt					
M22759/32-	30 thru 12	-*	BR22759/32	30 thru 12		BICC Brand-Rex Co. (1) 01603305.AA/11-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/32-30-*	H3832302-*	Judd Wire
-28-	282	
-26-	264	NAC I6.160/11-30-94
-24-	244	
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/32-30-*	55A0111-30-*	Raychem Corporation
-28-	-28-*	
-26-	-26-*	NAC 01620205.AB/11-30-96
-24-	-24-*	
-22-	-22-*	
-20-	-20-*	
-18-	-18-*	
-16-	-16-*	
-14-	-14-*	
-12-	-12-*	
M22759/32-30-*	55A0111-30-*	Raychem Ltd.
-28	-28-*	
-26	-26-*	NAC E16.164/11-30-94
-24	-24-*	
-22	-22-*	
-20	-20-*	
-18	-18-*	
-16	-16-*	
-14	-14-*	
-12	-12-*	
M22759/32-30-*	LTX 738U	Surprenant-Rockbestos
-28	736U	
-26	1938U	01620905.AA/11-30-96
-24	1936U	
-22	1934U	
-20	1932U	
-18	1930U	
-16	1929U	
-14	1927U	
-12	3728U	
MIL-W-22759/33	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated High Strength Copper Alloy, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/33- | 30 thru 20 |-*	BR22759/33 | 30 thru 20 |	BICC Brand-Rex Co. (1) 01603305AA/11-30-96
M22759/33-30-* -28- -26- -24- -22- -20-	H3833302-* 282 264 244 224 204	Judd Wire NAC I6.160/11-30-94
M22759/33-30-* -28- -26- -24- -22- -20-	55A0114-30-* -28- -26- -24- -22- -20-	Raychem Corporation 01620205.AB/11-30-96
M22759/33- | 30 thru 20 |-*	55A0114- | 30 thru 20 |-*	Raychem Ltd. NAC E16.164/11-30-94
M22759/33-30-* -28- -26- -24- -22- -20-	LTX 738AY-73 736AY-73 1938AY-73 1936AY-73 1934AY-73 1932AY-73	Surprenant-Rockbestos 01620905.AA/11-30-96
MIL-W-22759/34	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Tin-Coated Copper, 600-Volt	
M22759/34- | 24 thru 4 |-*	BR22759/34 | 24 thru 4 |	BICC Brand-Rex Co. (1)
M22759/34- | 2 thru 02 |-5D	BR22759/34 | 2 thru 02 |	01603305AA/11-30-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/34-24-*	H3834244 or H9134244	Judd Wire
-22-	224 224	
-20-	204 204	NAC I6.160/11-30-94
-18-	184 184	
-16-	164 164	
-14-	144 144	
-12-	126 126	
-10-	106 106	
- 8-	088 088	
- 6-	068	
- 4-	048	
- 2-5D	029	
- 1-5D	019	
-01-5D	109	
-02-5D	209	
M22759/34- 24 thru 4 -*	55A0811- 24 thru 4 -*	Raychem Corporation
		01620205.AB/11-30-96
M22759/34- 2 thru 02 -5D	55A8039- 2 thru 00 -5D	
M22759/34- 24 thru 10 -*	55A0811- 24 thru 10 -*	Raychem Ltd.
		NAC E16.164/11-30-94
M22759/34-24-*	ETX 1936U	Surprenant Cable Corp.
-22-	ETX 1934U	
-20-	ETX 1932U	NAC E16.162/11-30-94
-18-	ETX 1930U	
-16-	ETX 1929U	
-14-	ETX 1927U	
-12-	ETX 1925U	
-10-	ETX 3726U	
- 8-	ETX 13329U	
- 6-	ETX 13327U	
- 4-	ETX 13325U	

MIL-W-22759/35 Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated High Strength Copper Alloy, 600-Volt

M22759/35- 26 thru 20 -*	BR22759/35 26 thru 20	BICC Brand-Rex Co. (1)	
		01603305.AA/11-30-94	

Source: https://assist.dla.mil Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/35-26-*	H3835264-* or H9135264	Judd Wire
-24	244 244	
-22	224 224	NAC I16.160/11-30-94
-20	204 204	
M22759/35-| 26 thru 20 |-*	55AO814-| 26 thru 20 |-*	Raychem Corporation
		01620205.AB/11-30-96
M22759/35-24-*	55AO814-24-*	Raychem Ltd.
-22	-22	
-20	-20	NAC E16.164/11-30-94
M22759/35-26-*	ETX 1938AY-73	Surprenant-Rockbestos
-24-	ETX 1936AY-73	
-22-	ETX 1934AY-73	01620905.AA/11-30-96
-20-	ETX 1932AY-73	
MIL-W-22759/41	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated Copper, 200°C, 600-Volt	
M22759/41-| 26 thru 4 |-*	BR22759/41| 26 thru 4 |	BICC Brand-Rex Co. (1)
M22759/41-| 2 thru 02 |-5D	BR22759/41| 2 thru 02 |	01603305.AA/11-30-96
M22759/41-26-*	H3841264-* or H9141264	Judd Wire
-24-	244 244	
-22-	224 224	NAC I16.160/11-30-94
-20-	204 204	
-18-	184 184	
-16-	164 164	
-14-	144 144	
-12-	126 126	
-10-	106 106	
- 8-	088 088	
- 6-	059	
- 4-	048	
- 2-5D	029	
- 1-5D	019	
-01-5D	109	
-02-5D	209	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/41-| 26 thru 4 |-*	55A0813-| 26 thru 4 |-*	Raychem Corporation 01620205.AB/11-30-96
M22759/41-| 2 thru 02 |-5D	55A8595-| 2 thru 00 |-5D	
M22759/41-| 24 thru 10 |-*	55A0813-| 24 thru 10 |-*	Raychem Ltd. NAC E16.164/11-30-94
M22759/41-26-* -24- -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	ETX 1938 NIC ETX 1936 NIC ETX 1934 NIC ETX 1932 NIC ETX 1930 NIC ETX 1929 NIC ETX 1927 NIC ETX 3728 NIC ETX 3726 NIC ETX 13329 NIC ETX 13327 NIC ETX 13325 NIC	Surprenant-Rockbestos 01620905.AA/11-30-96
MIL-W-22759/42	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated High Strength Copper Alloy, 200 °C, 600-Volt	
M22759/42-| 26 thru 20 |-*	BR22759/42| 26 thru 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/42-26-* -24- -22- -20-	H3842264-* or H9142264 244 244 224 224 204 204	Judd Wire NAC I16.160/11-30-94
M22759/42-| 26 thru 20 |-*	55A0816-| 26 thru 20 |-*	Raychem Corporation 01620205.AB/11-30-96

Source: https://assist.dla.mil Downloaded: 202640-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/42- | 26 thru 20 |-*	55A0816- | 26 thru 20 |-*	Raychem Ltd NAC E16.164/11-30-94
M22759/42-26-* -24- -22- -20-	ETX 1938 NIC-AY73 ETX 1936 NIC-AY73 ETX 1934 NIC-AY73 ETX 1932 NIC-AY73	Surprenant-Rockbestos 01620905.AA/11-30-96
MIL-W-22759/43	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated Copper, 200°C, 600-Volt	
M22759/43- | 26 thru 4 |-*	BR22759/43 | 26 thru 4 |	BICC Brand-Rex Co. (1)
M22759/43- | 2 thru 02 |-5D	BR22759/43 | 2 thru 02 |	01603305.AA/11-30-94
M22759/43-26-* -24- -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4- - 2-5D - 1-5D -01-5D -02-5D	H3843264-* or H9143264 244 244 224 224 204 204 184 184 164 164 144 144 126 126 106 106 088 088 068 048 029 019 109 209	Judd Wire NAC I16.160/11-30-94
M22759/43- | 26 thru 4 |-*	55A0812- | 26 thru 4 |-*	Raychem Corporation 01620205.AB/11-30-96
M22759/43- | 2 thru 02 |-5D	55A6089- | 2 thru 02 |-5D	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/43-	24 thru 10	-*	55A0812	24 thru 10	Raychem Ltd. NAC E16.164/11-30-94
M22759/43-26-*			ETX 1938A		Surprenant-Rockbestos 01620905.AA11-30-96
-24-			ETX 1936A		
-22-			ETX 1934A		
-20-			ETX 1932A		
-18-			ETX 1930A		
-16-			ETX 1929A		
-14-			ETX 1927A		
-12-			ETX 1925A		
-10-			ETX 3728A		
- 8-			ETX 13329A		
- 6-			ETX 13327A		
- 4-			ETX 13325A		
MIL-W-22759/44	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated Copper, 200 degrees C, 600 Volt				
M22759/44-	28 thru 12	-*	BR22759/44	28 thru 12	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/44-28-*			H3844282		Judd Wire NAC I16.160/11-30-94
-26-			264		
-24-			244		
-22-			224		
-20-			204		
-18-			184		
-16-			164		
-14-			144		
-12-			126		
M22759/44-	28 thru 12	-*	55A0112-	28 thru 12	Raychem Corporation 01620205.AB/11-30-96
M22759/44-	24 thru 12	-*	55A0112-	24 thru 12	-* Raychem Ltd. NAC E16.164/11-30-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/44-28-*	LTX 736A	Surprenant-Rockbestos
-26-	1938A-73	
-24-	1936A-73	01620905.AA/11-30-96
-22-	1934A-73	
-20-	1932A-73	
-18-	1930A	
-16-	1929A	
-14-	1927A	
-12-	3728A	
MIL-W-22759/45	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated Copper, 200 degrees C, 600 Volt	
M22759/45- 28 thru 12 -*	BR22759/45 28 thru 12	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/45-28-*	H3845282-*	Judd Wire
-26-	264	
-24-	244	NAC I16.160/11-30-94
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/45- 28 thru 12 -*	55A0113- 28 thru 12 -*	Raychem Corporation 01620205.AB/11-30-96
M22759/45- 28 thru 12 -*	55A0113- 28 thru 12 -*	Raychem Ltd. NAC E16.164/11-30-94
M22759/45-28-*	LTX 736 NIC	Surprenant-Rockbestos
-26-	1938 NIC	
-24-	1936 NIC	01620905.AA/11-30-96
-22-	1934 NIC	
-20-	1932 NIC	
-18-	1930 NIC	
-16-	1929 NIC	
-14-	1927 NIC	
-12-	3728 NIC	
MIL-W-22759/46	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated High-Strength Copper Alloy, 200 degrees C, 600 Volt	

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/46- | 28 thru 20 |-*	BR22759/46 | 28 thru 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/46-28-* -26- -24- -22- -20-	H3846282-* 264 244 224 204	Judd Wire NAC I16.160/11-30-94
M22759/46- | 28 thru 20 |-*	55A0116- | 28 thru 20 |-*	Raychem Corporation 01620205.AB/11-30-96
M22759/46- | 26 thru 20 |-*	55A0116- | 26 thru 20 |-*	Raychem Ltd. NAC E16.164/11-30-94
M22759/46-28-* -26- -24- -22- -20-	LTX 736 -AY73 1938-AY73 1936-AY73 1934-AY73 1932-AY73	Surprenaut-Rockbestos 01620905.AA/11-30-96
M22759/83	Wire, Electrical, Polytetrafluoroethylene/Polymide Insulated, Normal Weight, Silver Coated Copper Conductor, 200 degrees C, 600-Volt	
M22759/83- | 2 thru 04 |-*	22759/83- | 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/84	Wire, Electrical, Polytetrafluoroethylene/Polymide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications	
M22759/84- | 2 thru 04 |-*	22759/84- | 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/85	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts	

Source: https://assist.dla.mil - Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/85-	2 thru 04	-*	22759/85-	2 thru 04	Tensolite Company NAC16.200/12-6-96
M22759/86	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications				
M22759/86-	26 thru 04	-*	22759/86-	26 thru 04	Tensolite Company NAC16.200/12-6-96
M22759/87	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 degrees C, 600-Volts, for Crimp Applications				
M22759/87-	26 thru 04	-*	22759/87-	26 thru 04	Tensolite Company NAC16.200/12-6-96
M22759/88	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts, for Crimp Applications				
M22759/88-	26 thru 04	-*	22759/88-	26 thru 04	Tensolite Company NAC16.200/12-6-96
M22759/89	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, High Strength or Ultra High Strength Copper Alloy, 200 degrees C, 600 Volts				
M22759/89-	26 thru 20	-*	22759/89-	26 thru 20	Tensolite Company NAC16.200/12-6-96
M22759/90	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated, High Strength Copper Alloy, 200 Degrees C. 600 Volts, for Crimp Applications				
M22759/90-	26 thru 20	-*	22759/90-	26 thru 20	Tensolite Company NAC16.200/12-6-96

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE #
Office: Astro Industries, Inc. 4403 Dayton-Xenia Road Dayton, Ohio 45432 Plant: Same address	29365
Office: Axon' Cable S.A. Route de Chalons sur Marne 51210 Montmirail France Plant: Same address	F5688
Office: Barcel Wire & Cable Corp. 2851 Alton Ave. Irvine, CA 92714-5885 Plant: Same as above	28427
Office: BICC Brand-Rex Co.s P.O. Box 498 1600 W. Main St. Willimantic, CT 06226 Plant: Same address	71124
Office: BICC Brand-Rex Ltd. Leigh Lancashire England WN7 4HB Plant: Same as above	K1390
Office: Cable USA, Inc. 2584 S. Horseshoe Dr. Naples, FL 33942 Plant: Same address	67050
Office: Calmont Engr. & Elect. Corp. dba Calmont Wire & Cable 420 East Alton Avenue Santa Ana, CA 92707	24027

Source: https://assist.dla.mil - Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:
ComScope , Inc. 12515
P.O. Box 909
Elm City, NC 27822

Plant: Same address

Office:
Dacon Systems, Inc. 55041
18270 Mt. Baldy Circle
Fountain Valley, CA 92708

Plant: Same address

Office:
Harbour Industries, Inc. 27478
Wire Division
P.O. Box 188
Shelburne, VT 05482

Plant:
Harbour Industries Inc.
Wire Division
Route 7
Shelburne, VT 05482

Office:
Harbour Industries 57104
Canada Ltd.
1365 Industriel Blvd.
Farmham, Quebec JZN-2X3

Plant: Same address

Office:
Helistrand, Inc. 52621
707 E. Yanonali Street
Santa Barbara, CA 93103

Plant: Same address

Office:
INTECH ICI Cable Inc.
43 Broad St.
Hudson, MA 01749-2595

Plant (1):
Same as above (1)

Plant (2):
9700 Brookford St. (2)
Charlotte, NC 28273

Source: https://assist.dla.mil Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT

Office:
Judd Wire, Inc. — 12703
55 Turnpike Road
Turners Falls, MA 01376

Plant: Same as above

Office:
Kablemetal Electro GMBH — D1427
Postfach 2551
Sieboldstr. 10
D-9007 Nurnberg
Germany

Plant: Same as above

Office:
Quirk Wire Co., Inc. — 24868
Route 9
W. Brookfield, MA 01585

Plant: Same address

Office:
Raychem Corp. — 06090
300 Constitution Dr.
Menlo Park, CA 94025

Plant: Oakside at Northside
Redwood City, CA 94063

Office:
Raychem Corp. Ltd. — K1010
Faraday Rd. (Dorcan)
Swindon SN3 5HH, England

Plant: Same as above

Office:
Rockbestos/Surprenant — 90484
172 Sterling St.
Clinton, MA 01510

Plant: Same address

Office:
Specialty Cable Corp. — 60685
Special Cable Div.
2 Tower Dr., P.O. Box 50
Wallingford, CT 06492

Plant: Same address

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:
Tensolite Co. 92607
Subdivision of Carlisle Corp.
100 Tensolite Dr.
St. Augustine, FL 32092

Plant:
Same address

Office:
Thermax Wire L.P. 12814
225-A N. Freeport Dr.
Nogalez, AZ 85621

Plant : 645 Calle Bustamontes
(Nogales), Sonora, Mexico

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.