QUALIFICATIONS CERTIFIED
Every 2 Years

QPL-22759-36
1 August 1997
SUPERSEDING
QPL-22759-35
1 May 1997

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-W-22759
WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED,
COPPER OR COPPER ALLOY
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST FOR MIL-W-22759/1-31 & /80 - /92 IS THE NAVAL AIR SYSTEMS COMMAND. Questions concerning this QPL may be di rected to Hughes Air Warfare Center, Kathy Lyons, (317) 306-4763, CNE-550/MS-60, 6125 E. 21st Street, Indianapolis, IN 46219-2058.

The activity responsible for MIL-W-22759/32 - /35 and /41 - /46 is the Air Force 645th, Log/ESP, 1060 Hamilton Street, Dayton, Ohio 45444-5740.

For the sake of brevity, part number designations are displayed and interpreted as shown.

M22759/4-	18 thru 14	-*	JNMO4-	34 thru 30	

Matrices generate the following fictitious part numbers: (intervals of two).

AMSC N/A
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

FSC 6145

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.

For the sake of brevity, part number designations are displayed and interpreted as shown.

M22759/4-	18 thru 14	-*	JNMO4-	34 thru 30	

Matrices generate the following fictitious part numbers: (intervals of two)

M22759/4-18-*	JNMO4-34
M22759/4-16-*	JNMO4-32
M22759/4-14-*	JNMO4-30

* The asterisk in the part number will be replaced by color code designation.

MIL-W-22759/1 Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Silver-Coated Copper Conductor, 600-Volt

M22759/1-	22 thru 04	-*	CUSA22759/1	22 thru 04	Cable USA Inc. NAC F16.168/3-30-95

M22759/l-22-*	J1128-*	Harbour Industries, Inc.
-20	J1127	01610901.AA/3-30-97
-18	J1126	
-16	J1125	
-14	J1123	
-12	J3665	
-10	J1122	
- 8	J3078	
- 6	J1121	
- 4	J1120	
- 2	J1119	
- 1	J1118	
-01	J3223	
-02	J3300	
-03	J3886	
-04	J3221	

M22759/1-22-*	819-4639373	Specialty Cable Corp.
-20	-4639472	
-18	-4639076	01622301.aa/3-30-97
-16	-4639274	
-14	-4639571	
-12	-4639771	
-10	-4629878	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
- 8	-4639977	Speciality Cable (con't)
- 6	-4640074	
- 4	-4640173	
- 2	-4640272	
- 1	-4640371	
-01	-4640470	
-02	-4640579	
-03	-4640678	
-04	-4640777	
M22759/l- | 22 thru 04 |	-*	22759/l- | 22 thru 04 |	Tensolite Company 01623801.AA/3-30-97
MIL-W-22759/2	Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Nickel-Coated Copper Conductor, 600-Volt	
M22759/2- | 22 thru 04 |	-*	CUSA22759/2- | 22 thru 04 |	Cable USA Inc. NAC F16.168/3-30-95
M22759/2-22-*	J1117-*	Harbour Industries, Inc. 01610901.AA/3-30-97
-20	J1112	
-18	J1116	
-16	J2890	
-14	J3887	
-12	J1115	
-10	J1114	
- 8	J3142	
- 6	J3021	
- 4	J2909	
- 2	J2963	
- 1	J2831	
-01	J1113	
-02	J2876	
-03	J3143	
-04	J3888	
M22759/2-22-*	819-4621470	Speciality Cable Corp. 01622301.AA/3-30-97
-20	-4621371	
-18	-4621272	
-16	-4621074	
-14	-4621173	
-12	-4620977	
-10	-4620878	
- 8	-4620779	
- 6	-4620670	
- 4	-4620571	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
- 2	-4620472	Speciality Cable (con't)
- 1	-4620373	
-01	-4620274	
-02	-4620175	
-03	-4620076	
-04	-4699739	
M22759/2- | 22 thru 04 |-*	22759/2- | 22 thru 04 |	Tensolite Company 01623801.AA/3-30-97
MIL-W-22759/3	Wire, Electric, Fluoropolymer - Insulated, TFE-Glass-TFE Medium Weight, Nickel-Coated Copper Conductor, 600-Volt	
M22759/3- | 22 thru 02 |-*	CUSA22759/3 | 22 thru 02 |	Cable USA Inc. NAC F16.168/3-30-95
M22759/3-22-*	J1146-*	Harbour Industries, Inc. 01610901.AA/3-30-97
-20	J1145	
-18	J1144	
-16	J1143	
-14	J1142	
-12	J1141	
-10	J1140	
- 8	J1139	
- 6	J1138	
- 4	J1137	
- 2	J2855	
- 1	J2889	
-01	J2652	
-02	J3185	
M22759/3-22-*	819-4692679	Specialty Cable Corp 01622301.AA/3-30-97
-20	2570	
-18	2471	
-16	2372	
-14	2273	
-12	2174	
-10	2075	
- 8	1978	
- 6	1879	
- 4	1770	
- 2	1671	
- 1	1572	
-01	1473	
-02	1374	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/3- | 22 thru 02 |-*	22759/3- | 22 thru 02 |	Tensolite Company 01623801.AA/3-30-97
MIL-W-22759/4	Wire, Electric, Fluoropolymer-Insulated, TFE-Glass-FEP, Medium Weight, Silver-Coated Copper Conductor, 600-Volt	
M22759/4- | 22 thru 02 |-*	CUSA22759/4 | 22 thru 02 |	Cable USA Inc. NAC F16.168/3-31-95
M22759/4-22-* -20 -18 -16 -14 -12 -10 - 8 - 6 - 4 - 2 - 1 -01 -02	J1155-* J1154 J1153 J1152 J3515 J3227 J1151 J1150 J1149 J1148 J1147 J3890 J3188 J3891	Harbour Industries, Inc. 01610901.AA/3-30-97
M22759/4-22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4 - 2 - 1 -01 -02	819-4690871 -4690772 -4690673 -4690574 -4690475 -4690376 -4690277 -4690178 -4690079 -4689972 -4689873 -4689774 -4689675 -4689576	Specialty Cable Corp 01622301.AA/3-30-97
M22759/4- | 22 thru 02 |-*	22759/4- | 22 thru 02 |	Tensolite Company 01623801.AA/3-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/5	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Silver-Coated Copper Conductor, 600 Volt	
M22759/5- | 24 thru 4 | -*	BR22759/5 | 24 thru 4 |	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96
M22759/5- | 24 thru 10 | -*	HM22759/5- | 24 thru 10 | -*	Harbour Industries Ltd. (Canada) NAC G16.112/03-31-96
M22759/5 -24-* -22- -20- -18- -16- -14- -12- -10-	ATE-1936-A -1934-A -1932-A -1930-A -1929-A -1927-A -1925-A -3726-A	Harbour Industries (US) NAC F16.152/03-31-96
M22759/5-24-* -22- -20-	275-241*9 -221*9 -201*9	Specialty Cable NAC 16.202/12-16-96
M22759/5- | 24 thru 4 | -*	22759/5- | 24 thru 4 |	Tensolite Company NAC E16.154/03-31-96
M22759/5-24-* -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	24-AF3XT-1936 22-AF3XT-1934 20-AF3XT-1932 18-AF3XT-1930 16-AF3XT-1929 14-AF3XT-1927 12-AF3XT-1925 10-AF3XT-3726 8-AF3XT-13329 6-AF3XT-13327 4-AF3XT-13325	Thermax Wire Corp. (MX) J16.104/3-31-96
MIL-W-22759/6	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/6- 24 thru 4 -*	BR22759/6 24 thru 4	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96
M22759/6- 24 thru 10 -*	HM22759/6- 24 thru 10	Harbour Industries Ltd. (Canada) NAC G16.112/3-31-96
M22759/6 -24-* -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	ATE-1936NIC -1934NIC -1932NIC -1930NIC -1929NIC -1927NIC -1925NIC -3726NIC -13329NIC -13327NIC -13325NIC	Harbour (USA) NAC F16.152/03-31-96
M22759/6-24-* -22- -20-	376-241*9 -221*9 -201*9	Specialty Cable NAC 16.202/12-16-96
M22759/6- 24 thru 4 -*	22759/6- 24 thru 4	Tensolite Company NAC E16.154/03-31-96
M22759/6-24- -22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4	24-AF3XTN-1936 22-AF3XTN-1934 20-AF3XTN-1932 18-AF3XTN-1930 16-AF3XTN-1929 14-AF3XTN-1927 12-AF3XTN-3726 10-AF3XTN-1925 8-AF3XTN-13329 6-AF3XTN-13327 4-AF3XTN-13325	Thermax Wire Corp. (MX) J16.104/3-31-96
MIL-W-22759/7	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Medium Weight, Silver-Coated Copper Conductor, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/7- | 24 thru 4 | -*	BR22759/7 | 24 thru 4 |	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96
M22759/7- | 24 thru 4 | -*	75907- | 24 thru 4 |	CommScope NAC F16.106/03-31-96
M22759/7- | 24 thru 10 | -*	HM22759/7 | 24 thru 10 |	Harbour Industries Ltd. (Canada) NAC G16.112/03-31-96
M22759/7-24-* -22- -20- -l8- -l6- -l4- -l2- -l0-	TATE l936A l934A l932A l930A l929A l927A 1925A 3726A	Harbour (USA) NAC F16.152/03-31-96
M22759/7-24-* -22- -20- -18- -16- -14- -12- -10-	277-241*9 -221*9 -201*9 -181*9 -161*9 -141*9 -121*9 -101*9	Specialty Cable NAC 16.202/12-16-96
M22759/7-24-* -22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4	24-AF2XT-1936 22-AF2XT-1934 20-AF2XT-1932 18-AF2XT-1930 16-AF2XT-1929 14-AF2XT-1927 12-AF2XT-1925 10-AF2XT-3726 8-AF2XT-13329 6-AF2XT-13327 4-AF2XT-13325	Thermax Wire Corp. (MX) J16.104/3-31-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/7- | 24 thru 4 |-*	22759/7- | 24 thru 4 |	Tensolite Company NAC E16.154/03-31-96
MIL-W-22759/8	Wire, Electric, Fluoropolymer-Insulated Abrasion Resistant, Extruded TFE, Medium Weight, Nickel-Coated Copper Conductor, 600-Volt	
M22759/8- | 24 thru 4 | -*	BR22759/8 | 24 thru 4 |	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96
M22759/8- | 24 thru 4 |-*	75908- | 24 thru 4 |	CommScope NAC F16.106/03-31-96
M22759/8- | 24 thru 10 | -*	HM22759/8- | 24 thru 10 |	Harbour Industries Ltd. (Canada) NAC G16.112/03-31-96
M22759/8-24-* -22- -20- -l8- -l6- -l4- -l2- -l0- - 8- - 6- - 4-	TATE-l936NIC -l934NIC -l932NIC -l930NIC -l929NIC -l927NIC -1925NIC -3726NIC -13329NIC -13327NIC -13325NIC	Harbour (USA) NAC F16.152/03-31-96
M22759/8-24-* -22- -20- -18- -16- -14- -12- -10-	378-241*9 -221*9 -201*9 -181*9 -161*9 -141*9 -121*9 -101*9	Specialty Cable NAC 16.202/12-16-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/8- | 24 thru 4 |-*	22759/8- | 24 thru 4 |	Tensolite Company NAC E16.154/03-31-96
M22759/8-24-* -22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4	24-AF2XTN-1936 22-AF2XTN-1934 20-AF2XTN-1932 18-AF2XTN-1930 16-AF2XTN-1929 14-AF2XTN-1927 12-AF2XTN-1925 10-AF2XTN-3726 8-AF2XTN-13329 6-AF2XTN-13327 4-AF2XTN-13325	Thermax Wire Corp. (MX) J16.104/3-31-96
MIL-W-22759/9	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 1000-Volt	
M22759/9- | 28 thru 8 |-*	22759/9-| 28 thru 8 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/9- | 24 thru 8 |-*	BR22759/9-| 24 thru 8 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/9- | 28 thru 10 |-*	75909-| 28 thru 10 |	CommScope 01623603.AA/6-30-96
M22759/9-28-* -26 -24 -22 -20 -18 -16 -14 -12 -10 - 8	J1134-* J3602 J1133 J1132 J1131 J1130 J2962 J1129 J2894 J3892 J3390	Harbour Industries, Inc. NAC H16.79/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/9-	28 thru 8	HM22759/9-	28 thru 8	Harbour Ind. Ltd. (Canada) NAC G16.92/6-30-96
M22759/9-	28 thru 10 -*	X22759/9-	28 thru 10	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/9-	28 thru 8 -*	28 thru 8	XHS-9	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/9-	28 thru 10 -*	S-C-22759/9	28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/9-	28 thru 8 -*	22759/9-	28 thru 8	Tensolite Company NAC I16.96/06-30-96
M22759/9-28-*		28-AXT-736		Thermax Wire Corp. (MX) NAC L16.104/6-30-96
-26		26-AXT-1938		
-24		24-AXT-1936		
-22		22-AXT-1934		
-20		20-AXT-1932		
-18		18-AXT-1930		
-16		16-AXT-1929		
-14		14-AXT-1927		
-12		12-AXT-1925		
-10		10-AXT-3726		
- 8		8-AXT-13329		
MIL-W-22759/10	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 1000-Volt			
M22759/10-	28 thru 8 -*	22759/10-	28 thru 8	Astro Industries NAC E16.173/6-30-96
M22759/10-	24 thru 8 -*	BR22759/10	24 thru 8	BICC Brand-Rex Co. 2) NAC F16.156/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/10- | 28 thru 8 |-*	75910-| 28 thru 8 |	CommScope 01623603.AA/6-30-96
M22759/10-28-* -26 -24 -22 -20 -18 -16 -14 -12 -10 -8	J3893-* J3894 J3895 J1136 J1135 J3181 J3168 J3896 J3897 J3898 J3899	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/10- | 28 thru 8 |-*	HM22759/10- | 28 thru 8 |	Harbour Industries Ltd. (Canada) NAC G16.92/6-30-96
M22759/10- | 28 thru 10 |-*	X22759/10- | 28 thru 10 |	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/10- | 28 thru 8 |-*	| 28 thru 8 | XHN-10	Quirk Wire Co, Inc. NAC J16.103/06-30-96
M22759/10- | 28 thru 10 |-*	S-C-22759/10- | 28 thru 10 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/10- | 28 thru 8 |-*	22759/10- | 28 thru 8 |	Tensolite Company NAC I16.96/06-30-96
M22759/10-28-* -26- -24- -22- -20 -18 -16 -14 -12	28-AXTN-736 26-AXTN-1938 24-AXTN-1936 22-AXTN-1934 20-AXTN-1932 18-AXTN-1930 16-AXTN-1929 14-AXTN-1927 12-AXTN-1925	Thermax Wire Corp. (MX) NAC L16.104/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-10	10-AXTN-3726	Thermax Wire
- 8	8-AXTN-13329	(con't)
MIL-W-22759/11	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 600-Volt	
M22759/11- | 28 thru 8 |-*	22759/11- | 28 thru 8 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/11- | 28 thru 8 |-*	E759/11-| 28 thru 8 |-SPC	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/11- | 28 thru 14 |-*	BR22759/11| 28 thru 14 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/11- | 28 thru 8 |-*	75911-| 28 thru 8 |	CommScope 01623603.AA/6-30-96
M22759/11-28-*	J1165-*	Harbour Industries, Inc. NAC H16.79/6-30-96
-26	J1164	
-24	J1163	
-22	J1162	
-20	J1161	
-18	J1160	
-16	J1159	
-14	J1158	
-12	J1157	
-10	J1156	
- 8	J3504	
M22759/11- | 28 thru 10 |-*	FM22759/11- | 28 thru 10 |	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/11- | 28 thru 8 |-*	X22759/11- | 28 thru 8 |	Intech, Div. of Belden NAC J16.86/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/11- 28 thru 12 -*	28 thru 12 XES-11	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/11- 28 thru 10 -*	S-C-22759/11 28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/11- 28 thru 8 -*	22759/11- 28 thru 8	Tensolite Company NAC I16.96/06-30-96
M22759/11 -28-*	28-ATE-736	Thermax Wire Corp. (MX) NAC L16.104/06-30-96
-26-	26-ATE-1938	
-24-	24-ATE-1936	
-22-	22-ATE-1934	
-20-	20-ATE-1932	
-18-	18-ATE-1930	
-16-	16-ATE-1929	
-14-	14-ATE-1927	
-12-	12-ATE-1925	
-10-	10-ATE-3726	
- 8-	8-ATE-13329	
MIL-W-22759/12	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt	
M22759/12- 28 thru 8 -*	22759/12- 28 thru 8	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/12- 28 thru 8 -*	E759/12- 28 thru 8 -NPC	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/12- 28 thru 14 -*	BR22759/12 28 thru 14	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/12- 28 thru 8 -*	75912- 28 thru 8	CommScope 01623603.AA/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/12-28-*	J3295	Harbour Industries,
-26	J1170	Inc.
-24	J3109	NAC H16.79/6-30-96
-22	J1169	
-20	J1168	
-18	J3900	
-16	J1167	
-14	J2901	
-12	J1166	
-10	J3902	
- 8	J3903	
M22759/12- 28 thru 10 -*	FM22759/12- 28 thru 10	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/12- 28 thru 8 -*	X22759/12- 28 thru 8	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/12- 28 thru 12 -*	28 thru 12 XEN-12	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/12- 28 thru 10 -*	S-C-22759/12- 28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/12- 28 thru 8 -*	22759/12- 28 thru 8	Tensolite Company NAC I16.96/06-30-96
M22759/12-28-*	28-ATEN-736	Thermax Wire Corp.
-26-	26-ATEN-1938	(MX)
-24-	24-ATEN-1936	NAC L16.104/06-30-96
-22-	22-ATEN-1934	
-20-	20-ATEN-1932	
-18-	18-ATEN-1930	
-16-	16-ATEN-1929	
-14-	14-ATEN-1927	
-12-	12-ATEN-1925	
-10-	10-ATEN-3726	
- 8-	8-ATEN-13329	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/13	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF$_2$, Medium Weight, Tin-Coated Copper Conductor, 600-Volt	
M22759/13- | 24 thru 10 |	-* 75913- | 24 thru 10 |	CommScope NAC F16.111/06-30-95
MIL-W-22759/14	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF$_2$, Light Weight, Tin-Coated Copper Conductor, 600-Volt	
M22759/14- | 26 thru 12 |	-* 75914- | 26 thru 12 |	CommScope NAC F16.111/06-30-95
MIL-W-22759/15	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF$_2$, Light Weight, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/15- | 26 thru 20 |	-* 75915- | 26 thru 20 |	CommScope NAC F16.111/06-30-95
MIL-W-22759/16	Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Tin-Coated Copper, 600-Volt	
M22759/16- | 24 thru 02 |	-* LB-01-2142 | 24 thru 02 |	Barcel Wire & Cable 01602304.AA/1-31-97
M22759/16- | 24 thru 10 |	-* 31-E5-56- | 100 thru 107 |	BICC Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturers part numbers are expanded in intervals of one.
M22759/16- | 24 thru 02 |	-* BR22759/16- | 24 thru 02 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16- | 24 thru 02 | -*	CUSA 22759/16- | 24 thru 02 |	Cable USA, Inc. NAC D16.165/1-31-95
M22759/16-24-* -22- -20- -18- -16- -14- -12- -10-	3006-8175-6-4-* 3006-8176-6-4- 3006-8177-6-4- 3006-8178-6-4- 3006-8179-6-4- 3006-8180-6-4-* 3006-9354-1-1- 3006-9355-1-1-	Calmont Engineering & 01604504.AA/7-28-97
M22759/16-| 24 thru 02 |-*	75916-| 24 thru 02 |	CommScope 01623504.AA/1-31-97
M22759/16-| 24 thru 02 |-*	D-266| 1 thru 15 |	Dacon Systems, Inc. 01607104.AA/1-31-97
M22759/16-24-* -22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4 - 2 - 1 -01 -02	J1183-* J1182 J1181 J1180 J1179 J1178 J1177 J1175 J1174 J2659 J1173 J1172 J1171 J1184 J3904	Harbour Industries, Inc. 01610904.AA1/1-31-97
M22759/16- | 24 thru 4 |-*	HM22759/16- | 24 thru 4 |	Harbour Industries Ltd. (Canada) 01610404.AA/1-31-97
M22759/16- | 24 thru 00 |-*	314-1004- | 24 thru 00 |	Helistrand, Inc. 01611304.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-24-*	503-247-*	Huber & Suhner
-22-	503-216	
-20-	500-594	NAC H16.66/1-31-97
-18-	503-250	
-16-	217	
-14-	249	
-12-	218	
-10-	248	
- 8-	219	
- 6-	246	
- 4-	245	
M22759/16- | 24 thru 10 |-*	X22759/16- | 24 thru 10 |	Intech/Belden (2)
		01612504.AA/01-31-97
M22759/16- | 24 thru 10 |-*	S-W-22759/16- | 24 thru 10 |	Specialty Cable Corp.
	S-W-1-22759/16- | thru |	
	S-W-2-22759/16- | 10 |	01622304.AA/1-31-97
M22759/16-24-*	TFZ 1936U(011)	Rockbestos/Surprenant
-22-	1934U(011)	
-20-	1932U(011)	01607404.AA/1-31-97
-18-	1930U(012)	
-16-	1929U(0125)	
-14-	1927U(013)	
-12-	3728U(014)	
-10-	3726U(016)	
-8-	13329U(015)	
-6-	13327U(0185)	
-4-	13325U(0215)	
M22759/16-24-*	24-ACFZ-1936	Thermax Wire Corp.
-22-	22- -1934	
-20-	20- -1932	01624504.AA/1-31-97
-18-	18- -1930	
-16-	16- -1929	
-14-	14- -1927	
-12-	12- -3728	
-10-	10- -3726	
- 8-	8- -13329	
- 6-	6- -13327	
- 4-	4- -13325	
- 2-	2- -66530	
- 1-	1- -81730	
-01-	1/0- -104530	
-02-	2/0- -133030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-24-*	1XZ24-19-36	Thermofil
-22-	22-19-34	
-20-	20-19-32	G16.98/1-31-95
-18-	18-19-30	
-16-	16-19-29	
-14-	14-19-27	
-12-	12-37-36	
-10-	10-37-36	
- 8-	8-133-25	
- 6-	6-133-25	
- 4-	4-133-25	
MIL-W-22759/17	Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Silver-Plated High Strength Copper Alloy, 600-Volt	
M22759/17- | 26 thru 20 |-*	LB-01-2143- | 26 thru 20 |	Barcel Wire & Cable 01602304.AA/1-31-97
M22759/17- | 26 thru 20 |-*	31-E5-56- | 120 thru 123 |	Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturer's part numbers are expanded in intervals of one
M22759/17- | 26 thru 20 |-*	BR22759/17| 26 thru 20 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/17- | 24 thru 20 |-*	CUSA 22759/17- | 24 thru 20 |	Cable USA, Inc NAC D16.165/1-31-95
M22759/17-| 26 thru 20 |-*	3006-|8181|-6-4-* thru |8184|	Calmont Engineering 01604504.AA/7-28-97
M22759/17- | 26 thru 20 |-*	75917-| 26 thru 20 |	Commscope 01623604.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/17-| 24 |-* |thru| | 02 |	D-227| 1 | |thru| | 4 |	Dacon Systems, Inc. 01607104.AA/1-31-97
M22759/17-26-* -24 -22 -20	J3905 J1185 J3906 J3907	Harbour Industries, Inc. 01610404.AA/1-31-97
M22759/17- | 26 |-* | thru | | 20 |	HM22759/17- | 26 | | thru | | 20 |	Harbour Industries Ltd. (Canada) 01610404.AA/1-31-97
M22759/17- | 26 |-* | thru | | 20 |	354-1004- | 26 |-* | thru | | 20 |	Helistrand, Inc. 01611304.AA/1-31-97
M22759/17-26-* -24- -22- -20-	503-255-* 256 257 258	Huber & Suhner NAC H16.66/1-31-97
M22759/17- | 26 | |thru| | 20 |	X22759/17-| 26 | |thru| | 20 |	Intech/Belden (2) 01612504.AA/1-31-97
M22759/17- | 26 |-* | thru | | 20 |	S-W-22759/17- | 26 | S-W-1-22759/17-| thru | S-W-2-22759/17-| 20 |	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/17-26-* -24- -22- -20-	TFZ 1938-AY73(011) 1936-AY73(011) 1934-AY73(011) 1932-AY73(011)	Rockbestos/Surprenant 01607404.AA/1-31-97
M22759/17-26-* -24- -22- -20-	26-ACFTF-1938 24 1936 22 1934 20 1932	Thermax Wire Corp. (MX) 01624504.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/17-| 26 |-* |thru| | 20 |	1XZA|26-19-38| | thru | |20-19-32|	Thermofil NAC G16.98/1-31-95
MIL-W-22759/18 Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Tin-Coated Copper, 600-Volt		
M22759/18- | 26 |-* |thru| | 10 |	LB-01-2144-| 26 | |thru| | 10 |	Barcel Wire & Cable 01602304.AA/1-31-97
M22759/18- | 26 |-* |thru| | 10 |	31-E5-56- | 140 | |thru | | 148 |	BICC Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturer's part numbers are expanded in intervals of one
M22759/18- | 26 |-* | thru | | 20 |	BR22759/18| 26 | | thru | | 20 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/18- | 26 |-* |thru| | 10 |	CUSA 22759/18- | 26 | |thru| | 10 |	Cable USA, Inc. NAC D16.165/1-31-95
M22759/18-26-* -24- -22- -20- -18- -16- -14- -12- -10-	3006-8185-6-4-* 3006-8186-6-4- 3006-8187-6-4- 3006-8188-6-4- 3006-8189-6-4- 3006-8190-6-4- 3006-8191-1-1- 3006-9363-1-1- 3006-9364-1-1-	Calmont Engineering 01604504.AA/7-28-97
M22759/18- | 26 |-* | thru | | 10 |	X22759/18-| 26 | | thru | | 10 |	Intech/Belden (2) 01612504.AA1-31-97
M22759/18- | 26 |-* |thru| | 10 |	75918-| 26 | |thru| | 10 |	Commscope 01623604.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18-26-*	J2816-*	Harbour Industries, Inc.
-24	J1194	01610904.AA1/1-31-97
-22	J1193	
-20	J1192	
-18	J1191	
-16	J1190	
-14	J1188	
-12	J1187	
-10	J1186	
M22759/18- 26 thru 10 -*	HM22759/18- 26 thru 10	Harbour Industries Ltd.(Canada)
		01610404.AA/1-31-97
M22759/18- 26 thru 10 -*	313-1004- 26 thru 10	Helistrand, Inc.
		01611304.AA/1-31-97
M22759/18-26-*	503-251-*	Huber & Suhner
-24-	503-252	
-22-	503-214	NAC H16.66/1-31-97
-20-	500-599	
-18-	503-253	
-16-	503-215	
-14-	503-254	
M22759/18- 26 thru 10 -*	S-W-22759-18- 26 thru 10	Specialty Cable Corp.
	S-W-1-22759/18- 26 thru 10	01622304.AA/1-31-97
M22759/18- 26 thru 16 -*	S-W-2-22759/18- 26 thru 16	
M22759/18-26-*	TFZ 1938U(0065)	Rockbestos/Surprenant
-24-	1936U(0065)	
-22-	1934U(0065)	01607404.AA/1-31-97
-20-	1932U(0065)	
-18-	1930U(007)	
-16-	1929U(0065)	
-14-	1927U(007)	
-12-	3728U(0085)	
-10-	3726U(0095)	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18-26-*	26-AMCFZ-1938	Thermax Wire Corp. (MX) 01624504.AA/1-31-97
-24-	24-AMCFZ-1936	
-22-	22-AMCFZ-1934	
-20-	20-AMCFZ-1932	
-18-	18-AMCFZ-1930	
-16-	16-AMCFZ-1929	
-14-	14-AMCFZ-1927	
-12-	12-AMCFZ-3728	
-10-	10-AMCFZ-3726	
M22759/18-26-*	3XZ26-19-38	Thermofil
-24-	24-19-36	
-22-	22-19-34	NAC G16.98/1-31-95
-20-	20-19-32	
-18-	18-19-30	
-16-	16-19-29	
-14	12-37-28	
-10-	10-37-26	
MIL-W-22759/19	Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Silver-Plated High Strength Copper Alloy, 600-Volt	
M22759/19- | 26 thru 20 |-*	LB-01-2145- | 26 thru 20 |	Barcel Wire & Cable 01602304.AA/1-31-97
M22759/19- | 26 thru 20 |-*	31-E5-56- | 160 thru 163 |	BICC Brand-Rex, LTD NAC C16.166/1-31-95 Manufacturer's part numbers are expanded in intervals of one
M22759/19- | 26 thru 20 |-*	BR22759/19 | 26 thru 20 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/19-| 26 thru 20 |-*	3006-|8192|-6-4-* thru |8195|	Calmont Engineering 01604504.AA/7-28-97
M22759/19- | 26 thru 20 |-*	CUSA 22759/19- | 26 thru 20 |	Cable USA, Inc. NAC D16.165/1-31-95

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/19- | 26 thru 20 |-*	75919-| 26 thru 20 |	Commscope 01623604.AA/1-31-97
M22759/19-26-* -24 -22 -20	J3908-* J3124 J3123 J3909	Harbour Industries, Inc. 01610904.AA/1-31-97
M22759/19- | 26 thru 20 |-*	HM22759/19- | 26 thru 20 |	Harbour Industries Ltd.(Canada) 01610404.AA/1-31-97
M22759/19- | 26 thru 20 |-*	353-1004- | 26 thru 20 |	Helistrand, Inc. 01611304.AA/1-31-97
M22759/19-26-* -24- -22- -20-	503-259-* -260- -261- -262-	Huber & Suhner NAC H16.66/1-31-97
M22759/19- | 26 thru 20 |-*	X22759/19-| 26 thru 20 |	Intech/Belden (2) 01612504.AA/1-31-97
M22759/19- | 26 thru 20 |-*	S-W-22759/19- | 26 thru 20 | S-W-1-22759/19-|	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/19-26-* -24- -22- -20-	TFZ 1938A-AY73(0065) TFZ 1936A-AY73(0065) TFZ 1934A-AY73(0065) TFZ 1932A-AY73(0065)	Rockbestos/Surprenant 01607404.AA/1-31-97
M22759/19-26-* -24- -22- -20-	26-AMCFTF-1938 24-AMCFTF-1936 22-AMCFTF-1934 20-AMCFTF-1932	Thermax Wire Corp. (MX) 01624504.AA/1-31-97
M22759/19-| 26 thru 20 |-*	|3XZA26-19-38| thru |3XZA20-19-32|	Thermofil NAC G16.98/1-31-95

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/20 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 1000-Volt		
M22759/20- | 28 thru 20 |-*	22759/20- | 28 thru 20 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/20- | 24 thru 20 |-*	BR22759/20- | 24 thru 20 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/20-28-* -26 -24 -22 -20	J3910-* J3911 J3912 J3913 J3914	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/20- | 28 thru 20 |-*	HM22759/20- | 28 thru 20 |	Harbour Industries LTD. (Canada) NAC G16.92/6-30-96
M22759/20- | 28 thru 20 |	X22759/20- | 28 thru 20 |	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/20- | 28 thru 20 |-*	| 28 thru 20 | XHSA-20	Quirk Wire Co. Inc. NAC J16.103/06-30-96
M22759/20- | 28 thru 20 |-*	S-C-22759/20- | 28 thru 20 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/20- | 28 thru 20 |-*	75920- | 28 thru 20 |	CommScope 01623603.AA/6-30-96
M22759/20- | 28 thru 20 |-*	22759/20- | 28 thru 20 |	Tensolite Company NAC I16.96/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/20-28-*	28-AXTTF-736	Thermax Wire Corp (MX)
-26	26- -1938	
-24	24- -1936	NAC L16.104/6-30-96
-22	22- -1934	
-20	20- -1932	
MIL-W-22759/21	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 1000-Volt	
22759/21- | 28 thru 20 |-*	22759/21- | 28 thru 20 |	Astro Industries, Inc.
		NAC E16.173/6-30-96
M22759/21- | 24 thru 20 |-*	BR22759/21| 24 thru 20 |	BICC Brand-Rex Co. (2)
		NAC F16.156/6-30-96
M22759/21- | 28 thru 20 |-*	75921-| 28 thru 20 |	CommScope
		01623603.AA/6-30-96
M22759/21-28-*	J3915-*	Harbour Industries, Inc.
-26	J3916	NAC H16.79/6-30-96
-24	J3917	
-22	J3918	
-20	J3919	
M22759/21- | 28 thru 20 |	HM22759/21- | 28 thru 20 |	Harbour Industries Ltd.(Canada)
		NAC G16.92/06-30-96
M22759/2l- | 28 thru 20 |*	X22759/21- | 28 thru 20 |	Intech, Div. of Belden
		NAC J16.86/06-30-96
M22759/21- | 28 thru 20 |-*	| 28 thru 20 | XHNA-21	Quirk Wire Co. Inc.,
		NAC J16.103/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/21- | 28 thru 20 |-*	S-C-22759/21- | 28 thru 20 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/21- | 28 thru 20 |-*	22759/21- | 28 thru 20 |	Tensolite Company NAC I16.96/06-30-96
M22759/21-28-* -26 -24 -22 -20	28-AXTTFN-736 26-AXTTFN-1938 24-AXTTFN-1936 22-AXTTFN-1934 20-AXTTFN-1932	Thermax Wire Corp. (MX) NAC L16.104/6-30-96
MIL-W-22759/22	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/22- | 28 thru 20 |-*	22759/22- | 28 thru 20 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/22- | 28 thru 20 |-*	E759/22-| 28 thru 20 |-SPTF	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/22- | 28 thru 20 |-*	BR22759/22| 28 thru 20 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/22- | 28 thru 20 |-*	75922-| 28 thru 20 |	CommScope 01623603.AA/6-30-96
M22759/22-28-* -26 -24 -22 -20	J1199-* J1198 J1197 J1196 J1195	Harbour Industries, Inc. NAC H16.79/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/22- 28 thru 20 -*	HM22759/22- 28 thru 20 -*	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/22- 28 thru 20 -	X22759/22 -28 thru 20	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/22- 28 thru 20 -*	28 thru 20 XESA-22	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/22- 28 thru 20 -*	S-C-22759/22- 28 thru 20	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/22- 28 thru 20 -*	22759/22- 28 thru 20 -*	Tensolite Company NAC I16.96/06-30-96
M22759/22-28-* -26- -24- -22- -20-	28-ATETF-736 26-ATETF-1938 24-ATETF-1936 22-ATETF-1934 20-ATETF-1932	Thermax Wire Corp. (MX) NAC L16.104/06-30-96
MIL-W-22759/23 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt		
M22759/23- 28 thru 20 -*	22759/23- 28 thru 20	Astro Industries Inc. NAC E16.173/6-30-96
M22759/23- 28 thru 20 -*	E759/23- 28 thru 20 -SPC	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/23- 28 thru 20 -*	BR22759/23 28 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/23- | 28 thru 20 |-*	75923- | 28 thru 20 |	CommScope 01623603.AA/6-30-96
M22759/23-28-* -26 -24 -22 -20	J3920-* J2896 J1200 J3200 J3921	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/23- | 28 thru 20 |-*	HM22759/23- | 28 thru 20 |-*	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/23- | 28 thru 20- |-*	X22759/23- | 28 thru 20 |	Intech, Div. of Belden NAC J16.86/06-30-96
M22759/23- | 28 thru 20 |-*	| 28 thru 20 | XENA-23	Quirk Wire Co. NAC J16.103/06-30-96
M22759/23- | 28 thru 20 |-*	S-C-22759/23- | 28 thru 20 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/23- | 28 thru 20 |-*	22759/23- | 28 thru 20 |	Tensolite Company NAC I16.96/06-30-96
M22759/23-28-* -26- -24- -22- -20-	28-ATETFN-736 26-ATETFN-1938 24-ATETFN-1936 22-ATETFN-1934 20-ATETFN-1932	Thermax Wire Corp. (MX) NAC L16.104/6-30-96
MIL-W-22759/28 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated Copper Conductor, 600-Volt		
M22759/28- | 28 thru 10 |-*	75928- | 28 thru 10 |	CommScope 01623603.AA/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/28- | 28 thru 16 |-*	22759/28- | 28 thru 16 |	Tensolite Company NAC I16.96/06-30-96
M22759/28-28-*	28-ATEH-763	Thermax (MX)
-26-	26-ATEH-1938	
-24-	24-ATEH-1936	NAC L16.104/6-30-96
-22-	22-ATEH-1934	
-20-	20-ATEH-1932	
-18-	18-ATEH-1930	
-16-	16-ATEH-1929	
-14-	14-ATEH-1927	
MIL-W-22759/29	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated Copper Conductor, 600-Volt	
M22759/29- | 28 thru 10 |-*	75929-| 28 thru 10 |	CommScope 01623603.AA/6-30-96
M22759/29- | 28 thru 16 |-*	22759/29- | 28 thru 16 |	Tensolite Company NAC I16.96/06-30-96
M22759/29-28-*	28-ATEH-763	Thermax (MX)
-26-	26-ATEH-1938	
-24-	24-ATEH-1936	NAC L16.104/6-30-96
-22-	22-ATEH-1934	
-20-	20-ATEH-1932	
-18-	18-ATEH-1930	
-16-	16-ATEH-1929	
-14-	14-ATEH-1927	
MIL-W-22759/30	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/30- | 28 thru 20 |-*	75930-| 28 thru 20 |	CommScope 01623603.AA/6-30-96
M22759/30- | 28 thru 20 |-*	22759/30- | 28 thru 20 |	Tensolite Company NAC H16.96/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/30-28-*	28-ATETFH-736	Thermax (MX)
-26-	26-ATETFH-1938	
-24-	24-ATETFH-1936	NAC L16.104/6-30-96
-22-	22-ATETFH-1934	
-20-	20-ATETFH-1932	
MIL-W-22759/31	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/31- | 28 thru 20 |-*	75931-| 28 thru 20 |	CommScope
		01623603.AA/6-30-96
M22759/31- | 28 thru 20 |-*	22759/31- | 28 thru 20 |	Tensolite Company
		NAC I16.96/06-30-96
M22759/31-28-*	28-ATETFNH-736	Thermax (MX)
-26-	26-ATETFNH-1938	
-24-	24-ATETFNH-1936	NAC L16.104/6-30-96
-22-	22-ATETFNH-1934	
-20-	20-ATETFNH-1932	
MIL-W-22759/32	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Tin-Coated Copper 600-Volt	
M22759/32-| 30 thru 12 |-*	BR22759/32| 30 thru 12 |	BICC Brand-Rex Co. (1)
		01603305.AA/11-30-96
M22759/32-| 30 thru 12 |-*	31 E5 56 | 600 thru 609 |	BICC Brand-Rex, LTD
		01602905.AA/8-1-97
M22759/32-| 30 thru 12 |-*	75932-| 30 thru 12 |	CommScope, Inc.
		01623605.AA/7-2-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/32-26-*	513505-*	Huber & Suhner AG
-24-	513506-	
-22-	513507-	01612105.AA/7-7-97
-20-	513508-	
-18-	513513-	
-16-	513514-	
-14-	513515-	
-12-	513516-	
M22759/32-30-*	H3832302-*	Judd Wire
-28-	282	
-26-	264	01613505.AA/11-30-97
-24-	244	
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/32-30-*	55A0lll-30-*	Raychem Corporation
-28-	-28-*	
-26-	-26-*	NAC 01620205.AB/11-30-96
-24-	-24-*	
-22-	-22-*	
-20-	-20-*	
-l8-	-18-*	
-l6-	-16-*	
-l4-	-l4-*	
-12-	-12-*	
M22759/32-30-*	55A0lll-30-*	Raychem Ltd.
-28	-28-*	
-26	-26-*	01619805.AA/11-30-96
-24	-24-*	
-22	-22-*	
-20	-20-*	
-l8	-18-*	
-l6	-16-*	
-l4	-l4-*	
-12	-12-*	
M22759/32-30-*	LTX 738U	Surprenant-Rockbestos
-28	736U	
-26	1938U	01620905.AA/11-30-96
-24	1936U	
-22	1934U	
-20	1932U	
-18	1930U	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-16 -14 -12	1929U 1927U 3728U	Surprenant-Rockbestos (con't)
MIL-W-22759/33	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated High Strength Copper Alloy, 600-Volt	
M22759/33- | 30 thru 20 |-*	BR22759/33| 30 thru 20 |	BICC Brand-Rex Co. (1) 01603305AA/11-30-96
M22759/33-| 30 thru 20 |-*	31 E5 56 | 620 thru 625 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/33-| 30 thru 20 |-*	75933-| 30 thru 20 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/33-30-* -28- -26- -24- -22- -20-	H3833302-* 282 264 244 224 204	Judd Wire 01613505.AA/11-30-96
M22759/33-30-* -28- -26- -24- -22- -20-	55A0ll4-30-* -28- -26- -24- -22- -20-	Raychem Corporation 01620205.AB/11-30-96
M22759/33- | 30 thru 20 |-*	55A0114- | 30 thru 20 |-*	Raychem Ltd. 01619805.AA/11-30-96
M22759/33-30-* -28- -26- -24- -22- -20-	LTX 738AY-73 736AY-73 1938AY-73 1936AY-73 1934AY-73 1932AY-73	Surprenant-Rockbestos 01620905.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/34	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Tin-Coated Copper, 600-Volt	
M22759/34- | 24 thru 4 | -*	BR22759/34 | 24 thru 4 |	BICC Brand-Rex Co. (1)
M22759/34- | 2 thru 02 | -5D	BR22759/34 | 2 thru 02 |	01603305AA/11-30-96
M22759/34- | 24 thru 10 | -*	31 E5 56 | 703 thru 710 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/34- | 24 thru 8 | -*	75934- | 24 thru 8 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/34-24-*	513517-*	Huber & Suhner AG
-22-	513518-	
-20	513519-	01612105.AA/7-7-97
-18-	513536-	
-16-	513537-	
-14-	513538-	
-12-	513545-	
-10-	537644-	
M22759/34-24-*	H3834244 or H9134244	Judd Wire
-22-	224 224	
-20-	204 204	01613505.AA/11-30-96
-18-	184 184	
-16-	164 164	
-14-	144 144	
-12-	126 126	
-10-	106 106	
- 8-	088 088	
- 6-	068	
- 4-	048	
- 2-5D	029	
- 1-5D	019	
-01-5D	109	
-02-5D	209	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/34-| 24 |-* thru | 4 |	55A08ll-| 24 |-* thru | 4 |	Raychem Corporation 01620205.AB/11-30-96
M22759/34-| 2 |-5D thru | 02 |	55A8039-| 2 |-5D thru | 00 |	
M22759/34-| 24 |-* thru | 10 |	55A08ll-| 24 |-* thru | 10 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/34-24-* -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	ETX 1936U ETX 1934U ETX 1932U ETX 1930U ETX 1929U ETX 1927U ETX 1925U ETX 3726U ETX 13329U ETX 13327U ETX 13325U	Surprenant-Rockbestos 01620905.AA/11-30-96
MIL-W-22759/35	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated High Strength Copper Alloy, 600-Volt	
M22759/35- | 26 |-* thru | 20 |	BR22759/35| 26 | thru | 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/35-| 26 |-* thru | 20 |	31 E5 56 | 712 | thru | 715 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/35-| 26 |-* thru | 20 |	75935-| 26 | thru | 20 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/35-26-* -24 -22 -20	H3835264-* or H9135264 244 244 224 224 204 204	Judd Wire 01613505.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/35-| 26 |-* |thru| | 20 |	55A0814-| 26 |-* |thru| | 20 |	Raychem Corporation 01620205.AB/11-30-96
M22759/35-24-* -22 -20	55A0814-24-* -22 -20	Raychem Ltd. 01619805.AA/11-30-96
M22759/35-26-* -24- -22- -20-	ETX 1938AY-73 ETX 1936AY-73 ETX 1934AY-73 ETX 1932AY-73	Surprenant-Rockbestos 01620905.AA/11-30-96
MIL-W-22759/41	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated Copper, 200 ^{o}C, 600-Volt	
M22759/41- | 26 |-* |thru| | 4 |	BR22759/41| 26 | | thru | | 4 |	BICC Brand-Rex Co. (1)
M22759/41- | 2 |-5D |thru| | 02 |	BR22759/41| 2 | | thru | | 02 |	01603305.AA/11-30-96
M22759/41-| 26 |-* |thru| | 10 |	31 E5 56 | 722 | |thru | | 730 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/41-| 26 |-* |thru| | 8 |	75941-| 26 | |thru| | 8 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/41-26-* -24- -22- -20 -18- -16- -14- -12- -10-	513524-* 513525-* 513526- 513527- 513539- 513540- 513541- 513547- 552785-	Huber & Suhner AG 01612105.AA/7-7-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/41-26-*	H3841264-* or H9141264	Judd Wire
-24-	244	244
-22-	224	224
-20-	204	204
-18-	184	184
-16-	164	164
-14-	144	144
-12-	126	126
-10-	106	106
- 8-	088	088
- 6-	059	
- 4-	048	
- 2-5D	029	
- 1-5D	019	
-01-5D	109	
-02-5D	209	
		01613505.AA/11-30-96
M22759/4l-| 26 |-* thru | 4 |	55A08l3-| 26 |-* thru | 4 |	Raychem Corporation
		01620205.AB/11-30-96
M22759/41-| 2 |-5D thru | 02 |	55A8595-| 2 |-5D thru | 00 |	
M22759/41-| 24 |-* thru | 10 |	55A0813-| 24 |-* thru | 10 |	Raychem Ltd.
		01619805.AA/11-30-96
M22759/41-26-*	ETX 1938 NIC	Surprenant-Rockbestos
-24-	ETX 1936 NIC	
-22-	ETX 1934 NIC	
-20-	ETX 1932 NIC	
-18-	ETX 1930 NIC	
-16-	ETX 1929 NIC	
-14-	ETX 1927 NIC	
-12-	ETX 3728 NIC	
-10-	ETX 3726 NIC	
- 8-	ETX 13329 NIC	
- 6-	ETX 13327 NIC	
- 4-	ETX 13325 NIC	
		01620905.AA/11-30-96
MIL-W-22759/42	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated High Strength Copper Alloy, 200 ^{O}C, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/42- | 26 thru 20 |-*	BR22759/42 | 26 thru 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/42- | 26 thru 20 |-*	31 E5 56 | 732 thru 735 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/42- | 26 thru 20 |-*	75942- | 26 thru 20 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/42-26-*	H3842264-* or H9142264	Judd Wire
-24-	244 244	
-22-	224 224	01613505.AA/11-30-96
-20-	204 204	
M22759/42- | 26 thru 20 |-*	55A0816- | 26 thru 20 |-*	Raychem Corporation 01620205.AB/11-30-96
M22759/42- | 26 thru 20 |-*	55A0816- | 26 thru 20 |-*	Raychem Ltd 01619805.AA/11-30-96
M22759/42-26-*	ETX 1938 NIC-AY73	Surprenant-Rockbestos
-24-	ETX 1936 NIC-AY73	
-22-	ETX 1934 NIC-AY73	01620905.AA/11-30-96
-20-	ETX 1932 NIC-AY73	
MIL-W-22759/43	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated Copper, 200 ^{o}C, 600-Volt	
M22759/43- | 26 thru 4 |-*	BR22759/43 | 26 thru 4 |	BICC Brand-Rex Co. (1)
M22759/43- | 2 thru 02 |-5D	BR22759/43 | 2 thru 02 |	01603305.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/43-| 26 |-* thru | 10 |	31 E5 56 | 742 | thru | 750 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/43-| 26 |-* thru | 8 |	75943-| 26 | thru | 8 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/43-26-*	H3843264-* or H9143264	Judd Wire
-24-	244	244
-22-	224	224
-20-	204	204
-18-	184	184
-16-	164	164
-14-	144	144
-12-	126	126
-10-	106	106
- 8-	088	088
- 6-	068	
- 4-	048	
- 2-5D	029	
- 1-5D	019	
-01-5D	109	
-02-5D	209	
M22759/43-| 26 |-* thru | 4 |	55A08l2-| 26 |-* thru | 4 |	Raychem Corporation 01620205.AB/11-30-96
M22759/43-| 2 |-5D thru | 02 |	55A6089-| 2 |-5D thru | 02 |	
M22759/43- | 24 |-* thru | 10 |	55A0812| 24 | thru | 10 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/43-26-*	ETX 1938A	Surprenant-Rockbestos
-24-	ETX 1936A	
-22-	ETX 1934A	01620905.AA11-30-96
-20-	ETX 1932A	
-18-	ETX 1930A	
-16-	ETX 1929A	
-14-	ETX 1927A	
-12-	ETX 1925A	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-10-	ETX 3728A	
- 8-	ETX 13329A	Surprenant-Rockbestos
- 6-	ETX 13327A	(con't)
- 4-	ETX 13325A	
MIL-W-22759/44	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated Copper, 200 degrees C, 600 Volt	
M22759/44- | 28 |-* thru | 12 |	BR22759/44| 28 | thru| 12 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/44-| 28 |-* thru| 12 |	31 E5 56 | 631 | thru | 639 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/44-| 28 |-* thru| 12 |	75944-| 28 | thru| 12 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/44-28-*	H3844282	Judd Wire
-26-	264	
-24-	244	01613505.AA/11-30-96
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/44- | 28 |-* thru| 12 |	55A0112- | 28 | thru| 12 |	Raychem Corporation 01620205.AB/11-30-96
M22759/44- | 24 |-* thru| 12 |	55A0112- | 24 |-* thru| 12 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/44-28-*	LTX 736A	Surprenant-Rockbestos
-26-	1938A-73	
-24-	1936A-73	01620905.AA/11-30-96
-22-	1934A-73	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-20-	1932A-73	
-18-	1930A	Surprenant-Rockbestos
-16-	1929A	(con't)
-14-	1927A	
-12-	3728A	
MIL-W-22759/45	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated Copper, 200 degrees C, 600 Volt	
M22759/45- | 28 |thru| 12 |-*	BR22759/45| 28 | thru | 12 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/45-| 28 |thru| 12 |-*	31 E5 56 | 641 |thru | 649 |	BICC Brand-Rex LTD 01602905AA/8-1-97
M22759/45-| 28 |thru| 12 |-*	75945-| 28 |thru| 12 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/45-26-*	513573-*	Huber & Suhner AG
-24-	513579-*	
-22-	513580-	01612105.AA/7-7-97
-20	513581-	
-18-	513588-	
-16-	513589-	
-14-	513590-	
-12-	513592-	
M22759/45-28-*	H3845282-*	Judd Wire
-26-	264	
-24-	2440	01613505.AA/11-30-96
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/45- | 28 |thru| 12 |-*	55A0113- | 28 |thru| 12 |-*	Raychem Corporation 01620205.AB/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/45- | 28 |-* |thru| | 12 |	55A0113- | 28 |-* |thru| | 12 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/45-28-* -26- -24- -22- -20- -18- -16- -14- -12-	LTX 736 NIC 1938 NIC 1936 NIC 1934 NIC 1932 NIC 1930 NIC 1929 NIC 1927 NIC 3728 NIC	Surprenant-Rockbestos 01620905.AA/11-30-96
MIL-W-22759/46	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated High-Strength Copper Alloy, 200 degrees C, 600 Volt	
M22759/46- | 28 |-* |thru| | 20 |	BR22759/46| 28 | | thru | | 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/46-| 28 |-* |thru| | 20 |	31 E5 56 | 751 | |thru | | 755 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/46-| 28 |-* |thru| | 20 |	75946-| 28 | |thru| | 20 |	CommScope, Inc. 01623605.AA/7-2-97
M22759/46-28-* -26- -24- -22- -20-	H3846282-* 264 244 224 204	Judd Wire 01613505.AA/11-30-96
M22759/46- | 28 |-* |thru| | 20 |	55A0116- | 28 |-* |thru| | 20 |	Raychem Corporation 01620205.AB/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/46- | 26 thru 20 |-*	55A0116- | 26 thru 20 |-*	Raychem Ltd. 01619805.AA/11-30-96
M22759/46-28-* -26- -24- -22- -20-	LTX 736 -AY73 1938-AY73 1936-AY73 1934-AY73 1932-AY73	Surprenaut-Rockbestos 01620905.AA/11-30-96
M22759/83 Wire, Electrical, Polytetrafluoroethylene/Polymide Insulated, Normal Weight, Silver Coated Copper Conductor, 200 degrees C, 600-Volt		
M22759/83-| 2 thru 04 |-*	22759/83-| 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/84 Wire, Electrical, Polytetrafluoroethylene/Polymide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications		
M22759/84-| 2 thru 04 |-*	22759/84-| 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/85 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts		
M22759/85-| 2 thru 04 |-*	22759/85-| 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/86 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications		
M22759/86-| 26 thru 04 |-*	22759/86-| 26 thru 04 |	Tensolite Company NAC16.200/12-6-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/87 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 degrees C, 600-Volts, for Crimp Applications		
M22759/87-| 26 |thru| 04	-* 22759/87-| 26 thru 04	Tensolite Company NAC16.200/12-6-96
M22759/88 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts, for Crimp Applications		
M22759/88-| 26 |thru| 04	-* 22759/88-| 26 thru 04	Tensolite Company NAC16.200/12-6-96
M22759/89 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, High Strength or Ultra High Strength Copper Alloy, 200 degrees C, 600 Volts		
M22759/89-| 26 |thru| 20	-* 22759/89-| 26 thru 20	Tensolite Company NAC16.200/12-6-96
M22759/90 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated, High Strength Copper Alloy, 200 Degrees C. 600 Volts, for Crimp Applications		
M22759/90-| 26 |thru| 20	-* 22759/90-| 26 thru 20	Tensolite Company NAC16.200/12-6-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE #
Office: Astro Industries, Inc. 4403 Dayton-Xenia Road Dayton, Ohio 45432	29365
Plant: Same address	
Office: Axon' Cable S.A. Route de Chalons sur Marne 51210 Montmirail France	F5688
Plant: Same address	
Office: Barcel Wire & Cable Corp. 2851 Alton Ave. Irvine, CA 92714-5885	28427
Plant: Same as above	
Office: BICC Brand-Rex Co.s P.O. Box 498 1600 W. Main St. Willimantic, CT 06226	71124
Plant: Same address	
Office: BICC Brand-Rex Ltd. Leigh Lancashire England WN7 4HB	K1390
Plant: Same as above	
Office: Cable USA, Inc. 2584 S. Horseshoe Dr. Naples, FL 33942	67050
Plant: Same address	
Office: Calmont Engr. & Elect. Corp. dba Calmont Wire & Cable 420 East Alton Avenue Santa Ana, CA 92707	24027

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:
CommScope , Inc. 12515
P.O. Box 909
Elm City, NC 27822

Plant: Same address

Office:
Dacon Systems, Inc. 55041
18270 Mt. Baldy Circle
Fountain Valley, CA 92708

Plant: Same address

Office:
Harbour Industries, Inc. 27478
Wire Division
P.O. Box 188
Shelburne, VT 05482

Plant:
Harbour Industries Inc.
Wire Division
Route 7
Shelburne, VT 05482

Office:
Harbour Industries 57104
Canada Ltd.
1365 Industriel Blvd.
Farmham, Quebec JZN-2X3

Plant: Same address

Office:
Helistrand, Inc. 52621
707 E. Yanonali Street
Santa Barbara, CA 93103

Plant: Same address

Office:
INTECH ICI Cable Inc.
43 Broad St.
Hudson, MA 01749-2595

Plant (1):
Same as above (1)

Plant (2):
9700 Brookford St. (2)
Charlotte, NC 28273

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:

Judd Wire, Inc. 12703
55 Turnpike Road
Turners Falls, MA 01376

Plant: Same as above

Office:
Quirk Wire Co., Inc. 24868
Route 9
W. Brookfield, MA 01585

Plant: Same address

Office:
Raychem Corp. 06090
300 Constitution Dr.
Menlo Park, CA 94025

Plant: Oakside at Northside
Redwood City, CA 94063

Office:
Raychem Corp. Ltd. K1010
Faraday Rd. (Dorcan)
Swindon SN3 5HH, England

Plant: Same as above
Office:
Rockbestos/Surprenant 90484
172 Sterling St.
Clinton, MA 01510

Plant: Same address

Office:
Specialty Cable Corp. 60685
Special Cable Div.
2 Tower Dr., P.O. Box 50
Wallingford, CT 06492

Plant: Same address

Office:
Tensolite Co. 92607
Subdivision of Carlisle Corp.
100 Tensolite Dr.
St. Augustine, FL 32092

Plant:
Same address

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:	
Thermax Wire L.P. 225-A N. Freeport Dr. Nogalez, AZ 85621	12814
Plant : 645 Calle Bustamontes (Nogales), Sonora, Mexico	
OFFICE:	
The Electrical Wire & Cable Co. of Israel LTD, Thermofil P.O. Box 38 04-979-630 Maalot, Israel	S4272

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.