QUALIFICATIONS CERTIFIED
Every 2 Years

QPL-22759-37
1 March 1998
SUPERSEDING
QPL-22759-36
1 August 1997

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-W-22759
WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED,
COPPER OR COPPER ALLOY
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST FOR MIL-W-22759/1-31 & /80 - /92 IS THE NAVAL AIR SYSTEMS COMMAND. Questions concerning this QPL may be di rected to Raytheon Technical Services Company, Kathy Lyons, (317) 306-4763, CNE-550/MS-60, 6125 E. 21st Street, Indianapolis, IN 46219-2058.

The activity responsible for MIL-W-22759/32 - /35 and /41 - /46 is the Air Force 645th, Log/ESP, 1060 Hamilton Street, Dayton, Ohio 45444-5740.

AMSC N/A FSC 6145

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.

For the sake of brevity, part number designations are displayed and interpreted as shown.

M22759/4-	18 thru 14	-*	JNMO4-	34 thru 30	

Matrices generate the following fictitious part numbers: (intervals of two)

M22759/4-18-*	JNMO4-34
M22759/4-16-*	JNMO4-32
M22759/4-14-*	JNMO4-30

* The asterisk in the part number will be replaced by color code designation.

MIL-W-22759/1	Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Silver-Coated Copper Conductor, 600-Volt

M22759/1-	22 thru 04	-*	CUSA22759/1	22 thru 04	Cable USA Inc. NAC F16.168/3-30-95

M22759/l-22-*	J1128-*	Harbour Industries, Inc. 01610901.AA/3-30-97
-20	J1127	
-18	J1126	
-16	J1125	
-14	J1123	
-12	J3665	
-10	J1122	
- 8	J3078	
- 6	J1121	
- 4	J1120	
- 2	J1119	
- 1	J1118	
-01	J3223	
-02	J3300	
-03	J3886	
-04	J3221	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/1-22-*	819-4639373	Specialty Cable Corp.
-20	-4639472	
-18	-4639076	01622301.AA/3-30-97
-16	-4639274	
-14	-4639571	
-12	-4639771	
-10	-4629878	
- 8	-4639977	
- 6	-4640074	
- 4	-4640173	
- 2	-4640272	
- 1	-4640371	
-01	-4640470	
-02	-4640579	
-03	-4640678	
-04	-4640777	
M22759/l- | 22 |-* thru | 04 |	22759/l- | 22 | thru | 04 |	Tensolite Company
		01623801.AA/3-30-97
MIL-W-22759/2	Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Nickel-Coated Copper Conductor, 600-Volt	
M22759/2- | 22 | -* thru | 04 |	CUSA22759/2- | 22 | thru | 04 |	Cable USA Inc.
		NAC F16.168/3-30-95
M22759/2-22-*	J1117-*	Harbour Industries,
-20	J1112	Inc.
-18	J1116	01610901.AA/3-30-97
-16	J2890	
-14	J3887	
-12	J1115	
-10	J1114	
- 8	J3142	
- 6	J3021	
- 4	J2909	
- 2	J2963	
- 1	J2831	
-01	J1113	
-02	J2876	
-03	J3143	
-04	J3888	
M22759/2-22-*	819-4621470	Speciality Cable Corp.
-20	-4621371	
-18	-4621272	01622301.AA/3-30-97
-16	-4621074	
-14	-4621173	
-12	-4620977	
-10	-4620878	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
- 8	-4620779	Speciality Cable Corp. (Con't)
- 6	-4620670	
- 4	-4620571	
- 2	-4620472	
- 1	-4620373	
-01	-4620274	
-02	-4620175	
-03	-4620076	
-04	-4699739	
M22759/2- | 22 |-* thru | 04 |	22759/2- | 22 | thru | 04 |	Tensolite Company 01623801.AA/3-30-97
MIL-W-22759/3	Wire, Electric, Fluoropolymer - Insulated, TFE-Glass-TFE Medium Weight, Nickel-Coated Copper Conductor, 600-Volt	
M22759/3- | 22 |-* thru | 02 |	CUSA22759/3 | 22 | thru | 02 |	Cable USA Inc. NAC F16.168/3-30-95
M22759/3-22-*	J1146-*	Harbour Industries, Inc. 01610901.AA/3-30-97
-20	J1145	
-18	J1144	
-16	J1143	
-14	J1142	
-12	J1141	
-10	J1140	
- 8	J1139	
- 6	J1138	
- 4	J1137	
- 2	J2855	
- 1	J2889	
-01	J2652	
-02	J3185	
M22759/3-22-*	819-4692679	Specialty Cable Corp. 01622301.AA/3-30-97
-20	2570	
-18	2471	
-16	2372	
-14	2273	
-12	2174	
-10	2075	
- 8	1978	
- 6	1879	
- 4	1770	
- 2	1671	
- 1	1572	
-01	1473	
-02	1374	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/3- | 22 |-* thru | 02 |	22759/3- | 22 | thru | 02 |	Tensolite Company 01623801.AA/3-30-97
MIL-W-22759/4	Wire, Electric, Fluoropolymer-Insulated, TFE-Glass-FEP, Medium Weight, Silver-Coated Copper Conductor, 600-Volt	
M22759/4- | 22 |-* thru | 02 |	CUSA22759/4 | 22 | thru | 02 |	Cable USA Inc. NAC F16.168/3-31-95
M22759/4-22-* -20 -18 -16 -14 -12 -10 - 8 - 6 - 4 - 2 - 1 -01 -02	J1155-* J1154 J1153 J1152 J3515 J3227 J1151 J1150 J1149 J1148 J1147 J3890 J3188 J3891	Harbour Industries, Inc. 01610901.AA/3-30-97
M22759/4-22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4 - 2 - 1 -01 -02	819-4690871 -4690772 -4690673 -4690574 -4690475 -4690376 -4690277 -4690178 -4690079 -4689972 -4689873 -4689774 -4689675 -4689576	Specialty Cable Corp. 01622301.AA/3-30-97
M22759/4- | 22 |-* thru | 02 |	22759/4- | 22 | thru | 02 |	Tensolite Company 01623801.AA/3-30-97
MIL-W-22759/5	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Silver-Coated Copper Conductor, 600 Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/5- | 24 | -*	BR22759/5 | 24 |	BICC Brand-Rex Co. (2)
|thru|	|thru|	
| 4 |	| 4 |	
		NAC E16.157/3-31-96
M22759/5- | 24 | -*	HM22759/5- | 24 | -*	Harbour Industries Ltd. (Canada)
|thru|	|thru|	
| 10 |	| 10 |	
		NAC G16.112/03-31-96
M22759/5 -24-*	ATE-1936-A	Harbour Industries (US)
-22-	-1934-A	
-20-	-1932-A	NAC F16.152/03-31-96
-18-	-1930-A	
-16-	-1929-A	
-14-	-1927-A	
-12-	-1925-A	
-10-	-3726-A	
M22759/5-24-*	275-241*9	Specialty Cable Corp.
-22-	-221*9	
-20-	-201*9	NAC 16.202/12-16-96
M22759/5- | 24 |-*	22759/5- | 24 |	Tensolite Company
|thru|	|thru|	
| 4 |	| 4 |	NAC E16.154/03-31-96
M22759/5-24-*	24-AF3XT-1936	Thermax Wire Corp. (MX)
-22-	22-AF3XT-1934	
-20-	20-AF3XT-1932	
-18-	18-AF3XT-1930	J16.104/3-31-96
-16-	16-AF3XT-1929	
-14-	14-AF3XT-1927	
-12-	12-AF3XT-1925	
-10-	10-AF3XT-3726	
- 8-	8-AF3XT-13329	
- 6-	6-AF3XT-13327	
- 4-	4-AF3XT-13325	
MIL-W-22759/6	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt	
M22759/6- | 24 | -*	BR22759/6 | 24 |	BICC Brand-Rex Co. (2)
|thru|	|thru|	
| 4 |	| 4 |	
		NAC E16.157/3-31-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/6- | 24 |thru| 10 | -*	HM22759/6- | 24 |thru| 10 |	Harbour Industries Ltd. (Canada) NAC G16.112/3-31-96
M22759/6 -24-* -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	ATE-1936NIC -1934NIC -1932NIC -1930NIC -1929NIC -1927NIC -1925NIC -3726NIC -13329NIC -13327NIC -13325NIC	Harbour Industries (USA) NAC F16.152/03-31-96
M22759/6-24-* -22- -20-	376-241*9 -221*9 -201*9	Specialty Cable Corp. NAC 16.202/12-16-96
M22759/6- | 24 |thru| 4 | -*	22759/6- | 24 |thru| 4 |	Tensolite Company NAC E16.154/03-31-96
M22759/6-24- -22 -20 -18 -16 -14 -12 -10 - 8 - 6 - 4	24-AF3XTN-1936 22-AF3XTN-1934 20-AF3XTN-1932 18-AF3XTN-1930 16-AF3XTN-1929 14-AF3XTN-1927 12-AF3XTN-3726 10-AF3XTN-1925 8-AF3XTN-13329 6-AF3XTN-13327 4-AF3XTN-13325	Thermax Wire Corp. (MX) J16.104/3-31-96
MIL-W-22759/7	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Medium Weight, Silver-Coated Copper Conductor, 600-Volt	
M22759/7- | 24 |thru| 4 | -*	BR22759/7 | 24 |thru| 4 |	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/7- | 24 |-* thru | 4 |	75907- | 24 | thru | 4 |	Alcatel Electronics Cable NAC F16.106/03-31-96
M22759/7- | 24 |-* thru | 10 |	HM22759/7 | 24 | thru | 10 |	Harbour Industries Ltd. (Canada) NAC G16.112/03-31-96
M22759/7-24-*	TATE l936A	Harbour Industries (USA)
-22-	l934A	
-20-	l932A	NAC F16.152/03-31-96
-l8-	l930A	
-l6-	l929A	
-l4-	l927A	
-l2-	1925A	
-l0-	3726A	
M22759/7-24-*	277-241*9	Specialty Cable Corp.
-22-	-221*9	
-20-	-201*9	NAC 16.202/12-16-96
-18-	-181*9	
-16-	-161*9	
-14-	-141*9	
-12-	-121*9	
-10-	-101*9	
M22759/7-24-*	24-AF2XT-1936	Thermax Wire Corp. (MX)
-22	22-AF2XT-1934	
-20	20-AF2XT-1932	
-18	18-AF2XT-1930	J16.104/3-31-96
-16	16-AF2XT-1929	
-14	14-AF2XT-1927	
-12	12-AF2XT-1925	
-10	10-AF2XT-3726	
- 8	8-AF2XT-13329	
- 6	6-AF2XT-13327	
- 4	4-AF2XT-13325	
M22759/7- | 24 |-* thru | 4 |	22759/7- | 24 | thru | 4 |	Tensolite Company NAC E16.154/03-31-96
MIL-W-22759/8	Wire, Electric, Fluoropolymer-Insulated Abrasion Resistant, Extruded TFE, Medium Weight, Nickel-Coated Copper Conductor, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/8- | 24 | -* thru | 4 |	BR22759/8 | 24 | thru | 4 |	BICC Brand-Rex Co. (2) NAC E16.157/3-31-96
M22759/8- | 24 |-* thru | 4 |	75908- | 24 | thru | 4 |	Alcatel Electronics Cable NAC F16.106/03-31-96
M22759/8- | 24 | -* thru | 10 |	HM22759/8- | 24 | thru | 10 |	Harbour Industries Ltd. (Canada) NAC G16.112/03-31-96
M22759/8-24-* -22- -20- -l8- -l6- -l4- -l2- -l0- - 8- - 6- - 4-	TATE-l936NIC -l934NIC -l932NIC -l930NIC -l929NIC -l927NIC -1925NIC -3726NIC -13329NIC -13327NIC -13325NIC	Harbour Industries (USA) NAC F16.152/03-31-96
M22759/8-24-* -22- -20- -18- -16- -14- -12- -10-	378-241*9 -221*9 -201*9 -181*9 -161*9 -141*9 -121*9 -101*9	Specialty Cable Corp. NAC 16.202/12-16-96
M22759/8- | 24 |-* thru | 4 |	22759/8- | 24 | thru | 4 |	Tensolite Company NAC E16.154/03-31-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/8-24-*	24-AF2XTN-1936	Thermax Wire Corp.
-22	22-AF2XTN-1934	(MX)
-20	20-AF2XTN-1932	
-18	18-AF2XTN-1930	J16.104/3-31-96
-16	16-AF2XTN-1929	
-14	14-AF2XTN-1927	
-12	12-AF2XTN-1925	
-10	10-AF2XTN-3726	
- 8	8-AF2XTN-13329	
- 6	6-AF2XTN-13327	
- 4	4-AF2XTN-13325	
MIL-W-22759/9	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 1000-Volt	
M22759/9- | 28 thru 8 |-*	22759/9-| 28 thru 8 |	Astro Industries, Inc.
		NAC E16.173/6-30-96
M22759/9- | 24 thru 8 |-*	BR22759/9-| 24 thru 8 |	BICC Brand-Rex Co. (2)
		NAC F16.156/6-30-96
M22759/9- | 28 thru 10 |-*	75909-| 28 thru 10 |	Alcatel Electronics Cable
		01623603.AA/6-30-96
M22759/9-28-*	J1134-*	Harbour Industries, Inc.
-26	J3602	NAC H16.79/06-30-96
-24	J1133	
-22	J1132	
-20	J1131	
-18	J1130	
-16	J2962	
-14	J1129	
-12	J2894	
-10	J3892	
- 8	J3390	
M22759/9- | 28 thru 8 |	HM22759/9- | 28 thru 8 |	Harbour Industries, Ltd. (Canada)
		NAC G16.92/6-30-96
M22759/9- | 28 thru 10 |-*	X22759/9- | 28 thru 10 |	Intech (2)
		NAC J16.86/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/9- 28 thru 8 -*	28 thru 8	XHS-9	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/9- 28 thru 10 -*	S-C-22759/9	28 thru 10	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/9- 28 thru 8 -*	22759/9-	28 thru 8	Tensolite Company NAC I16.96/06-30-96
M22759/9-28-*	28-AXT-736		Thermax Wire Corp. (MX) NAC L16.104/6-30-96
-26	26-AXT-1938		
-24	24-AXT-1936		
-22	22-AXT-1934		
-20	20-AXT-1932		
-18	18-AXT-1930		
-16	16-AXT-1929		
-14	14-AXT-1927		
-12	12-AXT-1925		
-10	10-AXT-3726		
- 8	8-AXT-13329		
MIL-W-22759/10	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 1000-Volt		
M22759/10- 28 thru 8 -*	22759/10-	28 thru 8	Astro Industries NAC E16.173/6-30-96
M22759/10- 24 thru 8 -*	BR22759/10	24 thru 8	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/10- 28 thru 8 -*	75910-	28 thru 8	Alcatel Electronics Cable 01623603.AA/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/10-28-*	J3893-*	Harbour Industries,
-26	J3894	Inc.
-24	J3895	NAC H16.79/6-30-96
-22	J1136	
-20	J1135	
-18	J3181	
-16	J3168	
-14	J3896	
-12	J3897	
-10	J3898	
-8	J3899	
M22759/10- | 28 thru 8 |-*	HM22759/10-| 28 thru 8 |	Harbour Industries Ltd. (Canada) NAC G16.92/6-30-96
M22759/10- | 28 thru 10 |-*	X22759/10- | 28 thru 10 |	Intech (2) NAC J16.86/06-30-96
M22759/10- | 28 thru 8 |-*	| 28 thru 8 | XHN-10	Quirk Wire Co, Inc. NAC J16.103/06-30-96
M22759/10- | 28 thru 10 |-*	S-C-22759/10-| 28 thru 10 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/10- | 28 thru 8 |-*	22759/10- | 28 thru 8 |	Tensolite Company NAC I16.96/06-30-96
M22759/10-28-*	28-AXTN-736	Thermax Wire Corp.
-26-	26-AXTN-1938	(MX)
-24-	24-AXTN-1936	NAC L16.104/6-30-96
-22-	22-AXTN-1934	
-20	20-AXTN-1932	
-18	18-AXTN-1930	
-16	16-AXTN-1929	
-14	14-AXTN-1927	
-12	12-AXTN-1925	
-10	10-AXTN-3726	
- 8	8-AXTN-13329	
MIL-W-22759/11	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/11- | 28 thru 8 |-*	22759/11- | 28 thru 8 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/11- | 28 thru 8 |-*	E759/11- | 28 thru 8 |-SPC	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/11- | 28 thru 14 |-*	BR22759/11- | 28 thru 14 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/11- | 28 thru 8 |-*	75911- | 28 thru 8 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/11-28-* -26 -24 -22 -20 -18 -16 -14 -12 -10 - 8	J1165-* J1164 J1163 J1162 J1161 J1160 J1159 J1158 J1157 J1156 J3504	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/11- | 28 thru 10 |-*	M22759/11- | 28 thru 10 |	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/11- | 28 thru 8 |-*	X22759/11- | 28 thru 8 |	Intech (2) NAC J16.86/06-30-96
M22759/11- | 28 thru 12 |-*	| 28 thru 12 | XES-11	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/11- | 28 thru 10 |-*	S-C-22759/11 | 28 thru 10 |	Specialty Cable Corp. NAC H16.84/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/11- | 28 |thru| 8 |	-* 22759/11- | 28 |thru| 8 |	Tensolite Company NAC I16.96/06-30-96
M22759/11 -28-*	28-ATE-736	Thermax Wire Corp. (MX) NAC L16.104/06-30-96
-26-	26-ATE-1938	
-24-	24-ATE-1936	
-22-	22-ATE-1934	
-20-	20-ATE-1932	
-18-	18-ATE-1930	
-16-	16-ATE-1929	
-14-	14-ATE-1927	
-12-	12-ATE-1925	
-10-	10-ATE-3726	
- 8-	8-ATE-13329	
MIL-W-22759/12	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt	
M22759/12- | 28 |thru| 8 |	-* 22759/12- | 28 |thru| 8 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/12- | 28 |thru| 8 |	-* E759/12- | 28 |thru| 8 |	-NPC Axon' Cable S.A. NAC E16.118/6-30-96
M22759/12- | 28 |thru| 14 |	-* R22759/12- | 28 |thru| 14 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/12- | 28 |thru| 8 |	-* 75912- | 28 |thru| 8 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/12-28-*	J3295	Harbour Industries, Inc. NAC H16.79/6-30-96
-26	J1170	
-24	J3109	
-22	J1169	
-20	J1168	
-18	J3900	
-16	J1167	
-14	J2901	
-12	J1166	
-10	J3902	
- 8	J3903	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/12- | 28 |-* thru | 10 |	FM22759/12- | 28 | thru | 10 |	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/12- | 28 |-* thru | 8 |	X22759/12- | 28 | thru | 8 |	Intech (2) NAC J16.86/06-30-96
M22759/12- | 28 |-* thru | 12 |	| 28 | thru | 12 | XEN-12	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/12- | 28 |-* thru | 10 |	S-C-22759/12- | 28 | thru | 10 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/12- | 28 |-* thru | 8 |	22759/12- | 28 | thru | 8 |	Tensolite Company NAC I16.96/06-30-96
M22759/12-28-* -26- -24- -22- -20- -18- -16- -14- -12- -10- - 8-	28-ATEN-736 26-ATEN-1938 24-ATEN-1936 22-ATEN-1934 20-ATEN-1932 18-ATEN-1930 16-ATEN-1929 14-ATEN-1927 12-ATEN-1925 10-ATEN-3726 8-ATEN-13329	Thermax Wire Corp. (MX) NAC L16.104/06-30-96
MIL-W-22759/13	Wire, Electric, Fluoropolymer-Insulated, Medium Weight, FEP-PVF $_2$, Tin-Coated Copper Conductor, 600-Volt	
M22759/13- | 24 |-* thru | 10 |	75913- | 24 | thru | 10 |	Alcatel Electronics Cable 01623607.AA/06-30-97
MIL-W-22759/14	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF $_2$, Light Weight, Tin-Coated Copper Conductor, 600-Volt	
M22759/14- | 26 |-* thru | 12 |	75914- | 26 | thru | 12 |	Alcatel Electronics Cable 01623607.AA/06-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/15 Wire, Electric, Fluoropolymer-Insulated, Light Weight, FEP-PVF $_2$, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt		
M22759/15- | 26 |thru| 20 |	-* 75915- | 26 |thru| 20 |	Alcatel Electronics Cable 01623607.AA/06-30-97
MIL-W-22759/16 Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Tin-Coated Copper, 600-Volt		
M22759/16- | 24 |thru| 02 |	-* LB-01-2142 | 24 |thru| 02 |	Barcel/CDT, Inc. 01602304.AA/1-31-97
M22759/16- | 24 |thru| 10 |	-* 31-E5-56- |100 |thru| 07 |	BICC Brand-Rex, LTD 01602904.AA/1-31-97 Manufacturers part numbers are expanded in intervals of one.
M22759/16- | 24 |thru| 02 |	-* BR22759/16- | 24 |thru| 02 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/16- | 24 |thru| 02 |	-* CUSA 22759/16- | 24 |thru| 02 |	Cable USA, Inc. NAC D16.165/1-31-95
M22759/16-24-* -22- -20- -18- -16- -14- -12- -10-	3006-8175-6-4-* 3006-8176-6-4- 3006-8177-6-4- 3006-8178-6-4- 3006-8179-6-4- 3006-8180-6-4-* 3006-9354-1-1- 3006-9355-1-1-	Calmont Engineering & 01604504.AA/7-28-97
M22759/16- | 24 |thru| 02 |	-* 75916- | 24 |thru| 02 |	Alcatel Electronics Cable 01623504.AA/1-31-97
M22759/16- | 24 |thru| 02 |	-* D-266 | 1 |thru| 15 |	Dacon Systems, Inc. 01607104.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-24-*	J1183-*	Harbour Industries, Inc. 01610904.AA1/1-31-97
-22	J1182	
-20	J1181	
-18	J1180	
-16	J1179	
-14	J1178	
-12	J1177	
-10	J1175	
- 8	J1174	
- 6	J2659	
- 4	J1173	
- 2	J1172	
- 1	J1171	
-01	J1184	
-02	J3904	
M22759/16- | 24 |thru| 4 |-*	HM22759/16-| 24 |thru| 4 |	Harbour Industries Ltd. (Canada) 01610404.AA/1-31-97
M22759/16- | 24 |thru| 00 |-*	314-1004-| 24 |thru| 00 |	Helistrand, Inc. 01611304.AA/1-31-97
M22759/16-24-*	503-247-*	Huber & Suhner NAC H16.66/1-31-97
-22-	503-216	
-20-	500-594	
-18-	503-250	
-16-	217	
-14-	249	
-12-	218	
-10-	248	
- 8-	219	
- 6-	246	
- 4-	245	
M22759/16- | 24 |thru| 10 |-*	X22759/16- | 24 |thru| 10 |	Intech/Belden (2) 01612504.AA/01-31-97
M22759/16- | 24 |thru| 10 |-*	S-W-22759/16- | 24 |thru| 10 | S-W-1-22759/16- S-W-2-22759/16-	Specialty Cable Corp. 01622304.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-24-*	TFZ 1936U(011)	Rockbestos/Surprenant
-22-	1934U(011)	
-20-	1932U(011)	01607404.AA/1-31-97
-18-	1930U(012)	
-16-	1929U(0125)	
-14-	1927U(013)	
-12-	3728U(014)	
-10-	3726U(016)	
-8-	13329U(015)	
-6-	13327U(0185)	
-4-	13325U(0215)	
M22759/16-24-*	24-ACFZ-1936	Thermax Wire Corp.
-22-	22- -1934	
-20-	20- -1932	01624504.AA/1-31-97
-18-	18- -1930	
-16-	16- -1929	
-14-	14- -1927	
-12-	12- -3728	
-10-	10- -3726	
- 8-	8- -13329	
- 6-	6- -13327	
- 4-	4- -13325	
- 2-	2- -66530	
- 1-	1- -81730	
-01-	1/0- -104530	
-02-	2/0- -133030	
M22759/16-24-*	1XZ24-19-36	Thermofil
-22-	22-19-34	
-20-	20-19-32	G16.98/1-31-95
-18-	18-19-30	
-16-	16-19-29	
-14-	14-19-27	
-12-	12-37-36	
-10-	10-37-36	
- 8-	8-133-25	
- 6-	6-133-25	
- 4-	4-133-25	
MIL-W-22759/17	Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Silver-Plated High Strength Copper Alloy, 600-Volt	
M22759/17- | 26 |thru| 20 |	-* LB-01-2143- | 26 |thru| 20 |	Barcel/CDT, Inc. Wire & Cable 01602304.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/17- | 26 |-* thru | 20 |	31-E5-56- | 120| thru | 123|	Brand-Rex, Ltd. 01602904.AA/1-31-97 Manufacturer's part numbers are expanded in intervals of one
M22759/17- | 26 |-* thru | 20 |	BR22759/17 | 26 | thru | 20 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/17- | 24 |-* thru | 20 |	SA 22759/17- | 24 | thru | 20 |	Cable USA, Inc NAC D16.165/1-31-95
M22759/17- | 26 |-* thru | 20 |	3006-|8181|-6-4-* thru |8184|	Calmont Engineering 01604504.AA/7-28-97
M22759/17- | 26 |-* thru | 20 |	75917-| 26 | thru | 20 |	Alcatel Electronics Cable 01623604.AA/1-31-97
M22759/17- | 24 |-* thru | 02 |	D-227| 1 | thru | 4 |	Dacon Systems, Inc. 01607104.AA/1-31-97
M22759/17-26-* -24 -22 -20	J3905 J1185 J3906 J3907	Harbour Industries, Inc. 01610404.AA/1-31-97
M22759/17- | 26 |-* thru | 20 |	HM22759/17- | 26 | thru | 20 |	Harbour Industries Ltd. (Canada) 01610404.AA/1-31-97
M22759/17- | 26 |-* thru | 20 |	354-1004- | 26 |-* thru | 20 |	Helistrand, Inc. 01611304.AA/1-31-97
M22759/17-26-* -24- -22- -20-	503-255-* 256 257 258	Huber & Suhner NAC H16.66/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/17- | 26 |thru| 20 |	X22759/17- | 26 |thru| 20 |	Intech/Belden (2) 01612504.AA/1-31-97
M22759/17- | 26 |thru| 20 | -*	S-W-22759/17- | 26 |thru| 20 | S-W-1-22759/17- S-W-2-22759/17-	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/17-26-* -24- -22- -20-	TFZ 1938-AY73(011) 1936-AY73(011) 1934-AY73(011) 1932-AY73(011)	Rockbestos/Surprenant 01607404.AA/1-31-97
M22759/17-26-* -24- -22- -20-	26-ACFTF-1938 24 1936 22 1934 20 1932	Thermax Wire Corp. (MX) 01624504.AA/1-31-97
M22759/17- | 26 |thru| 20 | -*	1XZA|26-19-38| thru |20-19-32|	Thermofil NAC G16.98/1-31-95
MIL-W-22759/18	Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Tin-Coated Copper, 600-Volt	
M22759/18- | 26 |thru| 10 | -*	LB-01-2144- | 26 |thru| 10 |	Barcel/CDT, Inc. 01602304.AA/1-31-97
M22759/18- | 26 |thru| 10 | -*	31-E5-56- |140 |thru|148 |	BICC Brand-Rex, Ltd. 01602904.AA/1-31-97 Manufacturer's part numbers are expanded in intervals of one
M22759/18- | 26 |thru| 20 | -*	BR22759/18- | 26 |thru| 20 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/18- | 26 |thru| 10 | -*	CUSA 22759/18- | 26 |thru| 10 |	Cable USA, Inc. NAC D16.165/1-31-95

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18-26-*	3006-8185-6-4-*	Calmont Engineering
-24-	3006-8186-6-4-	
-22-	3006-8187-6-4-	01604504.AA/7-28-97
-20-	3006-8188-6-4-	
-18-	3006-8189-6-4-	
-16-	3006-8190-6-4-	
-14-	3006-8191-1-1-	
-12-	3006-9363-1-1-	
-10-	3006-9364-1-1-	
M22759/18- | 26 |thru| 10 |-*	X22759/18- | 26 |thru| 10 |	Intech/Belden (2) 01612504.AA1-31-97
M22759/18- | 26 |thru| 10 |-*	75918- | 26 |thru| 10 |	Alcatel Electronics Cable 01623604.AA/1-31-97
M22759/18-26-*	J2816-*	Harbour Industries, Inc. 01610904.AA1/1-31-97
-24	J1194	
-22	J1193	
-20	J1192	
-18	J1191	
-16	J1190	
-14	J1188	
-12	J1187	
-10	J1186	
M22759/18- | 26 |thru| 10 |-*	HM22759/18- | 26 |thru| 10 |	Harbour Industries Ltd.(Canada) 01610404.AA/1-31-97
M22759/18- | 26 |thru| 10 |-*	313-1004- | 26 |thru| 10 |	Helistrand, Inc. 01611304.AA/1-31-97
M22759/18-26-*	503-251-*	Huber & Suhner
-24-	503-252	
-22-	503-214	NAC H16.66/1-31-97
-20-	500-599	
-18-	503-253	
-16-	503-215	
-14-	503-254	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18- | 26 |-* thru | 10 |	S-W-22759-18- | 26 | thru | 10 |	Specialty Cable Corp.
	S-W-1-22759/18-	01622304.AA/1-31-97
M22759/18- | 26 |-* thru | 16 |	S-W-2-22759/18- | 26 | thru | 16 |	
M22759/18-26-*	TFZ 1938U(0065)	Rockbestos/Surprenant
-24-	1936U(0065)	
-22-	1934U(0065)	01607404.AA/1-31-97
-20-	1932U(0065)	
-18-	1930U(007)	
-16-	1929U(0065)	
-14-	1927U(007)	
-12-	3728U(0085)	
-10-	3726U(0095)	
M22759/18-26-*	26-AMCFZ-1938	Thermax Wire Corp.
-24-	24-AMCFZ-1936	(MX)
-22-	22-AMCFZ-1934	01624504.AA/1-31-97
-20-	20-AMCFZ-1932	
-18-	18-AMCFZ-1930	
-16-	16-AMCFZ-1929	
-14-	14-AMCFZ-1927	
-12-	12-AMCFZ-3728	
-10-	10-AMCFZ-3726	
M22759/18-26-*	3XZ26-19-38	Thermofil
-24-	24-19-36	
-22-	22-19-34	NAC G16.98/1-31-95
-20-	20-19-32	
-18-	18-19-30	
-16-	16-19-29	
-14	12-37-28	
-10-	10-37-26	
MIL-W-22759/19	Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Silver-Plated High Strength Copper Alloy, 600-Volt	
M22759/19- | 26 |-* thru | 20 |	LB-01-2145- | 26 | thru | 20 |	Barcel/CDT
		01602304.AA/1-31-97
M22759/19- | 26 |-* thru | 20 |	31-E5-56- | 160| thru | 163|	BICC Brand-Rex, LTD
		01602904.AA/1-31-97 Manufacturer's part numbers are expanded in intervals of one

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/19- | 26 thru 20 |-*	BR22759/19- | 26 thru 20 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/19- | 26 thru 20 |-*	3006-|8192 thru 8195|-6-4-*	Calmont Engineering 01604504.AA/7-28-97
M22759/19- | 26 thru 20 |-*	CUSA 22759/19- | 26 thru 20 |	Cable USA, Inc. NAC D16.165/1-31-95
M22759/19- | 26 thru 20 |-*	75919- | 26 thru 20 |	Alcatel Electronics Cable 01623604.AA/1-31-97
M22759/19-26-* -24 -22 -20	J3908-* J3124 J3123 J3909	Harbour Industries, Inc. 01610904.AA/1-31-97
M22759/19- | 26 thru 20 |-*	HM22759/19- | 26 thru 20 |	Harbour Industries Ltd.(Canada) 01610404.AA/1-31-97
M22759/19- | 26 thru 20 |-*	353-1004- | 26 thru 20 |	Helistrand, Inc. 01611304.AA/1-31-97
M22759/19-26-* -24- -22- -20-	503-259-* -260- -261- -262-	Huber & Suhner NAC H16.66/1-31-97
M22759/19- | 26 thru 20 |-*	X22759/19-| 26 thru 20 |	Intech/Belden (2) 01612504.AA/1-31-97
M22759/19- | 26 thru 20 |-*	S-W-22759/19- | 26 thru 20 | S-W-1-22759/19-|	Specialty Cable Corp. 01622304.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/19-26-*	TFZ 1938A-AY73(0065)	Rockbestos/Surprenant
-24-	TFZ 1936A-AY73(0065)	
-22-	TFZ 1934A-AY73(0065)	01607404.AA/1-31-97
-20-	TFZ 1932A-AY73(0065)	
M22759/19-26-*	26-AMCFTF-1938	Thermax Wire Corp.
-24-	24-AMCFTF-1936	(MX)
-22-	22-AMCFTF-1934	01624504.AA/1-31-97
-20-	20-AMCFTF-1932	
M22759/19-| 26 |-*	|3XZA26-19-38|	Thermofil
|thru|	| thru |	
| 20 |	|3XZA20-19-32|	NAC G16.98/1-31-95
MIL-W-22759/20	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 1000-Volt	
M22759/20- | 28 |-*	22759/20- | 28 |	Astro Industries, Inc.
|thru|	|thru|	
| 20 |	| 20 |	NAC E16.173/6-30-96
M22759/20- | 24 |-*	BR22759/20-| 24 |	BICC Brand-Rex Co.
|thru|	|thru|	(2)
| 20 |	| 20 |	
		NAC F16.156/6-30-96
M22759/20-28-*	J3910-*	Harbour Industries,
-26	J3911	Inc.
-24	J3912	NAC H16.79/6-30-96
-22	J3913	
-20	J3914	
M22759/20- | 28 |-*	HM22759/20- | 28 |	Harbour Industries
|thru|	|thru|	Ltd. (Canada)
| 20 |	| 20 |	
		NAC G16.92/6-30-96
M22759/20- | 28 |	X22759/20-| 28 |	Intech, Div. of Belden
|thru|	|thru|	
| 20 |	| 20 |	NAC J16.86/06-30-96
M22759/20- | 28 |-*	| 28 | XHSA-20	Quirk Wire Co. Inc.
|thru|	|thru|	
| 20 |	| 20 |	NAC J16.103/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/20- | 28 thru 20 |-*	S-C-22759/20- | 28 thru 20 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/20- | 28 thru 20 |-*	75920- | 28 thru 20 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/20- | 28 thru 20 |-*	22759/20- | 28 thru 20 |	Tensolite Company NAC I16.96/06-30-96
M22759/20-28-* -26 -24 -22 -20	28-AXTTF-736 26- -1938 24- -1936 22- -1934 20- -1932	Thermax Wire Corp (MX) NAC L16.104/6-30-96
MIL-W-22759/21	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 1000-Volt	
22759/21- | 28 thru 20 |-*	22759/21- | 28 thru 20 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/21- | 24 thru 20 |-*	BR22759/21- | 24 thru 20 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/21- | 28 thru 20 |-*	75921- | 28 thru 20 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/21-28-* -26 -24 -22 -20	J3915-* J3916 J3917 J3918 J3919	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/21- | 28 thru 20 |	HM22759/21- | 28 thru 20 |	Harbour Industries Ltd.(Canada) NAC G16.92/06-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/2l- | 28 thru 20 |*	X22759/21- | 28 thru 20 |	Intech (2) NAC J16.86/06-30-96
M22759/21- | 28 thru 20 |-*	| 28 thru 20 | XHNA-21	Quirk Wire Co. Inc., NAC J16.103/06-30-96
M22759/21- | 28 thru 20 |-*	S-C-22759/21- | 28 thru 20 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/21- | 28 thru 20 |-*	22759/21- | 28 thru 20 |	Tensolite Company NAC I16.96/06-30-96
M22759/21-28-* -26 -24 -22 -20	28-AXTTFN-736 26-AXTTFN-1938 24-AXTTFN-1936 22-AXTTFN-1934 20-AXTTFN-1932	Thermax Wire Corp. (MX) NAC L16.104/6-30-96
MIL-W-22759/22	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/22- | 28 thru 20 |-*	22759/22- | 28 thru 20 |	Astro Industries, Inc. NAC E16.173/6-30-96
M22759/22- | 28 thru 20 |-*	E759/22- | 28 thru 20 |-SPTF	Axon' Cable S.A. NAC E16.118/6-30-96
M22759/22- | 28 thru 20 |-*	BR22759/22- | 28 thru 20 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/22- | 28 thru 20 |-*	75922- | 28 thru 20 |	Alcatel Electronics Cable 01623603.AA/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/22-28-*	J1199-*	Harbour Industries,
-26	J1198	Inc.
-24	J1197	NAC H16.79/6-30-96
-22	J1196	
-20	J1195	
M22759/22- | 28 |-* thru | 20 |	HM22759/22- | 28 |-* thru | 20 |	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/22- | 28 |- thru | 20 |	X22759/22- | 28 | thru | 20 |	Intech (2) NAC J16.86/06-30-96
M22759/22- | 28 |-* thru | 20 |	| 28 | XESA-22 thru | 20 |	Quirk Wire Co., Inc. NAC J16.103/06-30-96
M22759/22- | 28 |-* thru | 20 |	S-C-22759/22- | 28 | thru | 20 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/22- | 28 |-* thru | 20 |	22759/22- | 28 |-* thru | 20 |	Tensolite Company NAC I16.96/06-30-96
M22759/22-28-*	28-ATETF-736	Thermax Wire Corp.
-26-	26-ATETF-1938	(MX)
-24-	24-ATETF-1936	NAC L16.104/06-30-96
-22-	22-ATETF-1934	
-20-	20-ATETF-1932	
MIL-W-22759/23	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/23- | 28 |-* thru | 20 |	22759/23- | 28 | thru | 20 |	Astro Industries Inc. NAC E16.173/6-30-96
M22759/23- | 28 |-* thru | 20 |	E759/23-| 28 |-SPC thru | 20 |	Axon' Cable S.A. NAC E16.118/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/23- | 28 thru 20 |-*	BR22759/23- | 28 thru 20 |	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/23- | 28 thru 20 |-*	75923- | 28 thru 20 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/23-28-* -26 -24 -22 -20	J3920-* J2896 J1200 J3200 J3921	Harbour Industries, Inc. NAC H16.79/6-30-96
M22759/23- | 28 thru 20 |-*	HM22759/23- | 28 thru 20 |-*	Harbour Industries Ltd. (Canada) NAC G16.92/06-30-96
M22759/23- | 28 thru 20- |-*	X22759/23- | 28 thru 20 |	Intech (2) NAC J16.86/06-30-96
M22759/23- | 28 thru 20 |-*	| 28 thru 20 | XENA-23	Quirk Wire Co. NAC J16.103/06-30-96
M22759/23- | 28 thru 20 |-*	S-C-22759/23- | 28 thru 20 |	Specialty Cable Corp. NAC H16.84/06-30-96
M22759/23- | 28 thru 20 |-*	22759/23- | 28 thru 20 |	Tensolite Company NAC I16.96/06-30-96
M22759/23-28-* -26- -24- -22- -20-	28-ATETFN-736 26-ATETFN-1938 24-ATETFN-1936 22-ATETFN-1934 20-ATETFN-1932	Thermax Wire Corp. (MX) NAC L16.104/6-30-96
MIL-W-22759/28	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated Copper Conductor, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/28- | 28 |thru| 10 |-*	75928- | 28 |thru| 10 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/28- | 28 |thru| 16 |-*	22759/28- | 28 |thru| 16 |	Tensolite Company NAC I16.96/06-30-96
M22759/28-28-*	28-ATEH-763	Thermax (MX)
-26-	26-ATEH-1938	
-24-	24-ATEH-1936	NAC L16.104/6-30-96
-22-	22-ATEH-1934	
-20-	20-ATEH-1932	
-18-	18-ATEH-1930	
-16-	16-ATEH-1929	
-14-	14-ATEH-1927	
MIL-W-22759/29	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated Copper Conductor, 600-Volt	
M22759/29- | 28 |thru| 10 |-*	75929- | 28 |thru| 10 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/29- | 28 |thru| 16 |-*	22759/29- | 28 |thru| 16 |	Tensolite Company NAC I16.96/06-30-96
M22759/29-28-*	28-ATEH-763	Thermax (MX)
-26-	26-ATEH-1938	
-24-	24-ATEH-1936	NAC L16.104/6-30-96
-22-	22-ATEH-1934	
-20-	20-ATEH-1932	
-18-	18-ATEH-1930	
-16-	16-ATEH-1929	
-14-	14-ATEH-1927	
MIL-W-22759/30	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/30- | 28 |thru| 20 |-*	75930- | 28 |thru| 20 |	Alcatel Electronics Cable 01623603.AA/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/30- | 28 |-* thru | 20 |	22759/30- | 28 | thru | 20 |	Tensolite Company NAC H16.96/06-30-96
M22759/30-28-* -26- -24- -22- -20-	28-ATETFH-736 26-ATETFH-1938 24-ATETFH-1936 22-ATETFH-1934 20-ATETFH-1932	Thermax (MX) NAC L16.104/6-30-96
MIL-W-22759/31	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/31- | 28 |-* thru | 20 |	75931-| 28 | thru | 20 |	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/31- | 28 |-* thru | 20 |	22759/31- | 28 | thru | 20 |	Tensolite Company NAC I16.96/06-30-96
M22759/31-28-* -26- -24- -22- -20-	28-ATETFNH-736 26-ATETFNH-1938 24-ATETFNH-1936 22-ATETFNH-1934 20-ATETFNH-1932	Thermax (MX) NAC L16.104/6-30-96
MIL-W-22759/32	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Tin-Coated Copper 600-Volt	
M22759/32-| 30 |-* thru | 12 |	BR22759/32- | 30 | thru | 12 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/32-| 30 |-* thru | 12 |	31 E5 56 | 600| thru | 609|	BICC Brand-Rex, LTD 01602905.AA/8-1-97
M22759/32-| 30 |-* thru | 12 |	75932-| 30 | thru | 12 |	Alcatel Electronics Cable 01623605.AA/7-2-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/32-26-*	513505-*	Huber & Suhner AG
-24-	513506-	
-22-	513507-	01612105.AA/7-7-97
-20-	513508-	
-18-	513513-	
-16-	513514-	
-14-	513515-	
-12-	513516-	
M22759/32-30-*	H3832302-*	Judd Wire
-28-	282	
-26-	264	01613505.AA/11-30-97
-24-	244	
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/32-30-*	55A0lll-30-*	Raychem Corporation
-28-	-28-*	
-26-	-26-*	NAC 01620205.AB/11-30-96
-24-	-24-*	
-22-	-22-*	
-20-	-20-*	
-l8-	-18-*	
-l6-	-16-*	
-l4-	-l4-*	
-12-	-12-*	
M22759/32-30-*	55A0lll-30-*	Raychem Ltd.
-28	-28-*	
-26	-26-*	01619805.AA/11-30-96
-24	-24-*	
-22	-22-*	
-20	-20-*	
-l8	-18-*	
-l6	-16-*	
-l4	-l4-*	
-12	-12-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/32-30-*	LTX 738U	Surprenant/Rockbestos
-28	736U	
-26	1938U	01620905.AA/11-30-96
-24	1936U	
-22	1934U	
-20	1932U	
-18	1930U	
-16	1929U	
-14	1927U	
-12	3728U	
MIL-W-22759/33	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated High Strength Copper Alloy, 600-Volt	
M22759/33- | 30 |thru| 20 |-*	BR22759/33-| 30 |thru| 20 |	BICC Brand-Rex Co. (1) 01603305AA/11-30-96
M22759/33-| 30 |thru| 20 |-*	31 E5 56 | 620|thru| 625|	BICC Brand-Rex Ltd. 01602905.AA/8-1-97
M22759/33-| 30 |thru| 20 |-*	75933-| 30 |thru| 20 |	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/33-30-*	H3833302-*	Judd Wire
-28-	282	
-26-	264	01613505.AA/11-30-96
-24-	244	
-22-	224	
-20-	204	
M22759/33-30-*	55A0ll4-30-*	Raychem Corporation
-28-	-28-	
-26-	-26-	01620205.AB/11-30-96
-24-	-24-	
-22-	-22-	
-20-	-20-	
M22759/33- | 30 |thru| 20 |-*	55A0114- | 30 |thru| 20 |-*	Raychem Ltd. 01619805.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/33-30-*	LTX 738AY-73	Surprenant/Rockbestos
-28-	736AY-73	
-26-	1938AY-73	
-24-	1936AY-73	01620905.AA/11-30-96
-22-	1934AY-73	
-20-	1932AY-73	
MIL-W-22759/34	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Tin-Coated Copper, 600-Volt	
M22759/34- | 24 thru 4 |-*	BR22759/34- | 24 thru 4 |	BICC Brand-Rex Co. (1)
M22759/34- | 2 thru 02 |-5D	BR22759/34- | 2 thru 02 |	01603305AA/11-30-96
M22759/34- | 24 thru 10 |-*	31 E5 56 | 703 thru 710 |	BICC Brand-Rex Ltd. 01602905.AA/8-1-97
M22759/34- | 24 thru 02 |-*	75934- | 24 thru 02 |	Alcatel Electronics Cable 01623605.AA/7-2-97 /2-10-98
M22759/34-24-*	513517-*	Huber & Suhner AG
-22-	513518-	
-20	513519-	01612105.AA/7-7-97
-18-	513536-	
-16-	513537-	
-14-	513538-	
-12-	513545-	
-10-	537644-	
M22759/34-24-*	H3834244 or H9134244	Judd Wire
-22-	224 224	
-20-	204 204	01613505.AA/11-30-96
-18-	184 184	
-16-	164 164	
-14-	144 144	
-12-	126 126	
-10-	106 106	
- 8-	088 088	
- 6-	068	
- 4-	048	
- 2-5D	029	
- 1-5D	019	
-01-5D	109	
-02-5D	209	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/34-| 24 |-* thru | 4 |	55A08ll- | 24 |-* thru | 4 |	Raychem Corporation 01620205.AB/11-30-96
M22759/34-| 2 |-5D thru | 02 |	55A8039- | 2 |-5D thru | 00 |	
M22759/34-| 24 |-* thru | 10 |	55A08ll- | 24 |-* thru | 10 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/34-24-* -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	ETX 1936U ETX 1934U ETX 1932U ETX 1930U ETX 1929U ETX 1927U ETX 1925U ETX 3726U ETX 13329U ETX 13327U ETX 13325U	Surprenant/Rockbestos 01620905.AA/11-30-96
MIL-W-22759/35	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated High Strength Copper Alloy, 600-Volt	
M22759/35- | 26 |-* thru | 20 |	BR22759/35- | 26 | thru | 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/35-| 26 |-* thru | 20 |	31 E5 56 | 712 | thru | 715 |	BICC Brand-Rex Ltd. 01602905.AA/8-1-97
M22759/35-| 26 |-* thru | 20 |	75935-| 26 | thru | 20 |	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/35-26-* -24 -22 -20	H3835264-* or H9135264 244 244 224 224 204 204	Judd Wire 01613505.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/35-| 26 |-* |thru| | 20 |	55A0814-| 26 |-* |thru| | 20 |	Raychem Corporation 01620205.AB/11-30-96
M22759/35-24-* -22 -20	55A0814-24-* -22 -20	Raychem Ltd. 01619805.AA/11-30-96
M22759/35-26-* -24- -22- -20-	ETX 1938AY-73 ETX 1936AY-73 ETX 1934AY-73 ETX 1932AY-73	Surprenant/Rockbestos 01620905.AA/11-30-96
MIL-W-22759/41	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated Copper, 200 ^{O}C, 600-Volt	
M22759/41- | 26 |-* |thru| | 4 |	BR22759/41- | 26 | |thru| | 4 |	BICC Brand-Rex Co. (1)
M22759/41- | 2 |-5D |thru| | 02 |	BR22759/41- | 2 | |thru| | 02 |	01603305.AA/11-30-96
M22759/41-| 26 |-* |thru| | 10 |	31 E5 56 | 722| |thru| | 730|	BICC Brand-Rex Ltd. 01602905.AA/8-1-97
M22759/41-| 26 |-* |thru| | 02 |	75941- | 26 | |thru| | 02 |	Alcatel Electronics Cable 01623605.AA/7-2-97 /2-10-98
M22759/41-26-* -24- -22- -20 -18- -16- -14- -12- -10-	513524-* 513525-* 513526- 513527- 513539- 513540- 513541- 513547- 552785-	Huber & Suhner AG 01612105.AA/7-7-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/41-26-*	H3841264-* or H9141264	Judd Wire
-24-	244 244	
-22-	224 224	01613505.AA/11-30-96
-20-	204 204	
-18-	184 184	
-16-	164 164	
-14-	144 144	
-12-	126 126	
-10-	106 106	
- 8-	088 088	
- 6-	059	
- 4-	048	
- 2-5D	029	
- 1-5D	019	
-01-5D	109	
-02-5D	209	
M22759/4l-| 26 |-* thru | 4 |	55A08l3- | 26 |-* thru | 4 |	Raychem Corporation 01620205.AB/11-30-96
M22759/41-| 2 |-5D thru | 02 |	55A8595- | 2 |-5D thru | 00 |	
M22759/41-| 24 |-* thru | 10 |	55A0813- | 24 |-* thru | 10 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/41-26-*	ETX 1938 NIC	Surprenant/Rockbestos
-24-	ETX 1936 NIC	
-22-	ETX 1934 NIC	01620905.AA/11-30-96
-20-	ETX 1932 NIC	
-18-	ETX 1930 NIC	
-16-	ETX 1929 NIC	
-14-	ETX 1927 NIC	
-12-	ETX 3728 NIC	
-10-	ETX 3726 NIC	
- 8-	ETX 13329 NIC	
- 6-	ETX 13327 NIC	
- 4-	ETX 13325 NIC	
MIL-W-22759/42	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated High Strength Copper Alloy, 200 ^{O}C, 600-Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/42- | 26 |-* thru | 20 |	BR22759/42- | 26 | thru | 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/42- | 26 |-* thru | 20 |	31 E5 56 | 732 | thru | 735 |	BICC Brand-Rex LTD 01602905.AA/8-1-97
M22759/42- | 26 |-* thru | 20 |	75942- | 26 | thru | 20 |	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/42-26-* -24- -22- -20-	H3842264-* or H9142264 244 244 224 224 204 204	Judd Wire 01613505.AA/11-30-96
M22759/42- | 26 |-* thru | 20 |	55A0816- | 26 |-* thru | 20 |	Raychem Corporation 01620205.AB/11-30-96
M22759/42- | 26 |-* thru | 20 |	55A0816- | 26 |-* thru | 20 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/42-26-* -24- -22- -20-	ETX 1938 NIC-AY73 ETX 1936 NIC-AY73 ETX 1934 NIC-AY73 ETX 1932 NIC-AY73	Surprenant/Rockbestos 01620905.AA/11-30-96
MIL-W-22759/43	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated Copper, 200 °C, 600-Volt	
M22759/43- | 26 |-* thru | 4 |	BR22759/43- | 26 | thru | 4 |	BICC Brand-Rex Co. (1)
M22759/43- | 2 |-5D thru | 02 |	BR22759/43- | 2 | thru | 02 |	01603305.AA/11-30-96
M22759/43- | 26 |-* thru | 10 |	31 E5 56 | 742 | thru | 750 |	BICC Brand-Rex Ltd. 01602905.AA/8-1-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/43-| 26 |-* |thru| | 02 |	75943-| 26 | |thru| | 02 |	Alcatel Electronics Cable 01623605.AA/7-2-97 /2-10-98
M22759/43-26-* -24- -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4- - 2-5D - 1-5D -01-5D -02-5D	H3843264-* or H9143264 244 244 224 224 204 204 184 184 164 164 144 144 126 126 106 106 088 088 068 048 029 019 109 209	Judd Wire 01613505.AA/11-30-96
M22759/43-| 26 |-* |thru| | 4 |	55A08l2- | 26 |-* |thru| | 4 |	Raychem Corporation 01620205.AB/11-30-96
M22759/43-| 2 |-5D |thru| | 02 |	55A6089- | 2 |-5D |thru| | 02 |	
M22759/43- | 24 |-* | thru | | 10 |	55A0812- | 24 | |thru| | 10 |	Raychem Ltd. 01619805.AA/11-30-96
M22759/43-26-* -24- -22- -20- -18- -16- -14- -12- -10- - 8- - 6- - 4-	ETX 1938A ETX 1936A ETX 1934A ETX 1932A ETX 1930A ETX 1929A ETX 1927A ETX 1925A ETX 3728A ETX 13329A ETX 13327A ETX 13325A	Surprenant/Rockbestos 01620905.AA11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/44	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated Copper, 200 degrees C, 600 Volt	
M22759/44- | 28 |thru| 12 |-*	BR22759/44- | 28 |thru| 12 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/44- | 28 |thru| 12 |-*	31 E5 56 | 631|thru| 639|	BICC Brand-Rex Ltd. 01602905.AA/8-1-97
M22759/44- | 28 |thru| 12 |-*	75944- | 28 |thru| 12 |	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/44-28-*	H3844282	Judd Wire
-26-	264	
-24-	244	01613505.AA/11-30-96
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/44- | 28 |thru| 12 |-*	55A0112- | 28 |thru| 12 |	Raychem Corporation 01620205.AB/11-30-96
M22759/44- | 24 |thru| 12 |-*	55A0112- | 24 |thru| 12 |-*	Raychem Ltd. 01619805.AA/11-30-96
M22759/44-28-*	LTX 736A	Surprenant/Rockbestos
-26-	1938A-73	
-24-	1936A-73	01620905.AA/11-30-96
-22-	1934A-73	
-20-	1932A-73	
-18-	1930A	
-16-	1929A	
-14-	1927A	
-12-	3728A	
MIL-W-22759/45	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated Copper, 200 degrees C, 600 Volt	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/45- | 28 |thru| 12 |-*	BR22759/45- | 28 |thru| 12 |-*	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/45- | 28 |thru| 12 |-*	31 E5 56 | 641|thru| 649|-*	BICC Brand-Rex Ltd. 01602905AA/8-1-97
M22759/45- | 28 |thru| 12 |-*	75945-| 28 |thru| 12 |-*	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/45-26-* -24- -22- -20 -18- -16- -14- -12-	513573-* 513579-* 513580- 513581- 513588- 513589- 513590- 513592-	Huber & Suhner AG 01612105.AA/7-7-97
M22759/45-28-* -26- -24- -22- -20- -18- -16- -14- -12-	H3845282-* 264 2440 224 204 184 164 144 126	Judd Wire 01613505.AA/11-30-96
M22759/45- | 28 |thru| 12 |-*	55A0113- | 28 |thru| 12 |-*	Raychem Corporation 01620205.AB/11-30-96
M22759/45- | 28 |thru| 12 |-*	55A0113- | 28 |thru| 12 |-*	Raychem Ltd. 01619805.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/45-28-*	LTX 736 NIC	Surprenant/Rockbestos
-26-	1938 NIC	
-24-	1936 NIC	01620905.AA/11-30-96
-22-	1934 NIC	
-20-	1932 NIC	
-18-	1930 NIC	
-16-	1929 NIC	
-14-	1927 NIC	
-12-	3728 NIC	
MIL-W-22759/46	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated High-Strength Copper Alloy, 200 degrees C, 600 Volt	
M22759/46- | 28 |thru| 20 |-*	BR22759/46- | 28 |thru| 20 |	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/46- | 28 |thru| 20 |-*	31 E5 56 | 751|thru| 755|	BICC Brand-Rex Ltd. 01602905.AA/8-1-97
M22759/46- | 28 |thru| 20 |-*	75946- | 28 |thru| 20 |	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/46-28-*	H3846282-*	Judd Wire
-26-	264	
-24-	244	01613505.AA/11-30-96
-22-	224	
-20-	204	
M22759/46- | 28 |thru| 20 |-*	55A0116- | 28 |thru| 20 |-*	Raychem Corporation 01620205.AB/11-30-96
M22759/46- | 26 |thru| 20 |-*	55A0116- | 26 |thru| 20 |-*	Raychem Ltd. 01619805.AA/11-30-96
M22759/46-28-*	LTX 736 -AY73	Surprenaut/Rockbestos
-26-	1938-AY73	
-24-	1936-AY73	01620905.AA/11-30-96
-22-	1934-AY73	
-20-	1932-AY73	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/83	Wire, Electrical, Polytetrafluoroethylene/Polymide Insulated, Normal Weight, Silver Coated Copper Conductor, 200 degrees C, 600-Volt	
M22759/83- | 2 thru 04 |-*	22759/83- | 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/84	Wire, Electrical, Polytetrafluoroethylene/Polymide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications	
M22759/84- | 2 thru 04 |-*	22759/84- | 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/85	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts	
M22759/85- | 2 thru 04 |-*	22759/85- | 2 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/86	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications	
M22759/86- | 26 thru 04 |-*	22759/86- | 26 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/87	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 degrees C, 600-Volts, for Crimp Applications	
M22759/87- | 26 thru 04 |-*	22759/87- | 26 thru 04 |	Tensolite Company NAC16.200/12-6-96
M22759/88	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts, for Crimp Applications	
M22759/88- | 26 thru 04 |-*	22759/88- | 26 thru 04 |	Tensolite Company NAC16.200/12-6-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/89 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, High Strength or Ultra High Strength Copper Alloy, 200 degrees C, 600 Volts				
M22759/89-	26 thru 20	-*	22759/89-	26 thru 20	Tensolite Company NAC16.200/12-6-96
M22759/90 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated, High Strength Copper Alloy, 200 Degrees C. 600 Volts, for Crimp Applications				
M22759/90-	26 thru 20	-*	22759/90-	26 thru 20	Tensolite Company NAC16.200/12-6-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE #
Office:	
Astro Industries, Inc. 4403 Dayton-Xenia Road Dayton, Ohio 45432	29365
Plant:	
Same address	
Office:	
Axon' Cable S.A. Route de Chalons sur Marne 51210 Montmirail France	F5688
Plant: Same address	
Office:	
Barcel/CDT, Inc. Corp. 2851 Alton Ave. Irvine, CA 92714-5885	28427
Plant: Same as above	
Office:	
BICC Brand-Rex Co. (1) P.O. Box 498 1600 W. Main St. Willimantic, CT 06226	71124
Plant: Same address	
Office:	
BICC Brand-Rex Co. (2) 19 Bobrick Drive Jackson TN 38301	OA404
Plant: Same address	
Office:	
BICC Brand-Rex Ltd.(3) Leigh Lancashire England WN7 4HB	K1390
Plant: Same as above	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:

Cable USA, Inc. 67050
2584 S. Horseshoe Dr.
Naples, FL 33942

Plant: Same address

Office:

Calmont Engr. & Elect. Corp. 24027
dba Calmont Wire & Cable
420 East Alton Avenue
Santa Ana, CA 92707

Office:

Alcatel Electronics Cable 12515
P.O. Box 909
Elm City, NC 27822

Plant: Same address

Office:

Dacon Systems, Inc. 55041
18270 Mt. Baldy Circle
Fountain Valley, CA 92708

Plant: Same address

Office:

Harbour Industries, Inc. 27478
Wire Division
P.O. Box 188
Shelburne, VT 05482

Plant:

Harbour Industries Inc.
Wire Division
Route 7
Shelburne, VT 05482

Office:

Harbour Industries 57104
Canada Ltd.
1365 Industriel Blvd.
Farmham, Quebec JZN-2X3

Plant: Same address

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:

Helistrand, Inc. 52621
707 E. Yanonali Street
Santa Barbara, CA 93103

Plant: Same address

Office:

Huber & Suhner, Ltd. 7W263
Tumbelenstrasse 20
CH-8330 Pfaffikon
Switzerland

Plant: Same address

Office:

INTECH ICI Cable Inc. 28581
43 Broad St.
Hudson, MA 01749-2595

Plant (1):

Same as above (1)

Plant (2):

9700 Brookford St. (2)
Charlotte, NC 28273

Office:

Judd Wire, Inc. 12703
55 Turnpike Road
Turners Falls, MA 01376

Plant: Same as above

Office:

Quirk Wire Co., Inc. 24868
Route 9
W. Brookfield, MA 01585

Plant: Same address

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:

Raychem Corp. 06090
300 Constitution Dr.
Menlo Park, CA 94025

Plant: Oakside at Northside
Redwood City, CA 94063

Office:

Raychem Corp. Ltd. K1010
Faraday Rd. (Dorcan)
Swindon SN3 5HH, England

Plant: Same as above

Office:

Rockbestos/Surprenant 90484
172 Sterling St.
Clinton, MA 01510

Plant: Same address

Office:

Specialty Cable Corp. 60685
Special Cable Div.
2 Tower Dr., P.O. Box 50
Wallingford, CT 06492

Plant: Same address

Office:

Tensolite Co. 92607
Subdivision of Carlisle Corp.
100 Tensolite Dr.
St. Augustine, FL 32092

Plant:

Same address

Office:

Thermax Wire L.P. 12814
225-A N. Freeport Dr.
Nogalez, AZ 85621

Plant: 645 Calle Bustamontes
(Nogales), Sonora, Mexico

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS
AND PLANT

Office:

The Electrical Wire & Cable Co. of Israel LTD, Thermofil P.O. Box 38 04-979-630 Maalot, Israel	S4272

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.