QUALIFICATIONS CERTIFIED
Every 2 Years

QPL-22759-39
SUPERSEDING
15 June 1999
QPL-22759-38
15 March 1999

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-W-22759
WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED,
COPPER OR COPPER ALLOY
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST FOR MIL-W-22759/1-31 & /80 - /92 IS THE NAVAL AIR SYSTEMS COMMAND. Questions concerning this QPL may be di rected to Raytheon Systems Company, Kathy Lyons, (317) 306-4763, CNE560/MS-60, 6125 E. 21st Street, Indianapolis, IN 46219-2058.

The activity responsible for MIL-W-22759/32 - /35 and /41 - /46 is the Air Force 645th, Log/ESP, 1060 Hamilton Street, Dayton, Ohio 45444-5740.

M22759/4-	18 thru 14	-*	JNMO4-	34 thru 30	

Matrices generate the following fictitious part numbers: (intervals of two)

M22759/4-18-*	JNMO4-34
M22759/4-16-*	JNMO4-32
M22759/4-14-*	JNMO4-30

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
AMSC N/A FSC 6145

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
For the sake of brevity, part number designations are displayed and interpreted as shown. * The asterisk in the part number will be replaced by color code designation.		
MIL-W-22759/1 Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Silver-Coated Copper Conductor, 600-Volt		
M22759/1- 22 thru 04	-*	CUSA22759/1- 22 thru 04	Cable USA Inc. NAC F16.168/3-30-95
M22759/1-22-* -20 -18 -16 -14 -12 -10 -8 -6 -4 -2 -1 -01 -02 -03 -04	J1128* J1127 J1126 J1125 J1123 J3665 J1122 J3078 J1121 J1120 J1119 J1118 J3223 J3300 J3886 J3221	Harbour Industries, Inc. 01610901.AA/3-30-97
M22759/1-22-* -20 -18 -16 -14 -12 -10 -8 -6 -4 -2 -1 -01 -02 -03 -04	819-4639373 -4639472 -4639076 -4639274 -4639571 -4639771 -4629878 -4639977 -4640074 -4640173 -4640272 -4640371 -4640470 -4640579 -4640678 -4640777	Specialty Cable Corp. 01622301.AA/3-30-97
M22759/1- 22 thru 04	-*	22759/1- 22 thru 04	Tensolite Company 01623801.AA/3-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/2	Wire, Electric, Fluoropolymer-Insulated, TFE and TFE-Coated-Glass, Nickel-Coated Copper Conductor, 600-Volt	
M22759/2- 22 thru 04	-*	CUSA22759/2- 22 thru 04	Cable USA Inc. NAC F16.168/3-30-95
M22759/2-22-*	J1117-*	Harbour Industries Inc.
-20	J1112	01610901.AA/3-30-97
-18	J1116	
-16	J2890	
-14	J3887	
-12	J1115	
-10	J1114	
- 8	J3142	
- 6	J3021	
- 4	J2909	
- 2	J2963	
- 1	J2831	
-01	J1113	
-02	J2876	
-03	J3143	
-04	J3888	
M22759/2-22-*	819-4621470	Speciality Cable Corp.
-20	-4621371	
-18	-4621272	01622301.AA/3-30-97
-16	-4621074	
-14	-4621173	
-12	-4620977	
-10	-4620878	
- 8	-4620779	
- 6	-4620670	
- 4	-4620571	
- 2	-4620472	
- 1	-4620373	
-01	-4620274	
-02	-4620175	
-03	-4620076	
-04	-4699739	
22759/2- 22 thru 04	22 thru 04	Tensolite Company 01623801.AA/3-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/3 Wire, Electric, Fluoropolymer - Insulated, TFE-Glass-TFE Medium Weight, Nickel-Coated Copper Conductor, 600-Volt		
M22759/3-22 thru 02 -*	CUSA22759/3-22 thru 02	Cable USA Inc. NAC F16.168/3-30-95
M22759/3-22-*	J1146-*	Harbour Industries Inc.
-20	J1145	
-18	J1144	
-16	J1143	01610901.AA/3-30-97
-14	J1142	
-12	J1141	
-10	J1140	
- 8	J1139	
- 6	J1138	
- 4	J1137	
- 2	J2855	
- 1	J2889	
-01	J2652	
-02	J3185	
M22759/3-22-*	819-4692679	Specialty Cable
-20	2570	
-18	2471	01622301.AA/3-30-97
-16	2372	
-14	2273	
-12	2174	
-10	2075	
- 8	1978	
- 6	1879	
- 4	1770	
- 2	1671	
- 1	1572	
-01	1473	
-02	1374	
M22759/3-22 thru 02 -*	22759/3-22 thru 02	Tensolite Company 01623801.AA/3-30-97
MIL-W-22759/4 Wire, Electric, Fluoropolymer-Insulated, TFE-Glass-FEP, Medium Weight, Silver-Coated Copper Conductor, 600-Volt		
M22759/4-22 thru 02 -*	CUSA22759/4-22 thru 02	Cable USA Inc. NAC F16.168/3-31-95

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/4-22-*	J1155-*	Harbour Indus.
-20	J1154	Inc.
-18	J1153	
-16	J1152	01610901.AA/3-30-97
-14	J3515	
-12	J3227	
-10	J1151	
- 8	J1150	
- 6	J1149	
- 4	J1148	
- 2	J1147	
- 1	J3890	
-01	J3188	
-02	J3891	
M22759/4-22	819-4690871	Specialty Cable
-20	-4690772	Corp.
-18	-4690673	01622301.AA/3-30-97
-16	-4690574	
-14	-4690475	
-12	-4690376	
-10	-4690277	
- 8	-4690178	
- 6	-4690079	
- 4	-4689972	
- 2	-4689873	
- 1	-4689774	
-01	-4689675	
-02	-4689576	
M22759/4-(22 thru 02)-*	22759/4-(22 thru 02)	Tensolite Co.
		01623801.AA/3-30-97
MIL-W-22759/5	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Silver-Coated Copper Conductor, 600 Volt	
M22759/5-(24 thru 20)-*	75905-(24 thru 20)	Alcatel
		01623602.AA/7-6-98
M22759/5-(24 thru 4)-*	BR22759/5-(24 thru 4)	BICC Brand-Rex Co.
		(2)
		01634302.AA/3-31-98
M22759/5-(24 thru 10)-*	HM22759/5-(24 thru 10)-*	Harbour Industries
		Ltd. (Canada)
		01610402.AA/3-31-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/5-24-*	ATE-1936-A	Harbour Industries
-22-	-1934-A	U.S.
-20-	-1932-A	01610902.AC/03-31-98
-18-	-1930-A	
-16-	-1929-A	
-14-	-1927-A	
-12-	-1925-A	
-10-	-3726-A	
M22759/5- 24 thru 4 -*	22759/5- 24 thru 4	Tensolite Company 01623802.AA/03-31-98
M22759/5-24-*	24-AF3XT-1936	Thermax Wire Corp.
-22-	22-AF3XT-1934	(MX)
-20-	20-AF3XT-1932	
-18-	18-AF3XT-1930	01624502.AB/3-31-98
-16-	16-AF3XT-1929	
-14-	14-AF3XT-1927	
-12-	12-AF3XT-1925	
-10-	10-AF3XT-3726	
- 8-	8-AF3XT-13329	
- 6-	6-AF3XT-13327	
- 4-	4-AF3XT-13325	
MIL-W-22759/6	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt	
M22759/6- 24 thru 20 -*	75906- 24 thru 20	Alcatel 01623602.AA/7-6-98
M22759/6- 24 thru 4 -*	BR22759/6- 24 thru 4	BICC Brand-Rex Co. (2) 01634302.AA/3-31-98
M22759/6- 24 thru 10 -*	HM22759/6- 24 thru 10	Harbour Industries Ltd. (Canada) 01610402.AA/3-31-98
M22759/6-24-*	ATE-1936NIC	Harbour Industries
-22-	-1934NIC	(USA)
-20-	-1932NIC	01610902.AC/03-31-98
-18-	-1930NIC	
-16-	-1929NIC	
-14-	-1927NIC	
-12-	-1925NIC	
-10-	-3726NIC	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
- 8-	-13329NIC	Harbour Industries (USA)
- 6-	-13327NIC	(Cont)
- 4-	-13325NIC	
M22759/6- 24 thru 4 -*	22759/6- 24 thru 4	Tensolite Company 01623802.AA/03-31-98
M22759/6-24-	24-AF3XTN-1936	Thermax Wire Corp.
-22	22-AF3XTN-1934	(MX)
-20	20-AF3XTN-1932	
-18	18-AF3XTN-1930	01624502.AB/3-31-98
-16	16-AF3XTN-1929	
-14	14-AF3XTN-1927	
-12	12-AF3XTN-3726	
-10	10-AF3XTN-1925	
- 8	8-AF3XTN-13329	
- 6	6-AF3XTN-13327	
- 4	4-AF3XTN-13325	
MIL-W-22759/7	Wire, Electric, Fluoropolymer-Insulated, Abrasion Resistant, Extruded TFE, Medium Weight, Silver-Coated Copper Conductor, 600-Volt	
M22759/7- 24 thru 4 -*	75907- 24 thru 4	Alcatel Electronics Cable 01623602.AB/03-31-98
M22759/7- 24 thru 4 -*	BR22759/7- 24 thru 4	BICC Brand-Rex Co. (2) 01634302.AA/3-31-98
M22759/7- 24 thru 10 -*	HM22759/7- 24 thru 10	Harbour Industries Ltd. (Canada) 01610402.AA/03-31-98
M22759/7-24-*	TATE 1936A	Harbour Industries (USA)
-22-	1934A	
-20-	1932A	01610902.AC/03-31-98
-18-	1930A	
-16-	1929A	
-14-	1927A	
-12-	1925A	
-10-	3726A	
M22759/7-24-*	277-241*9	Specialty Cable Corp.
-22-	-221*9	
-20-	-201*9	01622302.AB/3-31-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-18-	-181*9	Specialty Cable Corp. (Cont)
-16-	-161*9	
-14-	-141*9	
-12-	-121*9	
-10-	-101*9	
M22759/7-24-*	24-AF2XT-1936	Thermax Wire Corp. (MX)
-22	22-AF2XT-1934	
-20	20-AF2XT-1932	
-18	18-AF2XT-1930	01624502.AB/3-31-98
-16	16-AF2XT-1929	
-14	14-AF2XT-1927	
-12	12-AF2XT-1925	
-10	10-AF2XT-3726	
- 8	8-AF2XT-13329	
- 6	6-AF2XT-13327	
- 4	4-AF2XT-13325	
M22759/7-24 thru 4 -*	22759/7-24 thru 4	Tensolite Company
		01623802.AA/03-31-98
MIL-W-22759/8	Wire, Electric, Fluoropolymer-Insulated Abrasion Resistant, Extruded TFE, Medium Weight, Nickel-Coated Copper Conductor, 600-Volt	
M22759/8-24 thru 4 -*	75908-24 thru 4	Alcatel Electronics Cable
		01623602.AB/03-31-98
M22759/8-24 thru 4 -*	BR22759/8-24 thru 4	BICC Brand-Rex Co. (2)
		01634302.AA/3-31-98
M22759/8-24 thru 10 -*	HM22759/8-24 thru 10	Harbour Industries Ltd. (Canada)
		01610402.AA/03-31-98
M22759/8-24-*	TATE-1936NIC	Harbour Industries (USA)
-22-	-1934NIC	
-20-	-1932NIC	01620902.AC/03-31-98
-18-	-1930NIC	
-16-	-1929NIC	
-14-	-1927NIC	
-12-	-1925NIC	
-10-	-3726NIC	
- 8-	-13329NIC	
- 6-	-13327NIC	
- 4-	-13325NIC	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/8-24-*	378-241*9	Specialty Cable Corp.
-22-	-221*9	
-20-	-201*9	01622302.AB/3-31-98
-18-	-181*9	
-16-	-161*9	
-14-	-141*9	
-12-	-121*9	
-10-	-101*9	
M22759/8- 24 thru 4 -*	22759/8- 24 thru 4	Tensolite Company
		01623802.AA/03-31-98
M22759/8-24-*	24-AF2XTN-1936	Thermax Wire Corp.
-22	22-AF2XTN-1934	(MX)
-20	20-AF2XTN-1932	
-18	18-AF2XTN-1930	01624502.AB/3-31-98
-16	16-AF2XTN-1929	
-14	14-AF2XTN-1927	
-12	12-AF2XTN-1925	
-10	10-AF2XTN-3726	
- 8	8-AF2XTN-13329	
- 6	6-AF2XTN-13327	
- 4	4-AF2XTN-13325	
MIL-W-22759/9	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 1000-Volt	
M22759/9- 28 thru 10 -*	75909- 28 thru 10	Alcatel Electronics Cable
		01623603.AA/6-30-96
M22759/9- 28 thru 8 -*	22759/9- 28 thru 8	Astro Industries
		01610903.AA/6-30-98
M22759/9- 24 thru 8 -*	BR22759/9- 24 thru 8	BICC Brand-Rex Co. (2)
		NAC F16.156/6-30-96
M22759/9-28-*	J1134-*	Harbour Industries Inc.
-26	J3602	
-24	J1133	01610903.AA/6-30-98
-22	J1132	
-20	J1131	
-18	J1130	
-16	J2962	
-14	J1129	
-12	J2894	
-10	J3892	
- 8	J3390	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/9-	28 thru 8	HM22759/9-	28 thru 8	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98
M22759/9-	28 thru 10 -*	X22759/9-	28 thru 10	Intech (2) 01633503.AA/6-30-98
M22759/9-	28 thru 8 -*	28 thru 8 XHS-9		Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/9-	28 thru 10 -*	S-C-22759/9-	28 thru 10	Specialty Cable Corp. 01622303.AC/6-30-98
M22759/9-	28 thru 8 -*	22759/9-	28 thru 8	Tensolite Company 01623803.AB/6-30-98
M22759/9-28-*		28-AXT-736		Thermax Wire Corp. (MX) 01624503.AA/6-30-98
-26		26-AXT-1938		
-24		24-AXT-1936		
-22		22-AXT-1934		
-20		20-AXT-1932		
-18		18-AXT-1930		
-16		16-AXT-1929		
-14		14-AXT-1927		
-12		12-AXT-1925		
-10		10-AXT-3726		
- 8		8-AXT-13329		
MIL-W-22759/10 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 1000-Volt				
M22759/10-	28 thru 8 -*	75910-	28 thru 8	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/10-	28 thru 8 -*	22759/10-	28 thru 8	Astro Industries 01610903.AA/6-30-98
M22759/10-	24 thru 8 -*	BR22759/10-	24 thru 8	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/10-28-*	J3893-*	Harbour Industries Inc. 01610903.AA/6-30-98
-26	J3894	
-24	J3895	
-22	J1136	
-20	J1135	
-18	J3181	
-16	J3168	
-14	J3896	
-12	J3897	
-10	J3898	
-8	J3899	
M22759/10-28 thru 8-*	HM22759/10-28 thru 8	Harbour Industries Ltd. (Canada) 01610403.AA/6-30-98
M22759/10-28 thru 10-*	X22759/10-28 thru 10	Intech (2) 01633503.AA/6-30-98
M22759/10-28 thru 8-*	28 thru 8 XHN-10	Quirk Wire Co, Inc. 01619703.AA/6-30-98
M22759/10-28 thru 10-*	S-C-22759/10-28 thru 10	Specialty Cable Corp. 01622303.AC/6-30-98
M22759/10-28 thru 8-*	22759/10-28 thru 8	Tensolite Company 01623803.AB/6-30-98
M22759/10-28-*	28-AXTN-736	Thermax Wire Corp. (MX) 01624503.AA/6-30-98
-26-	26-AXTN-1938	
-24-	24-AXTN-1936	
-22-	22-AXTN-1934	
-20	20-AXTN-1932	
-18	18-AXTN-1930	
-16	16-AXTN-1929	
-14	14-AXTN-1927	
-12	12-AXTN-1925	
-10	10-AXTN-3726	
- 8	8-AXTN-13329	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/11 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated Copper Conductor, 600-Volt		
M22759/11- 28 thru 8 -*	75911- 28 thru 8	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/11- 28 thru 8 -*	22759/11- 28 thru 8	Astro Industries Inc. 01610903.AA/6-30-98
M22759/11- 28 thru 8 -*	E759/11- 28 thru 8 -SPC	Axon' Cable S.A. 01602203.AA3/10-30-98
M22759/11-24-*	31 E5 55 124	BICC Brand-Rex LTD
-22-	31 E5 55 122	
-20-	31 E5 55 120	01602903.AA/8-4-98
M22759/11- 28 thru 14 -*	BR22759/11- 28 thru 14	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/11-28-*	J1165-*	Harbour Industries Inc. 01610903.AA/6-30-98
-26	J1164	
-24	J1163	
-22	J1162	
-20	J1161	
-18	J1160	
-16	J1159	
-14	J1158	
-12	J1157	
-10	J1156	
- 8	J3504	
M22759/11- 28 thru 10 -*	M22759/11- 28 thru 10	Harbour Industries Ltd. (Canada) 01610403.AA/6-30-98
M22759/11- 28 thru 8 -*	X22759/11- 28 thru 8	Intech (2) 01633503.AA/6-30-98
M22759/11- 28 thru 12 -*	28 thru 12 XES-11	Quirk Wire Co. Inc. 01619703.AA/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/11-28 thru 10 -*	S-C-22759/11-28 thru 10	Specialty Cable Corp. 01622303.AC/6-30-98
M22759/11-28 thru 8 -*	22759/11-28 thru 8	Tensolite Company 01623803.AB/6-30-98
M22759/11-28-*	28-ATE-736	Thermax Wire Corp. (MX) 01624503.AA/06-30-98
-26-	26-ATE-1938	
24-	24-ATE-1936	
-22-	22-ATE-1934	
-20-	20-ATE-1932	
-18-	18-ATE-1930	
-16-	16-ATE-1929	
-14-	14-ATE-1927	
-12-	12-ATE-1925	
-10-	10-ATE-3726	
- 8-	8-ATE-13329	
MIL-W-22759/12	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated Copper Conductor, 600-Volt	
M22759/12-28 thru 8 -*	22759/12-28 thru 8	Astro Industries Inc. 01610903.AA/6-30-98
M22759/12-28 thru 8 -*	E759/12-28 thru 8 -NPC	Axon' Cable S.A. 01602203.AA3/10-30-98
M22759/12-24-*	31 E5 55 724	BICC Brand-Rex LTD
-22-	31 E5 55 722	
-20-	31 E5 55 720	01602903.AA/8-4-98
M22759/12-28 thru 14 -*	R22759/12-28 thru 14	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/12-28 thru 8 -*	75912-28 thru 8	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/12-28-*	J3295	Harbour Industries Inc. 01610903.AA/6-30-98
-26	J1170	
-24	J3109	
-22	J1169	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-20	J1168	Harbour Industries Inc. (Cont)
-18	J3900	
-16	J1167	
-14	J2901	
-12	J1166	
-10	J3902	
- 8	J3903	
M22759/12- 28 thru 10 -*	FM22759/12- 28 thru 10	Harbour Industries Ltd. (Canada) 01610403.AA/6-30-98
M22759/12- 28 thru 8 -*	X22759/12- 28 thru 8	Intech (2) 01633503.AA/6-30-98
M22759/12- 28 thru 12 -*	28 thru 12 XEN-12	Quirk Wire Co. Inc. 01619703.AA/6-30-98
M22759/12- 28 thru 10 -*	S-C-22759/12- 28 thru 10	Specialty Cable Corp. 01622303.AC/6-30-98
M22759/12- 28 thru 8 -*	22759/12- 28 thru 8	Tensolite Company 01623803.AB/6-30-98
M22759/12-28-*	28-ATEN-736	Thermax Wire Corp. (MX) 01624503.AA/06-30-98
-26-	26-ATEN-1938	
-24-	24-ATEN-1936	
-22-	22-ATEN-1934	
-20-	20-ATEN-1932	
-18-	18-ATEN-1930	
-16-	16-ATEN-1929	
-14-	14-ATEN-1927	
-12-	12-ATEN-1925	
-10-	10-ATEN-3726	
- 8-	8-ATEN-13329	
MIL-W-22759/13	Wire, Electric, Fluoropolymer-Insulated, Medium Weight, FEP-PVF $_2$, Tin-Coated Copper Conductor, 600-Volt	
M22759/13- 24 thru 10 -*	75913- 24 thru 10	Alcatel Electronics Cable 01623607.AA/06-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/14	Wire, Electric, Fluoropolymer-Insulated, FEP-PVF $_2$, Light Weight, Tin-Coated Copper Conductor, 600-Volt	
M22759/14-26 thru 12	-* 75914-26 thru 12	Alcatel Electronics Cable 01623607.AA/06-30-97
MIL-W-22759/15	Wire, Electric, Fluoropolymer-Insulated, Light Weight, FEP-PVF $_2$, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/15-26 thru 20	-* 75915-26 thru 20	Alcatel Electronics Cable 01623607.AA/06-30-97
MIL-W-22759/16	Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Tin-Coated Copper, 600-Volt	
M22759/16-24 thru 02	-* 75916-24 thru 02	Alcatel Electronics Cable 01623504.AA/1-31-97
M22759/16-24 thru 02	-* LB-01-2142 24 thru 02	Barcel/CDT Inc. 01602304.AA/1-31-97
M22759/16-24 thru 02	-* BR22759/16-24 thru 02	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/16-24 thru 02	-* CUSA 22759/16-24 thru 02	Cable USA Inc. NAC D16.165/1-31-95
M22759/16-24-*	3006-8175-6-4-*	Calmont Engineering
-22-	3006-8176-6-4-	
-20-	3006-8177-6-4-	01604504.AA/7-28-97
-18-	3006-8178-6-4-	
-16-	3006-8179-6-4-	
-14-	3006-8180-6-4-*	
-12-	3006-9354-1-1-	
-10-	3006-9355-1-1-	
M22759/16-24 thru 02	-* D-266 1 thru 15	Dacon Systems Inc. 01607104.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/16-24-*	J1183-*	Harbour Industries Inc. 01610904.AA1/1-31-97
-22	J1182	
-20	J1181	
-18	J1180	
-16	J1179	
-14	J1178	
-12	J1177	
-10	J1175	
- 8	J1174	
- 6	J2659	
- 4	J1173	
- 2	J1172	
- 1	J1171	
-01	J1184	
-02	J3904	
M22759/16- 24 thru 4 -*	HM22759/16- 24 thru 4	Harbour Industries Ltd. (Canada) 01610404.AA/1-31-97
M22759/16- 24 thru 00 -*	314-1004- 24 thru 00	Helistrand Inc. 01611304.AA/1-31-97
M22759/16- 24 thru 10 -*	X22759/16- 24 thru 10	Intech/Belden (2) 01612504.AA/01-31-97
M22759/16- 24 thru 10 -*	S-W-22759/16- 24 thru 10 S-W-1-22759/16- 24 thru 10 S-W-2-22759/16- 24 thru 10	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/16-24-*	TFZ 1936U(011)	Rockbestos/Surprenant
-22-	1934U(011)	
-20-	1932U(011)	01607404.AA/1-31-97
-18-	1930U(012)	
-16-	1929U(0125)	
-14-	1927U(013)	
-12-	3728U(014)	
-10-	3726U(016)	
-8-	13329U(015)	
-6-	13327U(0185)	
-4-	13325U(0215)	
M22759/16-24-*	24-ACFZ-1936	Thermax Wire Corp.
-22-	22- -1934	
-20-	20- -1932	01624504.AA/1-31-97
-18-	18- -1930	
-16-	16- -1929	
-14-	14- -1927	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-12-	12- -3728	Thermax Wire Corp.
-10-	10- -3726	(Cont)
- 8-	8- -13329	
- 6-	6- -13327	
- 4-	4- -13325	
- 2-	2- -66530	
- 1-	1- -81730	
-01-	1/0- -104530	
-02-	2/0- -133030	
M22759/16-24-*	1XZ24-19-36	Thermofil
-22-	22-19-34	
-20-	20-19-32	01624404.AA/1-31-97
-18-	18-19-30	
-16-	16-19-29	
-14-	14-19-27	
-12-	12-37-36	
-10-	10-37-36	
- 8-	8-133-25	
- 6-	6-133-25	
- 4-	4-133-25	

MIL-W-22759/17 Wire, Electric, ETFE Fluoropolymer-Insulated, Medium Weight, Silver-Plated High Strength Copper Alloy, 600-Volt

M22759/17-	26 thru 20	-*	75917-	26 thru 20		Alcatel Electronics Cable 01623604.AA/1-31-97
M22759/17-	26 thru 20	-*	LB-01-2143-	26 thru 20		Barcel/CDT Inc. Wire & Cable 01602304.AA/1-31-97
M22759/17-	26 thru 20	-*	BR22759/17-	26 thru 20		BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/17-26-			YQ-21726			Belden Wire & Cable
-24-			YQ-21724			
-22-			YQ-21722			01629204.AB/2-12-99
M22759/17-	24 thru 20	-*	SA 22759/17-	24 thru 20		Cable USA Inc. NAC D16.165/1-31-95
M22759/17-	26 thru 20	-*	3006-	8181 thru 8184	-6-4-*	Calmont Engineering 01604504.AA/7-28-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/17- 24 thru 02 -*	D-227 1 thru 4	Dacon Systems Inc. 01607104.AA/1-31-97
M22759/17-26-* -24 -22 -20	J3905 J1185 J3906 J3907	Harbour Industries Inc. 01610404.AA/1-31-97
M22759/17- 26 thru 20 -*	HM22759/17- 26 thru 20	Harbour Industries Ltd. (Canada) 01610404.AA/1-31-97
M22759/17- 26 thru 20 -*	354-1004- 26 thru 20 -*	Helistrand Inc. 01611304.AA/1-31-97
M22759/17- 26 thru 20	X22759/17- 26 thru 20	Intech/Belden (2) 01612504.AA/1-31-97
M22759/17- 26 thru 20 -*	S-W-22759/17- 26 thru 20 S-W-1-22759/17- S-W-2-22759/17-	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/17-26-* -24- -22- -20-	TFZ 1938-AY73(011) 1936-AY73(011) 1934-AY73(011) 1932-AY73(011)	Rockbestos/Surprenant 01607404.AA/1-31-97
M22759/17-26-* -24- -22- -20-	26-ACFTF-1938 24 1936 22 1934 20 1932	Thermax Wire Corp. (MX) 01624504.AA/1-31-97
M22759/17- 26 thru 20 -*	1XZA 26-19-38 thru 20-19-32	Thermofil 01624404.AA/1-31-97
MIL-W-22759/18	Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Tin-Coated Copper, 600-Volt	
M22759/18- 26 thru 10 -*	75918- 26 thru 10	Alcatel Electronics Cable 01623604.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18- 26 thru 10 -*	LB-01-2144- 26 thru 10	Barcel/CDT Inc. 01602304.AA/1-31-97
M22759/18- 26 thru 20 -*	BR22759/18- 26 thru 20	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97
M22759/18- 26 thru 10 -*	CUSA 22759/18- 26 thru 10	Cable USA Inc. NAC D16.165/1-31-95
M22759/18-26-* -24- -22- -20- -18- -16- -14- -12- -10-	3006-8185-6-4-* 3006-8186-6-4- 3006-8187-6-4- 3006-8188-6-4- 3006-8189-6-4- 3006-8190-6-4- 3006-8191-1-1- 3006-9363-1-1- 3006-9364-1-1-	Calmont Engineering 01604504.AA/7-28-97
M22759/18- 26 thru 10 -*	X22759/18- 26 thru 10	Intech/Belden (2) 01612504.AA1-31-97
M22759/18-26-* -24 -22 -20 -18 -16 -14 -12 -10	J2816-* J1194 J1193 J1192 J1191 J1190 J1188 J1187 J1186	Harbour Industries Inc. 01610904.AA1/1-31-97
M22759/18- 26 thru 10 -*	HM22759/18- 26 thru 10	Harbour Industries Ltd.(Canada) 01610404.AA/1-31-97
M22759/18- 26 thru 10 -*	313-1004- 26 thru 10	Helistrand Inc. 01611304.AA/1-31-97
M22759/18- 26 thru 10 -*	S-W-22759-18- 26 thru 10 S-W-1-22759/18-	Specialty Cable Corp. 01622304.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/18-| 26 thru 16 |-*	S-W-2-22759/18-| 26 thru 16 |	Specialty Cable Corp. (Cont)
M22759/18-26-*	TFZ 1938U(0065)	Rockbestos/Surprenant
-24-	1936U(0065)	
-22-	1934U(0065)	01607404.AA/1-31-97
-20-	1932U(0065)	
-18-	1930U(007)	
-16-	1929U(0065)	
-14-	1927U(007)	
-12-	3728U(0085)	
-10-	3726U(0095)	
M22759/18-26-*	26-AMCFZ-1938	Thermax Wire Corp.
-24-	24-AMCFZ-1936	(MX)
-22-	22-AMCFZ-1934	01624504.AA/1-31-97
-20-	20-AMCFZ-1932	
-18-	18-AMCFZ-1930	
-16-	16-AMCFZ-1929	
-14-	14-AMCFZ-1927	
-12-	12-AMCFZ-3728	
-10-	10-AMCFZ-3726	
M22759/18-26-*	3XZ26-19-38	Thermofil
-24-	24-19-36	
-22-	22-19-34	01624404.AA/1-31-97
-20-	20-19-32	
-18-	18-19-30	
-16-	16-19-29	
-14	12-37-28	
-10-	10-37-26	
MIL-W-22759/19	Wire, Electric, ETFE Fluoropolymer-Insulated, Light Weight, Silver-Plated High Strength Copper Alloy, 600-Volt	
M22759/19-| 26 thru 20 |-*	75919-| 26 thru 20 |	Alcatel Electronics Cable 01623604.AA/1-31-97
M22759/19-| 26 thru 20 |-*	LB-01-2145-| 26 thru 20 |	Barcel/CDT 01602304.AA/1-31-97
M22759/19-| 26 thru 20 |-*	BR22759/19-| 26 thru 20 |	BICC Brand-Rex Co. (1) 01603304.AA2/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/19- 26 thru 20 -*	3006- 8192 -6-4-* thru 8195	Calmont Engineering 01604504.AA/7-28-97
M22759/19- 26 thru 20 -*	CUSA 22759/19- 26 thru 20	Cable USA Inc. NAC D16.165/1-31-95
M22759/19-26-* -24 -22 -20	J3908-* J3124 J3123 J3909	Harbour Industries Inc. 01610904.AA/1-31-97
M22759/19- 26 thru 20 -*	HM22759/19- 26 thru 20	Harbour Industries Ltd.(Canada) 01610404.AA/1-31-97
M22759/19- 26 thru 20 -*	353-1004- 26 thru 20	Helistrand Inc. 01611304.AA/1-31-97
M22759/19- 26 thru 20 -*	X22759/19- 26 thru 20	Intech/Belden (2) 01612504.AA/1-31-97
M22759/19- 26 thru 20 -*	S-W-22759/19- 26 thru 20 S-W-1-22759/19-	Specialty Cable Corp. 01622304.AA/1-31-97
M22759/19-26-* -24- -22- -20-	TFZ 1938A-AY73(0065) TFZ 1936A-AY73(0065) TFZ 1934A-AY73(0065) TFZ 1932A-AY73(0065)	Rockbestos/Surprenant 01607404.AA/1-31-97
M22759/19-26-* -24- -22- -20-	26-AMCFTF-1938 24-AMCFTF-1936 22-AMCFTF-1934 20-AMCFTF-1932	Thermax Wire Corp. (MX) 01624504.AA/1-31-97
M22759/19- 26 thru 20 -*	3XZA26-19-38 thru 3XZA20-19-32	Thermofil 01624404.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/20 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 1000-Volt		
M22759/20-28 thru 20 -*	75920-28 thru 20	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/20-28 thru 20 -*	22759/20-28 thru 20	Astro Industries Inc. 01610903.AA/6-30-98
M22759/20-24 thru 20 -*	BR22759/20-24 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/20-28-*	J3910-*	Harbour Industries Inc. 01610903.AA/6-30-98
-26	J3911	
-24	J3912	
-22	J3913	
-20	J3914	
M22759/20-28 thru 20 -*	HM22759/20-28 thru 20	Harbour Industries Ltd. (Canada) 01610403.AA/6-30-98
M22759/20-28 thru 20	X22759/20-28 thru 20	Intech Div. of Belden 01633503.AA/6-30-98
M22759/20-28 thru 20 -*	28 thru 20 XHSA-20	Quirk Wire Co. Inc. 01619703.AA/6-30-98
M22759/20-28 thru 20 -*	S-C-22759/20-28 thru 20	Specialty Cable Corp. 01622303.AC/6-30-98
M22759/20-28 thru 20 -*	22759/20-28 thru 20	Tensolite Company 01623803.AB/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/20-28-* -26 -24 -22 -20	28-AXTTF-736 26- -1938 24- -1936 22- -1934 20- -1932	Thermax Wire Corp (MX) 01624503.AA/6-30-98
MIL-W-22759/21	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 1000-Volt	
22759/21-28 thru 20-*	22759/21-28 thru 20	Astro Industries Inc. 01610903.AA/6-30-98
M22759/21-24 thru 20-*	BR22759/21-24 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/21-28 thru 20-*	75921-28 thru 20	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/21-28-* -26 -24 -22 -20	J3915-* J3916 J3917 J3918 J3919	Harbour Industries Inc. 01610903.AA/6-30-98
M22759/21-28 thru 20	HM22759/21-28 thru 20	Harbour Industries Ltd.(Canada) 01610403.AA/6-30-98
M22759/21-28 thru 20*	X22759/21-28 thru 20	Intech (2) 01633503.AA/6-30-98
M22759/21-28 thru 20-*	28 thru 20 XHNA-21	Quirk Wire Co. Inc. 01619703.AA/6-30-98
M22759/21-28 thru 20-*	S-C-22759/21-28 thru 20	Specialty Cable Corp. 01622303.AC/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/21-28 thru 20-*	22759/21-28 thru 20	Tensolite Company 01623803.AB/6-30-98
M22759/21-28-* -26 -24 -22 -20	28-AXTTFN-736 26-AXTTFN-1938 24-AXTTFN-1936 22-AXTTFN-1934 20-AXTTFN-1932	Thermax Wire Corp. (MX) 01624503.AA/6-30-98
MIL-W-22759/22	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/22-28 thru 20-*	22759/22-28 thru 20	Astro Industries Inc. 01610903.AA/6-30-98
M22759/22-28 thru 20-*	75922-28 thru 20	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/22-28 thru 20-*	E759/22-28 thru 20-SPTF	Axon' Cable S.A. 01602203.AA3/10-30-98
M22759/22-28 thru 20-*	BR22759/22-28 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96
M22759/22-24-* -22- -20-	31 E5 55 524 31 E5 55 522 31 E5 55 520	BICC Brand-Rex LTD 01602903.AA/8-4-98
M22759/22-28-* -26 -24 -22 -20	J1199-* J1198 J1197 J1196 J1195	Harbour Industries Inc. 01610903.AA/6-30-98
M22759/22-28 thru 20-*	HM22759/22-28 thru 20-*	Harbour Industries Ltd. (Canada) 01610403.AA/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/22-28 thru 20 -	X22759/22-28 thru 20	Intech (2) 01633503.AA/6-30-98
M22759/22-28 thru 20 -*	28 thru 20 XESA-22	Quirk Wire Co. Inc. 01619703.AA/6-30-98
M22759/22-28 thru 20 -*	S-C-22759/22-28 thru 20	Specialty Cable Corp. 01622303.AC/6-30-98
M22759/22-28 thru 20 -*	22759/22-28 thru 20 -*	Tensolite Company 01623803.AB/6-30-98
M22759/22-28-* -26- -24- -22- -20-	28-ATETF-736 26-ATETF-1938 24-ATETF-1936 22-ATETF-1934 20-ATETF-1932	Thermax Wire Corp. (MX) 01624503.AA/6-30-98
MIL-W-22759/23 Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt		
M22759/23-28 thru 20 -*	75923-28 thru 20	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/23-28 thru 20 -*	2759/23-28 thru 20	Astro Industries Inc. 01610903.AA/6-30-98
M22759/23-28 thru 20 -*	E759/23-28 thru 20 -SPC	Axon' Cable S.A. 01602203.AA3/10-30-98
M22759/23-24-* -22- -20-	31 E5 55 624 31 E5 55 622 31 E5 55 620	BICC Brand-Rex LTD 01602903.AA/8-4-98
M22759/23-28 thru 20 -*	BR22759/23-28 thru 20	BICC Brand-Rex Co. (2) NAC F16.156/6-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/23-28-*	J3920-*	Harbour Industries Inc. 01610903.AA/6-30-98
-26	J2896	
-24	J1200	
-22	J3200	
-20	J3921	
M22759/23-28 thru 20-*	HM22759/23-28 thru 20-*	Harbour Industries Ltd. (Canada) 01610403.AA/6-30-98
M22759/23-28 thru 20-	X22759/23-28 thru 20	Intech (2) 01633503.AA/6-30-98
M22759/23-28 thru 20-*	28 thru 20 XENA-23	Quirk Wire Co. 01619703.AA/6-30-98
M22759/23-28 thru 20-*	S-C-22759/23-28 thru 20	Specialty Cable Corp. 01622303.AC/6-30-98
M22759/23-28 thru 20-*	22759/23-28 thru 20	Tensolite Company 01623803.AB/6-30-98
M22759/23-28-*	28-ATETFN-736	Thermax Wire Corp. (MX) 01624503.AA/6-30-98
-26-	26-ATETFN-1938	
-24-	24-ATETFN-1936	
-22-	22-ATETFN-1934	
-20-	20-ATETFN-1932	
MIL-W-22759/28	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated Copper Conductor, 600-Volt	
M22759/28-28 thru 10-*	75928-28 thru 10	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/28-28 thru 16-*	22759/28-28 thru 16	Tensolite Company 01623803.AB/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/28-28-*	28-ATEH-763	Thermax (MX)
-26-	26-ATEH-1938	
-24-	24-ATEH-1936	01624503.AA/6-30-98
-22-	22-ATEH-1934	
-20-	20-ATEH-1932	
-18-	18-ATEH-1930	
-16-	16-ATEH-1929	
-14-	14-ATEH-1927	
MIL-W-22759/29	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated Copper Conductor, 600-Volt	
M22759/29- 28 thru 10 -*	75929- 28 thru 10	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/29- 28 thru 16 -*	22759/29- 28 thru 16	Tensolite Company 01623803.AB/6-30-98
M22759/29-28-*	28-ATEH-763	Thermax (MX)
-26-	26-ATEH-1938	
-24-	24-ATEH-1936	01624503.AA/6-30-98
-22-	22-ATEH-1934	
-20-	20-ATEH-1932	
-18-	18-ATEH-1930	
-16-	16-ATEH-1929	
-14-	14-ATEH-1927	
MIL-W-22759/30	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Silver-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/30- 28 thru 20 -*	75930- 28 thru 20	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/30- 28 thru 20 -*	22759/30- 28 thru 20	Tensolite Company 01623803.AB/6-30-98
M22759/30-28-*	28-ATETFH-736	Thermax (MX)
-26-	26-ATETFH-1938	
-24-	24-ATETFH-1936	01624503.AA/6-30-98
-22-	22-ATETFH-1934	
-20-	20-ATETFH-1932	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
MIL-W-22759/31	Wire, Electric, Fluoropolymer-Insulated, Extruded TFE, Polyimide-Coated, Nickel-Coated High Strength Copper Alloy Conductor, 600-Volt	
M22759/31-28 thru 20	-* 75931-28 thru 20	Alcatel Electronics Cable 01623603.AA/6-30-96
M22759/31-28 thru 20	-* 22759/31-28 thru 20	Tensolite Company 01623803.AB/6-30-98
M22759/31-28	-* 28-ATETFNH-736	Thermax (MX)
-26	26-ATETFNH-1938	
-24	24-ATETFNH-1936	01624503.AA/6-30-98
-22	22-ATETFNH-1934	
-20	20-ATETFNH-1932	
MIL-W-22759/32	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Tin-Coated Copper 600-Volt	
M22759/32-30 thru 12	-* BR22759/32-30 thru 12	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/32-30 thru 12	-* 75932-30 thru 12	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/32-26	-* 513505-*	Huber & Suhner AG
-24	513506-	
-22	513507-	01612105.AA/7-7-97
-20	513508-	
-18	513513-	
-16	513514-	
-14	513515-	
-12	513516-	
M22759/32-30	-* H3832302-*	Judd Wire
-28	282	
-26	264	01613505.AC/11-30-98
-24	244	
-22	224	
-20	204	
-18	184	
-16	164	
-14	144	
-12	126	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/32-30-*	55A0lll-30-*	Raychem Corporation
-28-	-28-*	
-26-	-26-*	NAC 01620205.AD/11-30-98
-24-	-24-*	
-22-	-22-*	
-20-	-20-*	
-18-	-18-*	
-16-	-16-*	
-14-	-14-*	
-12-	-12-*	
M22759/32-30-*	55A0lll-30-*	Raychem Ltd.
-28	-28-*	
-26	-26-*	01619805.AC/11-30-98
-24	-24-*	
-22	-22-*	
-20	-20-*	
-18	-18-*	
-16	-16-*	
-14	-14-*	
-12	-12-*	
M22759/32-30-*	LTX 738U	Surprenant/Rockbestos
-28	736U	
-26	1938U	01607405.AB/6-2-99
-24	1936U	
-22	1934U	Surprenant/Rockbestos
-20	1932U	(Cont)
-18	1930U	
-16	1929U	
-14	1927U	
-12	3728U	
MIL-W-22759/33	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated High Strength Copper Alloy, 600-Volt	
M22759/33-30 thru 20 -*	75933-30 thru 20	Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/33-30 thru 20 -*	BR22759/33-30 thru 20	BICC Brand-Rex Co. (1) 01603305AA/11-30-96
M22759/33-30-*	H3833302-*	Judd Wire
-28-	282	
-26-	264	01613505.AC/11-30-98
-24-	244	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
-22-	224	Judd Wire
-20-	204	(Cont)
M22759/33-30-*	55A0114-30-*	Raychem Corporation
-28-	-28-	
-26-	-26-	01620205.AD/11-30-98
-24-	-24-	
-22-	-22-	
-20-	-20-	
M22759/33- 30 thru 20 -*	55A0114- 30 thru 20 -*	Raychem Ltd. 01619805.AC/11-30-98
M22759/33-30-*	LTX 738AY-73	Surprenant/Rockbestos
-28-	736AY-73	
-26-	1938AY-73	01607405.AB/6-2-99
-24-	1936AY-73	
-22-	1934AY-73	
-20-	1932AY-73	
MIL-W-22759/34	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Tin-Coated Copper, 600-Volt	
M22759/34- 24 thru 02 -*	75934- 24 thru 02	Alcatel Electronics Cable 01623605.AA/7-2-97 2/10/98
M22759/34- 24 thru 4 -*	BR22759/34- 24 thru 4	BICC Brand-Rex Co. (1) 01603305AA/11-30-96
M22759/34- 2 thru 02 -5D	BR22759/34- 2 thru 02	BICC Brand-Rex Co. (cont'd)
M22759/34-24-*	513517-*	Huber & Suhner AG
-22-	513518-	
-20	513519-	01612105.AA/7-7-97
-18-	513536-	
-16-	513537-	
-14-	513538-	
-12-	513545-	
-10-	537644-	
M22759/34-24-*	H3834244 or H9134244	Judd Wire
-22-	224 224	
-20-	204 204	01613505.AC/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
		-18-		184	Judd Wire
		-16-		164	(Cont)
		-14-		144	
		-12-		126	
		-10-		106	
		- 8-		088	
		- 6-		068	
		- 4-		048	
		- 2-5D		029	
		- 1-5D		019	
		-01-5D		109	
		-02-5D		209	
M22759/34-	24 thru 4	-*	55A0811-	24 thru 4	-*	Raychem Corporation 01620205.AD/11-30-98
M22759/34-	2 thru 02	-5D	55A8039-	2 thru 00	-5D	Raychem Corporation (Cont)
M22759/34-	24 thru 10	-*	55A0811-	24 thru 10	-*	Raychem Ltd. 01619805.AC/11-30-98
M22759/34-		-24-*	ETX 1936U			Surprenant/Rockbestos
		-22-	ETX 1934U			
		-20-	ETX 1932U			01607405.AB/6-2-99
		-18-	ETX 1930U			
		-16-	ETX 1929U			
		-14-	ETX 1927U			
		-12-	ETX 1925U			
		-10-	ETX 3726U			
		- 8-	ETX 13329U			
M22759/34-		6-	ETX 13327U			
		- 4-	ETX 13325U			
MIL-W-22759/35	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated High Strength Copper Alloy, 600-Volt					
M22759/35-	26 thru 20	-*	75935-	26 thru 20		Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/35-	26 thru 20	-*	BR22759/35-	26 thru 20		BICC Brand-Rex Co. (1) 01603305.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/35-26-*	H3835264-* or H9135264	Judd Wire
-24	244 244	
-22	224 224	01613505.AC/11-30-98
-20	204 204	
M22759/35- 26 thru 20 -*	55AO814- 26 thru 20 -*	Raychem Corporation
		01620205.AD/11-30-98
M22759/35-24-*	55AO814-24-*	Raychem Ltd.
-22	-22	
-20	-20	01619805.AC/11-30-98
M22759/35-26-*	ETX 1938AY-73	Surprenant/Rockbestos
-24-	ETX 1936AY-73	
-22-	ETX 1934AY-73	01607405.AB/6-2-99
-20-	ETX 1932AY-73	
MIL-W-22759/41	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated Copper, 200 °C, 600-Volt	
M22759/41- 26 thru 02 -*	75941- 26 thru 02	Alcatel Electronics Cable 01623605.AA/7-2-97 /2-10-98
M22759/41- 26 thru 4 -*	BR22759/41- 26 thru 4	BICC Brand-Rex Co. (1)
M22759/41- 2 thru 02 -5D	BR22759/41- 2 thru 02	01603305.AA/11-30-96
M22759/41-26-*	513524-*	Huber & Suhner AG
-24-	513525-	
-22-	513526-	01612105.AA/7-7-97
-20	513527-	
-18-	513539-	
-16-	513540-	
-14-	513541-	
-12-	513547-	
-10-	552785-	
M22759/41-26-*	H3841264-* or H9141264	Judd Wire
-24-	244 244	
-22-	224 224	01613505.AC/11-30-98
-20-	204 204	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
-18-	184	184	Judd Wire
-16-	164	164	(Cont)
-14-	144	144	
-12-	126	126	
-10-	106	106	
- 8-	088	088	
- 6-	059		
- 4-	048		
- 2-5D	029		
- 1-5D	019		
-01-5D	109		
-02-5D	209		
M22759/41- 26 thru 4 -*	55A0813- 26 thru 4 -*		Raychem Corporation 01620205.AD/11-30-98
M22759/41- 2 thru 02 -5D	55A8595- 2 thru 00 -5D		
M22759/41- 24 thru 10 -*	55A0813- 24 thru 10 -*		Raychem Ltd. 01619805.AC/11-30-98
M22759/41-26-*	ETX 1938 NIC		Surprenant/Rockbestos
-24-	ETX 1936 NIC		
-22-	ETX 1934 NIC		01607405.AB/6-2-99
-20-	ETX 1932 NIC		
-18-	ETX 1930 NIC		
-16-	ETX 1929 NIC		
-14-	ETX 1927 NIC		
-12-	ETX 3728 NIC		
-10-	ETX 3726 NIC		
- 8-	ETX 13329 NIC		
- 6-	ETX 13327 NIC		
- 4-	ETX 13325 NIC		
MIL-W-22759/42	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Nickel-Coated High Strength Copper Alloy, 200 °C, 600-Volt		
M22759/42- 26 thru 20 -*	75942- 26 thru 20		Alcatel Electronics Cable 01623605.AA/7-2-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/42- 26 thru 20 -*	BR22759/42- 26 thru 20	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/42-26-* -24- -22- -20-	H3842264-* or H9142264 244 244 224 224 204 204	Judd Wire 01613505.AC/11-30-98
M22759/42- 26 thru 20 -*	55A0816- 26 thru 20 -*	Raychem Corporation 01620205.AD/11-30-98
M22759/42- 26 thru 20 -*	55A0816- 26 thru 20 -*	Raychem Ltd. 01619805.AC/11-30-98
M22759/42-26-* -24- -22- -20-	ETX 1938 NIC-AY73 ETX 1936 NIC-AY73 ETX 1934 NIC-AY73 ETX 1932 NIC-AY73	Surprenant/Rockbestos 01607405.AB/6-2-99
MIL-W-22759/43	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Normal Weight, Silver-Coated Copper, 200 °C, 600-Volt	
M22759/43- 26 thru 02 -*	75943- 26 thru 02	Alcatel Electronics Cable 01623605.AA/7-2-97 /2-10-98
M22759/43- 26 thru 4 -*	BR22759/43- 26 thru 4	BICC Brand-Rex Co. (1) 01603305.AA/11-30-96
M22759/43- 2 thru 02 -5D	BR22759/43- 2 thru 02	
M22759/43-26-* -24- -22- -20- -18- -16- -14- -12-	H3843264-* or H9143264 244 244 224 224 204 204 184 184 164 164 144 144 126 126	Judd Wire 01613505.AC/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME & TEST & QUAL.REF.
	-10-		106	106		Judd Wire
	- 8-		088	088		(Cont)
	- 6-		068			
	- 4-		048			
	- 2-5D		029			
	- 1-5D		019			
	-01-5D		109			
	-02-5D		209			
M22759/43-	26 thru 4	-*	55A0812-	26 thru 4	-*	Raychem Corporation 01620205.AD/11-30-98
M22759/43-	2 thru 02	-5D	55A6089-	2 thru 02	-5D	
M22759/43-	24 thru 10	-*	55A0812-	24 thru 10		Raychem Ltd. 01619805.AC/11-30-98
M22759/43-	26	-*	ETX 1938A			Surprenant/Rockbestos
	-24-		ETX 1936A			
	-22-		ETX 1934A			01607405.AB/6-2-99
	-20-		ETX 1932A			
	-18-		ETX 1930A			
	-16-		ETX 1929A			
	-14-		ETX 1927A			
	-12-		ETX 1925A			
	-10-		ETX 3728A			
	- 8-		ETX 13329A			
	- 6-		ETX 13327A			
	- 4-		ETX 13325A			
MIL-W-22759/44	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Silver-Coated Copper, 200 degrees C, 600 Volt					
M22759/44-	28 thru 12	-*	75944-	28 thru 12		Alcatel Electronics Cable 01623605.AA/7-2-97
M22759/44-	28 thru 12	-*	BR22759/44-	28 thru 12		BICC Brand-Rex Co. (1) 01603305.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/44-28-*	H3844282	Judd Wire
-26-	264	
-24-	244	01613505.AC/11-30-98
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/44- 28 thru 12 -*	55A0112- 28 thru 12	Raychem Corporation
		01620205.AD/11-30-98
M22759/44- 24 thru 12 -*	55A0112- 24 thru 12 -*	Raychem Ltd.
		01619805.AC/11-30-98
M22759/44-28-*	LTX 736A	Surprenant/Rockbestos
-26-	1938A-73	
-24-	1936A-73	01607405.AB/6-2-99
-22-	1934A-73	
-20-	1932A-73	
-18-	1930A	
-16-	1929A	
-14-	1927A	
-12-	3728A	
MIL-W-22759/45	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated Copper, 200 degrees C, 600 Volt	
M22759/45- 28 thru 12 -*	75945- 28 thru 12	Alcatel Electronics Cable
		01623605.AA/7-2-97
M22759/45- 28 thru 12 -*	BR22759/45- 28 thru 12	BICC Brand-Rex Co. (1)
		01603305.AA/11-30-96
M22759/45-26-*	513573-*	Huber & Suhner AG
-24-	513579-*	
-22-	513580-	01612105.AA/7-7-97
-20	513581-	
-18-	513588-	
-16-	513589-	
-14-	513590-	
-12-	513592-	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/45-28-*	H3845282-*	Judd Wire
-26-	264	
-24-	2440	01613505.AC/11-30-98
-22-	224	
-20-	204	
-18-	184	
-16-	164	
-14-	144	
-12-	126	
M22759/45- 28 thru 12 -*	55A0113- 28 thru 12 -*	Raychem Corporation
		01620205.AD/11-30-98
M22759/45- 28 thru 12 -*	55A0113- 28 thru 12 -*	Raychem Ltd.
		01619805.AC/11-30-98
M22759/45-28-*	LTX 736 NIC	Surprenant/Rockbestos
-26-	1938 NIC	
-24-	1936 NIC	01607405.AB/6-2-99
-22-	1934 NIC	
-20-	1932 NIC	
-18-	1930 NIC	
-16-	1929 NIC	
-14-	1927 NIC	
-12-	3728 NIC	
MIL-W-22759/46	Wire, Electric, Fluoropolymer-Insulated, Crosslinked Modified ETFE, Lightweight, Nickel-Coated High-Strength Copper Alloy, 200 degrees C, 600 Volt	
M22759/46- 28 thru 20 -*	75946- 28 thru 20	Alcatel Electronics Cable
		01623605.AA/7-2-97
M22759/46- 28 thru 20 -*	BR22759/46- 28 thru 20	BICC Brand-Rex Co. (1)
		01603305.AA/11-30-96
M22759/46-28-*	H3846282-*	Judd Wire
-26-	264	
-24-	244	01613505.AC/11-30-98
-22-	224	
-20-	204	
M22759/46- 28 thru 20 -*	55A0116- 28 thru 20 -*	Raychem Corporation
		01620205.AD/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/46-| 26 thru 20 |-*	55A0116-| 26 thru 20 |-*	Raychem Ltd. 01619805.AC/11-30-98
M22759/46-28-* -26- -24- -22- -20-	LTX 736 -AY73 1938 -AY73 1936 -AY73 1934 -AY73 1932 -AY73	Surprenant/Rockbestos 01607405.AB/6-2-99
M22759/80 Wire, Electrical, Polytetrafluorethylene/Polyimide Insulated, Light Weight, Tin Coated Copper Conductor 150 °C, 600 Volts		
M22759/80-| 26 thru 10 |-*	75980-| 26 thru 10 |	Alcatel 01623606.AB/3-31-99
M22759/80-| 22 thru 10 |-*	22759/80-| 22 thru 10 |	Tensolite 01623806.AC/3-31-99
M22759/81 Wire, Electrical Polyetrafluoroethylene/Polyimide Insualted, Light Weight, Silver Coated, High Strength or Ultra High Strength Copper Alloy, 200 °C, 600 Volts		
M22759/81-| 26 thru 20 |-*	75981-| 26 thru 20 |	Alcatel 01623606.AB/3-31-99
M22759/81-| 26 thru 20 |-*	22759/81-| 26 thru 20 |	Tensolite 01623806.AC/3-31-99
M22759/82 Wire Electrical, Polytetrafluoroethylene/Polyimide Insulated, Light Weight, Nickel Coated, High Strength or Ultra High Strength Copper Alloy. 260 °C, 600 Volts		
M22759/82-| 26 thru 20 |-*	75982-| 26 thru 20 |	Alcatel 01623606.AB/3-31-99
M22759/82-| 26 thru 20 |-*	22759/82-| 26 thru 20 |	Tensolite 01623806.AC/3-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/83	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated Copper Conductor, 200 degrees C, 600-Volt			
M22759/83-	2 thru 04	-*	75983- 2 thru 04	Alcatel 01623606.AB/3-31-99
M22759/83-	2 thru 04	-*	22759/83- 2 thru 04	Tensolite Company 01623806.AC/3-31-99
M22759/84	Wire, Electrical, Polytetrafluoroethylene/Polymide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications			
M22759/84-	2 thru 04	-*	75984- 2 thru 04	Alcatel 01623606.AB/3-31-99
M22759/84-	2 thru 04	-*	22759/84- 2 thru 04	Tensolite Company 01623806.AC/3-31-99
M22759/85	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts			
M22759/85-	2 thru 04	-*	75985- 2 thru 04	Alcatel 01623606.AB/3-31-99
M22759/85-	2 thru 04	-*	22759/85- 2 thru 04	Tensolite Company 01623806.AC/3-31-99
M22759/86	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, Copper Conductor, 200 Degrees C, 600-Volts, for Crimp Applications			
M22759/86-	26 thru 04	-*	75986- 26 thru 04	Alcatel 01623606.AB/3-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/86-	26 thru 04	-*	22759/86-	26 thru 04	Tensolite Company 01623806.AC/3-31-99
M22759/87	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated Copper Conductor, 200 degrees C, 600-Volts, for Crimp Applications				
M22759/87-	26 thru 04	-*	75987-	26 thru 04	Alcatel 01623606.AB/3-31-99
M22759/87-	26 thru 04	-*	22759/87-	26 thru 04	Tensolite Company 01623806.AC/3-31-99
M22759/88	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Tin Coated Copper Conductor, 150 degrees C, 600-Volts, for Crimp Applications				
M22759/88-	26 thru 04	-*	75988-	26 thru 04	Alcatel 01623606.AB/3-31-99
M22759/88-	22 thru 04	-*	22759/88-	22 thru 04	Tensolite Company 01623806.AC/3-31-99
M22759/89	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Silver Coated, High Strength or Ultra High Strength Copper Alloy, 200 degrees C, 600 Volts				
M22759/89-	26 thru 20	-*	75989-	26 thru 20	Alcatel 01623606.AB/3-31-99
M22759/89-	26 thru 20	-*	22759/89-	26 thru 20	Tensolite Company 01623806.AC/3-31-99
M22759/90	Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Normal Weight, Nickel Coated, High Strength Copper Alloy, 200 Degrees C. 600 Volts, for Crimp Applications				

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL.REF.
M22759/90-	26 thru 20	-*	75990-	26 thru 20	Alcatel 01623606.AB/3-31-99
M22759/90-	26 thru 20	-*	22759/90-	26 thru 20	Tensolite Company 01623806.AC/3-31-99
M22759/91 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Light Weight, Silver Coated, Copper Conductor, 200 °C, 600 Volts					
M22759/91-	26 thru 10	-*	75991-	26 thru 10	Alcatel 01623606.AB/3-31-99
M22759/91-	26 thru 10	-*	22759/91-	26 thru 10	Tensolite 01623806.AC/3-31-99
M22759/92 Wire, Electrical, Polytetrafluoroethylene/Polyimide Insulated, Light Weight, Nickel Coated, Copper Conductor. 260 °C, 600 Volts					
M22759/92-	26 thru 10	-*	75992-	26 thru 10	Alcatel 01623606.AB/3-31-99
M22759/92-	26 thru 10	-*	22759/92-	26 thru 10	Tensolite 01623806.AC/3-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME AND ADDRESS	CAGE Number
Office:	
Alcatel Electronics Cable P.O. Box 90 Elm City, NC 27822	12515
Plant:	
Same as above	
Office:	
Axon Cable S.A. Route de Chalons sur Marne 51210 Montmirail France	F5688
Plant:	
Same as above	
Office:	
Barcel/CDT, Inc. Corp. 2851 Alton Avenue Irvine, CA 92714-5885	28427
Plant:	
Same as above	
Office:	
BICC Brand-Rex Co, (1) P.O. Box 498 1600 W. Main Street Willimantic, CT 06226	71124
Plant:	
Same as above	
Office:	
BICC Brand-Rex Co. (2) 19 Bobrick Drive Jackson, TN 38301	OA404
Plant:	
Same as above	
Office:	K1390
BICC Brand-Rex Ltd. (3) Leigh Lancashire England WN7 4HB	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME AND ADDRESS	CAGE Number
Plant:	
Same as above	
Office:	
Cable USA, Inc. 2584 S. Horseshoe Dr. Naples, FL 33942	67050
Plant:	
Same as above	
Office:	
Calmont Engr. & Elect. Corp. dba Calmont Wire & Cable 420 East Alton Avenue Santa Ana, CA 92707	24027
Plant: Same as above	
Office:	
Dacon Systmes, Inc. 18270 Mt. Baldy Circle Fountain Valley, CA 92708	55041
Plant:	
Same as above	
Office:	
Harbour Industries, Inc. Wire Division P.O. Box 188 Shelburne, VT 05482	27478
Plant:	
Harbour Industries Inc. Wire Division Route 7 Shelburne, VT 05482	
Office:	
Harbour Industries Canada Ltd. 1365 Industriel Boulevard Farmham, Quebec JZN 2X3	57104
Plant:	
Same as above	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME AND ADDRESS	CAGE Number
Office:	
Helistrand, Inc. 707 E. Yanonali Street Santa Barbara, CA 93103	52621
Plant:	
Same as above	
Office:	
Huber & Suhner, Ltd. Tumbelenstrasse 20 CH-8330 Pfaffikon Switzerland	7W263
Plant:	
Same as above	
Office:	
INTECH ICI Cable Inc. 43 Broad Street Hudson, MA 01749-2595	28581
Plant (1):	
Same as above	
Plant (2):	
9700 Brookford Street Charlotte, NC 28273	
Office:	
Judd Wire, Inc. 55 Turnpike Road Turners Falls, MA 01376	12703
Plant: Same as above	
Office:	
Quirk Wire Co., Inc. Route 9 W. Brookfield, MA 01585	24868
Plant: Same as above	
Office:	
Raychem Corp. 300 Constitution Drive Menlo Park, CA 94025	06090

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME AND ADDRESS	CAGE Number
Plant:	
Oakside at Northside Redwood City, CA 94063	
Office:	
Raychem Corp. Ltd. Faraday Rd. (Dorcan) Swindon SN3 5HH, England	K1010
Plant: Same as above	
Office:	
Rockbestos/Surprenant 172 Sterling St. Clinton, MA 01510	90484
Plant: Same as above	
Office:	
Specialty Cable Corp. Special Cable Division 2 Tower Drive, P.O. Box 50 Wallingford, CT 06492	60685
Plant:	
Same as above	
Office:	
Tensolite Co. Subdivision of Carlisle Corp. 100 Tensolite Drive St. Augustine, FL 32092	92607
Plant:	
Same as above	
Office:	
Thermax/CDT 225-A N. Freeport Drive Nogalex, AZ 85621	12814
Plant:	
645 Calle Bustamontes (Nogales), Sonora, Mexico	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME AND ADDRESS	CAGE Number
Office:	
Superior Cvalim IL LTD/Thermofil of Israel Ltd., Thermofil P.O. Box 38 04-979-630 Maalot, Israel	S4272

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.