QUALIFICATIONS HAVE BEEN VALIDATED
(Frequency: See specification)
BY TEST DATA

QPL-22759-41
20 November 2002
SUPERSEDING
QPL-22759-40
17 April 2001

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-W-22759

WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release or otherwise affect the obligation of the manufacturer to comply with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND (COMMANDER, NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION, CODE 414100B120-3, HIGHWAY 547, LAKEHURST, NJ 08733-5100). THE ACTIVITY RESPONSIBLE FOR QUALIFICATION APPROVAL IS THE NAVAL AIR SYSTEMS COMMAND, CODE 4.4.4, 48142 SHAW ROAD, BUILDING 3197, SUITE E, PATUXENT RIVER, MD 20670-1900.

MANUFACTURER'S FULL NAME, CAGE NUMBER, OFFICE AND PLANT ADDRESSES ARE LISTED AT THE END OF THIS QPL.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

For the sake of brevity, part number designations are displayed and interpreted as shown.

M22759/4-	18 thru 14	-*	JNMO4-	34 thru 30	-*

Matrices generate the following fictitious part numbers: (intervals of two)

M22759/4-18-*	JNMO4-34-*
M22759/4-16-*	JNMO4-32-*
M22759/4-14-*	JNMO4-30-*

* The asterisk in the part number is replaced by color code designation.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-22759/1, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600-VOLT.		
M22759/1- 22 thru 04 -*	CUSA22759/1- 22 thru 04 -*	Cable USA, Inc. NAC F16.168/3-30-95
M22759/l -22-*	J1128-*	Harbour Industries, Inc. (U.S.)
-20-*	J1127-*	
-18-*	J1126-*	01610901.AB/3-30-99
-16-*	J1125-*	
-14-*	J1123-*	
-12-*	J3665-*	
-10-*	J1122-*	
- 8-*	J3078-*	
- 6-*	J1121-*	
- 4-*	J1120-*	
- 2-*	J1119-*	
- 1-*	J1118-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/l -01-*	J3223-*	Harbour Industries, Inc. (U.S.)
-02-*	J3300-*	(Continued)
-03-*	J3886-*	
-04-*	J3221-*	01610901.AB/3-30-99
M22759/1-22-*	819-4639373-*	Specialty Cable Corp.
-20-*	819-4639472-*	
-18-*	819-4639076-*	01622301.AB/3-30-99
-16-*	819-4639274-*	
-14-*	819-4639571-*	
-12-*	819-4639771-*	
-10-*	819-4629878-*	
- 8-*	819-4639977-*	
- 6-*	819-4640074-*	
- 4-*	819-4640173-*	
- 2-*	819-4640272-*	
- 1-*	819-4640371-*	
-01-*	819-4640470-*	
-02-*	819-4640579-*	
-03-*	819-4640678-*	
-04-*	819-4640777-*	
M22759/1- 22 thru 04 -*	22759/1- 22 thru 04 -*	Tensolite Co. 01623801.AB/3-30-99
MIL-W-22759/2, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT.		
M22759/2- 22 thru 04 -*	CUSA22759/2- 22 thru 04 -*	Cable USA, Inc. NAC F16.168/3-30-95
M22759/2-22-*	J1117-*	Harbour Industries, Inc. (U.S.)
-20-*	J1112-*	
-18-*	J1116-*	01610901.AB/3-30-99
-16-*	J2890-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/2-14-*	J3887-*	Harbour Industries, Inc. (U.S.) (Continued)
-12-*	J1115-*	
-10-*	J1114-*	
- 8-*	J3142-*	01610901.AB/3-30-99
- 6-*	J3021-*	
- 4-*	J2909-*	
- 2-*	J2963-*	
- 1-*	J2831-*	
-01-*	J1113-*	
-02-*	J2876-*	
-03-*	J3143-*	
-04-*	J3888-*	
M22759/2-22-*	819-4621470-*	Specialty Cable Corp.
-20-*	819-4621371-*	
-18-*	819-4621272-*	01622301.AB/3-30-99
-16-*	819-4621074-*	
-14-*	819-4621173-*	
-12-*	819-4620977-*	
-10-*	819-4620878-*	
- 8-*	819-4620779-*	
- 6-*	819-4620670-*	
- 4-*	819-4620571-*	
- 2-*	819-4620472-*	
- 1-*	819-4620373-*	
-01-*	819-4620274-*	
-02-*	819-4620175-*	
-03-*	819-4620076-*	
-04-*	819-4699739-*	
M22759/2- 22 thru 04 -*	22759/2- 22 thru 04 -*	Tensolite Co. 01623801.AB/3-30-99

MIL-W-22759/3, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/3-	22 thru 02	-*	CUSA22759/3-	22 thru 02	-*	Cable USA, Inc. NAC F16.168/3-30-95
M22759/3-22-*			J1146-*			Harbour Industries, Inc. (U.S.)
-20-*			J1145-*			
-18-*			J1144-*			01610901.AB/3-30-99
-16-*			J1143-*			
-14-*			J1142-*			
-12-*			J1141-*			
-10-*			J1140-*			
- 8-*			J1139-*			
- 6-*			J1138-*			
- 4-*			J1137-*			
- 2-*			J2855-*			
- 1-*			J2889-*			
-01-*			J2652-*			
-02-*			J3185-*			
M22759/3-22-*			819-4692679-*			Specialty Cable Corp.
-20-*			819-4692570-*			
-18-*			819-4692471-*			01622301.AB/3-30-99
-16-*			819-4692372-*			
-14-*			819-4692273-*			
-12-*			819-4692174-*			
-10-*			819-4692075-*			
- 8-*			819-4691978-*			
- 6-*			819-4691879-*			
- 4-*			819-4691770-*			
- 2-*			819-4691671-*			
- 1-*			819-4691572-*			
-01-*			819-4691473-*			
-02-*			819-4691374-*			
M22759/3-	22 thru 02	-*	22759/3-	22 thru 02	-*	Tensolite Co. 01623801.AB/3-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-22759/4, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT.		
M22759/4- 22 thru 02 -*	CUSA22759/4- 22 thru 02 -*	Cable USA, Inc. NAC F16.168/3-30-95
M22759/4-22-*	J1155-*	Harbour Industries, Inc. (U.S.)
-20-*	J1154-*	
-18-*	J1153-*	01610901.AB/3-30-99
-16-*	J1152-*	
-14-*	J3515-*	
-12-*	J3227-*	
-10-*	J1151-*	
- 8-*	J1150-*	
- 6-*	J1149-*	
- 4-*	J1148-*	
- 2-*	J1147-*	
- 1-*	J3890-*	
-01-*	J3188-*	
-02-*	J3891-*	
M22759/4-22-*	819-4690871-*	Specialty Cable Corp.
-20-*	819-4690772-*	
-18-*	819-4690673-*	01622301.AB/3-30-99
-16-*	819-4690574-*	
-14-*	819-4690475-*	
-12-*	819-4690376-*	
-10-*	819-4690277-*	
- 8-*	819-4690178-*	
- 6-*	819-4690079-*	
- 4-*	819-4689972-*	
- 2-*	819-4689873-*	
- 1-*	819-4689774-*	
-01-*	819-4689675-*	
-02-*	819-4689576-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/4-	22 thru 02	-*	22759/4-	22 thru 02	-*	Tensolite Co. 01623801.AB/3-30-99
MIL-W-22759/5, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT, EXTRUDED PTFE, SILVER-COATED COPPER CONDUCTOR, 600-VOLT.						
M22759/5-	24 thru 20	-*	75905-	24 thru 20	-*	Berk-Tek Electronics Cable 01623602.AD/4-07-00
M22759/5-24-* -22-* -20-* -18-* -16-* -14-* -12-* -10-*			ATE-1936-A ATE-1934-A ATE-1932-A ATE-1930-A ATE-1929-A ATE-1927-A ATE-1925-A ATE-3726-A			Harbour Industries, Inc. (U.S.) 01610902.AC/3-31-98
M22759/5-	24 thru 10	-*	HM22759/5-	24 thru 10	-*	Harbour Industries, Ltd. (Canada) 01610402.AB/6-30-00
M22759/5-	24 thru 10	-*	22759/5-	24 thru 10	-*	Tensolite Co. 01623803.AC3/5-17-02
M22759/5-24-* -22-* -20-* -18-* -16-* -14-* -12-* -10-*			24-AF3XT-1936-* 22-AF3XT-1934-* 20-AF3XT-1932-* 18-AF3XT-1930-* 16-AF3XT-1929-* 14-AF3XT-1927-* 12-AF3XT-1925-* 10-AF3XT-3726-*			Thermax/CDT 01624502.AC/3-31-00

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/5 - 8-* - 6-* - 4-*	8-AF3XT-13329-* 6-AF3XT-13327-* 4-AF3XT-13325-*	Thermax/CDT (Continued) 01624502.AC/3-31-00
MIL-W-22759/6, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT, EXTRUDED PTFE, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT.		
M22759/6- 24 thru 20 -*	75906- 24 thru 20 -*	Berk-Tek Electronics Cable 01623602.AD/4-07-00
M22759/6-24-* -22-* -20-* -18-* -16-* -14-* -12-* -10-* - 8-* - 6-* - 4-*	ATE-1936NIC-* ATE-1934NIC-* ATE-1932NIC-* ATE-1930NIC-* ATE-1929NIC-* ATE-1927NIC-* ATE-1925NIC-* ATE-3726NIC-* ATE-13329NIC-* ATE-13327NIC-* ATE-13325NIC-*	Harbour Industries, Inc. (U.S.) 01610902.AC/3-31-98
M22759/6- 24 thru 10 -*	HM22759/6- 24 thru 10 -*	Harbour Industries, Ltd. (Canada) 01610402.AB/6-30-00
M22759/6- 24 thru 10 -*	22759/6- 24 thru 10 -*	Tensolite Co. 01623803.AC3/5-17-02
M22759/6-24-* -22-* -20-* -18-* -16-*	24-AF3XTN-1936-* 22-AF3XTN-1934-* 20-AF3XTN-1932-* 18-AF3XTN-1930-* 16-AF3XTN-1929-*	Thermax/CDT 01624502.AC/3-31-00

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/6-14-*	14-AF3XTN-1927-*	Thermax/CDT
-12-*	12-AF3XTN-3726-*	(Continued)
-10-*	10-AF3XTN-1925-*	
- 8-*	8-AF3XTN-13329-*	01624502.AC/3-31-00
- 6-*	6-AF3XTN-13327-*	
- 4-*	4-AF3XTN-13325-*	
MIL-W-22759/7, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT, EXTRUDED PTFE, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT.		
M22759/7- 24 thru 4 -*	75907- 24 thru 4 -*	Berk-Tek Electronics Cable
		01623602.AD/4-07-00
M22759/7-24-*	TATE-l936A-*	Harbour Industries, Inc. (U.S.)
-22-*	TATE-l934A-*	
-20-*	TATE-l932A-*	01610902.AC/3-31-98
-18-*	TATE-l930A-*	
-16-*	TATE-l929A-*	
-14-*	TATE-l927A-*	
-12-*	TATE-1925A-*	
-10-*	TATE-3726A-*	
M22759/7- 24 thru 10 -*	HM22759/7- 24 thru 10 -*	Harbour Industries, Ltd. (Canada)
		01610402.AB/6-30-00
M22759/7-24-*	277-241*9	Specialty Cable Corp.
-22-*	277-221*9	
-20-*	277-201*9	01622302.AC/6-30-00
-18-*	277-181*9	
-16-*	277-161*9	
-14-*	277-141*9	
-12-*	277-121*9	
-10-*	277-101*9	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/7-	24 thru 10	-*	M22759/7-	24 thru 10	-*	Tensolite Co. 01623803.AC3/5-17-02
M22759/7-24-*			24-AF2XT-1936-*			Thermax/CDT
-22-*			22-AF2XT-1934-*			
-20-*			20-AF2XT-1932-*			01624502.AC/3-31-00
-18-*			18-AF2XT-1930-*			
-16-*			16-AF2XT-1929-*			
-14-*			14-AF2XT-1927-*			
-12-*			12-AF2XT-1925-*			
-10-*			10-AF2XT-3726-*			
- 8-*			8-AF2XT-13329-*			
- 6-*			6-AF2XT-13327-*			
- 4-*			4-AF2XT-13325-*			
MIL-W-22759/8, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT, EXTRUDED PTFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT.						
M22759/8-	24 thru 4	-*	75908-	24 thru 4	-*	Berk-Tek Electronics Cable 01623602.AD/4-07-00
M22759/8-24-*			TATE-l936NIC-*			Harbour Industries, Inc. (U.S.)
-22-*			TATE-l934NIC-*			
-20-*			TATE-l932NIC-*			01620902.AC/3-31-98
-18-*			TATE-l930NIC-*			
-16-*			TATE-l929NIC-*			
-14-*			TATE-l927NIC-*			
-12-*			TATE-1925NIC-*			
-10-*			TATE-3726NIC-*			
- 8-*			TATE-13329NIC-*			
- 6-*			TATE-13327NIC-*			
- 4-*			TATE-13325NIC-*			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/8-	24 thru 10	-*	HM22759/8-	24 thru 10	-*	Harbour Industries, Ltd. (Canada) 01610402.AB/6-30-00
M22759/8-24-*			378-241*9			Specialty Cable Corp.
-22-*			378-221*9			
-20-*			378-201*9			01622302.AC/6-30-00
-18-*			378-181*9			
-16-*			378-161*9			
-14-*			378-141*9			
-12-*			378-121*9			
-10-*			378-101*9			
M22759/8-	24 thru 10	-*	22759/8-	24 thru 10	-*	Tensolite Co. 01623803.AC3/5-17-02
M22759/8-24-*			24-AF2XTN-1936-*			Thermax/CDT
-22-*			22-AF2XTN-1934-*			
-20-*			20-AF2XTN-1932-*			01624502.AC/3-31-00
-18-*			18-AF2XTN-1930-*			
-16-*			16-AF2XTN-1929-*			
-14-*			14-AF2XTN-1927-*			
-12-*			12-AF2XTN-1925-*			
-10-*			10-AF2XTN-3726-*			
- 8-*			8-AF2XTN-13329-*			
- 6-*			6-AF2XTN-13327-*			
- 4-*			4-AF2XTN-13325-*			
MIL-W-22759/9, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1000-VOLT.						
M22759/9-	28 thru 10	-*	X22759/9-	28 thru 10	-*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/9-	28 thru 8	-*	75909-	28 thru 8	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/9-28-* -26-* -24-* -22-* -20-* -18-* -16-* -14-* -12-* -10-* - 8-*			J1134-* J3602-* J1133-* J1132-* J1131-* J1130-* J2962-* J1129-* J2894-* J3892-* J3390-*			Harbour Industries, Inc. (U.S.) 01610903.AA/6-30-98
M22759/9-	28 thru 8	-*	HM22759/9-	28 thru 8	-*	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98
M22759/9-	28 thru 8	-*	28 thru 8	XHS-9-*		Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/9-	28 thru 10	-*	S-C-22759/9-	28 thru 10	-*	Specialty Cable Corp. 01622303.AA/10-30-98
M22759/9-	28 thru 10	-*	22759/9-	28 thru 10	-*	Tensolite Co. 01623803.AC3/5-17-02
M22759/9-28-* -26-* -24-* -22-* -20-*			28-AXT-736-* 26-AXT-1938-* 24-AXT-1936-* 22-AXT-1934-* 20-AXT-1932-*			Thermax/CDT 01624503.AA/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/9-18-*	18-AXT-1930-*	Thermax/CDT
-16-*	16-AXT-1929-*	(Continued)
-14-*	14-AXT-1927-*	
-12-*	12-AXT-1925-*	01624503.AA/6-30-98
-10-*	10-AXT-3726-*	
- 8-*	8-AXT-13329-*	
MIL-W-22759/10, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1000-VOLT.		
M22759/10- 28 thru 10 -*	X22759/10- 28 thru 10 -*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98
M22759/10- 28 thru 8 -*	75910- 28 thru 8 -*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/10-28-*	J3893-*	Harbour Industries, Inc. (U.S.)
-26-*	J3894-*	
-24-*	J3895-*	01610903.AA/6-30-98
-22-*	J1136-*	
-20-*	J1135-*	
-18-*	J3181-*	
-16-*	J3168-*	
-14-*	J3896-*	
-12-*	J3897-*	
-10-*	J3898-*	
- 8-*	J3899-*	
M22759/10- 28 thru 8 -*	HM22759/10- 28 thru 8 -*	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/10-	28 thru 8	-*	28 thru 8	XHN-10-*		Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/10-	28 thru 10	-*	S-C-22759/10-	28 thru 10	-*	Specialty Cable Corp. 01622303.AA/10-30-98
M22759/10-	28 thru 10	-*	22759/10-	28 thru 10	-*	Tensolite Co. 01623803.AC3/5-17-02
M22759/10-28-*			28-AXTN-736-*			Thermax/CDT
-26-*			26-AXTN-1938-*			
-24-*			24-AXTN-1936-*			01624503.AA/6-30-98
-22-*			22-AXTN-1934-*			
-20-*			20-AXTN-1932-*			
-18-*			18-AXTN-1930-*			
-16-*			16-AXTN-1929-*			
-14-*			14-AXTN-1927-*			
-12-*			12-AXTN-1925-*			
-10-*			10-AXTN-3726-*			
- 8-*			8-AXTN-13329-*			
MIL-W-22759/11, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600-VOLT.						
M22759/11-	28 thru 8	-*	E759/11-	28 thru 8	-SPC	Axon' Cable S.A. 01602203.AB/6-30-00
M22759/11-	28 thru 8	-*	X22759/11-	28 thru 8	-*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98
M22759/11-	28 thru 8	-*	75911-	28 thru 8	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/11-24-*	31 E5 55 124-*	Brand-Rex, Ltd.
-22-*	31 E5 55 122-*	
-20-*	31 E5 55 120-*	01602903.AA/8-04-98
M22759/11-28-*	J1165-*	Harbour Industries, Inc. (U.S.)
-26-*	J1164-*	
-24-*	J1163-*	01610903.AA/6-30-98
-22-*	J1162-*	
-20-*	J1161-*	
-18-*	J1160-*	
-16-*	J1159-*	
-14-*	J1158-*	
-12-*	J1157-*	
-10-*	J1156-*	
- 8-*	J3504-*	
M22759/11- 28 thru 10 -*	HM22759/11- 28 thru 10 -*	Harbour Industries, Ltd. (Canada)
		01610403.AA/6-30-98
M22759/11- 28 thru 10 -*	28 thru 10 XES-11-*	Quirk Wire Co., Inc.
		01619703.AA/6-30-98
M22759/11- 28 thru 10 -*	S-C-22759/11- 28 thru 10 -*	Specialty Cable Corp.
		01622303.AA/10-30-98
M22759/11- 28 thru 10 -*	22759/11- 28 thru 10 -*	Tensolite Co.
		01623803.AC3/5-17-02
M22759/11-28-*	28-ATE-736-*	Thermax/CDT
-26-*	26-ATE-1938-*	
-24-*	24-ATE-1936-*	01624503.AA/6-30-98
-22-*	22-ATE-1934-*	
-20-*	20-ATE-1932-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/11-18-*	18-ATE-1930-*	Thermax/CDT
-16-*	16-ATE-1929-*	(Continued)
-14-*	14-ATE-1927-*	
-12-*	12-ATE-1925-*	01624503.AA/6-30-98
-10-*	10-ATE-3726-*	
- 8-*	8-ATE-13329-*	
MIL-W-22759/12, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT.		
M22759/12- 28 thru 8 -*	E759/12- 28 thru 8 -NPC	Axon' Cable S.A. 01602203.AB/6-30-00
M22759/12- 28 thru 8 -*	X22759/12- 28 thru 8 -*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98
M22759/12- 28 thru 8 -*	75912- 28 thru 8 -*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/12-24-*	31 E5 55 724-*	Brand-Rex, Ltd.
-22-*	31 E5 55 722-*	
-20-*	31 E5 55 720-*	01602903.AA/8-04-98
M22759/12-28-*	J3295-*	Harbour Industries, Inc (U.S.)
-26-*	J1170-*	
-24-*	J3109-*	01610903.AA/6-30-98
-22-*	J1169-*	
-20-*	J1168-*	
-18-*	J3900-*	
-16-*	J1167-*	
-14-*	J2901-*	
-12-*	J1166-*	
-10-*	J3902-*	
- 8-*	J3903-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/12-	28 thru 10	-*	HM22759/12-	28 thru 10	-*	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98
M22759/12-	28 thru 10	-*	28 thru 10	XEN-12-*		Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/12-	28 thru 10	-*	S-C-22759/12-	28 thru 10	-*	Specialty Cable Corp. 01622303.AA/10-30-98
M22759/12-	28 thru 10	-*	22759/12-	28 thru 10	-*	Tensolite Co. 01623803.AC3/5-17-02
M22759/12-28-* -26-* -24-* -22-* -20-* -18-* -16-* -14-* -12-* -10-* - 8-*			28-ATEN-736-* 26-ATEN-1938-* 24-ATEN-1936-* 22-ATEN-1934-* 20-ATEN-1932-* 18-ATEN-1930-* 16-ATEN-1929-* 14-ATEN-1927-* 12-ATEN-1925-* 10-ATEN-3726-* 8-ATEN-13329-*			Thermax/CDT 01624503.AA/6-30-98
MIL-W-22759/13, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF_2, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT.						
M22759/13-	24 thru 10	-*	75913-	24 thru 10	-*	Berk-Tek Electronics Cable 01623607.AB/11-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-22759/14, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF_2, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT.						
M22759/14-	26 thru 12	-*	75914-	26 thru 12	-*	Berk-Tek Electronics Cable 01623607.AB/11-30-99
MIL-W-22759/15, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF_2, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT.						
M22759/15-	26 thru 20	-*	75915-	26 thru 20	-*	Berk-Tek Electronics Cable 01623607.AB/11-30-99
MIL-W-22759/16, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150 °C.						
M22759/16-	24 thru 02	-*	LB-01-2142-	24 thru 02	-*	Barcel/CDT, Inc. (1) 01602304.AC/1-31-99
M22759/16-24-*			191887-* or 83084-*			Belden Wire & Cable Co. (1)
-22-*			191874-* or 83085-*			
-20-*			191889-* or 83086-*			01629204.AB/2-12-99
-18-*			83087-*			
-16-*			192084-* or 83088-*			
-14-*			191551-* or 83089-*			
-12-*			192838-* or 83090-*			
-10-*			192108-* or 83091-*			
M22759/16-	24 thru 10	-*	X22759/16-	24 thru 10	-*	Belden Wire & Cable Co. (2) 01612504.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/16-	24 thru 02	-*	75916-	24 thru 02	-*	Berk-Tek Electronics Cable 01623604.AB/1-31-99
M22759/16-24-*			SPC03362-*			Brand-Rex, Ltd.
-22-*			SPC03363-*			
-20-*			SPC03364-*			01602904.AD/2-24-00
-18-*			SPC03365-*			
-16-*			SPC03366-*			
-14-*			SPC03367-*			
-12-*			SPC03368-*			
-10-*			SPC03369-*			
M22759/16-	24 thru 02	-*	CUSA22759/16-	24 thru 02	-*	Cable USA, Inc. 01604204.AA4/10-9-01
M22759/16-	24 thru 02	-*	D-266-	1 thru 15	-*	Dacon Systems, Inc. 01607104.AC/1-31-99
M22759/16-	24 thru 02	-*	BR22759/16-	24 thru 02	-*	General Cable Brand Rex Brand 01603304.AA/1-31-97
M22759/16-24-*			J1183-*			Harbour Industries, Inc. (U.S.)
-22-*			J1182-*			
-20-*			J1181-*			01610904.AB/11-30-99
-18-*			J1180-*			
-16-*			J1179-*			
-14-*			J1178-*			
-12-*			J1177-*			
-10-*			J1175-*			
- 8-*			J1174-*			
- 6-*			J2659-*			
- 4-*			J1173-*			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/16- 2-* - 1-* - 01-* - 02-*	J1172-* J1171-* J1184-* J3904-*	Harbour Industries, Inc. (U.S.) (Continued) 01610904.AB/11-30-99
M22759/16- 24 thru 4 -*	HM22759/16- 24 thru 4 -*	Harbour Industries, Ltd. (Canada) 01610404.AC/1-31-99
M22759/16- 24 thru 00 -*	314-1004- 24 thru 00 -*	Helistrand, Inc. 01611304.AA/1-31-97
M22759/16- 24 thru 10 -*	S-W-22759/16- 24 thru 10 -* S-W-1-22759/16- S-W-2-22759/16-	Specialty Cable Corp. 01622304.AB/1-31-99
M22759/16-24-* -22-* -20-* -18-* -16-* -14-* -12-* -10-* - 8-* - 6-* - 4-*	1XZ24-19-36-* 1XZ22-19-34-* 1XZ20-19-32-* 1XZ18-19-30-* 1XZ16-19-29-* 1XZ14-19-27-* 1XZ12-37-36-* 1XZ10-37-36-* 1XZ8-133-25-* 1XZ6-133-25-* 1XZ4-133-25-*	Superior Cables Ltd. 01624404.AB/6-23-99
M22759/16-24-* -22-* -20-* -18-* -16-* -14-* -12-* -10-*	24-ACFZ-1936-* 22-ACFZ-1934-* 20-ACFZ-1932-* 18-ACFZ-1930-* 16-ACFZ-1929-* 14-ACFZ-1927-* 12-ACFZ-3728-* 10-ACFZ-3726-*	Thermax/CDT 01624504.AA/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/16- 8-*	8-ACFZ-13329-*	Thermax/CDT
- 6-*	6-ACFZ-13327-*	(Continued)
- 4-*	4-ACFZ-13325-*	
- 2-*	2-ACFZ-66530-*	01624504.AA/1-31-97
- 1-*	1-ACFZ-81730-*	
-01-*	1/0-ACFZ-104530-*	
-02-*	2/0-ACFZ-133030-*	
MIL-W-22759/17, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 °C.		
M22759/17- 26 thru 20 -*	LB-01-2143- 26 thru 20 -*	Barcel/CDT, Inc. (1) 01602304.AC/1-31-99
M22759/17-26-*	YQ-21726-*	Belden Wire & Cable Co. (1)
-24-*	YQ-21724-*	
-22-*	YQ-21722-*	01629204.AB/2-12-99
-20-*	YQ-21720-*	
M22759/17- 26 thru 20 -*	X22759/17- 26 thru 20 -*	Belden Wire & Cable Co. (2) 01612504.AA/1-31-97
M22759/17- 26 thru 20 -*	75917- 26 thru 20 -*	Berk-Tek Electronics Cable 01623604.AB/1-31-99
M22759/17-24-*	SPC03370-*	Brand-Rex, Ltd.
-22-*	SPC03371-*	
-20-*	SPC03372-*	01602904.AD/2-24-00
-18-*	SPC03373-*	
-16-*	SPC03374-*	
-14-*	SPC03375-*	
-12-*	SPC03376-*	
-10-*	SPC03377-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/17- 24 thru 20 -*	CUSA22759/17- 24 thru 20 -*	Cable USA, Inc. 01604204.AA4/10-09-01
M22759/17- 24 thru 20 -*	D-227- 1 thru 3 -*	Dacon Systems, Inc. 01607104.AC/1-31-99
M22759/17- 26 thru 20 -*	BR22759/17- 26 thru 20 -*	General Cable Brand Rex Brand 01603304.AA2/1-31-97
M22759/17-26-* -24-* -22-* -20-*	J3905-* J1185-* J3906-* J3907-*	Harbour Industries, Inc. (U.S.) 01610904.AB/11-30-99
M22759/17- 26 thru 20 -*	HM22759/17- 26 thru 20 -*	Harbour Industries, Ltd. (Canada) 01610404.AC/1-31-99
M22759/17- 26 thru 20 -*	354-1004- 26 thru 20 -*	Helistrand, Inc. 01611304.AA/1-31-97
M22759/17- 26 thru 20 -*	S-W-22759/17- S-W-1-22759/17- S-W-2-22759/17- 26 thru 20 -*	Specialty Cable Corp. 01622304.AB/1-31-99
M22759/17-26-* -24-* -22-* -20-*	1XZA26-19-38-* 1XZA24-19-36-* 1XZA22-19-34-* 1XZA20-19-32-*	Superior Cables Ltd. 01624404.AB/6-23-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/17-26-*	26-ACFTF-1938-*	Thermax/CDT
-24-*	24-ACFTF-1936-*	
-22-*	22-ACFTF-1934-*	01624504.AA/1-31-97
-20-*	20-ACFTF-1932-*	
MIL-W-22759/18, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150 °C.		
M22759/18- 26 thru 10 -*	LB-01-2144- 26 thru 10 -*	Barcel/CDT, Inc. (1) 01602304.AC/1-31-99
M22759/18- 26 thru 10 -*	X22759/18- 26 thru 10 -*	Belden Wire & Cable Co. (2) 01612504.AA/1-31-97
M22759/18- 26 thru 10 -*	75918- 26 thru 10 -*	Berk-Tek Electronics Cable 01623604.AB/1-31-99
M22759/18-24-*	SPC03378-*	Brand-Rex, Ltd.
-22-*	SPC03379-*	
-20-*	SPC03380-*	01602904.AD/2-24-00
-18-*	SPC03381-*	
-16-*	SPC03382-*	
-14-*	SPC03383-*	
-12-*	SPC03384-*	
-10-*	SPC03385-*	
M22759/18- 26 thru 10 -*	CUSA22759/18- 26 thru 10 -*	Cable USA, Inc. 01604204.AA4/10-09-01
M22759/18- 26 thru 20 -*	BR22759/18- 26 thru 20 -*	General Cable Brand Rex Brand 01603304.AA2/1-31-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/18-26-*	J2816-*	Harbour Industries, Inc. (U.S.)
-24-*	J1194-*	
-22-*	J1193-*	01610904.AB/11-30-99
-20-*	J1192-*	
-18-*	J1191-*	
-16-*	J1190-*	
-14-*	J1188-*	
-12-*	J1187-*	
-10-*	J1186-*	
M22759/18- 26 thru 10 -*	HM22759/18- 26 thru 10 -*	Harbour Industries, Ltd. (Canada)
		01610404.AC/1-31-99
M22759/18- 26 thru 10 -*	313-1004- 26 thru 10 -*	Helistrand, Inc.
		01611304.AA/1-31-97
M22759/18- 26 thru 10 -*	S-W-22759/18- 26 thru 10 -*	Specialty Cable Corp.
	S-W-1-22759/18-	01622304.AB/1-31-99
M22759/18- 26 thru 16 -*	S-W-2-22759/18- 26 thru 16 -*	
M22759/18-26-*	3XZ26-19-38-*	Superior Cables Ltd.
-24-*	3XZ24-19-36-*	
-22-*	3XZ22-19-34-*	01624404.AB/6-23-99
-20-*	3XZ20-19-32-*	
-18-*	3XZ18-19-30-*	
-16-*	3XZ16-19-29-*	
-14-*	3XZ14-19-28-*	
-12-*	3XZ12-37-27-*	
-10-*	3XZ10-37-26-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/18-26-*	26-AMCFZ-1938-*	Thermax/CDT
-24-*	24-AMCFZ-1936-*	
-22-*	22-AMCFZ-1934-*	01624504.AA/1-31-97
-20-*	20-AMCFZ-1932-*	
-18-*	18-AMCFZ-1930-*	
-16-*	16-AMCFZ-1929-*	
-14-*	14-AMCFZ-1927-*	
-12-*	12-AMCFZ-3728-*	
-10-*	10-AMCFZ-3726-*	

MIL-W-22759/19, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 °C.

M22759/19-	26 thru 20	-*	LB-01-2145-	26 thru 20	-*	Barcel/CDT, Inc. (1) 01602304.AC/1-31-99
M22759/19-	26 thru 20	-*	X22759/19-	26 thru 20	-*	Belden Wire & Cable Co. (2) 01612504.AA/1-31-97
M22759/19-	26 thru 20	-*	75919-	26 thru 20	-*	Berk-Tek Electronics Cable 01623604.AB/1-31-99
M22759/19-24-*			SPC03386-*			Brand-Rex, Ltd.
-22-*			SPC03387-*			
-20-*			SPC03388-*			01602904.AD/2-24-00
-18-*			SPC03389-*			
-16-*			SPC03390-*			
-14-*			SPC03391-*			
-12-*			SPC03392-*			
-10-*			SPC03393-*			
M22759/19-	26 thru 20	-*	CUSA22759/19-	26 thru 20	-*	Cable USA, Inc. 01604204.AA4/10-9-01

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/19- 26 thru 20 -*	BR22759/19- 26 thru 20 -*	General Cable Brand Rex Brand 01603304.AA2/1-31-97
M22759/19-26-* -24-* -22-* -20-*	J3908-* J3124-* J3123-* J3909-*	Harbour Industries, Inc. (U.S.) 01610904.AB/11-30-99
M22759/19- 26 thru 20 -*	HM22759/19- 26 thru 20 -*	Harbour Industries, Ltd. (Canada) 01610404.AC/1-31-99
M22759/19- 26 thru 20 -*	353-1004- 26 thru 20 -*	Helistrand, Inc. 01611304.AA/1-31-97
M22759/19- 26 thru 20 -*	S-W-22759/19- 26 thru 20 -* S-W-1-22759/19- 26 thru 20 -*	Specialty Cable Corp. 01622304.AB/1-31-99
M22759/19-26-* -24-* -22-* -20-*	3XZA26-19-38-* 3XZA24-19-36-* 3XZA24-19-34-* 3XZA20-19-32-*	Superior Cables Ltd. 01624404.AB/6-23-99
M22759/19-26-* -24-* -22-* -20-*	26-AMCFTF-1938-* 24-AMCFTF-1936-* 22-AMCFTF-1934-* 20-AMCFTF-1932-*	Thermax/CDT 01624504.AA/1-31-97

MIL-W-22759/20, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/20-	28 thru 20	-*	X22759/20-	28 thru 20	-*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98
M22759/20-	28 thru 20	-*	75920-	28 thru 20	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/20-28-* -26-* -24-* -22-* -20-*			J3910-* J3911-* J3912-* J3913-* J3914-*			Harbour Industries, Inc. (U.S.) 01610903.AA/6-30-98
M22759/20-	28 thru 20	-*	HM22759/20-	28 thru 20	-*	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98
M22759/20-	28 thru 20	-*	28 thru 20	XHSA-20-*		Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/20-	28 thru 20	-*	S-C-22759/20-	28 thru 20	-*	Specialty Cable Corp. 01622303.AA/10-30-98
M22759/20-	28 thru 20	-*	22759/20-	28 thru 20	-*	Tensolite Co. 01623803.AB/6-30-98
M22759/20-28-* -26-* -24-* -22-* -20-*			28-AXTTF-736-* 26-AXTTF-1938-* 24-AXTTF-1936-* 22-AXTTF-1934-* 20-AXTTF-1932-*			Thermax/CDT 01624503.AA/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-22759/21, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT.						
M22759/21-	28 thru 20	-*	X22759/21-	28 thru 20	-*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98
M22759/21-	28 thru 20	-*	75921-	28 thru 20	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/21-28-* -26-* -24-* -22-* -20-*			J3915-* J3916-* J3917-* J3918-* J3919-*			Harbour Industries, Inc. (U.S.) 01610903.AA/6-30-98
M22759/21-	28 thru 20	-*	HM22759/21-	28 thru 20	-*	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98
M22759/21-	28 thru 20	-*	28 thru 20	XHNA-21-*		Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/21-	28 thru 20	-*	S-C-22759/21-	28 thru 20	-*	Specialty Cable Corp. 01622303.AA/10-30-98
M22759/21-	28 thru 20	-*	22759/21-	28 thru 20	-*	Tensolite Co. 01623803.AB/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/21-28-*	28-AXTTFN-736-*	Thermax/CDT
-26-*	26-AXTTFN-1938-*	
-24-*	24-AXTTFN-1936-*	01624503.AA/6-30-98
-22-*	22-AXTTFN-1934-*	
-20-*	20-AXTTFN-1932-*	
MIL-W-22759/22, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT.		
M22759/22- 28 thru 20 -*	E759/22- 28 thru 20 -SPTF	Axon' Cable S.A. 01602203.AB/6-30-00
M22759/22- 28 thru 20 -*	X22759/22- 28 thru 20 -*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98
M22759/22- 28 thru 20 -*	75922- 28 thru 20 -*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/22-24-*	31 E5 55 524-*	Brand-Rex, Ltd.
-22-*	31 E5 55 522-*	
-20-*	31 E5 55 520-*	01602903.AA/8-04-98
M22759/22-28-*	J1199-*	Harbour Industries, Inc. (U.S.)
-26-*	J1198-*	
-24-*	J1197-*	01610903.AA/6-30-98
-22-*	J1196-*	
-20-*	J1195-*	
M22759/22- 28 thru 20 -*	HM22759/22- 28 thru 20 -*	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/22-	28 thru 20	-*	28 thru 20	XESA-22-*		Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/22-	28 thru 20	-*	S-C-22759/22-	28 thru 20	-*	Specialty Cable Corp. 01622303.AA/10-30-98
M22759/22-	28 thru 20	-*	22759/22-	28 thru 20	-*	Tensolite Co. 01623803.AB/6-30-98
M22759/22-28-* -26-* -24-* -22-* -20-*			28-ATETF-736-* 26-ATETF-1938-* 24-ATETF-1936-* 22-ATETF-1934-* 20-ATETF-1932-*			Thermax/CDT 01624503.AA/6-30-98
MIL-W-22759/23, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT.						
M22759/23-	28 thru 20	-*	E759/23-	28 thru 20	-SPC	Axon' Cable S.A. 01602203.AB/6-30-00
M22759/23-	28 thru 20	-*	X22759/23-	28 thru 20	-*	Belden Wire & Cable Co. (2) 01633503.AA/6-30-98
M22759/23-	28 thru 20	-*	75923-	28 thru 20	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/23-24-* -22-* -20-*			31 E5 55 624-* 31 E5 55 622-* 31 E5 55 620-*			Brand-Rex, Ltd. 01602903.AA/8-04-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/23-28-* -26-* -24-* -22-* -20-*	J3920-* J2896-* J1200-* J3200-* J3921-*	Harbour Industries, Inc. (U.S.) 01610903.AA/6-30-98
M22759/23- 28 thru 20 -*	HM22759/23- 28 thru 20 -*	Harbour Industries, Ltd. (Canada) 01610403.AA/6-30-98
M22759/23- 28 thru 20 -*	28 thru 20 XENA-23-*	Quirk Wire Co., Inc. 01619703.AA/6-30-98
M22759/23- 28 thru 20 -*	S-C-22759/23- 28 thru 20 -*	Specialty Cable Corp. 01622303.AA/10-30-98
M22759/23- 28 thru 20 -*	22759/23- 28 thru 20 -*	Tensolite Co. 01623803.AB/6-30-98
M22759/23-28-* -26-* -24-* -22-* -20-*	28-ATETFN-736-* 26-ATETFN-1938-* 24-ATETFN-1936-* 22-ATETFN-1934-* 20-ATETFN-1932-*	Thermax/CDT 01624503.AA/6-30-98
MIL-W-22759/28, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE-COATED, SILVER-COATED COPPER CONDUCTOR, 600-VOLT.		
M22759/28- 28 thru 10 -*	75928- 28 thru 10 -*	Berk-Tek Electronics Cable 01623603.AB/6-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/28-	28 thru 16	-*	22759/28-	28 thru 16	-*	Tensolite Co. 01623803.AB/6-30-98
M22759/28-28-*			28-ATENH-763-*			Thermax/CDT
-26-*			26-ATENH-1938-*			
-24-*			24-ATENH-1936-*			01624503.AA/6-30-98
-22-*			22-ATENH-1934-*			
-20-*			20-ATENH-1932-*			
-18-*			18-ATENH-1930-*			
-16-*			16-ATENH-1929-*			
-14-*			14-ATENH-1927-*			
MIL-W-22759/29, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT.						
M22759/29-	28 thru 10	-*	75929-	28 thru 10	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/29-	28 thru 16	-*	22759/29-	28 thru 16	-*	Tensolite Co. 01623803.AB/6-30-98
M22759/29-28-*			28-ATENH-763-*			Thermax/CDT
-26-*			26-ATENH-1938-*			
-24-*			24-ATENH-1936-*			01624503.AA/6-30-98
-22-*			22-ATENH-1934-*			
-20-*			20-ATENH-1932-*			
-18-*			18-ATENH-1930-*			
-16-*			16-ATENH-1929-*			
-14-*			14-ATENH-1927-*			
MIL-W-22759/30, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE-COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT.						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/30-	28 thru 20	-*	75930-	28 thru 20	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/30-	28 thru 20	-*	22759/30-	28 thru 20	-*	Tensolite Co. 01623803.AB/6-30-98
M22759/30-28-* -26-* -24-* -22-* -20-*			28-ATETFH-736-* 26-ATETFH-1938-* 24-ATETFH-1936-* 22-ATETFH-1934-* 20-ATETFH-1932-*			Thermax/CDT 01624503.AA/6-30-98
MIL-W-22759/31, WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT.						
M22759/31-	28 thru 20	-*	75931-	28 thru 20	-*	Berk-Tek Electronics Cable 01623603.AB/6-30-98
M22759/31-	28 thru 20	-*	22759/31-	28 thru 20	-*	Tensolite Co. 01623803.AB/6-30-98
M22759/31-28-* -26-* -24-* -22-* -20-*			28-ATETFNH-736-* 26-ATETFNH-1938-* 24-ATETFNH-1936-* 22-ATETFNH-1934-* 20-ATETFNH-1932-*			Thermax/CDT 01624503.AA/6-30-98
MIL-W-22759/32, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED COPPER, 150 °C, 600-VOLT.						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/32-	30 thru 12	-*	75932-	30 thru 12	-*	Berk-Tek Electronics Cable 01623605.AB/11-30-98
M22759/32-30-*			SPC03556-*			Brand-Rex, Ltd.
-28-*			SPC03557-*			
-26-*			SPC02792-*			01602905.AC/5-01-00
-24-*			SPC02665-*			
-22-*			SPC00734-*			
-20-*			SPC02664-*			
-18-*			SPC02788-*			
-16-*			SPC02663-*			
-14-*			SPC03558-*			
-12-*			SPC03559-*			
M22759/32-	30 thru 12	-*	BR22759/32-	30 thru 12	-*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/32-26-*			513505-*			Huber & Suhner, Ltd.
-24-*			513506-*			
-22-*			513507-*			01612105.AB/11-30-98
-20-*			513508-*			
-18-*			513513-*			
-16-*			513514-*			
-14-*			513515-*			
-12-*			513516-*			
M22759/32-30-*			H3832302-*			Judd Wire, Inc.
-28-*			H3832282-*			
-26-*			H3832264-*			01613505.AC/11-30-98
-24-*			H3832244-*			
-22-*			H3832224-*			
-20-*			H3832204-*			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/32-18-*	H3832184-*	Judd Wire, Inc.
-16-*	H3832164-*	(Continued)
-14-*	H3832144-*	
-12-*	H3832126-*	01613505.AC/11-30-98
M22759/32-30-*	55A0111-30-*	Raychem Wire & Cable
-28-*	55A0111-28-*	Products Group
-26-*	55A0111-26-*	Tyco Electronics
-24-*	55A0111-24-*	
-22-*	55A0111-22-*	NAC 01620205.AD/11-30-98
-20-*	55A0111-20-*	
-18-*	55A0111-18-*	
-16-*	55A0111-16-*	
-14-*	55A0111-l4-*	
-12-*	55A0111-12-*	
M22759/32-30-*	55A0111-30-*	Raychem Wire & Cable
-28-*	55A0111-28-*	Tyco Electronics UK Ltd.
-26-*	55A0111-26-*	
-24-*	55A0111-24-*	01619805.AC/11-30-98
-22-*	55A0111-22-*	
-20-*	55A0111-20-*	
-18-*	55A0111-18-*	
-16-*	55A0111-16-*	
-14-*	55A0111-l4-*	
-12-*	55A0111-12-*	
M22759/32-30-*	RSCC3007TC22759/32-*	Rockbestos/Surprenant
-28-*	RSCC2807TC22759/32-*	
-26-*	RSCC2619TC22759/32-*	01607405.AB/6-02-99
-24-*	RSCC2419TC22759/32-*	
-22-*	RSCC2219TC22759/32-*	
-20-*	RSCC2019TC22759/32-*	
-18-*	RSCC1819TC22759/32-*	
-16-*	RSCC1619TC22759/32-*	
-14-*	RSCC1419TC22759/32-*	
-12-*	RSCC1237TC22759/32-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-22759/33, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 °C, 600-VOLT.		
M22759/33- 30 thru 20 -*	75933- 30 thru 20 -*	Berk-Tek Electronics Cable 01623605.AB/11-30-98
M22759/33-30-* -28-* -26-* -24-* -22-* -20-*	SPC03560-* SPC03561-* SPC03562-* SPC02712-* SPC03563-* SPC03564-*	Brand-Rex, Ltd. 01602905.AC/5-01-00
M22759/33- 30 thru 20 -*	BR22759/33- 30 thru 20 -*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/33-30-* -28-* -26-* -24-* -22-* -20-*	H3833302-* H3833282-* H3833264-* H3833244-* H3833224-* H3833204-*	Judd Wire, Inc. 01613505.AC/11-30-98
M22759/33-30-* -28-* -26-* -24-* -22-* -20-*	55A0114-30-* 55A0114-28-* 55A0114-26-* 55A0114-24-* 55A0114-22-* 55A0114-20-*	Raychem Wire & Cable Products Group Tyco Electronics 01620205.AD/11-30-98
M22759/33- 30 thru 20 -*	55A0114- 30 thru 20 -*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01619805.AC/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/33-30-*	RSCC3007SA22759/33-*	Rockbestos/Surprenant
-28-*	RSCC2807SA22759/33-*	
-26-*	RSCC2619SA22759/33-*	01607405.AB/6-02-99
-24-*	RSCC2419SA22759/33-*	
-22-*	RSCC2219SA22759/33-*	
-20-*	RSCC2019SA22759/33-*	

MIL-W-22759/34, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED COPPER, 150 °C, 600-VOLT.

M22759/34-	24 thru 02	-*	75934-	24 thru 02	-*	Berk-Tek Electronics Cable 01623605.AB/11-30-98
M22759/34-	24 thru 4	-*	BR22759/34-	24 thru 4	-*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/34-	2 thru 02	-5D	BR22759/34-	2 thru 02	-5D	

M22759/34-24-*	513517-*	Huber & Suhner, Ltd.
-22-*	513518-*	
-20-*	513519-*	01612105.AB/11-30-98
-18-*	513536-*	
-16-*	513537-*	
-14-*	513538-*	
-12-*	513545-*	
-10-*	537644-*	

M22759/34-24-*	H3834244-* or H9134244-*	Judd Wire, Inc.
-22-*	H3834224-* or H9134224-*	
-20-*	H3834204-* or H9134204-*	01613505.AC/11-30-98
-18-*	H3834184-* or H9134184-*	
-16-*	H3834164-* or H9134164-*	
-14-*	H3834144-* or H9134144-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/34-12-*	H3834126-* or H9134126-*	Judd Wire, Inc.
-10-*	H3834106-* or H9134106-*	(Continued)
- 8-*	H3834088-* or H9134088-*	
- 6-*	H3834068-*	01613505.AC/11-30-98
- 4-*	H3834048-*	
- 2-5D	H3834029-*	
- 1-5D	H3834019-*	
-01-5D	H3834109-*	
-02-5D	H3834209-*	
M22759/34- 24 thru 4 -*	55A0811- 24 thru 4 -*	Raychem Wire & Cable Products Group Tyco Electronics
M22759/34- 2 thru 02 -5D	55A8039- 2 thru 02 -5D	01620205.AD/11-30-98
M22759/34- 24 thru 10 -*	55A0811- 24 thru 10 -*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01619805.AC/11-30-98
M22759/34-26-*	RSCC2619TC22759/34-*	Rockbestos/Surprenant
-24-*	RSCC2419TC22759/34-*	
-22-*	RSCC2219TC22759/34-*	01607405.AB/6-02-99
-20-*	RSCC2019TC22759/34-*	
-18-*	RSCC1819TC22759/34-*	
-16-*	RSCC1619TC22759/34-*	
-14-*	RSCC1419TC22759/34-*	
-12-*	RSCC1237TC22759/34-*	
-10-*	RSCC1037TC22759/34-*	
- 8-*	RSCC22759/34-8-*	
- 6-*	RSCC22759/34-6-*	
- 4-*	RSCC22759/34-4-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-22759/35, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 °C, 600-VOLT.		
M22759/35- 26 thru 20 -*	75935- 26 thru 20 -*	Berk-Tek Electronics Cable 01623605.AB/11-30-98
M22759/35- 26 thru 20 -*	BR22759/35- 26 thru 20 -*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/35-26-* -24-* -22-* -20-*	H3835264-* or H9135264-* H3835244-* or H9135244-* H3835224-* or H9135224-* H3835204-* or H9135204-*	Judd Wire, Inc. 01613505.AC/11-30-98
M22759/35- 26 thru 20 -*	55A0814- 26 thru 20 -*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01620205.AD/11-30-98
M22759/35-24-* -22-* -20-*	55A0814-24-* 55A0814-22-* 55A0814-20-*	Raychem Wire & Cable Products Group Tyco Electronics 01619805.AC/11-30-98
M22759/35-26-* -24-* -22-* -20-*	RSCC2619SA22759/35-* RSCC2419SA22759/35-* RSCC2219SA22759/35-* RSCC2019SA22759/35-*	Rockbestos/Surprenant 01607405.AB/6-02-99
MIL-W-22759/41, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED COPPER, 200 °C, 600-VOLT.		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/41-	26 thru 02	-*	75941-	26 thru 02	-*	Berk-Tek Electronics Cable 01623605.AB/11-30-98
M22759/41-	26 thru 4	-*	BR22759/41-	26 thru 4	-*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/41-	2 thru 02	-5D	BR22759/41-	2 thru 02	-5D	
M22759/41-26-*			513524-*			Huber & Suhner, Ltd.
-24-*			513525-*			
-22-*			513526-*			01612105.AB/11-30-98
-20-*			513527-*			
-18-*			513539-*			
-16-*			513540-*			
-14-*			513541-*			
-12-*			513547-*			
-10-*			552785-*			
M22759/41-26-*			H3841264-* or H9141264-*			Judd Wire, Inc.
-24-*			H3841244-* or H9141244-*			
-22-*			H3841224-* or H9141224-*			01613505.AC/11-30-98
-20-*			H3841204-* or H9141204-*			
-18-*			H3841184-* or H9141184-*			
-16-*			H3841164-* or H9141164-*			
-14-*			H3841144-* or H9141144-*			
-12-*			H3841126-* or H9141126-*			
-10-*			H3841106-* or H9141106-*			
- 8-*			H3841088-* or H9141088-*			
- 6-*			H3841059-*			
- 4-*			H3841048-*			
- 2-5D			H3841029-*			
- 1-5D			H3841019-*			
-01-5D			H3841109-*			
-02-5D			H3841209-*			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/41-	26 thru 4	-*	55A0813-	26 thru 4	-*	Raychem Wire & Cable Products Group Tyco Electronics
M22759/41-	2 thru 02	-5D	55A8595-	2 thru 02	-5D	01620205.AD/11-30-98
M22759/41-	24 thru 10	-*	55A0813-	24 thru 10	-*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01619805.AC/11-30-98
M22759/41-26-*			RSCC2619NC22759/41-*			Rockbestos/Surprenant
-24-*			RSCC2419NC22759/41-*			
-22-*			RSCC2219NC22759/41-*			01607405.AB/6-02-99
-20-*			RSCC2019NC22759/41-*			
-18-*			RSCC1819NC22759/41-*			
-16-*			RSCC1619NC22759/41-*			
-14-*			RSCC1419NC22759/41-*			
-12-*			RSCC1237NC22759/41-*			
-10-*			RSCC1037NC22759/41-*			
- 8-*			RSCC22759/41-8-*			
- 6-*			RSCC22759/41-6-*			
- 4-*			RSCC22759/41-4-*			
MIL-W-22759/42, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 °C, 600-VOLT.						
M22759/42-	26 thru 20	-*	75942-	26 thru 20	-*	Berk-Tek Electronics Cable 01623605.AB/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/42- 26 thru 20 -*	BR22759/42- 26 thru 20 -*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/42-26-* -24-* -22-* -20-*	H3842264-* or H9142264-* H3842244-* or H9142244-* H3842224-* or H9142224-* H3842204-* or H9142204-*	Judd Wire, Inc. 01613505.AC/11-30-98
M22759/42- 26 thru 20 -*	55A0816- 26 thru 20 -*	Raychem Wire & Cable Products Group Tyco Electronics 01620205.AD/11-30-98
M22759/42- 26 thru 20 -*	55A0816- 26 thru 20 -*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01619805.AC/11-30-98
M22759/42-26-* -24-* -22-* -20-*	RSCC2619NA22759/42-* RSCC2419NA22759/42-* RSCC2219NA22759/42-* RSCC2019NA22759/42-*	Rockbestos/Surprenant 01607405.AB/6-02-99
MIL-W-22759/43, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 °C, 600-VOLT.		
M22759/43- 26 thru 02 -*	75943- 26 thru 02 -*	Berk-Tek Electronics Cable 01623605.AB/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/43-	26 thru 4	-*	BR22759/43-	26 thru 4	-*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/43-	2 thru 02	-5D	BR22759/43-	2 thru 02	-5D	
M22759/43-26-*			H3843264-* or H9143264-*			Judd Wire, Inc.
-24-*			H3843244-* or H9143244-*			
-22-*			H3843224-* or H9143224-*			01613505.AC/11-30-98
-20-*			H3843204-* or H9143204-*			
-18-*			H3843184-* or H9143184-*			
-16-*			H3843164-* or H9143164-*			
-14-*			H3843144-* or H9143144-*			
-12-*			H3843126-* or H9143126-*			
-10-*			H3843106-* or H9143106-*			
- 8-*			H3843088-* or H9143088-*			
- 6-*			H3843068-*			
- 4-*			H3843048-*			
- 2-5D			H3843029-*			
- 1-5D			H3843019-*			
-01-5D			H3843109-*			
-02-5D			H3843209-*			
M22759/43-	26 thru 4	-*	55A0812-	26 thru 4	-*	Raychem Wire & Cable Products Group Tyco Electronics
M22759/43-	2 thru 02	-5D	55A6089-	2 thru 02	-5D	01620205.AD/11-30-98
M22759/43-	24 thru 10	-*	55A0812-	24 thru 10	-*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01619805.AC/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/43-26-*	RSCC2619SC22759/43-*	Rockbestos/Surprenant
-24-*	RSCC2419SC22759/43-*	
-22-*	RSCC2219SC22759/43-*	01607405.AB/6-02-99
-20-*	RSCC2019SC22759/43-*	
-18-*	RSCC1819SC22759/43-*	
-16-*	RSCC1619SC22759/43-*	
-14-*	RSCC1419SC22759/43-*	
-12-*	RSCC1237SC22759/43-*	
-10-*	RSCC1037SC22759/43-*	
- 8-*	RSCC22759/43-8-*	
- 6-*	RSCC22759/43-6-*	
- 4-*	RSCC22759/43-4-*	

MIL-W-22759/44, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 °C, 600-VOLT.

M22759/44-	28 thru 12	-*	75944-	28 thru 12	-*	Berk-Tek Electronics Cable 01623605.AB/11-30-98

M22759/44-28-*	SPC03588-*	Brand-Rex, Ltd.
-26-*	SPC03589-*	
-24-*	SPC03590-*	01602905.AC/5-01-00
-22-*	SPC03591-*	
-20-*	SPC03592-*	
-18-*	SPC03593-*	
-16-*	SPC03594-*	
-14-*	SPC03595-*	
-12-*	SPC03596-*	

M22759/44-	28 thru 12	-*	BR22759/44-	28 thru 12	-*	General Cable Brand Rex Brand 01603305.AC/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/44-28-*	H3844282-*	Judd Wire, Inc.
-26-*	H3844264-*	
-24-*	H3844244-*	01613505.AC/11-30-98
-22-*	H3844224-*	
-20-*	H3844204-*	
-18-*	H3844184-*	
-16-*	H3844164-*	
-14-*	H3844144-*	
-12-*	H3844126-*	
M22759/44- 28 thru 12 -*	55A0112- 28 thru 12 -*	Raychem Wire & Cable Products Group Tyco Electronics 01620205.AD/11-30-98
M22759/44- 24 thru 12 -*	55A0112- 24 thru 12 -*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01619805.AC/11-30-98
M22759/44-28-*	RSCC2807SC22759/44-*	Rockbestos/Surprenant
-26-*	RSCC2619SC22759/44-*	
-24-*	RSCC2419SC22759/44-*	01607405.AB/6-02-99
-22-*	RSCC2219SC22759/44-*	
-20-*	RSCC2019SC22759/44-*	
-18-*	RSCC1819SC22759/44-*	
-16-*	RSCC1619SC22759/44-*	
-14-*	RSCC1419SC22759/44-*	
-12-*	RSCC1237SC22759/44-*	
MIL-W-22759/45, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED COPPER, 200 °C, 600-VOLT.		
M22759/45- 28 thru 12 -*	75945- 28 thru 12 -*	Berk-Tek Electronics Cable 01623605.AB/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/45-28-*	SPC03597-*	Brand-Rex, Ltd.
-26-*	SPC03598-*	
-24-*	SPC03599-*	01602905.AC/5-01-00
-22-*	SPC03600-*	
-20-*	SPC03601-*	
-18-*	SPC03602-*	
-16-*	SPC03603-*	
-14-*	SPC03604-*	
-12-*	SPC03605-*	
M22759/45- 28 thru 12 -*	BR22759/45- 28 thru 12 -*	General Cable Brand Rex Brand
		01603305.AC/11-30-98
M22759/45-26-*	513573-*	Huber & Suhner, Ltd.
-24-*	513579-*	
-22-*	513580-*	01612105.AB/11-30-98
-20-*	513581-*	
-18-*	513588-*	
-16-*	513589-*	
-14-*	513590-*	
-12-*	513592-*	
M22759/45-28-*	H3845282-*	Judd Wire, Inc.
-26-*	H3845264-*	
-24-*	H3845244-*	01613505.AC/11-30-98
-22-*	H3845224-*	
-20-*	H3845204-*	
-18-*	H3845184-*	
-16-*	H3845164-*	
-14-*	H3845144-*	
-12-*	H3845126-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/45-	28 thru 12	-*	55A0113-	28 thru 12	-*	Raychem Wire & Cable Products Group Tyco Electronics 01620205.AD/11-30-98
M22759/45-	28 thru 12	-*	55A0113-	28 thru 12	-*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01620205.AD/11-30-98
M22759/45-28-*			RSCC2807NC22759/45-*			Rockbestos/Surprenant
-26-*			RSCC2619NC22759/45-*			
-24-*			RSCC2419NC22759/45-*			01607405.AB/6-02-99
-22-*			RSCC2219NC22759/45-*			
-20-*			RSCC2019NC22759/45-*			
-18-*			RSCC1819NC22759/45-*			
-16-*			RSCC1619NC22759/45-*			
-14-*			RSCC1419NC22759/45-*			
-12-*			RSCC1237NC22759/45-*			
MIL-W-22759/46, WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 °C, 600-VOLT.						
M22759/46-	28 thru 20	-*	75946-	28 thru 20	-*	Berk-Tek Electronics Cable 01623605.AB/11-30-98
M22759/46-28-*			SPC03606-*			Brand-Rex, Ltd.
-26-*			SPC03607-*			
-24-*			SPC03608-*			01602905.AC/5-01-00
-22-*			SPC03609-*			
-20-*			SPC03610-*			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/46- 28 thru 20 -*	BR22759/46- 28 thru 20 -*	General Cable Brand Rex Brand 01603305.AC/11-30-98
M22759/46-28-* -26-* -24-* -22-* -20-*	H3846282-* H3846264-* H3846244-* H3846224-* H3846204-*	Judd Wire, Inc. 01613505.AC/11-30-98
M22759/46- 28 thru 20 -*	55A0116- 28 thru 20 -*	Raychem Wire & Cable Products Group Tyco Electronics 01620205.AD/11-30-98
M22759/46- 26 thru 20 -*	55A0116- 26 thru 20 -*	Raychem Wire & Cable Tyco Electronics UK Ltd. 01619805.AC/11-30-98
M22759/46-28-* -26-* -24-* -22-* -20-*	RSCC2807NA22759/46-* RSCC2619NA22759/46-* RSCC2419NA22759/46-* RSCC2219NA22759/46-* RSCC2019NA22759/46-*	Rockbestos/Surprenant 01607405.AB/6-02-99
MIL-DTL-22759/80, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, TIN COATED COPPER CONDUCTOR, 150 °C, 600-VOLT.		
M22759/80- 26 thru 10 -*	BCT980050- 26 thru 10 -*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/80-	26 thru 10	-*	75980-	26 thru 10	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/80-	26 thru 14	-*	H6280-	26 thru 14	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/80-	22 thru 10	-*	22759/80-	22 thru 10	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/81, WIRE, ELECTRICAL POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA-HIGH STRENGTH COPPER ALLOY, 200 °C, 600-VOLT.						
M22759/81-	26 thru 20	-*	BCT980051-	26 thru 20	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/81-	26 thru 20	-*	75981-	26 thru 20	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/81-	26 thru 20	-*	H6281-	26 thru 20	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/81-	26 thru 20	-*	22759/81-	26 thru 20	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/82, WIRE ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 °C, 600-VOLT.						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/82-	26 thru 20	-*	BCT980052-	26 thru 20	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/82-	26 thru 20	-*	75982-	26 thru 20	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/82-	26 thru 20	-*	H6282-	26 thru 20	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/82-	26 thru 20	-*	22759/82-	26 thru 20	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/83, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 °C, 600-VOLT.						
M22759/83-	2 thru 04	-*	BCT980053-	2 thru 04	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/83-	2 thru 04	-*	75983-	2 thru 04	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/83-	2 thru 04	-*	22759/83-	2 thru 04	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/84, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 200 °C, 600-VOLT.						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/84-	2 thru 04	-*	BCT980054-	2 thru 04	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/84-	2 thru 04	-*	75984-	2 thru 04	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/84-	2 thru 04	-*	22759/84-	2 thru 04	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/85, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED COPPER CONDUCTOR, 150 °C, 600-VOLT.						
M22759/85-	2 thru 04	-*	BCT980055-	2 thru 04	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/85-	2 thru 04	-*	75985-	2 thru 04	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/85-	2 thru 04	-*	22759/85-	2 thru 04	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/86, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 °C, 600-VOLT.						
M22759/86-	26 thru 04	-*	BCT980056-	26 thru 04	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/86-	26 thru 04	-*	75986-	26 thru 04	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/86-	26 thru 14	-*	H6286-	26 thru 14	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/86-	26 thru 04	-*	22759/86-	26 thru 04	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/87, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 °C, 600-VOLT.						
M22759/87-	26 thru 04	-*	BCT980057-	26 thru 04	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/87-	26 thru 04	-*	75987-	26 thru 04	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/87-	26 thru 14	-*	H6287-	26 thru 14	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/87-	26 thru 04	-*	22759/87-	26 thru 04	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/88, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 °C, 600-VOLT.						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/88-	26 thru 04	-*	BCT980058-	26 thru 04	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/88-	26 thru 04	-*	75988-	26 thru 04	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/88-	26 thru 14	-*	H6288-	26 thru 14	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/88-	22 thru 04	-*	22759/88-	22 thru 04	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/89, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 °C, 600-VOLT.						
M22759/89-	26 thru 20	-*	BCT980059-	26 thru 20	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/89-	26 thru 20	-*	75989-	26 thru 20	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/89-	26 thru 20	-*	H6289-	26 thru 20	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/89-	26 thru 20	-*	22759/89-	26 thru 20	-*	Tensolite Co. 01623806.AC/3-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-DTL-22759/90, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, HIGH STRENGTH, OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 °C, 600-VOLT.						
M22759/90-	26 thru 20	-*	BCT980060-	26 thru 20	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/90-	26 thru 20	-*	75990-	26 thru 20	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/90-	26 thru 20	-*	H6290-	26 thru 20	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/90-	26 thru 20	-*	22759/90-	26 thru 20	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/91, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 °C, 600-VOLT.						
M22759/91-	26 thru 10	-*	BCT980061-	26 thru 10	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/91-	26 thru 10	-*	75991-	26 thru 10	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/91-	26 thru 14	-*	H6291-	26 thru 14	-4*	Judd Wire, Inc. 01613506.AA/9-01-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M22759/91-	26 thru 10	-*	22759/91-	26 thru 10	-*	Tensolite Co. 01623806.AC/3-31-99
MIL-DTL-22759/92, WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 °C, 600-VOLT.						
M22759/92-	26 thru 10	-*	BCT980062-	26 thru 10	-*	Barcel/CDT, Inc. (1) & (2) 01624506.ML3/8-30-02
M22759/92-	26 thru 10	-*	75992-	26 thru 10	-*	Berk-Tek Electronics Cable 01623606.AB/3-31-99
M22759/92-	26 thru 14	-*	H6292-	26 thru 14	-4*	Judd Wire, Inc. 01613506.AA/9-01-99
M22759/92-	26 thru 10	-*	22759/92-	26 thru 10	-*	Tensolite Co. 01623806.AC/3-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Axon' Cable S.A. Route de Chalons sur Marne 51210 Montmirail France Plant: Same address	F5688
Barcel/CDT, Inc. 2851 Alton Avenue Irvine, CA 92714-5885 Plants: Same address (1)	28427
Thermax/CDT (2) Calle Bustamante 645, Col Granja, Nogales, Sonora, Mexico 84065	12814
Belden Wire & Cable Co. 2200 US Highway, 27 South Richmond, IN 47374 Plants: Belden Wire & Cable Co. (1) 26 Thompson Drive Essex Junction, VT 05452	8K411 55494
Belden Wire & Cable Co. (2) 793 Fort Mill Highway Fort Mill, SC 29715	28581
Berk-Tek Electronics Cable A Nexans Co. P.O. Box 909 Elm City, NC 27822 Plant: Same address	12515
Brand-Rex Ltd. Leigh, Lancashire WN7 & 4HB United Kingdom Plant: Same address	K1390
Cable USA, Inc. 2584 S. Horseshoe Drive Naples, FL 33942 Plant: Same address	67050
Dacon Systems, Inc. 18270 Mt. Baldy Circle Fountain Valley, CA 92708 Plant: Same address	55041
General Cable Brand Rex Brand P.O. Box 498 1600 W. Main Street Willimantic, CT 06226 Plant: Same address	71124

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Harbour Industries, Inc. Wire Division P.O. Box 188 Shelburne, VT 05482 Plant: Harbour Industries Wire Division Route 7 Shelburne, VT 05482	27478
Harbour Industries Canada Ltd. 1365 Industrial Blvd. Farmham, Quebec JZN 2X3 Plant: Same address	57104
Helistrand, Inc. 707 E. Yanonali Street Santa Barbara, CA 93103 Plant: Same address	52621
Huber & Suhner, Ltd. Tumbelenstrasse 20 CH-8330 Pfaffikon Switzerland Plant: Same address	7W263
Judd Wire, Inc 55 Turnpike Road Turners Falls, MA 01376 Plant: Same address	12703
Quirk Wire Co., Inc. Route 9 West Brookfield, MA 01585 Plant: Same address	24868
Raychem Wire & Cable Products Group Tyco Electronics 300 Constitution Drive Menlo Park, CA 94025 Plant: Raychem Wire & Cable Products Group Tyco Electronics 501 Oakside Ave. Redwood City, CA 94063-3800	06090
Raychem Wire and Cable Tyco Electronics UK Ltd. Faraday Road Dorcan, Swindon SN3 5HH United Kingdom Plant: Same address	K1010
Rockbestos/Surprenant 172 Sterling Street Clinton, MA 01510 Plant: Same address	90484

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Specialty Cable Corp. Special Cable Division 2 Tower Drive P.O. Box 50 Wallingford, CT 06492 Plant: Same address	60685		
Superior Cables Ltd. Maalot Plant P.O. Box 38 04-979-630 Mallot, Israel Plant: Same address	S4272		
Tensolite Co. Subdivision of Carlisle Corp. 100 Tensolite Drive St. Augustine, FL 32092 Plant: Same address	92607		
Thermax/CDT 235 North Freeport Drive Warehouse #1 Nogales, AZ 85621 Plant: Thermax/CDT Calle Bustamante 645, Col Granja, Nogales, Sonora, Mexico 84065	12814 12814		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:14Z
Check the source to verify that this is the current version before use.