INCH-POUND

MIL-B-45451B (AR)
AMENDMENT 5
23 September 1998
SUPERSEDING
AMENDMENT 4
28 October 1988

MILITARY SPECIFICATION

BENITE STRANDS

This Amendment forms a part of Military Specification MIL-B-45451B (AR) dated 18 August 1961 and is approved for use by the U.S. Army Armament Research, Development and Engineering Center and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Add the following preamble underneath the title:

"This specification is approved for use within the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense."

* 2.1:

Delete: "JAN-N-244", "JAN-E-255", and "JAN-S-487" and substitute "MIL-DTL-244", "MIL-E-255" and "MIL-S-487".

Delete the following documents "MIL-I-45208, MIL-STD-105 and MIL-STD-109" and substitute with the following:

"MIL- STD-1916, DOD Preferred Methods for Acceptance of Product"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:02Z
Check the source to verify that this is the current version before use.

* 2.3 Add the following Non-government publications:

"ANSI/ISO/ASQC A8402-1994 – Quality Management and Quality Assurance Vocabulary
ISO 9003-1987 – Quality Systems – Model for Quality Assurance in Final Inspection and Test.

(Application for copies should be addressed to American Society for Quality Control, 611 East Wisconsin Ave., Milwaukee, WI 53202)"

PAGE 3

3.1 Material. Potassium Nitrate, Asterisk Note: Delete "20 plus or minus 10 microns" and substitute "20 microns maximum." Change the line "Potassium Nitrate … specification MIL-P-156, Class 1 or 2 to "Potassium Nitrate … class 1, 2, or 4."

PAGE 4

* 4.1 Delete the sentence referring to "MIL-STD-109" , and substitute with "Reference shall be made to ASQC A8402 in order to define terms used herein."

PAGE 5

* 4.1.1 and 4.1.3 Delete "MIL-45208" and substitute with "ISO 9003-1987".

PAGE 6

4.2.1 Lot formation. Delete lines 8 to 13 inclusive.

* 4.2.2 Examination, Delete "Sampling plans and procedures for the following … AQL of 0.40 Percent for each minor defect.", and substitute with the following:

"Unless otherwise specified, sampling inspection for quality conformance characteristics listed in the classification of characteristic paragraphs shall be conducted in accordance with MIL-STD-1916 using the attribute sampling plans in MIL-STD-1916 and the verification levels as specified in the classification of characteristics paragraphs.

(See MIL-STD-1916 for definitions of critical, major and minor classification of characteristics.) Also, continuous sampling plans in accordance with MIL-STD-1916 may be used if approved by procuring activity."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:02Z
Check the source to verify that this is the current version before use.

* 4.2.2.1, Benite strands:

Delete “Categories Defects”, and substitute “Classification Characteristics”.

Delete “AQL 1.5 percent” next to minor, and substitute with “Inspection level I”.

* 4.2.2.2 Unsealed carton:

Delete “Categories Defects”, and substitute with “Classification of Characteristics.”

Delete “AQL 0.25 percent” next to Major and delete “AQL 0.40 percent” next to Minor, And substitute with “Inspection level II” and “Inspection level II” respectively.

* 4.2.2.3 Sealed carton:

Delete “Categories Defects”, and substitute with “Classification Characteristics”.

Delete “AQL 0.25 percent” next to Major and “AQL 0.40 percent” next to minor, And substitute with “Inspection level II” and “Inspection level II” respectively.

* 4.2.2.4 Box. Packing

Delete “categories Defects”, and substitute with “Classification Characteristics”.

Delete “AQL 0.25 percent” next to major, delete “AQL 1.50 percent” next to minor, And substitute with “Inspection level II” and “Inspection level II” respectively.

4.2.3.2 Closed bomb test. Line 3: Delete “sufficient amount” and substitute “75 grams.”

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:02Z
Check the source to verify that this is the current version before use.

PAGE 10

4.3.2 Determination of total volatiles. Delete in its entirety and substitute "The percentage of total volatiles shall be in accordance with Method T103.5 or 103.3 of MIL-STD-286."

4.3.4 Determination of specific gravity. Add to the end of the paragraph, the following exceptions: 1) The specimen shall weigh 4 to 8 gms when weighed to the nearest milligram, and 2) a 10ml Pycnometer shall be used."

PAGE 11

4.3.6 Straightness. Delete the second sentence and substitute the following; "It is permissible to use hand pressure and rotate the strands to permit the charge to enter provided no damage occurs to any strands."

4.3.7 Closed bomb test. Line 5: Delete "200 ml plus or minus 10 ml" and substitute "200 ml nominal."

PAGE 12

5.3 Data cards. Delete in its entirety.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1375-0084)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:02Z
Check the source to verify that this is the current version before use.