MILITARY SPECIFICATION

DETONATORS, PERCUSSION, DELAY 15 SECOND, M1A2 AND 8 SECOND, M2A1, PARTS FOR

This Amendment forms a part of Military Specification MIL-D-45477B (MU) dated 9 January 1970 and is approved for use by all Departments and Agencies of the Department of Defense.

Paragraph 2.1 After MIL-A-2550 delete "and Special Weapons". Under DRAWINGS delete "U.S. ARMY MUNITIONS COMMAND" and substitute "U.S. ARMY PICATINNY ARSENAL". Delete "PUBLICATIONS", Delete "U.S. ARMY MUNITIONS COMMAND", Delete "ET-8816147 - Equipment Tabulation".

Delete "(Copies of ....)" and substitute:

(Copies of specifications, standards, and drawings required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer).

Paragraph 4.2.1, line 4, add after 4.2.2 "and 4.2.3".

Paragraph 4.2.3 Delete in its entirety and substitute:

4.2.3 Rejection. - If any component or subassembly fails to comply with any or all of the applicable requirements, the first article sample shall be rejected. The Government reserves the right to terminate its inspection upon any failure of an inert component or subassemoly to comply with any of the stated requirements.

Paragraph 4.3.2.1 Add major defect 104:

"104. Solid height max. ..... Gage 01009"

Paragraph 4.3.2.2 Add major defect 107:

"107. True position of firing pin point with large outside diameter ..... Gage 02010"

FSC: 1375

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:07Z
Check the source to verify that this is the current version before use.

Paragraph 4.3.4 Delete in its entirety and substitute as follows:

4.3.4 Inspection Equipment. - Inspection equipment required to perform the inspections prescribed in this specification is identified in the Examination (4.3.2) and Test Method (4.4) paragraphs herein. See 6.3 for details concerning responsibilities for inspection design and approval.

Paragraph 4.3.4.1 Delete in its entirety

Section 6: Delete paragraphs 6.2, 6.3, 6.3.1. 6.3.2, 6.3.3, 6.3.4 and 6.3.5 in their entireties and substitute as follows:

6.2 Inspection code numbers.-The five digit code numbers assigned to the inspections herein are to facilitate future data collection and analysis by the Government. They should be cited as references on drawings of equipment designs submitted by the contractor to the Government for approval (see 6.3.3).

6.3 Inspection Equipment Designs.-Inspection equipment designs are of two types - Government Special Inspection Equipment (SIE) designs and contractor designs. SIE designs are designated by drawing numbers under the "Method of Inspection" headings in Section 4. Design responsibility for all other inspection equipment is assigned to the contractor. The contractor need not furnish any design when a complete Government SIE design is provided. Unless otherwise specified, however, the contractor may submit alternate or modified contractor designs of SIE in accordance with 6.3.2 and 6.3.3 should he elect to do so.

6.3.1 SIE designs.-SIE designs may consist of any of the following:

a. Detailed drawings which completely depict all information necessary for the fabrication and use of the item of inspection equipment.

b. A source control drawing or a specification control drawing as defined in MIL-STD-100.

c. An envelope drawing, as defined in MIL-STD-100, which establishes the criteria which a detailed design shall meet. When envelope drawings are specified, the contractor shall prepare designs which comply with the criteria therein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:07Z
Check the source to verify that this is the current version before use.

6.3.2 Contractor designs.-Contractor designs are required for all inspection equipment for which SIE designs are not specified and may include commercial equipment which the contractor proposes to use. (Commercial equipment is defined as unmodified equipment which is cataloged and available for purchase by the general public). Contractor designs shall include appropriate operating instructions, calibration procedures and maintenance procedures. Commercial equipment shall be fully described by catalog listings or other means which provide sufficient information to permit identification and evaluation by the Government and may include illustrations and engineering data. Designs shall be prepared for any special fixture(s) required to be used with commercial equipment, or with SIE designs if not otherwise covered thereby (see 6.3.1c). Designs shall be of the category and form (per MIL-D-1000) specified in the Contract Data Requirements Lists (DD Form 1423). The contractor is referred to MIL-HDBK-204, "Inspection Equipment Design" for guidance. The specification number and the applicable five digit defect code number (or other specific identifying information) from Section 4 of this specification shall be referenced on each contractor design together with the component or assembly drawing number and revision letter to which the specific design applies.

6.3.3 Submission of Designs for Approval.-Contractor designs shall be approved by the Government prior to fabricating or procuring the equipment. Designs shall be submitted for approval to Picatinny Arsenal, ATTN: SARPA-QA-A-M, Dover, New Jersey 07801 in accordance with the stipulations, time frame and distribution specified in the Contract Data Requirements List (DD Form 1423) or in the contract. The contractor must include in his submission of designs a listing of any and all Government SIE designs which will be utilized. Partial submission of inspection designs is permissible and encouraged. However, the completion date for design review will be based on the date of the final submission of designs. Picatinny Arsenal design review will normally be accomplished within one month after receipt.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1375-A-087

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:07Z
Check the source to verify that this is the current version before use.