MILITARY SPECIFICATION SHEET

Ⓐ

SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL AND INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED, TWO SEPARATE SECTIONS (TERMINAL BOARD AND PLUG CONNECTED), TYPE VI

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the switchboard described herein shall consist of this document and the latest issue of MIL-S-17000.

REQUIREMENTS :

Switchboard section arrangement: Each switchboard front and rear section shall be arranged as shown on figure 1. The front section shall provide space for 36 panel-mounted assemblies. The back section shall contain six modules.

Size: Size of the switchboard sections shall be as shown on figure 1.

Mounting: Switchboard enclosure shall be provided with mounting bolt clearance holes as shown on figure 1.

Preparing activity:
Navy - SH
(Project 1290-N381)


Ⓐ denotes changes.

FSC 1290


Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:40Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:40Z
Check the source to verify that this is the current version before use.


SIONS ARE IN INCHES.
UIVALENTS ARE GIVEN FOR GENERAL INFORMATION
ARE BASED UPON 1 INCH= 25.4mm. DIMENSIONS IN ()
ETERS.
HERWISE SPECIFIED, TOLERANCES SHALL BE .XX ±.03
, AND ANGLES ± 30'.
ND EXTERIOR SURFACES OF ENCLOSURE SHALL BE PAINTED
NCE WITH REQUIREMENTS OF MIL-S-17000.
SHALL BE IN ACCORDANCE WITH MIL-S-17000.
S LANYARD SHALL BE INSTALLED TO LIMIT
90°±2° OPEN POSITION.
RIC CHARACTERISTIC SYMBOLS USED ON THIS FIGURE
D IN ANSI Y14.8.




FRONT VIEW
FRONT SECTION




SIDE VIEW
FRONT SECTION



REAR VIEW
FRONT SECTION




VIEW A-A
FRONT SECTION




SECTION B-B
FRONT SECTION MOUNTING HOLE PATTERN
PRIMARY STRUCTURE DELETED FOR CLARITY

FIGURE 1. Switchboard type VI (sheet 1 of 2).


Source: https://assist.dla.mil -- Downloaded: 202640-18T09:40Z
Check the source to verify that this is the current version before use.




FRONT VIEW
BACK SECTION
(RIGHTHAND DOOR PANEL REMOVED)



SIDE VIEW
BACK SECTION



VIEW C-C
BACK SECTION



SECTION D-D
BACK SECTION MOUNTING HOLE PATTERN
PRIMARY STRUCTURE DELETED FOR CLARITY

SH 11502-1

FIGURE 1. Switchboard type VI (sheet 2 of 2).

Source: https://assist.dla.mil -- Downloaded: 202640-18T09:40Z
Check the source to verify that this is the current version before use.