MIL-P-584B

22 May 1967
SUPERSEDING
MIL-P-584A
26 September 1962

MILITARY SPECIFICATION

POKER

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers one type and size of stove poker.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

QQ-S-634 - Steel, Bar, Carbon, Cold Finished, (Standard Quality).
PPP-B-621 - Boxes, Wood, Nailed and Lock-Corner.

MILITARY

MIL-P-116 - Preservation, Methods Of.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

DRAWING

ARMY NATICK LABORATORIS

2-9-60 - Poker

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:50Z
Check the source to verify that this is the current version before use.

(Miniature copy of Drawing 2-9-60, identified as figure 1, is attached for information purposes only.)

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

AMERICAN TRUCKING ASSOCIATES, INC.

National Motor Freight Classification Rules

(Application for copies should be addressed to the American Trucking Associations, Inc., 1616 P St., N.W., Washington, D. C. 20036).

UNIFORM CLASSIFICATION COMMITTEE

Uniform Freight Classification Rules

(Application for copies should be addressed to the Uniform Classification Committee, 202 Union Station, 516 W. Jackson Blvd., Chicago, Ill. 60606).

3. REQUIREMENTS

3.1 Preproduction sample.- When specified (see 6.2), before production is commenced, a sample of the finished poker covered by this specification shall be submitted or made available to the contracting officer or his authorized representative for approval in accordance with 4.2. The approval of the preproduction sample authorized the commencement of production, but does not relieve the supplier of responsibility for compliance with all applicable provisions of this specification. The preproduction sample shall be manufactured in the same facilities to be used for the manufacture of the production items.

3.2 Materials.- Materials shall conform to the referenced specifications, drawing and requirements specified herein.

3.2.1 Steel, bar.- Bar steel shall conform to chemical composition C1020 and round form of QQ-S-634.

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:50Z
Check the source to verify that this is the current version before use.

3.3 Construction.- The construction of the poker shall conform to the design, detail and dimensions of Drawing 2-9-60 and as specified herein. The poker shall be fabricated of material specified in 3.2.1.

3.4 Marking for identification.- The letters "U.S." and the manufacturer's name or trade name, or trademark of such characters as to be easily identifiable with the manufacturer, shall be distinctly indented on the poker. The identification marking shall be not less than 1/8-inch in height.

3.5 Workmanship.- The finished poker shall be free from cracks, breaks or malformation. The handle of the poker shall be free from sharp or rough edges, slivers and burrs. The poker shall be clean and free from oil, grease or dirt.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Preproduction sample inspection.- When a preproduction sample is required, it shall be examined for defects in table I and dimensions specified.

4.3 Sampling for inspection.- Sampling for inspection shall be performed in accordance with the provisions set forth in MIL-STD-105, unless otherwise indicated hereinafter.

4.3.1 Component and material inspection.- In accordance with 4.1 above, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification, or applicable purchase document.

4.3.2 End item inspection.- The lot shall be all the pokers offered for inspection at one time. The sample unit for this inspection shall be one completely fabricated poker.

4.3.2.1 Visual examination.- Examination of the pokers shall be made for the defects listed in table I. The inspection level shall be II with an acceptable quality level (AQL) of 2.5 for major defects and 6.5 for total defects, expressed in terms of defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:50Z
Check the source to verify that this is the current version before use.

TABLE I.- Classification of defects

Examine	Defect	Classification Major	Classification Minor
Construction and workmanship	Not fabricated of the referenced material.	X	
	Cracks, breaks or malformation.	X	
	Not clean, i.e., evidence of oil, grease or dirt.		X
Handle	Sharp or rough edges, slivers or burrs.	X	
Marking for identification	Missing, illegible, misspelled, incorrect or not indented.		X

4.3.2.2 Dimensional examination.- Examination shall be made of the poker for defects in dimensions. Any dimension not within specified tolerance shall be classified as a defect. The inspection level shall be S-2 with an AQL of 4.0, expressed in terms of defects per hundred units.

4.3.3 Examination of preparation for delivery.- An examination shall be made to determine that preservation, packing and markings are in compliance with section 5 of this specification. Defects shall be scored as specified in table II. The sample unit for this examination shall be one shipping container fully prepared for delivery except that it need not be sealed. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 with an AQL of 4.0 expressed in terms of defects per hundred units. Defects of closure and strapping, when applicable, listed in table II shall be examined on shipping containers fully prepared for delivery.

TABLE II.- Examination of preparation for delivery

Examine	Defect
Markings	Missing, incorrect, illegible, of improper size, location, sequence or method of application.

Source: https://assist.dla.mil -- Downloaded: 202640-16T07:50Z
Check the source to verify that this is the current version before use.

TABLE II.- Examination of preparation for delivery (cont'd)

Examine	Defect
Materials	Any nonconforming component, component missing, damaged, or otherwise defective.
Preservative	Missing or not properly applied.
Workmanship	Pokers not arranged in specified position, when applicable. Inadequate application of components such as incomplete closure. Strapping is missing or loose, when applicable.
Contents	Number of pokers is more or less than required, when applicable.

5. PREPARATION FOR DELIVERY

5.1 Preservation.- Preservation shall be level A or C as specified (see 6.2).

5.1.1 Level A.- Each poker shall be cleaned process C-1, thoroughly dried, and coated with P-1 or P-19 preservative of MIL-P-116 (see 6.3).

5.1.2 Level C.- Pokers shall be preserved to afford adequate protection against corrosion during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing.- Packing shall be level A, B, or C as specified (see 6.2).

5.2.1 Level A.- A quantity not to exceed sixty pokers, preserved as specified in 5.1, shall be packed in a snug-fitting container conforming to class 2, style 4, type 3 load of PPP-B-621. The pokers shall be arranged with every other poker alternated end for end in each layer, and each layer shall be reversed in relation to the one immediately below it. Each shipping container shall be closed and strapped in accordance with the appendix of PPP-B-621.

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:50Z
Check the source to verify that this is the current version before use.

5.2.2 Level B.- A quantity not to exceed sixty pokers preserved as specified in 5.1, shall be packed and arranged as specified in 5.2.1, except that strapping shall not be required.

5.2.3 Level C.- Pokers shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers and packing shall comply with Uniform Freight Classification Rules or National Motor Freight Classification Rules.

5.3 Marking.- In addition to any special marking required by the contract or order, shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use.- The poker is intended to be used with the type I Heater, Space, Radiant Type, Portable, 45,000 BTU/HR of MIL-H-13514.

6.2 Ordering data.- Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) When preproduction sample is required (see 3.1).
(c) Selection of applicable levels of preservation and packing (see 5.1 and 5.2).
(d) Quantity required.

6.3 Preservation.- The method of preservation referred to in 5.1.1 is similar to method I of MIL-P-116.

6.4 Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Custodians:

Army - GL
Navy - YD
Air Force - 69

Review activities:

Navy - YD
Air Force - 69

Preparing activity:

Army - GL

Project No. 5340-0519

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:50Z
Check the source to verify that this is the current version before use.

User activities:

Army - CE
Navy - MC

Review and User information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing of DOD Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:50Z
Check the source to verify that this is the current version before use.




FIGURE-1 POKER

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:50Z
Check the source to verify that this is the current version before use.

"to detach this form, cut along this line"

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity.

SPECIFICATION

Poker - MIL-P-584B

ORGANIZATION	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 OCT 64 1426

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:50Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-QS
Natick, Massachusetts 01760

FOLD

"to detach this form, cut along this line"

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:50Z
Check the source to verify that this is the current version before use.