BY ORDER OF THE
SECRETARY OF THE AIR FORCE

AIR FORCE MANUAL 11-2AC-130J, VOLUME 2

2 OCTOBER 2026

Flying Operations

AC-130J AIRCREW EVALUATION CRITERIA

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing website at **www.epublishing.af.mil** for downloading or ordering.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: AFSOC/A3V
Certified by: AF/A34
Supersedes: AFMAN 11-2AC-130JV2, 4 November 2019
Pages: 57

This manual implements Air Force Policy Directive (AFPD) 11-2, *Aircrew Operations*, and references Air Force Instruction (AFI) 11-200, *Aircrew Training, Standardization/Evaluation, and General Operations Structure*. It establishes evaluation criteria for initial and periodic aircrew qualification for all units operating AC-130J Gunships. Use this publication in conjunction with Air Force Manual 11-202, Volume 2, *Aircrew Standardization and Evaluation Program*, and corresponding major command (MAJCOM) supplements. This AFMAN applies to all civilian employees and uniformed members of the Regular Air Force, Air National Guard and Air Force Reserve who operate or maintain AC-130J aircraft. This publication does not apply to the United States Space Force. This instruction requires the collection and/or maintenance of information protected by the Privacy Act of 1974 authorized by Department of Defense Directive (DoDD) 5400.11, DoD Privacy and Civil Liberties Programs. The applicable System of Record Notice (SORN) F036 AF PC A, Effectiveness/Performance Reporting Records and F011 AF XO, Aviation Resource Management System (ARMS) are available at: **http://dpclo.defense.gov/Privacy/SORNs.aspx**. Ensure all records generated as a result of processes prescribed in this publication adhere to AFI 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the DAF Form 847, *Recommendation for Change of Publication*; route DAF Forms 847 from the field through MAJCOM channels to Air Force Special Operations Command Standardizations and Evaluations (AFSOC/A3V) according to AFI 11-215, *Flight Manual Program* (FMP). This publication may be supplemented at any level, but all direct supplements must be routed to the OPR of this publication for coordination prior to certification

and approval. The authorities to waive requirements in this publication are identified with a Tier ("T-0, T-1, T-2, T-3") number following each compliance statement. Submit requests for waivers through the chain of command to the appropriate tier waiver approval authority or alternately to the publication OPR for non-tiered compliance items. See DAFMAN 90-161, *Publishing Processes and Procedures*, Table A10.1, for a description of the authorities associated with the tier numbers. See **paragraph 2.4** for additional waiver request procedures.

SUMMARY OF CHANGES

This document is substantially revised and must be completely reviewed. Major changes include changing "Special Qualifications" to Special Mission Qualifications, adding requirements for Instrument (INSTM) evaluations, removing Area 5 Emergency Procedures Evaluation (EPE) as a prerequisite, and adding criteria for Areas 320-322. References have been updated throughout.

Chapter 1—GENERAL INFORMATION **5**

1.1. General. 5
1.2. Applicability. 5
1.3. Keywords and Definitions. 5
1.4. Waivers. 5
1.5. Supplements. 5
1.6. Evaluation Procedures. 6
1.7. Grading Instructions. 6
1.8. Evaluation Requirements. 7
1.9. Unsatisfactory Performance. 8
1.10. Additional Training. 8
1.11. Rechecks. 8
1.12. Special Missions Qualifications. 8
1.13. Multiple Qualifications. 8
1.14. AC-130J Block Variants. 8
1.15. Roles and Responsibilities. 9

Chapter 2—EVALUATION REQUIREMENTS **10**

2.1. General. 10
2.2. Requirements. 10
2.3. Cockpit/Crew Resource Management (CRM). 11
2.4. Formal Course Evaluations. 11
2.5. General Grading Criteria. 11

Table 2.1. General Grading Areas (All Crew Positions and All Evaluations). 11

Chapter 3—INSTRUCTOR EVALUATIONS **18**

3.1. General. 18

3.2. Requirements. 18

3.3. Instrument (INSTM). 18

3.4. Qualification (QUAL). 18

3.5. Mission (MSN). 18

Table 3.1. Instructor Grading Areas (All Crew Positions). 19

3.6. Instructor Grading Criteria. 19

Chapter 4—PILOT/COPILOT EVALUATIONS **21**

4.1. General. 21

4.2. Requirements. 21

4.3. Instrument (INSTM). 21

4.4. Qualification (QUAL). 21

4.5. Mission (MSN). 21

4.6. Special Qualifications. 22

Table 4.1. P/CP INSTM/QUAL Grading Areas. 22

Table 4.2. P/CP MSN Grading Areas. 23

Table 4.3. General Criteria. 24

4.7. Grading Criteria. 24

Chapter 5—WEAPON SYSTEM OFFICER/COMBAT SYSTEMS OFFICER EVALUATIONS **36**

5.1. General. 36

5.2. Requirements. 36

5.3. Requisites. 36

Table 5.1. WSO/CSO Grading Areas. 37

5.4. Grading Criteria. 38

Chapter 6—AERIAL GUNNER EVALUATIONS **46**

6.1. General. 46

6.2. Requirements. 46

6.3. Qualification Evaluations: 46

6.4. Mission Qualification: 46

Table 6.1. Aerial Gunner QUAL/MSN Grading Areas. 47

6.5. Grading Criteria. 47

Chapter 7—DIRECT SUPPORT OPERATIONS 53

7.1. General. 53

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 54

Chapter 1

GENERAL INFORMATION

1.1. General. This publication provides guidelines and restrictions for AC-130J operations and applies to AC-130J aircrews at all management levels concerned with the operation of the AC-130J.

1.1.1. The Aircrew Standardization and Evaluation Program is the commander's tool to validate mission readiness and the effectiveness of unit flying, to include documentation of individual aircrew member qualifications and capabilities.

1.1.2. This manual establishes requirements and grading criteria for requisite flight evaluations. All AC-130J flown by Special Operations Forces aircrew evaluations will be conducted in accordance with (IAW) this manual guidance and AFMAN 11-202V2. Specific areas for evaluation are prescribed to ensure an accurate assessment of the proficiency and capabilities of aircrews. Flight examiners will use this AFMAN when conducting aircrew evaluations. **(T-2)** Instructors will use this AFMAN when preparing aircrews for qualification.

1.1.3. When guidance in this AFMAN conflicts with another basic/source document, that document takes precedence. For matters where this AFMAN is the source document, waiver authority is IAW **paragraph 1.4**.

1.1.4. AFSOC/A3V has overall responsibility for the administration of this volume.

1.2. Applicability. This manual applies to all individuals performing crew duties on AC-130J aircraft or weapon system trainers (WSTs).

1.3. Keywords and Definitions.

1.3.1. "Will" and "Must" indicate a mandatory requirement.

1.3.2. "Should" is used to indicate a preferred, but not mandatory, method of accomplishment.

1.3.3. "May" indicates an acceptable or suggested means of accomplishment.

1.3.4. "Note" indicates operations procedures, techniques, and other items considered essential to emphasize.

1.3.5. See **Attachment 1**, Glossary of References and Supporting Information for additional terms, definitions, and references.

1.4. Waivers. AFMAN 11-202V2, the Deputy Chief of Staff, Operations, Director of Training and Readiness (AF/A3T) is the waiver authority for guidance applicable to this manual. **(T-1)** MAJCOM/A3 is the waiver authority for individual aircrew requirements (e.g., on a case-by-case basis) rather than blanket waivers for a group. Submit requests for waivers to this manual through Standards and Evaluation channels to AFSOC/A3V. Post all waivers to this manual in the individual's flight evaluation folder behind Tab 2. **(T-2)** See AFMAN 11-202V2, AFSOC Supplement, *Aircrew Standardization/Evaluation Program,* for waiver documentation.

1.5. Supplements. Units are encouraged to supplement this manual with standard evaluation profiles that best fit the unit's mission, equipment, and location. MAJCOMs will forward a copy of MAJCOM supplements to the OPR of this publication (AFSOC/A3V) for approval. Units below

MAJCOM level will forward one copy of each supplement to their MAJCOM OPR for prepublication review. **(T-1)**

1.6. Evaluation Procedures. Before the crew briefing, the evaluator will inform the aircraft commander of any special requirements. **(T-2)** Flight examiners will brief the examinee on the conduct, purpose, and requirements of the evaluation, as well as all applicable evaluation criteria, prior to flight. **(T-2)** The examinee will accomplish all required mission planning. If an Operations Planning Team or Deployment Planning Team accomplishes mission planning, the examinee is ultimately responsible for the accuracy and completeness of all mission-planning paperwork. **(T-2)** Flight examiners will be furnished a copy of necessary charts, flight logs, mission folders, and any additional items they deem necessary. **(T-2)** The flight examiner should not occupy a primary crew position during evaluations to ensure the most comprehensive evaluation. If conditions warrant, however, the flight examiner may occupy a primary crew position during an evaluation.

1.6.1. Flight examiners will ensure all required training and documentation is completed prior to initial (INIT) and requalification (RQ) evaluations. **(T-2)**

1.6.2. Unless requested by examinee and approved by squadron director of operations, the examinee will be current for all events evaluated during a periodic evaluation. **(T-2)**

1.6.3. Flight examiners will not intentionally fail any equipment during flight evaluations but may deny the use of systems not affecting safety of flight. **(T-2)**

1.6.4. Flight examiners will thoroughly debrief all aspects of the flight. **(T-2)** During the debrief, the flight examiner will review the examinee's overall rating, specific deviations, area/subarea grades assigned, and any additional training required. **(T-2)**

1.7. Grading Instructions. All evaluations will follow the guidelines in AFMAN 11-202V2, as supplemented, and this volume. Flight examiners will use the criteria contained in this volume to accomplish all flight, simulator, and emergency procedures evaluations. **(T-2)** To ensure standard and objective evaluations, flight examiners will be thoroughly familiar with the prescribed evaluation criteria. **(T-2)**

1.7.1. Area/Subarea Grades. Areas/subareas will have a two-level (Q/U) or three-level (Q/Q-/U) grading system. **(T-2)** Discrepancies will be documented against the listed subareas. **(T-2)**

1.7.1.1. Q. Q indicates the examinee demonstrated both a satisfactory knowledge of all required information and performed aircrew duties within the prescribed tolerances.

1.7.1.2. Q-. Q- indicates the examinee is qualified to perform the assigned area/subarea tasks but requires debriefing or additional training as determined by the flight examiner. Evaluators will ensure deviations must not exceed the prescribed Q- tolerances, jeopardize flight safety, or be a breach of flight discipline. **(T-2)**

1.7.1.3. U. U indicates that performance was outside allowable parameters, compromising flight safety. Deviations from prescribed procedures or tolerances adversely affected mission accomplishment. Evaluated performance may have constituted a breach of flight discipline. An examinee receiving an area/subarea grade of U will require debriefing and/or additional training, as determined by the flight examiner. **(T-2)**

1.7.2. Critical Areas**.** Critical areas require adequate accomplishment by the aircrew member in order to successfully achieve the mission objectives. If an aircrew member receives an unqualified grade in any critical area, the overall grade for the evaluation will also be unqualified. **(T-2)** Critical areas are identified by "Critical" in the area title.

1.8. Evaluation Requirements. Evaluation profiles will reflect a sampling of the unit's missions. **(T-2)** Evaluation tables in this publication summarize evaluation areas. Areas common to all crewmembers are contained in **Table 2.1**. Instructor evaluation areas are in **Table 3.1**. Evaluation areas unique to each crew position are located in their respective chapter. Each crew specific chapter defines required events. Events required in-flight only, and/or in simulators (see **paragraph 1.8.1** below), and/or alternate methods (see **paragraph 1.8.2** below) are identified in the crew specific tables. If required events are not observed, then the evaluation is incomplete and will be accomplished on another flight. **(T-2)** If a required event cannot be accomplished, the evaluator will place a restriction on the AF Form 8, *Certificate of Aircrew Qualification*, or AF Form 8A, *Certificate of Aircrew Qualification*, as applicable. **(T-2)**

1.8.1. Simulator. WSTs with a C or greater certification (or Training Value Code of 3 or greater for all areas evaluated as determined by simulator certification) may be used to accomplish evaluations. Simulator certifications are located at the Air Force Special Operations Command Aircrew Training website. If an area/subarea could not be evaluated in-flight, and the event is certified for evaluation purposes in the simulator, it can be evaluated in the simulator to complete the evaluation. Flight examiners will document in the comments section of AF Form 8/8A which portion(s) of evaluation were conducted in the simulator. **(T-2)**

1.8.2. Alternate Method. When it is impossible to evaluate an area in-flight due to equipment malfunctions, operational requirements, scheduling restrictions, or weather, the area may be evaluated by an alternate method (procedural trainer, or verbal examination) unless noted in the crew specific chapter. If, in the flight examiner's judgment, an item cannot be adequately evaluated by an alternate method, complete the evaluation on an additional flight. Flight examiners will document in the comments section of AF Form 8/8A which portions of the evaluation were conducted via an alternate method. **(T-2)**

1.8.3. Grading Criteria. To the maximum extent possible, flight examiners will use the grading criteria in this volume to determine individual area grades. **(T-2)** Exercise judgment when the wording of areas is subjective and when specific areas are not covered. Flight examiner judgment will be the determining factor in arriving at the overall grade. **(T-2)** Consider cumulative deviations when determining the overall grade. Base tolerances for in-flight parameters on conditions of smooth air and a stable aircraft. In some cases, momentary deviations are allowable provided the examinee applies prompt corrective action and such deviations do not jeopardize flying safety.

1.9. Unsatisfactory Performance. If the flight examiner observes an aircrew counterpart jeopardizing safe flight, the flight examiner will assume the duties of that aircrew member (provided the flight examiner's flight duty period does not exceed AFMAN 11-202, Volume 3, *Flight Operations,* maximum flight duty period for an unaugmented crew). **(T-2)** This does not mean the flight examiner must assume the examinee's duties any time unsatisfactory performance that does NOT jeopardize safety of flight is observed. If the flight examiner feels the examinee can continue safely with supervision, the flight examiner is not required to assume the examinee's duties. However, if the flight examiner assumes the examinee's duties, a Qualification Level 3 (Q-3) will be assigned as the overall grade. **(T-2)**

1.9.1. A flight examiner other than the original evaluator should administer the requalification evaluation following an unsatisfactory grade.

1.9.2. Observed Deviations Outside of Evaluations. Evaluators must report deviations/discrepancies from established procedures/directives in any area, regardless of the individual's crew specialty, to squadron/group commander for evaluation and necessary action. **(T-2)** See AFMAN 11-202V2, as supplemented for specific guidance.

1.10. Additional Training. Flight examiners will assign additional training, at their discretion. **(T-2)** The examinee must be informed when the additional training begins and ends. **(T-2)** Flight examiners will document additional training and completion. **(T-2)** See AFMAN 11-202V2, as supplemented, for further guidance. Any approved training device or medium may be used for additional training. Additional training may be accomplished on the same flight as the evaluation, when unique situations present valuable training opportunities (i.e., crosswind landings) and the discrepancy requiring the additional training will not result in overall Q-3 evaluation. However, this option requires flight examiner discretion and judicious application.

1.11. Rechecks. A flight examiner other than the original evaluator should administer the recheck.

1.12. Special Missions Qualifications. Special mission qualification evaluations are administered for events that are not universal to all members in that crew position. Special qualification evaluations may be conducted separately or in conjunction with other evaluations. There are no requisites for special qualification evaluations unless specified. Refer to the appropriate crew position for any special qualification evaluation requirements. Special qualifications result in an AF Form 8/8A. Special qualification evaluations are spot (SPOT) evaluations with guidance provided by AFMAN 11-202V2, as supplemented. Further description of the specific event evaluated will be included in the mission description section of the comments block of the AF Form 8/8A. **(T-2)** Although a unit may maintain 100 percent of its crewmembers qualified, units will maintain documentation due to inter-fly and permanent change of station issues. **(T-2)**

1.13. Multiple Qualifications. Crew positions, evaluation requirements, and approval authority are IAW AFMAN 11-202V2, as supplemented.

1.14. AC-130J Block Variants. Flight examiners will note which block aircraft on which an evaluation was conducted in the mission description of the AF Form 8 for all evaluations. **(T-2)**

1.15. Roles and Responsibilities.

1.15.1. MAJCOM/A3. Air Force Special Operations Command Deputy Chief of Staff, Operations (AFSOC/A3) is designated lead command for the AC-130J mission design series aircraft and is responsible for establishing and standardizing aircrew evaluations in coordination with user commands.

1.15.2. Group Commander or equivalent. Group Commanders establish and maintain the Standardization and Evaluation program and ensure evaluators administer evaluations in accordance with AFMAN11-202V2 and this publication.

1.15.3. Squadron Commander or designated representative. Squadron Commanders establish and maintain the Squadron Standardization and Evaluation program and ensure evaluators administer evaluations in accordance with AFMAN 11-202V2 and this publication.

1.15.4. Flight Examiners. Flight Examiners administer evaluations in accordance with AFMAN 11-202V2 and this publication.

Chapter 2

EVALUATION REQUIREMENTS

2.1. General. The general criteria contained in this chapter apply to all crew positions and all evaluations. **Exception:** The general criteria contained in **Table 2.1** are not required for SPOT or INSTR evaluations. Evaluators will use criteria and tables in the appropriate crew position chapters for evaluations. **(T-2)**. If areas from **Table 2.1** are observed on a SPOT evaluation, flight examiners will grade IAW this manual. **(T-2)**

2.1.1. All evaluations will follow guidelines in AFMAN 11-202V2, as supplemented, **Table 2.1,** and guidance in this volume. **(T-2)** This table depicts specific grading areas that apply to all crew position evaluations; **Table 3.1** applies to all instructor evaluations.

2.1.2. Administer aircrew evaluations on any flight that as scheduled will accomplish all required items for that evaluation. Mission evaluations should be as realistic as possible with minimum of simulated events.

2.2. Requirements.

2.2.1. Examinations. All crewmembers will complete open and closed book examinations as a requisite to periodic evaluations. **(T-2)** Requisite examinations are defined in subsequent crew position specific chapters. Refer to AFMAN 11-202V2, as supplemented for guidance requisite examinations.

2.2.2. Emergency Procedures Evaluation (EPE). An EPE is a requisite for all qualification (QUAL) and mission (MSN) flight evaluations. EPEs may be conducted verbally, inflight, in a simulator, or by another method determined by the flight examiner or unit Standardization/Evaluations. Operations Group Standardization/Evaluations may develop EPE guides for each crew position flight examiner use. EPEs should be scenario driven and tailored to the specific crew position. The EPE will include areas commensurate with the examinee's qualification and experience level. Emphasize emergency procedures and systems knowledge. Flight examiners should include other general knowledge areas as well. For mission evaluations, evaluate mission-specific equipment and situations. EPEs will include sufficient inflight and ground emergencies to evaluate the examinee's knowledge of systems and procedures to the flight examiner's satisfaction. **(T-2)**

2.2.2.1. Examinees may use publications that are normally available in-flight. The examinee must recite all Boldface items from memory and should provide the initial steps of emergency procedures that, in the opinion of the flight examiner, would not allow time for reference. **(T-2)**

2.2.2.2. The following grading criteria will be used to grade individual items on EPEs for all crew positions. **(T-2)** The flight examiner will assign an overall EPE grade (1, 2, or 3) in the requisite block of the AF Form 8/8A, regardless of whether all or a portion of the EPE was performed in-flight. (**Exception:** For boldface, use grading criteria in Area 4). **(T-2)**

2.2.2.2.1. Qualification Level-1. Satisfactory systems/procedural knowledge. Operated within prescribed limits and correctly diagnosed problems. Performed and/or explained proper corrective action, in the proper sequence, for each type of malfunction. Accomplished all required checklists and/or effectively used available aids. Thoroughly described the location, use, and limitations of emergency equipment.

2.2.2.2.2. Qualification Level-2. Marginal systems/procedural knowledge. Slow to analyze problems or apply proper corrective actions. Did not effectively use checklist and/or available aids. Minor omissions or deviations in describing the location, use, and limitations of emergency equipment.

2.2.2.2.3. Qualification Level-3. Unsatisfactory systems/procedural knowledge. Failed to analyze problem or take corrective actions. Failed to accomplish required checklists and/or unable to locate information in available aids. Major omissions or deviations in describing the location, use, and limitations of emergency equipment.

2.3. Cockpit/Crew Resource Management (CRM). flight evaluators will evaluate CRM skills during initial and periodic evaluations with guidance provided by AFMAN 11-290, *Cockpit/Crew Resource and Threat & Error Management Program*. CRM skills are integral to all phases of flight; therefore, no specific area titled CRM exists. CRM skills are embedded within specific grading criteria (mission planning, airmanship/situational awareness, crew coordination, communication, risk management/decision making, task management, and briefing/debriefing) and include all the skills listed on the AF Form 4031, *CRM/TEM Skills Criteria Training/Evaluation Form*. Therefore, the use of the AF Form 4031 is unnecessary for evaluations.

2.4. Formal Course Evaluations. Fly syllabus evaluations IAW syllabus mission profile guidelines if stated, or on a mission profile, developed from syllabus training objectives. Evaluate all areas identified in this publication for the type of evaluation being flown. Grade training objectives and related areas using the performance criteria in this volume. Formal course guidelines may be modified, based on local operating considerations or flight examiner judgment, to complete the evaluation.

2.5. General Grading Criteria.

Table 2.1. General Grading Areas (All Crew Positions and All Evaluations).

Area	Notes	Area Name
1	1	Safety - CRITICAL
2	1	Aircrew Discipline - CRITICAL
3	1	Airmanship/Situational Awareness - CRITICAL
4	2, 3	Boldface Emergency Procedures - CRITICAL
5	1	Crew Coordination
6	2	Mission Planning
7	2	Knowledge of Directives
8	1	Preflight Duties
9	1	Use of Checklist
10	2	Forms/Reports/Logs
11	2	Personal/Professional Equipment/Flight Publications
12	2	Emergency and Aircrew Flight Equipment (AFE)/Procedures

13	2	Briefings/Debriefings
14	2,4	Classified Material/Operations Security (OPSEC)
15	2,4	Anti-Hijacking/Aircraft Security
16	1	Communication
17	1	Risk Management/Decision Making
18	1	Task Management

Notes:

1. Must be performed on the aircraft or WST certified for this event.
2. May be performed via alternate method.
3. Only required for QUAL evaluation.
4. Grade if observed.

2.5.1. Areas 1 through 18: The following subparagraphs contain grading criteria for the areas listed in **Table 2.1**.

2.5.1.1. Area 1. Safety - CRITICAL.

2.5.1.1.1. Q. Was aware of and complied with all safety factors required for safe aircraft/ equipment operation and mission accomplishment. Identified and assessed risk appropriately. Properly considered consequences of decisions.

2.5.1.1.2. U. Not aware of, and/or did not comply with all safety factors required for safe aircraft/equipment operation or mission accomplishment. Failed to properly identify and assess risk. Failed to consider consequences of decisions. Operated the aircraft/equipment in a dangerous manner.

2.5.1.2. Area 2. Aircrew Discipline - CRITICAL.

2.5.1.2.1. Q. Demonstrated strict professional flight and crew discipline throughout all phases of the mission.

2.5.1.2.2. U. Failed to exhibit strict flight and crew discipline. Violated or ignored rules or instructions.

2.5.1.3. Area 3. Airmanship/Situational Awareness - CRITICAL.

2.5.1.3.1. Q. Executed the assigned mission in a timely, efficient manner. Anticipated situations that would have adversely affected the mission and corrected them. Made appropriate decisions based on available information. Recognized a loss in situational awareness in self or others and took appropriate action to regain. Demonstrated situational awareness throughout the mission and conducted the flight with a sense of understanding and comprehension.

2.5.1.3.2. U. Decisions or lack thereof resulted in failure to accomplish the assigned mission. Demonstrated poor judgment to the extent that the mission or safety was compromised. Failed to recognize a loss of situational awareness in self or others.

2.5.1.4. Area 4. Boldface Emergency Procedures - CRITICAL.

2.5.1.4.1. Q. Able to recite/write emergency boldface actions in the correct sequence with no discrepancies.

2.5.1.4.2. U. Failed to recite/write emergency boldface items in the correct sequence. Discrepancies in the procedure.

2.5.1.5. Area 5. Crew Coordination.

2.5.1.5.1. Q. Effectively coordinated with other crewmembers during all phases of the mission. Provided direction/information when needed.

2.5.1.5.2. Q-. Crew coordination was limited, though adequate to accomplish the mission. Slow to provide direction/information when needed. Coordination was lacking with other crewmembers to the extent minor deviations or omissions caused delays, confusion, and/or negatively impacted crew situational awareness.

2.5.1.5.3. U. Poor crew coordination that negatively affected mission accomplishment or safety of flight. Failed to provide direction/information when needed. Significant breakdown in coordination with other crewmembers. Crew coordination was lacking to the extent the mission accomplishment was significantly degraded.

2.5.1.6. Area 6. Mission Planning.

2.5.1.6.1. Q. Checked all factors applicable to flight such as Flight Information Publications, weather, Notice to Airman System (NOTAMS), alternate airfields, flight logs, performance data, fuel requirements, and charts. When required, extracted necessary information from Air Tasking Order (ATO). Aware of the available alternatives if unable to complete the mission as planned. Read/initialed all items in Flight Crew Information File/Read Files. Prepared at briefing time.

2.5.1.6.2. Q-. Minor errors or omissions detracted from mission effectiveness but did not affect mission accomplishment. Limited knowledge of performance capabilities or approved operating procedures/rules.

2.5.1.6.3. U. Major errors or omission would have prevented a safe or effective mission. Unsatisfactory knowledge of operating data or procedures. Did not review or initial Go/No-Go items. Not prepared at briefing time.

2.5.1.7. Area 7. Knowledge of Directives.

2.5.1.7.1. Q. Prepared and completed mission in compliance with existing instructions and directives. Demonstrated knowledge of operating procedures and restrictions and where to find them in the correct publications.

2.5.1.7.2. Q-. Minor deviations to established procedures. Unsure of some directives and/or had difficulty locating some information in appropriate publications. Any instances of non-compliance did not jeopardize safety.

2.5.1.7.3. U. Unaware of established procedures and/or could not locate them in the appropriate publication in a timely manner. Failed to comply with a procedure that could have jeopardized safety or mission success.

2.5.1.8. Area 8. Preflight Duties.

2.5.1.8.1. Q. Completed systems preflight/inspections IAW tech orders, checklists, and instructions. Individual technique complied with established procedures.

2.5.1.8.2. Q-. Minor deviations from established systems preflight/inspection. Individual technique was safe but detracted from established procedures. Used individual technique instead of established procedure and was unaware of differences.

2.5.1.8.3. U. Failed to preflight critical component or could not conduct a satisfactory preflight/inspection. Individual techniques unsafe and/or in violation of established procedures.

2.5.1.9. Area 9. Use of Checklist.

2.5.1.9.1. Consistently used the correct checklist and gave the correct response at the appropriate time throughout the mission.

2.5.1.9.2. Q-. Checklist responses were untimely and/or crew member required continual prompting for correct responses.

2.5.1.9.3. U. Used incorrect checklist or consistently omitted checklist items. Was unable to identify the correct checklist to use for a given situation. Omitted or did not complete checklist(s) at the appropriate time.

2.5.1.10. Area 10. Forms/Reports/Logs.

2.5.1.10.1. Q. All required forms and/or flight plans were complete, accurate, readable, accomplished on time, and IAW applicable directives. Related an accurate debrief of significant events to applicable agencies (examples include Intel, Weather, Maintenance).

2.5.1.10.2. Q-. Minor errors on forms and/or flight plans did not affect conduct of the mission. Inaccurately reported some information due to minor errors, omissions, and/or deviations.

2.5.1.10.3. U. Did not accomplish required forms and/or flight plans. Omitted or incorrectly reported significant information due to major errors, omissions, and/or deviations.

2.5.1.11. Area 11. Personal/Professional Equipment/Flight Publications.

2.5.1.11.1. Q. Had all required personal and professional equipment. Displayed satisfactory knowledge of the care and use of such equipment and the contents of required publications. Required equipment inspections were current. Publications were current, contained all supplements/changes and were properly posted.

2.5.1.11.2. Q-. Did not have all required personal/professional equipment or had limited knowledge of the use or the content of required publications. Publications contained deficiencies that would not impact flight safety or mission accomplishment.

2.5.1.11.3. U. Did not have required personal/professional equipment essential for the mission. Unsatisfactory knowledge of the care/use of equipment or the content of required publications. Required equipment inspections were overdue or equipment was unserviceable. Publications were outdated and/or contained deficiencies impacting flight safety or mission accomplishment.

2.5.1.12. Area 12. Emergency and Aircrew Flight Equipment (AFE)/Procedures.

2.5.1.12.1. Q. Satisfactory systems/procedural knowledge. Displayed satisfactory knowledge of location and use of emergency and AFE. Operated within prescribed limits and correctly diagnosed problems. Performed/explained proper wear, use, and corrective action for each type of equipment/malfunction. Effectively used available aids.

2.5.1.12.2. Q-. Marginal systems/procedural knowledge. Limited knowledge of location and use of emergency and AFE. Operated within prescribed limits but was slow to analyze problems or apply proper corrective actions. Did not effectively use, omitted, or deviated in use of checklist and/or available aids.

2.5.1.12.3. U. Unsatisfactory systems/procedural knowledge. Displayed unsatisfactory knowledge of emergency and AFE. Exceeded Technical Order (TO) limitations. Unable or failed to analyze problem or take proper corrective action. Did not use checklist and/or available aids.

2.5.1.13. Area 13. Briefings/Debriefings.

2.5.1.13.1. Q. Contributed to the briefing content to ensure it included all applicable information. Briefings effectively organized and professionally presented in a logical sequence. Covered all pertinent items. Established objectives for the mission. Presented all training events and special interest items. Effectively used available briefing aids. Concluded briefing to allow crew transport on time. Debriefed mission with appropriate feedback.

2.5.1.13.2. Q-. Allowed omission of items pertinent but not critical to the mission. Events out of sequence, hard to follow, some unnecessary repetition. Some difficulty communicating clearly. Did not make effective use of available briefing aids. Limited discussion of training events or special interest items. Dwelled on non-essential items. Not fully prepared for briefing. Debrief covered key points but lacked detail, constructive feedback, and/or corrective actions.

2.5.1.13.3. U. Failed to conduct/attend required briefings. Failed to use briefing aids. Omitted essential items or did not correct erroneous information that could affect mission success. Demonstrated lack of knowledge of subject. Briefing poorly organized and not presented in a logical sequence. Presented erroneous information that would affect safe/effective mission accomplishment. Presentation created doubts or confusion. Failed to discuss training events or special interest items. Late crew transport due to excessively long briefing. Debrief was ineffective. Placed blame and/or provided inappropriate corrective actions.

2.5.1.14. Area 14. Classified Material/Operations Security (OPSEC).

2.5.1.14.1. Q. Demonstrated thorough knowledge of Communication Security (COMSEC)/OPSEC procedures and courier procedures (if applicable). Had positive control of classified documents and information used throughout the mission. Properly stored, handled, and/or destroyed all classified/COMSEC material or information generated during the mission. Practiced sound COMSEC/OPSEC during all phases of the mission. Identified, requested, and obtained all cryptological material required for the mission.

2.5.1.14.2. Q-. Limited knowledge of COMSEC/OPSEC procedures and/or courier procedures (if applicable). Limited knowledge of proper storage, handling, and destruction procedures would not have resulted in compromise of classified material/COMSEC and did not impact mission accomplishment. Identified cryptological material required for mission but was slow in requesting/obtaining material or did so only after being prompted.

2.5.1.14.3. U. Unsatisfactory knowledge of COMSEC/OPSEC. Classified documents, COMSEC or information would have been compromised as a result of improper control by examinee. Unfamiliarity with OPSEC procedures had or could have had a negative impact on mission accomplishment. Failed to identify, request, or obtain all cryptological materials required for the mission.

2.5.1.15. Area 15. Anti-Hijacking/Aircraft Security.

2.5.1.15.1. Q. Explained proper anti-hijacking/aircraft security procedures.

2.5.1.15.2. Q-. Difficulty explaining proper anti-hijacking/aircraft security procedures.

2.5.1.15.3. U. Could not explain proper anti-hijacking/aircraft security procedures.

2.5.1.16. Area 16. Communication.

2.5.1.16.1. Q. Communicated in a clear and effective manner. Asked for or gave constructive feedback as necessary. Actively sought other crew member opinions and ideas. Used precise, standard terminology.

2.5.1.16.2. Q-. Unclear communication led to repetition or misunderstanding. Slow to ask for or give constructive feedback. Inconsistent use of precise, standard terminology.

2.5.1.16.3. U. Failed to communicate effectively. Continuously interrupted others, mumbled, and/or conduct/attitude was detrimental to communication among crewmembers. Withheld information and failed to ask to for/respond to constructive criticism. Failed to use precise, standard terminology.

2.5.1.17. Area 17. Risk Management/Decision Making.

2.5.1.17.1. Q. Appropriately assessed and mitigated risk in the decision-making process. Crew member identified, planned, briefed, and executed alternative mission activity in response to in-flight contingencies in a timely manner after appropriately weighing the risk versus the mission priority.

2.5.1.17.2. Q-. Was slow to or made minor errors in assessing and mitigating risk in the decision-making process. Crew member was slow to identify, plan, brief, or execute alternative mission activities in response to contingencies.

2.5.1.17.3. U. Failed to assess and mitigate risk in the decision-making process. Failed to make or participate in crew decisions or withheld information that would have corrected an unsafe situation.

2.5.1.18. Area 18. Task Management.

2.5.1.18.1. Q. Recognized and requested assistance when task saturated. Properly prioritized multiple tasks and effectively used available resources, ensuring smooth mission execution.

2.5.1.18.2. Q-. Poor task prioritization and inefficient use of available resources resulted in less than optimum mission execution. Slow to recognize and request assistance when task saturated.

2.5.1.18.3. U. Failed to prioritize multiple tasks and did not use available resources.

Chapter 3

INSTRUCTOR EVALUATIONS

3.1. General. The instructor grading criteria apply to initial, requalification, and all recurring instructor evaluations. The examinee must demonstrate the ability to instruct in a safe and effective manner. **(T-2)**

3.2. Requirements. Flight examiners will evaluate instructors on areas listed in Table 3.1. **(T-2)** Instructor candidates will be qualified in all areas they will instruct. **(T-2)** Initial instructor evaluations may be stand-alone evaluations or accomplished in conjunction with recurring evaluations. If able, evaluate instructor candidates instructing actual students. Instructor evaluations will be completed in the aircraft if possible. **(T-2)**

3.3. Instrument (INSTM).

3.3.1. Initial/Requalification. Evaluate instructor candidates on instructor performance during a representative sample of unit's basic maneuvers. The flight examiner will act as student during maneuvers that are considered high risk. **(T-2)** The flight evaluator will evaluate the instructor pilot candidate's instructional ability during a representative sample of emergency and instrument procedures. **(T-2)**

3.3.2. Recurring. Qualified instructors will be evaluated to instructor standards during all recurring evaluations. **(T-2)**

3.4. Qualification (QUAL).

3.4.1. Initial/Requalification. Evaluate instructor candidates on instructor performance during a representative sample of unit's basic maneuvers. The flight examiner will act as student during maneuvers that are considered high risk. **(T-2)** Evaluate instructor pilot candidates' instructional ability during a representative sample of emergency and qualification procedures. Also, instructor pilot candidates must demonstrate each type of landing applicable to the aircraft from the instructor position. **(T-2)**

3.4.2. Recurring. Qualified instructors will be evaluated to instructor standards during all recurring evaluations. **(T-2)**

3.5. Mission (MSN). Mission evaluations of instructors will be accomplished in the crew member's primary aircraft. Flight evaluators will evaluate instructional ability during a representative sample of unit's mission events. **(T-2)**

3.5.1. Initial/Requalification. Examinees must accomplish the initial instructor evaluation on a mission that permits accomplishment of all required instructor areas. **(T-2)**

3.5.2. Recurring. Qualified instructors will be evaluated to instructor standards during all recurring evaluations. **(T-2)**

Table 3.1. Instructor Grading Areas (All Crew Positions).

Area	Notes	Area Name
19	2	Mission Preparation
20	2	Instructional Ability
21	2	Instructor Knowledge
22	2	Briefings/Debriefings/Critique
23	1	Demonstration of Maneuvers/Procedures
24-29		Reserved for future use

Notes:
1. Required in-flight or WST certified for this event.
2. May be performed via alternate method.

3.6. Instructor Grading Criteria.

3.6.1. Areas 19 through 29: The following sub-paragraphs contain grading criteria for the areas listed in **Table 3.1**.

3.6.1.1. Area 19. Mission Preparation.

3.6.1.1.1. Q. Thoroughly reviewed student's training folder. Ascertained student's present level of training. Assisted student in pre-mission planning and allowed student time for questions. Correctly prioritized training events. Gave student a clear idea of mission training objectives.

3.6.1.1.2. Q-. Did not thoroughly review student's training folder or correctly ascertain student's present level of training. Caused student to hurry pre-mission planning. Poorly prioritized training events. Training plan/scenario made poor use of time.

3.6.1.1.3. U. Did not review student's training folder. Did not ascertain student's present level of training. Did not assist student with pre-mission planning or did not allow time for questions. Did not prioritize training events. Failed to give student a clear idea of mission training objectives, methods, and sequence of events.

3.6.1.2. Area 20. Instructional Ability.

3.6.1.2.1. Q. Demonstrated proper instructor ability and communicated effectively. Provided appropriate guidance when necessary. Planned ahead, and provided accurate, effective, and timely instruction. Identified and corrected potentially unsafe maneuvers/situations.

3.6.1.2.2. Q-. Problems in communication or analysis degraded effectiveness of instruction. Accomplished the above tasks with minor discrepancies that did not affect safety or adversely affect student progress.

3.6.1.2.3. U. Unable to effectively communicate, provide timely feedback. Performed or taught improper procedures/techniques/tactics to the student. Did not provide corrective action when necessary. Did not plan ahead or anticipate student problems. Did not identify unsafe maneuvers/situations in a timely manner. Made no attempt to instruct.

3.6.1.3. Area 21. Instructor Knowledge.

3.6.1.3.1. Q. Demonstrated a high level of knowledge of all applicable aircraft systems, techniques, procedures, missions, publications, and tactics to be performed. Completed appropriate training records accurately. Comments were clear and pertinent.

3.6.1.3.2. Q-. Minor errors/deficiencies in knowledge of above areas did not affect safety or adversely affect student progress. Minor errors or omissions in training records. Comments were incomplete or slightly unclear.

3.6.1.3.3. U. Lack of knowledge of publications or procedures seriously detracted from instructor effectiveness. Could not apply knowledge of above areas. Did not complete required forms or records. Comments were invalid, unclear, or did not accurately document performance.

3.6.1.4. Area 22. Briefings/Debriefings/Critique.

3.6.1.4.1. Q. Briefings were well organized, accurate, and thorough. Reviewed student's present level of training and defined mission events to be performed. Showed an excellent ability during the critique to reconstruct the flight, offer mission analysis, and provide guidance where appropriate. Training grade reflected the actual performance of the student relative to the standard. Pre-briefed the student's next mission, if required.

3.6.1.4.2. Q-. Minor errors or omissions in briefings and/or critique did not affect safety or adversely affect student progress.

3.6.1.4.3. U. Briefings/debriefings were marginal or non-existent; major errors or omissions in briefings/debriefings. Did not review student past performance. Analysis of events or maneuvers was incomplete, inaccurate, or confusing. Training grade did not reflect actual performance of student. Overlooked or omitted major discrepancies. Incomplete pre-briefing of student's next mission, if required.

3.6.1.5. Area 23. Demonstration of Maneuvers/Procedures.

3.6.1.5.1. Q. Effectively demonstrated procedures and techniques. Provided concise, meaningful, and timely in-flight commentary. Had thorough knowledge of applicable aircraft systems, procedures, publications, and instructions.

3.6.1.5.2. Q-. Performed required maneuvers/procedures with minor deviations from prescribed parameters. In-flight commentary was sometimes unclear or poorly timed, interfering with student performance. Discrepancies in the above areas did not adversely affect safety or student progress.

3.6.1.5.3. U. Was unable to properly perform required maneuvers/procedures. Made major procedural errors. Did not provide in-flight commentary and/or in-flight commentary was incorrect or unsafe. Insufficient knowledge of aircraft systems, procedures, and/or proper source material.

3.6.1.6. Areas 24 - 29. Reserved for future use.

Chapter 4

PILOT/COPILOT EVALUATIONS

4.1. General. All pilots (Ps) and copilots (CPs) require Instrument (INSTM) and QUAL evaluations. MSN qualified Ps/CPs require an MSN evaluation. CPs will be evaluated to the same area standards as Ps unless specified otherwise. **(T-2)** CP crew coordination will not include duties and responsibilities expected of an aircraft commander. **(T-2)** Ps will fly MSN evaluations in their primary mission design series. **(T-2)** Periodic INSTM, QUAL, and/or MSN evaluations may be combined.

4.2. Requirements. Refer to **Chapter 2** for all evaluations. Instructors will demonstrate instructor duties on all evaluations; refer to **Chapter 3** for instructor evaluation grading areas and criteria. **(T-2)** P/CP specific areas are listed in this chapter.

4.3. Instrument (INSTM). See **Table 4.1** for required INSTM evaluation areas. Examinees will complete requisites per AFMAN 11-202V2, as supplemented. Requisites include the USAF Instrument Examination. Conduct the INSTM evaluation in-flight or in a WST certified to accomplish specified events. Flight evaluators will ensure the flight profile includes: one precision; one non-precision approach; one CAT II actual or simulated approach; holding or procedure turn; circling pattern; missed approach; and simulated engine-out instrument approach. **(T-2)** One of the approaches will be flown by the examinee without the use of auto throttles and autopilot. **(T-2)**

4.4. Qualification (QUAL). See **Table 4.1** for required QUAL evaluation areas. Examinees will complete requisites per AFMAN 11-202V2, as supplemented. Requisites include qualification open and closed book examinations (or formal school end-of-course examinations), EPE, and boldface examination. Conduct the QUAL evaluation in-flight or in a WST certified to accomplish specified events. Flight evaluators will ensure the flight profile includes visual flight rules pattern; 100%, 50%, and 0% flap landing (only aircraft commanders/first pilots/instructors will accomplish 0% flap landings); touch-and-go procedures; simulated engine-out go-around, and simulated engine-out landing. **(T-2)**

4.5. Mission (MSN). See **Table 4.2** and subparagraphs below for required MSN evaluation areas. Ensure requisites are completed per AFMAN 11-202V2, as supplemented. Requisites include mission open and closed book examinations and EPE. **Note:** Loss of mission qualification does not affect basic qualification.

4.5.1. The flight evaluator will ensure the evaluation profile includes: **(T-2)**

4.5.1.1. At least three distinct tactical engagements/intercepts (only one for periodic examinations).

4.5.1.2. Electronic Counter Measures (ECM) profile (if available).

4.5.1.3. Live fire with 30mm or 105mm.

4.5.1.4. Precision guided munitions (PGM) employment (live or dry fire).

4.5.1.5. Tactical recovery.

4.5.1.6. Current special interest items.

4.5.2. Initial/Requalification Air-to-Air Refueling (AAR) Contact (Not required for recurring evaluations or RQ evaluations administered due to loss of currency). Ps must demonstrate the ability to accomplish a sustained fuel transfer per grading criteria of Area 59. **(T-2)** Evaluate breakaway procedures in the aircraft. Evaluate all other AAR emergency procedures verbally.

4.6. Special Qualifications. Not applicable.

Table 4.1. P/CP INSTM/QUAL Grading Areas.

Area	Notes	Area Name	QUAL	INSTM
30	2	Ground Operations/Taxi	**X**	
31	1	Takeoff	**X**	
32	5	Instrument Departure		**X**
33	2	Enroute Navigation		**X**
34	2	Descent/Arrival Procedures		**X**
35	1	Holding/Procedure Turn		**X**
36	1, 4, 6	Precision Approach (Precision Approach Radar (PAR), Instrument Landing System (ILS)) or CAT II ILS		**X**
37	1, 4, 6	Non-Precision Approach (Tactical Air Navigation (TACAN), Very High Frequency Omnidirectional Range (VOR), Localizer (LOC), Non-Directional Beacon (NDB), Airport Surveillance Radar (ASR))		**X**
38	1	Circling/Side-Step Approach		**X**
39	1	Engine-Out Approach		**X**
40	1	Missed Approach/Go-Around		**X**
41	1	Engine-Out Go-Around	**X**	
42	2	Visual Flight Rules Procedures/Patterns	**X**	
43		Final Approach and Landing	**X**	
43a	1	100 Percent Flap Landing	**X**	
43b	1	50 Percent Flap Landing	**X**	
43c	2, 3	No Flap Landing	**X**	
43d	1	Engine-Out Landing	**X**	
43e	1	Touch-and-Go Landing	**X**	
44	2	After Landing/Engine Shutdown	**X**	
45	2	Fuel Conservation	**X**	
46		Automation Management		**X**
47-49		Reserved for Future Use		

Notes:

1. Required in-flight or WST certified for this event.
2. In-flight or alternate method.
3. Aircraft commanders/instructors only.
4. Only one of the two required approaches may be controller directed (PAR/ASR).
5. Instrument Departures should transition to instruments below 100 feet.
6. Instrument Approaches should transition to outside references at/above approach minimums.

Table 4.2. P/CP MSN Grading Areas.

Area	Notes	Area Name
50	1	Tactical Navigation
51	2	Prestrike
52	1	Tweak Procedures
53	1	Geometry Analysis
54	1,3	Target Acquisition (Required for Mission Pilot only)
55	1	PGM Employment
56	2	Employment Tactics (Any Two) 1. Close Air Support (CAS) a. Convoy Escort b. Troops in Contact (TIC) c. Urban Operations d. Force Protection e. Airbase Defense f. Point Defense g. Combat Search and Rescue (CSAR)/Medical Evacuation (MEDEVAC) 2. Air Interdiction (AI) a. Targets of Opportunity/Armed Reconnaissance b. Preplanned 3. Special Reconnaissance a. Target Acquisition, Identification & Reacquisition b. Reconnaissance/Search 4. Integration a. Fighter Integration b. Helicopter Integration/Escort
57	1	Threat/Countermeasures
58	1,	Tactical Recovery (Integrated Precision Radar Approach (IPRA), overhead, downwind, random shallow/steep)
59	1, 3, 4	Air-to-Air Refueling
60	2	Systems Operation/Knowledge/Limitations
61		Authentication/Encode-Decode Procedures
62-99		Reserved for future use

Notes:

1. Required in-flight or WST certified for this event.

2. In-flight, WST certified for this event, or alternate method.

3. Mission Pilot/instructors only.

4. When possible complete on INIT MSN EVAL. If unavailable complete via SPOT EVAL. SPOT may be accomplished prior to INIT MSN EVAL if training requirements are complete.

Table 4.3. General Criteria.

Q	Altitude	+/- 200 feet
	Airspeed	+10/- 5 knots (but not less than Minimum Control Airspeed)
	Course	+/- 5 degrees/3 nautical mile (nm) (whichever is greater)
	Arc	+/- 2nm
Q-	Altitude	+/- 300 feet
	Airspeed	+15/- 10 knots (but not less than Minimum Control Airspeed)
	Course	+/- 10 degrees/5nm (whichever is greater)
	Arc	+/- 3nm
U		Exceeded Q- limits

4.7. Grading Criteria.

4.7.1. Areas 1 through 19: Use general evaluation grading criteria in **Chapter 2** of this volume**.**

4.7.2. Areas 20 through 29: Use instructor grading criteria in **Chapter 3** (if applicable).

4.7.3. Areas 30 through 99: The following subparagraphs contain the evaluation grading criteria for the grading areas listed in **Table 4.1** and **Table 4.2**. **Note:** The general criteria in **Table 4.3**, apply during all phases of flight except as noted for specific events and instrument final approaches.

4.7.3.1. Area 30. Ground Operations/Taxi.

4.7.3.1.1. Q. Established and adhered to station, start engine, taxi, and take-off times to assure thorough preflight, check of personal equipment, crew/passenger briefings. Accurately determined readiness of aircraft for flight. Performed all checks prior to takeoff.

4.7.3.1.2. Q-. Same as above except for minor procedural deviations that did not detract from mission effectiveness.

4.7.3.1.3. U. Failed to accurately determine readiness of aircraft for flight. Major deviations in procedure that would preclude safe mission accomplishment. Crew errors directly contributed to a late takeoff that degraded the mission or made it ineffective. Omitted checklist items.

4.7.3.2. Area 31. Takeoff.

4.7.3.2.1. Q. Maintained smooth, positive aircraft control throughout takeoff. Maintained centerline +/- 15 feet. Properly applied takeoff data.

4.7.3.2.2. Q-. Minor deviations which did not affect safety of flight. Control was somewhat rough or erratic. Hesitant in application of procedures or corrections. Centerline +/- 25 feet.

4.7.3.2.3. U. Takeoff was potentially dangerous. Exceeded aircraft/systems limitations. Failed to establish proper climb attitude. Excessive deviation from intended flight path. Exceeded Q- criteria.

4.7.3.3. Area 32. Instrument Departure.

4.7.3.3.1. Q. Performed departure as published/directed and complied with all restrictions or controlling agency instructions. Made all required reports. Applied course/heading corrections promptly. Demonstrated smooth, positive aircraft control.

4.7.3.3.2. Q-. Minor deviations in navigation occurred during departure. Slow to comply with controlling agency instructions or unsure of reporting requirements. Slow to apply course/heading corrections. Aircraft control was not consistently smooth and positive.

4.7.3.3.3. U. Failed to comply with published/directed departure or controlling agency instructions. Accepted an inaccurate clearance. Aircraft control was erratic.

4.7.3.4. Area 33. Enroute Navigation.

4.7.3.4.1. Q. Satisfactory capability to navigate using all available means. Used appropriate navigation procedures. Ensured Navigational Aids (NAVAIDs) were properly tuned, identified, and monitored. Complied with clearance instructions. Aware of position at all times. Remained within the confines of assigned airspace.

4.7.3.4.2. Q-. Minor errors in procedures/use of navigation equipment. Some deviations in tuning, identifying, and monitoring NAVAIDs were observed. Slow to comply with clearance instructions. Had some difficulty in establishing exact position and course. Slow to adjust for deviations in time and course.

4.7.3.4.3. U. Major errors in procedures/use of navigation equipment. Did not ensure NAVAIDs were tuned, identified, and monitored. Could not establish position. Failed to recognize checkpoints or adjust for deviations in time and course. Did not remain within the confines of assigned airspace. Exceeded Q- criteria.

4.7.3.5. Area 34. Descent/Arrival Procedures.

4.7.3.5.1. Q. Performed descent as directed. Complied with all restrictions. Properly set altimeters and ensured NAVAIDs properly set.

4.7.3.5.2. Q-. Performed descent as directed with minor deviations that did not compromise mission safety. Slow to comply with controller instructions, set proper altimeter setting. Delayed in ensuring NAVAIDs were properly set. Slow to make corrections.

4.7.3.5.3. U. Performed descent with major deviations. Failed to follow controller instructions. Failed to ensure NAVAIDs or altimeters set properly. Erratic corrections were observed.

4.7.3.6. Area 35. Holding/Procedure Turn.

4.7.3.6.1. Q. Performed entry and holding correctly IAW AFMAN 11-202, Vol 3. Ensured NAVAIDs set properly. Holding pattern limits exceeded by not more than:

4.7.3.6.1.1. VOR Leg timing: +/- 15 seconds

4.7.3.6.1.2. TACAN: +/- 1.5nm

4.7.3.6.2. Q-. Performed entry and holding procedures with minor deviations. Delayed in ensuring NAVAIDs set properly. Holding pattern limit exceeded by not more than:

4.7.3.6.2.1. VOR Leg timing: +/- 30 seconds.

4.7.3.6.2.2. TACAN: +/- 2nm.

4.7.3.6.3. U. Holding not in accordance with AFMAN 11-202, Vol 3. Exceeded “Q-” holding pattern limits.

4.7.3.7. Area 36. Precision Approach (Precision Approach Radar (PAR), ILS, or CAT II ILS.

4.7.3.7.1. Precision Approach Radar (PAR).

4.7.3.7.1.1. Q. Approach was IAW AFMAN 11-202, Vol 3. Smooth and timely response to controller's instructions. Complied with decision height. Position would have permitted a safe landing. Maintained glide path with only minor deviations.

4.7.3.7.1.1.1. Airspeed: +10/-5 knots.

4.7.3.7.1.1.2. Heading: Within 5 degrees of controller instructions.

4.7.3.7.1.2. Q-. Performed approach with minor deviations. Slow to make corrections or react to controller's instructions. Position permitted a safe landing. Improper glide path control. Initiated missed approach as directed or at decision height +50/-0 feet, if applicable.

4.7.3.7.1.2.1. Airspeed: +15/-5 knots.

4.7.3.7.1.2.2. Heading: Within 10 degrees of controller's instructions.

4.7.3.7.1.3. U. Approach not IAW AFMAN 11-202, Vol 3. Erratic corrections or did not react to controller's instructions. Did not comply with decision height and/or position would not have permitted a safe landing. Exceeded “Q-” limits.

4.7.3.7.2. Instrument Landing System Approach.

4.7.3.7.2.1. Q. Performed procedures as published and IAW applicable directives. Smooth and timely corrections to azimuth and glide slope. Complied with decision height and position permitted a safe landing.

4.7.3.7.2.1.1. Airspeed: +10/-5 knots indicated air speed (KIAS).

4.7.3.7.2.1.2. Glide slope/azimuth within one dot.

4.7.3.7.2.2. Q-. Performed procedures with minor deviations. Slow to make corrections or initiate procedures. Position would have permitted a safe landing. Initiated missed approach at decision height +50/-0 feet, if applicable.

4.7.3.7.2.2.1. Airspeed: +15/-5 KIAS.

4.7.3.7.2.2.2. Glide slope within one-dot low/two dots high.

4.7.3.7.2.2.3. Azimuth within one dot.

4.7.3.7.2.3. U. Performed procedures with major deviations. Erratic course/glide slope corrections. Did not comply with decision height or position would not have permitted a safe landing. Exceeded “Q-” criteria.

4.7.3.8. Area 37. Non-Precision Approach TACAN, VOR, Localizer (LOC), NDB, or ASR.

4.7.3.8.1. Q. Approach was IAW AFMAN 11-202, Vol 3. Used appropriate descent rate to arrive at Minimum Decision Altitude (MDA) at or before Visual Descent Point (VDP). Position permitted a safe landing. Smooth and timely response to ASR controller's instructions.

4.7.3.8.1.1. Airspeed: +10/-5 knots.

4.7.3.8.1.2. Heading: +/-5 degrees (ASR).

4.7.3.8.1.3. Course: +/-5 degrees at missed approach point (MAP).

4.7.3.8.1.4. Localizer: Less than one dot deflection.

4.7.3.8.1.5. MDA: +100/-0 feet.

4.7.3.8.2. Q-. Performed approach with minor deviations. Arrived at MDA at or before the MAP, but past the VDP. Initiated missed approach/go-around as directed or appropriate. Slow to make corrections or react to ASR controller's instruction.

4.7.3.8.2.1. Airspeed: +15/-5 knots.

4.7.3.8.2.2. Heading: +/-10 degrees (ASR).

4.7.3.8.2.3. Course: +/-10 degrees at MAP.

4.7.3.8.2.4. Localizer: Within one dot deflection.

4.7.3.8.2.5. MDA: +150/-50 feet.

4.7.3.8.3. U. Approach not IAW AFMAN 11-202, Vol 3. Maintained steady-state flight below the MDA, even though the -50-foot limit was not exceeded. Could not land safely from approach and did not initiate missed approach/go-around when appropriate or directed. Exceeded Q- criteria. Erratic corrections or did not react to ASR controller's instructions.

4.7.3.9. Area 38. Circling/Side-Step Approach.

4.7.3.9.1. Q. Properly identified aircraft category for the approach and remained within the lateral limits for that category. Complied with controller's instructions. Attained runway alignment without excessive bank angles. Did not descend from the MDA until in a position to place the aircraft on a normal glide path or execute a normal landing.

4.7.3.9.1.1. Airspeed: +10/-5 knots.

4.7.3.9.1.2. Altitude: +100/-0 feet.

4.7.3.9.2. Q-. Slow to comply with controller's instructions. Attained runway alignment but occasionally required excessive bank angles or maneuvering.

4.7.3.9.2.1. Airspeed: +15/-5 knots.

4.7.3.9.2.2. Altitude: +150/-50 feet.

4.7.3.9.3. U. Did not properly identify aircraft category or exceeded the lateral limits of circling airspace. Did not comply with controller's instructions. Excessive maneuvering to attain runway alignment was potentially unsafe. Descended from the MDA before the aircraft was in position for a normal glide path or landing. Exceeded “Q-“criteria.

4.7.3.10. Area 39. Engine-Out Approach (Use approach criteria for the type of approach being flown and the following).

4.7.3.10.1. Q. Performed procedures IAW TOs and associated directives. Individual technique complied with established procedures. Proper control inputs were used to correct asymmetric condition. Aircraft was properly trimmed. Proper consideration was given to maneuvering with regard to the "dead" engine.

4.7.3.10.2. Q-. Minor deviations in procedures/aircraft control allowed the aircraft to occasionally be in uncoordinated flight. Unnecessary maneuvering due to minor errors in planning or judgment.

4.7.3.10.3. U. Major/unsafe deviations from procedures. Individual technique unsafe or in violation of established procedures. Aircraft was not properly trimmed. Aircraft control was erratic and consistently resulted in uncoordinated flight. Maneuvering with regard to the "dead" engine was potentially unsafe.

4.7.3.11. Area 40. Missed Approach/Go-Around.

4.7.3.11.1. Q. Executed missed approach IAW AFMAN 11-202, Vol 3 and restrictions. Initiated and performed go-around promptly. Complied with controller's instructions. Applied smooth control inputs. Attained and maintained a positive climb.

4.7.3.11.2. Q-. Executed missed approach with minor deviations to AFMAN 11-202, Vol 3. Was slow or hesitant to initiate go-around. Slow to respond to controller's instructions. Slightly over-controlled the aircraft.

4.7.3.11.3. U. Did not execute missed approach IAW AFMAN 11- 202, Vol 3. Did not comply with controller's instructions. Deviations or misapplication of procedures could have led to an unsafe condition. Exceeded "Q-" criteria.

4.7.3.12. Area 41. Engine-Out Go-Around (Use Area 43 criteria and the following).

4.7.3.12.1. Q. Applied smooth, coordinated control inputs. Rudder and aileron inputs were in the correct direction. Maneuvering appropriate regarding the "dead" engine/minimum control airspeed. Individual technique complied with established procedures.

4.7.3.12.2. Q-. Rudder and aileron inputs were in correct direction but some over/under control. Individual techniques were safe but detracted from the maneuver.

4.7.3.12.3. U. Rudder and/or aileron inputs were incorrect. Maneuvering regarding the "dead" engine/minimum control airspeed potentially unsafe. Failed to comply with/consider minimum control speeds. Individual technique unsafe or violated established procedures.

4.7.3.13. Area 42. Visual Flight Rules Procedures/Patterns.

4.7.3.13.1. Q. Adhered to published restrictions/local guidance. Performed traffic pattern and turn to final/final approach IAW TO procedures. Aircraft control was smooth and positive. Did not over/under-shoot final approach. Constantly cleared area of intended flight.

4.7.3.13.1.1. Airspeed: +10/-5 knots.

4.7.3.13.1.2. Pattern Altitude: +/- 100 feet.

4.7.3.13.2. Q-. Minor deviations from published restrictions/local guidance. Performed traffic pattern and turn to final/final approach with minor deviations to procedures. Aircraft control was safe but not consistently smooth and positive. Over/under-shot final approach slightly but was able to intercept a normal glide path. Adequately cleared area of intended flight.

4.7.3.13.2.1. Airspeed: +15/-5 knots.

4.7.3.13.2.2. Pattern Altitude: +/- 200 feet.

4.7.3.13.3. U. Major/unsafe deviations from published restrictions/local guidance. Did not perform traffic pattern and turn to final/final approach IAW AFMAN 11-202, Vol 3. Displayed erratic aircraft control. Over/under-shot final approach by a wide margin requiring a go-around or potentially unsafe maneuvering on final. Did not clear area of intended flight. Exceeded "Q-" criteria.

4.7.3.14. Area 43. Final Approach and Landing. **Note:** The following criteria are written to generally apply to all landings. Flight examiners must apply these criteria judiciously to allow for the unique characteristics of each type of landing. Where runway/airfield lighting configuration, arresting cable placement, instrument procedures or TO limitations require an adjustment to the desired touchdown point, a simulated runway threshold will be identified, and the grading criteria applied accordingly. For instrument approaches, the examinee should utilize a normal glide slope from either the decision height or from a point where visual acquisition of the runway environment is made.

4.7.3.14.1. Area 43a. 100 Percent Flap Landing.

4.7.3.14.1.1. Q. Performed landing as published/directed. Crossed threshold at threshold speed +/- 5 knots at proper attitude. Smooth and positive aircraft control throughout round-out and flare. Touched down with no crab, and not more than 15 feet left or right of centerline. Complied with TO procedures for use of brakes and reverse thrust. Met the following criteria:

4.7.3.14.1.1.1. Touchdown Speed: +/-5 knots.

4.7.3.14.1.1.2. Touchdown Point: 1,000 feet – 2,000 feet from the actual/simulated runway threshold.

4.7.3.14.1.2. Q-. Performed landing with minor deviations to procedures as published/directed. Crossed threshold at threshold speed +10/-5 knots slightly high or low but no compromise of safety. Touched down not more than 25 feet left or right of centerline. Exceeded “Q” criteria but not the following:

4.7.3.14.1.2.1. Touchdown Speed: +10/-5 knots.

4.7.3.14.1.2.2. Touchdown Point: 0 feet – 1,000 feet or 2,001 feet – 3,000 feet from the actual/simulated runway threshold.

4.7.3.14.1.3. U. Landing not performed as published/directed. Crossed threshold excessively high or low and more than +10/-5 knots. Touched down excessively crabbed and more than 25 feet left or right of centerline. Failed to comply with TO procedures for the use of brakes and reverse thrust. Exceeded “Q- “criteria.

4.7.3.14.2. Area 43b. 50 Percent Flap Landing. Use same criteria as Area 43a, 100 Percent Flap Landing.

4.7.3.14.3. Area 43c. No Flap Landing. Use same criteria as Area 43a, 100 Percent Flap Landing.

4.7.3.14.4. Area 43d. Engine-Out Landing. Use same criteria as Area 43a, 100 Percent Flap Landing.

4.7.3.14.5. Area 43e. Touch-and-Go Landing (Touchdown through Lift-off).

4.7.3.14.5.1. Q. Performed procedures in a timely manner and IAW TO and local directives. Smooth and positive control. Maintained runway centerline within 15 feet left or right throughout the touch and go.

4.7.3.14.5.2. Q-. Performed procedures with minor deviations. Aircraft control was safe, but not consistently smooth and positive. Delayed accomplishment of required checklists. Consistently left or right of centerline but within 25 feet.

4.7.3.14.5.3. U. Major deviations to procedures. Displayed erratic/unsafe aircraft control. Excessively delayed and/or misapplied required checklists. Allowed aircraft to drift/remain more than 25 feet left or right of centerline.

4.7.3.15. Area 44. After Landing/Engine Shutdown.

4.7.3.15.1. Q. Successfully reconfigured the aircraft IAW TO and instructions. Checklist accomplishment with no omitted required steps or prerequisites.

4.7.3.15.2. Q-. Same as above except minor procedural deviations that did not detract from mission effectiveness.

4.7.3.15.3. U. Failed to reconfigure the aircraft IAW TO and instructions. Major deviations in written procedures. Crew errors directly contributed to degrading the mission or making it ineffective. Omitted required checklist items.

4.7.3.16. Fuel Conservation.

4.7.3.16.1. Q. Possessed a high level of knowledge of all applicable aircraft publications and other governing directives and understood how to apply both to enhance fuel conservation. Successfully applied fuel conservation procedures during the mission.

4.7.3.16.2. Q-. Possessed some knowledge of applicable aircraft publications and other governing directives and understood how to apply both to enhance fuel conservation. Successfully applied some fuel conservation procedures but missed several opportunities to apply fuel conservation procedures during the mission.

4.7.3.16.3. U. Unaware of fuel conservation procedures. Failed to apply any fuel conservation procedures during the mission.

4.7.3.17. Area 46. Automation Management.

4.7.3.17.1. Q. Established/followed guidelines for the operation of automated systems; aware of when systems should be disabled, and when programming actions must be verbalized and acknowledged. Established/followed Pilot Flying (PF) and Pilot Monitoring (PM) responsibilities with regard to automated systems. Periodically reviewed and verified the status of aircraft automated systems. Verbalized and acknowledged entries and changes to automated systems parameters. Allowed sufficient time for programming the Communication/Navigation/Identification Management Unit (CNI-MU). Used automated systems at appropriate levels to reduce workload, but reduced or disengaged level of automation when programming demands could have reduced situational awareness or created work overloads.

4.7.3.17.2. Q-. Had limited knowledge of guidelines for the operation of automated systems; unclear as to when systems should be disabled, or when programming actions must be verbalized and acknowledged. Slow to establish/follow PF and PM responsibilities with regard to automated systems. Slow to review and verify the status of aircraft automated systems. Inconsistently verbalized and acknowledged entries and changes to automated systems parameters. Did not always allow sufficient time for programming the CNI-MU. Inconsistently used automated systems at appropriate levels.

4.7.3.17.3. U. Did not establish/follow guidelines for the operation of automated systems; unaware of when systems should be disabled, or programming actions that must be verbalized and acknowledged. Did not establish/follow PF and PM responsibilities with regard to automated systems. Did not periodically review and verify the status of aircraft automated systems. Did not verbalize and acknowledge entries and changes to automated systems parameters. Failed to allow sufficient time for programming the CNI-MU. Did not use automated systems at appropriate levels, to decrease workload. Did not reduce or disengage level of automation when programming demands reduced situational awareness or created work overloads.

4.7.3.18. Areas 47 through 49. Reserved for future use.

4.7.3.19. Area 50. Tactical Navigation.

4.7.3.19.1. Q. Direct the airplane in the tactical environment utilizing all available resources to achieve mission accomplishment. Thorough knowledge of aircraft guidance/position utilizing sensors/navigation systems/radar. Capable of interpreting bulls eye threat calls and calculating range and bearing.

4.7.3.19.2. Q-. Adequate knowledge of aircraft guidance/position utilizing sensors/navigation/radar. Minor errors or omissions that would not have adversely affected mission accomplishment. Slow to interpret bullseye threat calls and/or slow to calculate appropriate range and bearing.

4.7.3.19.3. U. Deviations of direction that resulted in mission failure. Improper use and knowledge of sensors/navigation equipment/radar. Unable to interpret bullseye threat calls and/or unable to calculate appropriate range and bearing.

4.7.3.20. Area 51. Prestrike.

4.7.3.20.1. Q. Configured the aircraft for combat and completed all required checklists prior to crossing the combat-entry point IAW TO and instructions.

4.7.3.20.2. Q-. Aircraft configuration or checklist completion caused minor delays to mission accomplishment.

4.7.3.20.3. U. Failed to configure and/or accomplish required checklists prior to attempting munitions delivery.

4.7.3.21. Area 52. Tweak Procedures.

4.7.3.21.1. Q. Possessed a high level of knowledge and understanding of the tweak concept. Coordinated with the crew to safely tweak IAW TO, instructions, and procedures. Accurate, stable aircraft allowed best tweak for conditions.

4.7.3.21.2. Q-. Possessed some knowledge and understanding of the tweak concept. Minor deviations from procedures and/or unstable aircraft control, which did not cause an unsafe condition or an unusable tweak.

4.7.3.21.3. U. Unsatisfactory knowledge and performance of tweak. Erratic aircraft control and/or deviations from TOs/instructions resulted in a potentially unsafe condition or an unusable tweak.

4.7.3.22. Area 53. Geometry Analysis.

4.7.3.22.1. Q. Understood and made appropriate corrections to the variables which effect geometry as listed in TO and instructions.

4.7.3.22.2. Q-. Minor deviations with no impact on mission.

4.7.3.22.3. U. Improper corrections causing major deviations/delays to mission accomplishment.

4.7.3.23. Area 54. Target Acquisition. (Required for MP Only).

4.7.3.23.1. Q. P will be able to coordinate with tactical crew to acquire the correct target/friendly position IAW TO, instructions, and Rules of Engagement (ROE).

4.7.3.23.2. Q-. Had minor difficulty accurately identifying targets and or unsure of aircraft position based on targets. Made minor errors that did not affect target acquisition.

4.7.3.23.3. U. For the conditions listed in “Q” criteria, Ps crew coordination or lack of coordination contributed, or resulted in, inability to acquire target.

4.7.3.24. Area 55. PGM Employment.

4.7.3.24.1. Q. Completed PGM employment IAW tech orders, checklists, and instructions. Individual technique complied with established procedures.

4.7.3.24.2. Q-. Minor deviations from established PGM employment procedures. Individual technique was safe but detracted from established procedures. Used individual technique instead of established procedure and was unaware of differences.

4.7.3.24.3. U. Failed PGM employment critical component or could not conduct a satisfactory PGM employment. Individual technique was unsafe and/or in violation of established procedures.

4.7.3.25. Area 56. Employment Tactics.

4.7.3.25.1. Q. Referenced appropriate publications, manuals, TO, instructions, Order of Battle, ROE, ATO, and coordinate with liaison officers (LNO) to develop a comprehensive offensive employment plan and apply it in the aircraft.

4.7.3.25.2. Q-. Minor deviations from "Q" criteria that did not impair mission accomplishment.

4.7.3.25.3. U. Major deviations that lead to impairment of mission accomplishment.

4.7.3.26. Area 57. Threat/Countermeasures.

4.7.3.26.1. Q. Demonstrated satisfactory knowledge of defensive systems and thorough knowledge of tactics applicable to the mission. Applied appropriate tactics to avoid the threat and minimize exposure. Understood chaff, flare and ECM restrictions while operating on the range. Made timely and appropriate inputs to crew during mission. Communicated threat in and out of the aircraft appropriately.

4.7.3.26.2. Q-. Limited knowledge of defensive systems. Made minor errors in avoiding the lethal range of a given threat system. Slow to execute the proper evasive maneuver. Minor errors in threat analysis or tactics selection. Limited knowledge of chaff, flare, and ECM restrictions on the range. Did not make timely inputs to crew during mission. Slow to communicate threat in and out of the aircraft.

4.7.3.26.3. U. Knowledge of defensive systems was unsatisfactory. Did not avoid lethal range of given threat system. Did not execute an effective evasive maneuver when given an immediate threat. Failed to ensure mission effectiveness by not adequately analyzing or degrading threat(s). Did not understand chaff, flare, and ECM restrictions on the range. Not aware of appropriate tactics for specific threats or terrain. Failed to communicate threat in and/or out of the aircraft.

4.7.3.27. Area 58. Tactical Recovery. **Note:** Examples include IPRAs, overheads, downwind, random steep/shallow.

4.7.3.27.1. Q. Followed procedures as briefed and IAW flight manual and AFMAN 11-2AC-130J Vol 3, *AC-130J General Operations Procedures*. Displayed smooth, positive control throughout the recovery. Aircraft was in position to intercept glide path for normal landing. Gave proper consideration to threat location and adjusted pattern accordingly. Consistently cleared area of intended flight.

4.7.3.27.2. Q-. Performed recovery with minor deviations. Aircraft control was not consistently positive and smooth. Over/under-shot final approach slightly but was able to intercept glide path for normal landing.

4.7.3.27.3. U. Recovery not performed IAW flight manual and AFMAN 11-2AC-130J, Vol 3. Displayed erratic aircraft control. Over/under-shot final approach, requiring a go-around or potentially unsafe maneuvering to intercept final. Failed to consider threat location or proximity and/or maneuvering could have placed the aircraft within lethal range of given threat system. Did not clear area of intended flight.

4.7.3.28. Area 59. Air-to-Air Refueling Procedures.

4.7.3.28.1. Q. Rendezvous effectively accomplished using proper procedures. Demonstrated effective/appropriate use of radio communications for briefed Emission Control option. Expeditiously established and maintained proper position. Aircraft control was positive and smooth. Maintained the contact position for 10 minutes (at least 5 minutes continuous) with no more than one pilot-induced disconnect.

4.7.3.28.2. Q-. Rendezvous delayed by improper techniques, procedures, or radio communications. Slow to recognize and apply needed corrections to establish and maintain proper position. Aircraft control was not always positive and smooth, but adequate. Accomplished published/directed procedures with deviations or omissions that did not affect the successful completion of air refueling. Maintained the contact position for at least 10 minutes with no more than two pilot-induced disconnects.

4.7.3.28.3. U. Displayed lack of knowledge or familiarity with procedures to the extent that air refueling was or could have been jeopardized. Failed rendezvous as a result of improper procedures. Spent excessive time in trail. Aircraft control in the pre-contact/refueling position was erratic or unsafe. Made deviations or omissions that affected flight safety and/or the successful completion of the air refueling. Used unacceptable procedures. Performance caused more than two pilot-induced disconnects and/or delayed mission accomplishment.

4.7.3.29. Area 60. Systems Operation/Knowledge/Limitations.

4.7.3.29.1. Q. Demonstrated/explained a complete knowledge of aircraft systems operations/limitations and proper procedural use of systems.

4.7.3.29.2. Q-. Marginal knowledge of aircraft systems operations and limitations in some areas. Used individual technique instead of established procedures and was unaware of differences.

4.7.3.29.3. U. Unsatisfactory systems knowledge. Failed to demonstrate/explain the procedures for aircraft system operations.

4.7.3.30. Area 61. Authentication/Encode-Decode Procedures

4.7.3.30.1. Q. Thorough knowledge of authentication/encode-decode materials and procedures. Correct/timely authentication procedures. Correct/timely encode-decode procedures when required. Correct authentication/encode-decode materials were always readily at hand.

4.7.3.30.2. Q-. Limited knowledge of authentication/encode-decode materials and procedures that did not affect mission accomplishment. Correct but slow authentication that did not affect mission accomplishment. Correct but slow encode- decode procedures which did not affect mission accomplishment.

4.7.3.30.3. U. Unsatisfactory knowledge of authentication/encode-decode materials and procedures. Incorrect or excessively slow authentication. Unable to encode-decode when required. Authentication/encode-decode materials were not readily available or were incorrect.

4.7.3.31. Area 62 through 99. Reserved for future use.

Chapter 5

WEAPON SYSTEM OFFICER/COMBAT SYSTEMS OFFICER EVALUATIONS

5.1. General. Combat Systems Operators (CSOs) & Weapons Systems Operators (WSOs) require a combined qualification (QUAL) and mission (MSN) evaluation. Examinees will satisfactorily demonstrate the ability to perform all CSO/WSO duties safely and effectively, including the operation of appropriate aircraft systems, IAW applicable TO and directives. **(T-2**) CSOs will be evaluated to the same area standards as WSOs unless specified otherwise. **(T-2)**

5.2. Requirements. Refer to **Chapter 2** for all evaluations. Instructors will demonstrate instructor duties on all evaluations; refer to **Chapter 3** for instructor evaluation grading areas and criteria. **(T-2)** WSO/CSO specific areas are listed in this chapter.

5.3. Requisites. Examinees will complete requisites per AFMAN 11-202V2, as supplemented. The various WSO/CSO evaluations are described in following paragraphs.

5.3.1. Initial/Requalification QUAL/MSN Evaluation.

5.3.1.1. Initial QUAL/MSN events required in-flight include a live fire, dry-fire scenario, radar air defense artillery, surface-to-air missile, or AI defensive maneuver, and a CSO/WSO-directed tactical recovery. The flight evaluator will ensure the dry-fire portion will includes two Employment Tactics IAW area 110 (CAS, AI, SR, or Integration) with a PGM engagement and at least one tactical threat engagement/intercept are performed.**(T-2)** See grading event criteria in **Chapter 3**, and **Table 5.1**. A CSO/WSO directed tactical recovery includes IPRA, random shallow, random steep, penetration descent, visual navigation, or any recovery in which the flight evaluator will properly assess terminal area navigation skills. **(T-2)**

5.3.2. Periodic Qualification/Mission Evaluation.

5.3.2.1. CSO/WSO maintaining mission qualification require a periodic combined QUAL/MSN evaluation. Conduct the QUAL/MSN evaluation in the eligibility period corresponding to the earliest expiration date. Required in-flight events are the same as initial/requalification evaluations. 5.3.2.2. Flight evaluators will ensure periodic evaluations consist of a live fire, dry fire, a PGM employment (PGM employment may be conducted live or dry), a CSO/WSO direct tactical recovery, and a ground-based radar threat reaction. **(T-2)**

5.3.2.2. Flight evaluators will ensure QUAL/MSN evaluations include all areas in **Chapter 2** and **Chapter 3** (if applicable) and **Table 5.1**. **(T-2)**

5.3.3. Special Qualification Evaluations. Not applicable.

Table 5.1. WSO/CSO Grading Areas.

Area	Note	Area Name	QUAL	MSN
100	3	Departure	X	
101	1	Approach/Landing	X	
102	2	Flight Plan/Charts	X	
103	2	Fuel Planning	X	
104	1,3	Navigation Procedures 1. Course Tolerance 2. Radio Navigation 3. Radar Navigation 4. Weather Avoidance 5. Estimated Time of Arrival (ETA) Tolerance	X	
105	2	Navigation and Avionics Systems Knowledge	X	
106	3	Dead Reckoning (DR)/Rating of Navigational Computers	X	
107	3	Fuel Management	X	X
108	1	Defensive Systems, Tactics and Threat Analysis		X
109	1	Fire Control Systems and Displays/Sensor Systems/Weapons Systems		X
110	1	Employment Tactics (Any Two) 5. Close Air Support (CAS) h. Convoy Escort i. Troops in Contact (TIC) j. Urban Operations k. Force Protection l. Airbase Defense m. Point Defense n. CSAR/MEDEVAC 6. Air Interdiction (AI) c. Targets of Opportunity/Armed Reconnaissance d. Preplanned 7. Special Reconnaissance c. Target Acquisition, Identification & Reacquisition d. Reconnaissance/Search 8. Integration c. Fighter Integration d. Helicopter Integration/Escort		X
111	1	Communication Procedures/Radio Transmission – Usage and Discipline		X
112	1	Target Acquisition/Confirmation		X
113	1	Sensor Operations		X
114	1,3	Degraded Operations		X
115	1	CSO/WSO Directed Tactical Recovery Procedures (Any One) 1. IPRA 2. Random Shallow	X	

		3. Random Steep		
116	1,3	Time to Weapons Impact (PGM)		X
117	2	Mission System(s) Knowledge		X
118	1	Mission System(s) Operation		X
119	1	Tweak Procedures		X
120	1	Strike Procedures (PGM)		X
121	1	Strike Procedures (Gun)		X
122	1	Tactical Navigation		X
123	1,4	Mission Management/Mission Operator Pallet (MOP) Leadership		X
124-199		Reserved for future use		

Notes:

1. Required in-flight or WST certified for this event. **Exception:** Initial evaluations require this event to be in-flight.

2. May be performed via alternate method.

3. Grade if observed.

4. WSO Only.

5.4. Grading Criteria.

5.4.1. Areas 1 through 19: Use general grading criteria in **Chapter 2** of this volume.

5.4.2. Areas 20 through 29: Use instructor evaluation grading criteria in **Chapter 3** of this volume (if applicable).

5.4.3. Areas 100 through 149: The following subparagraphs contain the evaluation criteria for the areas listed in **Table 5.1**.

5.4.3.1. Area 100. Departure (QUAL).

5.4.3.1.1. Q. Monitored headings, airspeeds, altitudes, and aircraft position throughout departure. Used an instrument departure procedure and/or appropriate scale departure area chart. Provided headings, ETA, and other required information in a timely manner. Monitored appropriate radios and clearances to ensure crew compliance. Provided updated information when the clearance caused a change in the planned departure. Ensured terrain clearance during departure by use of all available aids and the area chart.

5.4.3.1.2. Q-. Monitored aircraft position, but slow to provide headings, ETA, or other required information. Performance did not degrade mission accomplishment or compromise flight safety.

5.4.3.1.3. U. Did not monitor departure headings, airspeeds or altitudes. Unaware of aircraft position and unable to provide updated information when required. Did not use an instrument departure procedure and/or an appropriate scale departure area chart. Allowed major deviations that degraded mission accomplishment or compromised safety. Did not ensure terrain clearance during the departure. No area chart available.

5.4.3.2. Area 101. Approach/Landing (QUAL).

5.4.3.2.1. Q. Monitored aircraft position, approach instructions and primary approach navigation aids. Provided headings, ETAs and other information to the P as required. Thoroughly understood approach and missed approach procedures. Ensured terrain clearance during approach by use of all available aids and area chart.

5.4.3.2.2. Q-. Monitored aircraft position but did not fully understand approach instructions/procedures. Slow to provide headings, ETAs, or other appropriate information.

5.4.3.2.3. U. Failed to monitor aircraft position. Did not ensure terrain clearance during the approach. Did not use appropriate chart.

5.4.3.3. Area 102. Flight Plan/Charts (QUAL).

5.4.3.3.1. Q. Completed a flight plan IAW applicable directives. Selected current navigation charts of a proper scale and type of the sortie profile. Charts were constructed IAW current directives. Demonstrated proper manual flight planning procedures, if required.

5.4.3.3.2. Q-. Flight plan/charts contained minor errors or omissions that would not have adversely affected mission accomplishment.

5.4.3.3.3. U. Flight plan not accomplished, incomplete, or contained major errors that adversely affected mission accomplishment. Could not demonstrate manual procedures or failed to review computer generated flight plan.

5.4.3.4. Area 103. Fuel Planning (QUAL).

5.4.3.4.1. Q. Completed a fuel plan IAW applicable directives. Used correct entering arguments (examples include temp dev, altitudes, drag index, gross weight, cargo weight) for manual or computer-generated fuel plans. Correctly computed an Equal Time Point (ETP), when required.

5.4.3.4.2. Q-. Fuel plan contained minor errors or omissions that would not have adversely affected mission accomplishment.

5.4.3.4.3. U. Fuel plan not accomplished, incomplete, or contained major errors. ETP not completed or contained major errors or omissions.

5.4.3.5. Area 104. Navigation Procedures (QUAL).

5.4.3.5.1. Q. Certain of exact aircraft position. Remained within 3nm of course centerline or planned deviation **Exception:** Examples include threat avoidance, weather deviation, Air Traffic Control assigned heading, and time control. Thorough knowledge of enroute time status in relation to objective area. Complied with all altitude restrictions. Adhered to all airspace restrictions.

5.4.3.5.2. Q-. Uncertain of exact aircraft position due to marginal navigational procedures. Flew 3 to 5nm from course without the above exceptions. Better awareness of required timing events or enroute time status could have avoided excessive, unplanned maneuvering.

5.4.3.5.3. U. Exceeded 5nm during enroute navigation without the above exceptions. Was unable to maintain position awareness throughout most of the route. Unable to accurately assess required timing or unaware of mission time status, jeopardizing mission accomplishment. Violated airspace restrictions. Descended below minimum altitude restrictions.

5.4.3.6. Area 105. Navigation and Avionics Systems Knowledge (QUAL).

5.4.3.6.1. Q. Demonstrated a thorough knowledge of onboard navigation system operating procedures. Effectively used navigation systems to direct the aircraft and update system as required.

5.4.3.6.2. Q-. Demonstrated a basic knowledge of onboard navigation systems and/or avionics systems. Made minor errors in operation/interpretation of navigation system data. More selective updating could have increased system effectiveness.

5.4.3.6.3. U. Displayed inadequate knowledge of onboard navigation systems procedures. Improper operation procedures could have resulted in damage to equipment or affected mission accomplishment. Failed to update or correctly interpret navigation system data.

5.4.3.7. Area 106. Dead Reckoning (DR)/Rating of Navigational Computers.

5.4.3.7.1. Q. Remained within 5nm of course centerline, or within tolerances specified for Required Navigation Performance airspace (if applicable), whichever is less. ETA/Revised ETA (RETA) were within 2 minutes of actual times of arrival (ATAs).

5.4.3.7.2. Q-. Remained within 10nm of course centerline. ETAs/RETAs were within 3 minutes of ATA.

5.4.3.7.3. U. Exceeded “Q- “criteria and/or evaluator had to alter aircraft heading to remain within course tolerance, clear special use airspace, or correctly deviate around weather.

5.4.3.8. Area 107. Fuel Management.

5.4.3.8.1. Q. Maintained fuel management IAW directives. Kept the pilot advised and monitored fuel status.

5.4.3.8.2. Q-. Adequate fuel management with minor computation errors noted. Did not adequately update the pilot on fuel status.

5.4.3.8.3. U. Failed to demonstrate an understanding of fuel management procedures. Fuel computations not accomplished or contained significant errors. Failed to inform the pilot of the fuel status.

5.4.3.9. Area 108. Defensive Systems/Tactics/Threat Analysis/Avoidance (MSN).

5.4.3.9.1. Q. Had thorough knowledge of necessary defensive systems/tactics applicable to the mission. Applied appropriate tactics to avoid the threat and minimize exposure. Made timely and appropriate inputs to crew during mission. Able to plot threats in-flight and formulate a plan of action to avoid a given threat.

5.4.3.9.2. Q-. Limited knowledge of defensive systems. Minor errors in tactics selection. Was unfamiliar with the appropriate tactic for a given scenario. Did not make timely inputs to crew during mission. Made minor errors in plotting and avoiding a given threat.

5.4.3.9.3. U. Knowledge of defensive systems was unsatisfactory. Inputs were missing or inaccurate. Major errors in tactics selection would have resulted in an unsuccessful mission. Was unable to plot and avoid a given threat. Failed to ensure mission effectiveness by not adequately analyzing or degrading threat(s).

5.4.3.10. Area 109. Fire Control Systems and Displays/Sensor Systems/Weapons Systems (MSN).

5.4.3.10.1. Q. Had a thorough knowledge of onboard Fire Control Systems/Sensor Systems/Weapons systems. Effectively used all systems to direct weapons delivery/navigation. Effectively interpreted sensor data/marking devices. Understood how each component incorporated within the Fire Control System.

5.4.3.10.2. Q-. Had only a basic knowledge of onboard Fire Control Systems/Sensor Systems/Weapons Systems. Made minor errors operation/interpretation of Fire Control System data. Made minor errors in interpretation of sensor data/marking devices. More selective interpretation could have increased system effectiveness.

5.4.3.10.3. U. Displayed inadequate knowledge of onboard Fire Control Systems/Sensor Systems/Weapons Systems. Improper operation procedures could have resulted in damage to equipment or negatively affected mission accomplishment. Unable to effectively interpret sensor data/marking devices.

5.4.3.11. Area 110. Employment Tactics (MSN).

5.4.3.11.1. Q. Thorough coordination with crew and LNO to develop a comprehensive offensive employment plan and apply it during the mission. Knowledgeable of appropriate publications, manuals, TOs, instructions, Order of Battle, ROE, Special Instructions, Joint Technical Coordinating Group for Munitions Effectiveness, and ATO. Demonstrated the ability to conduct (as required by mission profile) CAS, air interdiction, reconnaissance, fixed-or rotary-wing integration, armed escort, and force protection measures. Effectively conducted combat/peacetime calls-for-fire IAW AFMAN 11-2AC-130J, Vol 3.

5.4.3.11.2. Q-. Basic coordination with crew and LNOs to develop an offensive employment plan with minor errors and/or omissions but did not adversely affect mission accomplishment. Had some difficulty with finding relevant employment data from appropriate publications. Minor errors and/or omissions in CAS/air interdiction/reconnaissance/integration/armed escort/force protection that did not prevent mission success or contribute to mission failure. Minor errors in combat/peacetime calls-for-fire terminology or procedures that did not prevent mission success or jeopardize safety of aircrew or ground personnel.

5.4.3.11.3. U. Did not understand or failed to coordinate an offensive employment plan. Could not identify or find employment guidance in appropriate publications. Failed to conduct CAS/air interdiction/reconnaissance/integration/armed escort/force protection during the mission that resulted negatively on mission accomplishment or contributed to mission failure. Errors in combat/peacetime calls-for-fire procedures or terminology which prevented mission success or otherwise jeopardized safety of aircrew or ground personnel.

5.4.3.12. Area 111. Communication Procedures/Radio Transmission – Usage and Discipline (MSN).

5.4.3.12.1. Q. Complete knowledge of and compliance with communications procedures. Internal and external communications were concise, accurate, and effectively used to direct actions by the crew to update appropriate agencies of the tactical situation.

5.4.3.12.2. Q-. Minor terminology errors or omissions occurred but did not significantly detract from situational awareness, threat warning, or mission accomplishment. Extraneous comments over primary and secondary radios presented minor distractions.

5.4.3.12.3. U. Unsatisfactory knowledge of/or failure to comply with communications procedures. Radio communications over primary/secondary radios were inadequate or excessive. Inaccurate or confusing terminology significantly detracted from situational awareness, threat warning, or mission accomplishment.

5.4.3.13. Area 112. Target Acquisition/Confirmation (MSN).

5.4.3.13.1. Q. Demonstrated ability to accurately identify targets and analyze aircraft position based on these targets. Quickly and accurately confirmed targets for engagement.

5.4.3.13.2. Q-. Ability to accurately identify targets was slow and was unsure of aircraft position. Slow to confirm targets for engagement. Minor errors and omissions did not adversely affect target acquisition or confirmation.

5.4.3.13.3. U. Could not identify or identified the wrong target. Did not know aircraft position in relation to targets. Failed to confirm target, had to be repeatedly prompted to confirm, or confirmed the wrong target.

5.4.3.14. Area 113. Sensor Operations (MSN).

5.4.3.14.1. Q. Thorough knowledge of various methods used for searching. Was able to understand and use all available functions on the sensor. Provided accurate visual picture and situational awareness of ground terrain and movement. Proper use of sensors and aircraft position to complete search tasking.

5.4.3.14.2. Q-. Adequate knowledge of searching methods. A better choice of techniques, interpretation, or sensor usage could have improved accuracy and speed. Some minor deficiencies in sensor operation that did not affect mission effectiveness or were unsafe.

5.4.3.14.3. U. Unable to apply search methods to complete search tasking. Unsatisfactory knowledge of search techniques, interpretation, and sensor usage. Overall sensor operation was conducted in a manner that would have impacted the mission in a negative manner.

5.4.3.15. Area 114. Degraded Operations (MSN).

5.4.3.15.1. Q. Thorough understanding of impacts of degraded operations and how to compensate for degraded equipment to achieve mission accomplishment. Displayed awareness of operational restrictions associated with degraded systems.

5.4.3.15.2. Q-. Adequate knowledge of impacts and compensation for degraded operation. Minor errors/omissions that did not adversely affect mission accomplishment.

5.4.3.15.3. U. Unsatisfactory knowledge of degraded operations, restrictions, and/or compensation that adversely affected mission accomplishment.

5.4.3.16. Area 115. CSO/WSO-Directed Tactical Recovery Procedures (QUAL).

5.4.3.16.1. Q. Complied with all procedures IAW the flight manual and AFMAN 11-2AC-130J Vol 3. Successfully directed the aircraft to a position where a safe landing could be made. Used proper terminology; instructions were clear and concise during the entire approach.

5.4.3.16.2. Q-. Briefing was incomplete or deviated from established procedures. Required excessive course corrections on final approach but directed the aircraft to a point where a safe landing could be made.

5.4.3.16.3. U. Had unsatisfactory knowledge of recovery procedures. Unable to direct the aircraft to a point from which a safe landing could be made.

5.4.3.17. Area 116. Time to Weapons Impact (PGM).

5.4.3.17.1. Q. +/- 30 Seconds

5.4.3.17.2. Q-. +/- 60 Seconds

5.4.3.17.3. U. Excess of +/- 60 Seconds

5.4.3.18. Area 117. Mission System(s) Knowledge.

5.4.3.18.1. Q. Had a thorough knowledge of onboard aircraft systems, Precision Strike Package systems, Fire Control Systems, and other systems/equipment associated with the WSO crew position.

5.4.3.18.2. Q-. Displayed limited knowledge of aircraft systems, Precision Strike Package systems, Fire Control Systems, and other systems/equipment associated with the WSO crew position.

5.4.3.18.3. U. Displayed inadequate knowledge of aircraft systems, Precision Strike Package systems, Fire Control Systems, and other systems/equipment associated with the WSO crew position.

5.4.3.19. Area 118. Mission System(s) Operation.

5.4.3.19.1. Q. Demonstrated competent operation of aircraft systems, Precision Strike Package systems, Fire Control Systems, and other systems/equipment associated with the WSO crew position IAW TOs and instructions.

5.4.3.19.2. Q-. Demonstrated partial proficiency that did not jeopardize mission accomplishment or flight safety while operating the aircraft systems, Precision Strike Package systems, Fire Control Systems, and other systems/equipment associated with the WSO crew position.

5.4.3.19.3. U. Demonstrated unsatisfactory proficiency with the aircraft systems, Precision Strike Package systems, Fire Control Systems, and other systems/equipment associated with the WSO crew position.

5.4.3.20. Area 119. Tweak Procedures.

5.4.3.20.1. Q. Effectively performed freeze, manual, and/or combat tweaks of the 30mm and/or 105mm guns IAW applicable TOs and instructions. Demonstrated a thorough knowledge of tweak procedures including accurate target elevation and wind updates. Tweak results were within 3 mR of target based on smooth air criteria.

5.4.3.20.2. Q-. Minor deviations of tweak procedures and mission computer inputs resulting in tweak errors from 3 to 5 mR.

5.4.3.20.3. U. Demonstrated unsatisfactory knowledge and performance of tweak procedures. Input erroneous or invalid values. Results exceeded Q- criteria.

5.4.3.21. Area 120. Strike Procedures (PGM).

5.4.3.21.1. Q. Perform PGM employment utilizing the AC-130 systems and tactical crew coordination to achieve intended munition effects. Laser Precision Guided Munition (LPGM). Held the laser spot on the target (dynamic or static) in an efficient manner that achieved desired weapons effects. Demonstrated thorough knowledge of weapons settings and limitations when weaponeering for single, ripple, and multi weapons engagement.

5.4.3.21.2. Q-. Perform PGM employment utilizing the AC-130 systems and tactical crew coordination to achieve intended munition effects but with minor errors and/or mission delays. (LPGM) Held the laser spot on a dynamic or static target in a manner that caused minor degradation in weapons accuracy (evaluator discretion). Demonstrated limited knowledge of weapons settings and limitations when weaponeering for single, ripple, and multi weapons engagement that did not jeopardize mission accomplishment and/or flight safety.

5.4.3.21.3. U. Failed to perform PGM employment utilizing the AC-130 systems and tactical crew coordination to achieve intended munition effects and jeopardized mission accomplishment and/or flight safety. Due to the examinee’s lack of knowledge of weapons settings and limitations when weaponeering for single, ripple, and multi weapons engagement mission accomplishment and/or flight safety was jeopardized.

5.4.3.22. Area 121. Strike Procedures (Gun).

5.4.3.22.1. Q. Performed successful gun engagements with (to include dual target attack) 105mm and/or 30mm systems as required by applicable TOs and instructions.

5.4.3.22.2. Q-. Performed gun engagements (to include dual target attack) with 105mm and/or 30mm as required by applicable TOs and instructions with minor errors and not to the desired level of proficiency and or speed. Mission accomplishment not significantly affected, and flight safety not jeopardized.

5.4.3.22.3. U. Failed to perform gun engagements (to include dual target attack) with 105mm and/or30mm systems as required by applicable TOs and instructions. Mission accomplishment was significantly affected and/or flight safety was jeopardized.

5.4.3.23. Area 122. Tactical Navigation.

5.4.3.23.1. Q. Directed the airplane in the tactical environment utilizing all available resources to achieve mission accomplishment. Thorough knowledge of aircraft guidance/position utilizing sensors/ weapon system components.

5.4.3.23.2. Q-. Adequate knowledge of aircraft guidance/position utilizing sensors/navigation systems. Minor errors or omissions delay the mission and/or did not jeopardize flight safety.

5.4.3.23.3. U. Improper use and knowledge of sensors/ weapon system components led to deviations of direction that jeopardized mission accomplishment and/or flight safety.

5.4.3.24. Area 123. Mission Management/MOP Leadership.

5.4.3.24.1. Q. Efficiently directed the crew and/or associated assets to accomplish mission taskings while not jeopardizing flight/employment safety.

5.4.3.24.2. Q-. Lack of direction led to minor delays in employment and/or taskings that did not affect overall mission accomplishment or jeopardize flight safety.

5.4.3.24.3. U. Failed direction of crew and/or associated assets operator that led to failed employment/mission tasking and overall mission failure and/or jeopardized flight safety.

5.4.3.25. Areas 124 through 199. Reserved for future use.

Chapter 6

AERIAL GUNNER EVALUATIONS

6.1. General. Aerial Gunners (AGs) requires a combined qualification (QUAL) and mission (MSN) evaluation. **Exception:** AGs that have received a C-130J Loadmaster qualification and completed the applicable differences training may fly on basic qual sorties performing traditional loadmaster duties (i.e., no dry/live fire) prior to completing an MSN evaluation.

6.2. Requirements. Refer to **Chapter 2** for all evaluations. Instructors will demonstrate instructor duties on all evaluations; refer to **Chapter 3** for instructor evaluation grading areas and criteria. **(T-2)** AG specific areas are listed in this chapter.

6.3. Qualification Evaluations: For qualification evaluations, qualification open and closed book examinations (or formal school end of course examinations), Boldface, and an EPE are prerequisites for initial evaluations and requisites for periodic evaluations. The EPE should cover the following areas during a qualification evaluation: emergency signals; ground emergencies; in-flight emergencies (fuselage fire/smoke and fume elimination, inflight door warning, rapid decompression, cargo door and ramp failure, cargo jettison, bailout procedures); landing emergencies (landing gear retracted, ditching).

6.3.1. Initial/Periodic /Requalification. In addition to areas listed in **Table 2.1** and **Table 3.1**, qualification evaluations will include Note 1 areas in **Table 6.1**.

6.3.2. Required events include a minimum of aircraft preflight, completion of the applicable weight and balance forms, a sortie of any type, and postflight.

6.4. Mission Qualification: Mission evaluations may be administered concurrently with qualification evaluations and will include Note 2 areas in **Table 6.1**. Mission open and closed book examinations (or formal school end of course examinations) and an EPE are requisites (prerequisites for initial). Mission open and closed book examinations may be combined with qualification examinations. The EPE should cover weapons systems and associated malfunction procedures. AAR will be graded if accomplished during evaluation in flight or WST but is not required for completion of initial/requalification or periodic evaluations.

6.4.1. Initial/Requalification.

6.4.1.1. Flight evaluators will ensure the flight profile includes, at a minimum, 30mm and 105mm gun pre-flight, 30mm and 105mm live fire, and an aircraft postflight. **(T-2)** Specify in the comments section of the AF Form 8 the mission events that were accomplished.

6.4.1.2. Flight evaluators will ensure 30mm/105mm live fire include accomplishing the Prestrike, firing of both weapons, and Poststrike checklists. **(T-2)**

6.4.2. Periodic.

6.4.2.1. If applicable conduct the QUAL/MSN evaluation in the eligibility period corresponding to the earliest expiration date. Flight evaluators will ensure the flight profile includes a weapon preflight and 30mm/105mm live fire. **(T-2)** Specify in the comments section of the AF Form 8 the mission events that were accomplished.

6.4.2.2. Flight evaluators will ensure 30mm/105mm live fire will include accomplishing the Prestrike and Poststrike checklists, with intent to fire at least one weapon. **(T-2)**

6.4.2.3. For basic QUAL AG attaining MSN qualification, a QUAL evaluation may be conducted in conjunction with the INIT or RQ MSN evaluation if possible.

Table 6.1. Aerial Gunner QUAL/MSN Grading Areas.

Area	Notes	Grading
300	1	Life Support Equipment
301	1,3	Weight and Balance
302	1	Tie-down/Restraint
303	1	Aircraft Limitations
304	1,4	Passenger Handling
305	1,4	Border Clearance
306	1,3	Scanner Duties
307	1	Engine Running On-load/Off-load
308	4	Air-To-Air Refueling Systems/Procedures
309	2,3	Night Vision Goggle (NVG) Usage/Limitations
310	2,3	Pyrotechnics
311	2,3	Munitions Handling/Up/Download Procedures
312	2,3	Pre-Strike
313	2,3	Post-Strike
314	2,3	Gun Operations
315	2,3	Common Launch Tube (CLT) Loading/Unloading Procedures
316	2,3	Weapons Malfunctions
317	2,3	Cryptological Loading of Radios and Weapons
318	1	Aircraft Systems Knowledge
319	2,3	Weapon Systems Knowledge
320	2,3	Defensive Systems Knowledge and Threat Reactions
321-399		Reserved for future use

Notes:

1. Required for QUAL portion of flight evaluations.
2. Required for MSN portion of flight evaluations.
3. Must be accomplished in flight, WST certified for event or alternate method.
4. Grade If observed.

6.5. Grading Criteria. The following subparagraphs contain grading criteria for the areas listed in **Table 6.1**.

6.5.1. Area 300. Life Support Equipment.

6.5.1.1. Q. Located, inspected, distributed, and/or demonstrated the proper use of life support or emergency equipment. Satisfactory knowledge of equipment.

6.5.1.2. Q-. Difficulty locating, inspecting, and/or demonstrating the proper use of life support or emergency equipment. Adequate knowledge of equipment but needs improvement.

6.5.1.3. U. Failed to inspect, distribute, and/or demonstrate the proper use of life support or emergency equipment. Unsatisfactory knowledge of equipment.

6.5.2. Area 301. Weight and Balance.

6.5.2.1. Q. Knowledge of aircraft limitations and weight and balance directives was satisfactory. Accurately completed Aircraft Weight and Balance with aircraft CNI-MU with only minor errors.

6.5.2.1.1. Takeoff or landing gross weights: +/- 500 lbs.

6.5.2.1.2. Percent of Mean Aerodynamic Chord (MAC): +/- 0.5 percent.

6.5.2.1.3. Aircraft gross takeoff limits: Not exceeded.

6.5.2.1.4. Center of gravity limitations: Not exceeded.

6.5.2.2. Q-. Limited knowledge of aircraft limitations, weight and balance directives. Had difficulty completing Aircraft Weight and Balance with aircraft CNI-MU. Weight and Balance errors within criteria listed below.

6.5.2.2.1. Takeoff or landing gross weights: +/- 501 to 1,000 lbs.

6.5.2.2.2. Percent of MAC: +/- 0.6 to 1.0 percent.

6.5.2.2.3. Aircraft gross takeoff limits: Not exceeded.

6.5.2.2.4. Center of gravity limitations: Not exceeded.

6.5.2.3. U. Knowledge of aircraft limitations and weight and balance directives was inadequate. Failed to complete Aircraft Weight and Balance with aircraft CNI-MU. Exceeded Q- criteria.

6.5.3. Area 302. Tie-down/Restraint.

6.5.3.1. Q. Correctly applied correct amount of restraint to a given item. Understood and could state the principals of restraint.

6.5.3.2. Q-. Difficulty applying the correct amount of restraint. Did not fully understand the principals of restraint.

6.5.3.3. U. Failed to apply the correct amount of restraint. Did not understand and could not state the principals of restraint.

6.5.4. Area 303. Aircraft Limitations.

6.5.4.1. Q. Correctly stated, understood, and could apply the correct limitations associated with the aircraft, on/off-loading, and associated equipment.

6.5.4.2. Q-. Had difficulty stating various limitations. Had difficulty locating correct limitations in the loading manual.

6.5.4.3. Failed to state various limitations or could not locate correct limitations in the loading manual.

6.5.5. Area 304. Passenger Handling.

6.5.5.1. Q. Correctly briefed and performed passenger handling procedures.

6.5.5.2. Q-. Had difficulty briefing and/or performing passenger handling procedures.

6.5.5.3. U. Failed to brief and/or did not perform proper passenger handling procedures.

6.5.6. Area 305. Border Clearance.

6.5.6.1. Q. Correctly followed command guidelines. Completed/explained border clearance requirements IAW current directives.

6.5.6.2. Q-. Difficulty explaining border clearance requirements. Minor mistakes degraded effectiveness.

6.5.6.3. U. Could not accurately complete forms. Unaware of command guidance or could not explain requirements.

6.5.7. Area 306. Scanner Duties.

6.5.7.1. Q. Periodically performed scanner duties by monitoring aircraft interior and exterior for abnormal conditions.

6.5.7.2. Q-. Did not scan in a timely manner to recognize abnormal conditions.

6.5.7.3. U. Failed to perform scanner duties by monitoring or making periodic checks of the aircraft interior and exterior for abnormal conditions.

6.5.8. Area 307. Engine Running On/Off-load.

6.5.8.1. Q. Followed/explained proper procedures for engine running on/off-load operations.

6.5.8.2. Q-. Difficulty following/explaining proper procedures for engine running on/off-load operations.

6.5.8.3. U. Did not follow/explain proper procedures for engine running on/off-loading.

6.5.9. Area 308. Air-To-Air Refueling Systems/Procedures.

6.5.9.1. Q. Effectively accomplished and was fully knowledgeable of air-to-air refueling operations and procedures. Properly completed refueling portion of fuel planning as applicable to the mission. Demonstrated effective/appropriate use of radio communications for briefed emissions control level. Performed all pre-refueling, refueling, and post-refueling checks in accordance with applicable checklist and directives. Satisfactorily managed/monitored fuel systems and onload distribution in accordance with procedures and techniques outlined in the flight manual, checklist, and other directives. Correctly identified and located system components, explained, and related their functions, and specified the limitations. Stated correct system status and its effect on related systems. Recognized malfunctions and applied proper corrective action(s).

6.5.9.2. Q-. Limited knowledge of AAR operations and procedures. Performed pre-refueling, refueling, and post-refueling checks with some minor deviations/omissions that did not affect successful accomplishment of air-to-air refueling. Limited management/monitoring of fuel systems and onload distribution in accordance with procedures and techniques outlined in the flight manual, checklist, and other directives.

Limited knowledge of identification, location, functions, and limitations of system components. Stated correct system status but could not determine its effect on related systems. Delay in recognizing malfunctions and/or applying proper corrective action(s). Minor errors in the refueling portion of fuel planning as applicable to the mission.

6.5.9.3. U. Displayed lack of knowledge or familiarity with procedures to the extent that AAR was or could have been jeopardized. Failed rendezvous because of improper procedures. Inadequate knowledge of fuel system management or exceeded wing fuel balance limitations. Could not identify, locate, or relate systems functions and limitations. Could not determine status of system or its effect on related system. Failed to recognize malfunctions and/or apply corrective action(s).

6.5.10. Area 309. NVG Usage/Limitations.

6.5.10.1. Q. Correctly described the use/limitations of NVGs.

6.5.10.2. Q-. Minor omissions or deviations in describing the use/limitations of NVGs. Did not properly preflight, handle, or use NVGs during the flight, but caused no damage to equipment. Mission success was not negatively affected.

6.5.10.3. U. Procedures for using NVGs were incorrect. Caused damage to equipment. Mission unsuccessful as a result of improper NVG usage.

6.5.11. Area 310. Pyrotechnics.

6.5.11.1. Q. Thorough knowledge of pyrotechnics. Could identify the appropriate pyrotechnics for the mission. Satisfactory knowledge of ground and in-flight emergency procedures.

6.5.11.2. Q-. Limited knowledge of pyrotechnics. Did not always correctly identify the most efficient pyrotechnics for the mission, but safety was not affected.

6.5.11.3. U. Lacked knowledge of pyrotechnics. Could not identify appropriate pyrotechnics for the mission. Inadequate knowledge of emergency procedures; compromised safety.

6.5.12. Area 311. Munitions Handling/Up/Download Procedures.

6.5.12.1. Q. Followed/explained proper procedures for munitions handling/up/download operations.

6.5.12.2. Q-. Difficulty following/explaining proper procedures for munitions handling/up/download operations.

6.5.12.3. U. Did not follow/explain proper procedures for munitions handling/up/download operations.

6.5.13. Area 312. Pre-strike.

6.5.13.1. Q. Completed prestrike IAW tech orders, checklists, and instructions. Individual technique complied with established procedures.

6.5.13.2. Q-. Minor deviations from established prestrike procedures. Individual technique was safe but detracted from established procedures. Used individual technique instead of established procedure and was unaware of differences.

6.5.13.3. U. Failed prestrike critical component or could not conduct a satisfactory prestrike. Individual technique was unsafe and/or violated established procedures.

6.5.14. Area 313. Poststrike.

6.5.14.1. Q. Completed poststrike IAW tech orders, checklists, and instructions. Individual technique complied with established procedures.

6.5.14.2. Q-. Minor deviations from established poststrike procedures. Individual technique was safe but detracted from established procedures. Used individual technique instead of established procedure and was unaware of differences.

6.5.14.3. U. Failed poststrike critical component or could not conduct a satisfactory poststrike. Individual technique was unsafe and/or violated established procedures.

6.5.15. Area 314. Gun Operations.

6.5.15.1. Q. Completed gun operations IAW tech orders, checklists, and instructions. Individual technique complied with established procedures.

6.5.15.2. Q-. Minor deviations from established gun operations. Individual technique was safe but detracted from established procedures. Used individual technique instead of established procedure and was unaware of differences.

6.5.15.3. U. Failed gun operations critical component or could not satisfactorily conduct gun firing operations. Individual technique was unsafe and/or violated established procedures.

6.5.16. Area 315. CLT Loading/Unloading Procedures.

6.5.16.1. Q. Properly performed/explained CLT Loading/Unloading procedures in a safe and efficient manner IAW appropriate checklist procedures.

6.5.16.2. Q-. Displayed some difficulty performing or made minor deviations from CLT Loading/Unloading procedures, but still performed procedures in a safe manner.

6.5.16.3. U. Unable to perform CLT Loading/Unloading procedures in a safe manner.

6.5.17. Area 316. Weapons Malfunctions.

6.5.17.1. Q. Able to identify and can quickly and efficiently clear all weapons malfunctions IAW tech orders, checklist and instructions. Additionally, examinee demonstrates thorough knowledge on all possible causes for malfunctions. Individual technique complied with established procedures.

6.5.17.2. Q-. Misidentified malfunction(s) but used the correct procedure to clear weapon. Unsure of possible causes. Noncritical steps to clear malfunction performed out of sequence. Individual technique was safe but detracted from established procedures. Used individual technique instead of established procedure and was unaware of differences.

6.5.17.3. U. Incorrect procedures used to clear malfunction. Does not know possible causes for malfunctions. Critical steps to clear malfunction performed out of sequence or could not clear malfunction in a satisfactory manner. Individual technique was unsafe and/or violated established procedures.

6.5.18. Area 317. Cryptologic Loading of Radios and Weapons.

6.5.18.1. Q. Correctly loads aircraft radios and PGMs with secure codes.

6.5.18.2. Q-. Secure codes loaded to aircraft radios and PGMs with errors.

6.5.18.3. U. Unable to load aircraft radios and PGMs with secure codes.

6.5.19. Area 318. Aircraft Systems Knowledge.

6.5.19.1. Q. Demonstrated/explained a complete knowledge of aircraft systems operations/limitations and proper procedural use of systems.

6.5.19.2. Q- Marginal knowledge of aircraft systems operations and limitations in some areas. Used individual technique instead of established procedures and was unaware of differences.

6.5.19.3. U. Unsatisfactory systems knowledge. Failed to demonstrate/explain the procedures for aircraft system operations.

6.5.20. Area 319. Weapon Systems Knowledge.

6.5.20.1. Q. Demonstrated a thorough knowledge of gun weapon system components, nomenclature, cycle of operations, limitation, and munitions IAW technical orders, checklists, and instructions.

6.5.20.2. Q-. The examinee had difficulty explaining some portions of the gun weapon system components, nomenclature, cycle of operations, limitations, and munitions IAW technical orders, checklists, and instructions.

6.5.20.3. U. Knowledge of aircraft gun weapon systems was inadequate. Examinee failed to explain gun weapon system components, nomenclature, cycle of operations. Limitations, and munitions IAW technical orders, checklists, and instructions.

6.5.21. Area 320. Defensive Systems Knowledge and Threat Reactions.

6.5.21.1. Q. Had thorough knowledge of necessary aircraft defensive systems/tactics applicable to the mission. Applied appropriate tactics to avoid threats. Made timely input and appropriate inputs to the crew during mission.

6.5.21.2. Q-. Limited knowledge of aircraft defensive systems. Minor errors in defensive systems operations. Was unfamiliar with the appropriate tactic for a given scenario. Did not make timely inputs to crew during mission.

6.5.21.3. U. Knowledge of aircraft defensive systems was unsatisfactory. Inputs were missing or inaccurate. Major errors in defensive systems operations. Failed to ensure mission effectiveness by not adequately identifying or reacting to threat(s).6.5.22. Area 321-399. Reserved for future use.

6.5.22. Areas 321 through 399. reserved for future use.

Chapter 7

DIRECT SUPPORT OPERATIONS

7.1. General. See AFSOCI 11-2DSO, Vol 2, *Direct Support Operator Aircrew Evaluation Criteria* for Direct Support Operator grading criteria.

CASE A. CUNNINGHAM, Lt Gen, USAF
Deputy Chief of Staff, Operations

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

5 USC § 552a, *Records maintained on individuals (Privacy Act of 1974)*

AFPD 11-2, *Aircrew Operations*, 31 January 2019

10 USC § 9013, *Secretary of the Air Force,* 27 December 2021

DAFMAN 90-161, *Publishing Processes and Procedures*, 18 October 2023

Executive Order 9397, *Numbering System for Federal Accounts Relating to Individual Persons,* 22 November 1943

Executive Order 13478, *Amendments To Executive Order 9397 Relating To Federal Agency Use of Social Security Numbers,* 18 November 2008

AFMAN 11-202_V2 AFSOCSUP, *Aircrew Standardization/Evaluation Program*, 5 August 2022

AFMAN 11-202, Vol 2, AFSOC Sup: *Aircrew Standardization/Evaluation Program, 5 August 2022*

AFMAN 11-202, Volume 3, *Flight Operations*, 10 January 2022

AFMAN 11-290, *Cockpit/Crew Resource Management and Threat & Error Management Program,* 25 October 2021

AFMAN 11-2AC-130J, Vol 3, *AC-130J General Operations Procedures*, 19 July 2024

AFI 11-200 *Aircrew Training, Standardization /Evaluation, and General Operations Structure,* 3 May 2022

AFI 11-215, *Flight Manuals Program*, 25 March 2019

AFI 33-322, *Records Management and Information Governance Program*, 28 July 2021

AFI 36-2406, *Officer and Enlisted Evaluation Systems,* 6 August 2024

AFSOCI 11-2DSO, Vol 2, *Direct Support Operator Aircrew Evaluation Criteria*

System of Record Notices F036 AF PC A, *Effectiveness/Performance Reporting Records,* 13 September 2012

System of Record Notices F011 AF XO*, Aviation Resource Management System,* 4 March 2011

Prescribed Forms

None

Adopted Forms

AF Form 8, *Certificate of Aircrew Qualification*

AF Form 8A, *Certificate of Universal Aircrew Qualification*

DAF Form 847, *Recommendation for Change of Publication*

AF Form 4031, *CRM/TEM Skills Criteria Training/ Evaluation*

Abbreviations and Acronyms

AF—Air Force

AFE—Aircrew Flight Equipment

AFI—Air Force Instruction

AFMAN—Air Force Manual

AFSOC—Air Force Special Operations Command

AI—Air Interdiction

AG—Aerial Gunner

ARMS—Aviation Resource Management System

AAR—Air-to-Air Refueling

ASR—Airport Surveillance Radar

ATA—Actual Time of Arrival

ATO—Air Tasking Order

CAS—Close Air Support

CLT—Common Launch Tube

CNI-MU—Communication/Navigation/Identification Management Unit

COMSEC—Communications Security

CP—Copilot

CRM—Crew Resource Management

CSAR—Combat Search and Rescue

CSO—Combat Systems Operator

DR—Dead Reckoning

DSO—Direct Support Operator

ECM—Electronic Countermeasures

EPE—Emergency Procedure Evaluation

ETA—Estimated Time of Arrival

ETP—Equal Time Point

IAW—In Accordance With

ILS—Instrument Landing System

INIT—Initial

INSTM—Instrument

IPRA—Integrated Precision Radar Approach

KIAS—Knots Indicated Airspeed

LNO—Liaison Officer

LOC—Localizer

LPGM—Laser Precision Guided Munition

MAC—Mean Aerodynamic Chord

MAJCOM—Major Command

MAP—Missed Approach Point

MEDEVAC—Medical Evacuation

MDA—Minimum Descent Altitude

mm—Millimeter

MOP—Mission Operator Pallet

mR—Milliradian

MSN—Mission

NAVAID—Navigational Aid

NDB—Non-Directional Beacon

nm—Nautical Mile

NOTAMS—Notice to Airmen System

NVG—Night Vision Goggle

OPR—Office of Primary Responsibility

OPSEC—Operations Security

P—Pilot—PF—Pilot Flying

PM—Pilot Monitoring

PAR—Precision Approach Radar

PGM—Precision Guided Munitions

QUAL—Qualification

RETA—Revised Estimated Time of Arrival

ROE—Rules of Engagement

RQ—Requalification

SPOT—Spot

TACAN—Tactical Air Navigation

TIC—Troops in Contact

TO—Technical Order

U—Unqualified—or Unsatisfactory

USAF—United States Air Force

VDP—Visual Descent Point

VOR—Very High Frequency Omnidirectional Range

WSO—Weapon System Operator

WST—Weapon System Trainer

Office Symbols

AF/A34—Air Force Directorate, Training and Force Management

AFSOC/A3—Air Force Special Operations Command Deputy Chief of Staff, Operations

AFSOC/A3V—Air Force Special Operations Command Standardizations and Evaluations

Terms

Aircrew—As defined in AFPD 11-4, Aviation Service, the total complement of rated (pilots (manned/unmanned), navigators, combat systems operators, air battle managers, and flight surgeons), career enlisted aviators (1AXXX/1UXXX, Air Force Specialty Codes), and nonrated aircrew (K-, Q-, or X-prefixed Air Force Specialty Code) personnel responsible for the safe ground and flight operation of the aircraft and onboard systems, or for airborne duties essential to accomplishment of the aircraft's mission. It includes members in initial formal training for immediate assignment to an authorized operational flying position. Individuals must be on aeronautical orders and assigned to an authorized position according to AFI 65-503, US Air Force Cost and Planning Factors, or nonrated aircrew not in an aircraft's basic crew complement, but required for the mission. Aircrew members perform their principal duties inflight and their presence is required for the aircraft to accomplish its primary tasked mission. Duties must be essential to operating the aircraft or mission systems and equipment used for completing a mission, or other duties essential to the aircraft's mission.

Mission Design Series—Per AFI 16-401, Designating and Naming Defense Military Aerospace Vehicles, the official designation for aerospace vehicles used to represent a specific category of aerospace vehicles for operations, support, and documentation purposes. All Department of Defense aerospace vehicles are assigned designations referred to as MDS designators (see DoD 4120.15-L, Model Designation of Military Aerospace Vehicles).