DEPARTMENT OF THE AIR FORCE
HEADQUARTERS AIR FORCE SUSTAINMENT CENTER (AFMC)
TINKER AIR FORCE BASE OKLAHOMA

AFSCGM2026-21-01

30 April 2026

MEMORANDUM FOR ALL AFSC SW DIVISIONS AND SOFTWARE ENGINEERING GROUPS (SWEG)

FROM: AFSC/SW
Air Force Sustainment Center Software Directorate
7532 Joint Star Drive
Tinker AFB, OK 73145

SUBJECT: Air Force Sustainment Center (AFSC) Software Directorate Guidance Memorandum (GM) Establishing Instruction for the Software Directorate

By Order of the Director, Air Force Sustainment Center Software Directorate, this AFSC/SW GM immediately establishes instruction for the Software Directorate. Compliance with this GM is mandatory. To the extent its directions are inconsistent with other AFSC publications, the information herein prevails, in accordance with Department of the Air Force Instruction (DAFI) 90-160, *Publications and Forms Management* and Department of the Air Force Manual (DAFMAN) 90-161, *Publishing Processes and Procedures*. This guidance is applicable to the AFSC/SW and subordinate groups.

This GM provides interim guidance for the newly formed AFSC/SW. This transition includes an update of depot maintenance guidance to be inclusive of SWEG software and hardware engineering processes. The intent herein is to establish a framework for more finalized instruction.

In advance of formal publication, this memorandum provides guidance and is effective immediately.

This GM becomes void after one year has elapsed from the date of this GM, or upon publication of a formal instruction permanently establishing this guidance, whichever is earlier.

Our point of contact is Mr. Gary Fravert, AFSC/SWTP, DSN 852-5525, COMM 405-852-5525; gary.fravert.1@us.af.mil.

BOBBY L. HAGER, SES, DAF
Director, Software Directorate
Air Force Sustainment Center

Attachment:
1. Interim Guidance

cc: Colonel Bryan Florio, Acting Director, AFSC/A3/4
cc: Mr. Ryan Smith, Director, AFSC/SE
cc: Col Thomas Banaszak, AFSC/IG

INTRODUCTION

This GM implements the minimum basic logistics, engineering, and general Department of the Air Force (DAF) program requirements for the AFSC Software Directorate (AFSC/SW) and for any AFSC/SW organization supporting either United States Air Force (USAF) or United States Space Force (USSF). This instruction applies to all AFSC/SW personnel. This instruction aligns under publication series 21-Maintenance in accordance with (IAW) DAFMAN 90-161 *Publishing Processes and Procedures* to maintain the line of authority and alignment to AFSC sustainment processes, programs, and parent documents. All contractor requirements contained within this instruction must be contained within the contract/grant/agreement to be enforceable. Ensure all records generated as a result of processes prescribed in this instruction adhere to AFI 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System. Refer recommended changes and questions about this publication to the office of primary responsibility (OPR) using the DAF Form 847, *Recommendation for Change of Publication*; route DAF Forms 847 from the field through the appropriate functional chain of command. The waiver authority for this instruction is AFSC/SW. The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this instruction does not imply endorsement by the Air Force. Units developing separate publications based on requirements set forth in this publication will follow guidance in Department of the Air Force Instruction (DAFI) 90-160, *Publications and Forms Management.*

Chapter 1

SOFTWARE ENGINEERING MANAGEMENT

1.1. Overview. This GM contains guidance to deliver and sustain warfighting capabilities performed by the AFSC Software Directorate (AFSC/SW). This instruction provides directorate level guidance for the management of software engineering products and services within AFSC/SW. AFSC/SW provides oversight for the three software engineering groups (SWEGs), and the geographically separated units aligned under them.

1.2. Software Engineering Services. Development, delivery, support, and sustainment of software capabilities is the AFSC/SW mission. AFSC/SW provides comprehensive software engineering activities that encompass the entire software and associated hardware lifecycle from early acquisition support to the retirement of a weapon system. Software engineering activities include but are not limited to design, development, testing, implementation, integration, and sustainment support to program offices throughout the program life cycle. As part of cradle-to-grave support, the directorate provides software expertise for field and Program Depot Maintenance (PDM) line support for a wide range of weapon system types, supporting Program Executive Officers (PEOs) and other Department of Defense (DoD) and Air Force customers.

1.3. Software Engineering Practices. AFSC/SW embraces the utilization of matured and modern software processes and practices, with a focus on Agile principles. It implements DevSecOps (DSO) practices and closely tracks the evolution into Dev*Ops. Successful implementation of these state-of-the-art practices is necessary to ensure delivery of high quality, secure software to the warfighter. This publication is written to be used with the non-directive best practices provided in AFSC/SW *Engineering Expectations* and additional organizational process guides.

1.4. **Integrated Decision-Making Framework (IDMF).** The IDMF:

1.4.1. Provide**s** the capability to review AFSC/SW issues at the appropriate level, thereby maximizing effectiveness of AFSC/SW decision making. The full process is located on the AFSC/SW SharePoint in the Pubs and Forms section.

1.4.2. Focuses on meeting AFSC/SW's strategic goals and objectives through an integrated, directorate-wide approach as outlined in the AFSC Software Directorate Strategic Plan.

1.4.3. Facilitates transparent decision-making, helps develop the AFSC/SW into a process-based organization, and ensures resources are used wisely.

Chapter 2

ROLES AND RESPONSIBILITIES

2.1. Overview. The majority of overhead functions have been consolidated from the SWEGs to the directorate and provide support across the AFSC/SW. Some functions have been retained at the SWEG level based on installation level responsibilities to direct and manage these programs. Responsibilities by organizational level can be found in each functional chapter.

2.2. **AFGE Engagement**. AFSC/SW directorate staff and group engagements with the American Federation of Government Employees (AFGE) will be led by the AFSC/SWH Labor Relation section. AFSC/SW directorate staff and group communications with AFGE will be coordinated through AFSC/SWH, AFSC/SWD, AFSC/SW DD, and AFSC/SW SES.

2.3. **Division Functions.** Consolidated support functions are distributed in divisions as follows:

2.3.1. SWA—Strategic Agility.

2.3.1.1. SWAP—Plans and Policy. Functions of this branch are policy management, strategic planning, metrics and production analysis, management of partnerships, and ecosystem management.

2.3.1.2. SWAT—Workload Execution. Functions of this branch are funds receiving and tracking (Direct Sales), requirements documentation and coordination, Job Order Number (JON) management, Maintenance, Repair, and Overhaul (MRO), production count number (PCN) creation, R2D2/AP, and cost transfer table.

2.3.1.3. SWAW—Workload Shaping. Functions of this branch are tactical execution, workload management, portfolio management, and activations.

2.3.2. SWD—Directorate Services.

2.3.2.1. SWDE—Creative Content. Functions of this branch are strategic communication (written), creative content development (visual), Crosstalk publication, and protocol and events.

2.3.2.2. SWDO—Operations. Functions of this branch are administrative support, awards, records management, emergency management, Voluntary Protection Program (VPP), drug testing, and travel program management.

2.3.3. SWF— Financial Management (FM).

2.3.3.1. SWFA—Analysis. Functions of this branch are Financial Improvement and Audit Readiness (FIAR) compliance, Capital Investment Program (CIP) management, funds initiator, approval and acceptance, analysis and reporting, and group FM analysis.

2.3.3.2. SWFB—Budget. Functions of this branch are budget, rates and revenue, Unbilled Balance (UBB), and carryover.

2.3.4. SWH—Human Capital.

2.3.4.1. SWHH—Workforce Development. Functions of this branch are intern management programs, training management, and workforce development.

2.3.4.2. SWHM—Human Resource Management. – Functions of this branch are analysis/systems, performance management, management and organizational change requests, position descriptions and position requirements documents, labor relations and civilian staffing, and recruiting.

2.3.5. SWP—Procurement.

2.3.5.1. SWPA—Pre-award Acquisition – Strategic. Functions of this branch are strategic, contracts, and multi-group requirements.

2.3.5.2. SWPB—Pre-award Acquisition – Tactical. Functions of this branch are tactical, contracts, and e-GPC.

2.3.5.3. SWPC—Pre-award Acquisition – Oversight. Functions of this branch are pre-award and post-award contract surveillance.

2.3.5.4. SWPD—Government Purchase Card (GPC). Functions of this branch are management of the GPC program.

2.3.6. SWT—Technical Management. Division level roles include: Director of Engineering (DoE), Chief Technology Officer (CTO), Chief Information Security Officer (CISO), Chief Software Officer (CSO), Strategic Integration Technical Expert, Art of the Possible (AoP)/Software Process Quality Engineer Subject Matter Expert, and Capital Investment Program (CIP) manager.

2.3.6.1. SWTF—Physical Infrastructure. Functions of this branch are project engineering, facility management, and management of infrastructure programs.

2.3.6.2. SWTN—Enterprise Networking.

2.3.6.3. SWTP—Quality Management. Functions of this branch are Quality Management System (QMS) Engineering program, Commander's Inspection Program (CCIP), General Quality (GQ) program, and Corrective Action (CA) and Continuous Process Improvement (CPI) activity management.

2.3.6.4. SWTT—Enterprise Business Tools. Functions of this branch are legacy support, DevOps & ATO support, and microservice development as well as design team, data team and product owners.

2.3.6.5. SWTX—Enterprise Protection and Cyber Engineering. Functions of this branch are Software Asset Management (SAM), Authorizing Official / Designating Representative, Security Control Assessor Representatives, centralized red/blue cybersecurity team, and Security Control Assessor (SCA).

2.3.7. SWX—Experimentation. Performs special interest software capability development activities on behalf of the Software Directorate. Software capability development activities include rapid prototyping, advanced architecture integration, innovation deployment, and specialized knowledge transfer.

2.3.7.1. SWXX—Execution Branch. Performs capability development of experimental software tooling to support future force design requirements, rapidly develops and deploys solutions to solve critical operational needs.

2.3.7.2. SWXY—Support Branch. Performs software development planning for experimental and developmental systems. Provides foundational infrastructure for SWXX rapid prototyping and development.

2.3.8. SWZ—Advanced Programs.

2.3.8.1. SWZA—Security and Intelligence Operations. Functions of this branch encompass Special Access Program (SAP)/Sensitive Compartmented Information (SCI) security operations and intelligence analysis, with a focus on policy interpretation, development, deconfliction, and dissemination.

2.3.8.2. SWZB—Cybersecurity Operations. Functions of this branch encompass cybersecurity, information assurance, and information system assessment, with a focus on policy interpretation, development, deconfliction, and dissemination.

2.4. Directorate Hierarchy: The AFSC/SW is a non-standard directorate with numbered production groups and squadrons. This organization does not meet the regular schemes found in AFI 38-101_AFMCSUP *Manpower and Organization* and as a result has been designated as a Non-Standard Organization by AFSC/A4M.

2.4.1. The organizational components at the directorate level are:

2.4.1.1. Senior leaders in the positions of senior executive service leader, civilian deputy, military deputy and senior technical leader.

2.4.1.2. Divisions with division, branch and section chiefs.

2.4.2. The organizational components of the SWEGs are:

2.4.2.1. Senior leaders in group director, deputy director positions as well as additional support branch chiefs.

2.4.2.2. Squadrons with squadron directors, flight chiefs and section chiefs.

Fig 2.1. Directorate Organizational Structure.

Directorate (SW)

- Division (SWT…)
  - Branch (SWTP…)
    - Section (SWTPA…)

- Group (SWEG)
  - Branch (MXDM, MXDX…)
    - Section (MXDXA…)
  - Squadron (516 SWES, 517 SWES…)
    - Flight (516 MXDPA…)
      - Section (516 MXDPAA…)
        - Element (516 MXDPAAA)

Chapter 3

STRATEGIC AGILITY

3.1. Strategic Agility. The AFSC/SW Strategic Agility Division (AFSC/SWA) provides a holistic approach to portfolio management as the primary interface for both technical and business aspects supporting program executive officers (PEO) and program management offices (PMO) for the directorate. The AFSC/SWA will:

3.1.1. Serve as the focal point providing portfolio management, software policy, early customer engagement, long-term strategic planning, workload assignment, depot activation, resource management, and partnership initiatives for both private and public sectors.

3.1.2. Conduct analytics and capability sourcing.

3.1.3. Enable the software ecosystem framework.

3.1.4. Shape strategic workload across the directorate.

3.2. Plans and Policy. The AFSC/SWA Plans and Policy Branch (AFSC/SWAP) serves as the focal point within the directorate for policy, strategy, metrics, public-private partnership initiatives, and ecosystem administration.

3.2.1. Policy Management. Policy management will create, implement, and maintain policies within the directorate. It aids in the development and standardization of processes, procedures, and other guidance. Policy management ensures that policy communication and implementation are in sync across the directorate. Documents are maintained in the AFSC/SW SharePoint Pubs and Forms section.

3.2.2. Strategic Planning. Strategic planning will create and manage the directorate's strategic plan ensuring it aligns with DAF Operational Imperatives. Strategic planning is the process used to articulate goals and objectives to ensure resources and business processes align to achieve directorate goals and objectives. Strategic planning is an enterprise-wide and organizationally tiered process aligning strategic goals and objectives to flow from DAF down to the groups.

3.2.3. Measures, Metrics and Production Analysis. Measures, metrics, and production analysis will be used to develop, track, analyze, and evaluate various aspects within the directorate. Measures provide valuable insights into how well the organization is achieving its goals, identifying areas of improvement, and making informed decisions to optimize operations. Directorate metrics will focus on production metrics compared to established thresholds, performance reviews, dashboard/datalink development, and financial data through daily-weekly-monthly-yearly reporting as applicable.

3.2.4. Partnership Management. Partnership agreements involve a cooperative agreement between the government and academic, or industry sectors. Partnership agreements leverage the optimal capabilities of public and private organizations to enhance product support for the warfighter. Partnership agreements may be established in support of any of the AFSC/SW product lines. Partnership management will:

3.2.4.1. Oversee all directorate partnerships.

3.2.4.2. Maintain a partnership documentation repository.

3.2.4.3. Plan and manage directorate partnership summits.

3.2.4.4. Lead engagements with stakeholders.

3.2.4.5. Develop and implement partnering agreements, education partnering agreements (EPA), and cooperative research and development agreement (CRADA).

3.2.4.6. Report on partnerships.

3.2.4.7. Provide partnership expertise.

3.2.5. Ecosystem Management. Ecosystem management works to define formal relationships, capabilities, processes, and structure across AFMC. Ecosystem management will:

3.2.5.1. Define formal relationships, capabilities, processes, and structure across AFMC.

3.2.5.2. Focus on capability cataloging, cultivating and maintaining affiliate relationships, managing partnerships and memorandums of agreement within the ecosystem.

3.2.5.3. Work with individual software activities across the AF to encourage co-creation.

3.2.5.4. Manage AFMC ecosystem software activities and resources for long-term success and growth, as it leverages the collective strengths of the network and enhances collaborative opportunities.

3.3. Workload Execution. The AFSC/SWA Workload Execution Branch (AFSC/SWAT) is the focal point for budget development, planning, workloading, and execution of customer requirements. This branch co-leads the requirements review and depot determination (R2D2) process with AFSC/SW Financial Management Division (AFSC/SWF), charged with negotiation of customer requirements and determining the supportable depot position and corresponding workload productivity factors and customer orders. AFSC/SWAT provides subject matter expertise and support to internal customers and mission partners, as well as production analysis. This includes oversight and expertise across the software, exchangeable, other major equipment/end item (OMEI) and area base commodities.

3.3.1. Workloading. Workloading ensures development and implementation of processes for assessing the directorate workload requirements. Accurate identification of individual workload requirements is necessary to ensure that each project is properly identified and accurately categorized. Workloading will:

3.3.1.1. Receive, analyze, and complete request for quotes (RFQs) and rough order of magnitudes (ROMs).

3.3.1.2. Coordinate out-of-cycle (OOC) requests.

3.3.1.3. Coordinate and accept AFSC Form 206, *Temporary Work Request*.

3.3.1.4. Create production control numbers (PCNs).

3.3.1.5. Manage job order numbers (JONs).

3.3.2. Requirements Review (R2) and Depot Determination (D2) and Annual Program (AP). R2D2 is HQ AFMC's annual two-phased process to plan the resources necessary to support the projected funded customer orders for a specified period, usually two years. Phase I (R2) involves the identification of funded customer orders and provides an opportunity for suppliers and customers to hone the accuracy of those orders based on history and other factors. Phase II (D2) entails the building of the Depot manpower capability plan to satisfy the funded customer orders. Within Phase II, AFSC is responsible for building the Depot manpower plan based on the consolidated results of Phase I of the R2D2.

3.3.2.1. Requirements Review. The R2 phase of the R2D2 process consists of identification, validation, collaboration, supportability review, approval, and final aggregation of all funded customer orders. The term 'funded customer orders' is defined as that part of the total requirement, which is constrained by funding, performed organically by the Air Force, and approved by the customer. During Phase I, AFSC is responsible for Consolidated Sustainment Activity Group Supply (CSAG-S) funded customer orders and CSAG-S associated Other Funded Customer Orders (OFCO). In addition, AFSC is responsible for assisting outside agencies i.e., Navy, Army, National Aeronautics and Space Administration (NASA), Department of Homeland Security (DHS), etc. to file maintain their funded customer orders in the Sustainment Planning, Execution and Reporting System (SPERS).

3.3.2.1.1. Identification. CSAG-S funded customer orders are identified using the ABCS for repair group category (RGC) J, K, L, and P. OFCO belonging to CSAG-S such as TPS and Sustaining Engineering workloads are identified and captured in SPERS. AFSC/SWAT is responsible for coordinating with and assisting other non-Air Force agencies in identifying and file-maintaining their funded orders in SPERS.

3.3.2.1.2. Validation. CSAG-S funded customer orders are validated jointly by the 420th Supply Chain Management Squadron (SCMS)/GUNAA and AFSC/A4M/R. The Validation Review concentrates on reviewing specific data when significant requirement changes are known to have occurred since the last major D200 computation cycle or previous year's cycle. The Validation Review ensures that the requirements are not the result of a computational or input error. A short narrative is provided for each change made. Instances requiring changes may include changes in flying hours, unit repair cost, labor and/or materials, undelivered orders, shop flow days, carcass constraints, etc.

3.3.2.1.3. Collaboration. AFSC/SWAT will collaborate with appropriate stakeholders on preliminary customer order requirements.

3.3.2.1.4. Approval. AFSC/SWAT will obtain GS-15 or O-6 equivalent review of their R2 results and forward them to AFSC/A4M/R for final approval and posting to the SharePoint site. AFSC/A4M/R will aggregate the ABCS/Funding Matrix and OFCO, out brief AFSC leadership, and report the results to HQ AFMC/A4FD.

3.3.2.1.5. AFSC/A4M/R will aggregate AFSC approved funded customer orders with DPEM customer orders into a final roll-up for use as the initial baseline during the D2 phase. This file will be used to reconcile AFSC/SW Format 6 submissions.

3.3.2.2. Depot Determination. The D2 phase of the R2D2 process consists of the capability build (Depot Maintenance Manpower Plan), capability assessment, and approval of the D2 plan. The approved D2 plan then serves as the baseline for the execution year and Depot Maintenance Activity Group (DMAG) budget (reference Performance Measurement and Reporting for further details). The approved D2 plan is revisited again just prior to the start of the fiscal year (FY) to determine the need to update (reference Execution Plan for further details). AFSC/SWAT will:

3.3.2.2.1. Use the consolidated/approved funded customer orders to determine skills and direct workers required IAW manpower policies and any other objectives in the annual R2D2 guidance.

3.3.2.2.2. Collaborate with SWH to build and forward the 678 templates (F678) and Projected Manpower and Capability Report (8203) to AFSC/A4M/R no later than (NLT) the due date stipulated in the AFSC annual guidance.

3.3.2.2.3. Develop the productivity factor targets for the three SWEGs.

3.3.2.2.4. Complete all applicate budget templates relating to customer orders and productivity factors.

3.3.2.2.5. Present execution plans at the R2D2 meeting and use the HQ AFMC/A4 approved R2D2 baseline as the execution plan.

3.3.2.2.6. Participate in all monthly performance reviews which track execution to the final approved R2D2 baseline.

3.4. **Workload Shaping.** The AFSC/SWA Workload Shaping Branch (AFSC/SWAW) is the focal point for workload assignments, depot activation, and capability sourcing. This branch includes identifying core and group assignment, portfolio analysis, and direct interface with the PMO. This branch provides subject matter expertise and support through a holistic approach to portfolio management as the primary interface for both technical and business aspects supporting PEO and PMO for DAF software requirements.

3.4.1. Workload Management. Workload management is the overall process that ensures directorate workloads are postured correctly within the organization. Workload management will:

3.4.1.1. Provide operational advice to portfolio managers and communicate to resource teams within the directorate.

3.4.1.2. Utilize the strategic portfolio database located in the AFSC/SW Business Operations Tools Suite (BOTS) management information system (MIS) to make informed and data driven workload decisions ensuring correct workload assignments are made while ensuring compliance with statutory and regulatory guidance.

3.4.1.3. Work closely with AFMC Directorate of Logistics, Civil Engineering, Force Protection, and Nuclear Integration (AFMC/A4/10) and AFSC/A3/4 throughout the Depot Source of Repair (DSOR) and Workload Authorization Document (WAD) processes.

3.4.2. Portfolio Management. Portfolio management is the process for customer organization interactions and represent the interests of the directorate. Portfolio management will:

3.4.2.1. Provide timely and responsive engagement as the primary customer interface consisting of PEO, PMO, partners, and other entities.

3.4.2.2. Work with PMOs on technical and programmatic software-related areas with respect to each program/weapon system within their assigned portfolio.

3.4.2.3. Advocate for and facilitate early engagement into emerging acquisitions to assist in defining and planning software sustainment strategies.

3.4.2.4. Utilize technical knowledge and an understanding of general software architecture, challenges, and modernization roadmaps to support relationships and customer workloads.

3.4.2.5. Align communication strategies with directorate capabilities, strategic goals, and operational imperatives.

3.4.3. Production Analysis and Capability Sourcing.

3.4.3.1. Production analysis is used to optimize resource allocation while minimizing costs and waste. Production analysis evaluates the inputs, development processes, and outputs involved in software development to identify areas of improvement and make informed decisions for enhancing productivity of software.

3.4.3.2. Capability sourcing is an organizing process to execute strategic sourcing and improve the software organization's competitive position through gaining access to best-in-class capabilities across the DAF to ensure long-term competitive advantage. Capability sourcing improves the directorate's strategic position through cost reduction, streamlining of organizations, and quality improvements.

3.4.4. Workload Activation. The workload activation process implements DSOR, and directorate workload decisions establishes development and sustainment repair capability in support of statutory requirements. The workload activation process identifies and assembles all required integrated product support elements to perform software work on weapon systems and sub-systems. The workload activation planning begins Pre-Milestone A in the acquisition cycle and ends when all assigned workload capabilities are activated. Workload activation personnel will be involved with customer engagement, gap analysis, depot maintenance working groups, resource interface with customers, and activation management activities. For further guidance refer to Department of the Air Force Manual (DAFMAN) 63-122, *Depot Source of Repair Planning and Activation*.

3.5. Capacity and Utilization Measurement.

3.5.1. AFSC/SWA will perform annual process to implement DoD 4151.18-H, Depot Maintenance Capacity and Utilization Measurement Handbook. Report the following when requested:

3.5.2. Capacity and utilization of organic depot maintenance operations by workload type for all work centers and areas performing direct labor for the previous FY, current FY, and next three projected FYs.

3.5.3. Unutilized or Underutilized Plant Capacity Fund 30 Budget Exhibit at the conclusion of the annual data call.

3.5.4. AFSC/SWA may create a process guide to standardize AFSC/SWAW inputs to the Capacity and Utilization Measurement.

Chapter 4

WORK MEASUREMENT

4.1. Purpose. The purpose of work measurement in AFSC/SW is to meet the requirements of software customers. This chapter provides guidance, procedures, and responsibilities for AFSC depot work measurement standards (DWMS), which addresses the following labor categories: labor classification (direct labor (DL), production overhead (POH), or general and administrative (G&A)); labor type (direct, indirect, work center support overhead, and G&A); indirect labor factors; and labor efficiency factors. It also covers procedures to ensure these written practices are consistently followed. The program stresses integrity, reliability, and accuracy of labor methods.

4.1.1. DL employees are within the SWEGs and include the working level (non-supervisor) employees performing direct work (Cost Class 1 (CC1)) or Capital Investment Program (CIP) or indirect work (Cost Class 4 (CC4)) and their first-line supervisors. DL employees should be assigned to direct work centers (resource control centers (RCCs)).

4.1.2. POH employees are within the AFSC/SW and SWEGs and include the working level (non-supervisor) employees performing work center support overhead work and their first-line supervisors. Other POH employees include but are not limited to second-line supervisors, technical advisors, division leaders, branch leaders, squadron leaders, and group leaders. POH employees should be assigned to POH work centers (administrative overhead centers (AOCs)).

4.1.3. G&A employees are within the AFSC/SW and include all employees performing G&A work in support of the SWEGs. G&A employees should be assigned to G&A work centers (AOCs). **Note**: G&A employees should ***not*** perform direct work and should ***not*** charge to SWEG CC1 JONs.

4.2. Roles and Responsibilities.

4.2.1. AFSC formulates the detailed requirements concerning Headquarters Air Force Materiel Command (HQ AFMC) Work Measurement and facilitates/coordinates on any requests from HQ AFMC to AFSC/SW.

4.2.2. AFSC/SW will:

4.2.2.1. Ensure adherence to the techniques and methods illustrated in the work measurement policy.

4.2.2.2. Staff a work measurement point of contact (WMPOC) to develop labor category oversight, coordinate industrial engineering training and reporting requirements, direct labor category reviews, interpret policy guidance and provide functional support.

4.2.2.3. Employ a work measurement subject matter expert (WMSME) to conduct random audits, and verify/maintain labor category records, reports and associated documentation supporting labor category variance and/or event driven reviews.

4.2.3. Each SWEG will:

4.2.3.1. Maintain labor category oversight.

4.2.3.2. Report to the AFSC/SW WMPOC upon request.

4.3. Labor Type.

4.3.1. General.

4.3.1.1. The qualifying criteria for labor as described in this chapter is the job being performed, whether it is classified as direct or indirect, must be paid for by the Consolidated Sustainment Activity Group (CSAG). This chapter does not apply to jobs falling outside this criterion. Throughout the remainder of this chapter, labor paid for by the CSAG shall be referred to as labor.

4.3.1.2. The prescribing regulation for labor classification is DoD 7000.14-R, *Department of Defense Financial Management Regulation* Volume 11B, Chapter 13: "Cost Accounting Requirements for Depot Maintenance." The purpose of this chapter is to assist in applying the regulation.

4.3.1.3. Proper classification of labor is an aid to managers at all levels. It is a tool for achieving the most effective and economical utilization of human resources when combined with accurate reporting of workers' time spent on assigned tasks. It is also a tool for evaluating how well the workforce is managed against goals stated in performance indicators. The measurement of labor, especially direct, provides the baseline against which labor management is measured. It should be noted that the classification of labor is based on the task performed, not on who does it.

4.3.1.4. Labor is classified as direct or indirect. Indirect labor has two categories: 1) POH overhead (aka indirect or work center support) and 2) G&A overhead.

4.3.2. Direct Labor. "Direct labor is work that can be identified, without undue cost or difficulty, to a single, specific job order directly funded by a single customer. Direct labor generally includes the hands-on software work effort that follow the established sequence and content of work necessary to accomplish the billable job. Direct labor does not include the support work identified as either indirect or G&A in nature." (Reference DoD 7000.14-R, Volume 11B, Chapter 13). The following clarifications apply to AFSC:

4.3.2.1. Direct labor must be identifiable to a specific JON.

4.3.2.2. Direct labor can be broken down into operations and sub-operations, and the amount of labor required can be measured directly.

4.3.2.3. Direct labor furthers the value of the product or service through enhancement of the form, fit, and/or function to meet the desired specifications of the customer.

4.3.2.4. Direct labor is supported by official work requests and authorized by prescribed work authorization documents indicating the specific nature of the work to be done. Direct labor must be assigned to a direct labor responsibility center/cost center (RC/CC), or direct labor time exception to a direct labor RC/CC.

4.3.2.5. Direct labor for programmed and unprogrammed workloads will be broken down into tasks determined for each task, as specified in this chapter. The time expended on direct labor tasks will be documented in the appropriate time and attendance (TAA) and production systems.

4.3.2.6. Direct labor exceptions. When a direct labor employee is not performing direct work as described in the preceding paragraphs, their time is indirect by default. There are

specific duty codes that must be captured for each of the indirect activities for tracking and management purposes. This time is typically leave, training, cleanup, or other necessary activities not tied to direct work.

4.3.2.7. Labor not identified as direct labor will be identified as indirect labor (POH and G&A).

4.3.3. Indirect Labor.

4.3.3.1. Production Overhead. POH labor is all other labor expended in a SWEG that does not meet the criteria for direct labor.

4.3.3.1.1. POH labor can generally be subdivided into two categories: indirect time in a production RC/CC and work center support overhead. POH labor is all labor expended at the RC/CC level in the production functions that does not meet the criteria for direct labor. This includes tasks or functions that support direct labor, or which are inherent to having a direct labor capability.

4.3.3.1.2. Indirect time includes all first-line supervisors (unless directly supporting the program/customer), clerical, and administrative labor. This will include all 300 series (unless funded directly by the program/customer), annual leave, sick leave, and other paid leave. Also, functions such as attending classroom training or meetings are considered indirect labor when they involve people who are assigned to a direct RC/CC. The cost of this labor is apportioned over all products in the RC/CC rather than charged to one or more specific products.

4.3.3.1.3. CC4 work is indirect time charged to indirect JONs that contain an "S". Example: X511014S8999 (aka S-JONs, DC 14, .14 time). Accumulated costs will be transferred from the 'Performing' organization to the 'Benefitting' (i.e., owning) organization in the Defense Industrial Financial Management System (DIFMS) under the normal cost transfer process.

4.3.3.1.4. Shop support overhead is labor expended by personnel performing functions above the RC/CC level in support of the SWEG, and by personnel performing the primary mission of a staff or overhead function. It is performed by people who are not assigned to a production RC/CC.

4.3.3.2. G&A Labor. G&A labor is labor expended by personnel performing functions external to the SWEGs in AFSC/SW.

4.3.3.2.1. G&A labor is all labor not meeting the qualifications for either direct or indirect (POH and G&A) overhead labor. There is a valid requirement for POH and G&A overhead labor, which must be recognized separately and should not be hidden through improper conversion or improper classification.

4.3.3.2.2. The duty code assignment of personnel and subsequent man-hour exceptions should be based on recognition of the proper level at which the direct product labor costs are applied.

4.3.4. Relationship to Actual Labor Reporting. The reporting of actual labor utilization should be done IAW the appropriate HQ AFMC instruction. The reporting of actual labor should reflect the classification of labor for the task each employee is assigned to do. Where

an employee is temporarily assigned to perform a task classified different from normal assignments, the labor time spent in the temporary assignment must be reported based on the classification of the temporary assignment. For example, if a worker who normally performs production overhead work, performs a direct labor task, then the time spent on that task must be reported as actual direct labor.

4.3.5. Responsibilities. Each SWEG classifies labor and determines if the labor should be charged to a specific indirect and/or leave JON.

4.4. Indirect Labor Factors and Efficiency.

4.4.1. General. Indirect labor factors are established to account for labor expended by and for a RC/CC that is not direct labor. These factors allow for the cost of indirect labor to be apportioned over all the products in an RC/CC rather than charged to one or more specific products. To fully evaluate the cost of the RC/CC and to evaluate their performance, it is necessary to establish factors or allowances for supervisory, clerical, training, and other legitimate time expenditures and for annual, holiday, administrative, and sick leave time. These factors or allowances are established and converted to annual factors. Sick and annual leave should be shown with a seasonal (periodic) variation and the factor for training adjusted for known variations.

4.4.2. References.

4.4.2.1. AFMCI 65-101, *Depot Maintenance Accounting and Production System Financial Policy and Procedures for Depot Maintenance*.

4.4.2.2. Production Labor Entry (reference **Chapter 8**).

4.4.3. Indirect Labor Factor Procedures. Standard indirect labor factors for budgeting, cost accounting, planning, and reporting are developed and distributed by the SWEGs, obtaining coordination from AFSC/SW as required. These factors are established for the FY and are not to be changed unless a significant change in workload or organization occurs. Once these factors have been established, they are converted into an indirect factor by dividing the standard by the total direct hours available to an RC/CC.

4.4.3.1. Use the following procedures for establishing factors for indirect labor (excluding leave):

4.4.3.1.1. Accumulate all pertinent data available, for example, historical, job description.

4.4.3.1.2. Justify the indirect factors by sufficient data for normal confidence in their accuracy. Where the use of work measurement techniques is not feasible or cost effective; historic data will be considered adequate.

4.4.3.2. Establish indirect labor factors for leave using historical records and backup data. Annual leave should be computed based on total leave accumulation within the RC/CC. Local base policies generally exist to govern the use of sick leave. Annual leave should generally be prorated with a periodic variation that might be reasonably expected. Other type leave (e.g., holiday, administrative, etc.) is grouped under duty code .33. Leave factor allowances are computed based on projected direct labor and used as a factor of direct earned hours.

4.4.3.3. Indirect labor factors are compiled and distributed to the appropriate budgeting, cost accounting, planning, and management organizations. These factors will be broken out by month and the element of leave will include factors for duty codes .31 annual leave (LA), .32 sick leave, and .33 holiday leave (LH). Backup data for the indirect labor factors for the FY in which they are used will be filed in the appropriate responsible SWEG.

4.4.4. Labor Efficiency Factors. Labor efficiency factors will be developed and documented. The projected labor efficiency factors will be coordinated with the responsible levels of management.

4.4.4.1. Projected labor efficiency factors will be developed for each RC/CC on an annual basis.

4.4.4.2. SWEG RC/CC will be planned at 100.0% efficiency. **Note**: SWEG CIP RC/CC may be planned at less than 100.00% efficiency.

Chapter 5

CAPITAL INVESTMENT PROGRAM (CIP), MILITARY CONSTRUCTION (MILCON), and MAINTENANCE AND REPAIR (M&R)

5.1. Capital Investment Program.

5.1.1. AFSC/SWF will perform CIP actions as directed by AFSC process to determine, document, and communicate information required to report Consolidated Sustainment Activity Group – Maintenance (CSAG-M) on Fund 6 Depot Maintenance Capital Investment Plan budget exhibit data as outlined in DoD 7000.14-R, Volume 2B, Chapter 9. On an annual basis, report the following:

5.1.1.1. Status, current year, and future year, of each investment program (i.e., funding category) to include CIP, Facility Sustainment, Restoration/Modernization (FSRM) – DO35J, Productivity Enhancements, MILCON, and Equipment.

5.1.1.2. Contributions to composite sales rate reductions for each budget year, in terms of workload type and man-hours by workload type, as part of the annual sales rate build process.

5.1.1.3. Contributions, current year, and future year, to AFSC/SW planned and actual schedules R2D2 and revised).

5.1.2. AFSC/SWF will perform CIP actions for AFSC standardized processes and procedures to execute the CIP within the Defense Working Capital Fund (DWCF) as outlined in DoD 7000.14-R, Volumes 1-16, hereafter known as the Working Capital Fund (WCF).

5.1.3. AFSC/SWF and/or AFSC/SW Technical Management Division (AFSC/SWT) may create a process guide to standardize AFSC/SW and SWEGs inputs to the CIP.

5.1.4. AFSC/SWT shall coordinate a 1-N list of CIP projects by fiscal year.

5.2. Military Construction.

5.2.1. AFSC/SWT Infrastructure Branch (AFSC/SWTF) will perform MILCON actions through the AFMC corporate process IAW DAFI 32-1020, *Planning and Programming Built Infrastructure Projects.*

5.2.2. AFSC/SWTF may create a process guide to standardize AFSC/SW inputs to the MILCON.

5.3. **Maintenance and Repair.** AFSC/SWTF will perform M&R actions through the AFMC corporate process IAW DAFI 32-1020. AFSC/SWTF may create a process guide to standardize AFSC/SW inputs into M&R.

Chapter 6

PRODUCTION SUPPORT

6.1. Purpose. This chapter provides guidance to AFSC/SW to conduct production support activities for software workload requirements. It specifically addresses the overall philosophy, instruction, records and forms, organizational structure, key personnel duties and responsibilities, key functional area requirements, and systems necessary to perform software engineering production support within DAF guidance.

6.2. Production Support. AFSC/SW strives to apply the right resources at the right time at point-of-use to execute a needs-driven production plan and schedule. AFSC/SW will develop standardized processes and responsibilities for software workload production support activities to include workload control, planning, and documentation requirements. Additionally, responsibilities for functional relationships with stakeholders outside of the depot maintenance realm (e.g., program manager (PM), Defense Logistics Agency (DLA), etc.) must be defined.

6.3. Philosophy. Software engineering exists to support the warfighter. It provides this support by adhering to established engineering principles and standards, maintaining quality procedures, developing rapport with our customers, and establishing accurate and clear requirements.

6.3.1. Software engineering strives to apply the right resources, at the right time, at point-of-use to execute warfighter needs by instituting the agile process to development strategies.

6.3.2. Process improvement results, in turn, assist in determining personnel duties/responsibilities, organizational structure, enterprise software configuration requirements, facility requirements, and other software engineering requirements. Key tenets for software engineering include:

6.3.2.1. Agile development process.

6.3.2.2. Focus on throughput using constraint management.

6.3.2.3. Support for the work center.

6.3.2.4. Proper allocation of manpower/skills.

6.3.2.5. Defined roles and responsibilities.

6.3.2.6. Proper use of Personal Protective Equipment (PPE), adherence to safety, environmental, security and regulatory guidance.

6.4. Guidance. This chapter contains instructions for software engineering performed by AFSC/SW and the functional relationships with support organizations such as Air Logistic Complexes (ALC), Air Force Life Cycle Management Center (AFLCMC), DLA, and AFSC/448th Supply Chain Management Wing (SCMW).

6.5. Records and Forms.

6.5.1. Electronic Records Management (ERM) forms used in lieu of hard copy are acceptable providing the ERM forms fulfill the intent of the hard copy and provide required reporting data.

6.5.2. RFQ/ROM forms within AFSC/SW. An AFSC Form 501, *Request for Quote/Rough Order of Magnitude*, or equivalent will be used to process and control RFQ data flow between

the customer and the workloading branch. A DLA Form 1838, *Organic Manufacturing Quote*, is also authorized as an alternative RFQ form for DLA requests for ALC organic manufacturing quotes.

6.6. Organization. AFSC/SW may select the production support positions required to support their workload.

6.7. Duties and Responsibilities.

6.7.1. Production Meetings. AFSC/SW will establish scheduled production meetings. The purpose of these meetings is to discuss scheduled/impending production requirements, establish work priorities, and coordinate schedule changes. These meetings ensure all software engineering production requirements are effectively scheduled and problems are resolved. AFSC/SW will establish the frequency of the meetings and assign a chairperson.

6.7.2. AFSC Directorate of Financial Management (AFSC/FM):

6.7.2.1. Develops policy and procedures for budgeting and funding of the Consolidated Sustainment Activity Group-Supply (CSAG-S) CSAG-M programs.

6.7.2.2. Provides funding documents and unit cost targets to AFSC/SW.

6.7.2.3. Serves as focal point for fee-for-service issues.

6.8. Production Support Functions. Production support within AFSC/SW organizations will include material control activities, work order management, planning and scheduling, and analysis responsibilities. These duties may reside at either the division or squadron level production support flight (PSF) at the discretion of leadership.

6.8.1. Personnel operating within the software engineering process use numerous DoD and USAF legacy systems.

6.8.2. See **Table 6.1** for specific legacy system descriptions.

Table 6.1. Information Systems Interfacing

Item	Interface
D035A	ITEM MANAGER WHOLESALE REQUISITION PROCESS (IMWRP) provides a uniform item management capability for worldwide property accounting, inventory control, and distribution/redistribution of material at the wholesale level. Requisitions and related transactions are processed in support of AF bases, security assistance program, other services/agencies, contractors, and depot supply. Document control is maintained to ensure that the customer requisition is fully satisfied. Balances are adjusted because of redistribution orders, material release orders, capitalization/recapitalization actions, and logistics transfer actions. Reports of excess are processed on consumable, equipment, and recoverable items.

D035J	FINANCIAL INVENTORY ACCOUNTING AND BILLING SYSTEM (FIABS) provides financial recording for the accountable item inventory balance of AF investment items and items in the general support, system support, and reparable support divisions of the AF stock fund. Reflects the dollar status of stock fund general ledger.
D035K	WHOLESALE AND RETAIL RECEIVING AND SHIPPING (WARRS) is a legacy mainframe D035 subsystem that provides retail customer support including bit-and- piece parts and end-item support to depot maintenance. Maintains historical data for all accountable depot retail transactions and for Air Force receipts into the depot and for shipments out of the depot.
G004L	JOB ORDER PRODUCTION MASTER SYSTEM (JOPMS) initiates and manages the JON which is required to begin a maintenance task on the work center floor. The system creates and tracks work in progress, interfaces with financial systems providing visibility of production hours in process and completed (earned hours), provides a repository for storing the production number master records, tracks customer work requests, record work authorizations, maintain temporary work plans, records end item production, and documents standard labor hours earned during depot level maintenance.
G402A	EXCHANGEABLES PRODUCTION SYSTEM (EPS) links the work center personnel to Depot Supply for ordering and issuing direct and indirect material, and track maintenance transactions in process. It also provides visibility of workload requirements and end item asset availability. Users of the system are maintenance personnel, planners, schedulers, and cost analysis personnel.
J025A	AUTOMATED PROJECT ORDER FORM SYSTEM (APO) automates the HQ AFMC 181 process/coordination and provides an automated routing control for the next in line process step. Emphasis of the system is to provide access for the status of documents as approved, rejected, or canceled; for extraction of summarization data; access to historical data and reports.

Chapter 7

OPERATIONAL WORKLOADING, PLANNING, AND SCHEDULING CONTROLS

Section 7A – Control of Workload

7.1. General. Workload control is an integral part of the mission. It starts from the point of the RFQ and ends when the last JON is completed. The buyer-seller relationship is outlined in AFMCI 65-101 which covers the policies and procedures governing the depot purchased equipment maintenance customers of the CSAG-M. Criteria in this instruction pertains to policies, controls, and procedures applicable to each individual item of workload from the point before induction through job closure.

7.2. Relationship with Other Functions. Workloading cannot be entirely separated from other internal software functions. Software personnel involved with the workloading process must also be aware of the required relationship with the planning and scheduling functions. The planning aspects of a job order system are outlined beginning with paragraph 7.18 and scheduling in paragraph 7.34.

7.3. Roles and Responsibilities.

7.3.1. AFSC/SW will approve the annual average hourly rates before the beginning of a FY.

7.3.2. AFSC/SWAT will:

7.3.2.1. Participate in and coordinate on workload negotiations when requested.

7.3.2.2. Support pre-production planning team as required.

7.3.2.3. Assist as necessary with cost hour estimates and source selection support and provide technical inputs to decision tree analysis and inter-service studies.

7.3.2.4. Provide planning support for weapon systems and end items.

7.3.2.5. Provide production planning for current workloads.

7.3.2.6. Coordinate and provide follow-up on applicable work packages.

7.3.2.7. Develop resource standards for labor and material in G004L.

7.3.2.8. Provide data, updates, and recommendations to management, when requested.

7.3.2.9. Provide planning support as required during the development and implementation of new technologies.

7.3.2.10. Update associated logistics data (e.g., process flow charts and additional analysis).

7.3.2.11. Provide planning support to safety and health related programs as needed.

7.3.3. Scheduling function will:

7.3.3.1. Accomplish the proper assessment of requisitioning and turning in of assets and coordinating with program managers.

7.3.3.2. Account for end item assets in the proper accounts (i.e., on work order (OWO)).

7.3.3.3. Assist with due-in from overhaul (DIOH) reconciliation when requested by the Defense Logistics Agency Production Support Technician (DLA/PST).

7.3.3.4. Request assets out of and turn assets into supply. The scheduling functions' duty may include entering completions into G004L to reflect actual man hours.

7.3.3.5. Contact workloading prior to reducing job order quantity (JOQ) if completions and/or costs exceed requested cancellations that occur during the production process.

7.3.3.6. Maintain a jacket file on each temporary production number for which the scheduling function is responsible.

7.3.4. RC/CC will provide parts requisitioning data to the DLA/PST.

7.3.5. Product Support Manager (PSM) team will:

7.3.5.1. Identify RC/CC manning requirements, as required.

7.3.5.2. Identify total required versus available manpower by required skill level and RC/CC. Total standard hours required versus the total manpower available by skills is the basis for determining the manpower capability to accomplish the programmed workload by the desired date.

7.3.6. AFSC/SWAT will:

7.3.6.1. Ensure valid production numbers are established on all WADs.

7.3.6.2. Ensure all new work requests are covered by a funded project order. If determined to be unfunded, there will be an error message on the G004L-L3G listing as well as the funding initiator report (FIR). Take immediate action to correct the project order or re-plan the JON. Start daily follow-up action to get proper funding (reference AFMCI 65-101). Make sure all unfunded work is not started.

7.3.6.3. Facilitate all software workload requests from the customer. Acceptance of project orders should be based on the existing or adjusted organic capability to perform the work or service requested and if the completion date is feasible.

7.3.6.4. Verify all fields on the computer generated AFSC Form 206.

7.3.6.5. Process and control all error/valid transaction listings for tenant activities related to temporary work requests.

7.3.6.6. Review for control and quality of all file maintenance transactions. This includes:

7.3.6.6.1. Editing all pertinent blocks on computer-generated forms to ensure information is correct before sending to G004L.

7.3.6.6.2. Receiving and checking the G004L-L3G or funding indicator report daily to ensure previous day's input was accepted. If errors exist, initiate and complete corrective action.

7.3.6.7. Gather and update travel and per diem costs for A-Prefix WADs. Obtain planned expense material costs, if applicable, from the planning function. Review for adequacy and insert into the applicable data system before closing A-prefix WADs.

7.3.6.8. Act as the software focal point for providing applicable production status to the initiator of the software requirement.

7.3.6.9. Ensure all RC/CCs established within AFSC/SW are contained in the master table. Update as required IAW AFMCI 65-101.

7.3.6.10. Ensure the correct funds classification reference number (FCRN) is always maintained in the master JON record of the G004L system. This responsibility may be delegated to the funds certifier.

7.4. Operating Policy. The emphasis on workload management includes control of all direct work from funds induction through the resulting costs. Control over workload in no way affects the basic charter of AFSC/SW workloads but enhances response by limiting support to valid mission requirements of legitimate customers. The following policies will be adhered to:

7.4.1. Control numbers will be electronically assigned to provide a method of continuity and assurance so specific requirements can be identified to a temporary category. All data products, in relation to control number assignment, are designed and distributed specifically for the use of the central control number assignment function. Workloader personnel will review current management products to ensure the proper use of production numbers on WADs (reference AFMCI 65-101). WADs authorize the expenditure of labor, material, and other related costs to do work by a specific customer on AFSC Form 206, and AFSC Form 600, *Production Order*, within G004L (reference paragraph 6.16). WADs are related to all supporting documents through the medium of the production number, which consists of a basic control number and job designator, and results in:

7.4.1.1. Identification of the type of work to be done.

7.4.1.2. A medium for the allocation and control of parts and material required to do the work.

7.4.1.3. A medium for the accumulation of direct product earned hours and end item inductions/completions at the JON level.

7.4.1.4. A medium for the control of the accumulation and application of material consumption data and accurate cost data.

7.4.2. For management purposes, changes to control numbers are not authorized. If an incorrect control number has been opened, correct the error by closing the incorrect control number and opening a new control number. When workloads are transferred from one group to another, the control number will not be changed. Block assignment of control number for any reason is not authorized.

7.5. Workload Requirements. Accurate identification of individual workload requirements is necessary to ensure that each item of inducted workload will be properly categorized throughout the software production process. Examples include the repair group category (RGC) and reimbursement codes. These types of identifiers apply to each workload accepted from the CSAG-M customer. All items must have a project order established before any work or service is performed.

7.6. Project Orders. AFMCI 65-101 contains the policies and procedures associated with project order management and control. Software workload personnel must be aware of their roles.

No workload, regardless of size, can be brought into the production process without an impact on the financial picture of a project order. Numerous computer output products are available electronically from the Depot Maintenance Accounting and Production System (DMAPS) and DIFMS to portray a current position for those workloads which have been inducted.

7.7. Workload Generation. Software workloads may be generated from various sources such as base or tenant organizations. Regardless of the source, any workload going through the production process will be associated with a production number. A production number is composed of a five-digit control number and a one-digit job designator. Production numbers are categorized as temporary, or support, depending upon the type/situation of the specific workload involved. General guidelines are as follows:

7.7.1. Temporary Production Numbers. Begin with an alpha in the first position. Application:

7.7.1.1. All off-base work for temporary duty (TDY) or A-JONs.

7.7.1.2. All manufacture for M-JONs or local manufacturing.

7.7.1.3. All other workloads not listed above including both planned and unplanned workloads.

7.7.2. Base tenant support. All base tenant support should be IAW local host tenant agreements. Where differences occur between the host tenant agreements and CSAG policy and procedures, the Depot Maintenance Systems (DMS) Air Force Industrial Fund policy and procedures will take precedence.

7.7.2.1. Whenever host tenant agreements are initially set up or revised, affected software personnel will be familiar with the CSAG procedures and will consider the procedures/policies in their agreement.

7.7.2.2. Recurring work will be requested on a computer generated AFSC Form 206 by the tenant, and may involve either of two RC/CC rate end item sales price (EISP) applications bill of material indicators (BOMIs) either M or R. The data processing code (DPC) will be S, and T prefix CN will be used. BOMI will be M or R, only one labor operation with operation standard hours (OSH) = 1.000 hour, RGC will be N and the JON quarterly sales indicator (QSI) of M, and unit of measure (UOM) of HR will be machine assigned. In the job quantity block, the originator will show the first quarter's man-hour requirement.

7.7.2.3. For base tenant support temporary jobs, the BOMI now becomes an RC/CC rate indicator and shows which rate is to be used to compute the EISP. When the BOMI = R, the EISP is computed using the RC/CC labor rate plus the RC/CC direct material rate. Any bill of material (BOM) list, when the BOMI = R, is not computed in the EISP. When the BOMI = M, the EISP is computed using the RC/CC labor rate plus the BOM list. If no BOM list exists, and the BOMI = M, the EISP will be computed using the RC/CC labor rate only. If a tenant support job is going to require an excessive amount of direct material which will not be covered by the RC/CC direct material rate, a separate AFSC Form 206 and AFSC Form 237, *Temporary Labor and Material Plan* are prepared and material planned accordingly. In this situation, use RGC N and DPC N. If this type of tenant support jobs is recurring, consider making them permanent jobs with project order 7, RGC N, and DPC N.

7.7.3. Temporary JONs with DPC S will not be automatically closed but will be updated each succeeding quarter by the computer. At the end of each quarter, G004L will reduce the JOQ to what has been completed and allow the JON to go to sales. G004L will then re-establish the production number with the next quarterly JON suffix. At the beginning of each quarter, the tenant will electronically initiate a new AFSC Form 206 to the workload technician depicting the new man-hour and dollar value requirement in the JOQ and estimated job total cost blocks. The workloader will then submit a computer generated AFSC Form 930, *G004L File Maintenance Transactions*, to file maintain the new JOQs for each JON set up for that tenant.

7.8. Hourly Sales Rates and End Item Sales Prices. Each individual workload, when completed, will generate revenue for the CSAG. That revenue is designed to offset expenses that have been incurred to complete the workload. The generation of the revenue is accomplished by establishing a rate or price for the products or service. RC/CC rates are annual average hourly rates approved by AFSC/SW before the beginning of a FY. While AFMCI 65-101 contains the criteria applicable to sales rates approval, the RC/CC rate criteria outlined below represents the application of those rates:

7.8.1. All temporary production numbers on all software workloads. The RC/CC hourly rate is input into the Sales Price Generator (SPG) in DMAPS Integrated Engine (DMAPSIE) by the Workload Programming Planning and Control System (G004C) as directed by AFSC/SW before computation of the next FY EISP. The SPG in the DMAPSIE system then computes an EISP for each assigned temporary production number. During September each year, prices are input into the G004L system. The G004L system maintains a separate file of the prices called the Sales Price Master (SPM). The prices remain firm throughout the next FY unless a change is approved by HQ AFMC. For new workloads (i.e., new production numbers), the new price is input into the SPM file AFSC Form 600. Individual price changes authorized by AFSC/SW are electronically input into the SPM and controlled by financial management.

7.8.2. Temporary production numbers. The RC/CC hourly rate is downloaded into G004L from G004C on or about 1 October to compute either an average hourly sales price or an EISP.

7.8.3. All production numbers. The input of RC/CC rates to the above designated computer systems pertains to RC/CCs which are in existence in G004C as of 1 September of each year. If new RC/CCs are set up during the year, the rates are provided to the designated systems after AFSC/SW approval. Reference AFMCI 65-101 for complete details on the RC/CC rate approval process.

7.8.4. Sales rates are either hourly or end item. The specific workload and/or a method of accomplishment dictate which of the two types applies.

7.9. Work Performance Category Descriptions (Job Designator).

7.9.1. Code A - Major Overhaul. Not Used.

7.9.2. Code B - Progressive Maintenance/Programmed Depot Maintenance (PDM). Not Used.

7.9.3. Code C – Depot Performance of All Two Level Organizational and Intermediate Workloads Other Than Engines. Not Used.

7.9.4. Code D - Activation of Stored Major Item. Not Used.

7.9.5. Code E - Inactivation, Storage Preparation, and In Storage Maintenance of Major Items. Not Used.

7.9.6. Code F – Renovation Proof Testing. Not Used.

7.9.7. Code G – Analytical Rework Evaluation of Materials and In-Service Items. Not Used.

7.9.8. Code H – Conversion/Modification. Not Used.

7.9.9. Code I - Repair. Depot Performance of Organizational and Intermediate Level Maintenance. Not Used

7.9.10. Code J - Inspection and Test, Condition Determination or Bench Check. This code applies to the physical examination or testing required in determining the condition status of an item. This action must be a separate and distinct requirement applicable to the total job. Condition status includes the determination of whether the item being examined can properly perform its intended use, and the level of repair that would be necessary to restore serviceability should the item be classified as reparable. No type of repair is authorized under this code. Use this code as directed by AFMCI 65-101.

7.9.11. Code K - Manufacture and Fabrication. This code applies to the manufacture or assembly/fabrication of any item. Manufacture of suggestion items, tools, and equipment is included.

7.9.12. Code L - Reclamation. Not Used.

7.9.13. Code M - Storage. This code includes the inspection, re-preservation, and routine maintenance of weapons systems, equipment items, subsystems, and components in the supply system in a storage status to maintain a predetermined level of serviceability.

7.9.14. Code N -Technical Depot Assistance.

7.9.14.1. Within depot shops, T- prefix control number and code N must be set up in the appropriate RC/CC where the work is performed. When a job price has been negotiated, the price will be divided by the RC/CC rate to determine the total man-hours that will be earned. The JOQ should be 1 and the operation occurrence 1. In this case, the operation standard hours are the same as the man-hours to be earned. This code is also used for accounting of foreign student training under RGC N when done in the ALC shops. Costing of this training is accomplished using the applicable RC/CC approved rate from the G004C system. Reference AFMCI 65-101 for policy and procedures.

7.9.14.2. This code includes all demilitarization other than that incidental to reclamation (i.e., code L).

7.9.15. Code T - Other Work. This type applies to other work not covered by other authorized Weapon Performance Categories.

7.9.16. Code U - Software Maintenance/Sustainment. Are modification activities after initial operating capability or fielding necessary to correct defects and/or improve performance and upgrade or modify to adapt and/or perfect the fielded software baseline to a changing/changed

environment. Maintenance/sustainment can include the modifications or upgrades necessary to ensure safety and relevance in operations and interoperability with other systems. Software maintenance includes:

7.9.16.1. Corrective maintenance successfully fixes faults discovered in the software.

7.9.16.2. Adaptive maintenance incorporates changes made necessary by modifications in the software or hardware (i.e., operational) environment of the program to assure intra-operability and interoperability including changes in the maintenance environment.

7.9.16.3. Perfective maintenance incorporates changes demanded by the user which may be due to changes in requirements or legislation, or for embedded applications in response to changes in the surrounding system. A changed requirement can be, but is not limited to, responses to urgent operational needs.

7.9.17. Code W - Contractor Logistics Support. Not Used.

7.9.18. Code Y - Scheduled Maintenance. Not Used.

Section 7B – Procedures for Control of Workload

7.10. Job Order Number. A JON is a nine-position alphanumeric combination composed of the control number, job designator, and a three-position suffix.

7.10.1. Temporary Control Numbers. A temporary control number is composed of one alpha character, assigned by the workloader, followed by four computer generated numerical characters assigned to each end/line item of temporary or nonrecurring workloads.

7.10.2. JON Suffix. This is a three-position alphanumeric code that will be determined and assigned IAW the following:

7.10.2.1. The first and second positions represent the FY and quarter, respectively, of the actual induction. If the ownership purpose code (OPC) is A (i.e., Air Force), the third position will be A. For other than AF ownership, the third position will agree with the OPC available as an attachment to this regulation. Reference **Table 7.3**.

7.10.2.2. All temporary jobs will have a quarterly JON suffix assigned by G004L IAW the current project order number (PON) and the applicable DPC.

7.10.2.3. For labor JONs, all respective RCCs that will be performing work against the requirement must be planned as such. Individual labor JONs should not be opened for each separate RCC that will be performing work. Material for a workload requirement will be planned on a separate JON from the labor and will be planned against one RCC.

7.11. Production and Control.

7.11.1. Status for Internal AFSC/SW Use. The current production status as of the end-of-day on Thursday of each week or the end of month (EOM) may be obtained for any assigned production number by referencing the end item master list. The master lists are produced in the following sequence and reflect the status of each item: JON/FY (G004L-G1A), production section scheduling designator (PSSD)/JON/FY/ON/MATL ID (G004L-G3A), and end item identity (EII) (G004L-W3B). These lists show the status of all records that are on the temporary or permanent JON master files.

7.11.2. Production Status for Customer Feedback. This action is accomplished through the data contained on the G004L-L3C.

7.11.3. Assignment of Temporary Production Numbers.

7.11.3.1. Temporary Production Numbers are assigned electronically when the workloader correctly completes the required information on the AFSC Form 206. A-Prefix is used only for workloads that will be accomplished off base with personnel on actual temporary duty. For work done under a type 6 PON, the EII must be a customer account identity (CAI). All 'A'-prefixed work must have a valid mission-design series (MDS)/TMS or stock number as the EII. Only one 'A'-prefixed control number will be set up for each area technical assistance request. Personnel from support RC/CCs will be loaned to the responsible RC/CC.

7.11.3.1.1. For labor JONs workloading unit of issue should be each and planning unit of measure should be each.

7.11.3.1.2. For material JONs workloading unit of issue should be each and planning unit of measure should be each.

7.11.3.1.3. For TDY JONs workloading unit of issue should be hours and planning unit of measure should be each.

7.11.4. When a JON completion is processed in the end item production segment of the G004L system and it completes the JOQ for a temporary production number with a K, N, T, or U DPC, the system will automatically close the JON.

7.11.5. Production Number Errors. Any opening WADs with errors may be printed out on the G004L-L3B and G004L-L3G list or the funding initiator report. The workloader must notify the customer for corrections as necessary. Any JON master record, once established, will be automatically deleted only when the JOQ and completions are equal on temporary. All temporary JONs (i.e., A, M, or T prefix) will close automatically.

7.11.6. Production Numbers for Training (Reimbursable). The WAD will be established using the appropriate CAI. The trainer will be considered direct labor and loaned to the RC/CC in which the labor operation is set up. Duty Code 11 will be used. A local special projects shred code may be used if desired. The approved RC/CC rate, which does not include direct material, will be used to compute the sales price by G004L. These workloads will use a T prefix production number with job designator N.

7.11.7. File Maintenance of the JON Master File. This will be accomplished directly in the G004L system.

7.12. Project Order Status. Workloaders should be aware of the impact of each WAD as it is inducted to the production process. The foregoing paragraphs are a goal of day-to-day workload control, and each technician must be aware of and responsible for the financial impact. That impact starts from the point of induction and goes through the sales and project order closure.

7.13. Sales. The generation of sales is the method used by the CSAG to generate revenue to offset operating expenses. If the sale values are incorrect in any way, the ability to offset the expenses becomes questionable. It is essential that each sale be consummated and validated at the earliest

practical date. AFMCI 65-101 outlines the methods used by SPG in DMAPSIE data system for making sales. All workloaders should be familiar with this cited directive.

7.14. File Maintenance.

7.14.1. H1 Customer Job Order Release. The workloader will coordinate with the customer for each AFSC Form 206 accepted and planned by AFSC/SW which has the EISP suspended. The following jobs do not get the EISP suspended: A-Prefix JONs. This exception does not require an H1 transaction.

7.14.2. For all M-Prefix and T-Prefix temporary work requests, if the PON differs from that designated on the initial computer generated AFSC Form 206, it can be changed on the H1 transaction by the customer only when the job has not been released to AFSC/SW scheduling function (JON status code (JSC) = blank). Once released to the planner, the change must be coordinated with the workloader and other appropriate personnel performing scheduling function.

Section 7C – Planning and Control

7.15. General. Planners within the AFSC/SW will coordinate between the workloaders and squadron personnel to associate data to accomplish the production processes. The planning function requires technical knowledge of data systems, production processing methodology for various end items, ability to interpret directives, and complete understanding of management objectives related to the DMAPS. The G004L system is used to provide the basis for job order costing by end item identity. It creates work in process records and accumulates production units completed for output to SPG in DMAPSIE at the job order level which results in revenue to offset costs incurred. The system provides several data products for use at different levels of management. These products track production and show work in progress.

7.16. Relationship with Other Functions. The planning function depends on the workload function, the scheduling function, and the production function for the software RC/CCs which accomplish software work for end items for which the planning organization is responsible.

7.16.1. Workload Control. The workload function provides requirements for which the workload capability exists, ensures funds availability, and ample lead-time for setting up the basic JON, labor, and material.

7.16.2. Scheduling. The software scheduling function will consist of requesting assets out of supply and turning assets into supply. The scheduling functions' duty may include entering completions into G004L to reflect actual man hours.

7.17. Operating Policy. The emphasis on operational planning includes developing and maintaining resource standards for labor and material, developing task sequencing compatible with work requirements and specifications. The following policies will be adhered to as applicable:

7.17.1. HQ AFMCI 21 Series.

7.17.2. HQ AFMCI 23 Series.

7.17.3. HQ AFMCI 65 Series.

7.17.4. HQ AFMCI 63-143 Series.

7.18. Pre-Production Planning (New Workloads).

7.18.1. Absolute Prerequisite. Pre-production planning is an absolute prerequisite to establishing a successful workload process. It is done after technology repair center (TRC) workload assignment and before a new weapon system becomes operational or at least concurrently with the operational phase. When TRC workload assignments are transferred some preproduction planning is required by the receiving TRC for a smooth and efficient transfer with minimum impact on customer requirements.

7.18.2. Pre-Production Planning, New Workload Assignment. Process required to be completed prior to new workload acceptance for all software maintenance, including but not limited to new acquisition, new work, modification installation, modification follow-on, overseas workload, and workload shifts, reference DAFMAN 63-122.

7.18.3. The magnitude of pre-production planning is determined by the complexity of the weapon system/end item and by the requirements established and negotiated by the responsible product support manager (PSM). The team will:

7.18.3.1. Identify RC/CC manning requirements, as required. Identify the total required versus available manpower by required skill level and RC/CC. The total standard hours required versus the total manpower available by skills is the basis for determining the manpower capability to accomplish the programmed workload by the desired date. Any new manpower requirements will be identified in terms of personnel equivalents.

7.18.3.2. Capacity Utilization, Reference DoD 4151.18-H, *Depot Maintenance Capacity and Utilization Measurement Handbook*.

7.19. Production Planning. Production planning is started after new workload acceptance for all software engineering, including but not limited to new acquisition, new work, modification installation, modification follow-on, overseas workload, and workload shifts.

7.19.1. Labor Standards. AFSC/SW does not practice traditional labor standards due to the software workload being temporary in nature and planned solely in G004L.

7.19.2. Material Standards. AFSC/SW does not practice traditional material standards since all work is on temporary JON's. When planning material standards are created, reviewed, and revised by the appropriate planning activity and are used to calculate material requirements for a given workload. Each workload assigned production number established in G004L system must be evaluated for component material items to be used in the process. These standards are an integral part of the Uniform Cost Accounting system and provide a means to compute an EISP.

7.20. Planning Jackets. Each planning section must develop and maintain a jacket for each production number within their assigned area of responsibility. The primary method of storage of jackets will be electronic. The use of electronic storage allows the ability to print documentation on demand.

7.20.1. The jacket for temporary production numbers will contain the following:

7.20.1.1. AFSC Form 206 screen print.

7.20.1.2. Special Instructions screen print (optional).

7.20.1.3. Initial L3A report (i.e., Temporary Job Record) and any subsequent L3As due to changes.

7.20.1.4. Other backup documents as required.

7.20.2. Maintain JON Jackets in accordance with Air Force Records Information Management System (AFRIMS) Table 21-5 Rule 16. JON Jackets will be kept for two fiscal years, starting from the end of the fiscal year the JON was closed.

7.21. Cost Awareness. The planner ensures proper costing through accurate planning of the labor and material. End item sales prices will be included in the JONs utilizing RC/CC Rates and an average hourly sales rate/end item sales price for temporary JON's dependent upon the UOM.

7.21.1. Temporary JONs. The planner prepares and inputs the labor and material into the G004L system. The system will output the Temporary Job Record (i.e., G004L-L3A) containing all pertinent control data, the man-hour cost for A-prefix control numbered JONs, and end item price for M-prefix JONs. Based upon the UOM, the system will compute an end item price for T-prefix JONs.

7.21.2. Various computations must be made by G004L to provide an EISP or an average hourly sales rate. To compute the labor cost per operation, multiply the operation count limit times the operation standard hours times the RC/CC rate provided by the G004C system.

7.21.3. To compute an end item price for all jobs with UOM equal to each (EA), G004L will summarize the total funded material cost and other direct cost, summarize the total labor cost, add the two summary figures, and divide that result by the JOQ.

7.21.4. To compute an average hourly rate for all jobs with the UOM equal to HR, G004L will summarize the total funded material cost, the total labor cost, and the other direct costs, and divide the result by the total labor hours for the job.

7.21.5. The system will re-compute the hourly sales rate or EISP as required for all temporary JONs when any element affects the cost of a labor operation such as added or deleted material from an operation or when the total job quantity is changed. When a new labor operation is added in a new RC/CC, the current rate for that RC/CC as provided by G004C is used. All other computations are made using the applicable RC/CC rate in existence at the time the record for the labor operation was set up on the master record.

7.22. Workload Control Methods. For each workload requirement, it is necessary to set up a means of identification for allocation of material, reporting labor used, and accounting for sales of production. These accounts are basically established by workloading through assignment of control numbers. The only type of control number pertinent to AFSC/SW workload is temporary (an alpha prefix and plus four-digit numeric). When a job designator is assigned, the combination of control number and job designator is called a production number.

7.22.1. Temporary Production Numbers. Temporary production numbers are established for all AFSC Form 206 requirements. One-of-a-kind, one-time requirements, workloads of very short duration, manufacture, and software work are the types of work authorized for customers under this concept. The AFSC Form 206 is established through G004L. The initiator will enter all element values from Request Number in the left column to Job Designator in the right column and forward for Funds Certification. When approved, the AFSC Form 206 is sent to Workloading/Workloader Technician Code (WTC). The system will automatically assign a

Control Number. Workloading/WTC will forward the AFSC Form 206 to the appropriate planning organization for additional processing.

7.22.2. An A-prefixed temporary control number is applied to job orders covering technical assistance requirements off base (i.e., TDY). The costs charged to these job orders will include direct labor, direct material, other direct costs, and the applicable overhead. The work must be done outside the base/station on which the depot is located. An exception, which allows use of an A-prefixed job order for work performed on the base/station, is when that work is performed by personnel on TDY from another location. Only one A-prefixed job order will be established for each area technical assistance request. Personnel from supporting RC/CCs will be loaned to the responsible production RC/CC. All A-prefixed job orders must contain a valid CAI, MDS, or national stock number (NSN) as the EII.

7.22.2.1. For normal TDY job orders, the JOQ should be the total number of man hours required for the TDY requirement. The labor operation in the 206 must reflect a valid production RC/CC, operation number (ON) 00001, the operation occurrence of 001 and other direct costs (ODC) will include travel and per diem costs, and the cost of any material requisitioned in support of the TDY not supplied by the host unit.

7.22.2.2. For TDY job orders where a special unit job sales price is negotiated or established, the following procedure should be used for establishing the labor operation and other direct cost. The SWEGs receive several work requirements for support to which a unit job sales price should be applied. The job order records can be set up by directorate or SWEG from processing the AFMC Form 206 and AFSC Form 206 and forwarding both directly to the administrative control desk. The unit sales price may be negotiated or established by including the travel, per diem, and labor. (**Note:** Overhead labor is included in the RC/CC rates). The JOQ on the AFSC Form 206 must be a minimum of 00001. The labor operation must reflect a production RC/CC, ON 00001, and the operation occurrence must be 001 with the operational standard hours of 1.0.

7.22.3. M Prefix. An M-prefixed temporary control number will be used for most of the manufacture work. Manufacture in support of suggestion items and tools/equipment for use within AFSC/SW will be accomplished after initiation of an AFSC Form 206 for that manufacture.

7.22.4. T-Prefix. This prefix will be assigned to all temporary work done on base within the AFSC/SW RC/CC and all off base modification programs under serial number control.

7.23. Reorganization Functions. Planning must provide timely support to workloading for all organizational changes. Due to the need to pass valid production and actual hour data to other systems, it becomes necessary to closely manage the data systems update preparation relative to organizational change. The net result is to limit organizational changes to being effective at the beginning of a fiscal quarter (FQ).

Section 7D – Planning Procedures

7.24. Address Tables. To ensure proper distribution of data system products, establish address tables for planner and tenant organizations in G004L. Timely updates upon personnel changes

must be accomplished. The planning organizations will maintain the Planner Address Table (PAT).

7.25. Planning Priorities. AFSC/SW workload doesn't normally utilize priority codes, but they are still required in G004L. A priority code is used to rank different requirements and to provide processing priority for backlogged temporary work requests. Reference AFI 23-101 for identification of priority codes as needed.

7.26. Backlog. Backlogs of AFSC Forms 206 may exist for any workloading or planning organizations. Workloading backlog/control number assignment/backlog of work requests is listed on the G004L-G5B report. The planning backlog of temporary job requests is shown on the G004L-G5C listing. These backlogs occur when workloading or planning technicians accept work requests, and other pressing negotiated requirements override the workload or planning effort. Ranking of the backlogged requests will be by priority and delivery date.

7.27. Work Authorization Documents.

7.27.1. Temporary Workload Forms. An AFSC Form 206 is normally initiated by the customer of the CSAG and processed by the workloader. The AFSC Form 206 is sent to the responsible planning organization for processing. Edit errors are rejected to the planner on the G004L-L3B, *Daily Planner's List*. Valid data input processed will be printed out as the official job master record (i.e., G004L-L3A) and included in the planning jacket. Details of the data element entries for AFSC Form 206 are in G004L. An AFSC Form 206 is processed by workloading to establish follow-on JONs in support of blanket requests for services/support.

7.27.1.1. Planned Material. Planned material is an integral part of the Uniform Cost Accounting System. However, for temporary work requirements, the material needed for each job must be input into G004L. The input is used to compute job cost and sales rate/EISP for all temporary JONs. The G004L system uses the planned material to allow comparison of actual material costs to the JON. All material to be charged as direct material to a JON must have been included in the 206 material transactions for that JON. An alternate method to compute the material cost to a JON is the use of a BOMI = R as explained below. An AFSC Form 930 transaction may be used to change previously input transactions. Ensure the expense code is overridden to indirect for bench stock items in G005M or G004L.

7.27.1.2. Direct Material Rate. A provision is made for using a standard RC/CC hourly material expense rate for computing the EISP on temporary JONs. This is done by use of the BOMI = R. If the BOMI = R, the material cost is computed by multiplying the total standard hours for each operation by the direct material rate for the applicable RC/CC. If the BOMI = M, only the cost of the material listed in the material portion of the AFSC Form 206 transaction will be computed into the EISP. Caution must be used in selection of the BOMI because this entry cannot be file-maintained.

7.27.1.3. Planned Labor. Labor requirements for temporary work requests must be input by the planner as labor operations for each RC/CC involved. This labor plan must be input into the G004L system for computation of hourly sales rates/EISP.

7.27.2. Manufacture.

7.27.2.1. Local manufacture (i.e., M-Prefix) planning procedures are divided into two categories determined by the first position of the PCN. Only reimbursement codes R and W apply to these planning procedures.

7.27.2.2. A fixed EISP is the basic requirement of the procedures. To achieve this, a complete planning package, both labor and material, must be developed.

7.28. Job Order Number Master. The G004L-L3A is established for each type of workload requirement and provides the basis for management visibility. The source of work to be performed, the level of requirement to be accomplished, who will perform the requirement, methods to be used, and the necessary equipment and skills.

7.29. End Item Sales Price.

7.29.1. Sales Rates/EISPs. All end item production or services saleable to a customer must have a means to recover the cost thereof. For this purpose, an hourly sales rate or an EISP is used. On temporary JONs that are not serialized, the G004L system will use the planned labor and the bill of material screen to compute the hourly sales rate or the EISP. The G004C system provides a table of the RC/CC approved rates to G004L for this purpose. The G004L computed rate or EISP is based on the UOM being input as HR or EA. Depot field team job orders will always use an A-prefix temporary job order (i.e., not serialized) and will be priced at an EISP per standard hours with UOM of each. The cost of travel, per diem, and planned material will be added to the total job cost. M-prefixed JONs are priced at an end item computer determined price only. DMAPS-DIFMS will compute labor summary and effectiveness.

7.29.2. Rate Computation. The G004L system will compute the cost of all non-serialized A, M, or T-prefixed JONs. A description of the elements and machine formulas is listed below. These computations provide an EISP or an hourly sales rate to the SPG in DMAPSIE at the end of the month. When any element affects the cost in a labor operation, or the material associated with an operation, or the JOQ is changed, the below computed elements will be recalculated for the given JON. When a labor operation is added, or when the associated RC/CC (an RC/CC rate) is changed, the current RC/CC rate will be extracted from the G004C funded RC/CC rate table for use in the calculations. All other computations will be performed with the RC/CC rate that was in effect at the time the labor operation was established on the temporary labor standard file which means most labor costs will be calculated at the rates that prevailed when the job was opened in G004L.

7.29.2.1. Reasons for Re-computation. Whenever any element that affects the cost of a job is changed by file maintenance, all the above computed elements will be recalculated for the given JON. When a labor operation is added through an addendum or when the associate RC/CC is changed by file maintenance, the current RC/CC rate will be extracted from the validation stack table for use in the calculations. All other computations will be performed with the RC/CC rate that was in effect at the time the labor operation was established on the temporary labor standard file which means most labor costs will be calculated at the rates that prevailed when the job was planned and opened in G004L.

7.29.2.2. Temporary JONs are restricted to one JON suffix per production number. In this case, G004L assigns the suffix as the current FY, current FQ, and the last position from the reimbursement code. If the current calendar date is equal to or is later than the PON (FY and FQ) on the request number master (RNM), G004L assigns the suffix as the current FY

and FQ. If the data is processed before the PON (FY and FQ) in the RNM, the AFSC Form 237 data will be rejected. The non-serialized A, M, and T-prefixed JONs stay the same until the total JOQ is completed. These JONs are closed electronically when the completion value equals the JOQ. Serialized temporary JONs are normally T-prefixed, and the suffix is assigned through the serialized master record. The normal serial numbered JONs remain in work until the end item is completed.

7.29.3. Other Major Equipment/End Item (OMEI) Pricing. The following method will be used to price the programs and specific jobs included in the category OMEI. The current method of computing sales prices in the G004C system will be continued. The published rate for OMEI, however, will identify the labor and burden rate per hour plus the average historical material rate, i.e., the same rate as currently published but with a breakout of the two elements. This will be used by the customer for planning purposes. Actual job pricing will be done in two phases.

7.29.3.1. An evaluation and inspection will be authorized and performed at the published rate per hour exclusive of the direct material portion of the rate.

7.29.3.2. When the evaluation and inspection has determined the amount of material required for the specific job, a repair job hourly rate will be computed. The project total expense material cost will be divided by the project Direct Production Standard Hours and the resultant expense material rate per hour will be added to the published labor and burden rate per hour. This total rate for the job will be entered into the serial number master in the G004L system and the job will be completed and sold at this job rate. This method will be used whether the repair is performed on a permanent or temporary production number.

7.30. Cost Class 4 Type Workload ('S' JONs). Reference AFMCI 65-101.

7.31. Serial Number Application.

7.31.1. End items processed under serial number control may have a temporary (i.e., T-prefix) production number assigned. A- or C-prefix numbers are not authorized.

7.31.2. Serial Number Record File. It is important that the JON master and the serial number data be established before any production count is taken to preclude rejection. This file is established electronically. The responsible planning activity will establish, maintain, and change serial number data on the JON master. If a reject occurs, the input transaction will be reflected on the G004L-L3B listing with an indication of the invalid entry. Correction will be made electronically with the correct data. If erroneous data is depicted on the G004L-L3F listing, the data will be corrected by inputting an AFSC Form 930 transaction. The G004L-L3F listing reflects transactions added to this file. This listing will be retained until a new one is received. The verification of data elements in this file is necessary as the key elements for costing and sales billing are contained on it and is extracted for use by the SPG in DMAPSIE and G004L production count editing.

7.31.3. Input Data Elements.

7.31.3.1. G097 Programmed Depot Maintenance Scheduling System. The serial number data on the JON master must contain an entry for each aircraft worked under G097. The JON suffix must be the same as the aircraft identification code in all three positions.

7.31.3.2. Missiles and OMEI. These end items must have a separate JON suffix for each serial numbered item.

7.32. File Maintenance. Several files are maintained in the G004L system. An AFSC Form 930 transaction is input for file maintenance of data contained in the various files. Action codes with specific record identifying data will be used to overlay the desired data elements.

7.32.1. Temporary Production Numbers. The temporary production numbers reside in the G004L system. Electronic AFSC Form 240 and/or AFSC Form 930 are used for file maintenance.

7.32.2. Other Direct Cost. These costs are travel expenses and per diem in support of TDYs being performed. For material issued and requisitioned to the A-prefix job order number at the home station, the material must be entered in the BOM segment of the AFSC Form 237. A change in the other direct cost, a change in the number of man-hours, or a change to labor content or material requirements will cause the G004L system to re-compute a new hourly sales rate. Any change to labor, travel, or material cost must be entered into the G004L system by inputting an AFSC Form 930.

7.32.3. Cancellation of work. There are two types of work cancellation. One type is deletion of the JOQ requirement. If this occurs while the job is still in planning, the planner will input an AFSC Form 930 with a zero entered in the JOQ block. The second type is a reduction of the original requested JOQ. In this case, the planner inputs an AFSC Form 930 with control data and the revised quantity to be produced. The planner or scheduling function will contact workloading prior to reducing JOQ if completions and/or costs exceed requested cancellations that occur during the production process.

7.32.4. Increased JOQ. All JOQ input with an AFSC Form 206 may be increased by the initiator only prior to the AFSC Form 237 input. **Note:** All requests for JOQ increases should be substantiated with proper documentation from workloader and maintained in the jacket file.

Section 7E – Scheduling and Control

7.33. General. The scheduling function provides control of in-process workloads to allow timely completion of jobs. This function entails requisitioning/turn-in of production assets. Induction of the end item against an established control number opens the JON in G004L and DIFMS for cost accounting. DIFMS is the system of record for funding control and cost accounting. DIFMS accumulates costs incurred for work-in-process. Completion of the end item results in the sale to CSAG-M customers. Scheduling prerequisites include technical knowledge of data systems, ability to allocate manpower, knowledge of production processes, and the ability to interpret directives. The goal is to provide meaningful feedback data to other levels of management for decision making purposes. G004L accounts for end items input to work during the repair process, creates work-in process records, and accumulates production units completed for output to the SPG in DMAPSIE at the job order level which results in revenue to offset costs incurred. The system provides many data products for use at different levels of management which track production completions.

7.34. Relationship with Other Functions. The scheduling function depends upon support from the item management, production management, and supply areas as well as the coordination between the workload control organization, the planning units, the RC/CC, and applicable control centers.

7.34.1. Planning. The scheduling function relies upon planners to update the AFSC Form 206 requirements when the needs arise.

7.34.2. Production. The scheduling function depends upon the program managers and applicable engineer to identify unplanned parts requirements and labor operations. The scheduling function also relies upon program managers for notification of labor operations and end items completed.

7.35. Workload. Workload generates from many sources. Workload items in this category include all non-programmed workloads, i.e., area, base, contract, tenant support, software support, depot maintenance interservice support agreements (DMISA), and local manufacture. These categories by their inherent nature create a workload mix with different priorities and require actions by each scheduling function involved to ensure timely workload completion.

7.36. Workload Control. The scheduling function is responsible for all production items within an area. Several forms are used to maintain status of these items:

7.36.1. AFSC Form 105, *Workload Record,* or AFSC Form 130, *Production Asset Control Record*. This form is initiated by the individual performing the scheduling function to document the necessary information concerning schedule and production status of each end item processed. This includes all items issued from or turned-in to supply by G004L OPR transactions, and support RC/CC productions are also recorded on these forms. PME items scheduled and processed are exempt from being recorded on AFSC Form 105 or AFSC Form 130. These forms provide an auditable progressive inventory record of end items processed through the RC/CC. Forms may be filed by JON, master NSN, or actual NSN sequence which is at the option of each scheduling activity.

7.36.2. Product Quality Deficiency Report (PQDR) Exhibit Processing. Reference TO 00-35D-54, *USAF Deficiency Reporting, Investigation, and Resolution (DRI&R).*

7.36.3. Temporary Job Record. The G004L-L3A document is produced from the AFSC Form 206; AFSC Form 237; and G004L transactions.

7.36.4. Production Item Control. The scheduling function must ensure that proper documentation of production receipts and turn-ins are maintained. The G004L-L2A daily listing provides visibility of all transactions and transaction errors. The G004L-L2A will be reconciled to the AFSC Forms 105 and AFSC Forms 130. Quantities by stock number and document number are recorded for both issues and turn-in transactions. The G004L system provides W-series products to show those stock number OPC relationships which require research for reconciliation. D035K and G402A systems provide a transaction history to aid in the reconciliation of the AFSC Forms 105 and AFSC Forms 130.

7.37. Local Manufacture. All local manufacture requires that AFSC Form 206 and AFSC Form 237 be processed validly by the G004L system before work can begin. The AFSC Form 206 gives the basic authority for manufacture. These requests, regardless of source of requirement (i.e., maintenance support groups, supply chain maintenance wings, or tenants) must be processed

through SCMW. This type of work is funded on type 6 or 7 project orders. The AFSC Form 237 or AFSC Form 240 provides the labor and material data required for costing. Work requests will be processed on a temporary JON using M control number prefix and K job designator. The UOM is normally EA. The computer will create an EISP for each unit of the JON quantity.

7.38. Data System Interfaces. Scheduling is responsible for providing input to several data management systems. Examples of these systems are as follows:

7.38.1. D035K, Stock Control and Distribution/Central Material Locator System. Receipts and turn-ins of production items and material from supply sources will be accomplished by input of the receipt acknowledgement (RA) or turn-in transaction to EPS/G402A which passes to D035K. Production item transactions are passed electronically from D035K to G004L.

7.38.2. G004L, Job Order Production Master System (JOPMS).

7.38.3. G402A, Exchangeables Production System (EPS).

7.39. Data Reliability. The scheduling function depends upon the planning function to provide a valid means of reporting standard labor used and valid identification of material requirements to enable reporting for costing accurately. Revenue received from sales should equate to the cost of actual resources consumed on each JON. Daily management reports are available to the individual performing the scheduling function to maintain data integrity. Erroneous transactions processed must be corrected upon receipt of the error listings.

7.40. Job Order Cancellation/Reduction. The customer may determine that the quantity requested is more than needed or the total requirement must be cancelled. The change of the JOQ to the new value is accomplished electronically in G004L. When the JOQ is reduced to zero, the G004L system will assign job status code 3. If material has been received and will not be used, this material should be returned to supply before cancellation (reference AFMCI 65-101). Review all backorders for cancellations.

7.41. Suspended Temporary Jobs for Customer Job Order Release. After the Temp Plan header screen (AFSC Form 237) is processed into G004L for a temporary job with the status of planning indicator (SOPI) marked complete, if the resulting planned cost (EISP X JOQ) exceeds the estimated job total costs entered by initiator of the AFSC Form 206, the job will go into suspense status with an S JSC. While the job is in suspense, production asset and material transactions will reject from the D035K system. The workloader must contact the initiator to accept cost over and above that originally planned. The workloader submits a customer job order release to accept as is with planned costs moved to the estimated cost field to increase dollars allocated or decrease the job. The following jobs are exceptions and will not go into suspense when planned costs exceed estimated costs:

7.41.1. M – Prefix JONs with R and W reimbursement code.

7.41.2. T – Prefix JONs with S DPC.

7.41.3. T – Prefix JONs serialized except those with DPC 7.

7.41.4. Priority 1A transactions.

7.41.5. A – Prefix JONs.

Section 7F – Scheduling Procedures

7.42. Data Processing Codes. All AFSC Form 206 and AFSC Form 600 transactions will contain the applicable DPC as per the usage assignment. The individual performing the scheduling function will use these codes as the basis for determining how and what to report to the G004L system. The DPC can be changed file maintained as shown in WAD edit extension. Reference **Table 7.2.** for DPCs.

7.43. JON Suffix Establishment. The method of establishing inductions depends upon the DPC assigned to the production number and the type of work. For Temporary JONs the suffix is established upon input of serialized Record Establishment.

7.44. Job Order Quantity. This quantity reflects the customers negotiated requirements for funding. The G004L system reflects a JOQ on all temporary production numbers.

7.45. Scheduling function Jacket Files. The scheduling function will maintain a jacket file on each temporary production number for which the scheduling function is responsible. Contents of the jacket will include as a minimum:

7.45.1. AFSC Form 206 screen print.

7.45.2. G004L-L3A.

7.45.3. Other backup documents as deemed necessary.

7.46. Job Order Number Status Codes. The G004L JON master records will carry a status code which indicates the production status of each record.

7.46.1. Status Code = Blank. There is no JON suffix. For temporary workload, a blank status code is established only at control number/job designator (CN/JD) level. For temporary workload, valid input of AFSC Form 206 Part II established the CN/JD and a blank status code on the appropriate master file.

7.46.2. Status Code = 0. The JON is open and active. For temporary non-serialized JONs, the status code will be set at 0 when an AFSC Form 237 with the SOPI marked complete processes validly. For temporary serialized workload, the status code will be set at 0 when the transaction processes. On temporary workloads, when JSC=0, the G004L-L3A is produced for the scheduling functions use. Completions, labor, and material transactions are allowed.

7.46.3. Status Code = 1. The JON is completed and sold. The JOQ has been inducted, and all items have been completed for temporary JONs. For temporary JONs, this code will be assigned regardless of JON period during the end-of-month processing cycle in which completions equal JOQ. Trailing labor and material transactions are still authorized.

7.46.4. Status Code = 2. The JON is closed. The code is assigned at EOM after the JON has been sold (i.e., SC=1 for a full month). No further actions are allowed. Trailing labor and material transactions are not allowed.

7.46.5. Status Code = 3. The JON is cancelled. This code is assigned only at EOM. When this code applies to temporary JONs, it is assigned at the EOM when the JOQ equals 0. Trailing labor and material transactions are not allowed.

7.46.6. Status Code = 7. The JON is history. The JON will be kept on the appropriate G004L master file until the end of the quarter so appropriate data can be passed to interfacing systems.

7.46.7. Status Code = S. The JON is suspended. This applies to manufacture work accomplished on other than R or W reimbursement codes (i.e., first position of PCN). This status code is assigned on any processing day during the month when the TEMP PLAN HEADER Screen (AFSC Form 237) with the SOPI marked complete processes validly and the planned cost is greater than the estimated job total cost. A customer release (H1) transaction is required to return the JON to active status and labor and material transactions to be valid.

7.47. Defense Industrial Funds Management System. DIFMS will carry a status code which indicates the production status of each record. See **Table 7.1**.

Table 7.1. DIFMS JON Status Codes.

Code	Status
1	Open
2	Reopened
3	Closed
6	Canceled
7	Termination
8	Pending (No Customer Order)
9	Purge

7.47.1. The DMAPS Conversion Engine (CONEN) provides a means for data transfer between the DMAPS suite of systems and the AF legacy systems. CONEN sends JON Status Code originated in G004L to DIFMS.

7.47.2. G004L JSC. 1, 2, 3 are sent as status code '1' (closed, awaiting trailing costs for 30 days) in G004L but remains in status code '1' (open) in DIFMS. G004L JON Status Code changes at the end of 30 days to JON Status Code '2' (financially closed).

7.47.2.1. JONs may be closed in G004L but remain open in the job order status tool (JOST) and DIFMS until all started operations have been completed against the generating JON. Once JOST finds there are no open tasks in TAA (i.e., all tasks are completed), the JON is closed in JOST. The direct JON is closed in DIFMS after receiving the financial closed status from JOST (status code '3'). The JON cannot be financially closed in DIFMS without passing the JOST edits for JON closure.

7.47.2.2. JONs that cancel because of unserviceable turn-ins in G004L will not automatically close in DIFMS. Maintenance, business, and finance offices must work closely together to ensure costs over $2,500.00 are moved if possible.

7.47.2.3. Insufficient communication between production and cost accounting may result in cancelled JONs being written off. When the DIFMS status code is changed to '7', activity terminated, costs will be absorbed. A 'write off' should be a rare situation and must be approved in writing by the chief of cost accounting.

7.48. Authorized, Completed, and Acceptable Work. Production data obtained from production completion procedures are required for the accumulation of standard costs and will only be compiled on work that is authorized, completed, and acceptable.

7.48.1. Authorized Work. Authorized work is any production effort which can be supported by the appropriate work authorization document.

7.48.2. Completed Work. Normally RC/CCs earn labor as operations are complete.

7.48.3. Acceptable Work. Work is defined as acceptable when it has been completed.

7.49. Completion Transaction Processing. To ensure proper end item reporting, input of receipt and turn-in documents must be accomplished on time. The production reported to the JON master system by a supply or maintenance generated transaction in G004L will be used along with other G004L production to update the project order register and produce sales billing in DIFMS.

7.49.1. Supply or Maintenance Generated Transaction in G004L (Completions). Direct input of a Turn-In/244/971 transaction input to the G004L system is limited to engines, nuclear ordnance commodity management (NOCM) items, and manufactured items not sent to supply. All other production items are turned into supply (D035K) by use of a Turn-In/244 transaction, Material Request/Turn-In/Custody Receipt, to electronically update G004L from D035K. These completions are input through remote devices to the D035K system. G004L is updated by tape interface. The update appears on the G004L-L2A data products.

7.49.2. System Completions. All JON master records with inductions from non-supply sources including serial-numbered items with DPC 9 on the master record will be reported to G004L. This production will include but will not be limited to items processed for area support, base support, central acquisition, and renovating testing.

7.49.3. Verification of Production Transaction. Visibility of the end-item completions transactions is reflected on the Daily Visibility and Cross-Referenced List (i.e., G004L-L2A). The scheduling function must verify all daily transactions by comparing the L2A and AFSC Forms 105 and/or AFSC Forms 130.

7.50. Other Services, DMISA, Production Item Processing. Production items worked by the software groups that are owned by a service activity other than the DAF require special control for accounting purposes. The G004L system requires a separate production number to be established for each customer when the same stock numbered end item is repaired for other than the Air Force because the reimbursement code for each service is different, and the end item accountability is maintained under different OPCs in the D035K system. The requisition transaction (i.e., 244) for these items must carry the ownership purpose code in the OPC block. If the last digit of the job order suffix in the JON block is not the same as the entry in OPC block, the system will reject the transactions. It is imperative that the JON identity that is in the D7/RA transaction be maintained with the end item during the repair process so production completion and material costs can be accurately charged to the appropriate JON. The proper identification is also necessary to maintain the correct DIOH/IN. Reference **Table 7.3**. for the OPCs.

7.51. Local Manufacture Procedures. Local manufacture (i.e., M-prefix) planning procedures are divided into two categories. These categories are R or W and all others. The reimbursement code, which is the first position of the PCN, determines the category. When the reimbursement codes are R or W, the following procedures apply:

7.51.1. The squadron material managers will provide the DLA/PST with a direct material list if required and the DLA/PST will order material at production number level using local manufacture procedures.

7.51.2. The squadron material managers are notified when all required material has been received.

7.52. Operational Workloading, Planning, and Scheduling Codes.

7.52.1. Information systems for planning and scheduling are identified for use as supplemental guidance and are not intended to replace policy in prescribing regulations.

7.52.2. Data Processing Codes. All opening AFSC Form 206 and AFSC Form 600 will contain the applicable DPC as per the usage assignment described below in **Table 7.2**. The individual performing the scheduler function will use these codes as the basis for determining how and what to report to the G004L system.

Table 7.2. Data Processing Codes.

Item	Description
1	Code 2 signifies that production for serial numbered end items will be reported through the D035K system to the End Item Production segment of the G004L data system by a 244 transaction. Reference DPC 9 for those serial numbered items in repair group category H and L requisitioned from supply on a 244 transaction.
2	Code 6 signifies the workload is on a serialized JON to be sold at the unit price entered in an AFSC Form 206. JON completions will be reported to the G004L system by a 971.
3	Code 7 signifies a serialized workload to be limited to the cost entered in block 14 (Estimated Job Total Cost) of the AFSC Form 206. JON completions will be reported to the G004L system by a 971.
4	Code 9 signifies that production for serial numbered end items will be reported to the end item production segment of the G004L system by a 971. Those serial numbered items in repair group category H and L requisitioned from supply by a 244 transaction must have inductions reported to the G004L system by a 971 and items turned in to supply by a 244 transaction.
5	Code K signifies that production will be reported directly to the end item production segment of G004L by a 244 transaction.
6	Code N signifies that production will be reported to the end item production segment of the G004L system by a 971.
7	Code S signifies the workload is a T-prefix tenant support JON which is of a continuous nature and is reinitialized at the beginning of each quarter. Production will be reported to the G004L system by a 971. The G004L system will assign QSI=M and UOM=HR to these transactions.
8	Code T signifies that production will be reported through D035K to the end item production segment of G004L by a 244 transaction and applies to base support (DIOH and local manufacture) item records maintained in the D035K system except those

Item	Description
	items that are controlled and reported by serial number or items with a job designator F, L, M, N, or T.
9	Code U means that production will be reported directly to the end item production segment of G004L by 244 transaction to update the 244 transaction in-maintenance (IN-MA) balance. DPC U will be used for NOCM items (materiel management code CM or federal supply group of 11) that require turn-in to special weapons supply. NOCM items not requiring turn-in to special weapons supply will have DPC N. DPC U is used for manufactured items returned to a customer when not processed through the D035K system.
10	Code X signifies that production may be reported by either 244 transaction or 971. This code applies only to XD items that are engine components and are being worked as management of items subject to repair (MISTR) items. The 971 will be used to report engine components that are removed from an engine reparable (card code R) and returned to an engine serviceable or condemned (card code S). If the item also generates as reparable from the field, 244 transaction will be used to request the item from D035K (document identifier D7) and to turn in the item to D035K (document identifier D6). The D035K system will pass these transactions to the end item production segment of G004L by a daily tape. However, the majority of MISTR items are not engine components so the DPC will remain T. (Only 244 transactions reporting through D035K to the end item production segment of G004L is allowed.) Also, code X applies only to the engine TRCs (OC-ALC).
Note: DPC changes are authorized when no inductions have been made. The following conditions apply: a. If the code indicates a supply sourced item, the data code may be changed to reflect a non-supply source if IN/MA balance is zero. b. If the code indicates a non-supply sourced item, the data code can be changed to a supply source. c. If the code indicates serial number control, the data code cannot be changed to non-serial number control. d. If the code indicates non-serial number control, it cannot be changed to indicate serial number control unless the JON suffix is blank (applicable to both temporary and permanent control numbers).	

7.52.3. Ownership Purpose Codes. A JON designator or ownership in the last numerical position depicting branch of service or other identified in **Table 7.3**. For example, T9999U44A denotes Air Force. T9999U445 is Navy etc.

Table 7.3. Ownership Purpose Codes.

Item	Code
A	Air Force and other services

1	Army
4	Marine
5	Navy
0	Unassigned
Note: Code 0 is used as the last position of the JON suffix for Air Force items worked under serialized control and issued from supply stock. The JON master record must contain DPC 2.	

7.52.4. Production Item Cost Codes. These transactions are for the issue of items and for turn-in of these items after completion. Production items which are returned in a non-serviceable A-condition are also coded as production turn-in transactions. Transactions bearing production cost codes will not result in charges or credits for inclusion in actual material cost accumulation. See **Table 7.4** for these codes.

Table 7.4. Production Item Cost Codes.

Cost	Description
F	Quality Control of Prototype Analysis. For the issue of items for QA, inspection, analysis, unsatisfactory report (UR) exhibits, prototype analysis, and the return of items previously issued for these purposes. This code will be used along with the appropriate production RC/CC code. Items removed from the production line for quality analysis and return to line will be turned in under the P rather than the F code.
P	Production. For the issue of reparable, technical order compliance (TOC), or incomplete assets to be made serviceable or issue or serviceable assets with job designator R, resulting with the turn-in of serviceable, TOC, incomplete, and condemned assets.
H	Disassembly or Renovation Testing. For the issue of recoverable assets for disassembly or reclamation and the return of reclaimed components. This code will apply to the issue of assets for renovation proof testing purposes and for the turn-in of the remaining items following the test evaluation.
V	Production Correction. For the return of production items that are received misidentified as to stock number or condition. (Incorrect item is turned in as a V cost code under control number of item originally requested. Correction issue is on a P, F, or H cost code, as appropriate.).

7.52.5. D035 Status, Advice, and Reject, Transaction Codes. Transaction codes in **Table 7.5** are generated in D035K query screen.

Table 7.5. D035 Status, Advice, and Reject Transaction Codes.

Code	Description
BB	Item backordered. Place status receipt in suspense pending receipt of new status receipt or material.
BG	Backorder item. Stock number changed due to stock list change processing. Adjust records accordingly and place in backorder suspense file.

Code	Description
BH	Cancellation of backorder due to supply of substitute or interchangeable item. Purge backorder (BB) suspense file of matching receipt and destroy both advice/status receipts.
BI	Item backordered in interchangeability and substitutability (I&S) family.
BJ	Backorder item. Unit of issue and/or quantity changed due to stock list change (SLC) processing. Adjust records as necessary and place in backorder suspense file.
BM	Notice of issue action from another DLA/PST or from depot supply for DLA/PST line issue requests. Advice/status receipt will be held in suspense pending receipt of material. When material is received, the BM status receipt will be removed from file and destroyed.
BP	Item on backorder or acquisition for direct delivery. Shipping action delayed. Revised estimated shipping date.
BQ	Deferred issue backorder canceled as requested by customer. Match to BB advice/status suspense file and pull matching receipt. Destroy BQ and matching backorder receipt.
BW	Deferred issue backorder status. Quantity remaining on backorder after partial backorder release or no release action. Place backorder suspense file; destroy original backorder receipt.
BY	Assets on hand (partial or total) status to support deferred issue backorders after normal off base receipt and mechanical backorder release processing from IM. (Notification of long supply material received in depot supply.)
BZ	Deferred issue backorder quarterly asset availability status. The quantity indicated is available or on backorder, whichever is smaller.
B7	Unit price change. The latest unit price for the item.
C(Blank)	Rejected. Material condition code of transaction is invalid. Prepare new input transaction with correct condition code and re-input.
CA	Item requested is rejected. Explanation for rejection is stated in the remarks block.

Code	Description
CB	Requisition rejected. Initial requisition requested cancellation of that quantity not available for immediate release. This code is specifically applicable in response to requisitions submitted with advice codes 2C and 2J.
CC	Deferred issue backorder canceled because of source of supply cancellation of depot supply deferred issue MISSTRIP requisition. Remove BB status receipt from suspense file and destroy both receipts. Also assigned to issue requests submitted for items coded critical and assets are not available. When cancellation occurs because of this criteria, second space in the action suffix will also contain a C.
CD	Canceled due-out to unit of issue not converted by computer. The new unit of issue is shown in the action suffix. Review the initial requirement, remove BB status receipt from suspense file and re-requisition the item using the document number and the unit of issue if requirement still exists.
CE	Item requested is an item of equipment and not authorized for DLA/PST stock.
CF	Rejected. Erroneous job designator category code, document identifier, type transaction code, or demand code. Correct erroneous elements of data and resubmit request.
CG	Rejected. Item is non-stock listed (JCD). Unable to identify requested item. Re-requisition and furnish correct NSN or part number (including reference to appropriate publication or drawing), or end item application and justification of usage. This status manually assigned.
CH	CH item requested is not authorized for use by the customer submitting the request.
CI	Status manually prepared and mailed to the customer.
CJ	Rejected. Items requested are coded JCD, JCR, JCK or the exception requisition code is N and no advice code in local request.
CK	Backorder item. Canceled receipt of DD Form 1348, *DoD Single Line Item Requisition System Document*, (Mechanical), and CK status. The BB status will be removed from suspense and destroyed and the next higher assembly (NHA), component, or kit will be requisitioned.

Code	Description
CL	Backorder item. Canceled by receipt of DD Form 1348. CL status or source category to JCR (breakdown into) during SLC processing. The BB status will be removed from suspense and destroyed. Re-requisition component parts if practicable.
CM	Regulated or classified item requiring specific elements of data. CN backorder is cancelled due to a SLC of the ERRC from C, T, L, or P to N, S, or U or from N, S, or U to C, T, L, or P.
CO	Rejected. Item has been identified as a Contract Operated Civil Engineering Supply Store (COCESS) item.
CP	Information received from source of supply that the item would no longer be procured. Check for substitute that can be used and submit new requisition for substitute stock number. CR quantity requested appears excessive. Recheck validity of requirements and resubmit. This status is manually assigned and mailed to the customer.
CS	Deferred issue backorder cancellation. Quantity indicated (canceled) is greater that the quantity on backorder.
CT	Rejected. DLA/PST availability card issued. Assets available within a DLA/PST center.
CU	Backorder item. Canceled by receipt of DD Form 1348 CU status. Remove BB status from suspense file and destroy. Re-requisition appropriate repair kit.
CX	Rejected. Base Service Store item.
CZ	Deferred issue backorder canceled. Request for backorder release from depot maintenance with no matching deferred issue backorder detail record.
DD	Transaction S/N is unmatched to DIFM suspense S/N and all I&S stock numbers controlled. Check document number for transposition of digits. Then correct or contact OPR for new document number. Prepare new input after error is detected and retransmit DH. Quantity of turn-ins transaction that exceeds the DIOH balance recorded in D035.
DT	Duplication of transaction.
ED	Rejected. (Repost issues and DLA/PST post-post issues and turn-ins). Invalid document number and day received. Correct quantity field and re-input.

Code	Description
EI	Document not showing in D035K.
EQ	Rejected. (Repost issues and DLA/PST post-post issues and turn-ins). Invalid quantity (alphas, blank columns, or all zeroes). Correct quantity field and re-input.
ES	Quantity in the INT (in-transit) card is greater than the suspense detail record.
FC	Rejected. Depot maintenance D7 repost requests containing cost codes A, R, N, W, or L for ERRC codes C, T, L, S, and U items, or cost codes B, D, E, J, M, T, or Y for ERRC code N or P.
F(Blank)	Rejected. Format of input transaction is incorrect. Check input document for missing elements of data, errors, invalid routing identifier (that is F*B on a DLA/PST replenishment request), invalid document identifier (when all three positions are manually assigned), type transaction code (when manually assigned), ownership and purpose code and project code. When error is detected, prepare a new input document with the correct date elements and re-input.
FH	Rejected. Input RC/CC unmatched on D035 organization table. Correct and reinput.
FJ	Rejected. Used wrong delivery priority of 1, 2, or 3.
FK	Rejected. Local request is a duplicate.
FL	Item delayed. Supply action being continued. Controlled exception has been generated to the depot supply component for review of the transaction. Normal reasons for FL status card are that the stock number is not recorded on the base support master record; the requested item requires review by the depot supply IM, etc. Retain this receipt in suspense pending receipt of status indicating final action taken by depot supply.
FR	Canceled invalid mission impaired capability awaiting parts (MICAP) requirement. Not reported in reports control symbol: HAF-LEY (AR) 7113.
FS	Rejected. Floating stock quantity over floating stock authorization.
FZ	Rejected. Force or activity designator used in 244 transaction is lower than the one in the organization detail record.

Code	Description
II	Fill or kill (2C/2J) suspended. Partial or total quantity available; however, the master balance record contains a freeze/blockage code.
I( )	Request for issue (other than 2C/2J suspended). Partial or total quantity available; however, the master balance record contains a freeze/blockage code. Issue will be released when freeze/blockage code removed.
JN	Rejected. JON error. MI Rejected. DLA/PST request for other than serviceable.
N	Rejected. NSN not in D035K.
NB	Rejected. No backorder detail record.
ND	Rejected. No Due-In From Maintenance/Due-Out to Maintenance (DIFM/DOTM) on file. No DLA/PST detail record.
NN	Rejected. Erroneous MICAP identity. If first space in the Rq of Del Date is 9, the second and third spaces must be 99. If first space in the Rq of Del Date is N or E, the second and third spaces must be AA, AB, AC, AD, AE, AF, AG, AH, AM, or AY.
TW	Rejected. Demand suffix of M must be entered in demand suffix.
U(Blank)	Rejected. Invalid Unit of Issue.
UM	Rejected. Invalid Unit of Issue.
WR	Rejected. Invalid input from sending remote station. Normally, the DLA/PST designator code is not compatible with the functional code or scheduling designator. WW Rejected. Turn-in quantity exceeds the DIOH quantity; or D7 RA greater than in-transit to maintenance quantity.
P(Blank)	Transaction quantity exceeds item record balance. Quantity that could be processed has been posted to decrease the DLA/PST detail record balance. Partial or total quantity which was not posted is rejected and shown. This status may be received in response to a turn-in from the DLA/PST to depot supply. When this status receipt is generated, the DLA/PST details balance is frozen with a numeric 1 blockage.
2B	Requested item only will suffice. Do not substitute or interchange.
2C	Do not backorder. Reject all unfilled quantity not available. Suitable substitute acceptable.

Code	Description
2D	Furnish exact quantity requested; i.e., do not adjust to unit pack quantity.
2F	Item known to be coded ‘obsolete’ but still required for immediate consumption.
2J	Do not substitute or backorder any unfilled quantities.
2N	Item required in one continuous length as expressed in quantity and unit of issue.
6C	If unable to ensure availability before expiration of priority, reject and furnish a supply source from which purchase may be made.
6N	Item is required for an awaiting parts (AWP) end item.
6Z	Routed repair replacement requirement (fill or kill) (for Air Force Recoverable Assembly Management System (AFRAMS) only).

7.52.6. G004L Message Codes/Purpose Message. Table 7.6 codes describe G004L messages generated by the system.

Table 7.6. G004L Message Codes/Purpose Message.

Codes	Purpose
*A	Denotes a manual production count transaction which was rejected because it was processed against a JON with a production count indicator (PCI) equal to A.
ERR*	Denotes a transaction has data element error.
ERR-D	Denotes that the control data (request number, CN/JD, ON, JON, etc.) is duplicate of a record already on a master file in the G004L system. The master record which this transaction duplicates is printed for visibility so that analysis can be accomplished to determine if just the control data duplicated on the entire transaction duplicates the master record already in the file. The master record which has the same control data as the rejected transaction will appear on the product with a REF-D message code. Those transactions which completely duplicate an existing record need no further action. Those which duplicate only the control data must be corrected by assigning no duplicative data.
ERR-F	Denotes that an AFSC Form 237 C transaction was submitted in a calendar time frame that is prior to the project order period indicated on the request number master file as input on the AFSC Form 206. The AFSC Form 237 C transaction cannot be input until the project order period is equal to the processing period of the AFSC Form 237 C transaction. ERR-I denotes an erroneous transaction in an attempt to update a JON master record.
ERR-J	Denotes an erroneous JOQ change to a DIOH-related record which would decrease the JOQ value below the JON induction balance (AFSC Form 930 transaction).

Codes	Purpose
ERR-U	Denotes a transaction was processed which was unmatched to the JON master files.
ERR-B	Denotes a valid AFSC Form 206 B transaction processed which established a temporary JON master record. EST-C denotes a valid AFSC Form 237 transaction was processed which established a temporary JON master record only after AFSC Form 206 was valid as EST-B.
EST-F	Denotes a valid AFSC Form 600 transaction processed and established in the permanent JON master (PJM) record. EST-G denotes a valid transaction processed which set up a serialized JON master record (G transaction).
EST-P	The first valid induction has been made to open a new permanent JON.
CHG-A	Addendum has been processed and changed the EISP. It appears on the L2A report with pound signs over the EISP.
CHG-D	Denotes a deletion transaction (H6/H8) which processed against a JON master record.
CHG-H	Denotes an AFSC Form 930 transaction was processed which changed data in the Master Record (# over data element denotes a change in that element).
CHG-M	Denotes that the element with #s over it has been mass changed.
REF-A	Denotes a valid AFSC Form 206, part I (A transaction) processed which establish Request Number Master Record.
REF-B	Denotes a valid transaction was processed to a temporary JON master record.
REF-D	Denotes a master record which has had a transaction attempt to duplicate the control data for this record. The transaction was rejected with an ERR-D message. The master record is printed for visibility so that the initiator of the transaction can determine if the input transaction completely duplicates this record or whether just the control data were duplicated.

7.52.7. 244 Transaction/971 Error Codes. See **Table 7.7** G004L-L2A error codes generated by the system indicate why the transaction was rejected, possible cause and how the transaction can be corrected.

Table 7.7. 244 Transaction/971 Error Codes (G004L-L2A).

Code	Error Code	Description
L	C	Purpose: This 244 transaction was rejected because its JON (CN/JD/JON suffix) had been closed.
		Cause: The JON in the original 244 transaction may be wrong.
		Action: If the JON is wrong, obtain the scheduling functions suspense file copy of the rejected 244 transaction, correct JON (including CN/JD and suffix), and change the action suffix to PK. The document identified, document number, condition code, cost code, stock number, and quantity must be identical to these elements in the rejected 244 transaction. Input this correction to D035 over a maintenance support group (MXSG) remote.

Code	Error Code	Description
L	N	Purpose: This 244 transaction was rejected because the completion had already been reported against the serial number in the transaction.
		Cause: This condition was identified by the current serial number master showing JON is closed.
		Action: Research must be initiated to ensure the correct serial number and JON was reported. If the correct number was reported and the serial number was completed by the turn-in of this transaction, the MA G004L system monitor must be notified immediately to help resolve any problem resulting from the incorrect posting to the serial number master and the end item master.
L	E	Purpose: This code indicates that some data element in the end item master record is in error and, therefore, this transaction was rejected. For reference purposes, the data on the master record for this JON will also be printed as a 2 and ERR* reason code on the Daily End Item Production Account Visibility and Cross-Reference Listing (G004L-L2A).
		Cause: In most cases the FCRN or PCN is invalid.
		Action: Call the workloader for assistance in correcting the master record. When the record is corrected, re-input the rejected transaction with Action suffix.
L	J	Purpose: This 244 transaction rejected because its quantity would have made the production issued exceed the job order quantity.
		Cause: Either the JON on the 244 transaction D7 issue transaction was wrong or the original JOQ was wrong.
		Action: If the JON was wrong, obtain the scheduling functions suspense file copy of the rejected 244 transaction, correct the JON, and change the action suffix to PK. The document identifier, stock number, quantity, condition code, and cost code must, be identical to the rejected transaction. Input the corrected 244 transaction through D035 to G004L. A temporary JOQ cannot be increased once a job has a JON assigned. If the JOQ is wrong, process an AFSC Form 930 with action 2 through the workloader to adjust the JOQ. After G004L-L2A is received by the individual performing the scheduling function to show that the correction processed, prepare and input a 244 transaction correction (action suffix PK) as above.
L	K	Purpose: This 244 transaction rejected because the master record for this.

7.52.8. Material Condition Codes. Codes in **Table 7.8** identify the serviceability of assets in the system or transit status.

Table 7.8. Material Condition Codes.

Code	Description	Definition
A	Serviceable balance (issued without qualification)	New, used, repaired, or reconditioned material which is serviceable and assumable to all customers without limitation or restriction.
B	Serviceable balance (assumable without qualification)	New, used, repaired, or reconditioned material, which is serviceable and assumable for its intended purpose, but which is restricted from issue to specific units, activities, or geographical areas by reason of its limited usefulness or short service life expectancy.
C	Serviceable balance (priority balance)	Items which are serviceable and assumable to selected customers, but which must be issued prior to issuing material condition coded A and B to avoid loss as a usable asset.
D	Technical Order Compliance balance	Serviceable material which requires test, alteration, modification, conversion, or disassembly. This does not include items that must be inspected or tested immediately prior to issue.
E	Unserviceable balance (limited restoration)	Material which involves only limited expense or effort to restore to serviceable condition which is accomplished in the storage activity where the stock is located. May be issued to support ammunition requisitions coded to indicate acceptability of usable condition E stock.
F	Unserviceable balance (reparable)	Economically reparable material which requires repair, overhaul, or reconditioning. Includes reparable items that are radioactively contaminated.
G	Unserviceable balance (incomplete)	Material requiring additional parts or components to complete the end item prior to issue.
H	Unserviceable (no balance) (condemned)	Material determined to be unserviceable and is uneconomical to repair. Includes condemned items that are radioactively contaminated.
J	Suspended balance (in stock)	Material in stock that has been suspended from issue pending condition classification or analysis, where the true condition is not known.
K	Suspended balance (returns)	Material returned from customers or users and awaiting condition classification.
L	Suspended balance (litigation)	Stocks held pending litigation or negotiation with contractors or common carriers.
M	Suspended in-work balance due-in from overhaul - DIOH)	Material identified on inventory control records, but which has been turned over to a maintenance facility or contractor for processing.

Code	Description	Definition
P	Unserviceable balance (reclamation)	Material determined to be unserviceable or uneconomically reparable because of physical inspection, teardown, or engineering decision. Item contains serviceable components or assemblies to be reclaimed.
Q	Suspended balance (Material Deficiency Report - EI exhibit)	EI exhibits returned by customers/users as directed by the IM because of reported material deficiency.
R	Suspended balance (reclaimed items awaiting condition determination)	Assets turned in by reclamation activities which do not have the capability to determine the material condition.
X	Unserviceable balance (IM hold)	Unserviceable material placed in condition X by inter-condition transfer only, as directed by the IM (reference AFI 23-101 for further definition, control, and handling).
Y		In-transit to Maintenance
Z	Condition A, B, C	In-transit from Maintenance
Z1	Condition E, F, G, J, K, L	In-transit from Maintenance
Z2	Condition H, P, S	In-transit from Maintenance

7.52.9. AFSC Form 105 – Special Instructions for Maintenance of Workload Record. Table 7.9 identifies required information per block need for the AFSC Form 105.

Table 7.9. AFSC Form 105 – Special Instructions for Maintenance of Workload Record.

Block / Column	Entry
1	Enter the stock number of the end item as assigned to the production number on the G004L-G1A.
2	Enter the production count indicator reflected on the latest G1A.
3	Enter the standard labor hours required to produce one end item.
4	Enter the number of flow days required to produce one end item.
5	Enter the delivery date as shown on the latest G004L-L3A product for temporary jobs. No entry required for permanent jobs.
6	Enter the appropriate CN/JD. Also enter JON suffix.
7	Enter the stock number of the item within a family group that must be modified to the master stock number configuration shown in block 1 if conversion is applicable.
8	Optional entry. Several NSNs may be contained in a family group.
9	Enter the appropriate DPC.
10	Enter the appropriate nomenclature of the item entered in block 1.
11	Enter the part number of the item entered in block 1.

Block / Column	Entry
12	Optional entry. Several NSNs may be contained in a family group.
13	Encircle the appropriate document to be used for production transactions.
14	Enter the appropriate product; in section/scheduling designator.
15	Enter the negotiated customer order quantity (input and output) and actual production for this JON period.
A	Enter the Julian date of the G004L-L2A which reflects the valid transaction.
B	Enter the last eight digits of the appropriate document number as indicated on the 244 transaction or 971 for both issues and turn-ins.
C	Enter the quantity of assets ordered on the applicable 244 transaction or the 971.
D	This column is divided by a diagonal to provide for two entries. The top portion of column D is provided so that the actual quantity of assets received for a transaction is recorded. The bottom portion of column D is provided to keep an accumulative total asset inducted against the JON. All assets (straight job designators) returned to supply in other than serviceable condition would be subtracted from the quantity shown in the bottom half of column D. If the assets are received after other document entries have been made in column B, an X is placed on column A and the document number, quantity ordered, and quantity received are re-entered as a new line entry in the appropriate columns.
E	Enter the quantity of assets that have been drawn into maintenance but have not been placed in work. These assets are awaiting maintenance (AWM), are not OWO, and are not AWP.
F	Enter the quantity of assets that have been drawn into maintenance but are AWP. These assets are not OWO and are not AWM. These assets must have been OWO before being transferred to the AWP balance.
G	Column G is used to keep an accumulative account of assets in the RC/CC that are in work and are not AWM and are not AWP. The quantity OWO in this column must be decreased according to the following criteria:
	(1) When the asset is returned in serviceable condition.
	(2) When the asset is returned in reparable condition. (Only if the asset is OWO; does not apply if the asset is part of the AWM balance and is returned in reparable condition from AWM.)
	(3) When the asset is returned in non-serviceable condition (except condition code G).
	(4) When the asset is returned in G condition. (Only if the asset is OWO: does not apply if the asset is part of the AWP balance and is returned in G condition from AWP.)
	(5) When the asset is transferred to either the awaiting induction (AWI) or AWP balance from OWO.

Block / Column	Entry
H	The top portion of the diagonal will indicate the serviceable production quantity (no cumulative) for the specific 244 transaction or 971 line item transaction. The lower portion will show the accumulative total date. A V should be entered beside the no cumulative quantity to denote the turn-in of a misidentified item. In these instances, the cumulative total from the previous entry must be brought forward and the misidentified quantity deducted from the cumulative quantity received total to date, (column D).
I	The top portion of the diagonal will indicate the quantity (no cumulative) of reparable items returned to supply on a specific reparable document number turn-in. The lower portion will show the cumulative total to date. A V should be entered beside the no cumulative quantity to denote turn-in of a misidentified item. In these instances, the cumulative total from the previous entry must be brought forward and the misidentified quantity deducted from the cumulative quantity received total to date, (column D).
J	The top portion of the diagonal will indicate the quantity (no cumulative) of condemned items for specific 244 transaction or 971 line item transactions. The lower portion will show the cumulative total to date. A V should be entered beside the no cumulative quantity to denote the turn-in of a misidentified item. In these instances, the cumulative total from the previous entry must be brought forward and the misidentified quantity deducted from the cumulative quantity received total to date (column D).
K	This column is for optional use, remarks, etc.

7.52.10. AFSC Form 130 – Special Instructions for Maintenance of Production Asset Control Record. **Table 7.10** identifies required information per block need for the AFSC Form 130.

Table 7.10. AFSC Form 130 – Special Instructions for Maintenance of Production Asset Control Record.

Block / Column	Entry
1	Enter stock number of the end item as assigned to the production number on the G004L-G1A.
2	Enter the appropriate CN/JD. (A single form may be used for multi suffixes on the same CN/JD.)
3	Enter the appropriate production section/scheduling designator.
4	Enter the appropriate nomenclature of the item entered in block 1.
5	Enter the appropriate DPC.
6	Enter the production count indicator of “A” for automatic or “M” for manual.
7	Enter the standard labor hours required to produce one end item.
8	Enter the appropriate number of flow days required to produce one end item.

Block / Column	Entry
9	Enter the part number of the item entered in block 1.
10	Enter the delivery date as shown on the latest G004L-L3A product for temporary jobs. No entry required for permanent jobs.
11	Enter the negotiated customer order quantity (input and output) (244/971 transaction) and actual production (244/971 transaction) by quarter.
12	Enter the stock number of the item within a family group that must be modified to the master stock number configuration shown in block 1 if conversion is applicable.
13	Optional entry. Several NSNs may be contained in a family group.
A	Enter the Julian date of the G004L-L2A which reflects the valid transaction.
B	Enter the last eight digits of the appropriate document number as indicated on the 244 transaction or 971 transaction for both issues and turn-ins.
C	Quantity ordered.
D	This column is divided by a diagonal to provide for two entries. The top portion is provided so that the actual quantity of assets received for a transaction is recorded. The bottom portion is provided to keep an accumulative total of assets inducted against the JON. All assets (straight job designators) returned in other than serviceable condition will be subtracted from the quantity shown in the bottom half.
E	Enter the quantity of assets that have been drawn into maintenance but have not been placed in work. These assets are AWM and are not OWO and are not AWP. Identify transaction type, 244 transaction or 971.
F	Enter the quantity of assets that have been drawn into maintenance but are AWP. These assets are not OWO and are not AWM. These assets must have been OWO before being transferred to the AWP balance. Identify transaction type, 244 transaction or 971.
G	Column G is used to keep an accumulative account of assets in the RC/CC that are in work and are not AWM, and are not AWP: The quantity OWO in this column must be decreased according to the following criteria:
	(1) When the asset is returned in serviceable condition.
	(2) When the asset is returned in reparable condition. (Only if the asset is OWO; does not apply if the asset is part of the AWM balance and is returned in reparable condition from AWP.)
	(3) When the asset is returned in non-serviceable condition (except condition code G).
	(4) When the asset is returned in TOC condition.
	(5) When the asset is returned in G condition. (Only if the asset is OWO; does not apply if the asset is part of the AWP balance and is returned in G condition from AWP.)
	(6) When the asset is transferred to either the AWM or AWP balance from OWO.

Block / Column	Entry
H	The top portion of the diagonal will indicate the serviceable production quantity (no cumulative) for the specific AFTO Form 244, *Industrial/Support Equipment Record,* transaction or 971 line item transaction. The lower portion will show the accumulative total to date. A V misidentified item. In these instances, the cumulative total from the previous entry must be brought forward and the misidentified quantity deducted from the cumulative quantity received total to date (column D).
I	The top portion of the diagonal will indicate quantity (no cumulative) of repairable items returned on a specific document number turn-in. The lower portion will show the cumulative total to date. A V should be entered beside no cumulative quantity to denote the turn-in of a misidentified item. In these instances, the cumulative total from the previous entry must be brought forward and the misidentified quantity deducted from the cumulative quantity received total to date (column D).
J	The top portion of the diagonal will indicate the quantity (no cumulative) of condemned items for the specific 244 transaction or 971 line item transaction. The lower portion will show the cumulative total to date. A V will be entered beside the noncumulative quantity to denote the turn-in of a misidentified item. In these instances, the cumulative total from the previous entry must be brought forward and the misidentified quantity deducted from the cumulative quantity received total to date (column D).
K	The top portion of the diagonal will indicate the quantity (noncumulative) of TOC items returned on a specific document number turn-in. The lower portion will show the cumulative total to date. A V should be entered beside the noncumulative quantity to denote the turn-in of a misidentified item. In these instances, the cumulative total from the previous entry must be brought forward and the misidentified quantity deducted from the cumulative quantity received total to date (column D).
L	This column is for optional use, remarks, etc.
Note: Column E through K 244 transaction and 971 balances must be maintained separately.	

7.52.11. End Item Identity Configuration Numbers. Codes in **Table 7.11** describe end item identity.

Table 7.11. End Item Identity Configuration Numbers.

Code	Meaning
1	Mission Design Series; used for aircraft, missiles and engines.
2	Blanket Process Order; used for item control numbers on PME and non-PME CC4 work.
3	NSN; NC or ND; NSNs: Non-cataloged or non-listed numbers.
4	K-numbers for Kits; L – numbers, and Part Numbers CAI; Customer Account Identity; used on C- prefix work.

7.52.12. Computer Assignment of PCI for Temporary JONs. Table 7.12 provides a system generated PCI based on the provide JON prefix.

Table 7.12. Computer Assignment of PCI for Temporary JONs.

JON Prefix	PCI Assigned
A	A
C	M
M	As Input
T (Serialized)	M
T (Non-Serialized)	As Input
T (DPC S)	A

7.52.13. D035 JON Suffix Edits 244 Production Transactions. Table 7.13 provides an OPC based on the JON 3rd position entry.

Table 7.13. D035 JON Suffix Edits 244 Production Transactions.

3d Position =		**OPC must =**	
If	O	Then	A
If	A	Then	A
If	1	Then	1
If	4	Then	4
If	5	Then	5

7.53. D035 System Edits Against 244 Transactions.

7.53.1. Material Transactions. (Type trans code must not equal P).

7.53.1.1. Permanent Control Numbers: Must match G004L on nine positions if JON classification code (JCC)=A; six positions if JCC=B.

7.53.1.1.1. D6 transaction: JSC must be 0, 1, Z, or D.

7.53.1.1.2. D7 transaction: JSC must be 0 or 1.

7.53.1.2. Temporary Control Numbers: Must match G004L on CN/JD.

7.53.1.2.1. D6 transactions: no edit on JSC.

7.53.1.2.2. D7 transactions: JSC must be 0 or 1. Edits do not apply to backorders. Above edits do not apply to backorders.

7.53.2. Production Item Transactions (Type Trans code is P and M for DF1.).

7.53.2.1. Permanent JONs: Must match G004L on nine positions and JSC must not equal D.

7.53.2.2. All D6 or DF1 (+ or -).

7.53.2.3. D7 reversals.

7.53.3. Permanent JONs: D7 positive transactions may match G004L on all nine positions.

7.53.3.1. If matched, JSC must not equal ‘D’ or ‘1’ and the transaction must pass the JON suffix edit. Reference AFI 23-101 for identification of priority codes.

7.53.3.2. If unmatched, must match on CN/JD and pass JON suffix edit. The JSC is not examined.

7.53.4. Temporary JONs: Must match on CN/JD. The JSC will never be blank. A 125 must be input into G004L so that JSC will become 0. Assets or material cannot be drawn out of supply until JSC is 0.

7.53.4.1. JSC 0 is an active JON.

7.53.4.2. JSC 1 is a completed JON.

7.53.4.3. JSC D is a deleted JON.

7.53.4.4. JSC Z is a cancelled JON.

7.53.5. Additive Production Item Edit. The transactions (D6) for production items will also be edited to contain PSSD in the organization identify field for cost codes P, F, H, or V (position 79). Transactions without a nine in position 34 will cause an ‘F’ coded reject.

7.54. Data System Products and Descriptions.

7.54.1. Data Products. Reports are prepared daily (D), weekly (WK), monthly (MO), quarterly (QTR), and as required (AR). A listing of G004L products is as follows:

7.54.2. G004L-E3A. Mass Change Error List.

7.54.2.1. Specifications. This data is provided only when mass changes which contain invalid data are processed, or the quantity exceeds table capability.

7.54.2.2. Purpose. This list provides visibility of change problems requiring immediate action to correct. Reorganization or re-designation of identity is the normal situation for use of mass changes. This necessitates valid table or file establishment to enable the production reporting to be accomplished.

7.54.2.3. Action. Research the erroneous data, determine who is responsible for correction, and ensure the timely submission of the proper transactions. The above will be coordinated with the appropriate organization.

7.54.3. G004L-F3B: Monthly Production Count Summary List.

7.54.3.1. Specifications. The Monthly Production Count Summary List (F3B) is produced at the end of the month. It is listed in RC/CC, FC, JON, and ON sequence.

7.54.3.2. Contents. The F3B report shows number of operations completed, operation standard hours, and earned hours for each operation against which production count was processed through the G004L system during the previous month. The earned hours are computed by multiplying the operations completed times the operation standard hours. An earned hour total is also shown for each FC within an RC/CC, and for each RC/CC.

7.54.3.3. Purpose. Maintenance management uses the F3B report to determine RC/CC activity in terms of workload done as compared to workload planned.

7.54.4. G004L-G1A: JON Master List by JON/FY.

7.54.4.1. Specifications. The G1A report is produced weekly and at EOM in JON sequence.

7.54.4.2. Contents. The GlA list shows all records from the PJM and the temporary JON master (TJM). The records may be inactive production numbers without a JON suffix, or they may be active JONs in various stages of completion, as shown by the JSC. This list will also show the financial (FCRN, PON, PCN, End Item Labor Standard (EILS)) and identification data (EII, DPC, JON Status Code, PSSD, SOPI, etc.) associated with each JON as well as the quantitative data for each JON (inductions, completions, OWO balances, and JON).

7.54.4.3. Purpose. The G1A identifies all JONs currently in use. This is helpful in assigning CN/JD for new workloads, as well as a convenient cross-reference to learn the status of a job when only the CN/JD or JON is known.

7.54.5. G004L-G3A: JON Master, temp labor standard master (LSM), Temp BOM.

7.54.5.1. Specification. The G3A is an on-line/microfiche report. Its sequence is PSSD, JON, and ON.

7.54.5.2. Contents. The G3A consists of all records from the PJM, TJM, Temporary LSM, and Temporary BOM files.

7.54.5.3. This report provides the individual performing the scheduling function information on the status of jobs for which they are responsible.

7.54.6. G004L-G3B: JON Master by EII.

7.54.6.1. Specifications. The G3B is a weekly/monthly summary report. It is sequenced by Stock Number and JON.

7.54.6.2. Contents. The G3B report shows all records from the PJM and TJM. The records may be inactive production number without a JON suffix, or they may be active JONs in various stages of completion, as shown by the JSC. This list will also show the financial (FCRN, PON, PCN, EILS) and identification data (EII, DPC, JON Status Code, PSSD, SOPI, etc.). Associated with each JON as well as the quantitative data for each JON (inductions, completions, OWO balance, and JOQ).

7.54.6.3. Purpose. The G3B identifies all JONs that are currently in use. This is a convenient cross-reference to determine the status of a job where only the stock number/EII is known.

7.54.7. G004L-G3D: Temporary Workload Status List by PCN/JON.

7.54.7.1. Specifications. The G3D report is an on-line/paper summary report. It is sequenced by PCN and JON and distributed to MXSG personnel at local option.

7.54.7.2. Contents. The G3D report will show the status of all A-JONs, local manufacture (M-Prefix), and non-serialized temporary T-Prefix JONs. Each line item will also show end item, earned hour, and cost data in three categories (i.e., planned, completed, and

remaining) as well as the number of end items inducted. This quantitative data will also be summarized to PCN level.

7.54.7.3. Purpose. The G3D is to provide the status of all A - prefix JONs, manufacture (M-Prefix Jobs) and non-serialized temporary (T-Prefix) JONs. The data is sequenced and summarized by PCN to help maintenance workloaders determine whether to accept or to reject new job requests (AFSC Form 206).

7.54.7.4. Action. The report is primarily for use by workloaders; however, it is valuable to the planner to assess skill availability on new requirements and to determine if the delivery dates on new requests can be met.

7.54.8. G004L-G3F: Temporary Work at each ALC.

7.54.8.1. Specifications. This product is produced and is sequenced by ALC, PCN, and RN. It contains a page break by ALC. The report is distributed weekly/end of month to MXSG squadrons.

7.54.8.2. Contents. The date of the transaction affecting the system record is shown. A summary total by PCN is displayed and contains the planned total units and hours with expense material, DMS, CSAG-M monthly production quantity, total completions to date, current quarter earned hours, and the remaining planned units and hours.

7.54.8.3. Purpose. To provide visibility of temporary work requirements after planning has been complete and display work planned or in process by PCN.

7.54.8.4. Action. The hourly data are used to match to the planned labor application hours to maintain dollars status related to budgeted dollars for the PCN. The dollar cost for each request may vary from the anticipated cost and the obligated dollar value may require update. The delivery dates are checked to ensure timely support for requirement levied by each request.

7.54.9. G004L-G5A: Temporary Production Number Deletions.

7.54.9.1. Specifications. The G5A is sequenced by production number.

7.54.9.2. Contents. The product displays those temporary production numbers that have been deleted from the JON master file. At end of month, those numbers deleted will have carried status code 7 with no quarterly serviceable completions (QSC) or quarterly condemnations (QC). At the end of the quarter, all temporary numbers with status code 7 will be deleted regardless of QSC or QC.

7.54.9.3. Purpose. To be used by the resource management office to maintain the temporary control number deck.

7.54.9.4. Action. Workloading may use the G5A list to file maintain the temporary control number assignment cards.

7.54.10. G004L-G5C: Planning Backlog of Temporary Job Requests.

7.54.10.1. Specifications. The G5C is sequenced by planning organization/planner technician code (PO/PTC), priority, delivery date, and request number with a page break by PO/PTC.

7.54.10.2. Contents. This report will show one line item for each B transaction that has processed validly but has not received a corresponding C transaction (AFSC Form 237 header segment with the same production number). The report will display all the data from AFSC Form 206, parts 1 and 2 if a full PO/PTC has been entered by the workloader that data will be shown, and it will be the primary sequence (major key) of the report. If the workloader only entered the planning section, the G004L system will develop that into a temporary PO/PTC like MA__EXX where the planning section is substituted for the underscore (_). In this case, the appropriate planner must enter his/her actual PO/PTC in the header segment of and produce a temporary job record (G004L-L3A).

7.54.10.3. Purpose. This list identifies all AFSC Forms 206 that represent a backlog for individual planners and the planning function as a whole. This data will also be printed in the sequence that the job request should be processed; that is, priority, delivery date, and request number (within each PO/PTC).

7.54.10.4. Action. This list is used by the planning unit supervisor and item planners to determine which request should have the labor and material requirements planned next. It is provided as of the end of the week and contains those requests that the resource management office has accepted and given control number assignment. The delivery date and priority of the requirement are used to determine the ranking sequence. Data reflected from parts 1 and 2 of accepted, valid AFMC Forms 206 or AFSC Forms 206 are listed for each request number. A SOPI column has been added to the G004L-G5C product. When the AFSC Form 237 is checked as incomplete by the planner, an ‘I’ will appear in the SOPI column.

7.54.10.5. This record will remain on the G004L-G5C until completed planning action is submitted. A blank in the SOPI column will indicate no planning action has been taken.

7.54.11. G004L-G5G: G and H Coded Items.

7.54.11.1. Specifications. The G5G report is sequenced by POPTC/JON with a page break by PO/PTC.

7.54.11.2. Contents. Condition code G means reparable incomplete, and it is used when an end item cannot be made serviceable due to a prolonged parts shortage. Condition code H means condemnation. Both codes mean that maintenance cannot be paid for the end item on straight job designators.

7.54.11.3. The G5G report will show data on completed JONs when the JON has had one or more turn-ins with a G or H condition code. The G5G report will also show the computed condemnation factor using the following formula: Condemnation Factor = (H Code Turn-Ins) / (H Code Turn-Ins + JON Completions).

7.54.11.4. Purpose. The purpose of the G5G report is to display the G coded turn-ins for better control in maintenance. This report will also aid the planner in developing a more accurate condemnation factor.

7.54.12. G004L-G5K: Planned Temporary Workloads by RC/CC/PSSD.

7.54.12.1. Specifications. This product is sequenced by RC/CC and PSSD.

7.54.12.2. Contents. This report shows planned hours, earned hours, and remaining hours for JONs overdue and for JONs due in the next 30, 60, 90, and over 90 days.

7.54.12.3. Purpose. To provide visibility of planned Temporary Workloads (JSC 0) by RC/CC this will be summarized by RC/CC, production flight, squadron, group, and directorate.

7.54.13. G004L-G6A: Responsible Scheduler's Review List. See **Figure 7.1**.

7.54.13.1. Specifications. The G6A is a weekly product sequenced by PSSD and JON.

7.54.13.2. Contents: The G6A reports reflect the following information in JON sequence:

Figure 7.1. G6A JON Sequence.

Current status code. Data record established. End item identity. Data processing code. Date of last action. Production delay code. JON inductions/job order qty/JON completions. JON earned hours. Monthly earned hours. Total planned hours. Remaining hours. Reasons for review. Permanent JON summary. Non-programmed JON summary.

7.54.13.3. Purpose. Provide a report that will identify JONs that require attention and provide a review of total hours for JONs inducted into the production section.

7.54.14. G004L-L2A: Daily End Item Production Account Visibility and Cross-Reference List.

7.54.14.1. Specification. This report is produced in PSSD and/or JON and/or EII card code sequence.

7.54.14.2. Contents. This product shows all transactions submitted for G004L processing. All valid transactions appearing on the report will display a message indicating the type of action taken. All invalid transactions will have the appropriate error code displayed, and if applicable, will have * indicators placed over the field(s) in error. Each valid and invalid transaction appearing on this report will trigger printing of the matching master record after all transactions for the JONs have been processed. It will display erroneous transactions generated, AFSC Form 930 transaction action codes 2, 3, 6, 7, or 8 (card code H), and interrogation transactions (card code T) which were submitted for processing against the master record. Each line on the report will display the reason for printing the entry. CHG

will prefix the reason on those entries printed because a data overlay (AFSC Form 930 H transaction), or a PSSD/PO/PTC mass change has been processed against the master record. This entry displays the JON master record as it appears after the valid processing and update of the record. The fields that were changed on the record will be flagged by a # sign for facilitating verification of the change action. ERR will prefix the reason for erroneous entries, either a master record of an H or T type transaction, which was to have been processed against the JON master.

7.54.14.3. Purpose. To provide the scheduling function visibility of all valid and invalid transactions that affect production items for which they are responsible.

7.54.15. G004L-L2B: RACOQ Listing-EOY.

7.54.15.1. Specifications. The L2B can be produced daily from September until 31 December.

7.54.15.2. Contents. The L2B contains a list of permanent non-serialized control numbers with RACOQ not equal to zero.

7.54.15.3. Purpose. The report is used to provide visibility of items that need to be inducted to satisfy the customer's requirements during year-end-closing-out processing.

7.54.16. G004L-L2C: G004L-L2C: Facility and Equipment Maintenance (FEM) Valid and Invalid Transactions.

7.54.16.1. Specifications. The L2C report is produced daily. It is sequenced by RC/CC, FC, JON, and ON.

7.54.16.2. Contents. The L2C report displays valid and invalid FEM transaction records and is sequenced by RC/CC/FC/JON/CN. The report also depicts production count source message. Count attempted for serialized workload without an induction will reflect asterisks over the JON.

7.54.16.3. Purpose. The L2C is prepared for review and correction of errors for re-input to the system.

7.54.17. G004L-L2D: Month to Date Transaction Error Analysis.

7.54.17.1. Specifications. The L2D product is produced on-line/paper daily.

7.54.17.2. Contents. The L2D displays, daily, the number of valid and invalid opening WADs, 244 and 971 transactions, and production count transactions. These quantities will be broken out by product group and a percent in error will be computed for each input.

7.54.17.3. Purpose. This report is to be used by management for transaction analysis.

7.54.18. G004L-L3A: Temporary Job Record.

7.54.18.1. Specifications. The L3A report is produced daily. Its sequence is PO/PTC/JON/RC/CC/FC/ON with a page break by PO/PTC/JON. This product is produced when AFSC Form 237 has been processed validly and SOPI=C. A new L3A is produced when an LSM or BOM addendum or certain file maintenance transactions process.

7.54.18.2. Contents. This list shows all established data elements, labor operations, and material requirements for temporary JONs (non-PME).

7.54.18.3. Purpose. This listing is used for record of new workloads or changes in existing workloads. Space is provided for signature/stamps as required for verification of work done.

7.54.19. G004L-L3B: Daily Planner's List.

7.54.19.1. Specifications. The L3B report can be produced daily. The sequence is PO/PTC, JON, ON. The report will portray all valid/invalid transactions from AFSC Form 237 and AFSC Form 600 transactions, AFSC Form 930 transaction changes, and Part II of AFSC Form 206. Likewise, the L3B report is produced because of the annual input of the FCRN mass change action to the PJM record by AFSC, maintenance cost accounting, and the daily match of the PCN in the master JON record against the PCN table in the validation stack in G004L.

7.54.19.2. Contents. This report is structured with three tiers of data. One tier reflects AFSC Form 237 header and AFSC Form 600 transaction additions as well as AFSC Form 930 transaction changes to these data. The second and third tiers will contain LSM and BOM transactions input by AFSC Form 237 as well as AFSC Form 930 transaction changes to these data.

7.54.19.3. Purpose. The listing provides the lanner a printout of all transactions rejected or processed resulting from processing of AFSC Form 237, AFSC Form 600, or AFSC Form 930 transactions. For permanent JONs, the listing tells the planner that labor and material standards can now be submitted. If the L3B is produced because of the annual FCRN mass change action, it will inform record under his/her jurisdiction for the subsequent year. However, processing the input document could produce an error message. If the PCN in the JON master record is not on the validation stack during the daily match, an error message will be reflected for the PCN on the L3B product.

7.54.19.4. Action. The planner must correctly input errors by pulling the suspense copy of the input data and verifying the entry on the list as being what should be contained; that is, rate, serial number, JON, EII, DPC, etc. If an FCRN change is reflected, this is for information only. No action is required. If an FCRN error is reflected because of the mass change action by AFSC, contact workloading personnel for corrective action. If a PCN error is reflected because of the daily mechanical match and the JON record is required, contact AFSC/SWA for reentry of the PCN to the validation stack. If the production number is not required, initiate deletion action on the permanent production number, immediate corrective action is required. Errors in data fields affecting EISP can result in an erroneous computation by the G004L system. This incomplete data will be forwarded to the customer by the G004L-L3C product. To avoid this, the planner should input the initial AFSC Form 237 and addenda with the incomplete planning status block checked, until the planner is sure all entries are valid. Planning completed can then be input with an additional addendum.

7.54.20. G004L-L3F: Serial Number Record Listing.

7.54.20.1. Specification. The L3F report can be produced daily. Part 1 sequence is by JON and serial number. Part 2 of the report is sequenced by PON and serial number.

7.54.20.2. Contents. The product contains all serialized controlled workload being done on DPCs 2, 6, 7, 9.

7.54.20.3. Purpose. The L3F provides the visibility of valid serial number records and JON cross-reference which allows production count for serial number-controlled end items.

7.54.21. G004L-S1A: EISP File Maintenance Report.

7.54.21.1. Specifications. This report is produced on-line/paper.

7.54.21.2. Contents. The S1A report reflects the new EISP and new FCRN by CN/JD and FY.

7.54.21.3. Purpose. The purpose of the report is to reflect all EISP changes input or those changed by the end-of-year overlay.

7.54.21.4. Action. Review this report to ensure the changes input were done properly. If an input was made to change an EISP or FCRN, and the change does not print out on the S1A report, it will have shown on either the S1B-S1C report. Those reports will then be reviewed, and action taken.

7.54.22. G004L-S1B: G004L versus SPG in DMAPSIE EISP Mismatch Report.

7.54.22.1. Specifications. This report is produced on-line/paper.

7.54.22.2. Contents. The S1B report reflects the EII, PO/PTC, DPC, date established, date of last action, EILS, EISP, JON induction, source code, and FCRN.

7.54.22.3. Purpose. The purpose of this report is to reflect the JON of any item where an attempt was made to change the EISP of a record found in G004L, but no EISP was received from SPG in DMAPSIE. When the G004L picks up new EISPs from SPG in DMAPSIE at the end-of-year overlay, it will pick up only those changes that were in SPG in DMAPSIE before annual overlay prices were established. Any production numbers opened in G004L after this time will appear on the S1B report, not in SPG in DMAPSIE.

7.54.22.4. Action. For these items, immediate action is required to provide an input to the SPM.

7.54.23. G004L-S1C. S1B/S1C: G004L -VS- DMAPS Data Store (DDS) EISP Mismatch Report.

7.54.23.1. Specifications. This report is produced on-line. It is issued when an EISP change has been input during the end of the FY overlay and the records were found in the SPG in DMAPSIE, but the CN/JD is not found in G004L. The report is in CN/JD sequence and shows the applicable EISP.

7.54.23.2. Contents. The S1B/S1C report reflects CN, JD, JON SUF, FCRN, EISP, FYI, FUT FCRN, EII, POPTC, DPC, Date ESTAB, EILS, JONI, JSC, and error messages.

7.54.23.3. Purpose. The purpose of this report is to reflect the mismatched sales between the DDS system and G004L. Records from DDS that do not have a matched control number/job designator in G004L are flagged as such. Records that are on the G004L without a matching EISP in DDS are flagged as well.

7.54.24. G004L-W3A: DIOH/In Maintenance Summary List. See **Figure 7.2**.

7.54.24.1. Specifications. This report is produced weekly and reflects a status summary of the DIOH records on the end item master file.

7.54.24.2. Contents. The list reflects the following:

Figure 7.2. G004L-W3A List.

1. Total number of supply oriented JONs on the end item master.
2. Number of G004L stock numbers/OPC unmatched to the D035K system.
3. of G004L stock numbers/OPC with no long master in the D035K system.
4. Number of G004L stock numbers which should be changed to be compatible with D035K system.
5. Total number of G004L stock number/OPC whose IN-MA equaled DIOH for stock number/OPC in D035K system.
6. Total number of G004L stock numbers/OPC whose IN-MA did not equal DIOH for stock number/OPC in D035K system.
7. Percentage of G004L records in balance at the stock number/OPC level.
8. Percentage of G004L records out-of-balance at the stock number/OPC level.
9. Total number of supply generated JONI/NONC erroneous transactions suspended.
10. Total number of maintenance generated JONI/JONC erroneous transactions suspended.
11. Percentage of JONs with stock number/POC out-of-balance by group.

7.54.24.3. Purpose. To indicate the number and percentage of out of-balance records between the IN-MA G004L and DIOH D035K.

7.54.25. G004L-W3B: Maintenance Production History by SN.

7.54.25.1. Specifications. The W3B is produced weekly and at end of-month. The sequence is SN/OPC/JON and D035K date.

7.54.25.2. Contents. This product reflects all valid maintenance production transactions that have appeared in the G004L-L2A. It also reflects, in the same sequence, valid and invalid production transactions that have appeared in the G004L-L2A.

7.54.25.3. Purpose. This product is used in researching transactions that need correction to determine whether a document was input to the system, and for any other purpose required in maintaining records in balance between D035K and G004L. It may also be used by scheduling personnel to reconcile AFSC Form 105/AFSC Form 130 balances.

7.54.26. G004L-W3C: Maintenance Production History by PSSD. This product reflects the same data as the W3B except the sequence is by PSSD/JON.

7.54.27. G004L-W5A: DIOH/IN–MA In Maintenance Out-of-Balance Records by SMC/EII Sequence.

7.54.27.1. Specification. The W5A report can be produced weekly and is sequenced by depot supply class manager code, stock number, ownership purpose code, and JON.

7.54.27.2. Contents. This product is produced to portray those JON records whose summarized IN-MA balances do not match the DIOH balance for the same stock number/OPC. The report may reflect that D035K has changed the stock number but that has the old SN recorder. The report also identifies by JON those stock number/OPC records

which have no D035K record. It also identifies those JONs which are unmatched by SN/OPC to D035K. These are reflected by the message 'No record in D035K'.

7.54.27.3. Purpose. This listing is a reference document to aid communication between the individual performing the scheduling function and supply personnel.

7.54.28. G004L-W5B: Erroneous Production Transactions, Sequence.

7.54.28.1. Specifications. This report reflects all G004L erroneous production transactions. The report is sequenced to immediately follow the W5A report within supply manager class code.

7.54.28.2. Purpose. This report will be used to help reconcile the DIOH/IN-MA balances.

7.54.29. G004L-W5C: DIOH/IN–MA In Maintenance Out-of-Balance Records by PSSD.

7.54.29.1. Specifications. The W5C report is produced weekly and is sequenced by production section, scheduling designator, end item identity, ownership purpose code, and job order number.

7.54.29.2. Contents. This report reflects those JON records whose summarized IN-MA balances do not match the DIOH balance for the same stock number/OPC. Balances in transit to MA and Supply are also shown as well as individual OWO, AWM, and AWP balances by JON.

7.54.29.3. Purpose. This report is to be used by scheduling personnel and Supply personnel in reconciliation of out-of-balance conditions.

7.54.30. G004L-W5D: Erroneous Production Transactions by PSSD Report.

7.54.30.1. Specifications. This report is produced weekly and is sequenced to immediately follow the W5C report within PSSD.

7.54.30.2. Contents. All erroneous production transactions which have been suspended by the G004L system are reflected on this report until corrected or deleted.

7.54.30.3. Purpose. This report will be used to assist in reconciling the DIOH/IN-MA balances.

7.55. Supporting Systems and Functions.

7.55.1. D035K – Retail Stock Control and Distribution (SC&D) Central Material Location. The Retail SC&D system is designed to improve materiel management and customer support through standardization of distribution decisions and depot processes and provide rapid and positive response to logistics demands.

7.55.2. D046 – Base Account Screening Exercise System Interrogations. See **Figure 7.3**. The D046 interrogation process is designed to provide an interrogation capability by stock number and by federal supply class manufacturer (FSCM)/reference number for data maintained in:

Figure 7.3. FSCM Items.

1. The Master Item Identification Control System (D043) 2. The Interchangeability and Substitutability Data Maintenance System (D097) 3. Defense Logistics Services Center (DLSC) files when the NSN or FSCM/reference number is not resident in the D043 system and with selected option codes 4. The Base Account Screening Exercise System (D046) 5. The Stock Number User Directory (SNUD) System (D071). It affords a means of obtaining current stock number related management data on a five-day-a-week basis and current FSCM/reference number related data and SNUD user registration data once a week.

7.55.3. D071 – Stock Number User Directory. The SNUD is a data system which provides selective automatic distribution of stock number-oriented management data. It is a means of associating stock numbers with stock record account numbers (SRANs) or assigned user account numbers to provide tailored automatic distribution of management data to meet the individual needs of each user registered in SNUD. This tailoring is based on user established interest in a specific stock number and type of management data registration established by the user, with selection of required transactions being accomplished electronically by SNUD. The need for manual research of reference documents, such as stock lists, machine listings, etc., to keep base records current has been minimized.

7.55.4. D143B – Central Edit, Index and Routing Subsystem. The D143B system is a key feature of the Air Force Recoverable Assembly Management System (AFRAMS). It is designed to provide all using systems with current and consistent management data for all stock numbers for which the ALC has AF item management (wholesale) responsibility (D032, SC&D)) and all stock numbers applicable to the local special support system (D034A). The D1438 subsystem verifies SRANs and routes incoming products to appropriate data systems and ALCs.

7.55.5. D143C – Air Force/Federal Logistics Information System (FLIS) edit and routing system (AFERS). Provides the ALC with a single source for the input and routing of material identification data destined for Air Force, DLSC, and other services or agencies and cataloging systems participating in the Federal Logistics Information System (FLIS). DLSC/FLIS is also a source of input transaction to D143C. D143C has one job that runs at all SWEG/ALC locations to handle the D143C Key plus input. All other batch jobs, including all interface processing, run only at WPAFB, Monday through Friday.

7.55.6. D200 – Requirement Data Bank (RDB). The RDB system comprises a set of major logistics processes and models integrated by a large relational database. RDB automates and integrates the Air Force material requirements determination process which computes procurement and repair requirements for spares, repair parts, and major equipment items. RDB uses a planning period of 38 quarters and re-computes quarterly. The RDB is the repository of detailed information showing the indentured application of every individual part of each aircraft type or end item. Within this structure the system holds the historical and planning data needed to support computation of quantities for buy and repair. The data includes: past and projected weapon system operating programs, future readiness goals,

maintenance and modification schedules, item failure rates and condemnations. Data query, modeling, and management report generation are on-line.

7.55.7. G004C – Workload Programming, Planning, and Control. The G004C system reflects the capability of the MXSG to perform all assigned workloads. This effort is supported by ALC Workload Determination Branch, the MXSG Resource Management Section, and Maintenance Industrial Fund Cost Section at the various ALCs and AFSC/SW. The primary effort within resource management is the planning of depot level maintenance workloads to efficiently use available resources while satisfying the needs of its customers. This effort supports the MXSG customer negotiations process and allows a determination as to which of the stated workload requirements can be supported by the MXSG. This system provides the mechanized data in which the workload and resource posture is portrayed for the current plus four years.

7.55.8. G004L – Job Order Production Master System. Provides the basis for job order costing by end item identity. The system accounts for end items input to work, accumulates hours earned during the repair process, outputs these hours to other data systems for computation of effectiveness, creates work-in-process records, and accumulates production units completed for output to SPG in DMAPSIE at the job order level which results in revenue to offset costs incurred. The system provides many data products for use at different levels of management. **Note:** These products track production and how earned hours.

7.56. G004L Computations.

7.56.1. Control of manufacture at AFSC/SW. Manufacture is the fabrication of an item through the application of labor, machines, and tools to material. During manufacture, raw (i.e., general purpose) material is transformed into an item with a specific form, fit, and function.

7.56.2. Authorization to manufacture. Items to be manufactured must meet at least one of the following criteria:

7.56.2.1. Organic accomplishment is necessary for the Air Force to maintain an in-service depot maintenance capability for mission-essential items as provided by AFMCI 21-100.

7.56.2.2. Acquisition of the part from a commercial source will result in higher cost to the Air Force.

7.56.2.3. The product or service is not available through inter-service or other Federal agencies.

7.56.2.4. Acquisition from private commercial sources will disrupt or materially delay an Air Force program.

7.56.2.5. A satisfactory commercial source is not available and cannot be developed in time to provide the part when needed.

7.56.3. Non-stock listed equipment items may be authorized for local manufacture when AFSC/SW existing resources are inadequate and any of the following occur:

7.56.3.1. The equipment is required to meet a locally unique requirement.

7.56.3.2. The use of spares and related accessories is required by technical order to perform maintenance checks or repairs.

7.56.3.3. An emergency condition exists, and the equipment is required to preclude an adverse effect on mission accomplishment.

7.56.4. If the local manufacture request is approved, an AFSC Form 206 will be processed to AFSC/SW by host base supply unit. After the manufacture of the equipment item, AFSC/SW will contact supply for disposition instructions. The use of an L number in the EII field is mandatory when the end item being manufactured has an assigned ERRC code of either S or U.

7.56.5. Costs associated with the local manufacture of equipment will be treated as follows:

7.56.5.1. The unit price entered into supply records determines whether the manufactured item is expense or investment equipment. If the unit price is less than $249,999.99, the item will be classified as expense equipment and it is a stock fund item. If the unit price is $250,000 or more, the item will be classified as investment equipment and it is a non-stock-fund item.

7.56.5.2. The unit price of locally manufactured equipment consists of the actual manufacturing cost of the unit plus the supply surcharge.

7.56.5.3. The actual unit cost is computed from planning data entered on AFSC Form 237 via G004L before the manufacture of the equipment item. In rare cases, the computed cost may result in a change in the original classification of an item as either expense or investment equipment. When this occurs, action must be taken to cancel and reinitiate all actions related to the item.

7.56.6. Product Quality Deficiency Report Control. See Chapter 16, paragraph 16.5.

7.56.7. Sales Rates/End Item Sales Prices.

7.56.7.1. DMAPS-DIFMS will compute earned hour costs and distribute them to owning RC/CCs when identified to legitimate RC/CCs. If earned hours are identified to owning RC/CC, DMAPS-DIFMS will compute the earned hour costs and move them into G&A. T-prefixed JONs, if serialized, are priced at an hourly sales rate from the serialized master record. All non-serialized T-prefixed JONs are end item priced by G004L computation. Rate guidance for use with T-prefixed JONs (serial numbered) is provided in this chapter. In some cases, accomplishment of some workloads by serial number control is required to preclude over/under costing to the customer. Refer to AFMCI 65-101 for policy on applying special rates for these areas.

7.56.7.2. Serial Number Work (Temporary). The application of serial number control is limited to T-prefixed temporary production numbers. These temporary production numbers may be applied to aircraft, missiles, inertial guidance systems, and OMEI including long flow time items on which the work content varies considerably from one item to the next (e.g., same NSN, MDS, etc.).

7.57. G004L Computation Costs.

7.57.1. Expense Material Cost (EMC). To compute the EMC for an operation (for all operations with cost code A), multiply the stocklist price (SLP) times the material quantity (MQ), then summarize the results up to ON level (there can be multiple different items of material for any given operation). See **Figure 7.4**.

Figure 7.4. Expense Material Cost Equation.

EMC = SLP x MQ

7.57.2. Investment Material Cost. To compute the investment material cost (IMC) for an operation (for all operations with cost code M/D/T/X/Z), multiply the SLP times the MQ, then summarize the results up to ON level. If the Cost code is E, use the average repair cost in the same formula. In both cases, the product may contain up to six-dollar positions and two-cents positions. Transactions exceeding these limits will be error coded and output on listing. See **Figure 7.5**.

Figure 7.5. Investment Material Cost Equation.

If the cost code is M/D/T/X/Z: IMC = SLP x MQ If the cost code is E: IMC = Average Repair Cost x SLP x MQ (Round to two decimal places)

7.57.3. Budgeted Labor Cost (BLC). To compute the BLC for an operation (the cost of the labor required for completing that operation on all end items in the JOQ), multiply the operation count limit (OCL) times the OSH, and multiply the result times the rate (from G004C) for the RC/CC. The product may contain up to six-dollar positions and two-cents positions. See **Figure 7.6**. Transactions exceeding these limits will be error coded and output on a listing.

Figure 7.6. Budgeted Labor Cost Equation.

BLC = OCL x OSH x RC/CC Rate

7.57.4. EISP. To compute the EISP (the EISP is needed on all WADs with UOM = EA), summarize the Expense Material Cost (total EMC) for the job; summarize the BLC for the job; add these two totals to the Other Direct Cost (ODC), and divide the result by the JOQ. See **Figure 7.7**. The product may contain up to six-dollar positions and two-cents positions. Transactions exceeding these limits will be error coded and output on listing. If BOMI = M.

Figure 7.7. EISP Equation.

EISP = (EMC+BLC+ODC)/JOQ If BOMI = R, the BLC must include the RC/CC direct material rate (Basic RC/CC Rate + Direct Material Rate) EISP = BLC + ODC

7.57.5. End Item Hourly Rate (EIHR). To compute the EIHR (EIHR needed on all WADs with UOM = HR), add the total EMC, the total labor cost (BLC), and the ODC. Divide this sum by the total standard hours (TSH) for the job, round the result to whole dollars, rejecting any job with over three significant digits. Also, round the results to three decimal positions. See **Figure 7.8**.

Figure 7.8. End Item Hourly Rate Equation.

HSR = (EMC + BLC + ODC)/TSH

7.57.6. End Item Labor Standard. To compute the EILS, divide the total standard hours for the job by the JOQ, round the result to three decimal positions. See **Figure 7.9**.

Figure 7.9. End Item Labor Standard Equation.

EILS = TSH/JOQ

7.57.7. Standard Expense Material Cost (SEMC). To compute the standard expense material cost for an operation, divide the total EMC for the operation by OCL for operation, round the result to three decimal positions. See **Figure 7.10**.

Figure 7.10. Standard Expense Material Cost Equation.

SEMC = EMC/OCL

7.57.8. Standard Investment Material Cost (SIMC). To compute the SIMC for an operation, divide the total IMC for the operation by the OCL for the operation, round the result to three decimal positions. See **Figure 7.11**.

Figure 7.11. Standard Investment Material Cost Equation.

SIMC = IMC/OCL

7.57.9. End Item Identity Configuration. The G004L system edits each EII relative to the RGC, and JD. These identities relate to type of end item and funds source.

7.57.9.1. The end item stock number, MDS, or technical assistance identities (customer account identity) description must be entered in the federal stock class/stock number blocks of each WAD. The accuracy and correct application of these entries are essential to the continued integrity of the data system and end item production reporting to DoD. The finite structuring of this entry is such that if an erroneous entry is made in any of the designated fields, the computer cannot adequately interpret and provide useful data.

7.57.9.2. The MDS entry must match the established Air Force approved MDS table of standard configurations. The establishment and maintenance of the MDS master file is the responsibility of AFSC/SW. This MDS validation table must include each MDS end item in work in the depot, or to be input on future program. System OPR will maintain the table of acceptable MDS identities in the G004L system in coordination with AFSC/SW. Locally assigned identities will not be entered in the MDS master file or on the WAD. However, if two or more WADs have the same MDS, the noun entry (8 alphas or numeric) may be used to identify each separately by customer, etc.

7.57.9.3. Each WAD that is prepared for an end item or group of items will reflect entries in the class code and stock number block as prescribed.

7.58. Due In From Overhaul Reconciliation Process Narrative.

7.58.1. AFSC/SW utilizes a variety of production management reports, MISs, and D035K to manage organic depot maintenance processes, such as maintenance scheduling and financial management. The DIOH OWO Reconciliation process is found in **Table 7.14**. DIOH Reconciliation. The DIOH Reconciliation process involves two organizational entities:

Defense Logistics Agency-Aviation (DLA-A) and the organic depot repair activity. MISs range from AF standard systems to systems unique to AFSC/SW. The scheduling function is responsible for keeping the DIOH in balance between the following systems: D035K, G402A. The tracking and control of exchangeable items is accomplished through the material management system D035K DIOH program as the supply accountable property system of record (APSR), but G004L is the accountable maintenance financial system.

7.58.2. The DIOH Reconciliation process is a systematic approach to determining the correct decision regarding the mismatch of balances between the aforementioned systems. AFSC/SW as required will determine out of balance quantities for AF owned/managed supply accountable items in the organic depot repair cycle, i.e., DIOH and OWO. More specifically, the reconciliation is focused on balances between the materiel management system (D035K) and the various MIS at the AFSC/SW.

7.58.3. By using this process, one can identify, research, formulate, correct, and verify that correct balances are maintained. The DIOH Reconciliation and correction process is a six-step systematic approach, See Figure 6.14., to determining the correct decision regarding balances:

7.58.3.1. Identify the type of error: The first step to identifying DIOH out of balances is to access the G004L L2A report. Erroneous transactions that could affect the balances initially appear on this report. This report should be worked daily and reconciled to the AFSC Form 105, or AFSC Form 130. Corrections to rejected transactions should eliminate a DIOH out of balance. The DIOH out of balance will appear on the weekly G004L W5C report.

7.58.3.2. Research and gather information: Researching DIOH out of balances is the process of using various production systems to obtain information and support for any correcting transactions. Systems used to research out of balance errors may include G004L, D035K, & G402A. Other reporting tools are used, as required, such as Center of Parts Activity (COPA) and the manual records (AFSC Form 105 and AFSC Form 130).

7.58.3.3. Formulate the process of correction: The process of correction is the analytical process of evaluating the information gathered and analyzing it to determine the cause and corrective course of action. In most cases, it requires that a comparison of the AFSC Forms 105 or AFSC Forms 130 with the G004L L2A/W5C reports and D035K to ensure that all transactions have processed correctly in each of the systems.

7.58.3.4. Correct the out of balance: Correcting the DIOH out of balance is the process of finding, creating, and processing a transaction in one of the systems to bring that system or systems back into balance. This correction may require support from DLA-A with the use of an AFMC Form 37, *Inventory Research Worksheet*, and/or report of survey (ROS).

7.58.3.5. Verify the correction: Verifying the DIOH error correction achieves accurate accounting by comparing the balances in all the affected systems after the correction or corrections have been processed.

7.58.4. This process flow narrative addresses the daily/weekly data reconciliation process between D035K and key production systems relevant to organic depot repair activity. It is incumbent upon the individual performing the scheduling function to follow this process to keep DIOH balanced between the systems and ensure paper records (AFSC Forms 105 and

AFSC Forms 130) are kept up to date. The individual performing the scheduling function should at a minimum:

Table 7.14. DIOH Reconciliation.

1.	Pull the L2A report daily and the W5C report weekly from the G004L system for the PSSD assigned.		
	a.	If there is a L2A report for the day, further research must be taken to compare AFSC Forms 105 or AFSC Forms 130 to ensure the transactions contain all the correct data elements such as PDN, JON, NSN, end item document number, and quantity. **Table 6.6.**, *G004L Message Codes/Purpose Message*, for status advice codes, and **Table 6.4.**, *Production Item Cost Codes*, for D035K status advice reject codes.	
		i.	Verify all reject and error corrections in the effected systems and attach supporting documentation to the L2A report that shows the reject or error (**See Note 1**).
		ii.	Determine if above data elements match from the AFSC Forms 105 or AFSC Forms 130.
		iii.	If above data elements match from the AFSC Forms 105 or AFSC Forms 130, then annotate 'no corrections required' on the L2A report, sign, and date.
		iv.	File the L2A report (either paper or electronically) within the immediate work area for quick access.
		v.	Retain documentation (e.g., L2A report, AFMC Form 105, etc.) either paper or electronically for audit compliance (**see Note 2**).
		vi.	If corrections had to be made, annotate them on the L2A report once all corrections and documentation have been completed, with the corrective action taken, sign, and date. Retain documentation (either paper or electronically) for audit compliance.
2.	If there is no W5C report, which means there are no system imbalances and the scheduler function is in balance with the systems, the scheduler function should:		
	a.	Annotate such on a blank sheet of paper stating there was no W5C report for the week of (using the date of that week), record their PSSD on the paper, sign, and date.	
		i.	File this documentation (either paper or electronically) within the immediate work area for quick access and retain for audit compliance.
	b.	If out of balances are listed on the W5C report, done by a comparison between the prior week's report and the current week's report, and are seven days or older, the scheduler function will research the out of balance using the various production systems to obtain information to identify where the out of balance exists.	
		i.	If the out of balance is because of an in-transit to maintenance, see in-transit process flow.

1.	Pull the L2A report daily and the W5C report weekly from the G004L system for the PSSD assigned.		
		ii.	If the out of balance is because of an in-transit to supply, see in-transit process flow.
		iii.	If the out of balance is a MIS out of balance, the scheduler function will determine which of the MIS is out of balance knowing that D035K is the APSR.
	c.	If the out of balance exists from an errant sale of inputting an incorrect NSN, PDN/JON, and/or end item document number, the scheduler function will email DLA-A a request for a transaction reversal in D035K that contains the following minimum information: document identifier code (i.e., D6M), document number, quantity, PDN/JON, erroneous date of transaction, and condition code. Retain a suspense copy of the email.	
		i.	DLA-A will accomplish the necessary transaction in D035K.
		ii.	DLA-A will notify the scheduler function by email of the action taken.
		iii.	Scheduler function will verify the reversal in the MIS, re-input the correct transaction in the appropriate MIS, verify all corrections, and attach supporting documentation to the W5C report.
		iv.	Once all corrections and documentation have been completed, annotate on the W5C report the corrective action taken, sign, and date. File this documentation (either paper or electronically) within the immediate work area for quick access and retain for audit compliance.
3.	Reconcile the AFSC Forms 105 or AFSC Forms 130 to the MIS to ensure all match. If the AFSC Forms 105 or AFSC Forms 130 do not match with the MIS, the scheduler function will research and determine if the AFSC Form 105, AFSC Form 130, or MIS is out of balance.		
	a.	Make appropriate corrections to the AFSC Form 105 or AFSC Form 130 or take corrective action in the appropriate MIS.	
	b.	Scheduling function will verify all corrections and attach supporting documentation to the W5C or L2A report.	
	c.	Once all corrections and documentation have been completed, annotate on the W5C report the corrective action taken, sign, and date. File this documentation (either paper or electronically) within the immediate work area for quick access and retain for two years for audit compliance.	
4	Review the W5C report to identify out of balance conditions and then research/compare to D035K to determine if the M balance is too high or too low in comparison to what is on work (AWM, OWO, or AWP) in the MIS.		
	a.	If the M balance against a NSN in D035K needs to be adjusted, the scheduling function will complete an AFMC Form 37.	
	b.	Send the AFMC Form 37 to DLA-A and retain a suspense copy on file. Follow up with DLA-A within five business days on status.	
	c.	DLA-A will accomplish the necessary adjustments in D035K.	

1.	Pull the L2A report daily and the W5C report weekly from the G004L system for the PSSD assigned.	
	d.	DLA-A will notify the scheduling function by completing the AFMC Form 37 with the action taken.
	e.	Scheduling function will verify all corrections in the appropriate MIS and attach supporting documentation to the W5C or L2A report.
	f.	Once all corrections and documentation have been completed, annotate on the W5C report the corrective action taken, sign, and date. Close out the report by filing it (either paper or electronically) and retain for audit compliance
5.	It is incumbent upon the scheduling function to keep the systems balanced as well as keeping AFSC Forms 105 and AFSC Forms 130 in line with the MIS and D035K. Whenever adjustments are made in the MIS and D035K which affect an AFSC Form 105 or AFSC Form 130, the scheduler function must make the appropriate corrections on the form in question. It is incumbent upon the scheduler function to ensure that all assets OWO end item document numbers match in the MIS and D035K as well as on the forms.	
6.	To ensure audit compliance, the scheduling function will retain records (either paper or electronically) of the G004L L2A/W5C reports that are worked on a daily and weekly basis, respectively, and AFSC Forms 105 or AFSC Forms 130 as back up records. If a scheduling function is reassigned or moved from the PSSD in question or the workload is moved, the records must remain or accompany the workload in question. If the workload is terminated, the files will be retained either paper or electronically in the RC/CC where the PSSD is assigned. All records must be available if requested by an auditor.	
Note: 1 – Failure to provide corrective action to a reject or error can affect asset accountability and financial improvement and audit readiness. 2 – Electronic forms used in lieu of hard paper copies are acceptable		

7.59. In-Transit Reconciliation Process Narrative.

7.59.1. This process flow narrative addresses the weekly data reconciliation of the DIOH transactions with outstanding in-transits to and from maintenance greater than seven days. This process details the reconciliation process between D035K and the MISs for outstanding in-transits. It is incumbent upon the scheduling function to follow this process to ensure audit compliance with item accountability. Inductions and completions of production end items from supply sources will be accomplished by a D7MRA-CL, receipt acknowledgement (see **Table 7.15**) or turn–in transaction (see **Table 7.16**), or by a D6M_T in G402A which passes to D035K. Once an end item is receipted back into supply, there will be a D6M receipt transaction (RT) in D035K.

7.59.2. When conditions exist due to an in-transit to maintenance, the scheduling function should at a minimum:

Table 7.15. Receipt Acknowledgement (RA).

1.	At least weekly, pull the G402A RA Suspense list and either of the two following reports:		
	a.	COPA DIOH D7M In-Transit with no RA report	
	b.	OC/OO/WR In-Transit report	
2.	Use the above documents to determine if there are any transactions older than seven days for the PSSD assigned.		
3.	If there are no items greater than seven days, the scheduler function will annotate on the G402A RA Suspense list 'No RAs to clear' for week of, using the date of that week, sign, date, and file the G402A RA Suspense list within the immediate work area for quick access, and retain (either paper or electronically) for a period for audit compliance (**See Note).**		
4.	If there are items on the G402A RA Suspense list or either of the In-Transit reports that are greater than seven days old, the scheduler function will:		
	a.	Perform a physical search and consult MRO Tracker to determine if the item has been delivered to the RC/CC and collaborate with Defense Logistics Agency-Aviation (DLA-A) when appropriate.	
	b.	If the item is located, the scheduler function will clear the RA (D7M-RA-CL) in the appropriate MIS and attach the applicable L2A or applicable D035K retail transaction history inquiry (RINA) screenshot to the G402A RA suspense list and sign, date, and file the G402A RA Suspense list within the immediate work area for quick access and retain (either paper or electronically for audit compliance).	
	c.	If the missing item is not located, the scheduler function will complete either an AFMC Form 37, to notify DLA-A of the missing item or a Web Supply Discrepancy Report (WebSDR) to notify Defense Logistics Agency-Depot Distribution (DLA-DD) of the missing item. The scheduler function will:	
		i.	Retain a suspense copy of the AFMC Form 37 or the WebSDR.
		ii.	Follow up with DLA-A or DLA-DD within five business days on the status of the missing item.
		iii.	Verify the corrections in the appropriate MIS, attach supporting documentation to the G402A RA Suspense list, annotate on the G402A RA Suspense list the
			corrective action taken, sign, date, and file documentation within the immediate work area for quick access and retain (either paper or electronically) for audit compliance.
5.	If an incorrect item (misidentified) is delivered to the RC/CC, the scheduler function will:		
	a.	Clear the RA Suspense in the appropriate MIS.	
	b.	Try to identify the correct NSN for the item.	
	c.	Process a DF1 in G402A (EPS) for the misidentified item to correct the balance.	
	d.	Determine if the RC/CC will retain or return the misidentified item.	

1.	At least weekly, pull the G402A RA Suspense list and either of the two following reports:		
		i.	If the misidentified item is to be returned to supply, a D6M transaction will be processed using the correct NSN.
		ii.	If the item is retained for repair, the item will be put OWO in accordance with this chapter.
	e.	Verify corrections in the appropriate MIS and attach supporting documentation to the G402A RA Suspense list. Annotate on the G402A RA Suspense list corrections and documentation has been completed with the corrective actions taken, sign, date, and file the G402A RA Suspense list and supporting documentation within the immediate work area for quick access and retain (either paper or electronically) for audit compliance.	
Note: Electronic forms used in lieu of hard copies are acceptable providing the forms fulfill the intent of the hard copies and provide the required reporting data.			

7.59.3. When conditions exist due to an in-transit to supply, the scheduling function will follow up with DLA-A within five business days on DLA-A accomplishing the necessary adjustments. The scheduling function will then verify all corrections in the appropriate MIS, attach all supporting documentation to the report, and annotate on the report the corrective action taken, sign, date, and file the report within the immediate work area for quick access, and retain (either paper or electronically).

Table 7.16. Receipt Transaction/Turn-In.

1.	At least weekly, pull the W5C report and either the COPA DIOH D6M In-Transit with no RT report for the PSSD assigned or the OC/OO/WR In-Transit report.	
2.	Determine if items greater than seven days old.	
3.	If there are no items greater than seven days old, which means there are no in transit receipts (D6M RT) pending processing by DLA-DD, the scheduler function will annotate the PSSD on the report and 'No RTs pending to clear' for week of (use the date of that week), sign, date, and file the report within the immediate work area for quick access, and retain (either paper or electronically) for audit compliance (**See Note**).	
4.	If there are items on either of the reports which are seven days or older, the scheduler function will perform a physical search within the RC/CC to validate that the item was handed off to DLAA/DLA-DD to return to supply. Scheduler function will also work with DLA-A/DLA-DD to search for the missing item to see if the item is still awaiting processing in any of the various DLA staging areas.	
	a.	If the missing item is located, the scheduler function will work with DLA-A/DLA-DD to have the item processed and monitor the transaction history in D035K for the RT.
	b.	Once the RT is verified in D035K, the scheduler function will attach the D035K RINA screenshot to the report and annotate on the report the corrective action taken, sign, date, and file the report within the immediate work area for quick access and retain (either paper or electronically) for audit compliance.

	c.	If the missing item is not located, the scheduler function will complete either an AFMC Form 37, to notify DLA-A of the missing item or a WebSDR to notify DLA-DD of the missing item. The scheduler function will:	
		i.	Retain a suspense copy of the AFMC Form 37 or the WebSDR.
		ii.	Follow up with DLA-A or DLA-DD within five business days on the status of the missing item.
		iii.	If the item has been found, the scheduler function will ensure the receipt is input into the appropriate MIS, attach supporting documentation to the report, annotate on the report the corrective action taken, sign, date, and file documentation within the immediate work area for quick access, and retain (either paper or electronically) for audit compliance.
	d.	If the missing item is still not located after all exhaustive research has been completed, the scheduler function will follow DoD 7000.14-R, Volume 12/Chapter 7 (Financial Liability for Government Property Lost, Damaged, Destroyed, or Stolen), to determine if a ROS is required.	
		i.	The scheduler function will submit the original AFMC Form 37 with documentation of the research conducted to notify DLA-A of the missing item and request to drop the in-transit to supply balance. The scheduler function will retain a suspense copy of the AFMC Form 37 pending action taken by DLA-A.
		ii.	If a ROS is required, the scheduler function will submit a request for a DD Form 200, *Financial Liability Investigation of Property Loss*, to the AFSC/SW ROS point of contact (POC) to assign to the investigating organization. The scheduler function will retain a copy of the request for a ROS and other supporting documentation in a suspense file pending results of the ROS.
Note: Electronic forms used in lieu of hard copy are acceptable providing the forms fulfill the intent of the hard copy and provide required reporting data.			

7.59.4. Supply Inventory held for Repair by Organic Depot Maintenance.

7.59.4.1. This guidance provides details in conducting the annual 100% inventory, and the required documentation to support it. This guidance applies to the inventory process for Air Force owned assets undergoing maintenance, repair, and overhaul (MR&O) by the Air Force AFSC/ALC depot maintenance activities. This includes inventory held by AFSC/SW organizations.

7.59.4.2. AFSC/A4/R will provide oversight of the annual 100% inventory execution and ensure the required supporting documentation is maintained. AFSC/A4/R will provide the baseline inventory list to AFSC/SW. The baseline is a list of all assets undergoing MR&O at the ALCs or held by AFSC/SW. These assets are tracked in D035K as condition code "M" and in the maintenance information systems as OWO, AWM and/or AWP status.

7.59.4.3. AFSC/SW will task the SWEGs with the inventory requirements and the baseline list. The inventory reporting dates will also be provided to the groups. This inventory will be a floor-to-book inventory. D035K is the "book" and the RC/CC/information system will be the "floor"." The Inventory Count Sheet will be used

to conduct and document the inventory for each individual item. If there are multiple NSNs undergoing the count, the additional NSNs may be attached to the form.

7.59.4.4. All assets on the baseline inventory list will be physically counted and documented on an AFSC Form 400, *AFSC Inventory Count Sheet*.

7.59.4.5. For assets that are out-of-balance, another count will be conducted, and transactional research will be performed to determine if an asset was inducted, sold, or misidentified after the baseline inventory list was provided. Inducted assets will show a D7M RA clear, and a sold will show a D6M with a minus the M (-M) and a Z in-transit.

7.59.4.6. If the NSN is still out of balance, an AFMC Form 37, will be initiated to indicate the research actions taken and results of research actions.

7.59.4.7. The AFMC Form 37 will be signed by the appropriate level of leadership (flight chief, squadron CL, or group CL or DD) depending on the cost of the asset. NOTE: the approval is certifying that complete and adequate research has been accomplished and there is no reason to believe there is theft, fraud and misdemeanor.

7.59.4.8. Once the AFMC Form 37 has been signed, it will be given to DLA-A to make the adjustments to the appropriate condition code in D035K.

7.59.4.9. All supporting documentation will be maintained for two years with the scheduling documentation IAW records retention requirements as set forth in the Air Force Records Disposition Schedule, which is in AFRIMS.

Chapter 8

LABOR ENTRY

8.1. Time and Attendance (TAA) System Management.

8.1.1. The Depot Maintenance Accounting and Production System (DMAPS) TAA is an information system that processes labor and attendance for CSAG-M funded employees. The development and evolution of TAA has been predicated on the idea of having a standard means of entering labor transactions with minimal effort from the affected employee.

8.1.2. The goal for production labor data entry is accurate and properly formatted data through extensive on-line validation at the field element level such as employee or RC/CC, JON, proper leave, and overtime authorizations, etc. This is accomplished using extensive validation files and tables. TAA is an application of hours available: direct hours worked by CC on each job order, indirect hours worked by CC, and non-productive (e.g., annual leave, sick leave, etc.) hours by CC.

8.1.3. The processes/procedures for implementing TAA transactions are as follows:

8.1.3.1. AFSC/SW will ensure the following transactions are achieved through TAA.

8.1.3.1.1. Collect and accurately record work and leave hours based upon an established tour of duty including alternative work schedule/flextime hour information. This requires pre-approved or positive acknowledgment from the approving official that the employee worked the established tour, and that TAA data is approved.

8.1.3.1.2. Record and report the number of hours of leave by type, credit hours, and compensating time used.

8.1.3.1.3. Collect actual hours or days worked and other pay related data, i.e., piecework, fee basis units/dollars, and differentials for each employee.

8.1.3.1.4. Collect data on employees who work temporarily in other or multiple pay classifications.

8.1.3.1.5. Capture actual labor data in hours, fractions of hours, or other units of measure as required.

8.1.3.1.6. Collect TAA data on a pay period basis, at a minimum daily, weekly, and bi-weekly.

8.1.3.1.7. Collect labor distribution hours based on the required classification code structure to include JON and labor operation.

8.1.3.2. Calculate and adjust weekly, bi-weekly, and prior pay period hours based on Fair Labor Standards Act (FLSA), Title 5, *Government Organization and Employees,* and other statutory and regulatory requirements. **Note:** TAA Entitlement Process is part of TAA Batch Processing.

8.1.3.3. Determine premium pay entitlements based on schedule tour, actual hours worked, and leave data (i.e., TAA Entitlement Process).

8.1.3.4. Review and correct TAA data daily to ensure that the accountable data is complete, accurate, and IAW legal requirements.

8.1.3.5. Support the correction of current/prior pay period TAA records.

8.1.3.6. For approval, supervisors use system data contained in a computer file and displayed on a terminal. Supervisors may enter a single automated code to approve the information contained in the file.

8.1.3.6.1. TAA provides the functionality to electronically attest and certify employee records. All civilian employees must attest that their time is reflected accurately in TAA. All supervisors must certify each of their employee's time. Certification can be done individually or for a group of the employees belonging to a supervisor once the supervisor has verified each employee's time.

8.1.3.6.2. Receive electronic or other appropriately documented approvals from authorized approving officials and then release data for further system processing.

8.1.3.7. Accept TAA data through various processing modes, e.g., automated time entry, internet, etc.

8.1.3.8. Use reports generated by TAA to monitor TAA data.

8.1.3.9. Protect data from unauthorized changes to completed TAA reports regardless of where they are retained.


8.1.4. Related System Processing.

8.1.4.1. System processing for production labor through TAA and the maintenance production systems and JOPMS/G004L is shown in **Figure 8.1**. This processing is related to several other systems which handle payroll, financial, and management information, DIFMS, Defense Civilian Payroll System (DCPS), Cost and Production Performance Module (CPPM) H033, and DDS.

8.1.4.1.1. When employees transact labor into TAA, the associated transactional data is then fed to the maintenance production and accounting systems for related processing. TAA sends labor transactions to DIFMS and matching payroll data to the DCPS. DCPS provides rate to TAA which then provides to DIFMS in the labor data. DIFMS passes labor data to DDS which is then viewed in H033.

8.1.4.1.2. The DMAPS CONEN provides a means for data transfer between DMAPS systems and other systems. AFSC/SW will utilize the AFSC/SW BOTS system for Process Labor Transactions as directed. **Note**: SWEGs may continue to use Software Maintenance Tools Suite (SMTS) and WorkCenter until the AFSC/SW BOTS labor transaction service is activated for use.

Figure 8.1. System Processing.



8.1.4.2. Processing data feeds to/from TAA. TAA is a production-oriented, operational information system whose purpose is to provide a standard automated means of collecting and reporting labor data. Processing data feeds to/from TAA are described in the following paragraphs.

8.1.4.2.1. Temporary workloads are always planned in JOPMS/G004L which is part of the DMCODB-Q302. G004L is the Air Force system for planning and management of temporary workloads. Workload such as occasional overhaul or repair, level of effort, inspections, testing, manufacturing, and tour of duty are typical temporary workloads planned only in the G004L system. Only JON level transacting can be input into TAA for Temporary JONs.

8.1.4.2.2. DIFMS-DCPS payroll reconciliation. After final payroll processing, DCPS sends the Gross Pay Reconciliation File (P3306D04) to DIFMS (MS236D11) for the bi-weekly DCPS to DIFMS Reconciliation process. Reconciliation performs comparison by hours/dollars for current pay period. Hours/dollars found in the PAYROLL data (DCPS) with no matching LABOR data in DIFMS will result in DIFMS labor errors. Hours/dollars found in DIFMS with no matching PAYROLL data (DCPS) will result in the labor data being reversed from DIFMS. Some of these DIFMS labor errors require research by the TAA users but the final corrective action would be a manual fix in DIFMS by the applicable FM office.

8.1.4.2.3. DIFMS. DIFMS provides valid direct/indirect JONs and RC/CCs to TAA via two daily interface files (i.e., valid JONs MS204D01 and valid RC/CCs MS204D09) which are processed into TAA by Defense Information Systems Agency (DISA) using AFDAILY job. To ensure accurate accounting, JONs and RC/CCs missing from this interface data will prevent labor from being transacted in TAA. Labor cannot be transacted in TAA against JONs that were not opened by the date of the labor

performed. Labor should never be performed on workload if funding is not in place to allow the completed processing of a JON. See **Table 8.1** for TAA and DIFMS data processing considerations.

8.1.4.2.3.1. Direct JONs are created in G004L then sent to DIFMS which sends JONs via the MS204D01 file to TAA. Also included in the MS204D01 file are indirect JONs. This file transfer is documented in Interface Control Document (ICD)14585.1_DIFMS/TAASB. If an error is detected transferring JON data to TAA, the system aborts and must have the condition corrected and system restarted. ZS204D01 must have a 'Z' record. The 'Z' record count must equal the number of JON records and include Serial Record on the file. If either condition is not met, the run aborts. If DIFMS encounters problems during processing, OO DISA (Hill AFB, UT) and the site DIFMS OPR determine how best to resolve. When the MS204D01 is received by TAA from DIFMS, the TAA AFDAILY job must be run to get any JON updates. TAA uses the JONs established date as validation to prevent labor from being transacted against JONs that were not available at the time of labor. There are times when the personnel will encounter issues in TAA due to 'Invalid JON'. The site TAA OPR is notified of these issues for resolution.

Table 8.1. Considerations.

• TAA stores all employee data, transacted and static data, in its tables. • TAA does not have any 'cost' data as that belongs to DIFMS. • DIFMS labor processing takes the labor data from TAA which includes employee hourly rates and calculates costs associated with the actual labor hours transacted/accumulated by/for each employee. • DIFMS then passes detailed cost accounting data to the DMAPS DDS which is used to warehouse execution data and provide capability for financial, production, and management reporting.

8.1.4.2.3.2. Valid RC/CCs are created in DIFMS and sent to TAA via the MS204D09 file. (**Note:** RC/CCs (also called Shops in DIFMS), are planned in the Budget and Target Module of H033 and then created in DIFMS). If an error is detected transferring RC/CC data to TAA, the system aborts and must have the condition corrected and system restarted. ZS204D09 must have a 'Z' record. The 'Z' record count must equal the number of RC/CC records on the file. If either condition is not met, the run aborts. If DIFMS encounters problems during processing, OO DISA and the site DIFMS OPR determine how best to resolve. When the MS204D09 file is received by TAA from DIFMS, the TAA AFDAILY job must be run to get any RC/CC updates. This file transfer is documented in ICD14586.1_DIFMS/TAAS-A. Most sites only allow updates to RC/CCs twice yearly, in October and April, but exceptions are made when necessary. There are times when the personnel will encounter issues in TAA due to 'Invalid Performing RC/CC'. The site TAA OPR is notified of these issues for resolution.

8.1.4.2.3.3. JONs can be built in DIFMS and restricted for use to authorized RC/CCs. TAA receives this authorized RC/CC information from DIFMS. If an

error is detected transferring AUTHORIZED SHOP data to TAA, the system aborts and must have the condition corrected and system restarted. System operators will correct the condition or notify the programming resource for assistance in correcting the condition. After the condition is corrected, processing will be restarted at the point determined by the operator or programmer. ZS204D11 must have a 'Z' record. The 'Z' record count must equal the number of AUTHORIZED SHOP records on the file. If either condition is not met, the run aborts. This file transfer is documented in ICD16093.1_DIFMS/TAAS-C.

8.1.4.2.3.4. DIFMS-DCPS payroll reconciliation. After final payroll processing, DCPS sends the Gross Pay Reconciliation File (GPR) (P3306D04) to DIFMS (MS236D11) for the bi-weekly DCPS to DIFMS reconciliation process. This reconciliation process uses the DCPS GPR to perform comparison by hours/dollars in DIFMS for current pay period. Reconciliation performs comparison by hours/dollars for current pay period. Hours/dollars found in the PAYROLL data (DCPS) with no matching LABOR data in DIFMS will result in DIFMS labor errors. Hours/dollars found in DIFMS with no matching PAYROLL data (DCPS) will result in the labor data being reversed from DIFMS. Some of these DIFMS labor errors require research by the TAA users but the final corrective action would be a manual fix in DIFMS by the applicable financial management (FM) office. See **Table 8.2** for more information.

Table 8.2. DIFMS-DCPS Payroll Reconciliation.

Item	
1	During the entitlement processing in TAA which also produces the DCPS payroll file, a file is created and sent to DIFMS for the payroll reconciliation process. This is the ZE300D02, Social Security Number (SSN) to Employee Number Cross Reference. This file transfer is documented in ICD14874.1_TAAS/DIFMS-E. DCPS will not always provide the input JON information back to DIFMS after they have split various input records into multiple records for an employee. In this case, DIFMS processing requires the Current and Permanent Shops to which an employee was assigned for the last day of the reported pay period. This will allow DIFMS to generate labor charges to the proper work center when labor is reported back from DCPS without the original JON. It is necessary to provide DIFMS a SSN to Employee Number Cross Reference file to allow proper labor charging.
2	If DIFMS encounters problems during processing, OO DISA and the site DIFMS OPR determine how best to resolve.

8.1.4.2.4. TAA batch processing. The scheduling of labor batch processing affects when labor transactions are processed. All software organizations and software groups currently process TAA after midnight, so the following processing generally occurs. First shift employee transactions are processed the evening of the day that is worked. Second shift employee transactions are processed the evening of the day that is worked; however, overtime transactions are suspended until the next day's processing. Third shift employee transactions are suspended until the evening of the day following the shift start. There is an exception for the labor processed for Saturday. Saturday labor

would include second shift overtime from Friday, all third shift transactions from Friday night, and all three shifts from Saturday. This labor process occurs on Sunday morning when third shift from Saturday has completed the last tour of duty.

8.1.4.2.4.1. During all TAA batch processing, personnel can still transact labor, but supervisors and timekeepers will be locked out for any changes until processing has completed.

8.1.4.2.4.2. As a result of processing, TAA creates a daily labor detail file (i.e., ZH140D02) that is sent to DIFMS. Additionally, a bi-weekly file (i.e., ZH440D02) containing all last-minute updates for the pay period results from payroll processing cycle. This file transfer is documented in ICD14575.1_TAAS/DIFMS-A. If processing errors are encountered, the system log will reflect the condition. System operators will correct the condition or notify the programming resource for assistance in correcting the condition. After the condition is corrected, processing will be restarted at the point determined by the operator or programmer. Any problem with processing that is not resolved quickly is identified to the DMAPS PMO TAA Lead for resolution and notification to the site TAA OPRs due to the possibility of downstream systems being affected. Payroll processing creates the DCPS Payroll File (i.e., ZE332D01) containing data as defined by DCPS for paying employees. This file transfer is documented in ICD14587.1_TAAS/DCPS-A. Payroll processing files are also validated on record count between DISA and the Defense Finance and Accounting Service (DFAS), Mechanicsburg. Previous pay period adjustments allow for corrections or updates to an employee's labor records after TAA has performed final payroll processing at the noon timeframe on Mondays. Supplemental runs are scheduled to process these transactions into the format needed in DCPS. Supplemental runs are scheduled to process Monday evenings before DCPS performs batch processing and again Tuesday evening before DCPS closes for final payroll processing. **Note:** All DCPS processing occurs during Eastern Time.

8.1.4.2.4.3. Prior pay period adjustments are corrections to pay issues that should be entered through TAA. These corrections are processed and sent to DCPS from the Supplemental Job at two different times before DCPS performs final processing on Tuesday evening. Check with your site TAA OPR to determine the time frames for your site. DISA is responsible for batch processing and will have knowledge of any files that do not transfer. System operators will correct the condition or notify the programming resource for assistance in correcting the condition. After the condition is corrected, processing will be restarted at the point determined by the operator or programmer. Any problem with processing that is not resolved quickly is identified to the DMAPS PMO TAA Lead for resolution and notification to the site TAA OPR due to the possibility of downstream systems being affected. TAA stores all employee data, transacted and static data, in its tables; however, TAA does not have any 'cost' data as that belongs to DIFMS. DIFMS labor processing takes the labor data from TAA which includes employee hourly rates and calculates costs associated with the actual labor hours transacted/accumulated by/for each employee. DIFMS receives the DCPS Eligibility Table (i.e., ZE806D01) which is recreated in TAA for determination of

premium pay. This information is provided to DIFMS via email. DFAS/DCPS is the authoritative source for the T&A Eligibility Table. This file transfer is documented in ICD14641.1_TAAS/DIFMS-D. DIFMS then passes detailed cost accounting data to the DMAPS DDS used to warehouse execution data and provide capability for financial, production, and management reporting.

8.1.4.2.5. DCPS. Under normal conditions, TAA will perform final processing for the 2-week pay period on Monday and sends payroll data to DCPS via the ZE332D01 file. Any transactions made directly in DCPS before the TAA payroll file is processed by DCPS will be overwritten by the data from TAA. The time and attendance submitted by a source data automation system is edited using the T&A Eligibility Table. If the data entered for each transaction passes all edits, the data is accepted by DCPS for further processing of pay and leave. If the data does not pass all edits, the erroneous data for each employee will be printed on the Invalid Transaction Report. TAA payroll data submission must meet deadlines identified by DFAS. Previous pay period adjustment allows for corrections or updates to an employee's labor records after TAA has performed final payroll processing at the noon timeframe on Mondays. Supplemental runs are scheduled to process these transactions into the format needed in DCPS.

8.1.4.2.5.1. If processing errors are encountered, the system log will reflect the condition. System operators will correct the condition or notify the programming resource for assistance in correcting the condition. After the condition is corrected, processing will be restarted at the point determined by the operator or programmer.

8.1.4.2.5.2. Master Employee Record (MER) files are received from DFAS on the TAA Batch Servers at each site. TAA receives MER files from DCPS. The MER 21 file contains grades, series, step, and pay rate. The MER 31 file contains leave balances. These files are used to update employee data in TAA when the HRATE and MERUPD batch jobs are processed. Unless the HRATE or MERUPD batch jobs were to fail, OC DISA (Tinker AFB, OK) would have no knowledge if data is processed correctly. When HRATE or MERUPD batch jobs are kicked off, TAA will check the file to ensure the date inside the file matches the date of the pay period. If an error is detected transferring MER data to TAA, the system aborts and must have the condition corrected and system restarted. If HRATE or MERUPD batch jobs fail, OC DISA notifies the DMAPS PMO TAA Lead for resolution. The run will indicate a successful message of 'GOOD END OF JOB' or an unsuccessful message of 'ABORT'. If the batch jobs fail, the DMAPS PMO TAA Lead is notified for resolution. These interfaces are documented in ICD14582_DCPS/TAAS-A and CD14612_DCPS/TAAS-B.

8.1.4.2.6. IE/DDS provides a relational database repository allowing a variety of functional end users to inquire and retrieve production information. The system is part of DMAPS IE. DDS is the system of record for earned hours and calculates these earned hours during nightly processing using planned data (hours) from the production systems and status transactions of COMPLETE (i.e., DDSSTAT file from TAA) only for permanent workload (i.e., JONs). If transacted correctly, Temporary JONs earn hours based on the actual hours transacted up to the amount of hours planned for the

Temporary JON. Upon closure of the Temporary JON, any earned hours not already credited will be credited at that time.

8.1.4.2.6.1. IE/DDS provides closed JONs to TAA via a stored procedure called TAA_closed_jon. When TAA receives the JON, TAA will locate any associated records by matching the incoming JON to the opn_jon field within the TA_wo_opn_tbl. When a matching condition occurs, TAA will delete the TA_wo_opn_tbl record. When all TA_wo_opn_tbl records (itn_1 and itn_2) for the associated TA_wo_hdr_tbl records are deleted, TAA will delete the (ITN_1) header record. This file transfer is documented in ICD12525.1_DDSS/TAAS-A. If processing errors are encountered, system operators will correct the condition or notify the programming resource for assistance in correcting the condition.

8.1.4.2.6.2. TAA pulls data from TA_dds_out_tbl to create the DDSSTAT file for transfer to the IE/DDS. This file will contain the tasks statuses needed by IE/DDS to calculate earned hours. This file transfer is documented in ICDs 14566.2_TAAS/CONEN/DDSS-B and 14567.2_TAAS/CONEN/DDSS-E. If processing errors are encountered, the system log will reflect the condition. System operators will correct the condition or notify the programming resource for assistance in correcting the condition. After the condition is corrected, processing will be restarted at the point determined by the operator or programmer.

8.1.4.2.6.3. The IE/DDS also presents data to be processed in the CPPM/H033 system, producing production and financial reporting/analysis tools.

8.1.4.3. Other systems associated with TAA.

8.1.4.3.1. EMPLOYEE ID Generator (EIG) is the tool used to randomly build new employee IDs for input into TAA. EIG is part of the DMAPS IE.

8.1.4.3.2. RC/CC Skill Code System (RSCS) belongs to the IE and is the tool used to align RC/CCs and Skill Codes. This tool has two parts: the creation or maintenance of Skill Codes and the assignment of Skill Codes to RC/CCs. Currently, there is a limitation of 250 total skill codes in the RSCS per site. However, there is a request to have total number of skill codes increased to 500 with each RC/CC being allowed up to 99 skills. TAA will receive updates via a database link from IE/DDS where the RC/CCs and compatible skill codes are written to the rsc_in_tbl. This file transfer is documented in ICD15049.1_DDSS/TAAS-B. When an error is detected transferring data to TAA, an error record is written to the rsc_in_error_tbl. Site TAA OPRs have responsibility to review the error table.

8.1.4.3.3. DMAPS Reporting Environment (DRIDB) extracts data from TAA tables as needed for reporting. The reporting environment resides at WR-ALC only. DRIDB OPR works any issues related to the exportation of data. This file transfer is documented in ICD15216.1_TAAS/DRIDB-A.

8.1.4.3.4. Depot Cost and Schedule Tool (DCAST) extracts data from TAA to produce reports used in the work area. The DCAST OPR at each site works any issues related to the exportation of data. This file transfer is documented in ICD15559.2_TAAS/DCAST-A.

8.1.4.3.5. Maintenance Windows. Maintenance Windows provide timeframes for software/hardware patches, updates, fixes, etc. The TAA WEB Servers, TAA Batch Servers, and TAA Database Servers all have Maintenance Windows on Sunday evening.

8.1.5. System User Access. TAA has two basic areas of access: Default and TAA responsibilities.

8.1.5.1. Default access to TAA will be granted to all TAA users based on the granting of network access via a DD Form 2875 that is maintained at the sites and will require a Common Access Card (CAC) to access TAA. Default access users receive only the basic screens in TAA to transact labor and can only view their own information. Default access defaults the employee id field to the user logged onto the system.

8.1.5.1.1. All users are expected to log into TAA and associate their CAC with the Employee ID they are assigned upon creation in TAA. Users will need their TAA Site OPR or designee to unlock their account if they have not logged into TAA within 30 days of the receipt of their Employee ID. Also, if there is inactivity in TAA for 30 days, their account will be locked.

8.1.5.1.2. For all civilian employees, there should never be inactivity for 30 days as they are required to attest their labor every two weeks for payroll certification. Extended leave and deployment could be exceptions; however, TAA is web-based and can be accessed from any .MIL site.

8.1.5.2. For TAA responsibilities and any additional need for information or access, use DD Form 2875 to gain access to TAA screens in TAA. Initiate the DD Form 2875 in the user's work area. Send the DD Form 2875 through the supervisor and security manager to the TAA functional OPR to get user access established. The TAA functional OPR will maintain a copy of the DD Form 2875.

8.1.6. System Administration.

8.1.6.1. Provide customer support. Using the system administration capability, provide user notifications of problems, issues, etc. via the SYSTEM MESSAGE and Daily Labor Correction Process (DLCP) MESSAGE. This message board is a good method of notifying all users of UPCOMING EVENTS, like new releases.

8.1.6.2. Employee Identification. The TAA logon window provides user access to the system based on entry of personal identification number (PIN) number associated with a CAC card. If the CAC and employee id are not associated within 30 days, the user's account will be locked. Upon receipt of new employee information, the Site TAA OPRs will create the Employee ID and will create the Employee Master Record that must be present in TAA. This Employee Master Record must be resident in TAA to ensure any DMAG funded employees are processed and sent to DCPS for pay purposes.

8.1.6.2.1. DMAG funded military members must have an Employee Master Record in TAA to allow for capturing of their hours for feedback to DIFMS. DMAG funded contactors working on a DMAG funded contract must have an Employee Master Record in TAA to allow for capturing hours worked for feedback to DIFMS.

8.1.6.2.2. Users must log into TAA and associate their CAC card and their user id within 30 days of the creation of their account or their account will be locked. If a user finds their account has been locked, they must request the site TAA OPR to reset their account. Once an association is made, TAA users must log into TAA at least once every 30 days or their account will be locked.

8.1.6.2.3. Create Employee ID using the EIG tool resident in the DMAPS IE. This ID will be used throughout TAA instead of the employee's SSN. The EIG enables the Site TAA OPR to enter the name, SSN, and organization for new employees and will assign a unique employee number (i.e., first position alpha for Tinker is 'D', Hill is 'E', and Robins is 'J', followed by five numbers). EIG provides the Site TAA OPR capability to view a list of all assigned employee numbers, specify a subset for printing or saving to a file, and capability to mark an Employee ID as inactive.

8.1.6.3. The site TAA OPRs and any authorized designee of the OPR can reset passwords and CAC associations when access is granted via DD Form 2875. User will need to identify their employee ID and the last four digits of their SSN.

8.1.6.4. The system OPRs or authorized designees will have access to various tables (i.e., Agency Tour of Duty Table, Pattern Table, RC/CC Table and Holiday/Mass Leave) in TAA. These tables are part of the administration of TAA and access must be strictly controlled.

8.1.6.4.1. Agency Tour of Duty Table sets the earliest and latest time that labor can be performed.

8.1.6.4.2. Pattern Table sets a 14-day pay period schedule with shift times, lunch times, including work and non-workdays to make employee schedule changes easier and is used in conjunction with employees whose Alternate Work Schedule (AWS) is other than '0'. The purpose of this table is to allow the OPRs to build schedules to be used as templates to save supervisors/timekeepers from making excessive key stroke changes for employees with schedules other than AWS0.

8.1.6.4.3. Holiday/Mass Leave Table is used to generate leave charges for holiday, annual, administrative, furlough, and/or forced annual for each employee in the indicated RC/CC. Leave may be generated for full, partial, or half day. Furlough must be in full workdays only. Holiday leave (LH) is in full or half days. This table establishes scheduled holidays and mass leave as needed. Transactions for LH in this table can only be accomplished if the holiday resides on the TA_hol_tbl which is maintained by the TAA contractor supplier. 'In-lieu of Holiday' transactions will be made by supervisors/timekeepers using **Table 8.3**. **Note**: Check table for currency.

Table 8.3. 'In Lieu of' Holiday Determination.

All full-time employees, including those on flexible or compressed work schedules, are entitled to an 'in lieu of' holiday when a holiday falls on a non-workday. In such cases, the employee's holiday is the basic workday immediately preceding the non-workday. A basic workday for this purpose includes a day when part of the basic work requirement for an employee under a flexible work schedule is planned or scheduled to be performed. There are three exceptions:	
Item	**Exception**
1	If the non-workday is Sunday (or an "in lieu of" Sunday), the next basic workday is the "in lieu of" holiday. (See section 3 of E.O. 11582, February 11, 1971.)
2	If Inauguration Day falls on a non-workday, there is no provision for an "in lieu of" holiday.
3	If the head of an agency determines that a different "in lieu of" holiday is necessary to prevent an "adverse agency impact," he or she may designate a different "in lieu of" holiday for full-time employees under compressed work schedules. (See 5 U.S.C. 6131(b).)
Note: An employee is not entitled to another day off as an "in lieu of" holiday if a federal office or facility is closed on a holiday because of a weather emergency or when employees are furloughed on a holiday.	

8.1.6.4.4. RC/CC Table links an RC/CC with a schedule consisting of shift start, shift duration, lunch start, and lunch duration (i.e., RC/CC updates write to ta_txn_workcenter_tbl). If the RC/CC does not reside in the TA_DIFMS_SHOP_TBL in TAA, then the OPR cannot establish an RC/CC and shift. The TA_DIFMS_SHOP_TBL is updated with an interface from DIFMS which is the system of record for establishing RC/CCs via the AFDAILY job. The schedule built in the RC/CC table only applies to employees with AWS of '0'. RC/CCs and skill codes will be linked using the RSCS which resides as part of the DMAPSIE. This item is not a part of TAA and is included here only for informational purposes.

8.1.6.4.5. Employee Master Maintenance screen allows the user to add, modify, or delete an Employee Master Record or backdate an existing Employee Master Record (i.e., start of the current payroll period). This transaction adds an employee to the TAA system with DEFAULT group access. Site TAA OPRs are responsible for adding, modifying, and deleting employees. The TAA application on-line HELP provides information on the fields that are contained on the Employee Master Screen and the TAA Software User Manual provides guidance on entering data into the Employee Master Maintenance screen.

8.1.6.5. Attendance. The Air Force has decided not to use the Attendance function in TAA. The site will ensure the employee assignment codes in TAA do not allow access to this function.

8.1.6.6. Coordinate on Batch Processing Cycles. TAA batch processing is scheduled in coordination between system OPRs and DISA operations support personnel. Batch processing produces many records segregated by the processing being performed at the time. Often an OPR must rely on files produced during this process to determine problems

and answer questions. Consult the DMAPS System Computer Operations Manual (SCOM) for complete details of processes, files, and purpose.

8.1.6.7. Record Retention. TAA is referred to as having two sections: FRONT END which is the area (i.e., database tables) that contains data entered on the TAA screens and the BACKEND which is the area (i.e., batch files) that processes the data that was entered on the TAA screens. There are certain FRONT END tables that gather and maintain data and these tables are not overwritten. To keep the database from growing unmanageably, PURGE routines were built and timeframes were developed for these purge routines. These routines write purged data to flat files which are stored by DISA operations. BACKEND files are the results from daily batch processing and are moved to backup folders and stored in auxiliary memory on the batch server. This occurs when DISA operations determines the batch processing server could be affected. TAA has an archived database that will allow for the storage of payroll records for the six years currently required.

8.1.6.8. Perform periodic monitoring of those groups that have the most privilege. Perform monitoring of any group or user when issues arise that warrants a closer review. This monitoring can be performed through standard reports, ad hoc queries, and the Facility Audit Report. The DMAPS PMO will take the lead for ensuring monitoring is performed and documented.

8.1.6.8.1. The DMAPS TAA PMO Lead will ensure the Pay Period Daily Labor Correction Process Audit Report (ZA026R01), an audit trail created by the Audit Run (AUDT) job process, is stored by DISA and available upon request.

8.1.6.8.2. Site TAA OPRs have on-line access to the Labor Corrections Audit Report to research any input questions. This report records every change to an employee's schedule or their processed labor by who made the change, date, and time change was made. There is also an Alteration of Personal Records which no longer contains data since TAA does not allow users to have DLCP access to update their own records.

8.1.6.9. Bridge Run functions for labor/payroll processing are performed by DISA operations personnel. All applicable dates and batch job requirements are normally coordinated with the system OPR.

8.1.7. Contingency Procedures. Establish a site contingency operation when the TAA system or segments of the system are temporarily not available. Use AF Form 3126 or local electronic equivalent document as a TAA Data Collection Record to be used when TAA is unavailable.

8.1.8. The TAA Data Collection Record will be used by personnel to manually capture production labor data for later input into TAA by the employee's supervisor when the system is unavailable or not accessible. Each supervisor or timekeeper should have at least one copy of the current form available within their work center that can be used for making copies when TAA is unavailable. Additional copies should be locally reproduced on an as-needed basis.

8.1.8.1. When TAA is temporarily unavailable, each employee will complete the top portion of this form indicating the employee's name, assigned RC/CC, pay period, and shift.

8.1.8.2. If TAA is unavailable at the end of the employee's assigned work shift or once the TAA system is again available for user access during shift, each employee will provide their TAA Data Collection Record to their supervisor. Prior to turning this form over to their supervisor, each employee must sign and date the completed form. Upon receipt, employee supervisors will review for accuracy, then sign and date the form.

8.1.8.3. Upon receipt of this form, the supervisor will ensure the data is entered into TAA at the earliest opportunity. **Note:** All tasks completed during system unavailability must be transacted complete in TAA when service is restored. This action must be taken to credit the RC/CC with earned hours for completed tasks.

8.1.8.4. The supervisor should retain these forms long enough to verify that the inputs were accepted within TAA.

8.2. TAA Supervisory Responsibilities.

8.2.1. Labor Review and Correction.

8.2.1.1. Supervisors will maintain CSAG-M funded employees in TAA. This includes civilians, military, and depot on-site contract augmentee teams (DOCATs) also called Earned Hour Contracts (EHCs). DOCATs provide direct production support. TAA is the beginning point for providing the labor data to DIFMS for the financial computing of dollars based on hours. Therefore, it is imperative that all CSAG-M funded civilian, military and DOCATs reside in TAA.

8.2.1.1.1. Supervisors and timekeepers must maintain direct employee time records in TAA daily. This includes checking employee records in TAA to ensure their tour of duty data is correct, i.e., employee data such as employee type (i.e., General Schedule (GS), Military, DOCAT), employee work schedule (i.e., Full time vs. Part time), employee schedules to include correct shift ID (i.e., 1, 2 or 3), and scheduled hours. If the data in TAA does not match the data in DCPS, DCPS may not accept the employee's data and their pay could be affected. Differences in employee data between TAA and DCPS can be caused by some of the following which could make transactions from TAA fail.

8.2.1.1.2. Personnel actions processed cause the employee's schedule to return to DCPS default schedule (which is first shift) Monday through Friday. If schedule changes are made in TAA and personnel actions are not processed before the TAA payroll file is accepted into DCPS, the employee will be returned to the DCPS default schedule.

8.2.1.1.3. Employees added to TAA on a day other than the first Sunday of the pay period and labor is not input for the days of the pay period that have already processed.

8.2.1.1.4. Employee schedule in DCPS was not changed from default schedule when first hired.

8.2.1.1.5. Separations, retirements, permanent change of station, and death transactions not input in TAA accurately or timely. See **Figure 8.2** for more information.

8.2.1.1.6. Passing incorrect data to DCPS.

Figure 8.2. Supervisor Responsibility.

It is the responsibility of the supervisor to notify the site TAA OPR of any employees who retire, reassign outside of AFSC/SW, or transfer to another base as soon as an effective date has been determined.

Email:

When TAA elevated access is no longer needed, DD Form 2875 should be submitted to the site TAA OPR to have access removed. At the least, an email should be sent to the site TAA OPR to notify them to remove the employee from TAA. For employees with DEFAULT access, an email or ticket will be sufficient to notify the site TAA OPR to have the employee removed. Upon receipt of a DD Form 2875, email, or ticket by the site TAA OPR, action will be taken within three business days.

Payroll:

Due to the nature of TAA which prepares payroll information for CSAG-M employees, immediate removal from TAA may not be performed. If there is any doubt as to an effective date or whether the removal would require 'Pending' transaction or 'Delete' transaction, access for an employee can be terminated by removing the employee from any SWEG association in TAA. This would ensure the supervisor or timekeeper could still reach the employee for any final payroll adjustments, but the employee would see a blank screen when accessing TAA.

8.2.1.1.7. Personnel actions from wage grade (WG) to general schedule (GS) or vice versa not being made in TAA when employee's change causes a wrong type of hour code to be generated in TAA and sent to DCPS. Any changes made to an employee's employee master **after** labor has processed requires the labor be changed using the DLCP Adjust Labor screen.

8.2.1.1.8. All prior pay period adjustments to an employee's record must be made in TAA. When prior pay period adjustments are processed by DCPS, they are passed to DIFMS. Any changes made to a prior pay period will negate the attest of the employee's record and will require the employee to re-attest their time and will require the supervisor to re-certify the employee's time. See **Figure 8.3**.

Figure 8.3. Exceptions.

Updates/corrections in DCPS should be the exception as DCPS payroll information that is not matched in DIFMS will create errors in the payroll reconciliation process that must be researched and corrected. Using DCPS instead of TAA can affect operational data as corrections to DIFMS errors do not provide a way to update the data field that contains operational data. With the capability to make previous pay period adjustments in TAA, requests for direct inputs to DCPS should not occur. However, all previous pay period adjustments or direct inputs to DCPS must be made in writing to the DCPS Customer Service Representative (CSR) or designated POC for that area.

8.2.1.2. Supervisors or timekeepers must make inputs/changes to employee's time in TAA before payroll processing, normally done on Mondays, to create the payroll file for DCPS. All erred labor must be corrected because employees will not be able to attest their labor, nor will supervisors be able to certify an employee with erred labor. Once TAA has processed payroll, adjustments will have to be made using the Prior Pay Period screens in

TAA. If you do not have access to the Prior Pay Period screens, contact your site TAA OPR to determine who has access to make your corrections.

8.2.1.2.1. 'Unaccounted for Time' errors are a result of transacting employees not inputting a labor transaction at the end of the workday or supervisors/timekeepers not inputting leave transactions for the employee on leave. 'Unaccounted for Time' errors are coded in the DLCP record as error code number '85'. Care must be taken when correcting 'Unaccounted for Time' errors to ensure accurate information is used. It is the supervisor's responsibility to ensure the correct Tasks and/or JONs are used to accurately apply labor against the erred period, and it is the employee's responsibility to verify the accuracy of the data. If TAA processes final payroll data and an employee still has an '85' error on their labor records, TAA will send DCPS the hours needed to cover the employee's schedule to ensure the employee is paid for their regular hours based on their tour of duty schedule. However, the employee will not be able to attest their labor for the pay period nor will the supervisor be able to certify the time. After payroll processes in TAA, '85' errors become 'Missing Time' errors and must be corrected using the Prior Pay Period screens. DIFMS will be sent these hours using G07ER0R in the JON field to indicate an error that must be researched and corrected in DIFMS (**Note:** ZE305D02 for WR/OC).

8.2.1.2.2. Unauthorized overtime and compensatory time errors will appear when labor is transacted outside the assigned shift, i.e., pre-shift, post-shift, or supplemental shift, and there is not an overtime authorization present. Error code number '22' (i.e., Unauthorized Overtime) is used for these errors. The supervisor or timekeeper is responsible for inputting overtime or compensatory time authorization in TAA before TAA processes on the day of the Overtime/Compensatory Time as TAA must have the authorization to build the employee's schedule for the time being worked. If the error is not properly corrected in DLCP, the employee might not be properly credited with the full amount of overtime or compensatory time worked which could affect their pay. As with missing time errors, it is the supervisor's responsibility to ensure the correct Tasks and/or JONs are used to apply labor against for the erred period and the employee's responsibility to verify the accuracy of the data. Overtime/Compensatory Time worked will be recorded in hundredth hour increments but paid in quarter hour increments. When an error code '22' is corrected, both the TYPE HOUR CODE and the EXPENDED HOURS field will need to be corrected. If these errors are not corrected before final payroll processing, Overtime/Compensatory Time worked by the employee will not be sent to DCPS.

8.2.1.3. Supervisors and designated timekeepers will make corrections to employee processed labor records via the DLCP. Supervisors and/or timekeepers must change work schedules, workdays, and other employee schedule transactions to ensure employee presence at work is represented correctly. Supervisors will be granted access to only those aspects of DLCP required to input current data and research and correct errors.

8.2.1.4. Labor transacted in error cannot be deleted and requires DLCP correction after labor processing has completed. Since some status transactions are sent to and processed by the production systems near real-time, deleting an erred transaction could have detrimental impact to these systems.

8.2.1.5. Supervisors have access to certain status transactions that can be used when STATUS transactions or COMPLETES are transacted in error in the work area.

8.2.2. Certification Procedures.

8.2.2.1. The certification of time and attendance is an authorization for the expenditure of government funds. Employees are responsible for reporting their time accurately and must attest to the accuracy of their time. Supervisors are responsible for reporting their time accurately and must attest to the accuracy of their time. Supervisors are responsible for the accuracy of timekeeping records and must certify the time of each of their employees.

8.2.2.1.1. Certification of time and attendance records, whether automated or manual, is an authorization for the expenditure of government funds.

8.2.2.1.2. Certification of time and attendance data for DCPS should be completed by 1700 Eastern Time (ET) for 402 SWEG, 1600 Central Time (CT) for 76 SWEG, and 1500 Mountain Time (MT) for 309 SWEG on the Tuesday following the TAA payroll run as DCPS will begin final payroll processing at 2000 ET on Tuesday.

8.2.2.2. For review purposes, there is the Labor/Leave/Labor/Attest (i.e., to be renamed to Labor Review) screen that can be viewed by each employee throughout the pay period. This screen will reflect all labor transacted and processed without consideration to entitlement, shift differentials, night differentials, etc. Entitlements are applied during the payroll processing and will be seen during the 'Attest and Certify' process.

8.2.2.3. Any employee with errors that have not been corrected will appear on the 'Missing Time' report and will not be able to attest their time nor will supervisors be able to certify the employee's time until corrections have been made or have a message displayed indicating there are errors that need to be corrected. The message will stay on the report until corrections have been made.

8.2.2.4. Payroll records will be stored electronically for six years. Time and attendance records, to include leave application files, source records, inputs records, and leave records must be retained by the employee's supervisor or activity IAW records retention requirements as set forth in the Air Force Records Disposition Schedule, which is in the AFRIMS.

8.2.3. Supervisory Employee Master Maintenance.

8.2.3.1. Supervisory Employee Master Maintenance is the maintenance capability assigned to supervisors/timekeepers and 'alternate supervisors' to allow them to make limited changes to their employees' master records. New employees cannot be added via this screen.

8.2.3.2. This screen also grays out the SSN field to accommodate American Federation of Government Employees (AFGE) concerns for 'alternate supervisors'. Supervisors and timekeepers should use this screen to make SHIFT CHANGE updates using the Permanent Shift. This field plays a very important role during payroll processing to determine shift differential pay. Changes to an employee's schedule for short periods should be done via Employee Schedule, i.e., one day change to attend training. This screen should be used to make RC/CC and skill code changes which are important in reporting good production

data. Name changes due to marriage, divorce, etc. can also be accomplished using this screen.

8.2.4. Processing Loans Transitions. Software loans occur when an employee is assigned to a permanent RC/CC but then performs work for a different RC/CC. The performing RC/CC will receive credit for the production work (not the permanent work center). Loan transactions within SMTS and Work Center are accomplished by the employee charging the appropriate task name tied to the correct performing RC/CC and the transaction(s) are exported to TAA.

8.2.5. Procedures for Hours Worked Outside of Schedule.

8.2.5.1. TAA covers several categories of overtime, compensatory time, and holiday time worked.

8.2.5.1.1. The supervisor is responsible for authorizing overtime worked, compensatory time worked, and holiday time worked. Process guides will be established at each site based on existing labor agreements.

8.2.5.1.2. If an employee transacts labor before their scheduled shift start, past the end of their scheduled shift, or on a non-workday, TAA will require an authorization transaction prior to the transaction period to avoid 'Unauthorized Overtime' errors. These authorizations are needed for TAA to provide the appropriate Type Hour Code that both DIFMS and DCPS will need to accurately process the labor and subsequent pay.

8.2.5.1.3. If the employee works overtime/compensatory time/holidays and the supervisor never inputs the authorization, the employee's labor will error with a '22' error code 'Unauthorized Overtime'. Error coded labor is never sent from TAA, therefore DCPS will not receive notification of the overtime and the employee would not be properly compensated.

8.2.5.1.4. Overtime/compensatory time/holidays worked will be recorded in hundredth hour increments but paid in quarter hour increments. Example: 1 hour 15 minutes worked would be entered into SMTS/Work Center as 1.25.

8.2.5.2. Supervisors will review employee work schedules before scheduling overtime. The work schedule should only show the employee's regular tour of duty including any shift or night differential. Proper coding of work hours (i.e., regular duty hours plus additional overtime hours) will assure employees receive the correct entitlements for time worked. Improper or incomplete coding can adversely affect employee entitlements causing a debt or underpayment. Various overtime codes are part of DCPS and TAA for use by CSAG-M employees.

8.2.5.2.1. Overtime Scheduled (OS). Overtime that has been scheduled prior to the start of an administrative workweek and is regularly and consistently worked by an employee.

8.2.5.2.2. Overtime Unscheduled (OU). Overtime that has not been scheduled prior to the start of an administrative work week and is not known at time of need. TAA does not allow OU authorization for a NON-SCHEDULED workday (i.e., Saturday).

8.2.5.2.3. Overtime Callback (OC). Overtime worked by an employee when they have completed the end of their duty day and have been called back to the work location.

8.2.5.2.4. Overtime Unscheduled Exception (OX). Use this code for UNSCHEDULED OVERTIME on a NON-WORKDAY.

8.2.6. Holiday Work.

8.2.6.1. Holiday work transactions for scheduled workdays must be made on a valid holiday. The work must be during a scheduled workday that falls on a holiday and must be within the employee's regularly scheduled shift. If not authorized prior to processing, holiday pay (H_) must be entered via the DLCP and the holiday indicator (LH) must be entered first. Holiday hours worked must be paid by Holiday Pay, but once an employee has met the hours of their tour (i.e., 8, 9, or 10), then any additional hours can be paid as Overtime/Compensatory Time

8.2.6.1.1. Holiday work transactions entered using the Prior Pay Period Adjustment must only reflect the hours worked on the Holiday or in-lieu of Holiday. The LH transaction cannot be present for the hours worked.

8.2.6.1.2. Holiday work/Holiday travel must be pre-approved using each SWEG's approval process.

8.2.6.2. If a holiday falls on a full-time employee nonscheduled workday, that employee is entitled to an in lieu of holiday. Supervisors must determine the appropriate in lieu of holiday as referenced in **Table 8.3** for each employee and make the appropriate leave transaction for LH for each affected employee.

8.2.6.3. Holiday work transactions are not authorized for intermittent employees.

8.2.7. Temporary Duty (TDY). Enter TDY by using the TAA TDY screens.

8.2.7.1. Direct labor TDY is normally charged against a non-programmed JON that begins with an 'A'. This direct labor TDY would also include any compensatory time earned (Type Hour Code (THC) CB) associated with travel time in connection with a direct TDY and would be transacted on the JON labor screen using the TDY JON. Overtime or compensatory time worked during TDY only requires overtime/compensatory time authorization and it automatically uses the TDY data if the TDY is a 'banked' transaction which means one transaction covering hours more than one shift. The TDY screen can only be used for scheduled workdays so TDY travel that falls outside the employee's scheduled tour can only be transacted via the Labor JON transaction.

8.2.7.2. Indirect Labor TDY is charged against an 'X' or 'Y' Labor JON depending on the support person who is traveling. 'X' is production overhead support and 'Y' is G&A support. The TDY screen can also be used to transact any indirect labor over eight hours such as LONG TERM TRAINING, attendance in events that last a week, etc. This will allow one input to cover the entire time using the correct indirect JON (i.e., X51102700000) rather than using the JON Labor transaction which requires input each day.

8.2.8. Leave.

8.2.8.1. Leave should be input to TAA as requested by the employee and approved by the supervisor. DCPS is the system of record for leave and will determine how the leave will process. It is the responsibility of employees to know their leave balances so time should be input as requested by the employee unless the supervisor specifies differently. Leave codes are described in the drop-down menu on the leave screen in TAA.

8.2.8.2. Family codes covering the Family Medical Leave Act (FMLA) will be entered in the Family/Rep/Env Code field on the leave screen. This is very important in keeping track of Family leave in DCPS. FMLA codes are described in the drop-down menu on the leave screen in TAA.

8.2.8.3. Supervisors and/or timekeepers can enter leave as soon as it has been requested to ensure it is input in a timely manner. Leave transactions can be entered as far in advance of the leave as the last day of the FUTURE pay period. Maximum duration for leave transactions is 992.00 (hundredths). AF policy is leave is taken in quarter hour increments and will be entered into TAA in quarter hour increments.

8.2.8.3.1. When notification is received from the AFSC or Air Base Wing (ABW) Employee Relations office that Traumatic Leave has been approved, check for the day of injury. Until notification is received from the AFSC or ABW employee relations office, the employee must use personal leave without pay (LWOP).

8.2.8.3.2. If the injury date is within the current pay period, then transact day of injury type leave (LU) transaction in TAA for the day of injury.

8.2.8.3.3. If the injury date is outside the current pay period, ensure the DCPS CSR enters LU into DCPS for the day of injury prior pay periods maintained in TAA. TAA Traumatic Injury Maintenance Screen must also be updated to allow subsequent Traumatic Injury type leave (LT) transactions to be performed. Enter the employee ID on the screen which will prompt for the injury date. TAA will build the injury number needed for each LT transaction performed via either the LEAVE screen or DLCP.

8.2.8.4. Definitions of leave types are referenced in DoD 7000.14, *Department of Defense Financial Management Regulation*, Volume 8, Chapter 3, and DoD Instruction 1400.25V630_AFI36-815.

8.3. Labor Collection and Processing. There are two categories of employees in TAA, transacting and non-transacting. ‘Transacting’ employees are those employees considered to be direct labor and are required to perform daily labor transactions (i.e., JON Labor via SMTS/Work Center exports) in TAA. Direct labor must be transacted by the individual performing the work and the employee must account for their entire workday within SMTS/Work Center. ‘Transacting’ employees can be civilian (i.e., GS, military, and DOCAT or EHC employees).

8.3.1. Direct labor is labor that increases the value of the software requirements or that provides a service directly to the customer rather than efforts in support of the SWEG; can be accurately, consistently, and economically identified to a product, group of products, or customer; and is supported by official work requests and authorized by prescribed WADs indicating the specific nature of work to be done. There are certain reports still available that refer to this labor as duty code ‘11’ or CC1 on base.

8.3.2. In some reporting instances, duty code ‘12’ will be designated. Duty code ‘12’ represents direct labor performed on TDY. Report logic takes any direct travel (i.e., normally performed against an A-JON) and converts the time to duty code ‘12’ or CC1 off base.

8.3.3. Labor performed in a direct RC/CC that does not meet the criteria for direct labor is considered indirect labor. Indirect JONs are 12-digit JONs with position 6 and 7 providing the classification of the labor (aka duty code) and position 8 and 9 providing readily identifiable projects (aka shred). Indirect labor is typically seen in a direct RC/CC. **Note:** CC4 workload is work performed within the SWEG for the SWEG or for ALC maintenance groups. Accumulated costs will be transferred from the ‘Performing’ organization to the ‘Benefitting’ (i.e., owning) organization in DIFMS under the normal cost transfer process.

8.3.4. Production Overhead is RC/CC support labor expended by personnel performing above the direct RC/CC level in the SWEG. This labor is identified as POH when transacted in a RC/CC above the direct level.

8.3.5. General and Administrative is labor expended outside the SWEG in AFSC/SW in support of the SWEGs. This labor is identified as G&A when transacted in a RC/CC that is established to capture G&A cost. **Note**: CIP Labor can be an exception. CIP Labor is currently executed within the SWEG in support of the SWEG.

8.3.6. Duty Codes. Refer to **Table 8.4**, **Table 8.5**, and **Table 8.6**.

Table 8.4. Supervision (Duty Code 21).

Supervisory time is the actual time expended performing supervisory activities at any level. Examples of supervisory duties are:	
Item	**Description**
Planning	Planning and scheduling work to accomplish workload
Personnel	Schedule and approve leave, request and authorize overtime, certify timecards, personnel actions
Directing	Checking work areas for compliance with safety, security, and fire regulations; spot checking work
Reporting	Analyzing data and preparing reports

Table 8.5. Clerical and Administrative (Duty Code 22).

Clerical and administrative is the actual time expended at any organizational level by personnel doing clerical, administrative, statistical, and messenger activities. This duty type should only be used in an Administrative Overhead Center (AOC). This duty type should never be used in a production RC/CC. Examples of clerical and administrative duties are:	
Item	**Description**

Preparing	Correspondence, briefing charts, and other typing
Recordkeeping	Filing, posting, maintaining personnel records
Receptionist Duties	Answering phones
Messenger Service	Distribute employee information, mail
Administrative	Duties as delegated by supervisor

Table 8.6. Duty Codes 23 – 30.

Item	Duty Code	Description
Staff Mission	23	Staff Mission (Duty Code 23). Staff mission is the actual time expended by personnel doing the primary mission of a staff organization. This duty type should only be used by people assigned to an AOC. This duty type should not be used in a production RC/CC except in those situations where types of duty (i.e., direct and indirect) are combined such as work loading, environmental engineering, plant and industrial engineering, etc. Examples of staff mission are Safety, Security, Process Improvement, and Financial Management.
Repair of Own Resource Control Center Equipment	24	Repair of own RC/CC equipment is time expended by a RC/CC in the maintenance, repair, installation, and rearrangement of that RC/CC's equipment, tools, and other facilities when not authorized by a valid work request and does not require direct material. Examples of repair of own RC/CC equipment are preventive maintenance operations, minor repairs and adjustments to equipment and facilities, route operational and visual inspections of equipment service, and rearrangement of facilities.
Standby	25	Standby is the cost of productive labor lost because of a failure of utilities, inclement weather, lack of material, fire, fire drill, bomb threats, or awaiting assignment of work.

Miscellaneous	26	Miscellaneous labor is the actual labor expended on work not reportable in other labor categories. Positions 8 and 9 of the indirect JONs (aka shred) provides more insight into the type of indirect labor being captured under this category. Some examples of miscellaneous labor are housekeeping activities; visiting Medical, conducting tours, visiting Personnel Office, Personnel activities such as welfare activities, employee orientation, etc.; and supervisory meeting attendance and commander's (director's) call.
Training	27	Training is the time expended by trainees and instruction in connection with the training of personnel. Examples of training are classroom training time, initial period of on-the-job (OJT) learning through observation, RC/CC personnel providing OJT, etc.
Union Activity	29	This duty code applies to personnel conducting official union business which includes grievance case preparation, grievance panel participation, case presentation, and union stewards while in maintenance conducting official business.
Leave	30	Leave (Duty Code 30 series). Time expended on leave is captured by the Type Hour Code (LA = Annual Leave) and/or by Z-JONs (Z61613100000).

8.3.7. Labor.

8.3.7.1. Temporary Workload is transacted via the JON labor window. To establish a valid JON, temporary workload is always planned in the G004L system.

8.3.7.2. Employees required to enter labor transactions (i.e., transacting employees) must perform, at a minimum, a labor stop against a valid JON (i.e., indirect or direct) within the last 15 minutes of their workday. This allows the TAA system to validate individual labor accounting against employee tour of duty assignments. Transacting employees that do not perform the required minimum end of day transaction will produce an error code 85 (i.e., Unaccounted for Time Error) for their tour of duty labor period being processed.

8.3.8. Transacting Using the JON Labor Screen.

8.3.8.1. The JON labor screen is used to account for one person's actual time spent on a direct or indirect JON.

8.3.8.1.1. For Temporary JONs, individuals transact at the JON level. Earned Hours will be calculated for the RC/CCs planned in G004L as actual hours accumulate within those RC/CCs. Upon JON closure in G004L, any remaining hours that were not earned because of actual hours execution will be calculated up to the RC/CC planned hours. All labor costs will accumulate against the JON in DIFMS with production overhead and G&A application applied.

8.3.8.1.2. Indirect JONs will accumulate actual hours as labor transactions are executed. **Note:** There are no earned hours associated with Indirect JONs.

8.3.8.2. The JON level transaction is used in the following situations:

8.3.8.2.1. When transacting against software development type workload within the SWEGs as all software development type workload is planned as temporary.

8.3.8.2.2. When performing indirect work, participating in indirect activities such as attending training, lab clean up, guard duty, Cost Class 4, etc.

8.3.9. 'Standing' JON (Non-Transacting employees).

8.3.9.1. There are instances when individuals are not required to transact labor throughout the day to account for their time in TAA. Individuals in this circumstance will have their actual time automatically charged to a JON (i.e., indirect or leave) by the system during batch processing. Individuals with a standing JON in their Employee Master Record will not show any transaction detail in the TAA Transaction Data Inquiry screen unless a transaction was input through one of the labor or leave transaction windows.

8.3.9.2. Indirect JONs will be used as 'standing' JONs for production overhead and G&A support personnel. Direct employees residing in a Direct RC/CC should never be assigned to a 'standing' indirect JON unless they fall under a pre-approved program/activity. Defense Contract Audit Agency (DCAA) requires direct labor to be transacted by the individual performing the work and must account for their entire workday.

8.3.9.3. ALCs have established indirect JONs to accommodate duty code/shred code combinations to properly segregate indirect activities. Each SWEG will adhere to the established process for management and distribution of approved indirect JONs at each ALC.

8.3.9.4. If an individual's Employee Master Record is set up in TAA as non-transacting, the 'standing' JON assigned must be valid in TAA. Once the JON is no longer valid in TAA (i.e., 'Closed', 'Cancelled' in DIFMS), the DLCP record of the employee will show a 6A error, (i.e., Invalid JON/CON), for each day in the employee's DLCP record. The employee's labor must be corrected to reflect a valid JON via the DLCP. To prevent additional errors, the employee master record must be updated to reflect a valid JON. Questions on invalid JONs should be directed to the system OPR.

8.3.9.5. Non-transacting employees are normally considered to be the POH and G&A support employees. These employees are commonly referred to as 'indirect' and equate to the legacy duty codes of 21, 22, and 23.

Chapter 9

SECURITY PROGRAMS

9.1. Purpose. AFSC/SW will maintain security programs to encompass Information Security (INFOSEC), Industrial Security (INDSEC), Personnel Security (PERSEC), Physical Security (PHYSEC), Communications Security (COMSEC), Emission Security (EMSEC), and Operations Security (OPSEC). In addition, group directors will ensure a written security instruction is developed IAW Department of Defense Manual (DoDM) 5200.01V1_AFMAN16-1404V1, *Information Security Program: Overview, Classification, And Declassification.*

9.2. Roles and Responsibilities. For specific roles/responsibilities for all SWEGs, refer to security operating instructions at each respective SWEG location.

9.3. Security Program Types.

9.3.1. Information Security. Group directors will establish and maintain an information security program IAW DoDM 5200.01V1_AFMAN16-1404V1, DoDM 5200.01V2_AFMAN16-1404V2, *Information Security Program: Marking of Classified Information*, DoDM 5200.01V3_AFMAN16-1404V3, *Information Security Program: Protection of Classified Informati*on, and Department of Defense Instruction (DoDI) 5200.48_DAFI16-1403, *Controlled Unclassified Information* and local guidance. All members of AFSC/SW are under legal and regulatory obligation to protect, handle, safeguard, and process classified and controlled unclassified information under their control. For additional information on security incidents, marking, classified meetings, destruction, transmission, portable electronic devices/medical devices, and training refer to local security operating instruction at the respective SWEG location.

9.3.2. Personnel Security. Group directors will establish and maintain a Personnel Security Program IAW DoDM5200.02_AFMAN16-1405, *Air Force Personnel Security Program* and local guidance. All members of AFSC/SW are required to obtain and maintain a security clearance commensurate with their position sensitivity code. For additional information on continuous vetting and reporting, security clearance processes, continuous evaluation reviews, in/out processing, and interim clearances, refer to local security operating instruction at the respective SWEG location.

9.3.3. Industrial Security. Group directors will establish and maintain an industrial security program IAW DoDM 5220.22V2_AFMAN16-1406V2, *National Industrial Security Program: Industrial Security Procedures for Government Activities* and local guidance, to manage and monitor contractor agreements within AFSC/SW. Pursuant to regulatory guidance, the DoD acts as the cognizant security authority, providing security oversight services to ensure protection of classified information disclosed to or generated by contractors. Direct cognizant security authority oversight is conducted by the servicing installation wing information protection (IP) office. For additional information on classified contract preparation, coordination, and execution of DD Form 254, *Department of Defense Contract Security Classification Specification*, refer to local security operating instruction at the respective SWEG location.

9.3.4. Supplemental Security Programs. Group directors will also establish and maintain supplemental security programs such as Physical Security, Communications Security,

Emission Security, and Operations Security IAW DAFI 31-101, *Base Defense Operations*, AFMAN 17-1302-O, *Communications Security Operations*, and AFI 10-701, *Operations Security*.

9.3.5. Special Access Program (SAP) Security. Group directors will establish and maintain a SAP security program IAW DoDM 5205.07, Special Access Program Security Manual, DoDM 5205.07V4, Special Access Program (SAP) Security Manual: Marking, and the IC Tech Spec – for Intelligence Community Directive/Intelligence Community Standard (ICD/ICS) 705, Technical Specifications for Construction and Management of Sensitive Compartmented Information Facilities.

9.3.6. Sensitive Compartmented Information (SCI) Security. Group directors will establish and maintain a SCI security program IAW DoDM 5105.21V1, *Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Information and Information Systems Security*, DoDM 5105.21V2, *Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Physical Security, Visitor Control, and Technical Security*, DoDM 5105.21V3, *Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Personnel Security, Industrial Security, and Special Activities*, AFMAN 14-403, *Sensitive Compartmented Information Security and Intelligence, Surveillance, and Reconnaissance Systems Cybersecurity and Governance*, and associated ICDs.

9.3.7. The AFSC/SW Advanced Programs Division (AFSC/SWZ) serves as the focal point within the directorate for SAP and SCI strategy, policy implementation, oversight, and compliance. Establishment and maintenance of a directorate-level security program supporting SAP and SCI will be IAW to paragraphs 9.3.5 and 9.3.6.

9.3.8. The AFSC Information Protection Directorate (AFSC/IP) has established an overarching level of security services and support to AFSC/SW through a memorandum of agreement (MOA) between AFSC directorates and AFSC/IP regarding the AFSC Consolidated Security Office (CSO). Non-SAP and non-SCI security program management within the directorate will be executed consistent with the most current MOA.

Chapter 10

CYBERSECURITY PROGRAMS

10.1. Purpose. AFSC/SW will maintain cybersecurity programs to encompass cyberspace workforce management, computer security, cybersecurity activities, cyber incident handling and response, vulnerability management and support of the Risk Management Framework (RMF) Cyber Supply Chain Risk Management (C-SCRM), and Software Bill of Materials (SBOM). In addition, group directors will ensure a written cybersecurity instruction is developed and is compliant with all AFSC/SW cybersecurity process documents.

10.2. Roles and Responsibilities. AFSC/A6 has delegated the Information System Owner (ISO) role for all software enterprise (SWENT) enclaves to the group directors. Group directors are further allowed to delegate the role to a fully certified NH-04. The ISO role for any enclave not within the SWENT boundary may not be delegated lower than a fully certified NH-04. For other specific roles/responsibilities for all SWEGs, refer to cybersecurity operating instructions at the respective SWEG location.

10.3. Cybersecurity Program Types.

10.3.1. Cyberspace Workforce Management. Group directors will establish and maintain a cyberspace workforce management program IAW Department of Defense Directive (DoDD) 8140.01, *Cyberspace Workforce Management*, DoDI 8140.02, *Identification, Tracking, and Reporting of Cyberspace Workforce Requirements*, DoDM 8140.03, *Cyberspace Workforce Qualification and Management Program*, DAFMAN 17-1305 *DAF Cyberspace Workforce Management Program* and local guidance. For additional information, refer to local operating instruction at the respective SWEG location.

10.3.2. Computer Security (COMPUSEC). Group directors will establish and maintain a computer security program IAW DAFMAN 17-1301 *Computer Security (COMPUSEC)* and local guidance. For additional information, refer to local operating instructions at the respective SWEG location.

10.3.3. Cybersecurity Activities. Group directors will establish and maintain cybersecurity activities support program IAW DoDI 8500.01, *Cybersecurity*, DoDI 8530.01 Ch 1, *Cybersecurity Activities Support to DoD Information Network Operations*, DoDM 8530.01, *Cybersecurity Activities Support Procedures*, and local guidance. For additional information, refer to local cybersecurity operating instructions at the respective SWEG location.

10.3.4. Cyber Incident Handling and Response. Group directors will establish and maintain a cyber incident handling and response management program IAW DoDI 8530.03, *Cyber Incident Response* and AFI 17-203, *Cyber Incident Handling*. For additional information, refer to local cybersecurity operating instructions at the respective SWEG location.

10.3.5. Vulnerability Management. Group directors will establish and maintain a vulnerability management program IAW DoDI 8531.01 *DoD Vulnerability Management*. For additional information, refer to local cybersecurity operating instructions at the respective SWEG location.

10.3.6. Risk Management Framework. Group directors will support and comply with the RMF for all software enclaves IAW DoDI 8510.01, *Risk Management Framework for DoD*

Systems, AFI 17-101, *Risk Management Framework (RMF) for Air Force Information Technology (IT)*, and AFI 17-130, *Cybersecurity Program Management*. For additional information, refer to local cybersecurity operating instructions at the respective SWEG location.

10.3.7. Cyber Supply Chain Risk Management (C-SCRM). Group directors will establish and maintain a C-SCRM program IAW DoDI 5200.44, *Protection of Mission Critical Functions to Achieve Trusted Systems and Networks (TSN)*, AFI 63-101/20-101, *Integrated Life Cycle Management*, and DoDI 5000.83_DAFI 63-113, *Technology and Program Protection to Maintain Technological Advantage*.

10.4. Electronic System Authorization Access Request (ESAAR). AFSC/SW will adopt the ESAAR system for all systems within the Software Enterprise Boundary at the unclassified level. Systems above the unclassified level that categorize their DD2875s, System Access and Authorization Request with only the CUI caveat will also leverage ESAAR where possible.

10.4.1. Use of ESAAR:

10.4.1.1. Streamlines the functions of each office involved with the system authorization and access process while gaining the efficiencies of electronic signatures through automation.

10.4.1.2. Meets the intent of AFSCI 33-101, Provisioning/Deprovisioning of AFSC Managed Information Systems and DAFMAN 17-1304, Identity, Credential and Access Management (ICAM) for storage of forms.

10.4.2. Transition to ESAAR should begin NLT 02APR2024 with new or revalidating accounts leveraging the ESAAR system. Systems transition as accounts are created, revalidated, or updated implementing all accounts NLT 01JUN2025. Routing through ESAAR shall leverage distribution groups where applicable and utilize the report system for audits and inspections.

10.5. Data Loss Prevention (DLP).

10.5.1. Data Loss Prevention (DLP) efforts and increased authentication for data access necessitates restricting the purchase of USB-connected devices that provide integrated media storage capabilities. All future purchases of these devices must meet the following requirements:

10.5.1.1. FIPS 140-2 Level 2 compliant (BitLocker is compliant).

10.5.1.2. Hardware encryption or Software-based encryption (e.g. BitLocker), full-drive encryption.

10.5.1.3. Cross-platform capable (Hardware encryption provides this capability).

10.5.1.4. At least one-factor authentication.

10.5.1.5. Review and approval by SWEG/MXDX at the purchasing location.

10.5.2. AFSC/SW will transition to new hardware encrypted drives and cycle non-hardware encrypted drives out over time through attrition. Non-hardware encrypted drives that are currently in use can be encrypted using BitLocker until the drives are replaced. This solution may not provide cross platform capabilities. While insecure drives can be secured through

technical controls and proper procedures, the usage of drives with the above requirements reduce the potential for user-errors and lack of implemented controls.

10.6. SAP and SCI Focal Point. AFSC/SWZ serves as the focal point within the directorate for SAP and SCI strategy, policy implementation, oversight, and compliance. Establishment and maintenance of a directorate-level information system security program supporting SAP and SCI will be IAW this chapter.

10.7. SAP and SCI Information System Security. Group directors will support and comply with RMF principles for SAP and SCI systems and enclaves IAW the DoD Joint Special Access Program (SAP) Implementation Guide (JSIG), and ICD 503, *Intelligence Community Information Technology Systems Security Risk Management*, as well as supporting documentation from the National Institute of Standards and Technology (NIST) and the Committee on National Security Systems (CNSS).

10.8. Software Cyber Risk Acceptance. AFSC/SW establishes a list of software exceeding acceptable risk that shall not be used in our environments. The Technology Insertion Governance Board is the governing body for software on this list and a combination of supplier's performance risk data, foreign influence and contribution, cyber intelligence reports, software bill-of-materials (or lack thereof), and internal analysis are factors in software being submitted for this list. Software exceeding the acceptable risk can be found on the AFSC/SWT SharePoint.

Chapter 11

QUALITY MANAGEMENT SYSTEM (QMS)


11.1. QMS Definition. The AFSC/SW QMS incorporates systems engineering principles, Art of the Possible (AoP) fundamentals, AFI 1-2 *Commander's Responsibilities* major graded areas (MGAs) tenets, organizational discipline, and adherence to internal and external guidance and processes. This formalized system establishes organizational responsibilities and QMS activities to meet customer and organizational requirements. The QMS promotes continual process improvement to ensure delivery of high-quality products and services as well as effective and efficient implementation of general AF program requirements.

11.2. QMS Purpose. An effective QMS provides confidence that quality activities and support programs are in place to ensure products, processes, and services fulfill established requirements, standards, and expectations. **Note:** Requirements are customer or Air Force guidance driven. Standards may be industry driven or defined within the organization at any level. Expectations are organizationally driven.

11.3. QMS Framework.

11.3.1. Overview. The QMS framework consists of the QMS Engineering Program, Commander's Inspection Program (CCIP), General Quality (GQ) Program, and Corrective Action and Continuous Process Improvement (CA/CPI) Program in support of the AFMC and AFSC Inspector General (IG) AF inspection program. See **Figure 11.1**. AFSC/SW QMS Framework.

Figure 11.1. AFSC/SW QMS Framework.



11.3.2. QMS activities include but are not limited to Engineering Self-Assessments (ESAs), Engineering Quality Verifications (EQVs), Unit Self-Assessment Program (USAP) activities, and General Quality Inspections (GQIs).

11.3.3. Personnel assigned QMS responsibilities serve in an advisory capacity to the organization, assisting personnel at all levels to resolve constraints. The evaluation and analysis of non-compliance or risk areas are key to identifying process improvement opportunities to support the timely delivery of work products and services to customers at the speed of need.

11.3.4. The QMS is managed at the directorate level and provides support to all levels of the organization through governance, planning, and communication of requirements, standards, expectations, and results to internal and external stakeholders.

11.3.5. AFSC/SW can be inspected to any applicable DoD, AF, AFMC, AFSC, and organizational requirements or expectations.

11.4. QMS Engineering Program.

11.4.1. AFSC/SW *Engineering Expectations* that document organizational engineering expectations, when incorporated into engineering team processes, help ensure delivery of high-quality products and services to customers. Product and service quality requirements are negotiated between the engineering team and the customer. Engineering teams will also meet technical, safety, and publication requirements.

11.4.2. Engineering teams implement the principles of AFSC/SW *Engineering Expectations* into the approaches used to meet customer requirements. Each engineering team uses innovative methodologies that satisfy the AFSC/SW *Engineering Expectations* to increase customer satisfaction.

11.4.3. The goals of the QMS Engineering Program are to ensure that engineering teams:

11.4.3.1. Implement quality standards, guidelines, and principles.

11.4.3.2. Perform quality activities (internal software testing, peer reviews, code reviews, test monitoring/witnessing, audits, etc.) to ensure quality products and services meet customer requirements.

11.4.4. Non-implemented engineering expectations are engineering expectations the engineering team identified as not applicable or applicable but will not be implemented.

11.4.5. The QMS Engineering Program consists of ESAs, EQVs, Non-Implemented Engineering Expectation Reviews, and Squadron Director QMS Reviews. These QMS activities help ensure products, services and development environments satisfy customer and organizational requirements, standards, and engineering expectations.

11.4.5.1. Engineering Self-Assessments.

11.4.5.1.1. Self-assessments performed by engineering teams to evaluate implementation of AFSC/SW *Engineering Expectations* into engineering team processes.

11.4.5.1.2. Conducted by engineering teams against AFSC/SW *Engineering Expectations* IAW the engineering surveillance plan (SP), applicable process guides, and procedures. The engineering team can conduct an ESA as a topic-based retrospective.

11.4.5.1.3. Results are captured in the AFSC/SW BOTS or other approved MIS as directed.

11.4.5.1.4. May be conducted more often at the director's discretion or as determined by the engineering team.

11.4.5.2. Engineering Quality Verifications.

11.4.5.2.1. A verification of an engineering team's ESA.

11.4.5.2.2. Conducted by personnel assigned squadron QMS engineering responsibilities IAW the Engineering SP, applicable process guides, and procedures. These EQVs are supported by the engineering team that conducted the ESA.

11.4.5.2.3. Results are captured in the AFSC/SW BOTS or other approved MIS as directed.

11.4.5.2.4. Used to verify the accuracy of ESA responses along with identifying areas of process risk and improvement opportunities.

11.4.5.3. Non-Implemented Engineering Expectation Reviews.

11.4.5.3.1. Occur when an EQV is not scheduled for an ESA that has non-implemented engineering expectations.

11.4.5.3.2. Conducted by personnel assigned squadron QMS engineering responsibilities IAW applicable process guides and procedures. These reviews are supported by the engineering team that conducted the ESA.

11.4.5.3.3. Only assess the engineering team's responses that indicate the engineering expectation will not be implemented.

11.4.5.3.4. Results are captured in the AFSC/SW BOTS or other approved MIS as directed.

11.4.5.4. Squadron Director QMS Reviews.

11.4.5.4.1. Review the engineering expectations that will not be implemented.

11.4.5.4.2. Determine to accept the risk of the engineering team not implementing an engineering expectation or redirect the engineering team to implement the engineering expectation.

11.4.5.4.3. Results are captured in the AFSC/SW BOTS or other approved MIS as directed.

11.4.6. EQVs and Non-Implemented Engineering Expectation Reviews are conducted by the personnel assigned squadron QMS engineering responsibilities at the engineering team level that completed the ESA or can be extended to include the lower-level engineering teams when appropriate.

11.4.7. Personnel conducting EQVs and Non-Implemented Engineering Expectation Reviews will have training and knowledge of AFSC/SW *Engineering Expectations*, software development methodologies, use of AFSC/SW BOTS or other approved MIS as directed, and risk management principles.

11.4.8. Engineering Surveillance Plan (SP).

11.4.8.1. Schedule of ESAs and EQVs to be performed.

11.4.8.2. Includes the engineering topic identified in AFSC/SW *Engineering Expectations* and the engineering teams scheduled for the ESA and EQV.

11.4.8.3. Defines the EQV sampling strategy.

11.4.8.4. Approved annually by the AFSC/SWT Division Chief and briefed to the AFSC/SW Commander/Director or Deputy Commander/Director as needed.

11.4.8.5. Updated as needed by AFSC/SWTP to respond to mission needs during the monthly Quality Management System Working Group (QMSWG).

11.5. Commander's Inspection Program.

11.5.1. The AFSC/SW and the subordinate units will align to the AFSC/CC CCIP.

11.5.2. Self-Assessment of general AF programs will be:

11.5.2.1. Performed by AFSC/SW personnel IAW DAFI 90-302 *The Inspection System of the Department of the Air Force* and AFSC/IG *Unit Self-Assessment Program (USAP), Management Internal Control Toolset (MICT), and the Inspector General Evaluation Management System (IGEMS) Business Rules Handbook*.

11.5.2.2. Conducted once a year, at a minimum per functional program, IAW with this guidance, organizational process guides, and the USAP SP.

11.5.2.3. Can be conducted more often at the director's discretion or as determined by the unit or self-assessor.

11.5.2.4. USAP planning is based on the applicability of general AF program requirements to organizational units.

11.5.2.5. AFSC/SWTP will create a USAP SP identifying MICT Self-Assessment Checklists (SACs) applicable to the organization. The USAP SP will include the minimum number of assessments, expected frequency, and program schedule by month.

11.5.2.6. The USAP SP is executed annually and reflects planned MICT SACs throughout the directorate and subordinate units. The plan is supported and implemented through an annual USAP SP review and refinement process between AFSC/SWTP and the QMSWG. The USAP SP will be reviewed and approved by the AFSC/SW Commander/Director or Deputy Commander/Director. Changes are authorized during the calendar year as directed by DAFI 90-302 and AFSC/IG business rules.

11.5.3. AFSC/SWTP will establish a process guide to provide common practices and reporting metrics for CCIP and USAP not already covered by DAFI 90-302 or AFSC/IG business rules.

11.5.4. USAP Managers (USAPMs) will provide support to CA and CPI efforts as needed.

11.5.5. Unit personnel identify non-compliance to general AF program requirements through the evaluation of MICT self-assessments.

11.5.5.1. Personnel with questions about SAC requirements can contact GQ personnel for assistance and clarification.

11.5.5.2. If GQ personnel are unable to help, they will assist personnel by connecting them with the appropriate SME.

11.5.5.3. Units should document an observation in MICT if there is a non-compliance identified that needs to be resolved.

11.5.5.4. Remedies for non-compliance can be found in paragraph **11.6.4.2**.

11.5.6. USAP assessment data is captured in MICT. Data will be reviewed periodically to analyze results, identify trends, and report to management as defined in AFSC/SW CCIP process guides and HHQ guidance. This information allows management to make informed data driven decisions about risk, non-compliance, and recommended improvement areas (RIAs).

11.6. General Quality (GQ) Program.

11.6.1. The GQ Program is designed to:

11.6.1.1. Evaluate the organizational effectiveness of general AF program requirement implementation and unit self-assessment of DoD, AF, AFMC, AFSC, and organizational guidance.

11.6.1.2. Aid AFSC/SW personnel who implement general AF program requirements.

11.6.2. General Quality Inspections. GQIs determine compliance of general AF programs to DoD, AF, AFMC, AFSC, and organizational requirements.

11.6.2.1. These internal inspections are used to determine if AFSC/SW units are:

11.6.2.1.1. Effectively implementing general AF program requirements.

11.6.2.1.2. Evaluating appropriate MICT checklists.

11.6.2.1.3. Effectively self-inspecting the unit to requirements.

11.6.2.1.4. Self-identifying non-compliance when it is detected by the unit.

11.6.2.2. GQIs will be conducted by AFSC/SWTP personnel or assigned AFSC/SW GQ augmentees. It may be conducted face-to-face or virtually. GQIs will be documented in AFSC/SW BOTS or other approved MIS as directed.

11.6.2.3. AFSC/SWTP will maintain a list of AFSC/SW GQ augmentees as needed.

11.6.3. General Quality Surveillance Plan (SP). The GQ SP is an inspection schedule based on the applicability of general AF program requirements and reflects planned inspections throughout the directorate and subordinate units over two calendar years.

11.6.3.1. AFSC/SWTP personnel will:

11.6.3.1.1. Create a biennial GQ SP that includes minimum number of assessments, expected frequency, and program schedule by month.

11.6.3.1.2. Determine frequency of inspections by program based on a risk-based sampling strategy (RBSS) defined in the GQ process guide.

11.6.3.1.3. Inspect all programs biennially unless otherwise inspected by another external organization.

11.6.3.1.4. Review the GQ SP annually to ensure all programs are inspected throughout the cycle.

11.6.3.1.5. Seek input from SWEGs and divisions through the QMSWG for biennial revisions and provide change information through the same forum as needed (i.e. change in month of evaluation, add of new requirements, deletion of obsolete requirements.)

11.6.3.1.6. Submit to AFSC/SW Commander/Director or Deputy Commander/Director biennially for approval.

11.6.4. Managing Non-Compliance.

11.6.4.1. GQ personnel will document a non-compliance if a deviation to requirements is discovered during an GQI and has not been documented in MICT.

11.6.4.2. Non-Compliance can be remedied in one of three ways:

11.6.4.2.1. Correct the issue. Bring the unit back into compliance with the requirements. Unit personnel can contact CA/CPI personnel for assistance if needed. GQ personnel will support CA/CPI efforts as needed.

11.6.4.2.2. Accept Risk. Perform a Risk Assessment IAW AFI 90-802, *Risk Management* and elevate to appropriate decision authority level for approval. The decision authority can determine to accept the risk or direct the unit to create a plan to meet the requirement.

11.6.4.2.3. Request a Waiver. Waivers are usually only granted to a unit to allow them more time to come into compliance, not to remove the requirement from the unit. Unit should contact GQ personnel for assistance if a waiver is needed.

11.6.4.3. External inspection results not documented in another MIS should be documented in the AFSC/SW BOTS MIS or other approved MIS to correct the issue and track it to closure.

11.6.4.4. Severity of non-compliance will be assigned based on deficiency criteria found in DAFI 90-302:

11.6.4.4.1. CRITICAL—Any non-compliance which results in or could result in widespread negative mission impact or failure.

11.6.4.4.2. SIGNIFICANT—A validated non-compliance which has or could have negative mission impact.

11.6.4.4.3. MINOR—A deviation from guidance or standards; left uncorrected, the deficiency may limit mission effectiveness.

11.6.4.4.4. AFSC/SWTP GQ personnel may document an RIA if the inspection meets minimum requirements but there is room for improvement. The unit can evaluate the RIA and determine potential actions.

11.6.5. GQ data will be captured in AFSC/SW BOTS or other approved MIS as directed. Data will be reviewed periodically to analyze results, identify trends, and report to management as defined in the AFSC/SW GQ Program process guide. This information allows management to make informed and data driven decisions about areas of non-compliance and improvement opportunities.

11.6.6. A GQ process guide will be established to provide common practices, reporting metrics, and processes for conducting GQIs.

11.6.7. GQ personnel will support external inspections by AF organizations within the line of authority such as AFMC/IG, AFSC/IG, Air Force Audit agency (AFAA), etc.

11.6.8. All personnel performing GQ duties must be trained or possess sufficient technical or subject knowledge to effectively perform GQ responsibilities.

11.6.8.1. Personnel conducting GQIs will be trained on use of AFSC/SW BOTS or other approved MIS to document inspection results.

11.6.8.2. AFSC/SWTP will ensure AFSC/SW GQ augmentees are provided training as needed.

11.6.9. Governance. AFSC/SWTP GQ will manage content, changes, and reviews of:

11.6.9.1. AFMCI 21-100, AFSC Sup, Addendum A, *AFSC Software Directorate Management*.

11.6.9.2. This GM and associated MICT local SACs.

11.7. Corrective Action (CA) and Continuous Process Improvement.

11.7.1. Overview. Non-conformance with standards, expectations or requirements can create a risk to the effective and efficient completion of the AFSC/SW mission. Non-conformances, when identified, come with many different names depending on the inspecting body and the rules of engagement for that inspection type. Regardless of the inspection type, the requirement to perform root cause analysis and develop corrective action plans are foundational and directed by DAFI 90-302 and DAFI 38-401 *Continuous Process Improvement*.

11.7.2. Definitions. CA is the action taken to remove the causes of non-conformities or other undesirable situations, and to prevent recurrence. CPI is the practice of continuously making data driven incremental changes to processes to improve efficiency and quality.

11.7.3. Non-conforming assessment or inspection results may be categorized as:

11.7.3.1. Observation. The USAP program directs personnel to self-identify observations IAW DAFI 90-302. An observation is non-compliance found, observed, or identified by a non-IG function during a self-assessment, a Staff Assistance Visit, or other continual evaluation activity.

11.7.3.2. Risk. The potential for a future unfavorable outcome due to a non-conformance to a requirement, standard, or expectation.

11.7.3.3. Non-Compliance. The QMS GQ program directs inspectors to document non-compliance when discovered during GQIs. A non-compliance is a deviation from current general AF program requirements.

11.7.3.4. Recommended Improvement Area (RIA). An RIA is an improvement opportunity when a standard, expectation or requirement is being met but the process, product, or capability could be improved. An RIA can be identified through QMS activities, IG or HHQ inspection, or directed by management.

11.7.3.5. CCIP observations are documented in MICT and align with DAFI 90-302 deficiency categories: Critical, Significant, or Minor.

11.7.4. All other QMS activity results are documented in the AFSC/SW BOTS or other approved MIS as directed.

11.7.5. Root cause and corrective action plans for non-compliance, risks and improvement opportunities will be documented in the AFSC/SW BOTS or other approved MIS as directed.

11.7.6. Inspection Observation and Deficiency Management.

11.7.6.1. Management of CCIP observations in MICT and inspector general (IG) deficiencies in the Inspector General Evaluation Management System (IGEMS), will follow the AFSC/IG *Unit Self-Assessment Program (USAP), Management Internal Control Toolset (MICT), & Inspector General Evaluation Management System (IGEMS) Business Rules Handbook* and DAFI 90-302.

11.7.6.2. QMS activity results will be managed IAW AFSC/SW QMS process guides.

11.7.6.3. Systemic self-assessment and GQI non-compliance trends identified through data analysis will use the AFSC/SW CA and CPI process guides.

11.7.6.4. CA or CPIs requiring a practical problem-solving model (PPSM) will be documented in the AFSC/SW BOTS or other approved MIS as directed.

11.8. Art of the Possible. AoP will be implemented IAW AFSCI 60-101, *Art of the Possible* and AFSCH 60-101, *Art of the Possible Handbook*.

11.9. Responsibilities.

11.9.1. AFSC/SW will:

11.9.1.1. Provide the necessary resources, support, and authority for personnel assigned QMS responsibilities to implement the requirements, standards, and expectations of this instruction.

11.9.1.2. Review and take appropriate action on higher headquarters identified deficiencies, QMS activity results, and CA/CPI recommendations.

11.9.1.3. Approve AFSC/SW USAP and GQ SPs.

11.9.1.4. Appoint a primary AFSC/SW USAPM and alternate USAPMs who reside at each SWEG location.

11.9.1.5. Promote and use CPI methodologies to fulfill requirements in AFI 1-2 and DAFI 90-302.

11.9.1.6. Act as the risk acceptance authority at the directorate level.

11.9.2. AFSC/SWT will:

11.9.2.1. Act as the approval authority for AFSC/SW *Engineering Expectations* content and changes.

11.9.2.2. Approve the AFSC/SW Engineering SP.

11.9.2.3. Coordinate the AFSC/SW AoP program.

11.9.2.4. Review results of Air Force Materiel Command Inspector General (AFMC/IG) and AFSC CCIP inspections for needed guidance actions.

11.9.3. AFSC/SWTP will:

11.9.3.1. Act as the approval authority for QMS process guides, coaching strategies, and analysis and reporting methods.

11.9.3.2. QMS Engineering Team will:

11.9.3.2.1. Manage content, changes, and reviews of AFSC/SW *Engineering Expectations.*

11.9.3.2.2. Develop, manage, and implement AFSC/SW QMS engineering process guides, coaching strategies, assessment methods, plans, schedules, analysis, and reporting methods for engineering principles.

11.9.3.2.3. Develop and maintain the Engineering SP.

11.9.3.2.4. Analyze QMS Engineering Program assessment results to discover improvement opportunities, strategic issues, trends, potential risks, and training opportunities.

11.9.3.2.5. Assist organizational personnel with AFSC/SW *Engineering Expectations* questions and constraints.

11.9.3.2.6. Provide support to CA and CPI efforts.

11.9.3.2.7. Maintain a list of AFSC/SW personnel assigned squadron QMS engineering responsibilities.

11.9.3.2.8. Provide training and coaching to AFSC/SW personnel assigned squadron QMS engineering responsibilities.

11.9.3.2.9. Evaluate feedback and propose changes to the QMS to AFSC/SWT.

11.9.3.2.10. Evaluate industry engineering methodology trends relevant to the organizational mission and make recommendations to AFSC/SWT.

11.9.3.2.11. Evaluate group level risk acceptance recommendations to group directors.

11.9.3.2.12. Develop and manage a resource center.

11.9.3.2.13. Conduct collaboration meetings with personnel assigned squadron QMS engineering responsibilities.

11.9.3.2.14. Support the AFSC/SW AoP program.

11.9.3.3. CCIP will:

11.9.3.3.1. Develop and manage the USAP SP.

11.9.3.3.2. Conduct monthly data analysis of MICT and IGEMS data.

11.9.3.3.3. Conduct monthly meetings with applicable leadership.

11.9.3.3.4. Assist AFSC/SW personnel at all levels with questions and constraints.

11.9.3.3.5. Provide support to CA and CPI efforts.

11.9.3.3.6. Develop and manage the AFSC/SW CCIP Process Guide.

11.9.3.3.7. Support external inspection activities.

11.9.3.3.8. Maintain appointment letters for all levels of Unit Self-Assessment Program Managers and Monitors.

11.9.3.4. GQ will:

11.9.3.4.1. Develop and manage the GQ SP.

11.9.3.4.2. Conduct GQ inspections.

11.9.3.4.3. Assist AFSC/SW personnel at all levels with compliance questions and constraints.

11.9.3.4.4. Provide support to CA and CPI efforts.

11.9.3.4.5. Maintain a list of GQ augmentees.

11.9.3.4.6. Support external inspection activities.

11.9.3.4.7. Develop and manage the AFSC/SW GQ Process Guide.

11.9.3.4.8. Analyze GQ inspection results to discover improvement opportunities, strategic issues, trends, potential risks, and needed training opportunities.

11.9.3.4.9. Manage content, changes, and reviews of:

11.9.3.4.9.1. AFMCI 21-100, AFSC Sup, Addendum A, *AFSC Software Directorate Management*.

11.9.3.4.9.2. This GM and associated MICT local SACs.

11.9.3.5. CA/CPI will:

11.9.3.5.1. Review changes to:

11.9.3.5.1.1. DAFI 38-401 *Continuous Process Improvement*.

11.9.3.5.1.2. AFSCH 60-101 *AoP Handbook*.

11.9.3.5.1.3. DAFI 90-802 *Risk Management*.

11.9.3.5.2. Develop and manage the AFSC/SW CA/CPI Process Guide.

11.9.3.5.3. Promote and use CPI methodologies to fulfill requirements in AFI 1-2 and DAFI 90-302.

11.9.3.5.4. Conduct CA/CPI activities.

11.9.3.5.5. Analyze AFSC/SW data to discover improvement opportunities, strategic issues, trends, potential risks, and needed training opportunities.

11.9.3.5.6. Assist organization personnel at all levels with corrective action and process improvement questions and constraints.

11.9.3.5.7. Maintain a list of AFSC/SW CPI trained and certified practitioners.

11.9.4. Group directors will:

11.9.4.1. Review and take appropriate action on higher headquarters identified deficiencies, QMS activity results, and CA and CPI recommendations.

11.9.4.2. Direct additional QMS activities not already identified on the SPs as needed.

11.9.4.3. Provide the necessary resources, support, and authority for engineering teams, personnel assigned QMS responsibilities, and GQ augmentees to implement the requirements, standards, and engineering expectations of this instruction.

11.9.4.4. Promote and use CPI methodologies to fulfill requirements in AFI 1-2 and DAFI 90-302.

11.9.4.5. Support the AFSC/SW AoP program.

11.9.4.6. Act as the risk acceptance authority at the group level.

11.9.5. Squadron directors will:

11.9.5.1. Review and take appropriate action on higher headquarters identified deficiencies, QMS activity results, and CA and CPI recommendations.

11.9.5.2. Provide the necessary resources, support, and authority for engineering teams, personnel assigned QMS responsibilities and GQ augmentees to implement the requirements, standards, and engineering expectations of this instruction.

11.9.5.3. Appoint qualified personnel to perform squadron QMS engineering responsibilities.

11.9.5.4. Appoint at least one person per squadron to perform squadron USAPM duties.

11.9.5.5. Ensure squadron engineering teams conduct ESAs IAW the QMS Engineering SP.

11.9.5.6. Promote and use CPI methodologies to fulfill requirements in AFI 1-2 and DAFI 90-302.

11.9.5.7. Support the AFSC/SW AoP program.

11.9.5.8. Act as the risk acceptance authority at the squadron level.

11.9.6. Squadron QMS engineering responsibilities include:

11.9.6.1. Mentor engineering teams on the content of the AFSC/SW *Engineering Expectations* and ways to implement the engineering expectations in the various development methodologies.

11.9.6.2. Provide training and coaching to engineering teams.

11.9.6.3. Maintain a current list of active engineering teams and engineering team leads for the squadron.

11.9.6.4. Implement QMS engineering process guides, plans, and schedules.

11.9.6.5. Conduct EQVs IAW the AFSC/SW Engineering SP.

11.9.6.6. Conduct Non-Implemented Engineering Expectation Reviews.

11.9.6.7. Evaluate engineering team non-implemented engineering expectation responses, justifications, and risk assessments prior to squadron director review.

11.9.6.8. Participate in collaboration meetings with the AFSC/SWTP QMS Engineering Team.

11.9.6.9. Support squadron engineering teams in process mapping events.

11.9.6.10. Provide support to CA and CPI efforts.

11.9.7. Engineering teams will:

11.9.7.1. Incorporate AFSC/SW *Engineering Expectations* into engineering team processes.

11.9.7.2. Implement quality attributes into products and services by establishing quality activities in engineering team processes.

11.9.7.3. Follow engineering team processes.

11.9.7.4. Perform engineering self-assessments IAW this guidance, associated AFSC/SW QMS process guides and procedures, and the Engineering SP.

11.9.7.5. Support and participate in EQVs and Non-Implemented Engineering Expectation Reviews.

11.9.8. AFSC/SW GQ Augmentees will:

11.9.8.1. Assist AFSC/SWTP or external inspectors to implement inspection plans and schedules as needed.

11.9.8.2. Perform inspections as directed and IAW the AFSC/SW GQ SP.

11.9.8.3. Document inspection results in the AFSC/SW BOTS or other MIS as directed by the inspection leader.

11.9.9. All personnel will:

11.9.9.1. Apply general AF program requirements to areas of responsibility.

11.9.9.2. Implement quality requirements, standards, and expectations as applicable.

11.9.9.3. Support AFSC/SW QMS activity requests.

11.9.9.4. Perform periodic self-assessment of AFSC/SW *Engineering Expectations* IAW the Engineering SP.

11.9.9.5. Perform periodic self-assessment of general AF programs IAW DAFI 90-302, AFSC/IG business rules, and this instruction.

11.9.9.6. Perform risk assessments of general AF program constraints IAW AFI 90-802, as needed.

Chapter 12

ELECTROSTATIC DISCHARGE (ESD) CONTROL

12.1. ESD Control Program. AFSC/SW supervisors will ensure ESD criteria as defined in TO 00-25-234*, General Shop Practice Requirements for the Repair, Maintenance, and Test of Electrical Equipment* is complied with by unit personnel. The ESD program is managed at the supervisor level.

12.2. Applicability. ESD control applies to all personnel who handle, inspect, repair, test, operate, and maintain items susceptible to damage from ESD.

12.3. Responsibilities.

12.3.1. Supervisors over an ESD area will:

12.3.1.1. Assign an ESD POC responsible for ensuring TO 00-25-234 section 7.6 requirements are met.

12.3.1.2. Ensure any area used to work on electrostatic discharge ESD sensitive items receives an ESD control survey and appropriate ESD measures are implemented.

12.3.1.3. Ensure all personnel involved with handling, repair, or storage of ESD sensitive items receive initial and annual ESD awareness training.

12.3.1.4. Notify the ESD POC when additional work areas are required, or changes are made to existing areas.

12.3.1.5. Sign completed ESD control survey and work area certification forms.

12.3.1.6. Annually report to their director a summary of the ESD program's effective compliance to requirements, gaps, and action items. The report will include data compiled from the ESD control surveys, work area certificates, ESD POC vacancies, number of personnel still requiring training, and other data pertinent to the program.

12.3.2. ESD POCs will:

12.3.2.1. Serve as the focal point for all ESD issues and work with supervisors to interpret TO 00-25-234 requirements and procedures.

12.3.2.2. Post ESD signs and labels.

12.3.2.3. Assist supervisors with identifying ESD protective packaging, bags, caps, plugs, and other items that meet ESD specifications prior to purchasing.

12.3.2.4. Work with facilities personnel to properly ground ESD workbenches, cabinets, shelving units, etc.

12.3.2.5. Ensure an ESD control survey is conducted on all areas handling or storing ESD sensitive discrete electronic parts, circuit boards, modules, or assemblies. Conduct the survey annually and when there are changes to work areas.

12.3.2.6. Conduct work area testing and document results on a work area certificate.

12.3.2.7. Ensure ESD controls, procedures, and equipment are implemented.

12.3.2.8. Ensure only ESD products and test equipment listed in TO 00-25-234, Table 7.3 are used in ESD control areas.

12.3.2.9. Maintain an ESD program file that contains:

12.3.2.9.1. Completed copies of AFSC/SW *ESD Annual Survey and Work Area Certification Worksheet*.

12.3.2.9.2. Any other pertinent instruction such as a local operating instruction.

12.3.3. ESD User. ESD users will follow all requirements defined in TO 00-25-234.

12.3.4. General Quality personnel will aid ESD POCs and supervisors to resolve issues and constraints for ESD issues and help interpret TO 00-25-234 requirements.

12.4. Training.

12.4.1. All personnel who handle, use, maintain, transport, store, or operate ESD sensitive items will receive initial ESD training prior to working in an ESD area followed by annual refresher training thereafter.

12.4.2. ESD POCs, and supervisors over ESD areas will receive initial ESD training within 3-months of appointment and annual refresher training.

12.4.3. Training will be documented in the Training Scheduling System (TSS).

12.5. Documenting.

12.5.1. ESD control surveys. Document results on AFSC/SW *ESD Annual Survey and Work Area Certification Worksheet*.

12.5.2. Work area certifications. Document the following test results: work surface, storage cabinets and shelves, ESD workstation grounding, etc. on AFSC/SW *ESD Annual Survey and Work Area Certification Worksheet*.

12.5.3. Soldering equipment used on ESD sensitive items. ESD POCs may use a document of their choosing to track the 90-day soldering station ESD test.

12.5.4. Wrist strap test when used. ESD POCs may use a document of their choosing to track ESD wrist strap results, except, when wrist straps are connected to a continuous monitoring device.

12.5.5. Precision Measurement Equipment Laboratory (PMEL) certification. Wrist strap testers, continuous monitoring devices, and test, measurement, and diagnostic equipment (TMDE) used for tests will receive PMEL certifications IAW TO 00-20-14, *AF Calibration and Metrology Program*.

Chapter 13

EQUIPMENT MANAGEMENT

13.1. Purpose. Commanders/Directors and supervisors will manage equipment within their control through equipment inventory, maintenance, maintenance inspection, calibration, repair, proper operations, and documentation. Equipment management requirements are managed at the group level and below and provide functional support for directorate personnel at assigned group locations. General Quality personnel will aid equipment POCs and supervisors to resolve issues and constraints for equipment.

13.2. Equipment Account. Personnel will comply with AFI 23-101_AFMCSUP, *Materiel Management Policy,* DoDI5000.64_DAFI23-111, *Accountability and Management of DoD Equipment and Other Accountable Property*, and AFMAN23-122_AFMCSUP, *Materiel Management Procedures*.

13.3. Equipment Calibration. Personnel will comply with TO 00-20-14, *Air Force Metrology and Calibration Program*, test, measurement and diagnostic equipment (TMDE) calibration determination decisions listed in AF Calibration Authority Viewer MIS, and PMEL provided handbook.

13.4. Equipment Preventative Maintenance Inspections (PMI). Applicable supervisors will ensure equipment requiring a PMI complies with TO 00-20-1, *Aerospace Equipment Maintenance Inspection, Documentation, Policy and Procedures* and host base support organization requirements. Equipment includes at a minimum: automated test systems (ATS), automated test equipment (ATE), TMDE, support equipment, and industrial plant equipment (IPE) (i.e., hoists).

13.5. Machinery and Shop Equipment Operation and Maintenance. Applicable supervisors will ensure machinery and work center equipment (i.e., drill press) are operated and maintained IAW TO 34-1-3, *Machinery and Shop Equipment* and DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards.*

13.6. Equipment Applicability. For applicability refer to equipment specific TOs and owner's manuals, host unit instructions and local supplements.

Chapter 14

FOREIGN OBJECT DAMAGE (FOD) AWARENESS

14.1. FOD Awareness Program. Supervisors will ensure personnel are aware of FOD. FOD is any damage to weapon system components caused by foreign objects which may or may not degrade the required safety and/or operational characteristics of the weapon system.

14.1.1. There are two categories of FOD areas: FOD critical and FOD non-critical.

14.1.1.1. FOD critical areas are identified by the host base FOD prevention program where maintenance, testing, and operations are performed. AFSC/SW and subordinate units do not have any identified FOD critical areas.

14.1.1.2. FOD non-critical areas are all other areas not defined previously as critical.

14.1.2. General Quality personnel will aid personnel to resolve issues and constraints for FOD issues and help interpret host base requirements.

14.2. Applicability. Personnel will comply with the host base FOD prevention programs where required. Affected personnel will receive training IAW the host base FOD program requirements.

14.3.1. All personnel receive initial FOD training.

14.3.2. Personnel who, in the performance of their assigned duties, work in or travel through software laboratories conducting research, test, development, or integration or maintenance areas, flight-line areas, etc. receive refresher FOD training IAW host base FOD requirements.

Chapter 15

HOUSEKEEPING

15.1. General Housekeeping.

15.1.1. Personnel will comply with all housekeeping directives, instructions, supplements, other policy guidance, and host base requirements. Housekeeping is the process of ensuring that the workplace is kept clean and organized and includes adequate storage arrangements. Refer to DAFMAN 91-203, *Air Force Occupational Safety Fire and Health Standards*.

15.1.2. Groups are highly encouraged to incorporate 6S when housekeeping business rules are established. The "6S" concept is the recommended best practice for establishing and sustaining effective workplace housekeeping. It involves the application of a six-step process. The steps in the process are 1) sort, 2) set in order, 3) shine, 4) standardize, 5) sustain, and 6) safety.

15.2. Roles and Responsibilities.

15.2.1. Group and squadron directors may establish local housekeeping business rules to cover all work areas (breakrooms, office areas, laboratories, etc.).

15.2.2. Supervisors should develop housekeeping checklists for their work areas.

Chapter 16

MATERIEL CONTROL

16.1. Overview. This chapter establishes processes for the management and control of AFSC/SW materiel. This includes ordering and turning in materiel, processing materiel issue requests, monitoring the status of materiel on order, managing backorder reconciliation, and monitoring supply systems. Personnel will comply with AFI 23-101, *Materiel Management Policy*.

16.2. Responsibilities. Personnel are responsible for adhering to principles of supply discipline and accomplishing requirements outlined in this guidance. Squadron directors are responsible for enforcement of materiel controls. Materiel management analyst (MMA) will:

16.2.1. Perform research, direct-line ordering, turn-in processes, file maintenance of backorders, etc.

16.2.2. Perform direct-line material requisitioning.

16.2.3. Monitor backorder status. MMA will conduct a monthly review of all backorders to ensure the material is still required. If no longer required, request cancellation in Naval Air Systems Command Industrial Material Management System (NIMMS) on MN123P screen. Additionally, the MMA will ensure requirements are still valid in D035K and NIMMS. They will review and annotate any actions on the Cognos® NIMMS Open Backorder Report. The MMA will keep this report on file for two months.

16.2.4. Process turn-ins of Due-In From Maintenance/Due-Out to Maintenance (DIFM/DOTM) and verify turn-in of unused parts.

16.2.5. Perform annual inventory of all assets within organizational control.

16.3. Major Automated Information Systems. The major automated information systems supporting maintenance material control, accounting, and management are:

16.3.1. Depot Maintenance Accounting and Production System (DMAPS) is an integrated suite of systems providing material, production, and financial functionality for organic depot maintenance. The main DMAPS systems supporting material are covered in the following paragraphs:

16.3.1.1. Automated Bill of Material (ABOM) system is a front-end validation and order entry system to the NIMMS. ABOM provides on-line batch, single order processing, query capabilities, and administrative background programs for maintenance of data.

16.3.1.2. Defense Industrial Financial Management System (DIFMS) is the official AF financial system of record. DIFMS maintains general ledgers; records disbursements, collections, and customer orders; tracks cost; bills customers; and supports other general management functions.

16.3.1.3. Naval Air Systems Command Industrial Material Management System is the system used for the overall inventory management of CSAG-M owned material. NIMMS shares a common database with DIFMS for processing material cost and other financial information.

16.3.2. Depot Maintenance Systems Integration (DMSI) is a suite of integrated applications that manage materiel standards, production/issue history, standard data, labor standards for

planning and production costing, facilities planning, tracking, schedule execution and performance measurement activities for depot maintenance workloads, and provides a repository for storing production number master records. DMSI includes:

16.3.2.1. Exchangeable Production System (EPS) (G402A) is used to order end items for repair and passes orders for repair parts to the supply system. It also provides visibility of workload requirements and end item asset availability.

16.3.2.2. Job Order Production Master System (JOPMS) (G004L) initiates and manages the JON which is required to begin a task on the work center floor. The system creates and tracks work in progress, interfaces with financial systems providing visibility of hours in process and completed (i.e., earned hours), provides a repository for storing the job number master records, tracks customer work requests, records work authorizations, maintains temporary work plans, records end item tasks, and documents standard labor hours earned.

16.3.2.3. AFMC Labor Standards Data System (ALSDS) (E046B) is used to establish and maintain labor standards that are used for planning, forecasting, work count, data validation, and tracking direct product standard hours.

16.3.3. Wholesale and Retail Receiving and Shipping System (WARRS) (D035K) is a legacy mainframe D035 subsystem that provides retail customer support including bit-and- piece parts and end-item support. Maintains historical data for all accountable retail transactions, including receipts and shipments.

16.4. Expendable Items. Items not subject to repair but are required in the engineering process are issued from D035K for consumption. These items may be turned in to supply in serviceable condition via NIMMS. This includes bulk items and sheet stock IAW AFI23-101.

16.5. Product Quality Deficiency Report Asset Processing.

16.5.1. If the Program Management Office (PMO) requests the program order an asset as part of a PQDR, the program will retain the brown DD Form 2332, *Product Quality Deficiency Report Exhibit*, on the asset until further disposition instructions are provided in writing by the PMO. Refer to TO 00-35D-54.

16.5.2. Replace DD Form 2332 with DD Form 1576, *Test/Modification Tag Materiel*, upon receipt of PMO instructions.

16.6. Reporting Packaging and Handling Deficiencies. If an incorrect item is received, the count is incorrect or the item is damaged, complete an AFSC/SW Form 364, *Supply Discrepancy Report Worksheet* (or equivalent) and coordinate with Defense Logistics Agency (DLA) to turn in asset.

16.6.1. Supply Discrepancy Report must be completed no later than 60 days upon receipt of discrepant item.

16.6.2. DLA will process the Supply Discrepancy Report and notify MMA of disposition.

16.7. Operating Stock Materials. Material used in the day-to-day maintenance of equipment contained within a research, development, and integration work center such as software laboratories, first article labs, and prototype labs.

16.7.1. Operating stock materials will consist of nonproduction material used to facilitate the research, development, and testing used in conjunction with the operation of machinery, equipment, and tools.

16.7.2. Operating stock locations, items, and quantities will be determined by the first level supervisor or assigned work center manager. Locate the stock as close as possible to user for their convenience.

16.7.3. Personnel will maintain proper housekeeping of operating stock.

16.8. Work Center Area Support Stock. Operating stock and expendable stock materials comprise of work center area support stock and are ordered for projects to build development items. Materials can be obtained from other sources such as contractor residue, prototype, and PMO funded stock, and have an anticipated use.

16.8.1. Development items are assembled or manufactured components representing:

16.8.1.1. Items for internal AFSC/SW use only and will not be stock-listed or centrally managed.

16.8.1.2. Items that have yet to be designated as an item of supply or an item of production by the designated operational safety, suitability, and effectiveness authority and may be delivered to the customer for their use and/or additional testing. In cases where the operational safety, suitability, and effectiveness authority is allowing AFSC/SW to use these items to develop software or as a unit under test (UUT), then the material control rules will apply to identify and segregate these items from other items in the AFSC/SW work areas.

16.8.1.3. Non-production items.

16.8.2. Production items are assembled or manufactured components designated as reparable, stock-listed, or supply chain managed assets and are the responsibility of authorized maintenance repair activities.

16.9. Workstation Storage. Most work centers involved in the assembly or buildup of test equipment will require bits and pieces of materiel. These items may be stored at workstations during the assembly or buildup process. Proper housekeeping and the return of excess stock must be practiced at these workstations.

16.10. Disassembly for Testing and Research. Disassembled materiel will remain under control during development, testing, and research.

16.10.1. All parts removed from the component will remain together until testing and research have been completed. Loose, scattered, or poorly controlled material can become lost or damaged increasing the overall cost to the AF.

16.10.2. Material removed during development, testing, and research will be placed in a bin or container until re-assembly of the item. An unattended bin of removed material will have an inventory of contents. If co-location of the item and the bin of removed material are impractical, the disassembled item will be labeled with the identity of the item to which the materiel belongs.

16.11. Managing Component Stock. Consists of line replaceable units (LRU), shop replaceable units (SRU), gauges, mockup, built up electrical boards, or other items. During AFSC/SW

activities, components such as LRUs and SRUs are stocked, stored, and used. These components serve a dual purpose for HQ AFMC. In a depot repair facility, units are considered supply assets and will be repaired by a certified technician and returned to supply/functional aircraft. However, when these units enter AFSC/SW work centers, the units become UUT for validation activities as test equipment or components of larger test units. Depot maintenance such as material repair is ***never*** performed in an AFSC/SW environment. The determination of asset serviceability rests solely with approved maintenance/quality inspectors within an authorized maintenance repair activity. Components are handled as units under test for validation activities, such as test equipment, and local procedures may be written to clarify handling and labeling procedures for components in 'In Use' status.

16.12. Classified Documents. Classified documents are processed and filed according to DoDM5200.01V1_AFMAN16-1404V3, *Information Security Program: Protection of Classified Information*. Refer to AFI 23-101 for document control. Only individuals identified by appropriate receipt authorization may receive property that has a security classification.

16.13. Labeling Requirements. Work center materiel must be stored in a clearly identified designated location. Operating stock materiel storage cabinets and/or inventory lists will be clearly identified as serviceable or unserviceable (reparable) materiel storage. Work center stock will be segregated and stored in designated storage locations with appropriate labels. Each item stored in a work center will have a label. As a minimum, labels will contain nomenclature, NSN or part number, and shelf life (if applicable).

16.13.1. Boxed operating stock materiel will be stored in designated storage locations with the box appropriately labeled with available required information.

16.13.2. Small operating stock materiel will be stored in designated storage locations in a bin appropriately labeled with available required information.

16.13.3. Operating stock materiel too large for bins will be stored in a designated work center storage location appropriately labeled with available required information.

16.14. Accountability and Inventory Requirements. AFSC/SW organizations will utilize an AF approved system of record to account for assets in their possession. An annual inventory is required for materiel control. The inventory list will include date of last inspection to aid in declaring excess and will consist of assigned materiel locations. Operating stock materiel labeling information may be maintained on the inventory list or stock information maintained at work center locations and cross referenced by assigned materiel locations.

16.15. Turn-In of Excess Materiel. Operating stock materiel determined to be excess must be disposed of properly. Materiel may contain precious metals, be hazardous, or neither. Disposition of all non-precious and non-hazardous materiel will be one of the following: transfer to other work centers within the group, turn-in to supply, or turn-in to DLA Disposition Services (DLADS). Turn in point and local turn-in procedures will be developed to prevent inadvertent disposal of saleable or salvageable government assets or material.

16.15.1. Excess Material in Original Packaging. Excess may be turned into supply. Identify staging area for collecting excess material. If quantity/size of excess requires a staging area outside of the work center, contact the facility manager who will identify the staging area. Contact supply to confirm supply's need and acceptance of material. Material must be tagged with two condition tags. Condition tags for reparable material must utilize the correct form

and have a NSN, part number, and item description. Tags must have unit of issue and quantity. Material in the staging area will not be removed until ready for transport to supply. Follow normal material turn-in procedures.

16.15.2. Excess Material to DLADS. Excess material which cannot be turned into supply will be turned into DLADS. Identify a staging area for collecting excess material. If quantity/size of excess material requires a staging area outside, identify the staging area. Contact DLADS to make an appointment. Material in the staging area will not be removed until ready for transport to DLADS and arrange for transportation by DLADS.

16.15.3. Excess Hazardous or Precious Metal Material. Material suspected or known to contain precious metals or hazardous material should be taken to appropriate monitor (i.e., precious metals recovery program monitor or environmental coordinator) for disposal.

16.16. Turn-in of Classified Material. Classified material must be completely declassified prior to turn into DLADS. The specific TO for the item or system will provide declassification/demilitarization instructions. For other basic declassification/demilitarization guidance, reference AFI 23-101.

16.17. Controlling Reusable Containers. Comply with AFI 24-602V2, *Cargo Movement*. Active reusable containers include all containers for which an immediate or projected need exists. Short-life reusable containers, such as fast packs, are not subject to supply accountability and management procedures once issued for use. These containers are consumable and can be disposed of locally when they are beyond economic repair. They should withstand a minimum of ten trips.

16.18. Request and Order Material. Direct Exchangeable Items. The MMA turns in the repairable item through ABOM/NIMMS and orders a serviceable item. The DLA customer support specialist monitors status of all direct exchangeable items on order to determine capability to satisfy depot demands. If the requisition status does not meet the requested delivery date and cannot be expedited, supportability options may include:

16.18.1. DLA customer support specialist can complete an emergency retail buy.

16.18.2. Initiate a request (i.e., AFSC Form 206) for local repair or manufacture of the item.

16.18.3. Send unserviceable unit to supply in F condition. The work center will pull asset from supply for repair.

16.18.4. Notify the customer that the negotiated delivery date will slip day-by-day, and that additional costs in overtime may be incurred.

16.19. Unplanned Material Request. The MMA will request material via the material ordering system with the priority necessary to meet the requested delivery date shown in the operational schedule. **Note:** Approval will be generated systematically or handwritten. The MMA will track the status of all outstanding backorders monthly and notify the DLA customer support specialist if status is not adequate.

16.20. Ordering, Receiving and Handling.

16.20.1. Assets can be obtained by ordering from supply or through the PMO using program specific instructions. They can also be obtained through loans from vendors, from ALC customers, and foreign military sales.

16.20.1.1. Groups will develop local ordering, receiving, and handling processes to ensure accountability of all assets. This may include but is not limited to use of computer systems; use of AFSCSW Form 415, *Material Request Form*; and/or use of AFSCSW Form 416, *DIFM/DOTM Request*.

16.20.1.2. MMA will maintain a signed copy of DD Form 1348-1A, *Issue Release/Receipt Document* for two years IAW Records Disposition Schedule.

16.20.2. Assets are received by picking them up from a receiving section, delivery by the DLA, or delivery by the customer. The MMA will be notified upon receipt of the asset. The MMA will input the assets data into an approved inventory control system for asset accountability.

16.20.3. When received, the asset is marked for software development or engineering investigation activities.

16.20.3.1. Remove original condition code tag and replace with a DD Form 1576. The following will be annotated on the new tag:

16.20.3.1.1. NSN, part number, item description, and serial number in the appropriate field.

16.20.3.1.2. Annotate “received in (A, F, etc.) condition” in the remarks field.

16.20.3.1.3. Annotate “for AFSC/SW Activities” in the reason for reparable condition field.

16.20.3.1.4. Include point of contact name, date, and phone number. **Note:** Do not remove DD Forms 2332 until further disposition instructions are provided in writing by the PMO. Upon receipt of written instructions, follow guidance in paragraph 16.21.3.1.

16.20.3.2. Obtain asset’s TO references that provide safety, warning, caution, and handling instructions.

16.20.3.3. Maintenance-type actions must be annotated in the remarks section (annotate see attached documentation). At a minimum, include:

16.20.3.3.1. LRU cover removal.

16.20.3.3.2. Circuit card removal.

16.20.3.3.3. Fault insertion methods and locations.

16.20.3.3.4. Soldering.

16.20.3.3.5. Include a reference to the location of information captured in a development repository (i.e., Common Avionics Software Tracker (CAST), Joint Deficiency Reporting System (JDRS), Defense Repair Information Logistics System (DRILS)).

16.20.3.3.6. Asset connected to a test station.

16.20.3.4. Turn-in of completed asset.

16.20.3.4.1. Work center inspects asset for any foreign objects.

16.20.3.4.2. MMA ensures asset is marked with a DD Form 1577-2, *Unserviceable (Reparable) Tag Materiel*. **Note:** An asset must ***never*** leave AFSC/SW's possession marked as serviceable (condition code A, B, C, or D – Yellow tag).

16.21. Processing Issues and Turn-ins of Due in From Overhaul (DIOH) Assets. Items subject to DIOH are those items with data processing codes (DPCs) of T, 2, or X (excluding job designator K).

16.21.1. Tracking and control of exchangeable items is accomplished through the material management system D035K DIOH program as the supply accountable property system of record (APSR). G004L is the accountable maintenance financial system.

16.21.2. All items enter DIOH balances at time of receipt acknowledgment of property and are reduced from these balances at time of turn-in. The To and From in-transit systems in D035K control and account for assets enroute from DLA/Supply to the group, and from the group to DLA/Supply, and changes to these accounts are caused by transactions entering the D035K system.

16.21.2.1. The DIOH account is reflected as an M balance on the document transaction image. DIOH reductions are reflected as a minus (-) between the quantity and the M. Increases are reflected by a quantity preceding the M with no sign in between.

16.21.2.2. The in-transit from DLA/Supply to the group is reflected as a management wing (MW) balance on the daily document control register. Reductions contain a minus (-) sign, while increases contain no sign. The DIOH reconciliation listing identifies this balance as in-transit to (INTR TO).

16.21.3. The key to proper management of these balances is the document control register, daily reject management products provided by G004L, AFSC Form 105, AFSC Form 130, and the G004L-L2A report. Errors not corrected on a timely basis become extremely complicated, require excessive research, and consume an unnecessary number of man-hours to correct.

16.21.4. DIOH reconciliation process is a five-step systematic approach to determining the correct decision regarding the mismatch of balances: 1) identify the type of error, 2) research and gather information, 3) formulate the process of correction, 4) correct the out of balance, 5) verify the correction. It is focused on balances between the materiel management system (D035K) and the various IS. Keep the following supporting documentation if an out of balance was corrected:

16.21.4.1. AFMC Form 37, (only if an inventory adjustment is required in D035K). After the adjustment has been made, print a D035K NSMC (National Stock Number – Asset Posture Inquiry) or RIAF (Retail Inquiry Menu – Retail Transaction History Inquiry) screen shot showing the correction took in the system.

16.21.4.2. The AFMC Form 37 will be signed by the appropriate level of leadership depending on the cost of the asset. **Note:** Approver is certifying a complete and adequate research was accomplished and there is no reason to believe a report of survey is required.

16.21.4.3. Once the AFMC Form 37 has been signed, it will be given to DLA to make the adjustments to the appropriate condition code in D035K.

16.21.4.4. G402A, End Item Transaction History, query by NSN (documentation only needed if a correction was made to bring the system back into balance).

16.21.5. Annual Inventory. MMA will complete an annual 100% inventory with all assets physically accounted for. **Note:** AFSC/A4/R will provide oversight of the annual 100% inventory execution and ensure the required supporting documentation is maintained.

16.21.5.1. Inventory will be a floor-to-book inventory. D035K is the "book" and the work center/MIS will be the "floor".

16.21.5.2. The AFSC Form 400, will be used to conduct and document the inventory for each individual item. If there are multiple NSNs undergoing the count, the additional NSNs may be attached to the form.

16.21.6. All supporting documentation will be maintained IAW the records disposition schedule in the Air Force Records Information Management System.

16.22. Government Purchase Card. Use when purchasing parts/materiel used in test and evaluation of program office-controlled commodities or weapon system products. Purchase parts/materiel IAW DAFI64-117, *Government Purchase Card Program*; AFI23-101; and AFMAN23-122, *Materiel Management Procedures*.

16.22.1. Maintain a purchase log, to include supporting documentation:

16.22.1.1. Proof of Backorder: A valid backorder in NIMMS with a requisition in D035K along with the estimated delivery date that will not meet the requirement of the repair actions.

16.22.1.2. Engineer Approval Letter.

16.22.1.3. Request for Quote: A request to a company to provide the availability of the item, cost, and the delivery date.

16.22.1.4. Invoice and/or Receipt: Vendor-provided documents, confirming the goods or services were provided to the customer.

16.22.1.5. Certificate of Conformance: Approval of Certificate of Conformance that is granted to a product that meets a minimum set of regulatory, technical and safety requirements. If a certificate of conformance cannot be provided, a form of documented information will suffice but must include the following: a traceable contract number, NSN, part number, or cage code.

16.22.2. Screen all requirements for their availability from the mandatory government sources of supply as prescribed by Federal Acquisition Regulation, Part 8, *Required Sources of Supplies and Services*.

16.22.3. Procure only authorized supplies or services and obtain any required specific approvals. Non-Stock Listed/Part Number Requisition Budget Code 8 items, regardless of dollar value, require approval by the designated depot maintenance product directorate chief.

16.22.4. When purchasing centrally managed consumable XB/XF items directly related to weapon systems, the weapon systems program director (or delegated official) is the authorizing official. For items that are not related to a weapons system, the item manager, equipment specialist, or equivalent, is the authorizing official. Submit a request (include a

qualified source) to the applicable approving authority for local purchase authorization if: a part is back ordered, the estimated delivery date is unacceptable, the requirement is equal to or below the minimum purchase threshold, and the cardholder has received the applicable Certification of Conformance. Items will not be purchased for resale to other end-users. When purchasing items not directly related to a weapons system that are sourced through General Schedule Authority, no longer centrally managed, or no longer available through a supply system, these items are considered available from local sources and may be approved for purchase at the lowest level, i.e., supervisor or equivalent.

16.23. Codes.

16.23.1. Status Codes and Reject Transaction Codes. Status codes for base requisitions are contained in AFI 23-101. Local base (customer) status codes for issue requests and notices are listed below. This is intended for use as supplemental guidance and is not intended to replace policy in prescribing regulations.

16.23.2. Shipment Status Codes. Codes in **Table 16.1** (indicated by a B in system column 65) predict shipment on time as specified by the standard delivery date or the required delivery date; delayed supply action; information on follow-up; or change in data submitted on requisition. The latest status can be determined by the transaction date entered in columns 62-64.

Table 16.1. Shipment Status Codes.

Code	Description
BA	Item being processed for release and shipment.
BB	Item backordered against a due-in to stock.
BC	Item on original request containing this document number has been back ordered. Long delay is anticipated and estimated shipping date is in columns 70-73. Item in the stock number filed can be furnished as a substitute.
BD	Action on this request is being delayed due to verifying requirement relative to authorized application, item identification, or technical data. When review is completed, additional status will be provided.
BG	One or more of the following fields have been changed: Stock number changed due to stock list change (SLC) processing; NSN is assigned to part number that was requisitioned; Federal Stock Class (FSC) has changed but National Item Identification Number (NIIN) remains the same as originally requisitioned (applies only to DZ9 status); unit of issue changed; or requisitioned part number has been identified to be replaced. Adjust records accordingly.
BH	Cancellation of backorder due to substitute or interchangeable item being supplied.
BI	Item backordered in an I&S family.

BJ	Quantity changed to conform to unit pack; adjust records accordingly. Unit of issue is not changed.
BK	Requisition data elements have been modified as requested. Examine data field in this status document for current requisition data.
BQ	Deferred issue backorder cancelled as requested by customer.
BR	Cancelled. Requisitioning activity authorized cancellation in response to materiel obligation validation (MOV) request furnished by processing point.
BS	Cancelled. Requisitioning activity failed to respond to MOV request furnished by processing point.
BY	Assets on-hand (partial or total). Status provided to support deferred issue backorders after normal off-base receipt and mechanical backorder release processing from the item manager. (Notification of long supply material received in distribution).
BZ	Deferred issue backorder, quarterly asset availability status. The quantity indicated is available or on backorder, whichever is smaller.
B7	Unit price change. The latest unit price for the item is in the last position of the ON field and extends through the cost code and action suffix fields, i.e., columns 74-80.

16.23.3. Reject Codes. The status codes in **Table 16.2** (indicated by a C in system column 65) designate rejected action and will terminate further supply action. The code assigned in column 66 will furnish the appropriate reason for rejection. When still required, resubmit under a new document number which, in turn, may require a more detailed explanation on the new requisition.

Table 16.2. Reject Codes.

Code	Description
C_	Rejected. Material condition code of transaction is invalid. Prepare new input transaction with correct condition and retransmit.
CA	Requisition rejected. Explanation for rejection is stated in the remarks field.
CB	Requisition rejected. Initial requisition requested rejection of that quantity not available for immediate release. This code is specifically applicable in response to requisitions submitted with advice codes 2C and 2 J.
CC	Deferred issue, backorder cancelled because of source of supply cancellation of distribution-deferred issue MILSTRIP requisition.

CD	Cancelled due out, unit of issues not converted by computer. The new unit of issue is shown in the last position of the ON and extends through the cost code and action suffix code fields.
CE	Item requested is an item of equipment and is not authorized for Weapons System Support Center/Shop Service Center/Exchangeable Products Support Center (WSSC/SSC/EPSC) stock. Managed in the D002A (SBSS) system.
CF	Rejected. Erroneous job designator, category code, document identifier, type transaction code, or demand code. Correct erroneous element of data and resubmit request.
CG	Rejected. Unable to identify requested item. Submit new requisition using a new document number with a current Julian date and furnish correct NSN or part number.
CH	Item requested is not authorized for use by the customer submitting the request. Status manually prepared and mailed to the customer.
CJ	Item coded in N exception requisition code (formerly disposed). No advice code in local request.
CK	Rejected. Unable to procure. No substitute/interchangeable item are available. Returned for supply by local issue of NHA, kit, or component. Suggest fabrication or cannibalization. If not available, requisition with current Julian date for NHA, component, or kit.
CL	Rejected. Contractor requisition or related transaction is to be processed initially by a material control authority. Transaction entries indicated direct submission. Submit a new requisition using a new document number with a current Julian date.
CM	Rejected. Fund code was not cited and/or item is not, or is no longer, free issue. If still required, submit new requisition using a new document number with current Julian date with appropriate fund code and signal code other than I or M.
CO	Rejected. Item has been identified as a contract operated civil engineering supply store item.
CP	Rejected. Source of supply (SOS) is organic manufacture, fabrication, or procurement. If not available locally or activity lacks procurement authority, submit a new requisition with advice code 2A.
CS	Deferred issue backorder cancellation. Quantity indicated (cancelled) is greater than the quantity on backorder.

CU	Rejected. Unable to procure item requested. Item is no longer produced by any known source and attempts to obtain item have failed. Item in stock number field can be furnished as a substitute. Unit price of the substitute item is in positions 74-80.
CV	Rejected. Item prematurely requisitioned. The effective date for requisitioning is contained in positions 70-73.
CW	Rejected. Item is not available or is a non-consumable item whose transportation costs are uneconomical. Local procurement is authorized for this requisition only. If item cannot be locally procured, submit a new requisition using advice code 2A with a new document number and a current Julian date.
CX	Rejected. Unable to identify the Bill To and/or Ship To address as designated by the signal code or the requisition with a new document number and current Julian date and with valid data field entries.
DC	Duplicate cancellation.
DD	Transaction S/N is unmatched to DIFM suspense S/N and all I&S stock numbers controlled. Check document number for transposition of digits. Then correct or contact office of primary responsibility OPR for new document number. Prepare new input after error is detected and resubmit.
DF	In transit due-in or due-out overhaul quantity is less than the reversal.
DH	Quantity of turn-in or receipt acknowledgement exceeds the DIOH balance record.
DL	Quantity of the G004L receipt acknowledgement (RA) is less than the DIOH in transit record.
DT	Duplicate Transaction.
ED	Rejected. (Pre-post issues and WSSC/SSC/EPSC post-post issues and turn-ins.) Invalid document number and day received. Correct erroneous elements of data and resubmit.
EI	EI document quantity is greater than one.
EQ	Rejected. (Pre-post issues and WSSC/SSC/EPSC post-post issues and turn-ins.) Invalid quantity (i.e., alphas, blank columns, or all zeroes), correct quantity field, and resubmit.
ES	Quantity in the in transit (INT) receipt notification is greater than the suspense detail record or unmatched on in transit detail record.
F_	Rejected. Format of input transaction is incorrect. Check input document for missing elements of data, keypunch errors, invalid routing identifier (i.e., F*B on a WSSC/SSC/EPSC replenishment request). Invalid DOC ID (when all three positions are assigned manually), type transaction code (when manually assigned), ownership and purpose (O/P) code, and project code. When error is detected, prepare a new input

	document with correct data elements and retransmit. Also, trying to order 5100 and 5200 class (tools) on other than indirect JON X56346610000.
FC	Rejected. Cost code incompatible with Expendability, Recoverability, Repairability Category (ERRC) code. Routine material was ordered exchange or exchange material was ordered routine. Product Group D7 prepost request for an SSC/EPSC backorder containing cost codes A, R, N, W, or L for ERRC code C, T, and U items, or cost codes B, D, E, J, M, T, or Y for ERRC code N or P.
FH	Rejected. Input function code and scheduling designator unmatched on D035K organization table. Correct and resubmit.
FK	Rejected. Local request is a duplicate.
FL	Item delayed. Supply action being continued. A controlled exception has been generated to distribution component for review of the transaction. Normal reasons for FL status are that the stock number is not recorded on the depot supply master record, or the requested item requires review by the distribution item manager, etc.
FP	Rejected. Unauthorized use of base delivery priority designator 01 and 02.
FR	Cancelled, MICAP requirement.
FS	Rejected. Floating stock quantity requested greater than floating stock authorization.
FZ	Rejected. Force activity designator (FAD) used in the transaction is lower than the one in the organization detail record.
II	Fill or kill request (2C or 2J advice code) or issue cancelled. Partial or total quantity available; however, the master balance record contains a freeze or blockage code.
IR	No routing identifier.
JN	JON either missing or invalid.
MI	Rejected. WSSC/SSC/EPSC request for other-than-serviceable material.
N_	No master balance record established.
NB	Rejected. No backorder detail record.
ND	Rejected. No DIFM/DOTM record.
NM	Rejected. No WSSC/SSC/EPSC detail record.
NN	Rejected. Erroneous MICAP identity. If the first position of the JON field is 9, the next two positions must be 99. If the JON field is N or E, the next two positions must be AA, AB, AC, AE, AF, AG, AH, AM, or AY.

P_	Transaction quantity exceeds item record balance. Quantity that could be processed has been posted to decrease the WSSC/SSC/EPSC detail record balance. Partial or total quantity, which when posted, is rejected and shown in quantity field. This status may be received in response to a post-post issue transaction or in response to a turn-in from the WSSC/SSC/EPSC to distribution. When this status is generated, the WSSC/SSC/EPSC balance is frozen with a numeric 1-blockage code.
*R	Invalid Document Date.
U_	Unit of issue invalid.
WN	Indicates an output ZFA-X transaction because of a backorder cancellation request. Requires an input of a ZFA-Y transaction (indicating, yes, maintenance wants the material), or a ZFA-X transaction (indicating, no, maintenance does not want the material).
WR	Rejected, invalid input from sending remote terminal. Normally, the WSSC/SSC/EPSC designator code is not compatible with the functional code or scheduling designator.
WW	Rejected, turn-in quantity exceeds the DIOH quantity, or D7 receipt acknowledgement greater than in transit to maintenance quantity.
AK	EI is sold with backorders pending in D035K.

16.23.4. Advice codes in **Table 16.3** for base requisitions are contained in AFI 23-101. The below information is provided as supplemental guidance only and is not intended to replace policy in the prescribing regulations.

Table 16.3. Advice Codes.

Code	Description
2A	Item cannot be obtained locally through manufacture, fabrication, or procurement.
2B	No substitute allowed. Also applies to obsolete items previously rejected with status code CJ.
2C	Fill or kill requisition. Do not back order. Reject any unfilled quantity not available to meet Scheduled Delivery Date (SDD) or Required Delivery Date (RDD). Suitable substitute acceptable.
2D	Furnish exact quantity requested. Do not adjust to unit pack quantity.
2E	Free issue. Stock lists or other publications offer this material without reimbursement. (To be used with signal codes D or M on interservice requisitions).
2F	Item known to be coded obsolete, but still required for immediate consumption. Service coordinated or approved substitute is acceptable. If unable to procure, reject requisition with status code CJ.

2H	Special textile requirements for use in airborne operations where personal safety is involved.
2J	Do not substitute or backorder any unfilled quantities.
2L	Quantity reflected in quantity field exceeds normal demands; however, this is a confirmed requirement.
2N	Item required in one continuous length: no other unit pack acceptable.
2P	Item required in one continuous length as expressed in fields 25-29 and the unit of issue in fields 23-24. If requirement exceeds the unit pack length, multiples of the unit packs are acceptable.
2T	Deliver to the ultimate consignee by the SDD or RDD entered or cancel requirement.
6A	Request for shipment of reparable material (fill or kill).
6B	Request for shipment of TOC material (fill or kill).
6C	If unable to ensure availability before expiration of priority or RDD, reject and furnish a supply source from which purchase may be made from funds of requisition.
6D	Request for shipment of incomplete (INC) material (fill or kill).
6F	Required for issue to non-Equipment Authorized in Use Detail (EAID) reporting function or agency such as AF Form 2691, *Aircraft/Missile Equipment Property Record*, AF Form 2692, *Aircraft/Missile Equipment Transfer/Shipping Listing,* CE real property, bench mock-up or other governmental agencies (e.g., Army, Navy, etc.), and contractors.
6G	Required as replacement issue for EAID, authorized for substitute asset due to condemnation or other loss of required asset.
6K	Item is required for an AWP EI (fill or kill).
6L	Item is required for an AWP EI (do not kill/cancel requisition).
6N	Organic maintenance parts shortage related to production items. (ALC distribution only).
6P	Specifies New and Unused Material Only will be shipped to satisfy this specific requirement. This code will be used by Air Force for selected foreign military sales (FMS) case requisitions and will cause the phrase “New and Unused Materiel Only” to be printed on the DD Form 1348-1.
6Q	Item requires calibration, repair, and return.
6R	Complete overhaul of ND2 item required to ensure performance, safety, and maximum use. Replacement item must be available before the item can be released.

6S	Repair costs for NF2 items exceed economic repair criteria. Operational requirement prevents condemnation until replacement is received.
6X	Used to request backorder of lateral requests authorized only for lateral (base-to base) actions.
6Y	Fill or backorder requested quantity and update cumulative recurring demands economic order quantity (EOQ) items only.
6Z	Routed repair replacement quantity (RRRQ) (fill or kill) for AFRAMS only.
7N	Rejected, D7 input for item having a duplicate NIIN on the master balance record.
7M	Health hazard item must have bioenvironmental engineering approval prior to requisitioning.
22	Combination of 2L and 2C.
26	Combination of 2L and 2B.
33	Combination of 2L and 2J.

16.23.5. **Table 16.4** describes information needed in the Local Issue Document screen.

Table 16.4. Local Issue Document.

Block	Column	Description
1	1-3	Document Identifier, a three-position alphanumeric code that acts as an action and financial accounting indicator. Each transaction must contain a document identifier code. Entry in field one will always be D. Entry in field two will be either alpha or numerical: a. An alpha entry field two denotes management action that does not affect the D035K accountable balance record. Code G in this position indicates a backorder is to be adjusted. The G is computer assigned when an item is backordered and will be manually assigned by personnel when the backorder is to be cancelled. b. A numeric entry in field two indicates that the transaction will affect the D035K accountable balance. A '7' in this position indicates a request for issue and a '6' indicates the turn-in to supply. The third position entry, an alpha code, is related to the Type Transaction code. Normally this code is left blank for mechanical assignment based on the Cost Code and Job Designator. Always make an entry in this block for backorder cancellation.
2	4-6	Routing Identifier, a three-position alpha designator that indicates the source of supply to which the transaction will be transmitted.

3	7	Type Transaction Code, a one-position alpha code that is normally mechanically assigned on issue and turn-in transactions. Manual assignment will be required when requisitioning or turning in non-EAID equipment (Type Transaction code N), or floating stock items (Type Transaction code F). This code is used to relate and identify category of items or customers.
4	8-22	Stock Number. Enter the stock number of the item being requested or turned in.
5	23-24	Unit of Issue. Enter the physical measurement, count, or when neither is applicable, that element of data to which the unit price is ascribed.
6	25-29	Quantity. Enter the number of units of issue involved in the transaction.
7	30-43	Document Number. In fields 30-35, enter the six-position functional code of the organization requisitioning or turning in the material. Leave fields 36-43 blank or manually insert the assigned Julian date and serial number. The RC/CC must be used when requesting indirect material and when wash posting organically manufactured material for WSSC/SSC/EPSC.
8	44	Demand Suffix. A single-digit alpha code designating the item as being applicable to initial installation, a nonrecurring requirement, a recurring requirement, or a nonrecurring maintenance programmed, planned, or projected requirement. Demand codes will be assigned according to **Table 16.5**. When condemned items are being turned in, a disposal authority code of either an H (for directed condemnation and will reflect the TO number) or a T (for condition condemned in inspection and supported by the inspection number) will be entered in this field.
9	45-50	Building or Station Number. The first four positions of this code are provided for use, as locally directed, to indicate the building location (by number) to which the material is to be delivered. The last two positions are to be used to indicate the point in the building to which the material will be delivered.
10	51-56	Production Number consists of the Control Number and Job Designator, which the first five positions are used for the EI control number and the last position is used for the one-position alpha job designator. Requisitions for indirect production material, work center operating material, and office supplies will carry X56326100000, X56336300000 and X56366400000, respectively. Enter X56406800000 for defective work and spoilage. Leave blank on requests for slave and loan equipment.
11	57-59	Project Code. A list of approved codes and applicable account codes will be provided at group level. These codes will be assigned (when applicable) to work being accomplished. Otherwise, leave blank.

12	60	Urgency of Need Designator (UND). An alpha character used to signify the degree of urgency or conditions that cause the initiation of the request. This block should show UND on a request for issue (reference **Table 16.6**). Credit indicator, if appropriate, is entered on turn-ins. Enter X for organically manufactured turn-ins to show the item is for serviceable operating stock.
13	61	Force Activity Designator. A numeric entry used to signify relative importance of user activities. This block should not be blank on a request. Depot maintenance activities may only use FAD II when providing direct repair and return for FAD I and II non-mission capable requirements. Direct to repair and return is defined as those cases in which an unserviceable asset is removed from a FAD I or FAD II unit's non-mission capable equipment, and the only source to fill that requirement is immediate repair and return of that asset. Upon return, that same asset is installed in the combat unit's equipment making it mission capable. The previous authorization does not include repair and return to stock for the FAD I and FAD II units.
14	62-64	JON Suffix. Enter the suffix that applies to the appropriate job order. Leave blank when a job order is not required.
15	65-66	Advice Code. Enter applicable advice code to stipulate action desired. This field may be left blank (reference **Table 16.3**). For production item turn-ins, leave position 65 blank and enter T in position 66. Leave blank for all other turn-ins. For critical items, enter CC.
16	67	Base Delivery Priority. A one-position numeric code, assigned by the requisitioner to stipulate the period in which the material is to be delivered. A group is not normally authorized a delivery priority higher than 4. Leave blank for turn-ins.
17	68	ERRC code. Leave blank.
18	69	Blank or Credit Indicator on turn-ins.
19	70	Ownership Purpose Code. The inventory account against which the transaction is to be processed. Transactions normally will carry an A designation. Other ownership accounts may be associated with approved projects and should be included in guidance publications.
20	71	Material Condition Code. A one-position alpha code that indicates the condition of the item being requested or turned in. Each transaction must be coded with one of the codes listed in **Table 16.7**.
21	72	Management Code. This field will normally be left blank.

22	73-77	Operation or Facility Number. When a workload is planned by operation within the control number, a five-position number is assigned to the operation breakout. The ON will be entered on all line issue and line turn-in documents.
23	78	Cost Code. A material Cost Code will be entered on each line or line turn-in transaction. No Cost Code will be entered on WSSC/SSC/EPSC replenishment requests; WSSC/SSC/EPSC transactions for turning in material to the supply account; floating stock; and loan transactions.
24	79-80	Action or Suffix Code. A predetermined two-position alpha code assigned to an input transaction for the purpose of identifying the computer action. Applicable Action or Suffix codes are CC, PP, RP, and/or WF. An XX is DIFM/DOTM computer-generated follow-up actions. A C in field 79 indicates critical.
Note: On wash-post transactions, enter current date in fields 67-69. For WSSC/SSC/EPSC replenishment transactions, leave fields 36-44, 51-69, and 72-80 blank.		

16.23.6. Demand Codes. A complete list of demand codes may be found in AFI23-101. **Table 16.5** is to be used as supplemental guidance only.

Table 16.5. Demand Codes.

Code	Description
A	Initial Installation (Nonrecurring): a. Request for serviceable replacements for recoverable components missing from items received in an incomplete status or replacement for turn-in of dissimilar or obsolete recoverable items. b. Request for serviceable replacements for recoverable components missing from repair cycle items, holes in aircraft, initial issue of new requirements, or increased requirement. c. Turn-in of exchangeable items that are removed and not replaced by exchangeable items. d. Turn-in of excess recoverable components received on unserviceable end items or serviceable items excess to requirements. e. Turn-in of dissimilar or obsolete recoverable items that were replaced with dissimilar items. f. Turn-in of recoverable material resulting from organizations deactivation.
N	Nonrecurring: a. Request for one-time requirement (unplanned program), loan, assembly, and floating stock. b. Request for spares and spare parts for modification of equipment, special, planned programs, and on-time repair or rebuild requirements, non-EAID equipment (includes initial build-up of test sets and similar equipment). c. Turn-in of components from reclamation of disassembly.

P	Special Program Requirements (SPRs) (Nonrecurring): This code is used to indicate the request is for material previously forecast as an SPR. Reference AFI23-101 for detailed guidance on the use of SPRs.
R	Recurring: a. Request for material (spares, spare parts or supplies) made periodically or anticipated to be repetitive for consumption or for stock replenishment. b. The R demand code represents both programmed and non-programmed requirements, which, due to the nature of the work, will be requested again I the near future. Therefore, a request with an R demand code is processed as a recurring transaction and will establish a distribution level that will be adjusted accordingly based on future r demand coded requests.

16.23.7. Urgency of Need Designator. The initial request for serviceable direct or indirect material with UND A or B must have advice code 2C or 2J, as appropriate, entered in advice code field or left blank. See **Table 16.6**.

Table 16.6. Urgency of Need Designator.

Designator	Conditions
A	(1) Cannot perform mission. (2) An existing production line stoppage.
B	(1) Mission capability is impaired. (2) An anticipated production line stoppage.
C	(1) All other requirements. (2) Routine requests.
Note: The prescribing regulation for UND codes is AFI23-101.	

16.23.8. Supply Condition and Balance Codes. **Table 16.7** and **Table 16.8** are provided as supplemental guidance only and is not intended to replace policy in AFI 23-101.

Table 16.7. Supply Condition and Balance Codes.

Code	Description	Definition
A	Serviceable (issuable without qualification)	New, used, repaired, or reconditioned material that is serviceable and issuable to all customers without limitation or restriction. Includes material with more than six months shelf-life remaining.
B	Serviceable (issuable with qualification)	New, used, repaired, or reconditioned material, which is serviceable and issuable for its intended purpose, but which is restricted from issue to specific units, activities, or geographical areas by reason of its limited usefulness or short service life expectancy. Includes material with three through six months shelf life remaining.

Code	Description	Definition
C	Serviceable (priority balance)	Items which are serviceable and issuable to selected customers but which must be issued prior to issuing material condition coded A and B to avoid loss as a usable asset. Includes material with less than three months shelf-life remaining.
D	Serviceable (Test/Modification) – Also called TOC balance	Serviceable material that requires test, alteration, modification, technical data marking, conversion, or disassembly. This does not include items that must be inspected or tested immediately prior to issue.
E	Unserviceable (limited restoration)	Material that involves only limited expense or effort to restore to serviceable condition, which is accomplished in the storage activity where the stock is located. May be issued to support ammunition requisitions coded to indicate acceptability of usable condition E stock.
F	Unserviceable (reparable)	Economically reparable material that requires repair, overhaul, or reconditioning; includes reparable items that are radioactively contaminated.
G	Unserviceable (incomplete)	Material requiring additional parts or components to complete the EI prior to issue.
H	Unserviceable (no balance) (condemned)	Material determined to be unserviceable and does not meet repair criteria; includes condemned items that are radioactively contaminated; Type I shelf-life material that has passed the expiration date; and Type II shelf-life material that has passed the expiration date and cannot be extended.
J	Suspended (in stock)	Material in stock that has been suspended from issue pending condition classification or analysis, where the true condition is not known. Includes Type II that has reached the expiration data pending inspection, test, or restoration.
K	Suspended (returns)	Material returned from customers or users and awaiting condition classification.
L	Suspended (litigation)	Stocks held pending litigation or negotiation with contractors or common carriers.
M	Suspended (in-work) (due-in from overhaul – DIOH)	Material identified on inventory control records, but which has been turned over to a maintenance facility or contractor for processing.

Code	Description	Definition
P	Unserviceable (reclamation)	Material determined to be unserviceable or uneconomically reparable because of physical inspection, tear down, or engineering decision. Item contains serviceable components or assemblies to be reclaimed.
Q	Suspended (Quality Deficient Exhibit) Intra AF only.	DR exhibits returned by customers/users as directed by the action point because of reported deficiency IAW TO 00-35D-54.
R	Suspended balance reclaimed items awaiting condition determination)	Assets turned in by reclamation activities that do not have the capability to determine the material condition. Actual condition will be determined prior to induction into maintenance activities for repair/modification.
S	Unserviceable (Scrap)	Material that has no value except its basic material content. No stock will be recorded. This condition is used only on transactions for shipments to DLA Disposition Services. Material will not be transferred to Supply Condition Code S prior to turn in to DLA Disposition Services if material is recorded in Supply Condition Codes A-H at the time the material is determined to be excess. Material identified by NSN will not be identified to this supply condition code.
X	Unserviceable (IM hold) (Intra AF only)	Unserviceable material placed in condition X by inter-condition transfer only, as directed by the item manager (IM). Reference AFI23-101.
Y	Maintenance In Transit (Intra AF only for Condition M)	In transit to Maintenance.
Z	Maintenance In Transit (Intra AF only for Condition A, B, C)	In transit from Maintenance.
Z1	Maintenance In Transit (Intra AF only for Condition E, F, G, J, K, L)	In transit from Maintenance.
Z2	Maintenance In Transit (Intra AF only for Condition H, P, S)	In transit from Maintenance.
Z3	Maintenance In Transit (Intra AF only for Condition D, Q, R)	In transit from Maintenance.

Table 16.8. Supply Condition and Balance Codes (Part II).

Code	Description	Definition
1	Serviceable excess balance (issuable without qualification)	Same as serviceable A condition, but excess to requirements.
2	Serviceable excess balance (issuable with qualification)	Same as serviceable B condition, but excess to requirements.
3	Serviceable excess balance (priority issue)	Same as serviceable C condition, but excess to requirements.
4	Serviceable project balance	Like serviceable A condition, but carried as project balance instead of operating balance. It equals the total of the individual detail records for a particular stock number.
5	Serviceable loan balance	Serviceable A, B, or C condition carried as on loan balance instead of operating balance.
6	Exchange item DIFM balance	Quantity of serviceable material issued to a local product group for which an exchange item is due in to distribution.
7	Serviceable floating stock balance	Serviceable A, B, or C condition carried as floating stock balance instead of operating balance.

16.23.9. Cost Codes. The prescribing regulation for cost codes is AFMCI 65-101, *Depot Maintenance Accounting and Production System-Financial Policy and Procedures for Depot Maintenance*. Refer to this source for official guidance/policy concerning material cost codes. **Table 16.9** is to be used as supplemental guidance. Investment (direct) material includes all recoverable assemblies, installed equipment items, and modification kits from investment appropriations. This paragraph is when the using activity has supplied a funds citation to reimburse the DMAG cost.

Table 16.9. Cost Codes.

Code	Description
B	Exchange Material (Planned, Funded). Planned, serviceable Material Support Division (MSD) investment material issued on an exchange basis to replace like unserviceable items, i.e., DIFM/DOTM. a. Used for the turn-in of planned, unserviceable MSD item to clear a DIFM detail or to establish a DOTM detail in the D035K system. b. Used for the turn-in of excess serviceable MSD items originally issued under cost code B. c. Used for the turn-in of items received under this cost that was misidentified as the NSN when supply initiated a warehouse denial (reversal) action.
D	Modification Kits. Kits that change the configuration or operating capability of an EI. a. Includes overhaul kits, time compliance technical order (TCTO) kits, etc., which make repair easier or maintain the serviceable status of an EI. b. Used for turning in modification kits originally issued under cost code D that are intact and excess to immediate requirements, and the processing of distribution warehouse denial transactions.
E	Exchange Material (Planned, Unfunded). Planned, serviceable, recoverable material that is issued to replace like unserviceable items. Used for turning in unserviceable items, returning excess serviceable items originally issued under cost code E and processing supply warehouse denial transactions.
G	Exchange Material (Unplanned, Funded). Unplanned, serviceable investment items issued on an exchange basis under DIFM/DOTM procedures. a. Used for the turn-in of unplanned, unserviceable MSD items to clear a DIFM detail or establish a DOTM detail. b. Used for the turn-in of excess serviceable MSD items originally issued under cost code G. c. Used for the turn-in of items received under this cost code that were misidentified as to NSN when supply initiated a warehouse denial (reversal) action.
J	Exchange Material (Unplanned, Unfunded). Unplanned serviceable material issued to replace like unserviceable items. Used for turning in unserviceable items, returning excess serviceable assets originally issued under cost code J, and processing supply warehouse denial transactions.

Code	Description
K	Exchange Material (Maintenance of Depot Maintenance Equipment (DME), Funded). Serviceable MSD investment material issued on an exchange basis (i.e., DIFM/DOTM) for the repair of depot maintenance work center and test equipment. a. Used for the turn-in of similar unserviceable MSD items to clear a DIFM detail or to establish a DOTM detail. b. Used for the turn-in of excess serviceable MSD items originally issued under cost code K. Used for the turn-in of items originally received under K cost code that are misidentified as to NSN when supply initiates a warehouse denial (reversal) action.
M	Nonexchange Material (Unfunded). Missing or excess material, or initial installation components. Serviceable, recoverable material issued on an other-than-exchange basis. a. Includes issues for initial installation, modification (other than mod kits), and for replacing missing recoverable components on exchangeable items received in an incomplete condition used for turning in recoverable items on an other-than exchange basis. b. Includes turning in excess recoverable material received on reparable or serviceable assets, turning in dissimilar or obsolete recoverable items replaced by serviceable items issued on a nonexchange basis, turning in of excess serviceable items originally issued under cost code M, and processing distribution warehouse denial transactions. c. Used for turn-in of MSD, Air Force Stock Fund (AFSF) material, without credit, from project directives for reclamation, save lists, or crash/battle damage repair of HQ AFMC-owned systems, and turn-in of material fitting the category of Found on Base (FOB) assets. d. Excludes installation or removal of items covered by cost code T. Demand code A (initial installation) will always be used in conjunction with the assignment of the M cost code. This will ensure exclusion from DIFM or DOTM control.
S	Nonexchange Material (Planned, Funded, Credit Indicator Turn-ins). Planned, serviceable MSD investment material issued on an other-than-exchange basis for initial installation or modification (other than mod kits). a. Used for the turn-in of specified categories of MSD items on an other-than exchange basis with credit automatically determined based on the stock listed credit indicator. b. Used for turn-in of excess serviceable items originally issued under this cost code and for the return of items received under this cost code that were misidentified as to NSN when supply initiated a warehouse denial (reversal) action.
T	Aircraft/Missile Replacements (AF Form 2692). Items issued to replace items previously removed and not reinstalled. Used for turning in aircraft items recorded on AF Form 2692, that were removed and not reinstalled, and the processing of supply warehouse denial transactions.

Code	Description
U	Non-Exchange Material (Unplanned, Reclamation Turn-Ins). For issue of serviceable investment material on an other-than-exchange basis to replace missing MSD components discovered on end items received in an incomplete condition. Applies to turn-in of excess MSD items originally issued under U cost code and the return of items, with credit reversal, received under this cost code that are misidentified as to NSN when supply initiates warehouse denial (reversal) action.
Y	Exchange Material (Maintenance of DME, Unfunded). Direct, serviceable, recoverable material issued on an exchange basis for repair of production maintenance work center and test equipment. Used for turning in unserviceable recoverable items generated from exchange includes turn-in of excess serviceable items originally issued under cost code Y and the processing of supply warehouse denial transactions.

16.23.10. Issue or Turn-In Transaction Codes. Production issue or turn-in transactions are for issuing items for depot repair and for turning in these items after completing repair. Production items that are returned in a non-serviceable condition also are coded as production turn-in transactions. Transactions bearing production cost codes will not result in charges or credits in actual material cost accumulation. See **Table 16.10**.

Table 16.10. Issue or Turn-In Transaction Codes.

Code	Description
F	Quality Control or Prototype Analysis. Items issued for quality control, inspection, analysis, unsatisfactory report (UR) exhibits, prototype analysis, and returning items previously issued for these purposes. This code will be used in conjunction with the appropriate production RC/CC code. Items removed from the production line for quality analysis and returned to the line will be returned using cost code P rather than cost code F.
H	Disassembly or Renovation Testing. Recoverable assets issued for disassembly or reclamation and returning reclaimed components. Applies to issuing assets for renovation proof testing purposes and for turning in the remaining items following test evaluation.
P	Production. Reparable, TOC, or incomplete assets issued to be made serviceable. Used for turning in resulting serviceable, reparable, TOC, and condemned assets.
V	Production Correction. Returned production items that were received misidentified as to stock number or condition. Incorrect item is turned in as a cost code V under control number of item originally requested. Correction issues require cost codes P, F, or H, as appropriate.

16.23.11. Expense Material Codes. Expense material consists of all material and parts used and not categorized by investment or production cost codes as described in **Table 16.11**.

Table 16.11. Expense Material Codes.

Code	Description
A	Expense Material (Planned). Planned serviceable expense material issued for use in depot maintenance repair, modification, and assembly or manufacture operations. Used for turning in excess serviceable material originally issued under cost code A and for the processing of supply warehouse denial transactions.
L	Expense Material (Indirect or Overhead). Material issued for use as indirect or overhead material. Used for turning in excess serviceable and excess expense material originally issued under cost code L and for processing distribution warehouse denial transactions. Identification of these issues to appropriate accounts is accomplished by entering the applicable U-account control number on the material documents.
N	Expense Material (Not applicable to Repair Costs). Serviceable expense material originally removed as excess from assets undergoing maintenance which is turned in as removed unserviceable items specifically requested by distribution. a. Includes removed serviceable or unserviceable expense material of a dissimilar, obsolete, or alien nature. b. Excludes turn-ins of serviceable expense items initially issued under expense material cost codes A, R, L, or W, or initially issued under special purpose code X. c. Excludes turn-ins of expense material received in other-than-serviceable condition or misidentified as to its NSN. Note: Items returned under cost code N will not be considered for credit by the AFSF divisions.
R	Expense Material (Unplanned). Unplanned serviceable expense material issued for use in depot maintenance repair, modification, assembly, or manufacture operations. Used for turning in excess serviceable expense material originally issued under cost code R and for processing supply warehouse denial transactions.
W	Expense Material (Maintenance of DME). Direct serviceable expense material issued for repair, modification, assembly, and manufacture of depot maintenance work center and test equipment. Used for turning in excess serviceable expense material originally issued under cost code W, and processing supply warehouse denial transactions. Cost code W is limited to requesting or turning in direct material, not for material planning.
X	Expense Material (Not Charged to the DMAG). Stock fund and non-stock fund expense material issued without charge to the DMAG, for use in depot maintenance repair, modification, assembly, or manufacture operations. Used for turn-in of expense material previously issued under cost code X.
Z	Customer Furnished Material (Unfunded, Direct Material). Material furnished by customers are to be included in the depot maintenance work as specified by the customer. Costs will be determined by the customer and accountability maintained as directed by the customer. This material is costed as unfunded direct material.

Chapter 17

SAFETY

17.1. General Safety.

17.1.1. Personnel will comply with all safety directives, instructions, supplements, and other policy guidance from Air Force Materiel Command Occupational Safety Division (AFMC/SEG) and Air Force Sustainment Center Chief of Safety (AFSC/SE), Technical Orders, Technical Data, and host base requirements applicable to their operations. Refer to DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program* and DAFMAN 91-203, *Air Force Occupational Safety Fire and Health Standards*. If conflicting guidance exists, the weapon system specific technical data will take precedence.

17.1.2. Personnel visiting other organizations will comply with provided safety briefings.

17.2. Roles and Responsibilities.

17.2.1. AFSC/SWDO will establish a process guide for standard practice implementation across the directorate, groups and squadrons. Group directors may develop additional business rules as needed to cover hazards unique to their individual operating locations.

17.2.2. Supervisors must:

17.2.2.1. Be knowledgeable of and implement the Voluntary Protection Program or equivalent program.

17.2.2.2. Ensure personnel are educated on safety requirements applicable to the job.

17.2.2.3. Implement AFSC/SWDO process guide standard practices.

Chapter 18

TECHNICAL ORDER (TO) AND TECHNICAL DATA

18.1. Introduction.

18.1.1. Personnel will comply with customer requirements, TO 00-5-1, *AF Technical Order System*, TO 00-5-3, *AF Technical Order Life Cycle Management*, AFMCI 21-401, *Engineering Drawing, Data Storage, Distribution and Control System,* and TO 00-35D-54, *USAF Deficiency Reporting, Investigation, and Resolution (DRI&R).*

18.1.2. Directorate workload is derived through customer requirements directing software and hardware engineers to create, enhance, handle, manage, and control engineering developed source data for TOs and technical data. Personnel on occasion will use operation & maintenance (O&M) TOs in the performance of their duties.

18.2. Applicability. Employees, affiliates, and contractors that use, create, enhance, handle, manage, and control TOs and technical data within AFSC/SW will comply with this instruction and at a minimum the TOs referenced above.

18.3. Source Data Developed for TOs and Technical Data.

18.3.1. Definition. Source data is used in the TO system for the development or update of TOs and technical data. Several different types and formats of source data, include engineering documentation, supportability analysis records, and contractor data. Source data may be developed organically IAW TO 00-5-3.

18.3.2. Customer requirements. Customer requirements dictate the type of source data that personnel develop, update, control, and deliver. SW source data includes, but is not limited to, TOs, technical data, software code, drawings, and pilot manuals.

18.3.3. Approval Authority. Only the PMO can approve equipment, TOs, and technical data for O&M use.

18.3.4. Compliance.

18.3.4.1. Personnel will comply with customer requirements, configuration management requirements, AFSC/SW *Engineering Expectation Packages*, TO 00-5-1, paragraph 3.11.2.2, Source Data and TO 00-5-3, Section VII. Source Data.

18.3.4.2. Source data TOs and technical data will ***not*** be used on O&M equipment unless one of the following applies:

18.3.4.2.1. Approved in writing by the PMO.

18.3.4.2.2. Published in an approved AF repository.

18.3.4.2.3. Required for Deficiency Report (DR) investigations and resolutions IAW TO 00-35D-54.

18.3.5. Drawings. Personnel who develop source data drawings will comply with customer requirements, configuration management, and AFMCI 21-401, *Engineering Drawing, Data Storage, Distribution and Control System*.

18.4. O&M Technical Orders (TOs) Handling and Management.

18.4.1. Definition. O&M TOs cover installation, operation, troubleshooting, repairing, removing, calibration, servicing or handling of AF systems and end items. Refer to TO 00-5-1 for exceptions.

18.4.2. Approval authority. Only the PMO can approve equipment, TOs, and technical data for O&M use. O&M TOs and technical data, once approved for AF use by the PMO, are stored in AF approved repositories.

18.4.3. Compliance. Personnel will use current TOs or extracts for O&M use IAW TO 00-5-1. Personnel, on occasion, use O&M TOs for TMDE user calibrations, equipment Preventative Maintenance Inspections (PMIs), software DR investigations and resolutions, and final testing of software and hardware products prior to delivery to the customer.

18.5. Approved and Published O&M Technical Data Repositories. The below repositories are approved by the Air Force for O&M TOs and technical data**.**

18.5.1. Enhanced Technical Information Management System (ETIMS) is the AF designated system for all TO and Computer Program Identification Number (CPIN) management IAW TO 00-5-1 and TO 00-5-16 *Computer Program Identification Number (CPIN) Management*: https://etims.cce.af.mil/ETIMS/index.

18.5.2. AF instructions (AFIs) and forms are stored in the DAF E-Publishing website: https://www.e-publishing.af.mil/.

18.5.3. O&M engineering drawings are stored in Joint Engineering Data Management Information and Control System (JEDMICS). JEDMICS is a DoD standard engineering data management and repository system. Other MIS may be directed by the AF.

18.5.4. Data Item Descriptions (DIDs) are stored in the Acquisition Streamlining and Standardization Information System (ASSIST). ASSIST is the DoD official source for specifications and standards. Other MIS may be directed by the AF.

18.6. TO Accounts. Personnel will comply with the Base Operational Support (BOS), Memorandum of Agreement (MOA), and TO 00-5-1 regarding TO accounts and contractor/organic Technical Order Distribution Office (TODO) and Technical Order Distribution Account (TODA) procedures.

18.7. Training Requirements.

18.7.1. Personnel who use or develop TOs and technical data will take a basic TO class. Track training in an approved training record.

18.7.2. For access to training, user manuals, and related application information, refer to the AF Technical Order Field Support Team (AFTOFST) site.

Chapter 19

TOOL MANAGEMENT

19.1. Program Objectives. The objectives of the tool management program are to reduce tool cost through effective control and eliminate FOD to weapon system assets.

19.2. Roles and Responsibilities.

Group director will appoint a group tool control manager (TCM) in writing. Tool management activities are conducted in AFSC/SW at the group level and below and will support directorate personnel assigned to the geographical location.

19.2.1. The TCM will:

19.2.1.1. Act as liaison between the group's tool program, the assigned tool center, and squadron/branch tool programs.

19.2.1.2. Create a process guide to document local processes unique to the installation.

19.2.1.3. Interpret tool program requirements.

19.2.1.4. Manage lost tool requirements.

19.2.2. Supervisors will:

19.2.2.1. Appoint alternate tool kit custodian(s) in writing for each tool kit as needed. Supervisors are default custodians but may appoint additional unit personnel.

19.2.2.2. Conduct a physical inventory of each tool kit assigned to them at least annually and document on the AFSC Form 309, *AFSC Tool Control Inventory Record*.

19.2.2.3. Ensure tool users and custodians receive initial training in person, Computer Based Training (CBT), or supervisor briefings within 30-days of assignment to a work center with tool kits. Training will be documented in the designated system.

19.2.3. Tool kit custodians will:

19.2.3.1. Accept ownership by signing for a tool kit and its contents until transferred to another tool kit custodian, supervisor, or tool center.

19.2.3.2. Conduct a physical inventory of all tool kits assigned to them upon receipt and annually thereafter and document on the AFSC Form 309.

19.2.3.3. Account for and control assigned tool kits and its contents (i.e., knowing where tools are and who has responsibility for them).

19.2.3.4. Receive initial training within 30-days of appointment as a tool kit custodian.

19.2.4. Tool users will:

19.2.4.1. Protect tools and use them as intended.

19.2.4.2. Receive initial training within 30-days of assignment to a work center with tool kits and refresher training as directed by the training office.

19.2.4.3. Not use unauthorized personally purchased tools (e.g., mini-mag flashlights, Leatherman's, buck knives, etc.) in SWEG work centers.

19.2.4.4. Not modify tools listed and issued to a TK. Dressing or sharpening of tools is allowed IAW TO 32-1-101, *Use and Care of Hand Tools and Measuring Tools* and does not constitute a modification.

19.2.5. General Quality personnel will aid TCMs and supervisors to resolve issues and constraints for Tool Management issues.

19.3. Tool Kits.

19.3.1. Tool Kit (TK). A container used to store tools or equipment and to maintain control and ease of inventory.

19.3.2. TK Construction. The ALC's Maintenance Support Group/authorized contractor is responsible for foaming/shadowing of all new TKs ordered, constructing the TK, marking the tools, and providing an accompanying Tool Kit Custody Receipt Listing (TKCRL).

19.3.3. TK Issue. An appointment must be made with the tool center prior to TK issue. During TK issue, both the issuing tool center representative and the receiving custodian will verify each tool listed on the TKCRL for accuracy of tools issued, serviceability, and proper TK marking, and will also ensure the TKCRL and TK quantities match and are accurate to include drawer locations. The custodian and tool crib attendant will sign the TKCRL.

19.3.4. TK Turn-In and Transfer. An appointment must be made with the tool center prior to TK turn-in. The TK will be turned into the tool center or transferred to another tool kit custodian or supervisor, prior to employee reassignment.

19.3.5. TK Types:

19.3.5.1. Consolidated Tool Kit (CTK). Tool kits issued to a supervisor for use by one or more individuals in a work center.

19.3.5.2. Individual Tool Kit (ITK). A standardized collection of tools organized by task, skill, work area, or a combination thereof which is issued to an individual.

19.3.5.3. Dispatchable Tool Kits (DTK). Tool kits designed for checkout will be taken TDY with one individual responsible for the TK.

19.4. Work Centers with Additional Physical Protection. Work centers that provide additional physical protection such as controlled entry points and continuously activated vindication systems.

19.4.1. Lock. Users are not required to lock TKs, unless directed by the TK or work center supervisor.

19.4.2. Check Out/In. Users are not required to check out/in tools unless the tool will physically leave the work center or when directed by the TK or work center supervisor. When directed, users will document tool check out/in on the AF IMT 3136. An ITK does not require tools to be checked out and in.

19.4.3. User Inventory. Users conduct an annual inventory, unless directed by the TK or work center supervisor to be conducted more frequently. Users will document inventory on the AFSC Form 309. Inventory will entail looking for empty shadowed foam locations not already recorded as removed on the AFSC Form 309.

19.4.4. Lost Tool. Work center employees will conduct a search of the work center to locate the lost tool and if not found within five (5) business days the TK supervisor will complete an

AFMC Form 310, *Lost/Found Item Report* and coordinate through the TCM to the squadron, branch, or deputy director. If the item is not located, squadron, branch or deputy director will determine when the search is discontinued. After the search is discontinued the TCM will submit the completed and signed AFMC Form 310 to the tool center.

19.4.5. Found Tool. If at any time the tool is found and retrieved the supervisor will notify the squadron, branch, or deputy director, the tool kit custodian, TCM, and the tool center.

19.5. Work Centers without Additional Physical Protection. Work centers that do not provide additional physical protection such as controlled entry points and continuously activated vindication systems.

19.5.1. Lock. Users will lock TKs when not in use.

19.5.2. Check Out/In. Users will document tools checked out/in on the AF IMT 3136. ITKs do not require tools to be checked out and in, as long as the TK is being used by one person.

19.5.3. User Inventory. Users will conduct an inventory when the TK is opened, at the completion of the logical sequence of work (defined as a job, task, work step), movement to another area, and end of workday (end of shift). Users will document the inventory on the AFSC Form 309. Inventory will entail looking for empty shadowed foam locations not already recorded as removed on the AFSC Form 309.

19.5.4. Lost Tool. Work center employees will conduct a search of the work center to locate the lost tool and if not found by the end of shift the TK supervisor will complete an AFMC Form 310 and coordinate through the TCM to the squadron, branch, or deputy director. If the item is not located, squadron, branch or deputy director will determine when the search is discontinued. After the search is discontinued the TCM will submit the completed and signed AFMC Form 310 to the tool center.

19.5.5. Found Tool. If at any time the tool is found and retrieved the supervisor will notify the squadron, branch or deputy director, the tool kit custodian, TCM, and the tool center.

19.6. Dispatchable TKs.

19.6.1. Prior to departure to the TDY location the employee responsible for the DTK will conduct a tool inventory and document on the AFSC Form 309. The employee will accept responsibility of the DTK by completing and signing the DAF Form 1297, *Temporary Issue Receipt* or MIS.

19.6.2. While TDY and in transit the employee will lock and/or secure the DTK when left unattended and comply with the TDY location's tool requirements.

19.6.3. Upon return from TDY the employee will conduct a tool inventory and document on the AFSC Form 309. The employee will relinquish responsibility of the DTK by documenting its return on the original DAF Form 1297 or MIS.

19.6.4. Lost Tool. DTK responsible employee will comply with the host base requirements when a lost tool is not found before the last duty day of the TDY, complete and submit the AFMC Form 310 to the TDY location's TCM and the DTK's squadron, branch, or deputy director, tool kit custodian, and TCM upon return from TDY.

19.7. Co-located Work Centers. AFSC/SW work centers located in another organization's work center (host work center) will comply with paragraph **19.5** and any additional tool requirements

from the host work center except for lost tools. Lost tools will be reported immediately to the host supervisor upon identification and work center employees will conduct a search of the work center to locate the lost tool and if not found within one (1) hour the co-located supervisor will complete the AFMC Form 310 and comply with co-located work center lost tool requirements. After the search is discontinued the TCM will submit the completed and signed AFMC Form 310 per paragraph **19.5.4** and provide a copy to the host work center supervisor.

19.8. FOD Critical Areas (Identified by Host Base). AFSC/SW work centers and personnel co-located in FOD critical areas will comply with paragraph **19.5** except for lost tools which will be reported immediately to the supervisor upon identification and work center employees will conduct a search of the work center to locate the lost tool and have one (1) hour to search for the lost tool before starting the Lost Tool procedures per paragraph **19.5.4**.

19.9. Tool Kit Custodian Physical Inventory.

19.9.1. Tool kit custodian will conduct a physical inventory upon acceptance of the TK from the tool crib and annually thereafter or more often when directed by the TK supervisor and document inventory on the AFSC Form 309.

19.9.2. Tool kit custodian will also conduct an inventory when the TK is moved to another area, transferred to another employee, or turned into the tool center and document inventory on the AFSC Form 309.

19.9.3. Physical inventory will entail comparing the tool location, nomenclature, identification number, and tool quantity to the TKCRL, as well as damaged tools, debris, and cleanliness. TK custodian will correct any issues identified.

19.9.4. Control of batteries and chargers for cordless tools. Supervisors will determine if batteries and chargers will be maintained in TKs and managed as tools or removed from TKs and managed as equipment.

19.10. Data Management.

19.10.1. TK folder should remain with the TK and contain:

19.10.1.1. Kit Master Listing, obtained from the Tool Crib.

19.10.1.2. AFSC Form 309, *Supervisor's 365 Day Inspection*.

19.10.1.3. AFMC Form 310, *Lost-Found Item Report* (as applicable).

19.10.1.4. AFSC Form 311*, Certificate of Responsibility for Government Property*.

19.10.1.5. AF Form 3126 or AF Form 3136, *General Form* that can be converted into a "Tool Sign-Out Log" (CTK and DTK only).

19.10.2. TK supervisor will maintain previous year's AFSC Form 309, AFMC Form 310, and DAF Form 1297 for two (2) years and should be filed with organizational records manager.

Chapter 20

TRAINING

20.1. General. The directorate supports expertise across a wide range of science, information systems, engineering, logistics, and technology disciplines with focus on delivering and sustaining technologies to make our AF successful. The directorate's focus is to maintain a highly qualified, engaged and technically competent professional workforce focused on support of the AF mission by:

20.1.1. Identifying critical emerging technologies and develop associated knowledge and skills.

20.1.2. Providing new employee, early and journeyman training, continuing education (master's degree programs, professional military education, etc.).

20.1.3. Training and familiarization for employees on modern software development methodologies, processes, and certification standards.

20.1.4. Ensuring compliance IAW DAFI 36-2670, *Total Force Development* and DAFMAN 36-2689 *Training Program*.

20.1.5. Ensuring all training is documented in a directorate approved training MIS. The MIS provides users with ready access to training related information and validation of training and certification completion. At present, Training Scheduling System (TSS) Employee Training Record will be used to record training. Directorate personnel will use tabs (sections): Top (employee listing) and II (Training Requirements) to record training. Supervisors may use tab (section) IV to enter notes.

20.2. Roles and Responsibilities.

20.2.1. AFSC/SW will:

20.2.1.1. Identify and strengthen mission critical occupations.

20.2.1.2. Pursue and develop a talent management strategy.

20.2.1.3. Modernize an integrated portfolio of civilian training digital services.

20.2.1.4. Sustain and improve implementation of civilian leadership and development programs necessary to develop leadership skills.

20.2.1.5. Develop and deploy programs for educational development, technical advancement, and career progression of personnel.

20.2.1.6. Coordinate and fund host installation training services for directorate and group personnel at geographical locations through Base Operations Support (BOS) agreements, Memorandum of Agreements (MOA) or Memorandum of Understanding (MOU).

20.2.1.7. Provide for training needs of the fifth-generation fighter workforce and beyond with two focuses to recruit, train, and retain top tier technical talent, and maintain proficiency with critical technologies.

20.2.1.8. Provide short- and long-range planning capability to meet current and future needs of the warfighter.

20.2.1.9. Forecast, fund, and sustain required MIS, certification, workforce development, leadership competency, and new employee programs.

20.2.1.10. Establish standardized processes providing unity of purpose, centralizing multiple tasks, value added metrics, and training throughout the directorate.

20.2.1.11. Determine which metrics/briefings are required. Metrics will provide measurable initiatives that, once accomplished, take us ever closer to our envisioned end state of a professionally and personally educated, certified, developed, and trained workforce.

20.2.2. AFSC/SWHH will:

20.2.2.1. Appoint training managers in writing to support all personnel.

20.2.2.2. Ensure a training program is established and administered IAW DAFI 36-2670 and DAFMAN 36-2689.

20.2.2.3. Ensure sufficient budgeting for organizational and functional/occupational training requirements to sustain operations, develop personnel, and meet current and future mission requirements.

20.2.3. Directorate training managers will:

20.2.3.1. Act as the AFSC/SW civilian training focal point, providing consistent oversight of training, education, and professional development programs.

20.2.3.2. Conduct, direct, monitor, and schedule training for all personnel.

20.2.3.3. Brief AFSC/SW, divisions and SWEGs at required intervals or at least annually on the status of training.

20.2.3.4. Serve as liaison between assigned location personnel and host installation training office and ensure training programs are conducted in accordance with DAFI 36-2670.

20.2.3.5. Collaborate with host installation employee development specialist to ensure organizational and functional/occupational training requirements have been identified and forecasted during the annual training needs assessment data call for respective civilians.

20.2.3.6. Review and coordinate on host/tenant support agreements and MOAs.

20.2.3.7. Elevate training requirements and needs to the directorate.

20.2.4. Squadron directors and SWEG branch chiefs will:

20.2.4.1. Assign a unit training manager (UTM) as needed.

20.2.4.1.1. When a squadron support section exists, this function falls under it.

20.2.4.1.2. When no squadron UTM is assigned, the flight chief(s) assume the UTM roles.

20.2.4.2. Identify and discuss current, future certification, training issues, and concerns with directorate and unit training managers.

20.2.4.3. Ensure training requirements are developed based on engineering workload needs by work center.

20.2.4.4. Ensure adequate funding is programmed and budgeted to meet current and future mission requirements.

20.2.5. Unit training managers will:

20.2.5.1. Assist squadron personnel, supervisors, flight/section chiefs and squadron directors with managing the squadron's training programs. The UTM is the focal point for squadron training metric development, and trend analysis.

20.2.5.2. Brief their squadron director at required intervals or at least annually on the status of squadron training.

20.2.5.3. Review their assigned squadron training requirements and collaborate with the supervisors, squadron directors, and directorate training managers to ensure organizational, functional, and occupational training requirements have been identified during the annual training needs assessment data call for respective civilians.

20.2.6. Supervisors will:

20.2.6.1. Review training requirements with the unit training manager during the annual training needs assessment.

20.2.6.2. Coordinate training for assigned personnel.

20.2.6.3. Ensure personnel complete recurring training requirements by expected completion dates.

20.2.6.4. Review training requirements annually with the employee and document in the employee's performance plan or in designated management information system.

20.2.6.5. Submit request for subordinate training utilizing AFMC's Education and Training Management System (ETMS) or other approved MIS to prepare and submit a completed Standard Form 182, *Authorization, Agreement, and Certification of Training.*

20.2.6.6. Document the progress toward and completion of required certification, licensing, competency, specialty training, and mandatory training in the Supervisor's Employee Work Folder, or approved MIS. Maintain training records for individual training and evaluations.

Bobby L. Hager, SES, DAF
Director, Software Directorate
Air Force Sustainment Center

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

Federal Acquisition Regulation, Part 8, *Required Sources of Supplies and Services*, 17 January 2025

DoD 7000.14-R, *Department of Defense Financial Management Regulation*, 12 December 2024

DoDD 8140.01, *Cyberspace Workforce Management*, 5 October 2020

DoDI 5200.44, *Protection of Mission Critical Functions to Achieve Trusted Systems and Networks (TSN)*, 16 February 2024

DoDI 5200.48_DAFI16-1403, Controlled Unclassified Information (CUI), 5 October 2021

DoDI 5000.83_DAFI 63-113, *Technology and Program Protection to Maintain Technological Advantage*, 17 October 2024

DoDI 8140.02, *Identification, Tracking, and Reporting of Cyberspace Workforce Requirements*, 21 December 2021

DoDI 8500.01 Ch 1, *Cybersecurity*, 7 October 2019

DoDI 8510.01*, Risk Management Framework for DoD Systems*, 19 July 2022

DoDI 8530.01 Ch 1*, Cybersecurity Activities Support to DoD Information Network Operations*, 25 July 2017

DoDI 8530.03*, Cyber Incident Response*, 9 August 2023

DoDI 8531.01*, DoD Vulnerability Management*, 15 September 2020

DoDM 5105.21V1, *Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Information and Information Systems Security*, 6 October 2020

DoDM 5105.21V2, *Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Physical Security, Visitor Control, and Technical Security*, 2 November 2020

DoDM 5105.21V3, *Sensitive Compartmented Information (SCI) Administrative Security Manual: Administration of Personnel Security, Industrial Security, and Special Activities*, 14 September 2020

DoDM 5200.01V1_AFMAN16-1404V1, *Information Security Program: Overview, Classification, and Declassification*, 5 April 2022

DoDM 5200.01V2_AFMAN16-1404V2, *Information Security Program: Marking of Classified Information*, 7 January 2021

DoDM 5200.01V3_AFMAN16-1404V3, *Protection of Classified Information*, 12 April 2022

DoDM 5200.02_AFMAN16-1405, *Air Force Personnel Security Program*, 28 November 2023

DoDM 5205.07, *DoD Special Access Program (SAP) Security Manual: General Procedures*, 17 January 2025

DoDM 5205.07V4, *Special Access Program (SAP) Security Manual: Marking*, 8 September 2020

DoDM5205.07V3_DAFMAN16-703V3_DAFMANGM2024-01, *Special Access Program (SAP) Security Manual: Physical Security*, 30 July 2024

DoDM 5220.22V2_AFMAN16-1406V2, *National Industrial Security Program: Industrial Security Procedures for Government Activities*, 08 May 2020

DoDM 8140.03, *Cyberspace Workforce Qualification and Management Program*, 15 February 2023

DoDM 8530.01*, Cybersecurity Activities Support Procedures*, 31 May 2023

DoDH 4151.18, *Depot Maintenance Capacity and Utilization Measurement Handbook*, 31 August 2018

DAFI 24-602V2, *Cargo Movement*, 20 December 2023

DAFI 31-101, *Base Defense Operations*, 9 September 2024

DAFI 36-2670, *Total Force Development,* 8 November 2023

DAFI 63-101/20-101, *Integrated Life Cycle Management*, 16 February 2024

DAFI 64-117, *Government Purchase Card Program,* 19 May 2022

DAFI 90-302, *The Inspection System of the Department of the Air Force*, 15 March 2023

DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program*, 10 April 2024

DAFMAN 17-1301, *Computer Security (COMPUSEC)*, 9 December 2024

DAFMAN 17-1302-O, *Communications Security Operations*, 12 December 2024

DAFMAN 17-1305, *DAF Cyberspace Workforce Management Program*, 7 June 2024

DAFMAN 63-122, *Depot Source of Repair Planning and Activation*, 26 September 2024

DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards*, 25 Mar 2022

AFI 1-2, *Commander's Responsibilities*, 8 May 2014

AFI 10-701, *Operations Security*, 24 July 2019

AFI 23-101, *Materiel Management Policy,* 14 August 2024

AFI 17-101, *Risk Management Framework (RMF) for Air Force Information Technology (IT)*, 6 February 2020

AFI 17-130, *Cybersecurity Program Management*, 13 February 2020

AFI 17-203, *Cyber Incident Handling*, 16 March 2017

AFI 38-101_AFMCSUP, *Manpower and Organization*, 29 August 2019

AFI 90-802*, Risk Management*, 1 April 2019

AFMAN 14-403, *Sensitive Compartmented Information Security and Intelligence, Surveillance, and Reconnaissance Systems Cybersecurity and Governance*, 3 September 2019

AFMAN 23-122, *Materiel Management Procedures*, 14 August 2024

AFMAN 63-143, *Centralized Asset Management Procedures*, 18 December 2020

TO 00-5-1, *AF Technical Order System.* 11 December 2024

TO 00-5-3, *AF Technical Order Life Cycle Management*, 29 February 2024

TO 00-5-16, *Computer Program Identification Number (CPIN) Management*, 12 November 2024

TO 00-20-1*, Aerospace Equipment Maintenance Inspection, Documentation, Policy and Procedures,* 2 February 2024

TO 00-20-14*, Air Force Calibration and Metrology Program*, 30 November 2023

TO-00-25-234, *General Shop Practice Requirements for The Repair, Maintenance, and Test of Electrical Equipment*, 26 August 2024

TO 32-1-101, *Use and Care of Hand Tools and Measuring Tools*, 21 April 2024

TO 34-1-3, *Machinery and Shop Equipment*, 2 August 2024

TO 00-35D-54, *USAF Deficiency Reporting, Investigation, and Resolution (DRI&R)*, 28 February 2024

AFMCI 21-100, AFSC Sup, Addendum A, *AFSC Software Directorate Management*,

AFMCI 21-401, *Engineering Drawing, Data Storage, Distribution and Control System*, 25 March 2020

AFMCI 65-101, *Depot Maintenance Accounting and Production System-Financial Policy and Procedures for Depot Maintenance*, 10 December 2020

AFSCI 60-101, *Art of the Possible*, 13 April 2021

AFSCH 60-101 *Art of the Possible Handbook*, 31 July 2024

AFSC/IG Unit Self-Assessment Program (USAP), Management Internal Control Toolset (MICT), & Inspector General Evaluation Management System (IGEMS) Business Rules Handbook, 7 February 2024

AFSC/SW *Engineering Expectations,* 12 December 2024

ICD/ICS 705, *Technical Specifications for Construction and Management of Sensitive Compartmented Information Facilities*, 13 March 2020

ICD 503, *Intelligence Community Information Technology Systems Security Risk Management*, 25 October 2024

Prescribed Forms

AFSC/SW *ESD Annual Survey and Work Area Certification Worksheet*

Adopted Forms

DD Form 254, *Department of Defense Contract Security Classification Specification*

DD Form 1348, *DoD Single Line Item Requisition System Document*
DD Form 1348-1A, *Issue Release/Receipt Document*
DD Form 1576, *Test/Modification Tag Materiel*
DD Form 1577-2, *Unserviceable (Reparable) Tag Materiel*
DD Form 2332, *Product Quality Deficiency Report Exhibit*
DLA Form 1838, *Organic Manufacturing Quote*
DAF Form 1297, *Temporary Issue Receipt*
DAF Form 847, *Recommendation for Change of Publication*
AFTO Form 244, *Industrial/Support Equipment Record*
AFMC Form 37, *Inventory Research Worksheet*
AFMC Form 310, *Lost/Found Item Report*
AFSC Form 105, *Workload Record*
AFSC Form 130, *Production Asset Control Record*
AFSC Form 206, *Temporary Work Request*
AFSC Form 237, *Temporary Labor and Material Plan*
AFSC Form 309, *AFSC Tool Control Inventory Record*
AFSC Form 400, *AFSC Inventory Count Sheet*
AFSC Form 501, *Request for Quote/Rough Order of Magnitude*
AFSC Form 600, *Production Order*
AFSC Form 930, *G004L File Maintenance Transactions*
OC-ALC Form 415, *Material Request Form*
OC-ALC Form 416, *DIFM/DOTM Request*
Standard Form 182, *Authorization, Agreement, and Certification of Training*

Abbreviations and Acronyms

ABOM—Automated Bill of Material
ABW—Air Base Wing
AF—Air Force
AFAA—Air Force Audit Agency
AFERS—Air Force FLIS Edit and Routing System
AFI—Air Force Instruction

AFGE—American Federation of Government Employees

AFLCMC—Air Force Life Cycle Management Center

AFMAN—Air Force Manual

AFMC—Air Force Materiel Command

AFMCI—Air Force Materiel Command Instruction

AFRAMS—Air Force Recoverable Assembly Management System

AFRIMS—Air Force Records Information Management System

AFSC—Air Force Sustainment Center

AFSF—Air Force Stock Fund

AFSCH—Air Force Sustainment Center Handbook

AFSCI—Air Force Sustainment Center Instruction

AFTOFST—AF Technical Order Field Support Team

ALC—Air Logistics Complex

ALSDS—AFMC Labor Standards Data System (E046B)

AoP—Art of the Possible

APO—Automated Project Order Form System (J025A)

APSR—Accountable Property System of Record

AOC—Administrative Overhead Center

ASSIST—Acquisition Streamlining and Standardization Information System

ATE—Automated Test Equipment

ATS—Automated Test Systems

AWI—Awaiting Induction

AWM—Awaiting Maintenance

AWP—Awaiting Parts

AWS—Alternate Work Schedule

BLC—Budgeted Labor Cost

BOM—Bill of Material

BOMI—Bill of Material Indicators

BOS—Base Operational Support

BOTS—Business Operations Tools Suite

CA—Corrective Action

CAC—Common Access Card

CAP—Corrective Action Plan

CAI—Customer Account Identity

CAST—Common Avionics Software Tracker

CBT—Computer Based Training

CC—Cost Center

CC1—Cost Class 1

CC4—Cost Class 4

CCIP—Commander's Inspection Program

CIP—Capital Investment Program

CN/JD—Control Number/Job Designator

CNSS—Committee on National Security Systems

COCESS— Contract Operated Civil Engineering Supply Store

COMPUSEC—Computer Security

COMSEC—Communication Security

CON—Customer Order Number

CONEN—Conversion Engine

COPA—Center of Parts Activity

CPI—Continuous Process Improvement

CPIN—Computer Program Identification Number

CPPM—Cost and Production Performance Module - a portion of H033.

CRADA—Cooperative Research and Development Agreement

CSAG—Consolidated Sustainment Activity Group

CSAG-M—Consolidated Sustainment Activity Group—Maintenance

CSAG-S—Consolidated Sustainment Activity Group—Supply

CSO—Consolidated Security Office

CSO—Chief Software Officer

CSR—Customer Service Representative

CT—Central Time

CTK—Consolidated Tool Kit

DAF—Department of the Air Force

DAFI—Department of the Air Force Instruction

DAFMAN—Department of the Air Force Manual

DCAA—Defense Contract Audit Agency

DCAST—Depot Cost and Schedule Tool

DCPS—Defense Civilian Payroll System

DD—Defense Department

DDS—DMAPS Data Store

DFAS—Defense Finance and Accounting Service

DID—Data Item Description

DIFM/DOTM—Due-In From Maintenance/Due-Out to Maintenance

DIFMS—Defense Industrial Financial Management System

DIOH—Due-In From Overhaul

DISA—Defense Information Systems Agency

DL—Direct Labor

DLA—Defense Logistics Agency

DLA-A—Defense Logistics Agency-Aviation

DLA-DD—Defense Logistics Agency-Depot Distribution

DLCP—Daily Labor Correction Process

DLSC—Defense Logistics Services Center

DLADS—DLA Disposition Services

DMAG—Depot Maintenance Activity Group

DMAPS—Depot Maintenance Accounting and Production System

DMAPSIE—Depot Maintenance Accounting and Production System Integrated Engine

DoD—Department of Defense

DoDI—Department of Defense Instruction

DoDD—Department of Defense Directive

DoDM—Department of Defense Manual

DOCAT—Depot On-site Contract Augmentee Team

DPC—Data Processing Code

DME—Depot Maintenance Equipment

DMISA—Depot Maintenance Interservice Support Agreement

DMSI—Depot Maintenance Systems Integration

DR—Deficiency Report

DRILS—Defense Repair Information Logistics System

DRI&R—Deficiency Reporting, Investigation, and Resolution

DSO—DevSecOps

DSOR—Depot Source of Repair

DTK—Dispatchable Tool Kits

DWCF—Defense Working Capital Fund

DWMS—Depot Work Measurement Standards

EAID—Equipment Authorized in Use Detail

EHC—Earned Hour Contract

EI—End Item

EII—End Item Identity

EIG—Employee ID Generator

EIHR—End Item Hourly Rate

EILS—End Item Labor Standard

EISP—End Item Sales Price

EMC—Expense Material Cost

EMSEC—Emission Security

EOM—End of Month

EOQ—Economic Order Quantity

EPA—Education Partnering Agreement

EPS—Exchangeable Production System (G402A)

EPSC—Exchangeable Products Support Center

ERM—Electronic Records Management

ERRC—Expendability, Recoverability, Reparability Category

EQV—Engineering Quality Verification

ESA—Engineering Self-Assessment

ESD—Electrostatic Discharge

ET—Eastern Time

ETIMS—Enhanced Technical Information Management System

ETMS—Education and Training Management System

FAD—Force Activity Designator

FCRN—Funds Classification Reference Number

FEM—Facility and Equipment Maintenance

FIABS—Financial Inventory Accounting and Billing System (D035J)

FMLA—Family Medical Leave Act

FMS—Foreign Military Sales

FO—Foreign Object

FOB—Found on Base

FOD—Foreign Object Damage

FLIS—Federal Logistics Information System

FLSA—Fair Labor Standards Act

FM—Financial Management

FQ—Fiscal Quarter

FSCM—Federal Supply Class Manufacturer

FSRM—Facility Sustainment, Restoration and Modernization (DO35J)

FY—Fiscal Year

G&A—General and Administrative

GQI—General Quality Inspection

GPR—Gross Pay Reconciliation

GS—General Schedule

HQ—Headquarters

I&S—Interchangeability and Substitutability

IAW—In Accordance With

ICD—Intelligence Community Directive

ICD—Interface Control Document

ICS—Intelligence Community Standard

ID—Identification (Number)

INDSEC—Industrial Security

IG—Inspector General

IGEMS—Inspector General Evaluation Management System

IN-MA—In Maintenance

INFOSEC—Information Security

INT—In-Transit

INTR TO—In-Transit To

IM—Item Manager

IMC—Investment Material Cost

IMWRP—Item Manager Wholesale Requisition Process (D035A)

IP—Information Protection

IPE—Industrial Plant Equipment

ISO—Information System Owner

ITK—Individual Tool Kit

JCC—JON Classification Code

JEDMICS—Joint Engineering Data Management Information and Control System

JDRS—Joint Deficiency Reporting System

JON—Job Order Number

JOPMS—Job Order Production Master System (G004L)

JOQ—Job Order Quantity

JOST—Job Order Status Tool

JSC—JON Status Code

JSIG—Joint Special Access Program (SAP) Implementation Guide

LA—Annual Leave

LH—Holiday Leave

LRU—Line Replaceable Unit

LSM—Labor Standard Master

LWOP—Leave Without Pay

LT—Traumatic Injury Leave

LU—Day of Traumatic Injury Leave

M&R—Maintenance and Repair

MDS—Mission-Design Series

MER—Master Employee Record

MGA—Major Graded Area

MICAP—Mission Impaired Capability Awaiting Parts

MICT—Management Internal Control Toolset

MILCON—Military Construction

MIS—Management Information System

MISTR— Management of Items Subject to Repair

MMA—Materiel Management Analyst

MOA—Memorandum of Agreement

MOU—Memorandum of Understanding

MOV—Material Obligation Validation

MQ—Material Quantity

MR&O - Maintenance, Repair and Overhaul

MSD—Material Support Division

MT—Mountain Time

MW—Management Wing

MXSG—Maintenance Support Group

NH—Designator for Business Management and Technical Management Professional

NHA—Next Higher Assembly

NIIN—National Item Identification Number

NIMMS—Naval Air Systems Command Industrial Material Management System

NIST—National Institute of Standards and Technology

NOCM—Nuclear Ordnance Commodity Management

NSN—National Stock Number

O&M—Operation and Maintenance

OC—Designator for Oklahoma City location, Tinker AFB

OC—Overtime Callback

OCL—Operation Count Limit

OJT—On-the-Job

OMEI—Other Major Equipment/End Item

ON—Operation Number

OO—Designator for Ogden location, Hill AFB

OO-ALC—Ogden Air Logistics Complex

OOC—Out of Cycle

OPC—Ownership Purpose Code

OPR—Office of Primary Responsibility

OPSEC—Operations Security

OS—Overtime Scheduled

OSH—Operation Standard Hours

OU—Overtime Unscheduled

OWO—On Work Order

OX—Overtime Unscheduled Exception

PCI—Production Count Indicator

PCN—Production Control Number

PDM—Programmed Depot Maintenance

PDN—Production Number

PEO—Program Executive Officer

PERSEC—Personnel Security

PHYSEC—Physical Security

PIN—Personal Identification Number

PJM—Permanent JON Master

PM—Program Manager

PMEL—Precision Measurement Equipment Laboratory

PMI—Preventative Maintenance Inspection

PMO—Program Management Office (synonymous with SPO)

PO/PTC—Planning Organization/Planner Technician Code

POC—Point of Contact

POH—Production Overhead

PON—Project Order Number

PPE—Personal Protective Equipment

PPSM—Practical Problem-Solving Model/Method

PQDR—Product Quality Deficiency Report

PSSD—Production Section Scheduling Designator

PSF—Production Support Flight

PST—Production Support Technician

QA—Quality Assurance

QC—Quality Controls

QC—Quarterly Condemnations

QMS—Quality Management System

QSI—Quarterly Sales Indicator

QSC—Quarterly Serviceable Completions

RA—Receipt Acknowledgement

R2D2—Requirements Review and Depot Determination

RCC—Resource Control (Cost) Center

RC/CC—Responsibility Center/Cost Center

RDB—Requirements Data Bank

RDD—Required Delivery Date

RINA—Retail Transaction History Inquiry

RFQ—Request for Quote

RGC—Repair Group Category

RMF—Risk Management Framework

RNM—Request Number Master

ROM—Rough Order of Magnitude

ROS—Report of Survey

RRRQ—Routed Repair Replacement Quantity

RSCS—RCC Skill Code System

RT—Receipt Transaction

SAC—Self-Assessment Checklist

SAP—Special Access Program

SC&D—Stock Control and Distribution

SCI—Sensitive Compartmented Information

SCOM—System Computer Operations Manual

SDD—Scheduled Delivery Date

SDR —Supply Discrepancy Report

SE—Chief of Safety

SEMC—Standard Expense Material Cost

SIMC—Standard Investment Material Cost

SLP—Stocklist Price

SMTS—Software Maintenance Tools Suite

SNUD—Stock Number User Directory

SOPI—Status of Planning Indicator

SOS—Source of Supply

SP—Surveillance Plan

SPR—Special Program Requirements

SPG—Sales Price Generator

SPM—Sales Price Master

SRAN—Stock Record Account Number

SRU—Shop Replaceable Unit

SSC—Shop Service Center

SSN—Social Security Number

SW—Software or Software Directorate

SWEG—Software Engineering Group

SWENT—Software Enterprise

TAA—Time and Attendance

TCM—Tool Control Manager

TCTO—Time Compliance Technical Order

TDY—Temporary Duty

TJM—Temporary JON Master

TK—Tool Kit

TKCRL—Tool Kit Custody Receipt Listing

TMDE—Test, Measurement, and Diagnostic Equipment

TO—Technical Order

TOC—Technical Order Compliance

TODA—Technical Order Distribution Account

TODO—Technical Order Distribution Office

TRC—Technology Repair Center

TSH—Total Standard Hours

TSS—Training Scheduling System

UND — Urgency of Need Designator

UOM—Unit of Measure

UR—Unsatisfactory Report

USAF—United States Air Force

USAP—Unit Self-Assessment Program

USAPM—Unit Self-Assessment Program Manager

USSF—United States Space Force

UTM—Unit Training Manager

WAD—Workload Authorization Document

WARRS—Wholesale and Retail Receiving/Shipping System (D035K)

WCF—Working Capital Fund

WG—Wage Grade

WMPOC—Work Measurement Point of Contact

WMSME—Work Measurement Subject Matter Expert

WR—Designator for location Warner Robins, Robins AFB

WSSC—Weapon System Support Center

WTC—Workloader Technician Code

Office Symbols

AFAA—Air Force Audit Agency

AFMC/IG—Air Force Materiel Command. Inspector General

AFMC/SEG—Air Force Materiel Command Occupational Safety Division

AFMC/A4/10—Air Force Materiel Command, Directorate of Logistics, Civil Engineering, Force Protection, and Nuclear Integration

AFMC/A4/10/A4M—Air Force Materiel Command, Directorate of Logistics, Civil Engineering, Force Protection, and Nuclear Integration, Maintenance Division

AFMC/A4/10/A4MY—Air Force Materiel Command, Directorate of Logistics, Civil Engineering, Force Protection, and Nuclear Integration, Maintenance Division, Aviation Support Equipment, Depot Maintenance Policy, and Maintenance Training Branch

AFSC/A3/4—Air Force Sustainment Center, Logistics Civil Engineer, & Force Protection Directorate

AFSC/A4M/R—Air Force Sustainment Center, Logistics Readiness/Maintenance Division

AFSC/A6—Air Force Sustainment Center, Cyberspace and Information Technology

AFSC/448 SCMW—Air Force Sustainment Center, 448 Supply Chain Management Wing

AFSC/FM—Air Force Sustainment Center, Financial Management Directorate

AFSC/IP—Air Force Sustainment Center, Information Protection Directorate

AFSC/SE—Air Force Sustainment Center, Chief of Safety

AFSC/SW—Air Force Sustainment Center, Software Directorate

AFSC/SWA—Air Force Sustainment Center, Software Directorate, Strategic Agility Division

AFSC/SWAP—Air Force Sustainment Center, Software Directorate Strategic Agility Division, Plans and Policy Branch

AFSC/SWAW—Air Force Sustainment Center, Software Directorate, Strategic Agility Division, Workload Shaping Branch

AFSC/SWF—Air Force Sustainment Center, Software Directorate, Financial Management Division

AFSC/SWT—Air Force Sustainment Center, Software Directorate, Technical Management Division

AFSC/SWTF—Air Force Sustainment Center, Software Directorate, Technical Management Division, Infrastructure Branch

AFSC/SWTP—Air Force Sustainment Center, Software Directorate, Technical Management Division, Process and Quality Branch

AFSC/SWZ—Air Force Sustainment Center, Software Directorate, Advanced Programs Division

OC-ALC—Oklahoma City Air Logistics Complex

OO-ALC—Ogden Air Logistics Complex

WR-ALC—Warner Robins Air Logistics Complex

Terms

6S—The 6S (sort, set in order, shine, standardize, sustain, and safety) method is a system that aims to promote and sustain high levels of productivity and safety throughout an organization.

Augmentee—Subject matter experts which augment the IG staff inspections or AFSC/SW quality assessments.

Automated Bill of Material—The ABOM system is a front-end validation and order entry system to NIMMS. ABOM provides on-line batch, single order processing, query capabilities, and administrative background programs for maintenance of data.

Branch—A staff organization that performs a specific portion of a division's mission.

Branches may be further subdivided into sections and elements. Branches supervise the

activities of sections and elements. Within AFMC, a branch can be subordinate to a group if mission size, scope, and complexity does not warrant a division.

Commander's Inspection Program—A validated, accurate, and trusted CCIP is the cornerstone of The Inspection System. An effective CCIP should provide the wing commander (director), subordinate commanders (directors), and Airmen the right information at the right time to assess risk, identify improvement areas, determine root causes, focus limited resources, and continuously align with the commander's priorities and timeline.

Compliance - Refers to the act of adhering to laws, regulations, guidelines, or specifications set forth by an internal/external authority. It involves following rules and regulations to ensure that an organization operates within the boundaries of the law.

Conformance -Refers to meeting standards, expectations or requirements whether it is mandated by an external authority or voluntarily adopted by an organization.

Corrective Action—Action taken to remove the causes of non-conformities or other undesirable situations, to prevent recurrence.

Corrective Action Plan—The steps for addressing issues and gaps in processes and operations that could negatively impact performance. It describes the approach for resolving an issue that interferes with meeting customer and organizational requirements, standards, and expectations.

Cost Class 1 Direct Product—On base. Cost Class 1 is assigned to all earned hour records resulting from expenditure of labor by shop personnel assigned under duty code 11 and accomplished in the maintenance facility.

Cost Class 4—Maintenance of depot maintenance equipment. Direct labor expended in direct support of depot maintenance, which is the sole beneficiary of the work done, including repair, modification, manufacture, assembly, installation, relocation, or storage of shop equipment, tools, or facilities.

Deficiency—A validated inspection finding by an IG against established guidance. Depending on the severity of the deficiency and the impact of the deficiency on the unit's mission, a validated deficiency will be categorized as either CRITICAL, SIGNIFICANT, or MINOR:

CRITICAL Deficiency—Any deficiency which results in (or could result in) widespread negative mission impact or failure.

SIGNIFICANT Deficiency—A validated deficiency which has or could have negative mission impact.

MINOR Deficiency—A deviation from guidance or standards; left uncorrected, the deficiency may limit mission effectiveness.

Defense Logistics Agency (DLA)—A central procurement agency of supply for material such as nuts, bolts, screws, electronic parts, etc., or common items with multiple applications, for all DOD agencies. Material may be stocked at various centers within the DLA complex. The DLA activity may be located at an ALC performing distribution functions as a depot supply activity.

Division—Normally aligned as a staff organization in Headquarters Air Force, a Major

Command, Numbered or Named Air Force, center, Field Operating Agency, or equivalent.

Divisions supervise the activities of branches if the organization is large enough to require

branches.

Due-In From Maintenance (DIFM)—A D035K computer detail record of an exchange item issued to a maintenance customer on a replacement basis from the SSC/EPSC to the production line, for which the requesting organization has not turned in a like item, or issued from DLA as a direct line issue (not from the SSC/EPSCs). The customer must turn in a like item using the same document number as the issue request to clear the DIFM detail.

Due-In From Overhaul (DIOH)—A D035K term for production end items due in from depot level maintenance (DLM). A turn-in to depot supply is required to cancel the D035K system DIOH quantity.

Due-Out To Maintenance (DOTM)—A D035K computer record of the turn-in of an investment item by a customer/production line and D035K has backordered the requisition due to the

unavailability of the part. The customer/production line has turned in a like item using the same document number as the issue request transaction but has not received a like replacement part.

Electrostatic Discharge (ESD)—The release of stored static electricity. Most commonly, the potentially damaging discharge of many thousands of volts that occurs when an electronic device is touched by a charged body.

Element—Denotes a level of organization lower than a section. This is the lowest level in the organizational structure.

End Item Identity (EII)—The assigned National Stock Number (NSN), Mission, Designation, Series (MDS), or locally assigned number for separate identification of each work requirement within the stocklists or maintenance complex undergoing repair.

Engineering Expectations—Organizational engineering standards that, when incorporated into engineering team processes, help ensure delivery of high-quality products and services to customers.

Engineering Self-Assessment (ESA)—Self-assessments performed by engineering teams to evaluate implementation of AFSC/SW *Engineering Expectations* into engineering team processes.

Engineering Quality Verification (EQV)—A verification of an engineering team self-assessment.

Engineering Team—A team of personnel who provide AFSC/SW engineering products and services.

ESD Controls—Procedures, policies, equipment, and practices that, when utilized, lessen the potential for ESD damage.

Flight—Denotes a level of organization lower than a squadron. If an internal subdivision is required, a flight may consist of sections, then elements.

Foreign Object (FO)—A substance alien to aircraft, engines, munitions, missiles, drones, space systems, support equipment, AGE, trainers or components thereof that has been allowed to invade the product. Any FO has the potential to cause damage.

Funds Classification Reference Number (FCRN)—A four-position alphanumeric code that relates to a specific accounting classification code for the activity to be billed by the DMAG for a product or service provided.

Group—Denotes a level of command between wings and squadrons. Groups bring together multiple squadrons or other lower echelon units to provide a broader capability.

Inspector General Inspection—Any IG-led effort to evaluate an organization, function, or process by any means or method, including surveys, interviews, assessments, evaluations, exercises, and audits (excluding audits conducted under the authority of the Secretary of the Air Force Auditor General (SAF/AG) or Article 6 Inspections conducted under the authority of The Judge Advocate General (AF/JA)).

Inspector General Evaluation Management System (IGEMS)—Tool used to capture results of IG-led inspections and exercises.

Job Designator (JD)—The sixth-position alpha code assigned to a JON to signify the type and extent of depot maintenance authorized.

Job Order Number (JON)—A nine-position number used to control workload for the project order period during which funding is provided and is used to collect depot maintenance costs, progress billings, and sales. The number consists of a five-position control number, a one- position job designator, and a three-position JON suffix.

Job Order Quantity (JOQ)—A five-digit field denoting the total quantity of end items for a temporary JON.

Job Order Status Tool (JOST)—Provides a multi-record batch update capability whereby selected users may change the JON status from open to financially closed.

JON Classification Code (JCC)—This is a single alpha code (A or B) input to the G004L system. Code A indicates production numbers for which material will be used and charged at JON level. Code B indicates material that will be charged and allocated at production number level. All serialized items are coded A. All support JONs (P-prefix, I-job designator) are machine assigned code B. Temporary JONs don't have a JCC.

JON Master File—These files contain the master records for all job orders, temporary or permanent, serialized or non-serialized, production data (inductions and completions), JON-suffixed records, and all identification/control data.

JON Status Code—These codes are used by the G004L and Sales Price Generator (SPG) in DMAPSIE systems for disposition of Work in Process (WIP) records, progress billing payments, and to relay information to the planner and scheduler.

JON Suffix—A three-position alphanumeric suffix that is added to the six-position production number to form the job order number. The first position denotes the fiscal year or the first character of the weapon system identification, if it is serialized. The second position denotes the fiscal quarter or month, or second position of the weapon system identification. The third position denotes the ownership/purpose code or the last position of the weapon system.

Line Replaceable Unit (LRU)—An item normally removed and replaced as a single unit to correct a deficiency or malfunction on an end item of equipment.

Major Graded Area (MGA)—Key processes, procedures, or requirements based on public law, Executive Orders, DoD Directives, or Department of the Air Force policy.

Management Internal Control Toolset (MICT)—A tool for assessing internal compliance to general AF program requirements. Additionally, it is a method for communicating to leadership areas of non-compliance which may be of great risk to the organization.

National Stock Number (NSN)—Is made up of 13 digits. This includes the four-digit federal stock class, and the nine-digit National Item Identification Number (NIIN) of which the first two digits are the National Codification Bureau (NCB) code.

Naval Air Systems Command Industrial Material Management System (NIMMS)—System used for the overall inventory management of Consolidated Sustainment Activity Group-Maintenance (CSAG-M) owned material. NIMMS shares a common database with DIFMS for processing material cost and other financial information.

Non-Compliance—A deviation from laws, regulations, guidelines, or specifications. See Compliance.

Non-Conformance—Expectations of customers, partners, or stakeholders are not met. See Conformance.

Observation—A discovery during a self-assessment or other evaluation activity that identifies a risk or improvement opportunity.

Overhead Labor—There are two types of overhead labor: Production Overhead (POH) and General and Administrative (G&A). Labor expended by depot maintenance personnel performing the functions above a production RCC level at the Center is overhead labor. Staff and management functions are overhead labor. Overhead labor is administrative in nature and provides support to all programs involving maintenance responsibilities. Product Quality Deficiency Report (PQDR)—The primary tool used for receiving feedback from material users on the state of systems and material issued through the supply system.

Process Guide—A guide that explains to AFSC/SW personnel a preferred but not mandatory method to implementing published requirements. Any new guidance or information issued in a policy letter, endorsement letter, guide, or bulletin requiring compliance should be established in a publication type described in a DAFMAN 90-161 publication and processed accordingly.

Product Quality Deficiency Report (PQDR)—The primary tool used for receiving feedback from material users on the state of systems and material issued through the supply system.

Production Overhead Labor (POH)—Labor expended at the RCC level in the maintenance production functions that does not meet the criteria for direct labor.

Quality Control (QC)—Quality control activities include but are not limited to internal software testing, peer reviews, code reviews, test monitoring/witnessing, audits, etc.

Requirements, Standards, and Expectations—Requirements are customer or Air Force (AF) guidance driven. Standards may be industry driven or defined within the organization at any level. Expectations are organizationally driven.

Resource Control Center—The lowest organized unit within depot maintenance for which costs are collected. RCCs can be direct, production overhead, or G&A. A 5- or 6-character alphanumeric code that identifies a direct labor shop and usually represents the lowest organizational unit or level within depot maintenance.

Risk Assessment—The process of determining the impact of an identified risk and evaluating the probability of the identified risk being realized.

Risk Management—The systematic process of identifying risks, assessing risks, making control decisions, implementing control decisions, and supervising and reviewing the activity for effectiveness.

Risk Management Framework—The RMF is a structured approach used to oversee and manage risk for an enterprise.

Root Cause Analysis—A systematic process for identifying “root causes” of problems or events.

Sampling Strategy—A process of identifying a population and then determining how to best select a sample from it.

Section—Denotes a level of organization lower than a flight. Sections can be further broken down into elements.

Self-Assessment—Self-assessments performed by AFSC/SW personnel to evaluate implementation of general AF programs requirements into organizational support processes.

Self-Assessment Checklist—Any DAF publication which levies wing-level (or lower) compliance may have an associated SAC and are in MICT.

Self-Assessment Checklist (SAC) Author—Any individual, or organization, that creates and maintains an authorized SAC within MICT.

Shop Replaceable Unit (SRU)—A modular component that is designed to be replaced by a technician in a backshop.

Squadron—Denotes the basic unit in the Air Force that is the basic building block organization in the Air Force, providing a specific operational or support capability. May be subdivided into flights, sections and elements.

Supply Discrepancy Report (SDR)—A tool used to report shipping or packaging discrepancies and to provide appropriate responses and resolution.

Surveillance Plan (SP)—A schedule of QMS activities for self-assessments, QMS engineering activities and General Quality Inspections.

Technical Data—Approved instructions relating to the management, repair, and/or use of a weapon system or component. Technical data includes, but is not limited to, TOs, Military Standards/Specifications, engineering drawings, schematic diagrams, flow diagrams, manufacturer ‘s handbooks, manuscripts of Operations & Maintenance (O&M), Preliminary Technical Orders (PTOs), Commercial Technical Manuals (TMs, Research & Development (R&D) TMs, and other systems or equipment), O&M procedures developed under AFMC or other acquisition agency directions during the systems acquisition phase.

Unit Of Measure (UOM)—Limited to two positions for input to the G004L system, HR for hour by sales rates and EA for end items sales prices.

Unit Self-Assessment Program (USAP)—A means for internal assessment of a unit’s overall health and complements external assessments. The self-assessment program may include communication from SACs within MICT; however, utilizing MICT alone is insufficient to be considered an effective USAP.

Unit Self-Assessment Program Manager (USAPM)—Administers unit MICT, IGEMS, BOTS or other approved IS. Manages the USAP and monitors and facilitates the closure of unit deficiencies.

Unit Under Test (UUT)—Supply assets entering an AFSC/SW work center for validation activities as test equipment or components of larger test units.

Work Authorization Document (WAD)—A document that authorizes the expenditure of labor, material, and other related costs to do the work requested by a specific customer on AFMC Form 206; AFSC Form 600D, within G004L.

Work Center—A specific organizational unit or location where technical activities are performed. The concept of work centers is used to organize and manage production activities, as well as to track and analyze data on workload, productivity, and performance.

Workload—An amount of work, usually specified in direct labor hours or workdays, that relates to specific weapon systems, equipment, components, or programs and to specific services, facilities, and commodities. Requirements that will generate on a periodic schedule demanding test, fault isolation, disassembly, repair/modification, reassembly, inspection, and final test. Workload is expressed in DPSH and represents the unit of measure to posture the Command. Peacetime maintenance support, expressed in DLHs, by year (past years are actual DLHs produced; current and future years are DLHs projected to be produced), inclusive of funding from all sources (i.e., O&M, Procurement, and Research Development Testing and Evaluation appropriations, stock fund, and reimbursables such as other DoD services and FMS).