BY ORDER OF THE SECRETARY OF THE AIR FORCE

DEPARTMENT OF THE AIR FORCE INSTRUCTION 13-213

TINKER AIR FORCE BASE Supplement

11 MARCH 2021

Corrective Action, 18 March 2021
Certified Current, 1 October 2024
Nuclear Space, Missile, Command, And Control

AIRFIELD DRIVING

COMPLIANCE WITH THIS INSTRUCTION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the E-Publishing website at **www.e-Publishing.af.mil** for downloading or ordering

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 72OSS/OSAM

Certified by: 72OSS/CC (Lt Col David J. Friedel)

Supersedes: TINKERAFBI13-213, 22 March 2017

Pages: 34

(TINKERAFB) This supplement defines, describes and implements airfield driving policies, responsibilities, and procedures for operating vehicles on the airfield. This publication applies to all military and civilian personnel conducting ground vehicular operations on or around the airfield at Tinker Air Force Base, Oklahoma. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the Air Force Form 847, Recommendation for Change of Publication; route AF Forms 847 from the field through the appropriate functional chain of command. Ensure that all records created as a result of the processes prescribed in this publication are maintained IAW AFI 33-322, *Records Management and Information Governance Program*, and disposed of IAW Air Force Records Information Management Systems (AFRIMS) Records Disposition Schedule (RDS). The information contained is FOR OFFICIAL USE ONLY (FOUO) information which must be protected under the Freedom of Information Act, 5 United States Code (USC) §552, *Public Information; Agency Rules, Opinions, Orders, Records, and Proceedings*, and / or the Privacy Act of 1974, 5 USC §552a, *Records Maintained on Individuals*. Unauthorized disclosure or misuse of this PERSONAL INFORMATION may result in disciplinary action, criminal and / or civil penalties.

SUMMARY OF CHANGES

The OPR noticed and fixed para number errors.

SUMMARY OF CHANGES

This document should be completely reviewed, fundamental changes include converting TINKERAFBI 13-213 into a supplement. This establishes procedures identified in DAFI 13-213 and identifies new airfield driving Computer Based Training (CBT) requirements. Airfield maps have been updated to reflect new KC-46 ramp and new location of air traffic control tower.

2.4.3.1. **(Added)** Operations Group Commander responsibilities will be completed by the Installation Commander.

2.7.26. **(Added)** Endorse (sign) AF Form 483(s), *Certificate of Competency,* for airfield driving. **NOTE:** Airfield Manager or designated AM personnel may endorse (sign) AF Form 483(s).

2.8.5.1. **(Added)** Restrict personnel to unit ramps if mission is limited to aircraft parking ramps only. In these cases, the AF Form 483 will be certified RAMP ONLY. Individuals restricted to unit ramps are required to complete all airfield driving training requirements. Ramp Only drivers are NOT allowed to enter taxiways or runways without an escort. Escort must have "CMA Access" in accordance with this supplement.

2.8.12.1. **(Added)** Administer and store all trainees' answers to required tests, document test results on *Airfield Driving Training Documentation and Certification Checklist* (see **Attachment 11**)

2.8.30.1. **(Added)** When all requirements are met, Airfield Driving Program Manager (ADPM) will be issued an authorization letter to instruct, test, certify training completion, and audit unit program training is issued by AM. The letter will contain the two- letter designation assigned to the unit program. The two-letter designation is placed in front of the certification numbers issued by that unit. Training requirements and testing materials are provided by Wing ADPM. ADPM may train individuals from another organization that do not have an airfield driving program, and documentation for these individuals will be maintained and tracked by the ADPM conducting the training.

2.8.30.2. **(Added)** Prepares *Airfield Driving Training and Certification Checklist and Airfield Driving Qualification Checklist* (see **Attachment 11**), forward documentation, along with the prepared AF Form 483, to Airfield Management (AM) for signature. AM requires the original copy of Certification of Airfield Training Letter be on file with AM. Maintain a copy of all documentation provided to AM for your records. For examples of prepared AF Form 483's.

2.8.30.2.1. **(Added)** Prepare AF Form 483's for re-issue if unreadable, lost or destroyed by presenting a newly prepared competency card to AM for signature. All annual refresher training received must be documented and the word RE-ISSUED written on the reverse side of the AF Form 483. The original training date is indicated on the front of the AF Form 483, with any restrictions and the expiration date remains three years from the original training. The original certificate number issued will also remain the same.

2.8.30.3. **(Added)** Maintain unit's portion of Tinker Airfield Drivers Database available on-line at https://usaf.dps.mil/sites/TMC719240/72OSS/Programs/Airfield.Drivers.Training/SitePages/Home.aspx Access to the Airfield Drivers Database will be given by AM after ADPM has completed ADPM Familiarization Training.

2.8.30.4. **(Added)** Administer color vision testing, using the color vision test meeting mandatory requirements. Color vision test may be purchased by base units through the base supply system or from an ophthalmic supplier. If a driver fails color vision test provided by ADPM, driver may receive additional color vision test provided by medical facility.

2.10.1.1. **(Added)** Surrender their AF Form 483, *Certificate of Competency*, upon request by unit ADPM or AM representatives.

2.10.9. **(Added)** Carries a valid state license, U.S. Government license (if applicable See AFI 24-301, *Vehicle Operations*) and controlled/restricted area badge when driving on the airfield.

2.10.10. **(Added)** Responsible for ensuring all annual training requirements are completed.

2.11.8. **(Added)** Limits vehicle operations in the Mandatory Radio Monitor Area (MRMA) and Controlled Movement Area (CMA). Non-mission essential vehicles are prohibited from crossing Runway 18/36 and Runway 13/31. Mission essential vehicles may include but not limited to: Emergency Services, AMOPS, Transient Alert, RAWLS, USDA, Airfield Lighting, FOD Boss, Airfield Sweepers, Trace Mowers, Pavement Repair Shop, airfield driver training vehicles (must have approved training call sign) and aircraft movers. **NOTE:** Aircraft movers (e.g. tow vehicle, aircraft and no more than two additional vehicles) are limited to towing operations. Towing operations shall be coordinated and approved by AMOPS IAW TAFBI 13-204, *Airfield Operations*. This includes positioning and repositioning of tow support vehicles. All other vehicle operations shall utilize perimeter roads and alternate airfield access points around the airfield to reduce the number of vehicles on the airfield and crossing runways. Any special runway crossing requests must gain approval from AMOPS and/or Airfield Manager at DSN 312-884-2191. Vehicles using the runway as transition routes to other parts of the airfield are considered convenience crossings. These movements are not considered mission essential and shall use perimeter roads and alternative access points around the airfield.

2.11.9. **(Added)** Escorts individuals off the airfield and confiscates individuals AF Form 483.

2.11.10. **(Added)** Requests a statement from individual(s) suspected of committing an airfield driving violation(s).

2.11.11. **(Added)** Documents and reports the incident to the Wing ADPM, AFM, and AOF/CC.

2.15.1.1. **(Added)** Color/vision test will be administered by ADPM using the color vision tests meeting mandatory requirements and may be purchased by base units through the base supply system or from an ophthalmic supplier. If a driver fails color vision test provided by ADPM, driver may receive additional color vision test provided by medical facility.

2.16.4. **(Added)** Contractors. In accordance with AFMAN 91-203, it is the responsibility of the Contracting Division to ensure contractors understand and comply with the airfield driving program and base personnel security access requirements. Additionally, they will inform AM and 72 SFS of contractors who will have a requirement to drive on the airfield. No contractor is authorized to drive on Tinker airfield until properly trained and access granted. This requirement must be written in contract agreements.

2.16.4.1. **(Added)** The contractor shall go to the unit that they are assigned to for training (i.e., airfield pavement repair to CE).

2.16.4.2. **(Added)** Contractors who will have several personnel working on the airfield may assign a designated person(s) to receive airfield driver training. Not all contractor personnel require competency cards but will receive an airfield safety briefing prior to starting work. The designated and certified airfield driver will be responsible for escorting contractor vehicles on the airfield.

2.16.4.3. **(Added)** If a contractor will be on the airfield for a short duration, issue a temporary AF Form 483 after training is completed by stamping the projected completion date on the back of the card. This will be the expiration date. Otherwise, contractors are to be escorted by a certified airfield driver.

2.16.4.4. **(Added)** Contractors requiring access to the airfield for more than seven days must provide their own portable radios with access to communication on tower net radio frequency.

2.16.4.5. **(Added)** All contractor activities within the airfield boundary, including ILS critical areas, and clear zones shall be pre-coordinated with Airfield Manager and 72 ABW/CE Community Planner prior to the contractor proceeding on the airfield. These agencies will evaluate the impact of proposed activity on flight operations and ensure appropriate waivers are approved by 72 ABW/CC prior to start of work.

2.16.4.6. **(Added)** All contractors must receive an airfield safety briefing from Airfield Manager prior to commencing work on the airfield. Procedures for vehicle routes, site maintenances/cleanup, waste control and material/equipment storage will be developed by AM, 72 ABW/CE and OC-ALC/PKO.

2.16.4.7. **(Added)** Ensure all airfield and airfield facilities maintenance activities are pre-coordinated with AMOPS each day prior to proceeding on the airfield, i.e. sweeper, airfield lighting, etc. Personnel and equipment must be removed from airfield when instructed by Tinker Ground or AMOPS.

2.16.4.8. **(Added)** Notify the Airfield Manager (72 OSS/OSAM) at 734-2191 of all pre-construction meetings regarding construction on the airfield.

3.2.1.1. **(Added)** The Airfield Driving Training Documentation and Certification Checklist (see **Attachment 11**) will be used to document all training requirements and will include test date, name, rank, organization, duty phone, AF Form 483 certification number, State Driver's License (list state of issue and restrictions), and signature of unit commander or Unit ADPM to certify that all training was successfully completed. Memo requires training items be initialed by trainer and trainee and signed by unit commander/civilian equivalent or Unit ADPM, to validate member(s) is a mission essential vehicle driver on the airfield. **NOTE:** If creating a roster for multiple trainees, ensure all above items are included on roster, trainees signature and "trainee acknowledgement statement" found in **Attachment 11**.

3.2.1.2. **(Added)** The original copy of Airfield Driving Training Documentation and Certification Checklist and AF Form 483(s) will be hand carried to AM, Bldg., 240, Room 315. A copy of the memo will be retained in ADPM's continuity binder, along with the trainees' answers to tests and CBT certificate.

3.2.2.1. **(Added)** Refresher training will be annotated on the backside of the airfield driver's competency card with date and instructor's signature, i.e. 1st Annual Refresher Training on date/signature. Refresher training documentation will be kept on file by the unit ADPM and made available to AM on request and during program inspections/reviews.

3.2.2.2. **(Added)** Refresher training may be accomplished prior to anniversary date, as long as no more than 1 year has passed since training was last completed and documented. If refresher training is accomplished early, the new anniversary month is based on the month refresher training was last completed. If more than 1 year has lapsed since training was received, the AF Form 483 is expired and all initial training requirements must be re-accomplished. NOTE: Training dates are valid until the last day of the anniversary month.

3.2.4.1. **(Added)** Airfield driving briefing available at 72 OSS/Airfield Driving SharePoint. https://usaf.dps.mil/sites/TMC719240/72OSS/Programs/Airfield.Drivers.Training/SitePages/Home.aspx.

3.2.5.1. **(Added)** After all training and testing are successfully accomplished; the ADPM will prepare AF Form 483 and Airfield Driving Training Documentation and Certification Checklist, (see **Attachment 11**)

3.2.6. **(Added)** The certification number must include unit's two-letter designation, which is placed in front of the certification number. The first two numbers of the certification number will correspond with the current year (for example: EM20001, SP20001). The remaining numbers will run consecutively each year beginning with 001.

3.2.7. **(Added)** Competency cards for airfield driving expire three years from date of issue (last day of month) Place the competency card expiration date on the back of the Form (see **Attachment 11** for example).

3.3. (Added) Individuals must successfully complete the local airfield diagram/layout test, General Knowledge/Communication test, and Runway Incursion Prevention test. Unit ADPMs will administer all tests. Use the Airfield Driving Training Documentation and Certification Checklist to document test results. (See **Attachment 11**) AM provides written tests to ADPMs. ADPMs will maintain security of the written tests.

3.3.1.5.4.1. **(Added-TINKERAFBSUP)** Demonstrate ability to cross and proceed on a runway and request permission "around the horn "without assistance from trainer.

3.3.1.5.6. **(Added)** A daytime practical airfield driving procedure orientation and driving test (check ride) will be conducted for MRMA/CMA and Ramp Only drivers after classroom training. If an airfield driver's duty hours are at night, then a separate practical night orientation and driving test (check ride) must also be conducted. Individuals not receiving night orientation check ride, will have their AF Form 483 restricted to DAYLIGHT HOURS ONLY. If the individual later requires a nighttime authorization, the ADPM will ensure training is provided and documented. The documentation and AF Form 483 will be updated and hand carried to AM for signature. ADPM will update the unit master airfield driving listing on-line.

3.4.4. **(Added)** Color vision testing is mandatory for individuals that have a requirement to drive in the MRMA and CMA.

3.4.5. **(Added)** Color/vision test will be administered by ADPM. If a driver fails color vision test provided by ADPM, driver may receive additional color vision test provided by medical facility. Contractor could incur additional expense.

4.2.1.1. **(Added)** The MRMA is outlined in **Attachment 12** and is the area inside the airfield perimeter fence *excluding* ramp areas and the CMA. All vehicles operating in the MRMA shall be two-way radio equipped and capable to communicate with Tinker Ground. Vehicle operators shall monitor the tower net frequency at all times in the MRMA and shall respond immediately to ground controls instructions. Vehicle operators shall request a radio check with the Tinker Ground, AMOPS, or another radio on Tinker tower net prior to entering the MRMA to ensure their radio is operational.

4.2.1.2. **(Added)** The CMA is outlined in **Attachment 12** and is the runway environment area outlined by runway hold short lines (200ft from runway edge), mandatory signs and pavement markings, overruns, ILS glideslope, Precision Obstacle Free Zone (POFZ), localizer critical areas, and portions of runway clear zones.

4.2.3.1. **(Added)** Using telephones or cell phones to communicate with Tinker Ground is prohibited. Permission cannot be relayed through another vehicle or dispatcher.

4.2.3.2. **(Added)** Portable radios issued by AMOPS will be for a maximum of one day. Radio recipients must be airfield driving certified. TDY personnel must receive a radio/airfield refresher briefing. AMOPS personnel will provide refresher briefings. Upon turn-in, the radio condition and operation will be checked. If a radio does not operate correctly, the hand receipt will not be released, and AM will have the radio inspected for abuse.

4.2.4.1. **(Added)** Light Emitting Diode/Rotating Beacon Lights and/or emergency/hazard warning flashers are required in the CMA, MRMA and ramp areas both day and night.

4.2.9. **(Added)** Local terms “Around the Horn” and “Multiple Intersection” are synonymous and are used when referring to the intersection on the north side of Runway 13/31 at taxiways C, H and K. Use of either phrase is correct when requesting through this area. (See **Attachment 12**) Ground Control approval is required to proceed “Around the Horn” and “Multiple Intersection”.

4.6.4.1. **(Added)** Airfield drivers will stop and hold at instrument hold lines/signs. Drivers will request permission from Tinker Ground to proceed inside the instrument hold lines/sign boundaries.

4.8.14.1. **(Added)** Normal vehicle speed limit on runways during non-emergency operations will be 30 MPH or as necessary to expedite exit at Tinker Grounds direction. Speed limits for all emergency response vehicles i.e. fire/crash, AMOPS, ambulance, responding to bona fide emergency situation will be at a speed that is necessary to respond expeditiously and safely.

4.9.1.1. **(Added)** The distance BEHIND heavy aircraft (B-1, B-52, C-5, C-17, KC-10, KC-46, E-3, E-6, KC-135, etc.) with engines running is 600ft. Deviations to these restrictions are permitted only when absolutely necessary for mission accomplishment. Do not operate vehicles within 25 feet of an aircraft unless providing an immediate service to that aircraft (e.g. fueling, servicing).

4.9.1.2. **(Added)** Vehicles will not be driven or parked closer than 10ft from a parked aircraft; 50ft from an aircraft being (or about to be) fueled.

4.9.6. **(Added)** When operating vehicles in the vicinity of parked aircraft, always approach with the driver’s side of the vehicle towards the aircraft and the vehicle pointed away from the aircraft.

4.9.7. **(Added)** Tow operators shall comply with procedures outlined in TAFBI 13-204 and local unit requirements.

4.10.6. **(Added)** West of Runway 18/36 and Transient Munitions Facility (TMF) area, AM exercises direct control of all designated parking IAW TAFBI 13-204. Marking of parking spaces is determined by AM in conjunction with requesting unit to promote mission accomplishment and maintain the capability to respond to contingency operations. Vehicle parking may be prohibited on short notice as required.

4.10.7. **(Added)** East of Runway 18/36, AM exercises indirect control, but maintains oversight, of designated vehicle parking through Aircraft Maintenance Group (76 AMXG). 76 AMXG will designate Maintenance Controlled parking spaces on the ramp east of Runway 18/36. Unit traffic wardens will be designated IAW DAFI 31-204 and will ensure parking restrictions.

4.10.8. **(Added)** Only prior approved Privately Owned Vehicles (POV) will be allowed to operate on the 76 AMXG ramp. 76 AMXG's goal is to monitor and reduce government vehicle (GOV) and POV traffic on the 76 AMXG ramp.

4.10.9. **(Added)** 76 AMXG ramp passes are not issued for parking convenience or convenience to drive across the ramp. Individuals/vehicles observed using the ramp pass for parking adjacent to or around buildings in a non-designated parking space will be subject to loss of driving or parking privileges. Parking is prohibited in front of hangar doors or inside painted markings on the ramp designated as necessary clearance for aircraft wing tips. Repeated parking violations will result in forfeiture of ramp pass. POV operators issued a ramp pass will park at designated parking on the north side of Building 3102.

4.10.10. **(Added)** Vehicles parked in a designated parking space will be locked to secure ramp pass. Vehicles temporarily left unattended on the 76 AMXG ramp will be left unlocked with keys in the vehicle. Unattended parked vehicles will have parking brake set or will have chocks in place.

4.10.11. **(Added)** Maintenance Repair Overhaul Technology Center (MROTC) Facility is a controlled industrial work area without direct access to the Tinker airfield. The 76 AMXG/CC will issue ramp pass access to this area.

4.10.12. **(Added)** POVs will not move/enter/exit MROTC area while aircraft are under tow.

4.10.13. **(Added)** There is no private vehicle parking on the airfield. Vehicles may be towed off the airfield at the direction of AMOPS.

4.10.14. **(Added)** All requirements/requests for parking of vehicles and equipment on the airfield will be processed through 72 ABW/CE and AFM.

4.10.15. **(Added)** The 552 MXG/CC shall ensure vehicles parked south of Building 230 do not block the fire lane.

4.10.16. **(Added)** The 507 ARW shall ensure vehicles parked northeast of Building 1030 do not block the fire lane.

4.10.17. **(Added)** Vehicles and wheeled equipment temporarily parked on any part of the airfield shall be left unlocked with the parking brake set, gears set in park, chocks installed, (if without a parking brake) and the keys in the ignition. Exception: Vehicles parked on ramp areas designated for automobile parking.

4.10.18. **(Added)** Unless parked in a designated parking area, all unattended vehicles on the airfield will park so that they will not interfere with taxiing/towed aircraft or emergency vehicles and will not be pointed towards a parked aircraft.

4.10.19. **(Added)** When parked on the airfield at night, leave emergency lights/four-way flashers or beacon operating unless parked in a designated parking area.

4.10.20. **(Added)** Never leave a vehicle unattended while operating in the MRMA or CMA without advising Tinker Ground and AMOPS of intentions.

4.10.21. **(Added)** Do not drive over the Red Carpet located on Southeast side of Building 240.

4.17.1.1. **(Added)** Non-motorized cycle will be operated only within unit ramp areas and not in the MRMA or CMA. Use on ramp areas is discouraged and will only be authorized and operated as individually approved by the unit Vehicle Control Officer (VCO) and subject to unit directives.

4.17.4. **(Added)** Motorcycle/Moped. Operations on the airfield are prohibited except in designated vehicle parking areas.

4.17.5. **(Added)** Pedestrians and/or pets are prohibited in the MRMA and CMA unless coordinated with AM. Official functions, social and morale events, and any recreational or exercise activities on the airfield are prohibited without specific permission from the Airfield Manager. Personnel needing to conduct airfield maintenance and operations in the MRMA and CMA will be transported to and from work site by a government vehicle or other approved vehicle displaying appropriate airfield or ramp pass driven by an airfield driving qualified driver.

4.20.1.1. **(Added)** Primary/Secondary response vehicles must comply with the procedures outlined in this instruction for entry into the MRMA and CMA.

4.20.2.1. **(Added)** Primary response agencies (Fire Department, AMOPS, ambulance) will position at North and South ends of airfield, depending on runway in use. Follow-on/support response agencies (SF, flight surgeon, bio-environmental, unit support equipment) will position at or near building 240 (AMOPS).

4.26.4. **(Added)** The distance BEHIND heavy aircraft (B-1, B-52, C-5, C-17, KC-10, KC-46, E-3, E-6, KC-135, etc.) with engines running is 600ft. Deviations to these restrictions are permitted only when absolutely necessary for mission accomplishment. Do not operate vehicles within 25 feet of an aircraft unless providing an immediate service to that aircraft (e.g. fueling, servicing).

4.29.6.1. **(Added)** The TINKERAFBVA 11-2, *Airfield Pass*, is issued and controlled by AM. The Airfield Pass will be issued to approved individuals who have recurring mission requirements to operate their POV/contractor owned/government leased vehicle on the airfield. The Airfield Pass is valid in areas west of runway 18/36 and is not valid on ALC ramp or area 17 (excluding TMF). Airfield Passes expires annually on 31 December or earlier as directed by AM.

4.29.6.2. **(Added)** The TINKERAFBVA 11-3, *Ramp Pass*, is issued and controlled by AM. The ramp pass will be issued to the approved individuals who have a recurring mission requirement to operate their POV/contractor owned/government leased vehicle on airfield ramps. The ramp pass is not valid on the MRMA, CMA or areas east of runway 18/36 (excluding TMF). The ramp pass expires annually on 31 December or earlier as directed by AM.

4.29.6.3. **(Added)** The TINKER AFB Form 273, *Temporary Airfield Pass* , is an 8 X 11 inch solid colored, numbered pass issued and controlled by AM. The Temporary Pass will be issued to the approved operators of government leased or contractor owned vehicles that have a temporary requirement to drive on the airfield. It is valid in areas west of runway 18/36 and is not valid on ALC ramp or area 17. Personnel will be airfield driving certified or escorted. The Temporary Pass is for short-term need and will expire on the date annotated on the pass. Request for more than one day must be submitted in writing to AM, no later than two working days before needed.

4.29.6.4. **(Added)** The 76 AMXG Ramp Pass, 76 AMXG is designated OPR and will issue and control 76 AMXG ramp passes. 76 AMXG is also the OPR for the ALC Ramp Gate Card used for access through ALC airfield gates. The ramp east of Runway 18/36, excluding the Transient Munitions Facility (TMF), is considered 76 AMXG ramp. 76 AMXG ramp passes are valid in areas east of Runway 18/36 (excluding TMF) and are not valid in areas west of Runway 18/36.

4.29.6.4.1. **(Added)** The 76 AMXG Ramp Pass will be changed annually. Individuals requiring a 76 AMXG ramp pass will be required to submit a request for a new ramp pass each year.

4.29.10. **(Added)** Lost or stolen ramp passes should be reported as soon as possible to office who issued pass. Any ramp pass that has become mutilated or illegible must be turned in to issuing authority for a replacement.

4.29.11. **(Added)** Passes will be displayed from the vehicle's rear view mirror.

4.30.1.1. **(Added)** AFM reserves the right, based on severity of the violation, to increase suspension timelines or to suspend airfield driving privileges indefinitely.

4.31.3. **(Added)** Drivers will be administered an additional driving test by AM prior to reinstatement of airfield driving privileges.

Chapter 6 (Added)

AIRFIELD GATE ACCESS CARD PROCEDURES AND RESPONSIBILITIES

6.1. (Added) Requests. All requests for an Airfield Gate Access Card, TINKER AFB Form 002, Application for 76 AMXG Government Ramp Gate Card, will be forwarded to 76 AMXG Management Operations Section (76 AMXG/MXDSM) with a copy of the front and back of the AF Form 483 attached. All TINKER AFB Form 002's will be approved/disapproved by the 76 AMXG/MXDSM. TINKER AFB Form 002 must provide specific justification on the mission requirement, to include what buildings need to be accessed, on what shift and the reason why (delivery of parts, inspection, etc.).

6.1.1. **(Added)** 76 AMXG/MXDSM will review TINKER AFB Form 002 and attached AF Form 483, for approval for card issue.

6.1.1.1. **(Added)** 76 AMXG/MXDSM will issue airfield gate access cards and maintain WinDSX database of authorized base and contractor users.

6.1.1.2. **(Added)** 76 AMXG/MXDSM will ensure card holder signs TINKER AFB Form 002, *Application for 76 AMXG Government Ramp/Gate Card*, acknowledging receipt of cards, responsibilities for protection, control and disposition procedures. 76 AMXG/MXDSM will retain all TINKER AFB Form 002 applications.

6.1.1.3. **(Added)** 76 AMXG/MXDSM will ensure the cardholder has an AF Form 1199C, *USAF Entry Control Card,* for Area. 17. Personnel must display the badge while inside Area 17 at all times, and follow additional requirements established by the owning organization (76 AMXG).

6.1.1.4. **(Added)** 76 AMXG/MXDSM will view the cardholders AF Form 1199C, *USAF Entry Control Card,* and initial on the TINKER AFB Form 002.

6.1.1.5. **(Added)** 76 AMXG/MXDSM will interrogate the WinDSX database and run gate card reports as necessary to avoid and/or resolve cardholder information discrepancies.

6.1.1.6. **(Added)** 76 AMXG/MXDSM will run a quarterly report identifying cardholders by assigned organizations.

6.1.1.7. **(Added)** It is the responsibility of the card holder to provide 76 AMXG/MXDSM updated AF Form 483, refresher/expiration cardholder or other user information. Cardholders will send their refresher AF Form 483 to 76 AMXG/MXDSM. 76 AMXG/MXDSM will update database to reflect card user's new AF Form 483 card expiration dates.

6.1.2. **(Added)** The 76 AMXG Maintenance Operations Center (MOC) will monitor all WinDSX work station alarms. The MOC will contact Civil Engineering Work Order Desk, 734- 3117, when necessary, to submit a work order when gates are inoperative. The MOC will contact the system administrator for software support. (72 ABW/SCPT via the following Organizational Email account: **ASX.Remedy.Queue@us.af.mil**.

6.2. (Added) Individual Cards . Individual's cards that have not been used to access 76 AMXG gates will be deactivated after 60-days of non-usage. Cards that have not been used in 90-days will be deleted and only reactivated when a new TINKER AFB Form 002 is submitted to 76 AMXG/MXDSM.

6.3. (Added) Multiple Cards. Multiple cards under one name will not be allowed.

6.4. (Added) Gate Cards. Gate cards can only be picked up and signed for by the individual that is getting the card.

6.5. (Added) Point of Contact. All organizations will provide 76 AMXG/MXDSM with a point of contact to conduct quarterly inventory of cards and validate continued mission requirement.

6.6. (Added) Cardholder Responsibility. All cardholders will ensure cards are only utilized by authorized personnel. All users must possess a current state driver's license, a current AF Form 483, an AF 1199C, a ramp pass for POV and contractor vehicles. Users will ensure copies are provided to 76 AMXG/MXDSM.

6.7. (Added) Deactivation. Upon termination of employment, change of organization or when assigned duties that no longer require the ramp card. All Cards can be deactivated by emailing 76AMXG Security Managers Workflow at **76AMXG.SM.Workflow@us.af.mil** or calling 76 AMXG/MXDSM at 734-9557. Upon confirmation that the card has been deactivated, it will be shredded by responsible parties.

6.8. (Added) Airfield Restriction. The installation commander may restrict private vehicles from the ramp area during periods of increased FPCONS. When this occurs, all access cards or specifically contractor access cards will become invalid.

PAUL G. FILCEK, Colonel, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

(Added) AFI 24-301, *Vehicle Operations,* 22 October 2019

(Added) TINKERAFBI 13-204, *Airfield Operations,* 7 January 2021

(Added) TINKERAFVA 11-2, *Tinker Airfield Pass,* 2 January 2003

(Added) TINKERAFVA 11-3, *Tinker Ramp Pass,* 2 January 2003

(Added- TINKERAFB) ***Prescribed Forms***

(Added) TINKER FORM 002, *Application for 72 AMXG Government Ramp/Gate Card*

(Added) TINKER FORM 273, *Tinker Temporary Airfield Pass*

Adopted Forms

(**Added**) TINKERAFBVA 11-2, *Tinker Airfield Pass*

(**Added**) TINKERAFBVA 11-3, *Tinker Ramp Pass*

Abbreviations and Acronyms

(Added) AMOPS—Airfield Management Operations

(Added) CE—Civil Engineering

(Added) ILS—Instrument Landing System

(Added) MROTC—Maintenance Repair and Overhaul Technology Center

(Added) OC-ALC—Oklahoma City Air Logistics Complex

(Added) POFZ—Precision Obstacle Free Zone

(Added) SCW-1—Strategic Communications Wing ONE

(Added) SFS—Security Forces

Terms

(Added) Long Hotel—Area on TWY H between RWY 13/31 and TWY B.

(Added) Mandatory Radio Monitor Area (MRMA)—The MRMA is outlined in **Attachment 9**. The MRMA is the area inside the airfield perimeter fence excluding ramp areas and the area designated as the Controlled Movement Area (CMA). Vehicles operating in the MRMA shall be radio equipped to communicate with the Tinker Ground. Vehicle operators shall monitor tower net frequency at all times and respond immediately to Tinker Grounds instructions.

(Added) Short Hotel—Area on TWY H between TWY B and G.

(Added) South Hotel—Area on TWY H South of RWY 13/31.

(Added) Tinker Ground—Position within tinker control tower that communicates with vehicles and aircraft ground movements via tower net.

(Added) Transient Munitions Facility (TMF)—Ramp area located east of Runway 18/36 approach end at taxiway Foxtrot used for storage, loading, and unloading of explosive cargo.

Attachment 6

AIRFIELD MANAGEMENT QUALITY CONTROL MEASURES

A6.5. (Added) AF Form 483 Training Certification Check. When an ADPM delivers 483s for AM signature, a random number of airfield drivers may be selected and administered an additional written and driving test by AM personnel. Only after correctly completing tests will the driver receive a signed airfield driver's license.

Attachment 10 (Added)

OUTLINE FOR UNIT ADPM CLASSROOM TRAINING

A10.1. (Added) Instruction Material. Provide a copy of Tinker's *Airfield Driving Training Guide.*

A10.2. (Added) Explanation of terms: refer to this instruction and training guide.

A10.3. (Added) Smoking. No smoking on the airfield, unless in a designated smoking area, this includes inside a vehicle.

A10.4. (Added) General Airfield Driving Procedures and Standards.

A10.4.1. **(Added)** Airfield entry points. Entry points are marked with warning signs stating you are entering the airfield. Only government or POV/contractor owned/government leased vehicles with an airfield or ramp pass are authorized on the airfield. A FOD checkpoint is located at each airfield entry point.

A10.4.2. **(Added)** All vehicles that operate on the airfield inside the FOD checkpoints must be equipped with a self-closing FOD container.

A10.4.3. **(Added)** FOD Control and Prevention. FOD checkpoints are black and white signs painted on the concrete located at airfield entry and at entry locations to areas where aircraft with engines running may be encountered. FOD checks must be done each and every time you enter these areas. Competency cards will be revoked for non-compliance. Proper procedures are:

A10.4.3.1. **(Added)** Stop at FOD checkpoint.

A10.4.3.2. **(Added)** Exit vehicle and check exposed areas of tires and undercarriage for loose debris. Remove debris imbedded in the tires.

A10.4.3.3. **(Added)** Pull vehicle forward until the remaining area of the tire is visible and check for FOD.

A10.4.3.4. **(Added)** Place all debris in the self-closing FOD container in the vehicle or in the FOD container located at the entry point. DO NOT THROW FOD ONTO THE AIRFIELD.

A10.4.3.5. **(Added)** Secure loose items in vehicle cargo areas.

A10.4.4. Vehicle Operations in Vicinity of Aircraft and Airfield Vehicle Traffic Flow.

A10.4.4.1. **(Added)** Always approach parked aircraft with the driver's side of the vehicle towards the aircraft and the vehicle pointed away.

A10.4.4.2. **(Added)** Vehicles will not be driven or parked closer than 10 feet from a parked aircraft; 25 feet to front, or beside an aircraft with engines running or about to be started and 50 feet from an aircraft being (or about to be) fueled.

A10.4.4.3. **(Added)** The distance behind an aircraft with engines running (or about to be started) is 200 feet, except for heavy aircraft such as B-1, B-52, C-5, C-17, DC/KC-10, E-3, E- 6, KC-135 and KC-46 which is 600 feet.

A10.4.4.4. **(Added)** Vehicles shall not be backed toward, driven under or driven forward in the immediate direction of any aircraft except as authorized in certain loading, unloading, or refueling operations. In these cases, pre-positioned wheel chocks will be placed between the aircraft and the approaching vehicle to prevent the vehicle from striking the aircraft. Guides will be posted as a required safety measure.

A10.4.4.5. **(Added)** Use taxiway centerlines as road dividers and remain immediately to the right.

A10.4.4.6. **(Added)** Do a visual check before crossing an intersecting taxiway.

A10.4.4.7. **(Added)** Traffic lanes on the aircraft parking ramps are normally the areas to the right of the aircraft or parallel to the noses of the parked aircraft with the driver's side toward the aircraft. Some ramp areas have clearly marked vehicle traffic lanes.

A10.4.4.8. **(Added)** Give way to aircraft taxiing, in-tow, or being led by a Follow-Me vehicle. Do not drive between a Follow-Me vehicle and the aircraft that it is guiding.

A10.4.4.9. **(Added)** Organizations operating around aircraft must stress speed and procedures for your organization's vehicle traffic flow.

A10.4.5. **(Added)** Procedures for operating a vehicle on the Mandatory Radio Monitor Area (MRMA) and the Controlled Movement Area (CMA).

A10.4.5.1. **(Added)** When in the MRMA/CMA, always be aware of your surroundings. There are always aircraft, vehicles and equipment moving on the airfield.

A10.4.5.2. **(Added)** Airfield drivers must always monitor the Tinker Ground frequency while operating in the MRMA and comply with instructions from Tinker Ground as requested. Airfield drivers shall establish direct radio communications with Tinker Ground to obtain permission to enter the CMA. Use of a third party for communications with Tinker Ground is prohibited. The driver will provide Tinker Ground their radio call sign, location of entrance to the CMA, and intent. The airfield diagram in **Attachment 12** depicts the CMA boundary. Non-compliance with the instruction will result in a CMA violation. Airfield drivers shall read back all instructions by Ground Control to hold short of all runways or runway. Airfield drivers will maintain continuous radio contact with Tinker Ground while in the CMA and will advise Ground when off the CMA.

A10.4.5.3. **(Added)** Vehicle's four-way flashers/emergency lights or beacon will operate at all times (day and night) while operating in the MRMA, CMA and all ramps.

A10.4.5.4. **(Added)** Authorized Airfield Vehicle Traffic/Runway Crossings. Runways will not be used for crossings for convenience. Only mission essential vehicle operations outlined in this instruction are authorized to enter or cross a runway. Vehicle use of the airfield will be monitored by AM to ensure compliance with airfield driving procedures. Use of the airfield for convenience shall not be tolerated.

A10.4.5.5. **(Added)** Vehicles shall give way to taxiing or in-tow aircraft. If an aircraft is approaching your vehicle, exit at the nearest intersecting taxiway or reverse course. Do not drive off pavement, except as a last resort.

A10.4.5.6. **(Added)** Vehicles will not operate or be left unattended within the lateral obstacle clearance zones of runways, taxiways and aprons unless mission essential and in continuous communication with Tinker Ground.

A10.4.5.7. **(Added)** If escorting another vehicle, discuss route to be taken with the other driver. Vehicle being escorted must follow behind escort vehicle at all times. Remain together until mission is complete and off the airfield. Ensure both vehicles have hazard or rotating beacon lights on while operating on the airfield.

A10.4.5.8. **(Added)** When exiting the CMA, notify Ground Control with location of exit point.

A10.4.5.9. **(Added)** Vehicle Disabled/Breakdown. If for any reason the vehicle fails to operate under its own power while in the MRMA and CMA, immediately contact Ground Control of the nature of the problem and your position on the airfield. Ground Control will then contact appropriate personnel and reroute any taxiing aircraft.

A10.4.6. **(Added)** Procedures for proper radio terminology/phraseology and discipline. Refer to Airfield Training Guide and this instruction.

A10.4.6.1. **(Added)** Make clear and concise radio transmissions and use proper radio terminology. Do not use 10 code/series phraseology.

A10.4.6.2. **(Added)** Ensure Tinker Ground's instructions are understood and followed. Read back hold-short instructions received from Tinker Ground.

A10.4.6.3. **(Added)** After making a request to Tinker Ground, make sure the next transmission from Tinker Ground is yours, listen for your call sign. Tinker Ground is in communications with other vehicles and aircraft, don't assume the next radio transmission is yours.

A10.4.6.4. **(Added)** Ensure the radio frequency is open before making a transmission, do not interrupt another radio transmission. Maintain good radio etiquette.

A10.4.6.5. **(Added)** Radios must be programmed by the base land mobile radio (LMR) office to provide selective call feature. This will require two different radio channel numbers on the radio. The first channel allows two-way communication with Tinker Ground. The second channel number will be designated for channel guard; one-way communication with the Tinker Ground (receive only) and two-way communication with all other agencies on the tower net radio frequency. Vehicle operators will use channel guard when conducting routine transmissions with agencies other than Tinker Ground. This reduces the amount of chatter on the tower net radio frequency and allows Tinker Ground to make essential traffic calls. Vehicle operators must switch from channel guard to the second programmed channel in order to communicate with Tinker Ground.

A10.4.6.6. **(Added)** When in doubt, ask Tinker Ground to repeat instructions.

A10.4.6.7. **(Added)** Vehicles with radios can escort vehicles without radios. When escorting, vehicles must remain together at all times in the MRMA and CMA.

A10.4.6.8. **(Added)** Do not use the words CLEAR or CLEARANCE. These words are part of Air Traffic Control terminology. It may also cause another driver to mistake the radio transmission for his/her authorization. Example: *"Tinker Ground, Ops-29, Off Runway 18 at Taxiway Charlie."*

A10.4.6.9. **(Added)** Radio Communications in the CMA/MRMA will be closely monitored by AM. Individuals failing to use proper communications with Tinker Ground will be checked by AM. Proper communication includes using vehicle call signs on each and every transmission, repeating hold short instructions, monitoring the radio, and responding to radio calls promptly.

A10.4.7. **(Added)** Speed Limits for vehicle parking areas/aircraft parking ramps/airfield access roads/taxiways/runways/towing operations. General purpose vehicle: 15 MPH; Special purpose: 10 MPH; **Exception**: Normal vehicle speed limit on the runway during non-emergency operations will be 30 MPH or as necessary to expedite exit at Control Tower direction. Speed limits for all emergency response vehicles responding to bona fide emergency situations will be a speed that is necessary to respond expeditiously and safely. No vehicle will operate in excess of 5 MPH when within 50 ft of an aircraft. No vehicle will operate at a speed in excess of that deemed reasonable and prudent for existing traffic, road, and weather conditions. If Tinker Ground, AM personnel, unit driving program manager, commander, or anyone else on the airfield takes notice of your speed, then you are speeding. Normally, a warning via the radio will be issued unless driver is using unusually excess speeds. If the warning is not followed, then you will be instructed to either hold your position until AM responds or report to AMOPS.

A10.4.8. **(Added)** Airfield and Instrument signs and markings, to include requirements to stop at INST holding positions.

A10.4.8.1. **(Added)** Of primary concern are the HOLD SHORT LINE markings. This line marks the boundary of the runway. Look for multiple yellow lines on a black background 200 ft from the runway edge. DO NOT CROSS this line without authorization from Tinker Ground.

A10.4.8.2. **(Added)** Co-located with the painted HOLD SHORT LINE marking is the RUNWAY HOLD POSITION SIGN, located to the left side of taxiway/runway boundary. This sign is on a red background with white numbers and is lighted for night/inclement weather operations. See **Attachment 3** for example.

A10.4.8.3. **(Added)** Boundaries for the Instrument Land System (ILS) areas are marked by INSTRUMENT (INST) HOLD LINES. When personnel or equipment are within the ILS area, it could seriously degrade the ILS performance. INST Hold Lines are painted with multiple yellow lines on a black background. Drivers will stop at INST Hold Lines and request permission from Tinker Ground to proceed across. CAUTION: Permission to proceed across an INST Hold Line is not authorization to cross a normal HOLD SHORT LINE.

A10.4.8.4. **(Added)** Co-located with the painted INST HOLD LINE marking is the INST HOLD LINE SIGN. This mandatory sign, located to the left of the INST hold line, has a red background with the letters ILS in white. The INST sign is illuminated for nighttime and inclement weather operations. Roadways that enter an ILS critical area have unlit signs warning vehicle operators not to proceed without approval from Tinker Ground. See **Attachment 3** for example.

A10.4.8.5. **(Added)** Painted runway markings are depicted with white retro reflective paint, taxiways and ramps have yellow markings. See **Attachment 12** for location of INST, hold short lines, and critical areas.

A10.4.8.6. **(Added)** Taxiway line markings are used as guides for taxiing aircraft. Vehicles will use the markings as a road divider.

A10.4.8.7. **(Added)** Taxiway Guidance and informative signs identify location, direction, and designations of taxiways. Taxiway signs have black background with yellow lettering or yellow background with black lettering. Yellow lettering identifies the taxiway you are own, and black lettering identifies the taxiway you are approaching. Informative signs are lighted for night/inclement weather. See **Attachment 3** for example.

A10.4.9. **(Added)** Night and Inclement Weather Driving.

A10.4.9.1. **(Added)** The airfield environment at night is different than the day. The night environment may not be as busy, but can be more hazardous due to impaired vision caused by the darkness and the confusion caused by the various lights on the airfield. When driving at night, use more caution.

A10.4.9.2. **(Added)** Aircraft have the right of way on the airfield. Do not shine your vehicle headlights towards a moving aircraft. Turn vehicle headlights off, but always keep the four- way flashers or beacon on. Turning off headlights prevents temporary blindness in the pilot or tow operator. Leaving flashers or beacon operating lets the pilot/tow operator and Tinker Ground know your location at all times. Vehicles with day running lights will position vehicle where lights do not shine toward a moving aircraft.

A10.4.9.3. **(Added)** Tinker Base Weather Station disseminates weather advisories, watches, and warnings on the local LAN during periods of inclement weather. Unit Commanders may impose additional airfield restrictions on their unit drivers. AFMAN 91-203 provides additional safety information and guidance.

A10.4.10. **(Added)** Runway Entry/Crossing, Runway Incursion Prevention, and Reduce non-essential vehicle movements on the airfield and procedures to limit vehicle traffic crossing the runway to an absolute minimum.

A10.4.10.1. **(Added)** Emphasize the possible consequences of crossing or entering the runway without authorization from Tinker Ground. Unauthorized vehicles on the runway cause a serious potential for death and destruction. Failure to obtain authorization prior to entering or crossing any runway is considered a runway incursion. Incursions are serious and all vehicle operators must be thoroughly trained in runway entry/crossing procedures to prevent such occurrences. Remember, the primary function of a runway is the landing and take-off of aircraft.

A10.4.10.2. **(Added)** Emphasize and explain the Hold Short Line and Runway Hold Position Sign.

A10.4.10.3. **(Added)** If requesting to enter a runway, give location, and intent. ***Note:*** The only vehicles that have a mission requirement to be on the runways are Airfield Management, Airfield Lighting, CE, Pavements, SOF, Fire Department, FOD BOSS, and Safety. Remind potential drivers that only mission essential vehicle operations are permitted in the MRMA/CMA. Non-essential vehicle traffic must use perimeter roads.

A10.4.10.4. **(Added)** The only area on the airfield that does not have Hold Short markings to define the runway is where the runways intersect; however, runway hold position signs are installed. To cross or enter the intersecting runway, stop 200 feet prior to the intersecting runway at the runway hold position sign before requesting authorization from Ground Control. To cross an extended runway centerline beyond the overrun, stop a minimum of 200 feet from edge of runway environment and request authorization from Ground Control.

A10.4.10.5. **(Added)** When authorization is given by Tinker Ground, read-back the instructions while doing a visual check of the runway in both directions, then cross or enter the runway.

A10.4.10.6. **(Added)** As soon as the vehicle has passed the Hold Short Line at the exit location or, if no hold line, 200 feet from the runway, inform Tinker Ground that you are **"OFF"** the runway and name the exit location. Do not use the word clear to report off a runway.

A10.4.11. **(Added)** Vehicle Parking and Chocking Procedures.

A10.4.11.1. **(Added)** POV are not authorized on the airfield without prior AM approval. There is no open POV parking on the airfield.

A10.4.11.2. **(Added)** Unless parked in a designated parking area, all unattended vehicles temporarily parked on the airfield will park so that they will not interfere with taxiing or towed aircraft and will not be pointed towards a parked aircraft. When parked, turn ignition off and leave keys in the ignition. If vehicle has a manual transmission, place it in reverse, or if automatic, place it in park. Then set parking brake and leave the doors unlocked.

A10.4.11.3. **(Added)** Use chocks to secure all vehicles and wheeled equipment that do not have an integral braking system when they are left unattended on the aircraft parking ramp. Refer to procedures for special purpose vehicles. Vehicles parked on a designated parking area are exempt.

A10.4.11.4. **(Added)** When parked on the airfield, leave emergency lights/four-way flashers or beacon operating unless parked in a designated parking area.

A10.4.11.5. **(Added)** Never leave your vehicle while on the airfield without advising Tinker Ground of your intentions, unless parked in a designated parking area.

A10.4.12. **(Added)** Airfield Violations and Consequences. Refer to **chapter 4** of this instruction for detailed information.

A10.4.12.1. **(Added)** Speeding, recklessness, ignoring FOD checkpoints, not following tow procedures and improper vehicle operation are some examples.

A10.4.12.2. **(Added)** AM personnel, unit commander, or program managers can revoke airfield driver privileges for any airfield driving violation.

A10.4.12.3. **(Added)** Security Forces may stop you for an airfield driving violation, but will refer your violation to AM for action.

A10.4.14. **(Added)** Airfield Driving CBT. Candidates must complete the CBT as part of classroom training. (one time requirement) The CBT is available on ADLS web page. The CBT test is not the final written test.

A10.4.15. **(Added)** Unique unit requirements/operations and local restrictions.

A10.4.15.1. **(Added)** Taxiways Bravo, Kilo, Hotel and Golf are restricted to vehicle/aircraft use during AWACS Live Fires. Tinker Ground will issue appropriate advisories.

A10.4.15.2. **(Added)** Local terms. Around the Horn and Multiple Intersection are synonymous and are used when referring to the intersection at the north side of Runway 13/31 at Taxiways C, H and K. Use of either phrase is correct when requesting permission through this area.

A10.4.15.3. **(Added)** Unit specific requirements briefing.

A10.4.16. **(Added)** Emergency vehicle operations. Drivers will give way/yield to all fire/crash vehicles, ambulances, and other vehicles (AMOPS, Security, Safety) responding to an emergency. All emergency response vehicles must comply with airfield driving procedures for entry into and operation in the MRMA and CMA. **Exception:** Emergency response vehicles and AM vehicle procedures as outlined in TAFBI 13-204.

A10.4.17. **(Added)** Tower or vehicle radio problem areas and visual blind spots. Areas for potential radio blind spots when communicating with Tinker Ground include the ALC ramp, TMF, Echo ramp, Pegasus Ramp, and southern and western portions of the airfield. Some of same areas cannot be seen from the Control Tower.

A10.4.18. **(Added)** Procedures or restrictions for operating motorcycles, mopeds or scooters, bicycles, tricycles and other vehicles. Bi/Tricycle operations will be operated only within unit ramp areas and not in the MRMA/CMA. Bi/Tricycle operators must be airfield driver certified. Motorcycle/Moped operations on the airfield are prohibited except in designated vehicle parking areas and for the purpose of participating in the Motorcycle hands-on training class sponsored by Base Safety.

Attachment 11 (Added)

AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST

Figure A11.1. (Added) Airfield Driving Training Documentation and Certification Checklist.

MEMORANDUM FOR: 72 OSS/OSA

FROM:

SUBJECT: Documentation of Airfield Driver Training and Certification

Reference: DAFI13-213, Airfield Driving

NAME/RANK/UNIT DUTY PHONE RESTRICTIONS CERTIFICATION #

Date Completed

- Trainee has valid (*insert state*) Driver's License. _____
- Trainee has valid Government Driver's License. _____
- Airfield Driving CBT (One time requirement) [**Score:**] _____
- Airfield Driver Training Classroom. _____
- Airfield Driving Qualification Training Checklist. _____
- Practical Day Airfield Driver Familiarization Training. _____
- Practical Night Airfield Driver Familiarization Training. _____
- Practical Driving Test. Includes day and night. _____
- Airfield Diagram/Layout Test. [**Score:**] _____
- General Knowledge/Comm Test. [**Score:**] _____
- Runway Incursion Prevention Test. [**Score:**] _____
- Color Vision Test ___ Pass ____ Fail ____ (check one) _____

1. Trainee is knowledgeable of all the following terms used on the airfield:
   a. Runway, Controlled Movement Area (CMA), Controlled Movement Area Violation (CMAV), Runway Incursion, Taxiway, Ramp/Apron, FOD, Overrun, Taxilane, Light Gun, Jet Blast, Vehicle Road, Hot Cargo, Arm/De-Arm Area, ILS, Mandatory Sign, Info Sign, Emergency Vehicle, Circle of Safety, Restricted Area, ECP, Mobile Obstacle, AMOPS, ATCT.

2. Trainee is knowledgeable of all the following local procedures and requirements for operating a vehicle on the airfield, to include hazards associated with aircraft.
   a. Use of vehicle lighting (e.g. Daytime Running, Rotating/IR beacons, hazard/emergency flashers),

   b. Procedures for reporting an accident or vehicle maintenance problems. Vehicle parking and chocking. Perimeter and infield roadways. Lateral distance for mobile obstacles on an apron/ramp and taxiway. Speed limits. Requirements for operating a vehicle around aircraft.

c. Reporting and removing FOD. Restricted visibility and/or night driving. Operating of bicycles, tricycles, etc. on the airfield. Traction control devices. Emergency Vehicle requirements. Vehicle Escort/Convoy Driving procedures as applicable. Right of Way, Taxiing, Jet Blast safety requirements.

3. Trainee is knowledgeable of the airfield environment and has demonstrated the ability to operate a vehicle to and from their designated work areas.

4. Trainee is knowledgeable of the airfield environment to include all the following items:

a. Runway Lights, Edge Lights, Approach Lights, Taxiway Lights, Edge Lights, Centerline Lights, Runway Hold Sign, Taxiway Location Sign, ILS Signs, Direction Sign, Distance Remaining Sign, Runway Markings, Centerline Markings, Edge Markings, Runway ID Numbers, Threshold Markings, VFR Hold Line, Vehicle Stop Bars, Taxiway Markings, ILS Markings, Locations of airfield Navigational Aids, Visual Approach Aids, Restricted Areas, Entry Control Points and Free Zones, Reduced visibility/inclement weather driving, Location of FD, ATC, AM, and Jet Blast hazards, Runway(s) configuration, Taxiway configuration, CMA Boundaries, Congested areas and designated Smoking areas.

5. Trainee is knowledgeable of proper radio terminology and ATCT phraseology use on the airfield to include all the following:

a. Ground Vehicle Communications, Procedural Words and Phrases. Aviation Phonetic Alphabet, Aviation Terminology, Procedures for Contacting the ATCT, Light Gun Signals (Description of ATCT Light Gun signals), ATCT and or vehicle blind spots.

6. Trainee has demonstrated the ability to contact ATC for approval to cross, enter and exit the runway and proceed around the horn. (**CMA/MRMA only**).

TRAINER CERTIFICATION (*Completed by Authorized Airfield Driving Training Instructor*)
I certify that the trainee has received all required qualification training requirements.

Name of Trainer _____ Grade_____Signature_____Date_____

TRAINEE ACKNOWLEDGEMENT (*Completed by Trainee*)
I have received and completed all of the above training requirements and will comply with *Local Base* Airfield Driving Instruction (ADI). I am also fully aware that no vehicle or pedestrian shall enter a runway or other controlled movement areas without approval from the Air Traffic Control Tower (ATCT). (If creating a roster, this statement MUST be included on roster)

Name of Trainee_____ Grade_____ Signature_____Date_____

UNIT CERTIFICATION (Completed by Unit Commander or Unit ADPM)
I certify that the above trainee has successfully completed all training requirements to operate a vehicle at Tinker AFB. All written tests were administered and retained by ADPM.
Check all applicable restrictions and or special access.
□ Ramp only
□ Daylight Hours only
□ Other (*Specify*)
Name of Trainer _____Grade_____Signature_____Date_____

AIRFIELD DRIVING AUTHORIZATION (*Completed by the Wing ADPM or designated representative)*
□Approved □ Disapproved AF Form 483 CERTIFICATE # _____

Name of Trainer _____Grade_____Signature_____Date_____

Attachment 12 (Added)

CMA/MRMA/RAMP

Figure A12.1. (Added) CMA/MRMA/RAMP.





Figure A12.2. (Added) Airfield Diagram.



Attachment 13 (Added)

ILS CRITICAL AREAS

Figure A13.1. (Added) ILS Critical Areas.





Figure A13.2. (Added) ILS Critical Areas.



Attachment 14 (Added)

CALL SIGN LISTING

Figure A14.1. (Added) Call Sign Listing.

AIRFIELD MANAGER	AIRFIELD-1
ASSISTANT AIRFIELD MANAGER	AIRFIELD-2
AM OPERATIONS	AIRFIELD-3
AM OPERATIONS	AIRFIELD-4
	Portables OPS-25 thru 34
AFSC/CC	CENTER-1
AFSC/CA	CENTER-2
AFSC/CV	CENTER-3
ALC/CC	DEPOT-1
ALC/CA	DEPOT-2
ABW/CC	TINKER-1
ABW/CV	TINKER-2
ABW (command staff)	STAFF-1
OSS CC/DO	THUNDERHAWK ONE/TWO
OSS/AOF	OPS 1 & OPS 2
ATCALS	METNAV, ATCALS
TRANSIENT ALERT	ALERT 72, 73, 74 & ALERT TOW
TRANSIENT ALERT (QAE)	TAILGATE
SECURITY FORCES	
CC	DEFENDER ONE SIERRA
Command and Operations	DEFENDER TWO SIERRA
AWACS Alert Area (Romeo Ramp)	ROMEO ONE SIERRA
AWACS Parking (Birdcage)	NOVEMBER ONE SIERRA, NOVEMBER FOUR SIERRA, NOVEMBER FIVE SIERRA
Patrol Units	PAPA ONE SIERRA, PAPA TWO SIERRA, PAPA THREE SIERRA, PAPA FOUR SIERRA, ZULU ONE SIERRA, ZULU TWO SIERRA
Physical Security	DEFENDER SEVEN SIERRA
Duty Flight Chief	DEFENDER NINE SIERRA
Navy Airfield Driver Training (SF)	SIERRA ONE SIERRA TRAINING
Navy Ramp	TANGO FOUR SIERRA
507 Parking Area	DELTA ONE SIERRA
SF Airfield Driver Training	SECURITY TRAINING

507 ARW	
Supervisor of Flying (SOF)	OKIE SOF
Staff	TANKER STAFF
Safety	RESERVE SAFETY
Maintenance	DUTY BOOMER, OKIE MAINTENANCE, OKIE SUPER, OKIE CONDOR, OKIE LIFE SUPPORT, OKIE RAVEN, SOONER MAINTENANCE, OKIE HAWK
Airfield Driver Training	RESERVE TRAINING
552 ACW COMMAND STAFF	SENTRY-1, SENTRY-2
552 ACW OPERATIONS GROUP	SENTRY OG
Supervisor of Flying	RAMROD
Safety	SENTRY SAFETY
Maintenance	SENTRY EAGLE, SENTRY HAWK SENTRY FALCON, SENTRY RAVEN SENTRY SPARROW
Airfield Driver Training	SENTRY TRAINING
Deicers	DEICER, DEICER SUPER
Crash Recovery	SENTRY RECOVERY
AGE	WHITE AGE, RED AGE
MEDICAL GROUP	MED NINETY EIGHT, MED NINETY NINE
Airfield Driver Training	MED TRAINING
72 ABW SAFETY	BASE SAFETY and BASE SAFETY BRAVO
USDA WILDLIFE SERVICES	USDA and WILDLIFE SERVICES
FIRE DEPARTMENT	
FD	TINKER FIRE CHIEF-1 & CHIEF-2 ENGINE-1 thru ENGINE-4 HAZMAT HIT-1 SQUAD-1 TRUCK-1 CRASH-1 thru CRASH-5 WATER-1 FIRE INSPECTOR-1 thru -3

FIRE TRAINING	
BRUSH-2, BRUSH-3	
DONKEY-1, FIRE SUPPLY	
Base Civil Engineer/Fire Marshal	FIRE MARSHAL
CE FAS	CE FAS
CE QAE	CE QUALITY
ENGINEERING SHOP	CE SURVEY, CE SURVEY 2 & CE ENGINEERS, CE ENGINEERS 2
Airfield Driver Training	THDR & ENGINEER TRAINING
READINESS	PHOENIX thru PHOENIX22
MOBILE COMMAND POST	PHOENIX READINESS
NAVY	
SCW-1/00	AJAX
SCW-1/01	AJAX LIMA
SCW-1/N3	AJAX OSCAR
MAINTENANCE	NAVY MAINTENANCE
VQ-3	IRONMAN
VQ-4	SHADOW
Airfield Driver Training	VQ3 TRAINING and VQ4 TRAINING
ALC MAINTENANCE	FOD BOSS
	ALC MAINTENANCE
	INDIA, LIMA, OSCAR, PAPA,
QUEBEC,	
	YANKEE AND ZULU MAINTENANCE
Airfield Driver Training	ALC TRAINING
FUELS	POL
Airfield Driver Training	POL TRAINING
ADT SECURITY TECH	ADT
ALUTIIQ/CE	
Operations Manager	CE OPS
Infrastructure Manager	INFRASTRUCTURE
Airfield Driver Training	CE TRAINING
Emergency Response Team	ERT
CE Mechanic	CE MAINTENANCE
Interior Electric	INTERIOR ELECTRIC
Power Production	POWER PRO
Entomology	ENTOMOLOGY
Liquid Fuels	LIQUID FUELS

Exterior Plumbers	UTILITY PLUMBER/LOCATOR
Pavements	PAVEMENT SHOP, RG SUPER, RG ELEVEN THRU RG SEVENTEEN
Sweeper	SCHWARTZ SWEEPER, GREEN SWEEPER, RG SWEEPER & CE SWEEPER
Exterior Electric	AIRFIELD LIGHTING, ELECTRIC SUPER, ELECTRIC 84 THUR 89 & ELECTRIC 95
IWTP	OCEAN WATER
Special Structures	CE STRUCTURE
Ice/Snow On-Site Supervisor	SNOW BOSS
Deicer Equipment	EPOKE & BATTS
Brooms	BROOM FIVE HUNDRED, BROOM SIX HUNDRED, & BROOM SEVEN HUNDRED
Rollovers	ROLLOVER EIGHT & NINE HUNDRED
Blower	SNOW BLOWER
ENVIRONMENTAL MANAGEMENT TRACE INC.	BASE EM, EM CONTRACTOR
Project Manager	TRACE MANAGER
Asst. Project Manager	TRACE ASSISTANT
QCI	TRACE QUALITY
Mechanic	TRACE MECHANIC
Tractor Operator	TRACE TRACTOR
Mower	MOWER THIRTY, MOWER FORTY, MOWER FIFTY, MOWER SIXTY, MOWER SEVENTY, MOWER EIGHTY
Work Order Crew	TRACE CREW
72 MSG/LGRDA	
Air Freight	AIR FREIGHT, ATOC TRUCK & ATOC LOADER
Terminal	PAX TERMINAL
72 MSG/LRG (Motor Pool)	
All Drivers	MUSTANG BUS, MUSTANG DRIVER, MUSTANG SEDAN & MOTOR POOL MAINTENANCE
Airfield Driver Training	MUSTANG TRAINING

72 ABW/SC

Abacus	BULLDOG FIVE, SIX, SEVEN & EIGHT
DRS (security sensor repair)	BISS FOUR, FIVE, SIX, & SEVEN
Airfield Driver Training	COMM TRAINING
Network Operations	SHEPPARD FOUR

***Current listing of call signs are kept at AM counter and ATC.**