BY ORDER OF THE COMMANDER
OSAN AIR BASE

OSAN AIR BASE INSTRUCTION 10-205

8 DECEMBER 2021

Certified Current, 10 July 2026

Operations

AIRCRAFT OPERATIONAL DECONTAMINATION

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications is available on the e-Publishing website at www.e-Publishing.af.mil for downloading or ordering

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 51MXG/MXQ

Certified by: 51XG/CC
(Colonel Brian D. Moore)

Supersedes: 51FWI10-205, 4 October 2018

Pages: 6

This instruction implements Department of the Air Force Policy Directive (DAFPD) 10-2, *Readiness*, and establishes responsibilities, precautions and procedures for conducting sustained combat operations with aircraft in a chemically or biologically contaminated environment. This instruction applies to all subordinate, deployed, and associate units of the 51st Fighter Wing (51 FW). Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, *Recommendation for Change of Publication*; route AF Forms 847 from the field through the appropriate functional chain of command. Ensure that all records created as a result of processes prescribed in this publication are maintained IAW Air Force Instruction (AFI) 33-322, *Records Management and Information Governance Program*, and disposed of IAW the Air Force Records Information Management System (AFRIMS) Records Disposition Schedule (RDS).

SUMMARY OF CHANGES

This publication has been revised and must be completely reviewed in its entirety. The recent changes to this publication incorporate Aircraft Decontamination Procedures outlined in paragraphs **4, 4.1, and 5.4** It also incorporates changes to Aircraft Contamination Object Rule Guidelines outlined in **paragraph 5.7**.

1. General. AFTTP 3-4, *Airman's Manual*, defines operational decontamination as actions to reduce or minimize the contact hazard associated with contamination located on mission essential equipment. Operational decontamination, along with immediate decontamination of personnel is two levels of decontamination performed at the unit level. Complete or further decontamination procedures will occur in a post-contingency environment. Time spent performing local decontamination will be dictated by local mission requirements. Additional information and procedures can be found in Air Force Manual (AFMAN) 10-2503, *Operations in a Chemical, Biological, Radiological, and Nuclear (CBRN) Environment.*

2. Protective Measures. The Mission Director will task 51 FW units to implement the following measures when the threat of Chemical or Biological (CB) attack exists. Units will be prepared to implement these measures on order at the start of hostilities.

2.1. Aircraft not preparing for immediate launch will be sheltered. Aircraft canopies and shelter doors will remain closed when not in use.

2.2. During ground operations, pilots must be prepared to launch for survival or shelter aircraft during an attack.

2.3. 51 MXG will:

2.3.1. Pre-position Reactive Skin Decontamination Lotion (RSDL), M295 kits or household bleach and decontamination associated supplies in assigned aircraft shelters, revetments, flow through, transient parking, and end of runway (EOR) check areas. Procurement of required supplies and materials is the responsibility of each organization.

2.3.2. Develop procedures to train personnel on performing operational decontamination of assigned aircraft.

2.3.3. Consider implementing selective work-rest cycles IAW AFMAN 10-2503, paragraph 5.6. when supporting operations in a CB environment.

3. Avoidance. Following a confirmed CB attack, the 51 FW/EOC Mission Director will:

3.1. Identify alternate aircraft taxi routes to avoid contamination (if confirmed) or minimize exposure to contamination. Mission requirements may require the taxi and continued operations through contaminated areas.

3.2. Consult with the Maintenance Director to discuss moving operations to uncontaminated or less contaminated areas when contamination is persistent. Mission and Maintenance Directors will identify possible locations for alternate operations. Locations for consideration include: Flow throughs, Bravo Diamond Shelters, and Charlie Diamond Shelters if not required for Time-Phased Force Deployment Data (TPFDD) forces.

4. Operational Decontamination Procedures. Contamination can migrate into any crevice and joint on aircraft making complete decontamination impossible. Personnel will use available materials and supplies to decontaminate aircraft that test positive. Guidance for decontamination procedures (e.g. materials required, areas to decontaminate for immediate decontamination) is provided IAW AFMAN 10-2503, paragraph 3.4.2.

4.1. IAW AFMAN 10-2503, paragraph 3.4.2., the most effective way to decontaminate an aircraft is to fly the aircraft. 51 FW/CC or delegated leadership will determine if the operational risk of flying the aircraft in a decontamination profile as described in AFMAN 10-2503, table 1.2. is acceptable after consulting with the CBRN cell in the EOC.

4.1.1. Flying provides the most effective method of decontaminating the exterior surfaces of aircraft. The aircraft should be airborne for 60 minutes or more and flights at lower altitudes are more effective than higher altitudes. All sub-sonic speeds have approximately the same effectiveness. Test results indicate these flight operations will reduce contamination levels on the smooth portions of the aircraft exterior. However, small pockets of higher levels of contamination may exist in cracks or around rivets or screws. Weathering alone can significantly reduce the residual CB hazard. Cold weather and the presence of V-series nerve or blister agents make this method less effective.

5. Precautions with Contaminated or Suspected Contaminated Aircraft. Treat all exposed aircraft during an airfield CB attack as suspect for contamination. Squadron Post-Attack Reconnaissance (PAR) teams will conduct post-attack damage assessments and will notify Unit Control Centers (UCCs) of contaminated areas as soon as possible.

5.1. Personnel will approach suspected contaminated aircraft wearing Mission-Oriented Protective Posture (MOPP) Level 4 protective gear. Ground handling during recovery should continue until the aircraft is "safed" and parked. Prior to ingress/egress, pilots and ground crew will ensure the aircraft or equipment is checked for contamination with M8 paper or M9 tape. Personnel working on aircraft when contamination is suspected will ensure it is checked with M8 paper prior to approaching the aircraft without personal protective gear.

5.2. Personnel will request a chemical reconnaissance team to verify positive M8/M9 indications with a Joint Chemical Agent Detector (JCAD) to check for the presence of chemical agents if time permits. Some petroleum products may cause a false positive M8/M9 indication. CBRN Reconnaissance team assistance requests will flow through the UCC to the EOC.

5.3. Aircraft suspected of or confirmed contaminated will be annotated as such in the aircraft forms (Air Force Technical Order (AFTO) Form 781A, *Maintenance Discrepancy and Work Document*). Specific guidance for annotation provided IAW TO 00-20-1, *Aerospace Equipment Maintenance Inspection, Documentation, Policies, and Procedures*, paragraph 4.9.1..

5.4. Contaminated aircraft will be quarantined after operational decontamination. The 51 MXG will identify separate quarantined areas for parking or combat-turning aircraft. The quarantined areas will be clearly marked to alert other personnel and prevent inadvertent exposure by using ropes, cones, or signs IAW AFMAN 10-2503, paragraph 3.4.2.

5.5. Personnel must don MOPP Level 4 protective gear prior to any follow-on maintenance or de-paneling during Phase 1 of the chemically contaminated object rule (CCOR) (protecting from vapor hazard) regardless of MOPP level. Individuals handling contaminated aircraft during Phase 2 of CCOR (protecting from contact hazard) are only required to wear protective gloves.

5.6. Unit commanders and the Chemical, Biological, Radiological, Nuclear (CBRN) Control Center in the EOC will provide recommendations to the 51 FW/CC to tailor the MOPP in quarantined areas.

5.7. Pilots will avoid touching contaminated aircraft during preflight and postflight checks. If pilots are required to touch the aircraft during the preflight and postflight checks, the pilot must follow the same direction in AFMAN 10-2503, Table A5.4.

5.8. Ground crew will decontaminate gloves, tools and equipment after servicing a contaminated aircraft. Mark and quarantine all contaminated aircraft parts or unexpended ordnance after removal.

5.9. The 51 MXG will ensure the Maintenance Operations Center (MOC) tracks all contaminated aircraft with the date of contamination and current 10-foot phase information on applicable aircraft status boards.

5.10. Aircraft Maintenance Unit (AMU) Leadership will notify the owners who are responsible and accountable for "on-equipment" aircraft components (tanks, pods, pylons, Alternate Mission Equipment (AME), etc.) of the contamination. Notice will include: item name, serial number, date and time of contamination. Special Purpose Recoverables Authorized Maintenance (SPRAM) account custodians or maintenance managers will ensure contamination is tracked and documented on AFTO Form 95, *Significant Historical Data*, or equivalent.

6. Long Term Considerations. Post-contingency, continue to quarantine contaminated aircraft and parts until an effective process is developed to render them toxic-free.

6.1. Ensure historical records, and jacket files are documented to reflect all aircraft and equipment involved with the contamination.

JOSHUA T. WOOD, Colonel, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

DAFPD 10-2, *Readiness,* 20 May 2021

AFMAN 10-2503, *Operations in a Chemical, Biological, Radiological, and Nuclear (CBRN) Environment*, 14 May 2019

AFI 33-322, *Records Management and Information Governance Program,* 23 March 2020

AFTTP 3-4, *Airman's Manual,* 11 January 2019

TO 00-20-1, *Aerospace Equipment Maintenance Inspection, Documentation, Policies, and Procedures,* 21 June 2021

Adopted Forms

AF Form 847, *Recommendation for Change of Publication*

AFTO Form 95, *Significant Historical Data*

AFTO Form 781A, *Maintenance Discrepancy and Work Document*

Abbreviations and Acronyms

51FW—51st Fighter Wing

AFI—Air Force Instruction

AFMAN—Air Force Manual

AFRIMS—Air Force Records Information Management System

AFTO—Air Force Technical Order

AME—Alternate Mission Equipment

AMU—Aircraft Maintenance Unit

CB—Chemical or Biological

CBRN—Chemical, Biological, Radiological, Nuclear

CCOR—Chemically Contaminated Object Rule

DAFPD—Department of Air Force Policy Directive

EOR—End of Runway

JCAD—Joint Chemical Agent Detector

MOC—Maintenance Operations Center

MOPP—Mission-Oriented Protective Posture

OPR—Office of Primary Responsibility

PAR—Post-Attack Reconnaissance

RDS—Records Disposition Schedule

RSDL—Reactive Skin Decontamination Lotion

SPRAM—Special Purpose Recoverables Authorized Maintenance

TO—Technical Order

TPFDD—Time-Phased Force Deployment Data

UCC—Unit Control Cent