BY ORDER OF THE COMMANDER
TINKER AIR FORCE BASE(AFMC)

TINKER AIR FORCE BASE
INSTRUCTION 91-212

28 OCTOBER 2026

Safety

BIRD/WILDLIFE AIRCRAFT STRIKE HAZARD (BASH) MANAGEMENT PROGRAM

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing website at www.e-Publishing.af.mil for downloading or ordering

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 72ABW/SEF,

Certified by: 72ABW/SE, (Mr. Jeff Selbe)

Supersedes: TINKERAFB Plan 91-212, March 2025

Pages: 38

This instruction implements AFPD 91-2, *Safety* Programs, and is used in conjunction with AFI 91-212, *Bird/Wildlife Aircraft Strike Hazard (BASH) Management Program;* DAFIs 91-202; U.S. Air Force *Mishap Prevention Program* and 91-204, *Safety Investigations and Reports*; DAFMAN 91-223, Aviation *Safety Investigations and Reports;* and Air Force Material Command (AFMC) guidance and plans. This publication applies to Department of the Air Force (DAF) civilian employees and uniformed members of the United States Space Force (USSF), Regular Air Force (RegAF), Air Force Reserve (AFR), Air National Guard (ANG) and all others working on Tinker AFB. This instruction provides a base program to minimize aircraft exposure to potentially hazardous Wildlife strikes and applies to all host, associate, tenant and temporary duty (TDY) organizations on Tinker AFB. 72 ABW/SEF is responsible for the implementation of this instruction. Blanket waivers for this instruction are prohibited. The 72 ABW/SE Director may grant waivers (updated yearly) on individual sections/procedures. Refer recommended changes and questions about this publication to the office of primary responsibility (OPR) using the AF Form 847, Recommendation for Change of Publication. Route the AF Form 847 through the appropriate chain of command. Ensure that all records created as a result of processes prescribed in this publication are maintained according to AFI 33-322, *Records Management and Information Governance Program*, and disposed of in accordance with the Air Force Records Information Management System (AFRIMS) Records Disposition Schedule (RDS) located at **https://www.my.af.mil/afrims/afrims/afrims/rims.cfm**. See **Attachment 8** for Glossary of References and Supporting Information. The use of the name or mark of any specific manufacturer,

commercial product, commodity, or service in this publication does not imply endorsement by the Air Force. The historical and common name for this instruction is the “Tinker BASH Plan”.

SUMMARY OF CHANGES

This document is substantially revised and must be completely reviewed. It incorporates multiple format changes for ease of use, currency and alignment to the parent Instruction (DAFI 91-212). Changes include the renaming of the document from *Tinker Air Force Base BASH Plan* 91-212 to *Tinker Air Force Base Instruction* 91-212, provides additional guidance for Bird Aircraft Strike Hazard (BASH) Phases, removed the reference to a Supervisor of Flying (SOF) throughout the document, removed specific information for the 552 Air Control Wing, and introduces the Wildlife Exclusion Zone (WEZ) requirement IAW DAFI 91-212.

Chapter 1—GENERAL ROLES AND RESPONSIBILITIES 4

1.1. Overview. 4

1.2. Roles and Responsibilities. 4

Chapter 2—PROGRAM MANAGEMENT 15

2.1. Program Overview. 15

2.2. Bird Hazard Working Group (BHWG). 15

2.3. Monthly BASH Discussion. 16

2.4. Monitoring Program. 16

2.5. Bird/Wildlife Strike Report. Bird/wildlife strikes, damaging and non-damaging, will be reported IAW DAFMAN 91-223. 17

Chapter 3—AIRFIELD AND INSTALLATION HAZARD MANAGEMENT 18

3.1. Overview. 18

3.2. Background. 18

3.3. Bird and Wildlife Mitigation Practices. 18

3.4. Passive Mitigation Practices. 19

3.5. Active Controls. 23

3.6. Training. 24

Chapter 4—BIRD/WILDLIFE AIRCRAFT STRIKE HAZARD AND FLIGHT OPERATIONS 25

4.1. General. 25

4.2. Bird/Wildlife Watch Conditions. 25

4.3. Operations and Planning. 26

4.4. BASH Phase I and Phase II Bird/Wildlife Activity. 26

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 28

Attachment 2—BIRD WATCH CONDITION RESTRICTIONS 31

Attachment 3—MAPS 32

Attachment 4—BASH STROKE REPORT 34

Attachment 5—TOP BIRD THREATS 35

Attachment 6—CONTACTS AND ORGANIZATIONS 37

Attachment 7—TINKER AFB BIRD REMAINS CHECKLIST 38

Chapter 1

GENERAL ROLES AND RESPONSIBILITIES

1.1. Overview. This instruction establishes the bird/wildlife-aircraft strike hazard (BASH) Program on Tinker Air Force Base and its vicinity due to resident and migratory bird species and other wildlife on and around the airfield and is applicable to the operation of manned and unmanned aircraft, remotely piloted aircraft (RPA), small, unmanned aircraft systems (sUAS), and space vehicles. This instruction establishes procedures to minimize hazardous BASH conditions at Tinker AFB and identifies the roles and responsibilities for specific offices and organizations aligned with aircraft activities and support. No single solution exists to BASH issues, and a variety of techniques and organizations are involved in the control program. This instruction is designed to:

1.1.1. Ensure safe and continuous flight operations for readiness and operational missions utilizing Tinker AFB in any capacity.

1.1.2. Establish a Bird/Wildlife Hazard Working Group (BHWG) and designate responsibilities to its members.

1.1.3. Establish procedures to identify high hazard situations and to aid commanders and aircrews in altering/discontinuing flying operations, when required.

1.1.4. Establish procedures to disseminate information to all assigned and transient aircrews on bird/wildlife hazards and procedures for bird/wildlife avoidance.

1.1.5. Establish procedures and guidance to decrease airfield attractiveness to birds and other wildlife.

1.1.6. Provide guidelines for dispersing birds and other wildlife through lethal and non-lethal means when they present a hazard on or around the airfield.

1.1.7. Provide communication and coordination of wildlife control activities with supporting agencies and organizations.

1.2. Roles and Responsibilities. As directed IAW DAFI 91-212 and this Instruction:

1.2.1. 72d Air Base Wing Commander (72 ABW/CC), or designated representative will:

1.2.1.1. Authorize and fund a BASH Line of Accounting (LOA) for equipment, training, Conference, and other alike activities.

1.2.1.2. Approve/disapprove BASH Phases for Tinker AFB at the joint recommendation of 72 ABW Flight Safety, 72 ABW/CEIC (Natural Resources) and USDA Wildlife Services (USDA-WS). BASH Phase Approval may be delegated to 72 ABW/CD.

1.2.1.3. Approve/disapprove recommendations of BHWG.

1.2.2. 72d Air Base Wing Deputy Commander (72 ABW/CD) will:

1.2.2.1. Co-Chair BHWG meetings. Per DAFI 91-212, the BHWG will be co-chaired by the host installation Deputy Wing Commander and the Deputy Wing Commander for the USAF tenant wing with the preponderance of aircraft.

1.2.3. 552d Air Control Wing Deputy Commander (552 ACW/CD) or designated representative will:

1.2.3.1. Co-Chair BHWG meetings. Per DAFI 91-212, the BHWG will be co-chaired by the host installation Deputy Wing Commander and the Deputy Wing Commander for the USAF tenant wing with the preponderance of aircraft.

1.2.4. Tenant Flying Unit Group Commanders and 10th Flight Test Squadron (or alike) will:

1.2.4.1. Evaluate Bird Watch Condition (BWC) advisory when received.

1.2.4.2. Develop and implement internal procedures to ensure all appropriate unit agencies are notified of BWC and BASH Phase Condition changes.

1.2.4.3. Brief aircrews to promptly report all bird/wildlife strikes, on or off station, to the unit flight safety office via an Air Force Wildlife Strike Report (AF Form 853) with accompanying remains. See **Attachment 1**.

1.2.4.4. Ensure adequate supplies of AF Form 853 are readily available for aircrews. Emphasize the importance of providing accurate geographic coordinates on the AF Form 853. The completed form must be submitted to 72 ABW/SEF NLT 24 hours after the incident.

1.2.4.5. Develop and issue specific guidance for unit aircrews and Command Deputy of Operations (CDO)/Command Deputy of Flight (CDF) on procedures to be followed under the normal BASH Phase I and seasonal Phase II bird activity. Provide a copy to unit Flight Safety Office and 72 ABW/SEF.

1.2.4.6. Issue specific guidance to unit command post (if applicable) concerning actions required to implement this instruction.

1.2.4.7. Make operational changes to avoid areas and times of known hazardous bird/wildlife concentrations, mission permitting. Consider the following actions during day-to-day Phase I periods of increased bird activity and as a planning and scheduling tool during Phase II periods.

1.2.4.7.1. Increased vigilance and caution are required for wildlife on the runway during and immediately following a rainfall event.

1.2.4.7.2. Review all proposed new low-level routes and training areas, or changes to existing routes/areas, for BASH potential.

1.2.4.7.3. Ensure BASH is covered during aircrew preflight briefings to include prompt reporting of all bird/wildlife strikes and hazardous conditions IAW DAFI 91-202, DAFI 91-204, and DAFI 91-212.

1.2.4.7.4. Will consider the following options for reducing bird strike hazards during BWC Moderate: restricting formation departures, prohibiting unrestricted climbs or descents on departure or approach, restricting pattern operations to straight-in approaches only (increasing the chances of seeing and avoiding birds), restricting pattern operations to one approach to a full stop, prohibiting the use of Vision Restriction Devices to allow for all crew members to visually scan for birds.

1.2.4.8. Provide a representative to the BHWG.

1.2.5. Maintenance Group Commanders/Directors (or alike) will:

1.2.5.1. Ensure personnel report hazardous bird activity to their Unit Safety Representative, Airfield Management or 72 ABW/SEF.

1.2.5.2. Issue specific guidance to maintenance personnel for reporting all bird strikes discovered on aircraft to Unit Quality Assurance, Unit Safety Office and 72 ABW/SEF, and preserving all available remains. Even the smallest fragment of remains or blood will be forwarded for identification.

1.2.6. Director/Chief, Air Base Wing Safety (72 ABW/SE) will:

1.2.6.1. Act as the certifier for this instruction.

1.2.6.2. Ensure 72 ABW/SEF personnel are BASH dispersal qualified.

1.2.6.3. Request funding to support BASH programs, including training, equipment and material purchase and maintenance, conference attendance, TDYs and so forth.

1.2.6.4. Approve waivers for this instruction.

1.2.7. Chief, Air Base Wing Flight Safety (72 ABW/SEF) will:

1.2.7.1. Act as the office of primary responsibility (OPR); manages, implements, and executes the BASH program and ensures this instruction is reviewed and/or revised annually.

1.2.7.2. Establish and lead all elements of the BASH program for Tinker AFB.

1.2.7.3. In coordination with the 72 ABW/CEIEC, USDA-WS and Airfield Management, designate a Wildlife Exclusion Zone (WEZ).

1.2.7.4. Report all bird/wildlife-aircraft strikes to OC-ALC possessed aircraft and transient aircraft using Air Force Safety Automated System (AFSAS) IAW AFI's 91-204 and 91-202.

1.2.7.5. Convene BHWG semiannually, normally Spring (March) and Fall (October) or as otherwise directed by the BHWG Chair. Prepare agenda for BHWG meetings.

1.2.7.6. Collect monthly BASH data from all flying organizations on Tinker AFB.

1.2.7.7. Provide BASH data to BHWG and flying units.

1.2.7.8. Provide monthly data to USDA-WS members for continued data analysis for wildlife control to include date/time of wildlife strike, location if known and species of wildlife struck from Smithsonian analysis.

1.2.7.9. Maintain all migratory and other applicable bird reports and surveys on the 72 ABW/SEF SharePoint page for Aircrew planning and research.

1.2.7.10. Forward all received bird remains, preferably feathers and snarge, include a copy of the AF Form 853 and AFSAS report number and send to the Smithsonian Institution for identification.

1.2.7.11. Serve on the Wildlife Dispersal Team (WDT).

1.2.7.12. Ensure all WDT members are designated in writing on the Migratory Bird Depredation Permit by the principal officer.

1.2.7.13. Assist other team agencies in obtaining approved and effective pyrotechnic and non-pyrotechnic bird/wildlife dispersal devices, such as the propane cannon, to be maintained in their airfield vehicles.

1.2.7.14. Coordinate with 72 ABW/CEIEC and USDA-WS to identify the most effective methods for controlling birds and other wildlife on TAFB.

1.2.7.15. Attend Migratory Bird Permit Training.

1.2.7.16. BASH Phase II implementation. Coordinate with USDA-WS, Airfield Management and 72 ABW/CEIEC to recommend BASH phase II implementation to the 72 ABW/CC. Notify appropriate flying units with changes to the BASH Phase. Coordinate with the Airfield Manager to publish a Notice to Airmen (NOTAM) outlining implementation of Phase II operations.

1.2.7.17. Retain all waivers for this instruction for 5 years.

1.2.7.18. Establish and submit a yearly budget to the Wing Commander to cover expenses for training, conferences, equipment, and other alike activities no later than the last day of March for the next fiscal year.

1.2.7.19. Notify USDA-WS or Airfield Management during normal duty hours (405-734-2191) when concentrations of birds or a hazard posed by other wildlife require immediate action.

1.2.7.20. Host monthly BASH discussions.

1.2.7.21. Ensure the WEZ is properly annotated on all appropriate base maps IAW DAFI 91-212.

1.2.8. Tenant Wing/Unit (or alike) Flight Safety Offices will:

1.2.8.1. Establish and maintain a continuity folder with all pertinent BASH data and information to assure continuity of knowledge in case of personnel turnover.

1.2.8.2. Brief aircrews to promptly report all bird/wildlife strikes, on or off station, to the unit Flight Safety Office. Flight safety offices of the organization credited with the aircraft's flying hours will report all damaging and non-damaging bird/wildlife strikes. Ensure adequate supplies of AF Form 853's are readily available for aircrews. Emphasize the importance of providing maximum available information and accurate geographic coordinates on the form.

1.2.8.3. Report noticeable increases in bird/wildlife strikes to the 72 ABW/SEF Office via phone or email. 72 ABW/SEF will coordinate with USDA-WS and/or Airfield Management to determine if the increase in bird/wildlife strikes is limited to that unit or if additional mitigation actions are required.

1.2.8.4. Coordinate with Operations Group to ensure all aircrews are informed of any change in status.

1.2.8.5. Brief aircrews on seasonal bird/wildlife hazards.

1.2.8.6. Provide a representative to the BHWG.

1.2.8.7. Participate as a part of the WDT when requested by the USDA or the BASH PM.

1.2.8.8. Notify USDA-WS during normal duty hours (405-739-7061/405-734-2481) when concentrations of birds or a hazard posed by other wildlife require immediate action.

1.2.8.9. Submit monthly BASH data to the 72 ABW/SEF (**72ABW.SEF.FlightSafety@us.af.mil**) IAW **Attachment 4** – BASH report.

1.2.8.10. Notify Command Post of any bird strikes as soon as practical (**552acw.cp2@us.af.mil**) and provide the following information:

1.2.8.10.1. Aircraft

1.2.8.10.2. Callsign

1.2.8.10.3. Tail Number

1.2.8.10.4. Wildlife strike impact location

1.2.8.10.5. Any noticeable damage

1.2.8.10.6. Date and time of occurrence

1.2.8.10.7. Nearest Airfield from incident

1.2.8.11. Notify 72 ABW/SEF when there is an increase of wildlife strike activity from current monthly averages.

1.2.9. Airfield Management (72 OSS/OSAA) will:

1.2.9.1. Upgrade or downgrade BWC as appropriate. Report observed or reported bird/wildlife activity to the Tinker Tower, USDA-WS and aircrews as applicable. Disseminates appropriate BWC advisories for Tinker AFB and transient crews through appropriate channels. For example: BWC is now “MODERATE”. Flocks of small birds observed south of Taxiway C between Taxiway G and Runway 18/36, or BWC is now “SEVERE.” Heavy concentrations of starlings transiting east to west one-quarter mile north of the approach end of Runway 18.

1.2.9.2. Notify USDA-WS during normal duty hours (405-739-7061/405-734-2481) when concentrations of birds or a hazard posed by other wildlife require immediate action. Document the time they were notified.

1.2.9.3. Ensure the current bird/wildlife watch condition is displayed at the Airfield Management Operations (AMOPS) dispatch counter.

1.2.9.4. In coordination with the 72 ABW/CEIEC, USDA-WS and 72 ABW/SEF, designate a WEZ IAW DAFI 91-212.

1.2.9.5. Ensure adequate supplies of AF Form 853 are available in the Flight Planning Room.

1.2.9.6. Perform routine airfield surveys/checks to identify potential hazardous wildlife, bird activities and possible attractants. During elevated BWC, document the date, time, weather conditions, bird species (if known), bird/wildlife location on airfield, bird/wildlife activity, pyrotechnics used and their effectiveness. Dead bird/wildlife remains should be removed, IAW 50CFR 21.16, and brought to Airfield Management in a plastic bag and/or USDA-WS notified for pickup.

1.2.9.7. Employ active control methods such as the use of pyrotechnics to disperse hazardous wildlife populations as a WDT member. Pyrotechnic equipment will be securely stored in locked storage boxes or compartments in government vehicles.

1.2.9.8. Act as the focal point to receive and notify 72 ABW/SEF of bird/wildlife remains found on transient aircraft.

1.2.9.9. Act as the primary member of the WDT, after normal duty hours and on weekends/holidays, when USDA-WS personnel are not available. If required, request the assistance of other available/required team members.

1.2.9.10. Ensure all airfield management personnel on the WDT receive initial and annual refresher training prior to using bird/wildlife harassment equipment, as required.

1.2.9.11. Assist in the implementation of airfield bird and other wildlife control methods as specified by 72 ABW/CEIEC, 72 ABW/SEF, and USDA-WS. Runway surveys/checks for wildlife activity should be accomplished during or immediately following a rainfall event. During the Spring migration period, there is a historical increase in gull activity and may create an increased hazard following rain events.

1.2.9.12. Provide a representative to the BHWG.

1.2.10. Tinker Air Traffic Control Tower (72 OSS/OSAT) will:

1.2.10.1. Upgrade BWC as appropriate. Report observed or reported bird/wildlife activity to the Airfield Manager/Airfield Management Operations and aircrews. Be particularly watchful for wildlife activity on the runways during or immediately following a rainfall event. During the Spring migration period, there is a historical increase in gull activity and may create an increased hazard following rain events.

1.2.10.2. Update ATIS broadcast to reflect latest BWC advisory and BASH Phase Changes. ATIS information will be updated as necessary to reflect any change in BWC. Provide BWC to aircrews upon request, or in those cases when the bird/wildlife condition changes prior to an ATIS update.

1.2.10.3. Provide USDA-WS personnel, or other members of the WDT access to the runway under BWC “MODERATE” or “SEVERE” or as required during Phase II bird/wildlife activity.

1.2.10.4. Provide a representative to the BHWG.

1.2.11. USDA Wildlife Services (USDA-WS) will:

1.2.11.1. Upgrade or downgrade BWC as appropriate. Report observed or reported bird/wildlife activity to Airfield Management Operations and Tinker Tower.

1.2.11.1.1. Provide a Wildlife Specialist and an Airfield Qualified Wildlife Biologist IAW the Work/Financial Plan between TAFB and the USDA APHIS-WS.

1.2.11.2. Act as a primary member of the WDT during normal duty hours and respond during non-duty hours, weekends/holidays when requested by 72 ABW/SEF or Airfield Management.

1.2.11.3. Perform small-scale passive services such as eliminating roosting sites, minimizing bird/wildlife access to buildings and hangars, and excluding bird/wildlife access to culverts. For large-scale services, develop corrective action plans/strategies with the 72d ABW/SEF, 72 ABW/CE, and appropriate agencies.

1.2.11.4. Employ active control methods such as the use of pyrotechnics to disperse hazardous wildlife populations.

1.2.11.5. Pyrotechnic equipment will be securely stored in locked storage boxes in the field or compartments in the USDA-WS government vehicles.

1.2.11.6. In coordination with the BASH PM, the USDA-WS will provide expertise for an annual training program to ensure the Wildlife Dispersal Team are properly trained in the use of pyrotechnic devices.

1.2.11.7. Attend Migratory Bird Permit Training.

1.2.11.8. Ensure all assigned USDA-WS personnel are airfield driver qualified.

1.2.11.9. Remove, identify and record species information on dead birds found on or around the airfield. Report all other dead wildlife or domestic/feral animals to Entomology. Coordinate with 72 ABW/SEF to send any salvaged bird strike remains (feathers or blood smear samples) to the Smithsonian Institute for identification. When sending post-strike remains for identification, include with the remains the same information listed on AF Form 853 and the AFSAS report number.

1.2.11.10. Attend and provide local bird and wildlife expertise during BHWG meetings

1.2.11.11. Develop a Tinker AFB quarterly bird/wildlife activity summary to include historical data and projected activity. Distribute to Tinker Tower, all flying organizations, Airfield Management, 72 ABW/SEF and Natural Resources through the BASH Distribution Group. Provide reporting data to complete annual requirements for reporting under Tinker AFB's Migratory Bird Depredation Permit.

1.2.11.12. In coordination with 72 ABW/SEF and 72 ABW/CEIEC, organize and develop annual off-base BASH monitoring program by 1 February each year. Provide off-base management to include all integrated animal damage control efforts as deemed necessary by annual off-base monitoring. Top priorities for the program include blackbird roosts, pigeon roosts, landfills, and local rookery establishment sites. Wildlife Services will actively engage in habitat alteration, hazing and other dissuasion techniques to prevent roost and rookery establishment sites that impact the flying mission. Wildlife Services will provide coordination for off-base activities, external agencies, support with media requests, as well as provide required rights-of-entry, easements, permits, licenses, and other entitlements required to conduct actions.

1.2.11.13. Complete all wildlife hazard assessments (WHA) and field surveys IAW DAFI 91-212, FAA AC 150-5200-38, Wildlife Hazard Management, and provide completed documents to 72 ABW/SEF and 72 ABW/CEIEC.

1.2.11.14. Complete all training IAW DAFI 91-212, 14 CFR § 139.337, Wildlife Hazard Management, and provide completed documents to 72 ABW/SEF.

1.2.11.15. Provide BASH local area briefing as requested.

1.2.12. Wildlife Dispersal Team (WDT) will:

1.2.12.1. Include the BASH Program Manager, Airfield Management, USDA-WS, Tennant FSO's for specific operations, 72 ABW/CEIEC, and other organizations as deemed necessary by the BASH Program Manager.

1.2.12.2. Work under the guidance of the USDA-WS and follow all appropriate laws and regulations.

1.2.12.3. Maintain a current Tinker AFB Airfield Driving Certificate of Competency, AF Form 483, while operating a vehicle on the movement area.

1.2.12.4. Maintain radio contact with Tinker Tower at all times while on the movement area and comply with all instructions.

1.2.12.5. Complete regular training events and maintain proficiency in pyrotechnical and all other dispersal methods as defined by the 72 ABW/SEF, USDA-WS and 72 ABW/CEIEC.

1.2.12.6. Coordinate all bird/wildlife dispersal actions with USDA-WS, Airfield Management and/or Tinker Tower to ensure dispersal efforts do not degrade the situation by flushing birds from the airfield surface into the flight path of airborne aircraft. Dispersal actions include use of vehicle horns, lights, sirens, propane cannon, etc. Avoid prolonged periods outside the vehicle while on the movement area.

1.2.13. All Aircrew:

1.2.13.1. If a crew observes or encounters bird/wildlife activity on the Airfield, within the surrounding areas or while in the local pattern or on approach, they will notify the Tower. For Will Rogers International Airport or other off station airfield, contact local control. The following information should be included when reporting bird activity: call sign, location(s), estimated altitude(s) at the time of the sighting, time(s) of the sighting, type(s) of bird(s) (if known), approximate number of birds, and the behavior of the birds (soaring, migrating, remaining on the runway, etc.). Any aircrew experiencing a bird strike while airborne will notify the Tower, ATC and the Command Post. If aircrews discover or are notified of a bird strike after departing the aircraft, MOC will notify the Command Post.

1.2.13.2. An AF Form 853 will be completed electronically whenever possible by the aircraft commander and delivered to their squadron safety office anytime a bird strike occurs. If a Unit Safety Representative is not available, email the report to 72 ABW/SEF: **72ABW.SEF.FlightSafety@us.af.mil**. The completed AF 853 will be turned into the Wing Safety office NLT 24 hours of the incident.

1.2.13.3. Will Rogers International Airport (KOKC) does not utilize BWCs, Aircrew should consider alternate transition (pattern work) locations when Tinker AFB is in BWC "MODERATE" or "SEVERE".

1.2.13.4. Will Rogers International Airport (KOKC) does not utilize a BASH Phase, Aircrew should consider alternate transition (pattern work) locations when Tinker AFB is in BASH Phase II, one hour before and after sunrise and sunset.

1.2.13.5. For local training missions and/or training missions launched from locations other than Tinker, the Pilot in Charge (PIC) should cancel training and consider distance, weather, ground, and overall risk management when determining where to land if an aircraft experiences a bird/wildlife strike.

1.2.13.6. Aircrews will monitor ATIS for the latest BWC prior to taxi and/or entering TAFB airspace and may request the current BWC from Tower at any time.

1.2.14. Aircraft Maintenance Organizations (Tenant Wings and OC-ALC) will:

1.2.14.1. Issue specific guidance to unit maintenance personnel, including contractor personnel, for the prompt reporting of all discovered bird/wildlife strikes on unit aircraft, using AF Form 853, with accompanying remains and deliver to appropriate Wing Safety Office. After hours, the MOC will hold the remains and deliver them to the unit safety office the next business day unless otherwise directed.

1.2.14.2. Issue procedures for the preservation of non-fleshy bird/wildlife remains discovered on aircraft. Even the smallest fragment of feather (down) should be forwarded to the unit Flight Safety Office along with the AF Form 853.

1.2.14.3. Contact Airfield Management immediately after discovery of a potential bird strike at 405-734-2191.

1.2.14.4. Report any increase in hangar bird/wildlife activity to 72 ABW/SEF, USDA-WS or 72 ABW/CEIEC.

1.2.15. Civil Engineering Directorate (72 ABW/CE) will:

1.2.15.1. Provide Pest Management/Entomology and Roads and Grounds representatives to the BHWG.

1.2.15.2. Ensure grounds management for the airfield, clear zone and WEZ are maintained IAW this instruction and additional grounds maintenance guidance provided by the Air Force Safety Center, this instruction and DAFI 91-212 are adhered to.

1.2.15.3. Monitor airfield and facilities for any changes that could attract or promote increased bird/wildlife activities. Develop, implement and coordinate procedures with USDA-WS, 72 ABW/CEIEC and 72 ABW/SEF that will remove or control bird/wildlife attractants, correct environmental conditions that increase BASH potential and use land management practices that reduce BASH potential IAW DAFI 91-212, the INRMP, and DAFIs 32-1026 and 91-202.

1.2.15.4. Quickly fill or repair any areas of standing water or restricted drainage within the Airfield and Clear Zones. If standing water is present after 72 hours from a rain event, steps will be taken to regrade and fix the location. Coordinate all such projects with 72 ABW/CEIEC, Airfield Management and 72 ABW/SEF.

1.2.15.5. Coordinate all actual on-base bird/wildlife reduction and other animal damage control activities with 72 ABW/CEIEC, USDA-WS, 72 SFS Emergency Communications Center (ECC) (405-734-3737), 72 ABW/SEF, and Airfield Management Personnel.

1.2.16. Civil Engineering Natural Resources (72 ABW/CEIEC) will:

1.2.16.1. Provide environmental expertise (e.g., wildlife, insects, vegetation, wetlands, soil management, etc.) to the Tinker AFB BHWG and WDT. Provide advice on various controlling actions and environmental modifications or changes required to minimize risk to bird/wildlife strikes and other wildlife hazards on airfield and surrounding areas.

1.2.16.2. Participate as part of the WDT when requested.

1.2.16.3. Provide the BHWG with information on migratory, local and seasonal bird/wildlife activities as referenced in the Installation INRMP.

1.2.16.4. Maintain a current bird activity map for Tinker AFB (see **Attachment 3**). Coordinate with the Airfield Manager to maintain a duplicate map at Airfield Management.

1.2.16.5. Monitor and report changes in bird/wildlife activity and advise the BASH Program Manager when additional meetings are deemed necessary. Advise 72 ABW/SEF, and Airfield Management when bird/wildlife activity differs from current BASH Phase. Bird Activity reports will include monitoring trends with expected locations and timing of bird activity for use in NOTAMS.

1.2.16.6. Assist in developing an annual off-base BASH monitoring program in coordination with 72 ABW/SEF and USDA-WS by 1 February each year.

1.2.16.7. In coordination with the 72 ABW/SEF, USDA-WS and AMOPS, assist in designating a WEZ IAW DAFI 91-212.

1.2.16.8. Coordinate with Airfield Manager and 72 ABW/SEF on all issues (e.g., wetland mitigation, detention/retention ponds, grass species/height management) that could affect wildlife activity on or near the airfield.

1.2.16.9. Ensure projects and other initiatives that align with wildlife habitat management are coordinated with 72d ABW/SEF and 72 ABW/CEN.

1.2.16.10. Ensure all on- and off-base BASH program activities maintain compliance at all times with environmental laws, regulations, rules, executive orders and other regulatory requirements (e.g., Migratory Bird Treaty Act, Endangered Species Act, Sikes Act, etc.) and is consistent and mutually supportive with the Tinker Integrated Natural Resources Management Plan (INRMP) IAW DAFMAN 32-7003.

1.2.17. Civil Engineering, Engineering Division (72 ABW/CEN) will:

1.2.17.1. Incorporate BASH considerations into planning, siting and construction decisions to include project designs and contracts.

1.2.17.2. Coordinate with 72 ABW/SEF, Airfield Management, and 72 ABW/CEIEC on infrastructure modifications within Wildlife Exclusion Zones.

1.2.17.3. Include BASH program review requirements in programming documents for applicable projects.

1.2.17.4. To the greatest extent possible, provide a dedicated team of project managers for the BASH program to ensure proper processes are followed and efforts are streamlined to ensure rapid project completion.

1.2.18. 72 ABW/552 ACW Command Post (552 ACW/CP) will:

1.2.18.1. Upon receiving information that a bird strike has occurred, will notify 72 ABW/SEF (**72ABW.SEF.FlightSafety@us.af.mil**) and affected Unit with:

1.2.18.1.1. Aircraft

1.2.18.1.2. Callsign

1.2.18.1.3. Tail Number

1.2.18.1.4. Wildlife strike impact location

1.2.18.1.5. Any noticeable damage

1.2.18.1.6. Date and time of occurrence

1.2.18.1.7. Nearest Airfield from incident

1.2.19. Facility Managers will:

1.2.19.1. Ensure vegetation and conditions within 50 feet around their respective facilities are managed IAW this regulation. Facilities within the Wildlife Exclusion Zone will be inspected monthly for BASH habitat growth IAW **Chapter 3** of this Instruction. Report BASH habitat issues to 72 ABW/SEF (**72ABW.SEF.FlightSafety@us.af.mil**), 72 ABW/CEIEC or USDA-WS.

1.2.19.2. Ensure dumpsters within the Airfield and Clear Zones are properly covered and do not provide a haven for wildlife. Dumpsters should be free of water or other attractants to include insects, food, etc.

1.2.19.3. Coordinate with 72 ABW/CEIEC, USDA-WS and/or Flight Safety prior to purchasing and utilizing anti-avian or other wildlife devices.

Chapter 2

PROGRAM MANAGEMENT

2.1. Program Overview. Reducing bird strikes and other wildlife hazards at Tinker AFB requires a cooperative effort between host base, tenant units, outside organizations and civilian organizations. Specifically, the relationship between Airfield Operations, Flight Safety, Civil Engineering and the USDA-WS establishes an integrated wildlife management approach for a successful program. Understanding key lines of operation, clear and concise communication, and how each organization augments each other to form the BASH program will help ensure safer flight operations for aircrew.

2.2. Bird Hazard Working Group (BHWG). Collects, compiles and reviews data on bird/wildlife strikes; reviews data on actual or potential hazards posed by other wildlife; identifies and recommends actions to reduce hazards; recommends changes in operational procedures; prepares informational programs for aircrews and assists the 72 ABW/CC by acting as a point of contact for on and off-base BASH issues. The BHWG submits all recommendations to the 72 ABW/CC for approval. Implementation is through normal chains of command and is directive on tenant organizations and transient aircraft.

2.2.1. Composition. Per DAFI 91-212, the BHWG will be co-chaired by the host installation Deputy Wing Commander and the Deputy Wing Commander for the USAF tenant wing with the preponderance of aircraft, 72 ABW/CD, and 552 ACW/CD. The meeting will be conducted by the host base Flight Safety Office. At a minimum, the BHWG will consist of a representative from each tenant Wing Safety Office, Civil Engineering Natural Resources, USDA- Wildlife Services, Airfield Management, Public Affairs, Base Legal, Director of the Golf Course, other host and tenant unit representatives, and representatives from other tasked organizations (**Attachment 6**), as required.

2.2.2. Meeting Schedule. Semiannually (normally spring and fall prior to BASH Phase II) and as requested by the co-chairs of the BHWG.

2.2.3. Topics. Meeting topics include but are not limited to:

2.2.3.1. USAF and Navy reported wildlife mishaps and incidents.

2.2.3.2. USAF BASH Team information updates.

2.2.3.3. Locally observed or reported wildlife activity, to include airfield inspections and surveys, recovered wildlife remains; wildlife strikes; local wildlife habitat management or modifications, to include dispersal/depredation activity.

2.2.3.4. Environmental/land management activity, land uses (landfills, agriculture crop seasons). BASH-related budgeting issues.

2.2.3.5. Annual bird migrations.

2.2.3.6. Local BASH procedures and responsibilities, to include observed effectiveness and deficiencies.

2.2.3.7. BASH awareness training/education.

2.2.3.8. Flying schedule and wildlife activity conflicts.

2.2.3.9. BASH self-inspection checklist.

2.2.3.10. Status of bird/wildlife dispersal supplies.

2.2.3.11. Review of Flight Information Publications (FLIP) documents for wildlife advisories (Phase I / II designations).

2.2.3.12. Deficiencies.

2.3. Monthly BASH Discussion. This is a monthly meeting which brings in Safety, Airfield Management, Civil Engineering, USDA-WS and other parties from around the base to discuss BASH related issues and leads to solutions. These meetings will be hosted by 72 ABW Flight Safety on the first Thursday of each month. The Chief of Flight Safety will ensure all members attending have the most updated agenda and will incorporate guest talking points into the discussion.

2.4. Monitoring Program. In May 1989, Tinker AFB began an in-house BASH monitoring program. The objective of this program was to identify, track and document bird/wildlife activity in the vicinity of Tinker AFB. This information facilitates the implementation of sound BASH management techniques, thereby reducing BASH potential in the Tinker AFB area. The map in **Attachment 3** depicts the local Tinker AFB area and illustrates local bird/wildlife areas of activity for the more hazardous species. It includes historical and active roost sites and major attractants such as landfills and water bodies around the Tinker AFB area. For specific surveys and reports visit the 72 ABW/SEF SharePoint Page as annotated in **Attachment 6**.

2.4.1. Field monitoring is three-fold: (1) on-base and off-base surveying and monitoring of Wildlife Migrations Reports by USDA-WS with support from 72 ABW/CEIEC and other agencies, (2) on and off-base surveying by USDA-WS personnel and (3) compilation of metric data, which includes relative abundances of birds, number of bird strikes and relative strike probabilities. These metrics will allow bird control efforts to be focused and comprehensive in nature as well as specific to current threats found in the “Top Eleven Bird Threats” table which is reviewed for validity annually and comprehensive revision with data every 72 months as part of the WHA, (**Attachment 5**). The methodology for the WHA is found in FAA CA 150/5200-38.

2.4.2. Spring Activity. Primary concerns during the spring of each year are gulls, egrets, herons, and geese. Large flocks (numbering in the thousands) of gulls migrate through the base every spring being drawn to runways for foraging, particularly during and after rain events. These birds migrate daily to and from their breeding grounds to feeding areas. Some birds follow regular migration patterns at low altitudes across the base. Most activity occurs during the first two hours of daylight and during the last two hours of daylight. Additional historical activities show migrating may be active around the airfield, peaking 2-3 hours after sunset.

2.4.3. Summer Activity. Overall, summer bird numbers and activity are lower as compared to spring and fall with the main concern being cattle egrets, Canada geese, Mississippi kites and vultures. However, starting in September, blackbirds, starling and brown-headed cowbirds begin forming flocks (many in the hundreds) and stage for migrations south during the fall.

2.4.4. Fall Activity. Fall surveys have shown egret and heron activity typically decreases in late September to early October as these birds migrate south for the winter. At the same time, waterfowl and gull activity increases dramatically because of their southward migrations. Many migratory birds, particularly waterfowl, occur in their heaviest numbers in our area due to staging as cold fronts approach and move through the state. Migratory birds take advantage of strong north winds to make their way south. They will also rest on ponds and lakes in order to complete their migrations south.

2.4.5. Winter Activity. Bird activity decreases during the winter months (Dec to mid-Feb). Historically, primary birds of concern were European starlings, brown-headed cowbirds, red-winged blackbirds and raptors.

2.5. Bird/Wildlife Strike Report. Bird/wildlife strikes, damaging and non-damaging, will be reported IAW DAFMAN 91-223.

2.5.1. All bird/wildlife strikes (damaging and non-damaging) are reported to the USAF BASH Team using the AFSAS on the Air Force Safety Center web page. Flight safety offices of the organization credited with the aircraft's flying hours will report all bird/wildlife strikes. 72 ABW/SEF will report all bird/wildlife strikes for OC- ALC possessed aircraft when a Flight Safety Officer (FSO) is unavailable and provide courtesy reports for transient aircraft. Additionally, any wildlife remains found on the runway and believed to have been involved in a strike must be documented via AFSAS. Bird/wildlife strikes will be reported as they occur using AFSAS and 72 ABW/SEF will be notified within 24 hours of notification of a bird/wildlife strike. Aircrews and maintenance personnel will use AF Form 853 for documenting the bird/wildlife strike prior to input into AFSAS.

2.5.2. Forward non-fleshy bird remains (blood smear samples, feathers, beaks, and feet only) taken from aircraft following all bird strikes to the Smithsonian Institute for Identification through the unit Flight Safety Office. Tenant units will be responsible for forwarding their remains directly to the Smithsonian Institute. 72 ABW/SEF will forward the remains of transient aircraft to the Smithsonian and coordinate with the home station flight safety office to ensure notification has been made in AFSAS. A copy of the AFSAS BASH report printout will accompany the remains. Remains found on the airfield that cannot be linked to a specific aircraft (no AF Form 853) will be taken to Airfield Management for forwarding to USDA-WS who will then forward the remains to the Smithsonian Institute for identification.

2.5.3. Proper species identification of wildlife is an integral part of a BASH program. Do not discount the possibility of a positive identification due to the lack of a complete feather. Through high-powered and electron microscopy, a positive identification is possible even with the smallest fragment of a feather. For wildlife strikes other than birds, send samples of skin, fur, teeth or other non-fleshy remains, if possible, or a photograph of the remains along with the corresponding BASH AFSAS report to the Smithsonian for identification. See **Attachment 1** for the Tinker AFB Bird remains Checklist.

Chapter 3

AIRFIELD AND INSTALLATION HAZARD MANAGEMENT

3.1. Overview. Tinker Air Force Base hosts a variety of mission sets across 5,700 acres of mixed-use land. The airfield encompasses 2,200 acres which features two main runways, multiple aircraft parking ramps, and several taxiways surrounded by concrete, asphalt, and grass. These areas combined with nearby lakes and dense woodlands located off the installation attract birds and wildlife and the threat to operations is increased during the migration periods in the spring and fall. To mitigate wildlife on the airfield, 72 ABW/SEF has partnered with the USDA-WS, Airfield Management, Civil Engineering and the Tenant Units to increase observations and mitigation processes targeting wildlife in the area.

3.1.1. Airfield. The Airfield is that area inside the airfield perimeter fence.

3.1.2. Clear Zone. The Clear Zones are located at the end of each runway with a perimeter of 3000' wide centered on the extended runway centerline and 3000' straight out from the runway as annotated in **Attachment 3**. Clear Zones will be maintained as an extension of the Airfield.

3.1.3. Wildlife Exclusion Zone (WEZ). A WEZ is a locally defined, site-specific area where a zero-tolerance goal for hazardous wildlife is maintained. At a minimum, the Wildlife Exclusion Zone will include the airfield (encompassing the Aircraft Movement Area, clear zones and accident potential zones) but may also include additional wildlife hazard attractants (such as water treatment facilities, golf courses, landfills, and athletic fields) within five nautical miles of the airfield and low-level flight corridors (such as final approach/departure paths). The WEZ will be included in any Habitat Modification plan and mowing/vegetation control to make the area less attractive to wildlife. See **Attachment 3**.

3.2. Background. Wildlife strikes have plagued aviation for nearly 100 years. In the early days of aviation, wildlife strikes posed a moderate risk to aircraft. However, as aircraft speeds increased, so did the risk of wildlife strikes and the potential for serious and possibly fatal outcomes. Each year wildlife strikes cost military and civilian aviation hundreds of millions of dollars. Although a wildlife strike does not always result in a crash, it can often cause significant structural and mechanical damage. Tinker AFB has partnered with the USDA-WS to help lead and manage the mitigation efforts of wildlife and other Hazards on Tinker AFB.

3.3. Bird and Wildlife Mitigation Practices. Passive mitigation practices are long-term measures that result in reducing threats from birds and wildlife on the airfield and around the installation. Active control measures are used to displace and disperse birds and wildlife which allow for immediate relief of birds and wildlife. As with any non-lethal control method, active control must be used sparingly to negate bird and wildlife adjustment to negative stimulus.

3.3.1. Prior to lethal actions, Tinker AFB will exhaust non-lethal methods of control such as harassment (e.g., loud noises, pyrotechnics, propane cannons, scarecrows, dogs, trained raptors), habitat management (e.g., grass management, vegetative barriers, fencing and netting), cultural practices (e.g., seasonal timing, landscape placement), and policies (e.g., no feeding policies) to the maximum extent practical.

3.3.2. No federally listed threatened or endangered species, bald or golden eagles, or their nests and/or eggs may be taken. Lethal control or intentional harassment of federally listed threatened or endangered species is not authorized. When threatened or endangered species are present, consult with the United States Fish and Wildlife Service to identify mitigation strategies. Accepted mitigation efforts should not increase conservation on the airfield or increase risk to flight safety. Mitigation strategies for Threatened or Endangered species, can be found in the TAFB INRMP and associated references.

3.3.3. If T&E Species or Eagles are presenting a hazard on the airfield the following procedures are in place; Tinker AFB biologists would contact the United States Fish and Wildlife Service (USFWS) Tulsa Ecological Field Services Office to request verbal permission to haze the birds. Hazing would consist of such things as slowly driving a vehicle toward the bird to persuade it to move off the taxiway, runway or ramp area. Other non-lethal means such as, but not limited to, honking, pyrotechnics and propane cannons may also be used to move stubborn birds off the aircraft movement area. If necessary, request the assistance of other WDT members.

3.4. Passive Mitigation Practices. Targeted vegetation management is critical to reduce wildlife hazards. Vegetation management practices within or beneath the airfield clear zones, primary surface, lateral clearance zone, accident potential zones, and approach-departure clearance surface, as defined in Unified Facilities Criteria (UFC) 3- 260-01 *Airfield and Heliport Planning and Design*, must be managed to prevent the development of habitat for wildlife that poses a threat to flight safety. Vegetation on and adjacent to the airfield should provide as little food resources (e.g., seeds, weeds, and insects) as reasonably possible for hazardous species of birds and large mammals and minimize cover for small mammals (e.g., raptor food attractant). Vegetative cover on the airfield must be maintained at a height between 7 to 14 inches and converted to a locally adapted vegetation species deemed unattractive to birds and other wildlife, and to control erosion. Edge effect refers to the highly attractive transition zone between two distinct habitat types (e.g., brush to grassland and grass to concrete). Maintain the airfield as uniformly as possible to reduce this effect.

3.4.1. Airfield Grounds Management. 72 ABW/CE is responsible for determining the timing of mowing and shall coordinate mowing with AMOPS during periods of low flight activity. A monotypic vegetative environment within the airfield perimeter fence is preferable, refer to the INRMP for more specific guidance. In addition, the spraying of insecticide is recommended along aircraft movement surfaces (within 300 feet) where the establishment of vegetative growth is minimal. Spot spraying of herbicides is also recommended to target vegetative food sources for insects that in turn may attract predators hazardous to aircraft operations. The use of any pesticides on the airfield will require coordination with 72 ABW/CEY (Pest Management or Installation Pest Management Coordinator) IAW DAFMAN 32-1053, DODI 4150.07, and Tinker AFB Integrated Pest Management Plan.

3.4.2. Grass Height. The primary focus should be on the grass height and weed seed heads. Grass between 7-14 inches (IAW DAFI 91-212) discourages flocking species from foraging on the airfield, because reduced visibility disrupts inter-flock communication and flock integrity by reducing the ability to detect predators. Grass (excluding seed heads) exceeding 14 inches (36 cm) will attract some bird species and rodents, which in turn attract raptors. The airfield will be mowed when the average grass height, not including seed heads, exceeds tolerances for grass height. Grasses produce prominent seed stalks, the height of these seed heads should not be the sole reason for mowing. Mowing to eliminate grass seeding will increase mowing cycles. Eliminating weeds and cultivating a uniform monoculture of grass can be more effective in discouraging seed-eating birds from feeding on the airfield than mowing grass seed stalks. Begin mowing adjacent to runways and finish in the infield or outermost grass areas. This causes insects and other animals to move away from aircraft takeoff and landing areas. Also, avoid mowing grass next to the runways, taxiways and other areas where the surface meets the vegetative cover to avoid creating an edge effect. The grass heights should be kept as uniform as possible throughout the airfield during mowing operations. Avoid mowing saturated soils, causing mowing equipment to make deep ruts or damage vegetation leaving depressions and bare areas where water can stand and attract wildlife.

3.4.3. Airfield Ground Objects. Vegetative cover is not to exceed 7 inches within 10 feet of all navigation aids or visual navigation facilities, runway lights, taxiway lights or other fixed/temporary obstacles/objects.

3.4.4. Managing Trees/Shrubs. In general, a sterile environment on and around the airfield perimeter fence is preferred. Shrubs should be cut to minimize their attractiveness to small mammals and birds. Off the airfield, shrubs noted to attract hazardous wildlife activity within the Airfield and control zones, will be cut and maintained to minimize their attractiveness to wildlife. Shrubs within 1,000 ft of the centerline of any runway will be removed. No new berry/fruit producing trees or shrubs that attract birds will be planted within the WEZ. Maintain shrub bottom clearance to a minimum of 12 inches above the ground.

3.4.5. Airfield Perimeter Fence. Airfield perimeter fence must be inspected in its entirety monthly. Vegetation will not cover or encroach the fence line within 8 feet of either side to allow for vehicle access.

3.4.6. Reducing Edge Effect. Edge effect refers to the highly attractive transition zone between two distinct habitat types (e.g., brush to grassland and grass to concrete). Maintain the airfield as uniformly as possible to reduce this effect.

3.4.7. Removing Dead Vegetation. As soon as possible, remove dead vegetation such as brush piles, grass clippings, hay bales, etc., and the cover it affords.

3.4.8. Maintaining Drainage Ditches. Maintain drainage ditches to exclude vegetation. Aquatic vegetation, trees, and brush along and within drainage ditches provide excellent habitat for a variety of wildlife species in the form of perching, loafing, and nesting areas, along with providing food and cover. Vegetation impedes water flow through a drainage ditch, prolonging the water attractant and contributing to sediment buildup. Wading birds, such as herons, egrets, and shorebirds, are less likely to utilize deep and steep sloped drainage ditches. Grade drainage ditch banks to allow mowing to the ditch edge. Construct and maintain airfield drainage ditches as deep as possible to limit the surface area of the water while allowing proper drainage in accordance with Civil Engineering directives. Design or alter open drainage ditches into enclosed and buried culvert systems, when possible. Improve drainage as necessary to inhibit even temporary ponds or puddles.

3.4.9. Minimize Open Water. All activities affecting wetlands must be coordinated with 72 ABW/CEIEC and US Army Corps of Engineers. When properly permitted, eliminate ponds or standing open water on the Airfield. NOTE: These activities will be coordinated with AMOPS in accordance with AFI 13-204 Vol 3, Airfield Operations Procedures and Programs. Monitor ponds throughout year and drain as necessary. Eliminating standing water immediately is essential to avoid development of wetlands and an attraction to wildlife. Coordination with the Army Corps of Engineers and the appropriate state environmental permitting office is required prior to altering wetlands. Also see the 2004 Memorandum of Agreement between the Corps of Engineers, Federal Aviation Administration, USAF, and other federal agencies regarding waivers or exemption for on-site wetland mitigation procedures. Eliminate small ponds or puddles and some large bodies of standing water to reduce attractiveness to birds. Low spot and ditch maintenance is essential.

3.4.10. Leveling of Airfield. Level or fill high or low spots to prevent standing water and reduce attractiveness to birds.

3.4.11. Buildings, Hangars, and Structures. 72 ABW/CE shall ensure that all new structures within the Airfield are designed to avoid attracting nesting and perching birds. These designs will minimize open vents, covered ledges, and graveled flat roofs where practicable based on need, economics, and architecture. When a facility within the Airfield is repaired or renovated at or above 25% of the replacement value of the facility where practicable, bird proofing or structure removal is required to exclude nesting and perching birds. Vents or other openings in buildings within the Airfield should be covered with ¼ or ½ inch hardware mesh to prevent nesting by swallows. Excluding birds from a structure they currently use will often displace them to an adjacent structure. Existing bird nests should be destroyed prior to egg laying activities in accordance with federal and state permits and regulations. Facility managers are responsible for purchasing and utilizing the equipment necessary to keep their buildings free of swallow nests and should contact 72 ABW/SE or 72 ABW/CE to ensure the equipment will be effective. Any pest control/pest management contracts must be coordinated with the 72 ABW/CE (Pest Management or Installation Pest Management Coordinator) per DODI 4150.07 section 4.6, AFI 32-1053 section 3.15, DAFMAN 32-1053, DODI 4150.0 and the Integrated Pest Management Plan Tinker AFB. Consider the following features during facility projects:

3.4.11.1. Netting. Install netting under building superstructure to exclude pest birds from roosting areas. Ensure no gaps or holes are present for birds to get through.

3.4.11.2. Design Features. Consider structures with the support features located on the outside of the building to greatly reduce bird numbers. Consider this design when planning new hangars or other structures.

3.4.11.3. Door Coverings. Use netting or plastic strips suspended over the doors to exclude birds. Ensure no tears or holes are present that allow birds access to the hangar.

3.4.11.4. Sharp Projections. Use in limited areas such as ledges, overhangs, or small places where birds cannot be allowed. Expense prohibits their use over the entire structure.

3.4.12. Avitrol, Starlicide, or Other Avicides. USDA-WS may use labeled bird control chemicals. All pesticide usage will be coordinated with 72 ABW/CEY (Pest Management or Installation Pest Management Coordinator) per DAFMAN 32-1053, DODI 4150.07, and the Integrated Pest Management Plan Tinker AFB.

3.4.13. Trapping/Removal. Trapping and removal of wildlife will be coordinated through USDA-WS, 72 ABW/CEIEC and the 72 ABW/SEF.

3.4.14. Controlling Waste Disposal. All dumpsters used within the Airfield shall be designed to remain closed and inaccessible to wildlife. Non-securable dumpsters shall be replaced on a planned basis when economically feasible. Gulls are frequently attracted to dumpsters that are not closed and secured. Facility managers within the Airfield will have primary responsibility to monitor dumpster repair and remove waste prior to being overfilled.

3.4.15. Fencing. Employ fencing in accordance with FAA and AF guidelines to deter large mammals and other wildlife from entering the airfield environment. Airfield perimeter fencing shall be inspected frequently and gaps and/or tunneling under fencing should be reported to Airfield Management for work order placement.

3.4.16. Pest Controls. Invertebrates and rodents are key food sources for many birds. Another attractant to avian predators, coyotes, and foxes are small mammals, primarily microtines. A reduction of mammalian predators may promote small mammal population outbreaks of greater frequency and higher numbers that will attract increased numbers of avian predators. Any persistent gull concentrations on the airfield should be considered an indication of a potential insect population outbreak. Appropriate pesticides should be on hand to respond to insect outbreaks if deemed practicable. Preventive treatments attacking larval stages should be applied within the airfield where practicable. Any coordination to use pesticides on the airfield will require 72 ABW/CEY (Pest Management or Installation Pest Management Coordinator) coordination per DAFMAN 32-1053, DODI 4150.07, and TAFB Integrated Pest Management Plan.

3.4.17. Removing Dead Birds and Animals. Contact USDA-WS or 72 ABW/SEF to remove any wildlife remains from the airfield to avoid attracting wildlife, and to determine if the remains may have been caused by a collision with an aircraft or flight line vehicles and equipment. Remains are required to be expedited to the Smithsonian Institute IAW 50 CFR 21.16.

3.4.18. Discourage Wildlife Feeding. Signs should be placed appropriately to educate the public to the legality and hazard posed by feeding any wildlife. Bird feeders will not be allowed within the WEZ or in areas where USDA-WS, 72 ABW/SEF and/or 72 ABW/CEIEC identify as a factor in transient wildlife.

3.5. Active Controls. During BWC "MODERATE" or "SEVERE", the USDA-WS as the primary Wildlife Dispersal Team (WDT) action agency for bird/wildlife dispersal, will seek assistance from other WDT agencies as required and will take active measures in an attempt to downgrade the BWC as soon as possible. Any WDT agency may recommend activating the WDT when conditions warrant.

3.5.1. Wildlife Dispersal Team (WDT). USDA-WS is the initial action agency for airfield bird/wildlife dispersal. Airfield Management will act as the initial action agency when USDA-WS is not available during non-duty hours and on weekends/holidays.

3.5.1.1. Agencies comprising the WDT may include, but are not limited to, USDA-WS, Airfield Management, 72 ABW/SEF, Host/Tenant Flight Safety Offices, and 72 ABW/CEIEC.

3.5.2. Night Harassment. Use high pressure air or water to make hangars an undesirable roosting site. To adhere to the BASH permits, contact USDA-WS, 72 ABW/SEF, and/or 72 ABW/CEIEC prior to harassment.

3.5.3. Dispersal Actions. USDA-WS will maintain an immediate reaction capability to downgrade a BWC "MODERATE" or "SEVERE" as soon as possible during normal duty hours. Using a combination of different dispersal tools, also known as integrated pest management, provides the best line of defense for immediate hazards. Pyrotechnics, bioacoustics, depredation, and other methods have been effective in dispersing wildlife from airfields. When used together, or in an alternating manner, these techniques remain more effective over a longer period. A depredation permit is not required for non-lethal harassment (merely to scare or herd) of migratory birds on the airfield IAW 50 CFR 21.41, *Migratory Bird Depredation Permits*. Hazing consists of such things as slowly driving a vehicle toward the bird to persuade it to move off the taxiway, runway, or ramp area. Other non-lethal means such as, but not limited to, honking, pyrotechnics and propane cannons may also be used to move stubborn birds off the aircraft movement area. In all aspects of mitigation, care must be taken to ensure harassment does not result in a non-permitted "Take." If necessary, request the assistance of other WDT members. Provide an initial evaluation of the situation to Tinker Tower and Airfield Management to determine if circumstances appear conducive for dispersing birds/wildlife. Ensure the situation isn't worsened by flushing birds from the airfield surface into the flight path of airborne aircraft. Keep Tinker Tower and Airfield Management updated on results of bird/wildlife dispersal efforts. Evaluate and monitor effectiveness of bird/wildlife dispersal measures to determine if BWC can be downgraded, or if additional measures may be required.

3.5.4. Depredation. When all non-lethal attempts to disperse birds/wildlife on the airfield have been exhausted, USDA-WS will coordinate with Tinker Tower and/or Airfield Management to commence lethal procedures as described by the permit. This measure should only be used as a last resort.

3.6. Training. All base personnel shall be briefed at the Newcomer's orientation by 72 ABW/SE on the responsibility each individual has in reporting bird or wildlife hazards.

3.6.1. Annual Training. 72 ABW units and tenant units should receive an annual refresher brief just prior to the spring migration. Unit Flight Safety may brief groups in conjunction with a safety meeting or a commander's call at the squadrons. If this cannot be accomplished prior to the beginning of the spring migration period, unit commanders have the responsibility to ensure their members receive refresher training to remind members of wildlife hazards. 72 ABW/SEF shall have the training available for electronic distribution by request.

3.6.2. Installation and Tenant Safety Offices. 72 ABW/SEF and all DoD tenant units, shall maintain a bird/wildlife hazard awareness program. All non-DoD units are encouraged to maintain a bird/wildlife hazard awareness program. Briefings, films, posters, and other methods should be used to inform personnel about local bird hazards and reporting procedures.

3.6.3. Dispersal Personnel. USDA-WS, 72 ABW/SEF, 72 ABW/CEIEC, and AMOPS personnel authorized for BASH dispersal/depredation require appropriate BASH dispersal/depredation qualifications. Coordinate with 72 ABW/SEF for required BASH dispersal/depredation training. Users authorized for lethal depredation shall comply with training in this publication. 72 ABW/SEF, AMOPS personnel, and BASH personnel shall augment USDA-WS capability during peak migration periods.

3.6.3.1. Receive hands-on training on proper operation and transportation of airfield pyrotechnic devices by the BASH PM and 72 ABW Weapons Safety.

3.6.3.2. Attend Managing Wildlife Hazards at Airports training. If unable to attend formal training, the BASH PM shall provide ad hoc training sessions on using pyrotechnic devices and other dispersal methods. All personnel must be familiar with bird identification, wildlife deterrent procedures, and the proper use of pyrotechnic devices.

3.6.3.3. Complete BASH Detection and Dispersal Training and any applicable CBT as currently defined by 72 ABW/SEF and USDA-WS.

3.6.3.4. BASH training records shall be created and maintained by 72 ABW/SEF for each WDT member. All training shall be documented IAW DAFI 91-212.

Chapter 4

BIRD/WILDLIFE AIRCRAFT STRIKE HAZARD AND FLIGHT OPERATIONS

4.1. General. These procedures establish strategic and tactical methods for planning aerial events during historically expected increases in bird activity and the immediate existence of hazards to flight safety. If a BASH hazard exists, notify Airfield Management.

4.2. Bird/Wildlife Watch Conditions. Use the following Bird/Wildlife Watch Condition (BWC) definitions stated in DAFI 91-212 for rapid communications to disseminate bird/wildlife activity information and implement unit operational procedures. Give bird/wildlife location, number estimate and, when possible, the type of bird/wildlife with the condition code. Refer to **Attachment 2** for restrictions on flight operations during BWC.

4.2.1. Declaring a BWC. USDA-WS, Airfield Management, Tinker Tower, and 72 ABW/SEF have the authority to upgrade the BWC. Airfield Management and USDA-WS have the authority to downgrade the BWC. Airfield Management and USDA-WS will attempt to coordinate with the agency that initially upgraded the BWC prior to downgrading the BWC. Conditions are declared based on ground observations, pilot/USDA-WS reports, Flight Safety observations or other information reported to parties with the ability to upgrade or downgrade the BWC. When the BWC changes, Tinker Tower will update the ATIS with the current BWC. For pilot reported or tower observed bird/wildlife activity, Tinker Tower will issue immediate advisory information using phraseology outlined in paragraph 2-1-22 of FAAO 7110.65 which includes position, species or size of birds (if known), course of flight and altitude.

4.2.2. Bird/Wildlife Watch Condition “SEVERE”. Bird/wildlife activity on or immediately above the active runway or other specific location(s) representing high potential for strikes. A single animal in relationship to the Aircraft Movement Area may justify a severe condition (such as a vulture in the arrival/departure corridor or a large mammal or reptile on or near the runway). Supervisors and aircrews must thoroughly evaluate mission requirements utilizing all available risk assessment methods and tools before conducting flight operations in areas under BWC “SEVERE.” With the exception of emergency aircraft and operational guidance, all transition (pattern) work WILL be terminated. During BWC “SEVERE,” mitigation teams will be actively working to reduce the threat.

4.2.2.1. A BWC that has been upgraded to “SEVERE” will be evaluated at least once every 30 minutes. Airfield Management and/or USDA-WS will be responsible for BWC evaluation until BWC is downgraded.

4.2.3. Bird/Wildlife Watch Condition “MODERATE”. “Bird/wildlife activity near the active runway or other specific location representing increased potential for strikes. BWC “MODERATE” requires increased vigilance by all agencies and supervisors and caution by aircrews utilizing appropriate risk assessment methods and tools.”

4.2.3.1. A BWC that has been upgraded to “MODERATE” will be evaluated at least once each hour. Airfield Management and/or USDA-WS will be responsible for BWC evaluation until BWC is downgraded.

4.2.4. Bird/Wildlife Watch Condition “LOW”. “Bird/wildlife activity on and around the airfield representing low potential for strikes.”

4.3. Operations and Planning. For unit operational guidance, refer to OG/CC direction, Safety Special Interest Items and other unit directives.

4.3.1. Low-Level Bird Avoidance Model (BAM). The BAM is a predictive model using Geographic Information System (GIS) technology as a key tool for analysis and correlation of bird habitat, migration, and breeding characteristics, combined with key environmental and manmade geospatial data. The BAM is internet accessible at **http://www.usahas.com/**.

4.3.2. AVIAN HAZARD ADVISORY SYSTEM (AHAS). Like the Bird Avoidance Model (BAM), AHAS provides information on bird activity through the flight route. The distinction between the two is that on the planned flight route or MOA, BAM uses historical data to provide a depiction of what one might expect, while AHAS uses the BAM as a foundation and NEXRAD weather radar to provide a near real-time description of bird activity. AHAS functions on the principle of assessing bird strike risk. Bird strike risk is the likelihood of a catastrophic event. The risk management decisions that are made for each category of bird strike risk depend on the type of aircraft you are flying. AHAS continuously monitors the current bird strike risk using the network of NEXRAD weather radars to look for bird activity on low-level routes, ranges, MOAs or in the vicinity of military airfields. When bird activity is detected in an area where the existing records indicate hazardous bird activity should be expected, a warning is generated. AHAS is internet accessible at **http://www.usahas.com/**.

4.4. BASH Phase I and Phase II Bird/Wildlife Activity.

4.4.1. Phase I. For the purposes of this Instruction, Phase I is defined as the normal day-to-day bird/wildlife activity on and around TAFB based on historical information.

4.4.2. Phase II. Represents the historical periods of heavy bird/wildlife activity normally associated with migratory seasons. During the designated period, the 72 ABW/CC, or designee, will institute Phase II operations in response to an observed increase in migratory activity. Unless mission essential, avoid departures, landings and transition (pattern) activities within +/- 1 hour of sunrise and sunset, or as indicated by NOTAM/ATIS based on real-time wildlife activities, to reduce potential hazards when there is a known increase in wildlife activity. A risk analysis and acceptance must be completed to determine hazards to operations during these periods. Missions scheduled within +/- 1 hour sunrise and sunset must be included in pre-mission risk management and analysis worksheets. During this time, pattern work is restricted without owning aircraft's OG/CC, designee, or equivalent approval.

4.4.3. Phase II implementation will vary depending upon local bird/wildlife conditions. Upon notification from USDA-WS, Airfield Management, FSO's, 72 ABW/CEIEC and/or other organizations, 72 ABW/SEF will compile information and comments on the potential for increasing the BASH Phase. Once validated, 72 ABW/SEF will request approval from 72 ABW/CC to implement Phase II, and coordinate with flying units. Upon approval, 72 ABW/SEF will ask Airfield Management to publish a NOTAM outlining implementation of Phase II operations. These designations will be published in the appropriate DoD Flight Information Publications, ATIS and be disseminated to tenant units. This will repeat to downgrade back to Phase I. Conditions will be monitored by all appropriate agencies and changes will be provided to Airfield Management in the event broadcasting mediums require updating.

4.4.4. Spring Migration. BASH Phase II designation will be established prior to high peak of migration based on information from the 72 ABW/CEIEC, USDA-WS, 72 ABW/SEF, historical data and other modeling. Timeframe for expected BASH Phase II for the Spring is from 1 April through the end of May. Aircrew can expect BASH Phase II restrictions during this time.

4.4.5. Fall Migration. BASH Phase II designation will be established prior to high peak of migration based on information from the 72 ABW/CEIEC, USDA-WS, 72 ABW/SEF, historical data and other modeling. Timeframe for expected BASH Phase II for the Fall is from 15 September through 15 December. Aircrew can expect BASH Phase II restrictions during this time.

FENCISCO N. HARRIS, Colonel, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

72 ABW/SEF *Bird/Wildlife Strike Data Base,* 15 October 2026

AFMAN 91-201, *Explosives Safety Standards*, 17 June 2025

AFMAN 32-1053, *Integrated Pest Management Program*, 05 August 2019

AFMAN 32-7003, *Environmental Conservation*, 25 June 2024

AFPD 91-2, *Safety*, 24 June 2024

BASH *Team Staff Assistance/Visit Reports Field Guides to Regional Birds*

DAFI 91-202, *The US Air Force Mishap Prevention Program*, 09 April 2024

DAFI 91-212, *Bird/Wildlife Aircraft Strike Hazard (BASH) Management Program*, 30 March 2026

DAFM 91-223, *Aviation Safety Investigations and Reports*, 19 September 2022

DAFI 91-204, *Safety Investigations and Reports*, 09 March 2021

DAFI 13-213, *Airfield Management*, 19 November 2023

DAFMAN 13-204V1-4, *Airfield Operations Series*, 19 September 2024

DAFI 32-7086, *Hazardous Materials Management*, 23 October 2019

DAFM 31-131V3, *Small Arms and Light Weapons Handling Procedures*, 31 March 2025

DAFI 10-401, *Air Force Operations Planning and Execution*, 18 July 2024

DAFI 21-101, *Aircraft and Equipment Maintenance Management*, 19 December 2023

DAFI 32-1015, *Integrated Installation Planning*, 10 April 2025

DAFI 31-117, *Arming and Use of Force*, 27 January 2025

DESR 6055.09, *Explosive Safety Standards*, 17 June 2025

DODI 4150.07, *DOD Pest Management Program*, 26 December 2019

FAAO 7110.65, *Air Traffic Control*, 20 February 2025

FAA 14 CFR 139.337(d), *Wildlife Hazard Management*, 15 October 2026

TAFB *Integrated Natural Resource Management Plan (INRMP)*, 19 October 2026

TO 1-1-691, *Corrosion Prevention*, 17 April 2026

UFC 3-260-01, *Airfield and Heliport Planning and Design*, 4 February 2026

USDA-*WS Bird/Wildlife Survey Data Base,* 25 November 2025

Adopted Forms

DAF 847, *Recommendation for Change of Publication,* 16 April 2026

AF 853, *Air Force Wildlife Strike Report,* 14 October 2005

Abbreviations and Acronyms

ABW—Air Base Wing

AFB—Air Force Base

AFR—Air Force Reserve

AFMC—Air Force Material Command

AFRIMS—Air Force Records Information Management System

AFSAS—Air Force Safety Automated System

AHAS—Avian Hazard Advisory System

AMOPS—Airfield Management Operations

APHIS-WS—Animal and Plant Health Inspection Service, Wildlife Services

ATIS—Air Terminal Information Service

BAM—Bird Avoidance Model

BASH—Bird/Wildlife Aircraft Strike Hazard

BHWG—Bird/Wildlife Hazard Working Group

BWC—Bird Watch Condition

CDF—Command Deputy for Flight

CDO—Command Deputy for Operations

DAF—Department of the Air Force

ECC—Emergency Communications Center

FLIP—Flight Information Publications

FSO—Flight Safety Officer

GIS—Geographical Information System

INRMP—Integrated Natural Resources Management Plan

MOC—Maintenance Operations Center

NDN—No Damage Noted

NEXRAD—Next Generation Radar

PIC—Pilot in Charge

PWS—Performance Work Statement

RDS—Records Disposition Schedule

RegAF—Regular Air Force

SOF—Supervisor of Flying

TAFB—Tinker Air Force Base

TDY—Temporary Duty

USDA-WS—United States Department of Agriculture–Wildlife Services

USSF—United States Space Force

WDT—Wildlife Dispersal Team (WDT)

WEZ—Wildlife Exclusion Zone

Attachment 2

BIRD WATCH CONDITION RESTRICTIONS

Table A2.1. Bird Watch Condition Restrictions.

Phase of Flight	BWC Low	BWC Moderate	BWC Severe
Takeoff	Normal Operations	Initial Takeoff Only	Restricted. Requires OG/CC or higher approval of owning aircraft; Real world alert missions exempt
Pattern	Normal Operations	Restricted. Requires OG/CC or higher approval of owning aircraft	Prohibited
Landing	Normal Operations	Full stop only	Restricted. Requires OG/CC or higher approval of owning aircraft; Real world alert missions/ emergency aircraft exempt
*IAW AFMAN 11-202v3 and DAFI 91-212. Arriving aircraft will enter a holding pattern and await a lower BWC or divert. Aircraft commanders are responsible for obtaining necessary permissions.			

Attachment 3

MAPS

Figure A3.1. Map 1. Tinker AFB Bird Map.





Figure A3.2. Tinker AFB Wildlife Exclusion Zone (WEZ).



Attachment 4

BASH STROKE REPORT

Figure A4.1. Monthly BASH Strike Report.

Event Report Number	Event Date, Local	Event Class/Flagword	One-liner	Event Type Tier 1	Event Time, Local	Nearest Base	Nearest Airfield	Owning Wing - Short Name	Owning Group - Short Name	Owning Squadron - Short Name	General MDS Grouping	Type of Bird

Submit Bash Strikes to 72 ABW/SEF (72ABW.SEF.FlightSafety@us.af.mil) in the below format. This does not replace reporting BASH Strike in AFSAS.

Attachment 5

TOP BIRD THREATS

Table A5.1. Top Bird Threats at Tinker AFB.

TABLE 1-1
TOP ELEVEN BIRD THREATS AT TINKER AFB
Bird Strike Probabilities and Relative Abundances Categorized by Size and Flocking Behavior and Ranked by Relative Abundance, Strike Probability and Actual Strike Numbers

METRIC RANKS			Group Name	Common /Scientific Name	No. Strikes*	Relative Abundance (ra)**	% Probability by season***
Probability	Relative Abundance	No. Strikes					
Large - Flocking Birds (>200g)							
3	1	1	Gulls	*Franklin gull (280g),* *Ring-billed gull (520g)*	30	0.775	54 (spr) 1 (w)
-	10	6	Waterfowl	*American white pelican (7500g),* *Canada goose (4500g),* *Bufflehead (380g),* *Canvasback (1220g),* *Grebe, Gadwall (910g),* *Hooded merganser (620g),* *Scaup, Mallard (1100g),* *Ring-necked, Coot,* *Blue-winged teal (380g)*	6	0.000	ND
Small - Flocking Birds (<200g)							
5	3	6	Black birds	*European starling (82g)*	6	0.512	1 (spr) 3 (s) 17 (f) 1 (w)
.	5	6	Swallows	*Barn swallow (19g)*	6	0.204	7 (spr) 10 (s)
-	-	3	Goat suckers	*Common night hawk (62g)*	19	ND	ND
Large Birds (>200g)							
8	6	7	Raptors	*Turkey vulture (1830g),* *Swainson's hawk (855g),* *Mississippi kite (280g),* *Cooper's hawk (450g),* *Red-tailed hawk (1080g),*	3	0.164	2 (spr) 2 (f) 4 (w)

				Red-shouldered hawk (630g), *Long-eared owl (260g)*			
9	9	8	Herons & Egrets	*Great blue heron (2400g),* *Green heron (210g),* *Little-blue heron (340g),* *Yellow-crowned night heron (690g),* *Great egret (870g),* *Cattle egret (340g)*	2	0.014	1 (spr)
Small Birds (<200g)							
1	4	2	E. Meadowlark	*Sturnella magna (90g)*	27	0.419	31% (spr) 72% (s) 47% (f)
2	2	7	Horned lark	*Eremophila alpestris (32g)*	3	0.727	1% (spr) 1% (s) 84% (w)
6	8	4	Killdeer	*Charadrius vociferous (95g)*	14	0.107	1% (spr) 5% (s) 14% (f)
4	7	5	Mourning dove	*Zenaida macroura (120g)*	11	0.119	1% (spr) 7% (s) 15% (f)

** Number of strikes taken from Tinker AFB BASH data sets 1991-2010.*

*** Relative abundance (ra) on the airfield (St. Germain, 2010).*

**** Strike probabilities were determined by relative strikes reported x relative abundances surveyed and then standardized (St. Germain, 2010).* ND *– no data available, these entries were either due to the lack of field survey data or zero detection for species relative abundance, which disallowed calculations for strike probability.*

Note – data was taken from the "Inventory of Avian Species on Tinker AFB" (St. Germain, 2010); and table, rankings and categorizations were determined by NR staff using experience within the WDM program and "The Sibley Guide to Birds" (Sibley, 2009).

Attachment 6

CONTACTS AND ORGANIZATIONS

Figure A6.1. Contacts and Organizations.

Contacts

72 ABW Flight Safety
SharePoint: https://usaf.dps.mil/sites/TMC719206/SEF/SitePages/Home.aspx
405-734-7155
72ABW.SEF.FlightSafety@us.af.mil
72 ABW Natural Resources
SharePoint: https://usaf.dps.mil/sites/TMC19270/CEI/CEIE/CEIEC/SitePages/Home.aspx
405-739-7065
USDA Wildlife Services
405-739-7061
Air Force Safety
BASH Site: https://www.safety.af.mil/Divisions/Aviation-Safety-Division/BASH/
Air Force Safety Automated System: https://afsas.safety.af.mil
Navy Safety (SCW-1) Tinker AFB
https://flankspeed.sharepoint-mil.us/sites/CPF-CNAP-CMDS/SCW-1/SitePages/Home.aspx

Organizations

10 FLTS/CC
507 ARW/CC
507 ARW/OG
507 ARW/SE
513 ACG/CC
552 ACW/CC
552 ACW/OG
552 ACW/TRG
552 ACW/SE
552 ACW/CP
72 ABW/CC
72 ABW/CE
72 ABW/JA
72 ABW/PA
72 ABW/SE
72 ABW/XP
72 FSS/CL
72 OSS/CC
72 SFS/CC
76 AMXG/CC
OC-ALC/SE
SCW-1/OPS
SCW-1/Maintenance
SCW-1/Safety
USDA-WS
VQ-3/VQ-4/VQ-7 Safety

Attachment 7

TINKER AFB BIRD REMAINS CHECKLIST

Table A7.1. Tinker AFB Bird Remains Checklist.

TO 1-1-691 contains a WARNING stating, "Any potential risk of human exposure to infectious material from bird strikes to include Avian Influenza (H5N1) may be reduced by observing the following." Observation of TO WARNINGS is necessary for safe operations. 72 ABW/SE and 552 ACW/SE are the only approval authorities for deviation from these procedures.

1. Don appropriate PPE IAW TO 1-1-691 Para 3.5.8 Bird Strike Cleaning to include non-sterile vinyl or nitrile gloves, safety goggles or glasses, an N-95 Disposable Respirator or equivalent, surgical mask and disposable coveralls.

2. Two methods are acceptable to collect remains if only blood/tissue (no feathers) is left at the impact point.

2.1. Alcohol Wipe
2.1.1. Remove blood/tissue from the aircraft with an alcohol wipe.
2.1.1. Place only the alcohol wipe with remains into a zip-lock bag.

2.2. Q-tips
2.2.1. Spray alcohol on the impact point.
2.2.2. Collect a sample with Q-tip.
2.2.3. Place only the Q-tip wipe with remains into a zip-lock bag.

NOTE: DO NOT put anything else besides feathers, Q-tips, or alcohol wipes containing blood/tissue in bag. Use one zip-lock bag per impact point on the aircraft to collect remains for multiple strikes.

3. Clean remainder of bird strike IAW TO 1-1-691 Para 3.5.8 Bird Strike Cleaning.
4. Wash hands with soap and water or use sanitizing hand solution to clean hands.
5. Complete AF Form 853: Ensure the following items are filled out at minimum.
5.1. Full six-digit Aircraft tail number
5.2. Date
5.3. Time
5.4. Location of strike(s) (where the remains were collected from aircraft)
5.5. Note any damage the strike caused, or mark "No Damage Noted (NDN)"

6. Place specimen bags and AF Form 853 inside an additional zip-lock bag

7. Mail remains TO Smithsonian Feather Lab