BY ORDER OF THE COMMANDER
354TH FIGHTER WING

354TH FIGHTER WING INSTRUCTION
21-136

12 MAY 2020

Maintenance

FUNCTIONAL CHECK FLIGHT (FCF) PROGRAM

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available for downloading or ordering on the e-Publishing web site at **www.e-Publishing.af.mil**

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 354 MXG/MXQ

Certified by: 354 FW/CC
(Colonel Benjamin W. Bishop)
Pages: 18

This operating instruction implements Air Force Policy Directive (AFPD) 11-2, *Aircrew Operations* and AFPD 21-1, *Maintenance of Military Material*. It establishes policies and procedures for the 354 Fighter Wing (FW) FCF programs, to include all FCFs and Operational Check Flights (OCF). This publication applies to the 354 FW and Air National Guard or US Air Force Reserve under the 354 FW control. Ensure that all records created as a result of processes prescribed in this publication are maintained IAW Air Force Manual (AFMAN) 33-322, *Records Management and Information Governance Program*, and disposed of IAW Air Force Records Information Management System (AFRIMS) Records Disposition Schedule (RDS). Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, *Recommendation for Change of Publication*; route AF Forms 847 to the 354 MXG/MXQ office, 551 Loop Access Rd., Eielson Air Force Base (AFB), Alaska 99702.

1. Roles and Responsibilities. 3
2. FCF Program. 5
3. FCF Configuration. 5
4. FCF Flying Operations (ON-STATION). 5
5. FCF Flying Operations (OFF-STATION). 6

6. FCF ON Transient Aircraft (TA). 7
7. FCF Upgrades and Currencies. 7
8. FCF Release. 8
9. Debrief Procedures. 9
10. OCF Program. 9
Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 11
Attachment 2—FCF/OCF BRIEFING/DEBRIEFING CHECKLIST 15
Attachment 3—HIGH SPEED TAXI BRIEFING/DEBRIEFING CHECKLIST 17

1. Roles and Responsibilities.

1.1. **Operations Group Standardization and Evaluation Division (OG/OGV) FCF Officer in Charge (OIC).**

1.1.1. Be appointed in writing by the Operations Group Commander (OG/CC).

1.1.2. Establish an FCF training and certification program (see **paragraph 7**).

1.1.3. Initiate an aircrew certification letter upon completion of all upgrade training requirements. The letter should be routed to the FCF OIC and OG/CC for signature. A copy of the certification letter will be routed to the Maintenance Group Quality Assurance (MXG/QA) FCF office and the 18 Aggressor Squadron (AGRS), 355 and 356 FS program managers (PM).

1.1.4. Maintain and track FCF currencies. An FCF aircrew currency listing will be published monthly. This currency listing will be emailed to the unit FCF PM.

1.1.5. Develop and administer a written open book examination of 25 or more questions based on all FCF applicable directives. The test will be reviewed and updated annually by the FCF OIC. Passing grade is 85 percent and the test is correctable to 100 percent.

1.1.6. Work with squadron FCF PM to track FCF aircrew availability to ensure sufficient numbers are available at any given time (taking into consideration deployments, Temporary Duty (TDY), leave, etc.).

1.2. **MXG/QA.**

1.2.1. Accomplish a Preflight/Before Operations Servicing (BOS) Quality Verification Inspection (QVI) first attempt only, prior to flight.

1.2.2. Accomplish a review of all current forms/Maintenance Actions (MA) and forms pertaining to the previous flight. The 354 MXG/QA will ensure all FCF items and maintenance items requiring the FCF are documented correctly.

1.2.3. Accompany FCF aircrew during preflight and be present for the debriefing.

1.2.4. Ensure completed FCF checklist and aircrew checklist are turned in to Plans, Scheduling and Documentation (PS&D).

1.2.5. Maintain a minimum of three flight follow-ups on aircraft released from an FCF to identify any trends or discrepancies for maintenance related to the FCF. Ground aborts do not count towards the three flights, but will be tracked for trend information.

1.3. **AMXS Maintenance Supervision.**

1.3.1. Notify the 354th Maintenance Group Commander (MXG/CC) or designated representative of the impending FCF and obtain approval prior to flight.

1.3.2. Notify 354 MXG/QA as soon as possible, no later than 1200 hours the day prior to flight of the impending FCF. Verify with Quality Assurance (QA) the FCF aircraft tail number, reason for FCF and number of days down.

1.3.3. Aircraft Maintenance Unit (AMU) supervision/production supervision will perform an aircraft forms review of all tasks/MAs ensuring preflight/BOS and preflight/BOS QVI are accomplished and complete. Forms will not be pulled once the FCF process has been started.

1.3.4. **(F-16)** Deliver all FCF aircraft forms to MXG/QA for review no later than (NLT) 12 hours prior to flight to check for any corrections needed. The forms will be returned to the owning AMU to fix any discrepancies that are noted. The forms will then be returned to MXG/QA NLT 3 hours prior to scheduled flight with a current 380 screen print out. (F-35) MXG/QA will verify all Autonomic Logistics Information System (ALIS) MA's have been completed.

1.3.5. Any MA/task required after the ALIS/forms review with the exception of aircraft servicing and exceptional release will be coordinated and approved through the QA office prior to it being performed.

1.3.6. A final review of corrections and a forms review with the FCF pilot will be accomplished prior to FCF flight.

1.4. **The 18 AGRS, 355 FS and 356 FS**

1.4.1. Appoint an FCF PM. The FCF PM is an FCF aircrew member and is the point of contact between the AGRS, FSs and the FCF office. The PM will ensure FCF aircrews remain current and qualified and act as the point of contact (POC) for all routine FCF program administrative matters, as well as during Higher Headquarters (HHQ) inspections.

1.4.2. Ensure the number of FCF crews does not normally exceed four, including attached aircrew. The recommended minimum number of FCF crews is two, including attached aircrew. If possible, the 18 AGRS and FSs should initiate checkout of new FCF crews far enough in advance to ensure the minimum number of crews is maintained at all times. Also, ensure specific requirements such as En-route Support Team Advanced (ESTA) support for deployments are covered.

1.4.3. Call the FCF office (MXG/QA) (377-3701) to verify FCF aircraft tail number, reason for FCF and number of days down.

1.4.4. Obtain OG/CC approval for all FCFs. Pass on all other pertinent information, such as FCF upgrades, currency flights, and waiver requests prior to crew step. Obtain OG/CC waiver for all FCFs with weather less than 3,000/5, any time a ceiling must be penetrated to reach Visual Meteorological Conditions (VMC).

1.4.5. Ensure the appropriate flight plan has been filed for the FCF.

1.4.6. Call the Supervisor of Flight (SOF) to pass call sign, tail number, aircrew, and expected takeoff time.

1.4.7. Call Maintenance Operations Center (MOC) and pass call sign, tail number, aircrew, and expected takeoff time.

1.4.8. Provide FCF aircrew TO 1F-16C-6CL-1/F35A-FCF-CL-001 for ground operation procedures during times when an FCF flight is impractical due to weather or lack of daylight.

1.4.9. If an FCF must be flown during the weekend or outside normal flying hours, obtain OG/CC approval. Inform Operations Support Squadron (OSS) scheduling and OSS airfield management, who will assist in contacting other agencies as required. Ensure there is a SOF in the tower, arming crews are available, airspace is available and the flight plan is filed.

1.4.10. Verify aircrew availability and currency during final forms review prior to flight.

2. FCF Program.

2.1. Commanders have the authority to direct an FCF in order to verify maintenance actions or the performance of a particular aircraft. The request to waive an FCF will be made through the MXG/QA office. MXG/QA will forward to the FCF OIC, OG/CC and MXG/CC for approval.

2.1.1. **(F-35)** The criteria used to determine if/when a Check Flight is required is identified within Joint-Service Technical Data (JTD), directed by action request (AR) or as outlined in Air Force Instruction (AFI) 21-101.

2.2. All aircraft that experience a ground or flight related mishap as defined in AFI 91-204, *Safety Investigations and Report*s will be considered for an FCF or OCF on a case-by-case basis by the OG/CC and MXG/CC.

2.3. **(F-16)** Hot preflight consists of a complete engine run utilizing TO 1F-16C-6CL-1 checks. A hot preflight must be accomplished by an FCF qualified aircrew.

2.3.1. A hot preflight shall be accomplished at the discretion of the MXG/CC and OG/CC.

2.3.2. The aircraft will be "flight ready" (panels, rivets, servicing, etc.) before the hot preflight is accomplished.

2.3.3. A hot preflight will include all checks/Built in Tests (BIT) through the before taxi checklist to include checking the pitot heat and external lights.

2.3.4. If necessary, a slow speed taxi check shall be accomplished to verify the performance of the steering, braking, and heading systems.

3. FCF Configuration.

3.1. The normal FCF aircraft configuration is clean, requires that all pylons be removed (wing-tip launchers installed) and full internal fuel unless unique troubleshooting circumstances dictate. All deviations from a clean configuration will be in accordance with the applicable aircraft Technical Order (TO)/data and approved by the 354 MXG/CC and AGRS/FS Commander or designated representatives. (F-16) Install Targeting Practice (TP) ammunition, if necessary, to achieve the ideal Center of Gravity (CG) in accordance with TO 1F-16C-5-2.

4. FCF Flying Operations (ON-STATION).

4.1. FCF aircrew will perform a thorough review of all aircraft forms/MA's and receive a detailed briefing on the reason for the FCF and flight profile requirements at their respective Operations Squadron.

4.2. Ground procedures will be performed IAW the appropriate checklists and local policies.

4.2.1. Intercom must be available between air and ground crews during launch.

4.2.2. Brief ground crew on safety requirements for ground checks.

4.2.3. FCF crews will complete the ground checks prior to takeoff on all initial FCF attempts, IAW the applicable checklist. FCF specific ground checks for follow-on FCF attempts on the same aircraft are not required unless previous attempts failed or an FCF ground check item received maintenance since its last attempt.

4.3. Perform engine run-up checks in the takeoff position on the active runway.

4.4. Weather minimums to fly an FCF are 3,000/5. FCFs conducted in flight conditions less than 3,000/5 or any time a ceiling must be penetrated to reach VMC requires 354 OG/CC approval. The 354 OG/CC may waive weather minimums on a case-by-case basis to a minimum ceiling of 1,500 feet and visibility of 3 miles, if operational requirements dictate. Weather minimums apply to prevailing and intermittent conditions for the planned duration of the flight, plus 1 hour. FCF crews will maintain VMC to the maximum extent possible, and all checks must be accomplished in VMC IAW TO 1-1-300. The Aircraft Commander (AC) will compute a NLT takeoff time for the FCF to ensure that all required checks are successfully completed and a landing accomplished NLT official sunset.

4.4.1. Conduct flight control checks in VMC when above 10,000 feet above ground level (AGL). For Air Traffic Control (ATC) procedures: FCF aircrew will remain under positive radar control or flight following radar information to the maximum extent possible. Deviations in the interest of safety (emergencies, fuel, weather, or traffic avoidance) are the responsibility of the aircrew and should be coordinated with the appropriate controlling agency. Do not perform FCF checks which could result in unauthorized aircraft displacement from an ATC clearance. Request an altitude block, when the profile permits, or delay checks until established in appropriate airspace.

4.5. Inclement Weather Procedures.

4.5.1. There are no amendments to F-16/F-35 line-up procedures.

4.5.2. No FCF will be accomplished with runway condition reports (RCR) less than 12.

4.6. The primary emergency landing base will be Eielson AFB. Refer to the 354 OG in-flight guide (IFG) for other possible divert bases. FCF aircrew will plan flight profiles with this in mind.

5. FCF Flying Operations (OFF-STATION).

5.1. Contact home station MXG/QA and alert them of the situation requiring an FCF.

5.2. Ensure aircraft forms/MA's are correct and reviewed by a MXG/QA representative.

5.3. If FCF qualified aircrew are not available, the OG/CC (or designated representative at the deployed/off-station location) may issue temporary certification to the most qualified aircrew and ensure they are thoroughly briefed by an FCF qualified pilot (preferably the FCF OIC or squadron FCF PM) on FCF requirements and all applicable TO/JTD procedures.

5.4. Ensure the release status and any discrepancies are forwarded to the home station QA FCF office.

5.5. A QA representative (if available at the off-station location) will accompany the aircrew during preflight.

5.6. The FCF aircrew must coordinate for airspace considerations to include supersonic airspace and special use airspace for maneuvering.

6. FCF ON Transient Aircraft (TA).

6.1. QA FCF PM will:

6.1.1. Coordinate with 354 OG/CC and parent OG/CC of the particular aircraft for approval to fly the FCF.

6.1.2. Brief the FCF aircrew on the nature of the FCF, open discrepancies, maintenance performed, fuel load, aircraft configuration, etc.

6.1.3. Accompany the aircrew during preflight and be present for the debriefing.

6.1.4. Forward FCF information to the command post who will, in turn, forward the information to the TA's home station.

7. FCF Upgrades and Currencies.

7.1. Whenever possible, the FCF OIC will administer upgrade sorties/simulators. If the FCF OIC is unable, each squadron's lead FCF pilot will perform upgrades.

7.2. The 354 OG/CC will certify FCF Aircrew in writing. The 354 OG/CC is the waiver authority for aircrew requirements.

7.3. Use the following minimum hourly criteria to designate aircrew to perform FCF duties:

7.3.1. 750 flight hours total and 200 flight hours Primary Assigned Aircraft (PAA) time.

7.3.2. 650 flight hours total and 300 flight hours PAA time.

7.3.3. 575 flight hours total and 400 flight hours PAA time.

7.4. Aircrew upgrade training shall include (preferably accomplished in order):

7.4.1. The squadron initiating the nomination of highly qualified individuals for FCF aircrew using the FCF nomination letter.

7.4.2. The nomination letter must be signed by the 18 AGRS/354 FSs Commander and the 354 OG/CC prior to any upgrade training accomplishment. Forward a copy of the nomination letter to the FCF office. Document the requirements for the upgrade on the functional check flight upgrade program checklist. Permanently maintain the original copies of both the FCF nomination letter and FCF upgrade program in the individual's grade book. AGRS/FS maintains grade books relating to the FCF upgrade program.

7.4.3. A comprehensive briefing by the unit lead FCF pilot on local area FCF procedures, applicable FCF publications, TO's and JTD; checklist procedures and techniques, FCF read files, and FCF crew expectations.

7.4.4. If applicable, a review and approval signature of all FCF read files which are maintained in the AGRS/FS.

7.4.5. An FCF written test (see **paragraph 1.1.5**).

7.4.6. Accomplishment of a full-profile FCF in the simulator IAW **paragraph 7.4.1**. Accomplish and brief FCF profiles performed in the simulator IAW appropriate 1F-16C-6CL-1/F35A-FCF-CL-001 procedures. The profile should include emergency procedures in all phases of flight and divert procedures for the FCF profile.

7.4.7. An observation of a full-profile FCF in the aircraft, then demonstration of a full-profile FCF in the aircraft IAW **paragraph 7.1**. (F-16) Use the F-16D model for both the observation and demonstration portion of the FCF upgrade. The 354 OG/CC may waive using the F-16D model for the observation and demonstration portion of the FCF upgrade in unusual circumstances.

7.4.7.1. FCF upgrades may be flown in conjunction with an actual FCF with OG/CC approval.

7.4.7.2. If not using an aircraft requiring an FCF, the upgrade must be flown in an FCF configured aircraft.

7.4.7.3. If the FCF profile is incomplete due to an airborne aircraft malfunction, the upgrade may be considered complete at the discretion of the FCF PM.

7.5. Upon FCF upgrade completion, the FCF PM will submit a certification letter to the 354 OG/CC. Upon approval of the certification letter, the aircrew may perform FCF duties. The certification letter will be maintained in the individual's grade book. AGRS/FS's PM will forward a copy to 354 MXG/QA.

7.6. FCF pilot currency is 90 days. To remain current, aircrew will accomplish either an FCF profile in the simulator or fly an FCF sortie (actual or training) prior to their due date. If an FCF aircrew goes non-current (>180 days from last FCF simulator or flight but <1 year from last FCF flight), they will accomplish a supervised FCF profile (either simulator or flight) to regain currency. If an FCF pilot fails to accomplish an FCF profile (simulator or flight) for more than 1 calendar year, the pilot must re-accomplish a supervised FCF profile simulator and flight.

7.6.1. Perform FCF currency profiles in the simulator. Due to the limited number of FCF sorties currently flown, aircrew will strive to maximize their training in the simulator. Squadron FCF PMs will work with FCF aircrew and squadron schedulers to ensure FCF crews accomplish simulators as often as deemed necessary to sustain a reasonable level of proficiency with FCF procedures.

7.6.2. Each FCF pilot must take a written test (see **paragraph 1.1.5**) and receive an FCF OIC briefing annually (based on date last accomplished). Both the written test and the FCF OIC briefing are FCF go/no-go items.

8. FCF Release.

8.1. In addition to the guidance in AFI 21-101, paragraph 6.13.5, the following procedures apply:

8.1.1. Aircraft requiring full FCF profiles must complete the entire profile to be released. For partial profiles, only the predetermined checklist steps must be completed to release the aircraft.

8.1.2. If weather or aircraft malfunction prevent any of the steps from being accomplished, the aircraft should not be released.

8.1.3. If the FCF fails due to engine in-flight restart or FCF flight control checks, the aircraft is not released for flight and requires an additional FCF for the failure and for any other unaccomplished checks.

8.1.4. Do not release an aircraft from an FCF that has problems with the primary aircraft systems, such as those affecting engines; flight controls; landing gear; and those systems affecting the Instrument Flight Rules (IFR) capability of the aircraft (i.e., pitot static; compasses; attitude references; air data computers; etc.).

9. Debrief Procedures.

9.1. All FCFs will be debriefed with a MXG/QA representative present in the debriefing section.

9.2. Ensure all required debriefing forms are complete and correct prior to leaving debrief.

10. OCF Program.

10.1. The decision to fly an OCF is made by the 354 MXG/CC with input from the applicable AMU OIC. An OCF will be conducted any time a commander determines a confidence flight is required to ensure maintenance action effectiveness or system reliability. OCF profiles are limited to normal flight manual actions and aircraft maneuvers. The objective of the OCF is to ensure proper system operation during flight. If the 354 MXG/CC determines the aircraft cannot be adequately checked by an OCF or if expanded functional in-flight checks are required, an FCF shall be flown (see **paragraph 2.1**).

10.1.1. MXG/QA will review all OCF aircraft forms by NLT 2 hours prior to flight. MXG/QA will review the aircraft forms prior to OCF and ensure the reason for the OCF does not constitute a reason for FCF IAW applicable directives. Perform FCF if MXG/QA makes recommendation based on extent of maintenance performed. The OG/CC and MXG/CC will make the final determination as to whether an FCF is required (if it is determined that an FCF is required, see **paragraph 2.1**).

10.1.2. 354 AMXS will coordinate with 354 MXG/QA and 18 AGRS, 355 and 356 FS's scheduling to ensure the aircraft requiring the OCF is matched to an appropriate aircrew. The 18th Aggressor Squadron Commander (AGRS/CC) may determine additional OCF aircrew requirements for each OCF based on its unique circumstances.

10.1.3. OCFs may fly in conjunction with other missions and training requirements if this allows any specific requirements for the flight to be accomplished. The OCF may fly single ship if necessary to fulfill requirements of a profile tailored for inputs from the 354 AMXS with final approval by the AGRS/FS's/CC.

10.1.4. OCFs will occur during daylight hours with weather minimums of 500-foot ceiling and 1.5 miles visibility.

10.1.5. MXG/QA representative will brief aircrew. Aircrew will, as a minimum, call MXG/QA (377-7986) to receive a briefing on the reason for the OCF, maintenance performed, and flight profile (if required) or other pertinent information concerning the OCF.

10.1.6. 354 MXG/QA will maintain an OCF flight log (similar to FCFs) on aircraft released from an OCF to identify trends.

BENJAMIN W. BISHOP, Colonel, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

AFPD 11-2, *Aircrew Operations*, 31 January 2019

AFPD 21-1, *Maintenance of Military Material*, 1 August 2018

AFI 11-401, *Aviation Management*, 10 December 2010

AFI 11-202V3/PACAFSUP1, *General Flight Rules*, 21 February 2019

AFI 13-201, *Airspace Management*, 21 August 2012

AFI 21-101, *Aircraft and Equipment Maintenance Management*, 21 May 2015

AFMAN 33-363, *Management of Records*, 1 March 2008

TO 00-20-1, *Aerospace Equipment Maintenance Inspection, Documentation, Policies, and Procedures*, 6 September 2019

TO 1-1-300, *Maintenance Operational Checks and Check Flights*, 15 March 2012

TO 1F-16C-1, *Flight Manual*, 1 November 2019

TO 1F-16C-6-11, *Scheduled Inspection and Maintenance Requirements*, 1 June 2018

TO 1F-16C-6CL-1, *Acceptance and/or Functional Check Flight Checklist*, 15 May 2019

JTD F35A-FCF-CL-001, *Functional Check Flight,* 30 January 2019

Adopted Form

AF Form 847, *Recommendation for Change of Publication*

Abbreviations and Acronyms

AC—Aircraft Commander

AFB—Air Force Base

AFI—Air Force Instruction

AFMAN—Air Force Manual

AFPD—Air Force Policy Directive

AFRIMS—Air Force Records Information Manual

AFTO—Air Force Technical Order

AGL—Above Ground Level

AGRS—Aggressor Squadron

AGRS/CC—Aggressor Squadron Commander

ALIS—Autonomic Logistics Information System

AMU—Aircraft Maintenance Unit

AR—Action Request

ATC—Air Traffic Control

BIT—Built-In Test

BOS—Before Operations Servicing

CG—Center of Gravity

EEL—Electronic Equipment Listing

ESTA—En-route Support Team Advanced

FCF—Functional Check Flight

FW—Fighter Wing

FW/CC—Fighter Wing Commander

HHQ—Higher Headquarters

IAW—In Accordance With

IFG—In-flight Guide

IFR—Instrument Flight Rules

IMDS—Integrated Maintenance Data System

JTD—Joint-Service Technical Data

MA—Maintenance Actions

MOC—Maintenance Operations Center

MXG/CC—Maintenance Group Commander

MXG/QA—Maintenance Group Quality Assurance

NLT—No Later Than

OCF—Operational Check Flight

OG/CC—Operations Group Commander

OG/OGV—Operations Group Standardization and Evaluation Division

OI—Operating Instruction

OIC—Officer in charge

OSS—Operations Support Squadron

PAA—Primary Assigned Aircraft

PM—Program Manager

POC—Point of Contact

PS&D—Plans, Scheduling and Documentation

QA—Quality Assurance

QVI—Quality Verification Inspection

RCR—Runway Condition Report

RDS—Records Disposition Schedule

SOF—Supervisor of Flying

TA—Transient Alert

TDY—Temporary Duty

TO—Technical Order

TP—Targeting Practice

VFR—Visual Flight Rules

VMC—Visual Meteorological Conditions

Terms

3,000/5—-- Minimum weather (cloud ceiling and prevailing visibility, expressed in feet AGL and statute miles) required to accomplish an FCF (unless OG/CC waiver is requested and approved).

AFTO Forms 781—-- A series of aircraft forms (maintained in a binder unique to each aircraft) which collectively provide a maintenance, inspection, service, configuration, status, and flight record for the particular aerospace vehicles and trainers.

Clean Configuration—-- F-16 aircraft will be configured with same type wing tip launchers installed, external pylons/stores, and targeting pod removed.

Currency—-- The minimum frequency required to safely perform an event on a sortie. FCF currency is 180 days for a simulator mission or flight. In addition a training or actual FCF flight must be done on a rolling 1 year basis.

Full—profile FCF --- FCF profile flight plan to accomplish all TO 1F-16C-6CL-1 checklist items.

Hot Preflight—-- A complete engine run utilizing TO 1F-16C-6CL-1 checks. A hot preflight shall be accomplished by an FCF qualified aircrew. The aircraft shall be "flight ready" (panels, rivets, servicing, etc.) before the hot preflight is accomplished. A hot preflight will include all checks/BITs through the before taxi checklist to include checking the pitot heat and external lights. (If necessary, a slow speed taxi check shall be accomplished to verify the performance of the steering, braking and heading systems.)

Instrument Flight Rules (IFR)—-- Rules governing the procedures for conducting instrument flight. Also a term used by pilots and controllers to indicate type of flight plan.

Open Book Examination—-- Test that may be completed using the assistance of associated references.

Profile—-- Events to accomplish during a mission. Also, a planned flight plan routing.

Qualified—-- Completed all required FCF upgrade events and maintained currency to perform FCF duties. The upgrade events are: Nomination Letter, FCF OIC briefing, FCF Read File review, passing test score, FCF simulator mission, FCF flight, and FCF Certification Letter.

Special Use Airspace—-- Airspace of defined dimensions identified by an area on the surface of the earth wherein activities must be confined because of their nature and/or wherein limitations may be imposed upon aircraft operations that are not a part of those activities.

Visual Flight Rules (VFR)—-- Rules that govern the procedures for conducting flight under visual conditions. The term "VFR" is also used in the United States to indicate weather conditions that are equal to or greater than minimum VFR requirements. In addition, it is used by pilots and controllers to indicate type of flight plan.

Visual Meteorological Conditions (VMC)—-- Meteorological conditions in which visual flight rules apply; expressed in terms of visibility, ceiling height, and aircraft clearance from clouds along the path of flight. When these criteria do not exist, instrument meteorological conditions prevail and instrument flight rules must be complied with.

Attachment 2

FCF/OCF BRIEFING/DEBRIEFING CHECKLIST

A2.1. This checklist is designed to: Aid in the preparation and accomplishment of the FCF/OCF process. The aircrew checklist will be filed with the applicable aircraft records history IAW 21-101.

Table A2.1. FCF/OCF Briefing/Debriefing Checklist Example.

FCF/OCF BRIEFING/DEBRIEFING CHECKLIST			
Aircraft Tail #:	**Pilot:**	**JCN:**	**Assessment Number:**
Date:	**FCF/OCF:**	**Reason:**	

FCF/OCF BRIEFING		**Date**	**Initials**
QA	1. QA Section Advised of Pending FCF/OCF		
	2. Form F Generated (if applicable) and Flightline Notified of Configuration		
	3. JST Entered in IMDS, 781A Printed / Work Order Entered in CMMS		
	4. FCF/OCF Entered in LEAP		
	5. Checklist Heading Complete		
	6. Data Entered on AF Form 2400		
	7. Preflight/BOS QVI Accomplished		
	8. Forms Reviewed/Ensure Discrepancy Exists for Reason of FCF/OCF		
	9. Pilot is Briefed on: A. Purpose of FCF/OCF □ B. FCF/OCF Related Maintenance or Discrepancies □ C. Documentation Requirements of FCF/OCF Pilot □		
PILOT	1. Notified 354 OG/CC		
	2. Received Aircrew Checklist		
	3. Checked Weather Requirements		
	4. Reserved Range Space		

	5. Have Read and Understand: A. T.O. 1-1-300 □ B. AFI 21-101 □ C. 1F-16C-6CL-1 / F35A-FCF-CL-001 □ D. Weight & Balance Form F's/AR Guidance □ E. Flight Control AFTO 95's/EEL's □ F. Engine Trim Sheets (if applicable) □	
	6. FCF/OCF Profile Determined (Full / Partial)	

I certify that I have conducted the briefing IAW 21-101	**QA Briefer's Signature:**	**Date:**
I certify that I have been briefed on the items above, checked NOTAMS, weather and confirmed airspace has been reserved. I am FCF/OCF qualified and current	**FCF/OCF** **Pilot's Signature:**	**Date:**

FCF/OCF DEBRIEFING		**Date**	**Initials**
QA	1. Pilot has signed off the FCF/OCF in the Aircraft Forms as "Released" or "Not Released"		
	2. All discrepancies found during FCF/OCF are documented in Aircraft Forms (if applicable)		
	3. FCF Aircrew Checklist items are appropriately checked and checklist is signed		
	4. FCF Checklist is delivered to P&S		
	5. AF Form 2400 is completed		
	6. Date and time of next FCF Brief and Take Off have been scheduled (if applicable)		
	7. Signed off IMDS/CMMS and LEAP		
	8. Erase information from status board		
	9. Sign off QA review in aircraft forms (if applicable)		
	10. Discard all other documents		

Attachment 3

HIGH SPEED TAXI BRIEFING/DEBRIEFING CHECKLIST

A3.1. This checklist is designed to: Aid in the preparation and accomplishment of the High Speed Taxi procedures.

Table A3.1. High Speed Taxi Briefing/Debriefing Checklist Example.

HIGH SPEED TAXI BRIEFING/DEBRIEFING CHECKLIST				
Aircraft Tail #:	**FCF Pilot:**	**Reason:**	**Date:**	
HIGH SPEED TAXI BRIEFING			**Date**	**Initials**
QA	1. QA Section Advised of Pending High Speed Taxi			
	2. FCF Configuration Form F/AR Guidance Checked and Printed			
	3. Forms Reviewed and Exceptional Release Signed Off			
	4. Ensure a Discrepancy is Entered in Forms for High Speed Taxi			
	5. Ensured Aircraft has a Clean Configuration with Minimum Fuel			
	6. Pilot is Briefed on: A. Purpose of High Speed Taxi □ B. Related Maintenance or Discrepancies □ C. Documentation Requirements □ D. To Check Brakes/Tailhook Prior to Takeoff □ E. Allow for Cool Down Time of Brakes at De-Arm Area After the Aircraft Comes to a Stop □			
PILOT	1. Notified 354 OG/CC			
	2. Checked Weather Requirements			
	3. Have Read and Understand: A. T.O. 1-1-300 □ B. AFI 21-101 □ C. Weight & Balance Form F's/AR Guidance □ D. Complete Takeoff Data Card □			
I certify that I have conducted the briefing IAW 21-101		**QA Briefer's Signature:**	**Date:**	

I certify that I have been briefed on the items above, checked NOTAMS, weather. I am FCF qualified and current	**FCF Pilot's** **Signature:**	**Date:**	
HIGH SPEED TAXI DEBRIEFING		**Date**	**Initials**
QA	1. Pilot has properly signed off the original discrepancy for High Speed Taxi Check		
	2. All discrepancies found during check are documented in Aircraft Forms (if applicable)		