BY ORDER OF THE COMMANDER
439TH AIRLIFT WING

439TH AIRLIFT WING INSTRUCTION
21-201

9 SEPTEMBER 2026

Maintenance

INSPECTION, CERTIFICATION AND VERIFICATION OF MUNITIONS RESIDUE AND CERTIFICATION OF EMPTY CONTAINERS

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available for downloading or ordering on the e-Publishing website at www.e-Publishing.af.mil

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 439MXS/MXMW

Certified by: 439MXG/CC
(Colonel Jordan L. Murphy)

Supersedes: 439AWI 21-201, 29 October 2019

Pages: 9

This instruction implements Department of the Air Force Policy Directive (DAFPD) 21-2, *Munitions*, and Technical Order 11A-1-60, *General Instructions Inspection of Reusable Munitions Containers and Scrap Material Generated from Items Exposed To or Containing Explosives*. It establishes guidelines governing the inspection of explosive residue generated from explosive items and certification/verification of empty containers prior to turn-in for shipment and or re-sale to Defense Logistics Agency (DLA). It applies to all organizations assigned or attached to Westover Air Reserve Base (WARB). Ensure that all records created as a result of processes prescribed in this publication are maintained in accordance with (IAW) AFI 33-322, *Records Management and Information Governance Program* and disposed of IAW the Air Force Records Disposition Schedule (RDS) located at **https://www.my.af.mil/gcss-af61a/afrims/afrims/**. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, Recommendation for Change of Publication; route DAF Form 847 to 439 MXG/MXQ, WARB, 350 Hangar Avenue, Box 21, Chicopee, MA 01022-1771.

SUMMARY OF CHANGES

This document is revised and must be reviewed. Changes include updates to munitions, residue inspector responsibilities and documentation requirements.

1. Purpose. To ensure safety, security, and accountability are maintained, munitions are not disposed of inadvertently, expended munitions and/or containers are not transferred to unauthorized personnel, and to protect the environment from contaminants. Under no circumstances will Air Force (AF) personnel release munitions residue, empty munitions containers, or live munitions to non-AF entities for possession, management, and processing.

2. Customers and Users Responsibilities.

2.1. Ensure all munitions residue is turned in to 439th Maintenance Squadron, Munitions Flight (439 MXS/MXMW) to include expended brass, links, expended smoke grenades, pull-pins, empty containers/boxes and packing material.

2.2. Prior to turn-in, ensure the following:

2.2.1. Ensure that no live munitions are mixed with munitions residue.

2.2.2. Segregate residue in separate containers (i.e., 5.56mm ball residue in one container, 7.62mm blank residue in a separate container).

2.2.3. Ensure all containers (inner and outer) to include wooden and cardboard boxes remain serviceable for turn into 439 MXS/MXMW. All stripper clips, pins, and bandoleers, etc., will also be turned in.

2.2.4. Ensure containers that are to be returned to 439 MXS/MXMW are free of live munitions.

2.3. Dud items will not be turned into the 439 MXS/MXMW; appropriate emergency Explosive Ordnance Disposal (EOD) procedures will apply.

2.4. Contact 439 MXS/MXMW to schedule an appointment for munitions residue/empty container return, 557-2928/3661.

3. Munitions Flight Chief will:

3.1. Provide DLA, Disposition Services Facility in writing a list of qualified munitions inspectors to certify/verify munitions residue which includes their name, rank, authorization to inspect, certify and/or verify, and specimen signature of each inspector.

3.2. Ensure that only qualified/appointed munitions personnel are authorized to certify/verify and process any munitions residue to include small arms brass or empty munitions containers.

3.3. Periodically review the inspection procedures to ensure safety, security, and accountability of munitions residue is always maintained.

3.4. Ensure that customers are properly trained in the procedures contained within this instruction.

4. Munitions Residue Inspector will:

4.1. Accept properly configured incoming munitions residue from the user. Residue will be treated as a minimal Hazard Class/Division (HC/D) of the original munitions issued until certified expended/empty/explosive free.

4.2. Residue awaiting inspection certification/verification will be stored and secured/locked in the residue holding area, building 8842, until inspected and treated as a minimum HC/D 1.4.

4.3. The residue inspection process is an explosive operation and proper explosive safety procedures will be followed at all times. Note: If live munitions are found during the inspection process, refer to **paragraph 5**. Due to the possible lead contamination of residue, nitrile gloves must be used when inspecting expended shell casings, flare cartridges and impulse cartridges.

4.4. Ensure all munitions residue is inspected, certified, marked, sealed and segregated in IAW certification/verification procedures contained in Department of the Defense Instruction (DoDI) 4140.62, *Material Potentially Presenting and Explosive Hazzard (MPPEH)*; DoDI 4160.28, *DoD Demilitarization Program* and T.O. 11A-1-60. These procedures will be accomplished for all the following items:

4.4.1. Empty munitions containers, inner containers and packing material:

4.4.1.1. Determine serviceability of items and segregate serviceable from unserviceable.

4.4.1.2. Determine the requirement to retain items for reuse/repacking, Turn-in, or disposal.

4.4.1.2.1. Serviceable items retained for reuse/repacking will be inspected, certified, marked, sealed, segregated and stored in the empty container storage area.

4.4.1.2.2. Excess serviceable items not retained for reuse will be inspected, certified, marked, sealed, segregated, and turned into DLA as required. Mark/palletize IAW MIL-STD-129P.

4.4.1.2.3. Items not destined for DLA will be locally discarded for recycling (e.g., wood, plastic, etc.) through WARB Transfer Station per the Integrated Solid Waste Management Plan for Westover ARB.

4.4.2. Firing Range Expended Brass/Expended Small Arms Cartridge Cases (ESACC) under .50 caliber. **Note:** Upon turn-in from munitions custodian, ensure brass is segregated in separate containers by caliber and type of metal prior to acceptance. If items are not properly segregated, deny turn in, brief custodian on proper procedures, and reschedule turn in.

4.4.2.1. Ensure that a 100 percent visual inspection certification and verification of all munition residue is performed IAW T.O. 11A-1-60.

4.4.2.2. Segregate munitions residue in separate containers by type of residue and like items.

4.4.2.3. Once segregated and verified, document total weight by type of residue on the Residue Tracker Y:\Restricted\MXG\MXS\MXMW\FYXX Document Control\2-02 Accounts\765GT\Misc

4.4.2.4. Ensure containers are secured with anti-tampering seals or secured with banding.

4.4.2.5. Weigh and properly mark all containers.

4.4.2.6. Prepare documentation IAW **para 6**. Note: DEMIL code breakdown/usage: "A" for all scrap material except expended small arms cartridge cases (ESACCS) and scrap metal gleaned from a firing range; "Q" for ESACCS and scrap metal gleaned from a firing range. DEMIL code can be found in column 65, top row of Department of Defense (DD) Form 1348-1A, *Issue Release/Receipt Document*.

4.4.2.7. Prepare for shipment and contact TMO for scheduling of shipment to DLA.

4.4.3. Categorization of all other Munitions Residue:

4.4.3.1. Follow procedures in paragraph **4.1 through paragraph 4.4**.

4.4.3.2. If a determination cannot be made if the residue is non-hazardous or Resource Conservation Recovery Act (RCRA) exempt, coordinate with local environmental function, 439th Base Civil Engineering, Environmental Flight (439 BCE/CEV) at 557-3331 to schedule residue to be tested for Toxic Characteristic Leaching Process (TCLP) performed by an Environmental Protection Agency (EPA) certified laboratory.

4.4.3.2.1. 439 BCE/CEV will provide a copy of the report to the Munitions Flight Chief who will in-turn provide a copy to the Designated Disposition Authority (DDA).

4.4.3.3. Expended M-60 igniters have been tested and determined to be contaminated with Cadmium above allowable levels and will be treated as hazardous waste IAW 439th Airlift Wing Hazardous Waste Management Plan. These assets are not exempt from the certification/verification process.

5. Procedures for Discovery. Procedures of discovery of live munitions during the certification/verification process.

5.1. The munitions residue inspector will:

5.1.1. Stop certification process in the bay immediately and notify the crew chief.

5.1.2. The crew chief will determine if an unsafe condition exists and whether the operation will continue.

5.1.2.1. If the crew chief determines an unsafe condition exists, evacuate as required, follow emergency procedures and immediately notify 439th Maintenance Group, Maintenance Operations Center (MOC) (439 MXG/MOXC) and 439th Civil Engineering Squadron, Explosive Ordinance Disposal (EOD) (439CES/CED).

5.1.2.2. If the crew chief determines the condition is safe, continue the inspection process.

5.1.3. The crew chief will determine if any additional explosive/munitions items are found in the residue and segregate. Report type, quantities, condition/serviceability and origin, if known, to the Munitions Accountable Systems Officer (MASO).

5.1.3.1. If the origin is unknown, an investigation will be performed to determine the origin of the item (i.e.: Theater Integrated Combat Munitions Systems (TICMS) transaction histories, Issues, Expenditures, Residue Turn-In Logs).

5.2. The MASO will:

5.2.1. Ensure stock-listed munitions are picked up on stock record account FV6606 using Found-On-Base/Organizational Turn-in procedures IAW Department of the Air Force (DAFMAN) 21-201, *Munitions Management.*

5.2.2. Conduct a review of the custody account turn-in procedures. If negligence is suspected, the account will be frozen until proper retraining occurs.

5.2.3. Notify the respective unit commanders identified on the Munitions Custody Account Department of the Air Force (DAF) Form 68, *Munitions Authorization Record,* of the investigation results. The account will remain frozen until released by the MASO.

6. Documentation Requirements. Documentation requirements for certified/verified Munitions Residue.

6.1. Designated Munitions personnel will:

6.1.1. Create an account and complete registration in the DLA Account Management and Provisioning System (AMPS) **https://amps.dla.mil**.

6.1.2. Contact the respective DLA point of contact (POC) for the most current process and documentation requirements for transfer of the residue.

6.1.3. Enter required information in the electronic turn in document (ETID) program.

6.1.3.1. Start by selecting “Scrap” under “Select ETID Type”. NOTE: The condition code will be marked as “S” for scrap. If “S” is not an option for selection, select “H” for unserviceable.

6.1.4. The ETID generated from the DLA-ETID system will produce an DD Form 1348-1A/ETID.

6.1.5. The ETID and Inert certification/verification and MDAS documents are required to be completed, signed, and forwarded to DLA Disposition Services.

6.1.6. A copy will be placed in the suspense file and the original signature and 3 copies will be attached to the item.

6.1.7. A final completed copy of the DD Form 1348-1A/ETID will also be forwarded to 439 BCE/CEV.

6.2. All DD Forms 1348-1A for munitions residue operations will be retained for a minimum of two years.

7. Procedures for Shipment. Procedures for shipment of certified/verified munitions residue.

7.1. Contact the Transportation Management Office (TMO) (557-3009) to coordinate shipment to DLA.

7.2. Provide number of pallets and total weight of each pallet as required.

8. Local Procedures. Local procedures for Discovery of Live MPPEH found in WARB Certified Munitions Residue at DLA DISPOSITION SERVICES. All incidents involving the discovery of live MPPEH are reported IAW the Situation Reporting (SITREP) guidance provided in DISP SVCS-I 3020.01 Disposition Services Situation Reporting System. The SITREP requirement generated is mandatory if live MPPEH is found in any scrap pile and will be initiated DLA.

8.1. The Munitions Flight chief will:

8.1.1. Notify Maintenance Squadron Supervision, Safety, and MXG Quality Assurance of the type and location of munitions found.

8.1.2. Retrieve all residue documentation, DD Form 1348-1A for the last two years.

8.1.3. Secure all expended munitions/residue presently in custody.

8.1.4. Secure all inspectors training records.

8.2. The Safety Office (439 AW/SEW) will perform a thorough investigation and will notify HQ AFRC/SEW, 439 MXG/CC, 439 MXS/CC and 439 MXS/MXMW of the results using the Special Situation Report format.

9. Focal Points:

9.1. The WARB focal point for the 439th Munitions Residue Certification/Verification Recycling Program is 439 MXS/MXMW, Munitions Flight, located in building 8840, DSN 589-2928/3661, with work hours of 0630-1500, Monday-Friday. In emergency situations, contact Westover Command Post (439 AW/CP) at (413) 557-3571.

9.2. DLA DISPOSITION SERVICES focal point is DLA DISPOSITION SERVICES at Portsmouth/Pease, 302 Newmarket Street, Building 152, P.O. Box 35, Pease Air National Guard Base (ANGB), Newington, New Hampshire (NH) 03801-2886. The DSN telephone numbers are 852-2737/2725 and the email is **DRMSPortsmouthDSR@dla.mil**, DODAAC is SX1081.

CHRISTOPHER C. HOLLAND, Colonel, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

AFI 33-322, *Records Management and Information Governance Program,* 23 March 2020

DAFI 90-160, *Publications and Forms Management*, 14 April 2022

DAFMAN 21-201, *Munitions Management*, 24 October 2024

DoDI 4140.62, *Material Potentially Presenting an Explosive Hazard*, 9 September 2019

DoDM 4160.28-V1, *Defense Demilitarization: Program Administration*, 15 July 2019

DoDM 4160.28-V2, *Defense Demilitarization: Demilitarization Procedures*, 01 November 2022

Integrated Solid Waste Management *Plan for Westover ARB*, 01 February 2024

Technical Order 11A-1-60*, Inspection of Reusable Munitions Containers and Scrap Material Generated from items Exposed to, or Containing Explosives*, 27 February 2023

Adopted Forms

DAF Form 847, *Recommendation for Change of Product*, 02 July 2025

DAF Form 68, *Munitions Authorization Record*, 02 July 2025

DD Form 1348-1A, *Issue Release/Receipt Document,* 01 July 1991

Abbreviations and Acronyms

ESACC—Expended Small Arms Cartridge Case

DDA—Designated Disposition Authority

DLA—Defense Logistics Agency

EOD—Explosive Ordnance Disposal

HC/D—Hazard Class/Division

MASO—Munitions Accountable Systems Officer

MOC—Maintenance Operations Center

TMO—Travel Management Office

WARB—Westover Air Reserve Base

Office Symbols

439 AW/CC—Commander, 439th Airlift Wing

439 AW/CP—Command Post, 439th Airlift Wing

439 AW/SEW—Safety Office, 439th Airlift Wing

439 BCE/CEV—Environmental Flight, 439th Base Civil Engineering

439 MXG/CC—Commander, 439th Maintenance Group

439 MXS/CC—Commander, 439th Maintenance Squadron

439 MXS/MXMW—Munitions Flight, 439th Maintenance Squadron