*BY ORDER OF THE COMMANDER*
*AIR EDUCATION AND TRAINING COMMAND*

*DEPARTMENT OF THE AIR FORCE*
*INSTRUCTION 21-101*

*AIR EDUCATION AND TRAINING COMMAND*
*Supplement*

*ADDENDUM A*
*27 MAY 2026*

*Maintenance*

# *AIRCRAFT AND EQUIPMENT MAINTENANCE MANAGEMENT (F-35)*

**COMPLIANCE WITH THIS PUBLICATION IS MANDATORY**

---

**ACCESSIBILITY:** Publications and forms are available for downloading or ordering on the e-Publishing website at **www.e-Publishing.af.mil**.

**RELEASABILITY:** There are no releasability restrictions on this publication.

---

OPR: AETC/A4MMP | Certified by: AETC/A4M

Supersedes: AFI 21-101_AETCSUP_ADDENDUM A, 28 JANUARY 2025 | Pages: 50

---

This addendum complements, Department of the Air Force Instruction (DAFI) 21-101_AETCSUP, *Aircraft and Equipment Maintenance Management*. This addendum prescribes procedures governing aerospace equipment maintenance management of F-35 aircraft for Air Education and Training Command (AETC), designated as Weapon System Lead Command for F-35 Flying Training Units (FTU) per Department of Air Force Policy Directive (DAFPD) 10-9, *Lead Command/Lead Agent Designation and Responsibilities for United States Air Force Weapon Systems, Non-Weapon Systems, and Activities*. Chapters aligned with Chapter 10, Chapter 12, Chapter 13, Chapter 15, and Chapter 16 of DAFI 21-101 and the AETC Supplement do not require supplementation for the F-35 and are therefore omitted from this publication. This publication does not apply to the United States Space Force, Air Force Reserve or the Air National Guard and their units; however, AFR/ANG personnel assigned to Classic Associate Units supporting AETC units will comply with the guidance provided within this supplement. Ensure all records generated as a result of processes prescribed in this publication adhere to AFI 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with (IAW) the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System. Refer recommended changes and questions about this publication through your Major Command (MAJCOM) to the Office of Primary Responsibility (OPR) using the DAF Form 847, *Recommendation for Change of Product.* This publication may be supplemented at the

group/director level. The authorities to waive wing/unit level requirements in this publication are identified with a Tier ("T-0, T-1, T-2, or T-3") number following the compliance statement. See DAFMAN 90-161, *Publishing Processes and Procedures*, for a description of the authorities associated with the tier numbers. Submit requests for waivers on DAF Form 679, *Department of the Air Force Publication Compliance Item Waiver Request/Approval*, through the chain of command to the appropriate Tier waiver authority, or alternately, to the publication OPR for non-tiered compliance items. Waivers/recommended changes must be approved by the group commander (or squadron commander, if not assigned to a group) before forwarding to AETC Chief, Aircraft Maintenance Division (AETC/A4M) for action by AF Maintenance Policy and Procedures Branch (AETC/A4MMP). The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the Department of the Air Force.

## *SUMMARY OF CHANGES*

This document has been revised and must be completely reviewed. The revision updates office symbols, references, and terms. Additionally, it clarifies Outer Mold Line (OML) inspection requirements, revises supply turn-in standards, and updates guidance related to Performance-Based Logistics (PBL) and Low Observable (LO) maintenance. Finally, some guidance is now relocated to AFMAN 21-206 AETCSUP, *Aircraft Armament Systems Management* and the LOHAS Fleet Average Template has been removed.

# Chapter 1

## MANAGEMENT OVERVIEW, SUPPORTING CONCEPTS AND REQUIREMENTS

### 1.1. (AETC) Introduction.

1.1.1. **(Added-AETC)** Sustainment Operating Instructions (SOIs) are F-35 joint program instructions provided by the Joint Program Office (JPO). They are developed with Service/Partner participation and provide source documentation for Air Force policies/instructions specific to the F-35 where legacy instructions may not be adequate for the given topic. SOIs are considered applicable and source guidance for use when there is no other Air Force guidance available. If there is a conflict, Air Force guidance will take precedence. SOI source documentation/information that is relevant to DAFI 21-101 is included in this publication and referenced to the specific SOI in applicable paragraphs of this publication. Ensure the SOI is current and active when referenced. SOIs may be accessed at the following web site: **https://usaf.dps.mil/sites/ACC-A4/A4F/F35/SiteAssets/Forms/AllItems.aspx?csf=1&amp%3Bweb=1&amp%3Be=kCKY1b&FolderCTID=0x0120004E394A21D3F8C642B7388827396C71D2&id=%2Fsites%2FACC%2DA4%2FA4F%2FF35%2FSiteAssets%2F02%2E%20GOVERNANCE%2DGUIDES&viewid=e24f4e3f%2D6c50%2D4c8c%2Db697%2Dc6b62efaff1b**

1.1.2. **(Added-AETC)** The F-35 is a joint services platform that utilizes terminology that differs from legacy. For a frame of reference, the following are common terms (not all inclusive) and their legacy equivalent: ALIS=IMDS, JTD=MDS TO, RMA=DIFM, TCTD=TCTO, AR=107 request or ETAR, MEFL=MESL and LCN=WUC.

### 1.3. (AETC) Maintenance Concept.

1.3.4.1. **(Added-AETC)** Action Requests (AR) are the primary method of problem reporting for the F-35 Air System. Refer to **Paragraph 11.47** to submit ARs to the Autonomic Logistics Global Sustainment (ALGS) Operations Center through the Autonomic Logistics Information System (ALIS). SOI 1514.02.

1.3.5. **(Added-AETC)** O+ Maintenance.

1.3.5.1. **(Added-AETC)** The F-35 Joint Program employs a 2-level maintenance concept defined as organizational and depot levels of maintenance. Within the Organizational level, there are on- aircraft and O+ maintenance tasks.

1.3.5.2. **(Added-AETC)** O+ Scheduled Maintenance:

1.3.5.2.1. **(Added-AETC)** Scheduled maintenance requirements for off equipment will be listed within applicable Joint Tech Data (JTD). **(T-2)**

1.3.5.2.2. **(Added-AETC)** O+ scheduled maintenance will be documented and tracked for particular assets as detailed below:

1.3.5.2.2.1. **(Added-AETC)** Program provided Support Equipment (SE) scheduled maintenance will be managed, tracked and documented within Computerized Maintenance Management System (CMMS). **(T-2)**

1.3.5.2.2.2. **(Added-AETC)** Program provided Alternate Mission Equipment (AME) scheduled maintenance will be documented, tracked and managed within

CMMS. **(T-2)**

1.3.5.2.2.2.1. **(Added-AETC)** Tracking and managing scheduled inspections or shelf life of these same items while they are not installed on an Air Vehicle (AV) will be tracked in either Maintenance Management Production Asset Inspection Requirements (MM-PAIRS) as a shelf life tracked item or external to ALIS (i.e., Logistics Data Manager). **(T-2)**

**1.5. (AETC) Aircraft and Equipment Readiness.**

1.5.3.7. **(Added-AETC)** Management of all F-35 AV Scheduled and Prognostic maintenance requirements are performed within the ALIS. Scheduled and Prognostic maintenance is performed IAW JTD, Time Compliance Technical Directive (TCTD) and as directed in an Action Request Response. Specific scheduled maintenance requirements are created by using the Health Inspection Task (HIT) in MM-PAIRS via ALIS.

1.5.3.8. **(Added-AETC)** Prognostic Maintenance Inspections.

1.5.3.8.1. **( Added-AETC)** MM-PAIRS will be viewed and tracked in the same manner as scheduled maintenance inspections. **(T-2)**

**1.9. (AETC) Publications.**

1.9.4. **(Added-AETC)** Use of JTD. Verified JTD will be used for all maintenance actions/procedures. **(T-2)** Where there is JTD that has not been authored or verified, refer to established SOI or User Guide procedures. **(T-2)**

1.9.5. **(Added-AETC)** Lockheed Martin Aeronautics (LM) is the Joint-Service Technical Data Manager (JTDM) and has management responsibility for all Joint Strike Fighter (JSF) program technical data and technical data requirements. LM-JTDM provides overall management of the Joint Technical Data Action Request (JTDAR) internal process and updates required for all JSF JTD. Refer to established SOI or User Guide procedures.

1.9.6. **(Added-AETC)** Support Equipment Maintenance Matrix (SEMM). Refer to established SOI or User Guide procedures.

1.9.6.1. **(Added-AETC)** The primary source for technical data used by authorized personnel to conduct maintenance for SE is verified JTD. In the absence of verified JTD, F-35 program approved legacy general tech data may be used.

1.9.6.2. **(Added-AETC)** The SEMMs are configured and managed by Air System Contractors (ASC), intended to be used as cross-referenced tools for SE authorized maintenance personnel to assist in determining whether or not a particular SE maintenance task is authorized when no released JTD exists.

1.9.6.3. **(Added-AETC)** The referenced SE maintenance technical data in the SEMM is comprised of Original Equipment Manufacturer (OEM) and/or vendor Operation & Maintenance (O&M) manuals, Department of Defense Service SE technical publications and ASC-authored work cards.

**1.11. (AETC) Modification Management.** Submit an AR to the ALGS Operations Center through CRM for program specific equipment and aircraft modifications. Refer to established SOI or User Guide procedures.

**1.19. (AETC) Changes to Technical Orders.** Recommend improvements, corrections or additions to JTD by submitting a JTDAR to ALGS Operations Center through Customer Relationship Management (CRM). **(T-2)** The request should be clear, concise and provide enough detail to identify the recommendation. Additionally, the request should provide a recommended solution if known. The initiator shall recommend a JTDAR processing priority as applicable.

1.19.3. **(Added-AETC)** Expedited JTDAR are accomplished when personnel/property hazards, safety-of-flight conditions exist or a change that pertains to a procedure that will result in a work stoppage or damage to equipment if left uncorrected.

1.19.3.1. **(Added-AETC)** Accomplish routine JTDAR for all other changes that do not meet the Expedited or Category 1 (CAT 1) Action criteria.

1.19.3.2. **(Added-AETC)** Submit an AR to the ALGS Operations Center for additional technical data waivers, deviations, improvements, corrections, or procedures. **(T-2)** See **Paragraph 11.47**.

## Chapter 2

## ROLES AND RESPONSIBILITIES

**2.4. (AETC) Maintenance Group Commander (MXG/CC) Responsibilities.** The MXG/CC (or equivalent) will:

2.4.2.11.1. **(Added-AETC)** Appoint a project officer for Aircraft Structural Integrity Program (ASIP) function, when required. ASIP and the Individual Aircraft Tracking portion of ASIP are an integrated function within ALIS and the aircrew debriefing process. There is no maintenance intervention in the ASIP/Individual Aircraft Tracking data collection or reporting of quarterly data to the MAJCOM at this time. **(T-2)**

2.4.2.39. **(AETC)** Engine Management focal point is Pratt & Whitney at Hartford, CT for both the Engine Trending and Diagnostics and the Engine Health Management Plus program when applicable.

2.4.3.11. **(AETC)** Identify shortfalls of critical equipment needed for essential maintenance assets to include aircraft, engines, pods, Aerospace Ground Equipment (AGE), SE, vehicles, etc., and engage with the MAJCOM and/or Lightning Support Team (LST) to mitigate.

2.4.3.24.1. **(Added-AETC)** The contractor performs Stock Record Account Number (SRAN) engine manager duties.

2.4.3.29.1. **(Added-AETC)** The contractor performs Engine Health Management Plus duties.

2.4.3.36.8. **(Added-AETC)** Establish and maintain an effective LO maintenance program. **(T-2)**

2.4.3.36.9. **(Added-AETC)** Work closely with Operations Group (OG)/CC to balance flying requirements with maintenance capability to minimize LO backlog.

2.4.3.36.10. **(Added-AETC)** Ensure Low Observable (LO) Training requirements are met.

2.4.3.36.10.1. **(Added-AETC)** Ensure all maintenance personnel performing Outer Mold Line (OML) inspections and aircraft coating restorations complete applicable LO TD courses and be certified in core training tasks contained in the 2A7X3 CFETP. **(T-2)**

2.4.3.36.11. **(Added-AETC)** Ensure all maintenance personnel complete LO awareness, panel-handling training through the Maintenance Training Section.

2.4.3.36.12. **(Added-AETC)** Approval authority for flying aircraft in approved Aero Only configuration is outlined in the latest revision of Interim Maintenance Procedure, F-35-IMP-A0110510105-960A-A. **(T-3)**

2.4.3.36.13. **(Added-AETC)** Ensure panels are not removed from aircraft undergoing annual audits.

2.4.3.36.14. **(Added-AETC)** Establish a robust LO quality assurance program that includes focus aircraft Outer Mold Line (OML) inspections, LO annual audits, and LO repair processes.

2.4.3.36.14.1. **(Added-AETC)** Units are authorized to perform 7-day OML inspections instead of a daily after flight OML on F-35A aircraft. The 7-day inspection is optional as units can still perform daily inspections if they choose.

2.4.3.36.14.2. **(Added-AETC)** Local Air Force Engineering and Technical Services (AFETS) will use Weekly OML Training materials to provide instruction to APG (2A3X7) individuals prior to start of 7-day OMLs.

2.4.3.36.14.2.1. **(Added-AETC)** During the Post Operations Service (POS) inspection, attention should be given to the following areas: canopy, Distributed Aperture Sensor (DAS) window 6, radome, Electro-Optical Targeting System (EOTS) window, DAS windows 1,2,3, LH/RH inlet compression bumps (LO coatings), LH/RH side fuselage and weapons bay access doors/covers (includes latches & fasteners), weapons bay door coatings, weapons station panels (LH stations 1,2,3 & RH stations 9,10,11), leading edge flaps (includes bladeseals & bullnoses), wing tip lights, LH/RH AFT fuselage vertical tail bulbseals and leading edges, horizontal tail bladeseals, DAS Windows 4 & 5, Missing External E-Flap or Horizontal Tail (HT) Boom coating, missing engine component coatings, uplifted tape or boot, bent hardpoint covers, and MFA shroud detached.

2.4.3.36.14.2.2. **(Added-AETC)** Due to the potential safety risk, areas forward of the intake where coatings act as secondary retention shall continue to be inspected after every flight per step 2.12 – 2.14 of POS (OML) JTD module F35-AAA-A1321030000-281B-A. Any disbonded coatings forward of the inlet that may liberate shall be repaired prior to next flight. Defects may be entered in Low Observable Health Assessment System (LOHAS) as part of the 7-day inspection.

2.4.3.36.14.2.3. **(Added-AETC)** Latch position indicator markings shall be inspected daily for missing or worn coatings per steps 4.6 and 8.5 of POS (OML) JTD module F35-AAA-A1321030000-281B-A.

2.4.3.36.14.2.4. **(Added-AETC)** APG (2A3X7) and Aircraft Structural Maintenance (ASM) (2A7X3) maintainers are equally responsible for identifying LO coating defects on the OML. Major LO anomalies observed during Backup Operations Servicing (BOS), Inter Operations Servicing (IOS), POS will be marked and entered in LOHAS by qualified 2A7X3 ASM individuals. Minor/routine damages will not be marked or entered into LOHAS until the 7-day OML.

2.4.3.36.14.2.5. **(Added-AETC)** If an aircraft's downtime exceeds 7 days, a new OML inspection must be successfully completed within 7 days prior to its next flight.

2.4.3.36.14.2.6. **(Added-AETC)** Units will accomplish an LO audit on all aircraft that are going to deploy 90 days prior to departure. This audit will count

as the mandatory annual audit.

2.4.3.36.14.2.7. **(Added-AETC)** Daily OMLs will be accomplished on all aircraft that are deploying 30 days prior to departure and maintain daily OMLs throughout the deployment. Daily OML inspections will be accomplished by fully qualified LO technicians.

2.4.3.36.14.2.8. **(Added-AETC)** The 7-day OML inspection for each aircraft will be tracked by a local Production Asset Inspection Requirements (PAIR).

**2.7. (AETC) Wing Weapons Manager (WWM).** See AFMAN 21-206/AFMAN 21-206 AETCSUP for duties and responsibilities.

**2.8. (AETC) Squadron Commander (SQ/CC) Responsibilities.**

2.8.1. **(AETC)** The Operating Unit/Squadron will report mishaps/accidents in accordance with existing Service procedures and instructions and are responsible for contacting the ALGS Ops Center in accordance with the F-35 Mishap Communication Instruction. Operating Unit/Squadron policy will determine individuals or positions that will notify the ALGS Ops Center in the event of a mishap/accident. **(T-2)**

**2.9. (AETC) Maintenance Supervision Responsibilities.**

2.9.2. **(AETC)** Engine data is maintained in ALIS. **(T-2)**

2.9.18. **(AETC)** Special Purpose Recoverable Authorized Maintenance (SPRAM) accounts are not applicable.

2.9.19. **(AETC)** Use ARs in ALIS to report materiel deficiencies. Refer to established SOI or User Guide procedures.

**2.10. (AETC) Flight Supervision.**

2.10.25.2. **(AETC)** F-35 program of record deficiency reporting will be accomplished IAW JTD AR Submittal Guide.

2.10.26. **(AETC)** Review and track Return Material Authorizations (RMA) to ensure they are turned in within their allotted time frame.

2.10.27. **(AETC)** Work center supervisors request bench stock levels via the unit Decentralized Maintenance Support (DMS). DMS will forward Pre-Expended Bin (PEB) levels through the quarterly review process. IAW established SOI or User Guide procedures.

**2.12. (AETC) Section NCOIC/Chief.**

2.12.8. **(AETC)** Ensure review of CMMS daily to monitor scheduled and deferred events. Refer to established SOI or User Guide procedures.

2.12.9. **(AETC)** Ensure review of work center ALIS data entries for the previous day and all preceding non-duty days in CMMS for job accuracy and completeness.

2.12.23.2. **(Added-AETC)** F-35 hazardous material (HAZMAT) may be collocated with common HAZMAT; storage location is a local decision. Wherever it is stored, in addition to tracking in Enterprise Environmental, Safety, and Occupational Health Management Information System (EESOH-MIS), track HAZMAT in Supply Chain Management (SCM) to ensure proper information is available for tracking and replenishment by the Hybrid

Product Support Integrator (HPSI) (A). HAZMAT may be physically stored in the main warehouse or at a HAZMAT facility. **Note:** Once issued to maintenance, HAZMAT must be tracked using local procedures.

2.12.23.3. **(Added-AETC)** Customers are responsible for warehousing of common HAZMAT, including common petroleum, oil, and lubricants.

## Chapter 3

## AIRCRAFT MAINTENANCE SQUADRON (AMXS)/GENERATION SQUADRON.

### 3.5. (AETC) Production Superintendent (Pro Super).

3.5.2.1. **(Added-AETC)** Release (exceptional release (ER) aircraft for flight via the CMMS tool in ALIS. An ER will include review of all opened, closed, and deferred work packages produced since last ER. Additionally, review all Production Asset Inspection Requirements (PAIR) for currency. Refer to established SOI or User Guide procedures. **(T-2)**

3.5.14.1. **(Added-AETC)** The MXG/CC may grant authority to waive holes/Electronic Equipment Log (EEL)/inconsistencies to MC aircraft via the Special Certification Roster (SCR) process IAW **Chapter 11** and **Table 11.1** of this addendum.

3.5.14.2. **(Added-AETC)** The holes/EELs/inconsistencies must be determined to have been caused by an update, Sustainment Parts Information Record, Distribution Tracking Record, etc., and the part in question can be verified correct and installed. **(T-2)**

3.5.14.3. **(Added-AETC)** Life Limited Parts/Time Change Items (TCI) or PAIRS items with holes/EELs/inconsistencies will not be waived. **(T-2)**

3.5.14.4. **(Added-AETC)** If holes/EELs/inconsistencies cannot be resolved locally, an AR must be written in ALIS to report the holes/EELs/inconsistencies IAW the JTD AR Submittal Guide and **Paragraph 11.47**, prior to being waived.

3.5.14.5. **(Added-AETC)** Input a note in the AV status page of CMMS with the holes/EELs/inconsistencies being waived, along with the AR number and Job Control Number if applicable.

3.5.14.6. **(Added-AETC)** Ensure ALIS information (Built In Reporting Tool (BIRT) reports, P&S data, Configuration) is backed up at least once per day and stored for use in case of an ALIS offline situation unless mission dictates otherwise. Refer to ALIS offline User Guide procedures.

### 3.6. (AETC) Flightline Expediter.

3.6.4. **(AETC)** Maintain copies of the items listed in DAFI 21-101, paragraph 3.6.4.; reference Aircraft Maintenance Branch (AETC/A4MA) SharePoint for the Minimum Essential Function List (MEFL) **https://usaf.dps.mil/sites/aetc-19af/LG/A4MA/CURRENT%20DOCUMENTS/Forms/AllItems.aspx?RootFolder=/sites/aetc-19af/LG/A4MA/CURRENT** DOCUMENTS/MESL. The F-35 uses Logistics Control Numbers (LCN) and does not use Work unit Codes; therefore, it does not have a manual. Refer to the CMMS ALIS Work Instruction for list of LCNs. In Process Inspection listings are managed locally.

3.6.7.2. **(Added-AETC)** Use ALIS/CMMS tool to monitor back-ordered and requisitioned parts.

### 3.7. (AETC) Aircrew and Maintenance Debrief Section.

3.7.12. **(Added-AETC)** PHM Data Download.

3.7.12.1. **(Added-AETC)** Download Portable Maintenance Device (PMD) at the end of the flying day for each sortie. **(T-2)** Exceptions for the situations listed below:

3.7.12.1.1. **(Added-AETC)** Back-to-back missions that were pre-scheduled in ALIS.

3.7.12.1.2. (Added-AETC) Per Aircraft Release Authority's decision where ALIS is not available (away from the AV host Standard Operating Unit (SOU)) for prompt processing of the PMD download.

3.7.12.1.3. **(Added-AETC)** An approved AR, A2UN or JTD guidance where ALIS is not available.

3.7.12.1.4. **(Added-AETC)** For failed PMD downloads follow the F-35 program current debrief users' guide.

3.7.13. **(Added-AETC)** Check ALIS for Airframe Time.

3.7.14. **(Added-AETC)** Ensure proper generation/execution of manual Health Reporting Codes (HRCs) resulting from AV exceedances.

**3.8. (AETC) Aircraft Section.**

3.8.1.2. **(AETC)** Red gear (-21) is tracked and documented in CMMS.

3.8.1.4. **(Added-AETC)** Perform propulsion tasks to include Engine Equipment Maintenance Section responsibilities. (DAFI 21-101, Paragraph 4.11.7.)

3.8.1.5. **(Added-AETC)** Perform engine trailer maintenance, unless a local MOA exists for AGE flight to perform maintenance. **(T-2)**

**3.9. (AETC) Specialist Section.**

3.9.2. **(AETC)** Avionics Specialists will:

3.9.2.1. **(AETC)** If available, OG personnel perform re-programming actions via Offboard Mission Support (as applicable)/PMD.

3.9.2.2. **(Added-AETC)** Perform all Electro Environmental tasks. **(T-2)**

3.9.2.3. **(Added-AETC)** Include Controlled Cryptographic Items (e.g. KIV-78s, SKLs, etc.) not otherwise accounted for in SPRAM accounts. **(T-2)**

3.9.2.4. **(Added-AETC)** Perform Backup Operations Servicing (BOS) cart maintenance.

3.9.2.5. **(Added-AETC)** Manage and perform authorized maintenance on removed 270 and 28 VDC batteries.

**3.10. (AETC) Weapons Section/Expediter/ Loading Element/ Maintenance Element/ Non-Standard Weapons Sections.** See AFMAN 21-206/AFMAN 21-206_AETCSUP for duties and responsibilities.

**3.12. (AETC) Unit Decentralized Materiel Support (DMS).** DMS will:

3.12.1.1. **(Added-AETC)** Requisition parts through ALIS/CMMS module. DMS personnel cans assist with follow-up via contacting LRS/ Aircraft Parts Store (F35 APS).

3.12.4. **(AETC)** Monitor Due-In From Maintenance (DIFM)/RMA through ALIS/CMMS Module tool and RMA listing provided by LRS/F-35 APS. Turn-ins of most retrograde items

will be achieved within 1 calendar day of date of issue. Exceptions are noted in the F-35 Supply Sustainment Operations Policy (SSOP), SOI 1511.02.

3.12.4.1. **(AETC)** Notify AMU leadership when DIFM asset turn-in times exceed 1 days.

3.12.4.2. **(Added-AETC)** Use the Due-in list page in CMMS to view and manage parts that are awaiting turn-in from maintenance. Use this page to process retrogrades to accomplish turn-in correctly. **Note:** This does not include initial issue turn-ins (i.e. AME, SE).

3.12.5.1. **(Added-AETC)** The unit is responsible for management, including replacement of damaged or lost reusable containers. The LRS will subsume F-35 packaging and reusable container responsibilities consistent with process used for legacy assets.

3.12.6.1. **(Added-AETC)** Review work orders (WO) associated with parts in TNB monthly to ensure they are still open. Coordinate with maintenance to ensure work order number has not changed. Turn in part if no longer needed. **(T-2)**

3.12.6.2. **(Added-AETC)** Coordinate with Pro Super/Expediter and PS&D if a part has been in TNB 30 days or longer and is not required for a TCTD, time change, pending AR, or critical safety item, to determine whether to perform a turn in.

3.12.9. **(Added-AETC)** Review backorders monthly to ensure cancellation of orders no longer required and to remove erroneous data.

## Chapter 4

## MAINTENANCE SQUADRON (MXS)/GENERATION SQUADRON.

**4.2. (AETC) Maintenance Supervision Responsibilities.**

4.2.2. **(AETC)** Base level repair capability is performed in accordance with the specific sustainment strategy for a given weapon system. Where weapon systems are supported under a formally implemented Performance-Based Logistics (PBL) construct, units will comply with the associated PBL standards. For the F-35, base-level maintenance and repair will be executed in accordance with JPO-managed sustainment contracts, the F-35 Global Support Solution, ALIS/ODIN processes, and applicable technical data. If a formal, approved PBL construct is implemented for the F-35 in the future, units will comply with the associated PBL standards as directed.

**4.4. (AETC) Accessories Flight.** Electro Environmental responsibilities reside in Specialist Section in AMXS.

4.4.2.6. **(Added-AETC)** Perform nitrogen cart (8-bottle) maintenance, if used.

4.4.3.2.9.2. **(Added-AETC)** Accomplish annual verification of each aircraft's installed egress data with Plans Scheduling and Documentation (PS&D) by validating CMMS, JTD/MM-PAIRS against section records. Verify shelf/service life due dates against current JTD life frequencies, correct load of PAIR and item data matches.

4.4.3.2.11.2. **(AETC)** If directed by the MXG/CC, and at the interval chosen, Egress Sections will conduct an egress final using a locally developed checklist.

4.4.3.2.13.8. **(Added-AETC)** When egress components are replaced between major Periodic Inspections (PEs), egress will update the existing locally generated CAD/PAD with the new information, complete the work order in ALIS, and verify the PAIR reset in MM-PAIRS. **(T-2)** ALIS is the source of record for all Egress Data and the aircraft tail binder CAD/PADs will be updated until next major PE. At next major PE, the locally generated Master CAD/PAD will be validated for accuracy, signed, and sent to PS&D.

4.4.3.2.13.9. **(Added-AETC)** Egress personnel will reconcile the data listed on the Cartridge Actuated Device/Propellant Actuated Device (CAD/PAD) verification sheet (extracted from the installed components) with ALIS using CMMS, MM-PAIRS, and JTD. **(T-2)** The minimum data requiring verification includes the component part or serial number, lot number, position installed, date of manufacture, date of installation (or INSTALL_FIRST date if applicable), date of expiration, and time change frequency listed in applicable tech data, CMMS or MM-PAIRS.

4.4.3.2.13.9.1. **(Added-AETC)** Use locally generated CAD/PAD master document in lieu of planning requirements (PRAs) for CAD/PAD verification/validation. Provide PS&D a verified, updated, and signed copy.

4.4.3.2.13.9.2. **(Added-AETC)** If errors or omissions are noted before the aircraft's next scheduled sortie, the egress technician or supervisor performing

the verification will update ALIS to match what is actually installed or submit an AR to correct the discrepancy and immediately notify PS&D. **(T-2)** Annotate the correct data in red on the existing locally generated CAD/PAD and place in a suspense file. **(T-2)** After receiving a response from engineers and corrections have been completed, verify the corrections have been made to ALIS, update the locally generated CAD/PAD, sign all copies, forward a copy to PS&D, and dispose of the suspense copy. **(T-2)** Retain the original in the egress work center for subsequent verification.

4.4.3.2.13.9.3. **(Added-AETC)** PS&D will review the corrected locally generated CAD/PAD for any TCI due dates that may change because of an incorrect database. **(T-2)** Current TCI forecasts will be validated for accuracy and an adjusted forecast submitted as required. PS&D will file the signed CAD/PAD in the aircraft historical record file. **(T-2)**

**4.5. (AETC) Aerospace Ground Equipment (AGE) Flight.**

4.5.1.5.1. **(Added-AETC)** Support Equipment is managed and maintained in ALIS. The SEMM is the primary source for AGE technical data until the technical data is entered into JTD. For detailed information on the SEMM, refer to established SOI or User Guide procedures.

4.5.2.1. **(AETC)** Refer to **paragraph 2.4.3.11.** for AGE Minimum Essential Levels.

4.5.2.11.1. **(Added-AETC)** Ensure equipment is shipped according to AF Support Equipment Controlling Authority disposition instructions/requirements.

**4.6. (AETC) Armament Flight.** See AFMAN 21-206_AETCSUP for duties and responsibilities.

**4.7. (AETC) Avionics Flight.** Avionics Flight does not exist under the maintenance concept.

**4.8. (AETC) Fabrication Flight.**

4.8.4.5. **(Added-AETC)** Establish/obtain NDI inspection technique files by submitting an AR to ALGS Operations Center and LST through CRM. **(T-2)** Refer to established SOI or User Guide procedures.

4.8.5. **(Added-AETC)** Aircraft Structural Maintenance Section. Manages all aspects of Low Observable Health Assessment System (LOHAS) for assigned aircraft (see **Attachment 26**), Low Observable Defect Entry Module (LODEM), Signature Assessment Module (SAM) and LO Maintenance Management Module (LOMMM).

4.8.5.7. **(Added-AETC)** Adhere to concurrent maintenance restrictions as determined by Maintenance Supervision and local bioenvironmental during corrosion prevention/treatment or coatings restoration when hazardous/toxic materials are in use requiring the use of specialized personal protective equipment.

4.8.5.8. **(Added-AETC)** Follow guidance contained in JSF Maintenance Coding Reference Guide (F35-UGP-A0122000104-090A-A) in JTD to ensure Maintenance Work Orders created in Computer Managed Maintenance System (CMMS) capture qualitative and standardized data for LO Reliability & Maintainability analysis. **(T-2)**

4.8.5.9. **(Added-AETC)** Establish a Post Operations Service (POS) Outer OML inspection team rotation plan to ensure all personnel remain proficient. Final finish POS inspections are required at the end of each flying day. **(T-2)**

4.8.5.10. **(Added-AETC)** LO Signature/Fleet Management Section

4.8.5.11. **(Added-AETC)** Schedule aircraft with an LOHAS exceedance equal to or greater than 100% Maintenance Margin Used (MMU) at the earliest opportunity and/or during the next Shared Resources meeting. **(T-2)**

4.8.5.12. **(Added-AETC)** Unscheduled F-35 LO maintenance/LO FOM may be scheduled separately from Shared Resources meeting. **(T-2)**

4.8.5.13. **(Added-AETC)** Responsible for performing annual OML audits on each assigned aircraft. The audit is used to confirm that damage and repairs entered into the LOHAS during routine OML inspections provides for an accurate representation of the LO system health. OML audit must be completed by separate entity within the ASM section, excluding OML team members. This can only be performed by physically matching aircraft damage/repairs with the entries in the LODEM. Errors identified during the audit must be recorded in an audit historical file, corrected on the aircraft OML and reflected in LOHAS for defects or repairs found deficient. Any aircraft audit that results in a +15% or -15% LOHAS margin deviation indicates a potential deficiency with the OML inspection process. See **Attachment 28** for Audit procedures and reporting requirements. **(T-2)**

4.8.5.14. **(Added-AETC)** At the beginning of each week, report the LOHAS fleet's mission-capable status to **19AF.LGMS.All1@us.af.mil,** ensuring to exclude non-possessed aircraft from the report. (Contact this same email address for the required LOHAS Fleet average template and reporting notes.) **(T-2)**

4.8.5.15. **(Added-AETC)** Key information includes LOHAS maintenance margin used number for each aircraft, fleet LOHAS average, a brief description of damages or repairs that drive a signature delta from previous OML and identify aircraft in an “Aero Only” configuration and associated panels. **(T-2)**

4.8.5.16. **(Added-AETC)** LOHAS margin values for each aircraft with a LOHAS exceedance will be reported as identified in LOMMM until it reaches 200% of the MMU. Do not report values greater than 200% to ensure fleet averages are not unnecessarily impacted. **(T-2)**

4.8.5.17. **(Added-AETC)** Monitor fleet LOHAS margin used values and ensure aircraft are scheduled for LO margin reduction when individual aircraft LOHAS values reach 80% margin used. **(T-2)**

4.8.5.18. **(Added-AETC)** Coordinate with AMU Supervision, Production Superintendent, and AMU PS&D to ensure aircraft downtime is scheduled for LO margin reduction at the appropriate time, based on overall fleet health and/or LOMMM damage priority screen. **(T-2)**

**4.11. Propulsion Flight. (AETC)** Propulsion Flight responsibilities to include Engine Equipment Maintenance Section responsibilities are performed by Aircraft Section due to the F-35 maintenance concept.

**4.12. (AETC) Test, Measurement, and Diagnostic Equipment (TMDE) Flight.** TMDE responsibilities are managed through the JPO-managed sustainment contract for program specific Precision Measurement Equipment Laboratory items.

## Chapter 5

## MAINTENANCE OPERATIONS (MXO)

**5.2. (AETC) Maintenance Operations.**

5.2.4.5.1.1. **(Added-AETC)** Use the ALIS to manage International Civil Aviation Organization codes (ICAO) for on/off-station possessed aircraft. Since the capability does not exist for utilization of Purpose Identifier Codes (PIC) in ALIS, submit PIC changes to the MAJCOM Aerospace Vehicle Distribution Officer (AVDO). (DAFI 21-101, Paragraph 5.2.4.5.1.) **Note:** ALIS CMMS status only allows the aircraft to be in a FMC, PMCM, PMCS, NMCM, NMCB or NMCS status. Legacy statusing is utilized but does not match ALIS.

5.2.4.10. **(AETC)** Base level repair is Not Applicable.

5.2.5. **(AETC)** Maintenance Operations Center (MOC).

5.2.5.1.1. **(AETC)** The MOC will use ALIS to monitor and coordinate sortie production, maintenance production, communicate priorities, and execution of the flying and maintenance schedules while maintaining visibility of fleet health indicators.

5.2.7. **(AETC)** Plans, Scheduling, and Documentation. PS&D will be the POC for managing and tracking TCTD, PAIRs, and aircraft equipment transfer.

5.2.8. **(AETC)** Maintenance Management Analysis (MMA). MMA requirements are limited by ALIS capabilities.

5.2.8.1.12. **(AETC)** ALIS administrators are responsible for system database management.

## Chapter 6

## QUALITY ASSURANCE (QA)

**6.4. (AETC) Chief Inspector Responsibilities.**

6.4.5.1. **(AETC)** Provide maintenance crosstell information by using the approved MDS process (e.g., CRM application of ALIS via an AR). Reference established SOI or User Guide procedures.

6.4.10. **(AETC)** A master standardized AFTO Form 781-series forms binder is not applicable.

6.4.11. **(AETC)** Inspectors evaluating Low Observables (LO) maintenance/inspections must complete applicable LO TD courses and be certified in core training tasks outlined in the 2A7X3 CFETP. **(T-3)**

**6.9. (AETC) QA Product Improvement Programs (PIP).**

6.9.4.1. **(AETC)** Configuration management and modifications are managed within CRM. Use an AR in ALIS to resolve discrepancies IAW JTD AR Submittal Guide and **paragraph 11.47**..

6.9.5.1.3. **(AETC)** Use an AR in CRM to report materiel deficiencies, IAW JTD AR Submittal Guide and **Paragraph 11.47**..

**6.10. (AETC) Technical Order Distribution Office (TODO).** JTD is managed by ALGS and LST.

6.10.1. **(AETC)** TCTD management is accomplished IAW F-35 JPO directives and the F-35 Air Vehicle Sustainment Contract (AVSC).

6.10.1.3. **(AETC)** Date stamping TCTDs is not compatible with program requirements, as TCTDs are distributed through ALIS.

**6.12. (AETC) Functional Check Flights (FCFs) to include Operational Check Flights (OCFs).** The criteria used to determine if/when a Check Flight is required is identified within JTD, directed by AR, during TCTD follow-on checks, via an Aircraft Return Action or as outlined in DAFI 21-101.

**6.15. (AETC) Weight and Balance (W&B) Program.** If capability exists and equipment is available, QA is responsible for the management and control of the W&B Program and records. If capability does not exist, the physical accomplishment of an F-35 W&B is a depot level task, requiring only the local management and control of the W&B handbook and applicable updates required by unit level personnel.

6.15.1.3. **(Added-AETC)** If discrepancies exist within Weight and Balance records/data, contact F35 AWBS Management for corrections.

6.15.5. **(Added-AETC)** Transfer of Air Vehicle Weight Balance records.

6.15.5.1. **(Added-AETC)** The transferring of data files between the ALIS workstation and the Government Furnished Equipment (GFE) laptop/workstation hosting the Automated Weight and Balance System software is carried out in accordance with established SOI or User Guide procedures. Data transfer devices will comply with service policies and

regulations. This can include TCTD mod packages, Zero Fuel Mass Properties, Aircraft Data Load and Form F records.

## Chapter 7

## IMPOUNDMENT PROCEDURES

### 7.6. (AETC) Impoundment Procedures.

7.6.1. **(AETC)** Indicate the reason for impoundment in the cautions and warnings section on the AV status page in CMMS.

7.6.4.2. **(AETC)** For parts that are removed as a part of an investigation, mishap or accident the following applies:

7.6.4.2.1. **(Added-AETC)** For SE, use the process of locking down the asset and do not turn in the part to LRS until authorized. **(T-2)**

7.6.4.2.2. **(Added-AETC)** Parts orderable within ALIS will be quarantined. **(T-2)**

7.6.4.2.3. **(Added-AETC)** Release items from Quarantine only when authorized. **(T-2)**

## Chapter 8

## TOOL AND EQUIPMENT MANAGEMENT

**8.2. (AETC) Guidelines for Program Management.** F-35 program provided tools will be tracked and maintained in ALIS. Each tool is marked with an appropriate logistics control/sequence number or Equipment Identification Designator. Use of TCMAX for daily issue of tools and equipment does not relieve the requirement to maintain data in ALIS. Non-permanent marking with locally assigned Equipment Identification Designator is authorized to facilitate optional use of TCMAX, but does not change the program mandated marking/tracking requirements.

8.2.17. **(Added-AETC)** Ensure JPO provides CTKs IAW production contract guidelines.

8.2.18. **(Added-AETC)** Support personnel will requisition a new tool in ALIS. Ensure replacement tools received are appropriately marked. **(T-2)**

8.2.18.1. **(Added-AETC)** Common Hand Tools and Tool Containers procured under emergency conditions may be delivered unmarked. In those cases, the receiving unit shall locally etch the replacement tool or container with the same Tool ID number as the broken or lost tool/container it is replacing. **(T-2)**

8.2.18.2. **(Added-AETC)** Globally pooled tools on loan to another unit will be transferred in ALIS. Globally pooled assets will not be permanently etched. **(T-2)**

**8.3. (AETC) General Program Guidelines.**

8.3.6. **(AETC)** CMMS is unable to provide Master Inventory Lists, restrict tools, track shift change inventories, or perform basic tool control procedures. Until CMMS is able to accomplish these tasks, a Commercial-Off-the-Shelf (COTS) product (e.g. TC-Max) may be used to aid in tool accountability. As each version of ALIS is upgraded, units will evaluate whether or not CMMS has basic tool control capabilities. Units will keep accurate status of all global pooled assets in the COTS product and ALIS. **(T-2)**

**8.7. (AETC) Locally Manufactured, Developed, or Modified Tools and Equipment.** Modification to program-provided equipment must be submitted through an AR for approval. Locally manufactured, developed, or modified tools used on program-provided equipment or aerospace vehicles will be submitted through an AR for approval. **(T-2)** Units are not required to submit ARs for tools previously locally manufactured, developed, or modified prior to establishment of this AR requirement in September 2015.

**8.9. (AETC) Lost Item/Tool Procedures.**

8.9.2.5.2. **(Added-AETC)** If a tool is found, personnel can find the tool owner by comparing the sequence number to the Tool Marking Organizational Matrix for additional contact information.

**8.10. (Added-AETC) Support Equipment Maintenance Matrix (SEMM)** . The primary source for technical data used by authorized personnel to conduct maintenance for SE is verified JTD. For information on the SEMM, see **paragraph 1.9.6.2**.

## Chapter 9

## MATERIEL MANAGEMENT SUPPORT

**9.1. (AETC) General.** F-35 supply chain management (SCM) functions are governed by JPO-managed annual sustainment contracts with the Air System Contractor. These contracts include performance-incentive structures and are intended to transition to a future Performance-Based Logistics (PBL) construct; they are not currently executed under a full PBL agreement.

**9.2. (AETC) Decentralized Materiel Support.**

9.2.4.1. **(AETC)** Mission Capable sourcing and request for upgrade, downgrade and cancellation of Mission Impaired Capability Awaiting Part (MICAP) requirements are coordinated with LRS/F-35 APS. Sample MICAP Verification Worksheet (**Attachment 27**) may be used to assist in the verification process prior to backorder.

**9.5. (AETC) Bench Stock.** The main users of bench stock PEB items are Maintenance, Flightline and back shops, where PEB may also be stored. **Note:** CMMS currently does not identify shelf-life items, so they must be tracked using manual procedures.

9.5.2. **(AETC)** When PEB falls below the minimum supply level established in CMMS (**Note:** this is not necessarily 50%), DMS or LRS personnel ensure a material request is initiated in CMMS and LRS personnel follow procedures in the User Guide to issue the items if available locally or backorder items if not available locally. PEB will be inventoried monthly as a minimum, but replenishment orders can be placed at any time.

9.5.4. **(Added-AETC)** Parts ordering for consumables and PEB are carried out to support the WO execution for replacement of minor hardware and consumable items. Refer to **https://cs2.eis.af.mil/sites/12097/Supply%20Chain/Forms/AllItems.aspx** for the General Use Consumable List (**Note:** Joint Strike Fighter Data Library (JDL) access is required). Consult unit DMS for ordering details. **Note:** consumable, shop use, and RMA initial issue items can be ordered through the parts catalog.

9.5.5. **(Added-AETC)** Excess PEB items identified by CMMS maximum quantity must be returned to the LRS warehouse.

9.5.5.1. **(Added-AETC)** DMS and Maintenance personnel will communicate any suggestions/changes regarding PEB inventory to their Supply Field Service Representative quarterly at a minimum. This includes requests for bench stock items not currently stocked, suggestions to remove items from PEB that are no longer needed, and requests to increase or decrease the quantity of specific items. Field Service Representatives collect these suggestions and, on a quarterly basis, communicate them to the HPSI (A). The HPSI (A) validates the PEB additions/deletions/changes and orders any additional or new bench stock items needed.

**9.18. (AETC) DIFM Management.**

9.18.1. **(AETC)** DIFM (RMA) will be managed IAW applicable SOIs and User Guides and executed in accordance with JPO-managed sustainment contracts.

9.18.3. **(AETC)** Appoint an RMA Monitor.

9.18.3.2. **(AETC)** Repair cycle asset management is performed through the JPO-managed sustainment contracts.

9.18.3.2.1. **(Added-AETC)** Source of Repair Identification.

9.18.3.2.1.1. **(Added-AETC)** Upon part turn-in, the LRS will be notified by ALIS SCM as to whether the part can be repaired locally or requires shipment to an OEM/depot.

9.18.3.2.1.2. **(Added-AETC)** Routing of the part to OEM/depot will be carried out using the details provided for shipment by SCM.

9.18.3.2.1.3. **(Added-AETC)** Routing of part to an O+ maintenance work center.

9.18.3.2.1.3.1. **(Added-AETC)** Identification of the O+ (off-equipment) maintenance work center is carried out by the LRS, based on local/unit level capabilities

9.18.7.5. **(Added-AETC)** Parts Turn-In. The part turn-in process is the same regardless of On- or Off-Equipment maintenance tasks.

9.18.7.5.1. **(Added-AETC)** Obtain the DMS/LRS representative's signature on a Local product (logbook, customer copy of DD 1348-1A, *Issue Release/Receipt Document*, etc.).

9.18.7.6. **(Added-AETC)** The parts turn in process is carried out for each repairable item that is identified by SCM as requiring turn in. For those parts that generate a "Due In" status in CMMS/SCM, the details for each part will be listed on the "Due In List".

9.18.7.7. **(Added-AETC)** For parts that require quarantine in support of investigations or exhibit management, follow the part turn-in process detailed in User Guide.

9.18.7.8. **(Added-AETC)** Turn-in of GFE/GFM parts will be done in line with Service policy and procedures outside of ALIS.

9.18.8. **(Added-AETC)** Requisition Management and Reporting:

9.18.8.1. **(Added-AETC)** CMMS material requisition listing:

9.18.8.1.1. **(Added-AETC)** CMMS provides a searchable view of requisitions from the Material Requisition Page. From this page, an authorized user can edit, receive, turn in and adjust requisitions on the SOU.

9.18.8.1.2. **(Added-AETC)** CMMS BIRT reports are available from the Material Requisition Page and provide detailed listings of requisitions, PEB and other supply process related information.

9.18.9. **(Added-AETC)** The Due-In list page allows users to view and manage parts that are awaiting turn-in from maintenance.

9.18.10. **(Added-AETC)** CMMS order cancellation can be accomplished from the Material Request Details Page and only on requisitions in the state of New, Released, or Picked. This is a permission-based function within CMMS and control of this function is left to the Operating Unit/Squadron to authorize in line with Service policy. **Note:** Order cancellation must be done prior to WO cancellation. **(T-2)**

**9.21. (AETC) Bench Check and Repair Policy.** Bench check and repair is performed through the JPO-managed sustainment contracts.

**9.22. (AETC) Maintenance Turn-AroundRecord Update Processing.** Maintenance turn-around record update processing is performed through the JPO-managed sustainment contracts.

**9.23. (AETC) Buildup Items.** ALIS will be used to manage built up items (e.g. wheel/tire) from alternate locations.

9.23.1. **(AETC)** Send items to appropriate work centers for build-up and return them to the section (i.e. DMS) for re-issue.

9.23.1.1. **(AETC)** Use locally developed control log to track items being sent for build-up.

9.23.1.2. **(AETC)** Validate control log daily, follow-up actions required for items over 10 days old.

**9.24. (AETC) DR Exhibits.** F-35, Deficiency reporting is done via an AR submitted in ALIS/CRM. **(T-2)**

9.24.1. **(Added-AETC)** DMS will verify that the AR number is annotated on the unserviceable tag prior to turn in. **(T-2)**

**9.27. (Added-AETC) Parts Ordering.** Aircraft parts are ordered through CMMS/SCM interface by appointed maintenance or LRS personnel.

9.27.14. **(Added-AETC)** The process outlined in this addendum is applicable to only those parts that can/will be ordered using ALIS. Any requisitions outside of ALIS, using either legacy or other processes/systems, will be left to Service policy to detail, manage and control.

9.27.15. **(Added-AETC)** Ordering and turn in of GFE/Government Furnished Material (GFM) parts will be done using the legacy system in line with Service policy.

9.27.16. **(Added-AETC)** For Propulsion System parts, ordering will be carried out using the Propulsion System Contractor (PSC) Workstation.

9.27.17. **(Added-AETC)** Classified and Controlled parts will be marked in accordance with Service policy for classified asset markings.

9.27.18. **(Added-AETC)** Parts ordering for On/Off-Equipment maintenance will be:

9.27.18.1. **(Added-AETC)** Carried out to support the Work Order (WO) execution phase. Parts that are considered retrogrades (RMA) need to be ordered through the WO/Solution Set and not as Ad Hoc order unless with Pro Super approval. **(T-2) Note:** GFE/GFM parts ordering for On-Equipment maintenance will not be selectable for ordering within the CMMS application, consult the local DMS/LRS personnel for ordering details.

9.27.19. **(Added-AETC)** Review backorders monthly to ensure cancellation of orders no longer required and to remove erroneous data.

9.27.20. **(Added-AETC)** Parts shall be ordered priority 1 when a discrepancy has resulted in an NMC status. (F-35 Supply Sustainment Operational Policy, 1511.02)

9.27.21. **(Added-AETC)** Parts shall be ordered Priority 2 when a discrepancy has resulted in a PMC status, derived from an HRC or linked to an open work order. (F-35 Supply Sustainment Operational Policy, 1511.02)

9.27.22. **(Added-AETC)** Only PEB replenishment items not linked to a work order shall be ordered priority 3. (F-35 Supply Sustainment Operational Policy, 1511.02)

9.27.23. All parts, with the exception of incomplete TCTD kits will be picked up and signed for from the warehouse within 3 duty days or warehouse personnel will turn back in to stock.

**9.29. (Added-AETC) Hazardous Material (HAZMAT).**

9.29.1. **(Added-AETC)** Common HAZMAT requisitions will be processed using MIS in accordance with established policies and procedures.

9.29.2. **(Added-AETC)** Issue to Maintenance:

9.29.2.1. **(Added-AETC)** It is the responsibility of the Local HAZMAT facility (either at the Retail Warehouse or Local HAZMAT facility, dependent on local policy) to communicate to the Retail LRS Warehouse that F-35 HAZMAT material has been issued to a maintenance organization. Authorized personnel will track material issues and adjust the inventory levels for F-35 unique HAZMAT in ALIS SCM. **(T-2)** The Local HAZMAT facility and the Retail LRS Warehouse will determine how they will coordinate the information when HAZMAT materials are issued (e.g., MOA). ALIS SCM automatically notifies the ASC Item Analyst who will forecast and analyze replenish needs.

9.29.3. **(Added-AETC)** Reconciliation Process:

9.29.3.1. **(Added-AETC)** A process for inventory reconciliation between the Retail LRS Warehouse and the Local HAZMAT facility shall be described in a formal document (e.g., Memorandum of Agreement). **(T-2)**

## Chapter 10

## MUNITIONS POLICY AND WEAPONS LOAD CREW PROGRAM

**(OMITTED)**

## Chapter 11

## ADDITIONAL MAINTENANCE REQUIREMENTS AND PROGRAMS

**Table 11.1. (AETC) Mandatory Special Certification Roster and Prerequisites.**

**11.8. (AETC) Foreign Object Damage (FOD) Prevention Program.**

11.8.6.2.1. **(AETC)** For suspected material failure, utilize an AR IAW **Paragraph 11.47**.

**11.9. (AETC) Dropped Object Prevention (DOP) Program.**

11.9.2.1. **(AETC)** For deficiencies discovered/suspected, submit an AR IAW **Paragraph 11.47**.

**11.10. (AETC) Aircraft Structural Integrity Program (ASIP).** Refer to **Paragraph 2.4.2.11.1**..

**11.11. (AETC) Identification Friend or Foe (IFF) Program.**

11.11.1.1. **(AETC)** Perform IFF checkouts when prescribed per JTD.

**11.12. (AETC) Radar Warning Receiver (RWR)/Radar Threat Warning (RTHW) Testing.**

11.12.1. **(AETC)** External testing is not required.

11.12.2.1. **(AETC)** Appointment of RWR/RTHW manager is not required.

**11.17. (AETC) Engine Run Training and Certification Program.**

11.17.10.2. **(AETC)** Part I and Part II testing does not apply to Portable Maintenance Aid (PMA) operators from the ground.

11.17.11. **(AETC)** Personnel qualified for "In cockpit Integrated Power Plant (IPP)" will be tracked on the SCR. **(T-2)**

11.17.11.1. **(AETC)** IPP operators using only the PMA from the ground need not be tracked on the SCR.

**11.28. (AETC) Crashed, Damaged or Disabled Aircraft Recovery (CDDAR) Program.**

11.28.1. **(AETC)** Additional CDDAR training can be provided at the Integrated Training Center or lead command approved locations.

**11.47. (Added-AETC) Customer Relationship Management Program.** Refer to established SOI or User Guide procedures.

11.47.1. **(Added-AETC)** Responsibilities. **(T-2)**

11.47.1.1. **(Added-AETC)** The CRM is a tool within ALIS that shall be used to report problems via an AR. All ARs raised via CRM shall be transmitted via the Optional Screening Point (OSP) and Required Screening Points (RSP). These points screen ARs for integrity and accuracy of entries and information as well as prevent classified, sensitive or International Trade in Arms information from being transmitted. OSP and RSP personnel shall be designated via the ALIS System Permission Request to ALIS administrators. Those units not assigned to established groups will be designated by the appropriate site lead or QA department.

11.47.1.1.1. **(Added-AETC)** RSP for the MXG will reside in QA, ordinarily in the Product Improvement Manager office.

11.47.1.2. **(Added-AETC)** ARs shall be submitted for reporting actions that require rectification outside the capability of the local unit. Examples of such cases are JTD changes, modifications, engineering analysis, ALIS issues, TCTD discrepancies, etc. Many of these occasions have specific forms in existing policy documents; the AR process will replace these mediums in the F-35 environment.

11.47.1.3. **(Added-AETC)** The AR "Severity" provides an additional level of classification to the AR beyond that provided by the category. Severities are ranked as high, medium and low with each having its own corresponding impact.

11.47.1.4. **(Added-AETC)** The AR "Category" identifies conditions by relative importance and the urgency of the resolution required. Category 1 with severity classification of "high" has the most severe consequences, resulting in potentially hazardous condition. ARs must provide adequate detail to support the desired category.

11.47.1.5. **(Added-AETC)** To ensure a thorough review prior to submittal, ARs should not be processed as initiator, OSP and RSP by the same individual. Exceptions may be made if there are no alternative measures available.

11.47.2. **(Added-AETC) Overall timelines for ARs.**

11.47.2.1. **(Added-AETC)** Established timelines will be adhered to in the AR process. These timelines are general guidelines for AR initiation. Every level of approval must remain cognizant of timelines to prevent undue delay of ARs. Delays must be communicated to the OSP and RSP during the AR initiation process.

11.47.3. **(Added-AETC) AR Submission Process.**

11.47.3.1. **(Added-AETC)** Initiator shall:

11.47.3.1.1. **(Added-AETC)** Exhaust all available means of resolution prior to submitting an AR.

11.47.3.1.2. **(Added-AETC)** If applicable, inform expeditor or aircraft crew chief of AR requirement.

11.47.3.1.3. **(Added-AETC)** Inform supervision of AR request to be implemented.

11.47.3.1.4. **(Added-AETC)** Utilize AR Submittal Guide F35-UGP-A0122000153-090A-A and SOI 1514.02 for all AR submissions. Review AR to ensure it contains no sensitive or classified information. If classified or sensitive information is required, submit a classified AR per JTD F35-UGP-A0122000162-090A-A: ALIS Work Instruction-CRM.

11.47.3.1.4.1. **(Added-AETC)** Submit ARs for a single issue, clearly stated in the title. Clearly identify owning work center in the title (for example, (LO) ACFT 12-5095 / AF-96 composite damage on skin 5333012 (PNL 2344).

11.47.3.1.5. **(Added-AETC)** Complete AR in its entirety by completing all specific data element fields. Provide as much detail as possible for the remaining data fields to prevent vagueness.

11.47.3.1.6. **(Added-AETC)** Include tail number of aircraft if AR is related to an aircraft.

11.47.3.1.7. **(Added-AETC)** Include JTD number if AR is related to JTD.

11.47.3.1.8. **(Added-AETC)** Utilize JTD Module F35-UGP-A0122000151-090A-A and SOI 1514.02 to ensure correct AR categorization, severity and classification.

11.47.3.1.9. **(Added-AETC)** Notify work center OSP of AR submittal.

11.47.3.1.10. **(Added-AETC)** Monitor AR status via CRM tool.

11.47.3.2. **(Added-AETC)** OSP will follow the JTD AR Submittal Guide and shall:

11.47.3.2.1. **(Added-AETC)** Review all AR submissions to ensure the correct priority is assigned and the AR submission is valid.

11.47.3.2.2. **(Added-AETC)** Ensure all information/attachments provided on AR are technically accurate, complete and annotate comments (if applicable).

11.47.3.2.3. **(Added-AETC)** Ensure details provided by initiator explain problem completely.

11.47.3.2.4. **(Added-AETC)** Review AR to ensure it contains no sensitive or classified information. If classified or sensitive information is required, screen AR per JTD F35-UGP-A0122000162-090A-A: ALIS Work Instruction-CRM.

11.47.3.2.5. **(Added-AETC)** Approve and submit ARs to the RSP.

11.47.3.2.6. **(Added-AETC)** Notify RSP of AR submittal.

11.47.3.2.7. **(Added-AETC)** Monitor AR status via CRM tool.

11.47.3.3. **(Added-AETC)** RSP will follow the JTD AR Submittal Guide and shall:

11.47.3.3.1. **(Added-AETC)** Ensure AR has been routed through OSP prior to submittal.

11.47.3.3.2. **(Added-AETC)** Ensure all information/attachments provided on AR are technically accurate, complete and annotate comments (if applicable).

11.47.3.3.3. **(Added-AETC)** Review AR to ensure it contains no sensitive or classified information. If classified or sensitive information is required, screen AR per JTD F35-UGP-A0122000162-090A-A: ALIS Work Instruction-CRM.

11.47.3.3.4. **(Added-AETC)** Ensure details provided by initiator and OSP explain problem completely.

11.47.3.3.5. **(Added-AETC)** Once request is validated, submit AR to ALGS and monitor the AR's status via CRM tool.

11.47.3.4. **(Added-AETC) ALGS role.**

11.47.3.4.1. **(Added-AETC)** ALGS responsibilities are outlined in the JTD AR Submittal Guide.

11.47.4. **(Added-AETC)** Resolution of AR Disparities:

11.47.4.1. **(Added-AETC)** Disparities will be resolved by the MXG/CC or OG/CC.

11.47.5. **(Added-AETC) AR Review Team.**

11.47.5.1. **(Added-AETC)** ARs shall be reviewed at all levels to ensure proper categorization and severity is assigned. See **Attachment 25**. Refer to established SOI or User Guide procedures.

11.47.5.2. **(Added-AETC)** Squadron OSP and respective RSP must consider fleet implications when preparing ARs for submittal. Depending upon the circumstances for the AR, an AR may have an impact on all assigned aircraft/equipment regardless of the squadron assigned. Generally, ARs categorized as Category I (High, Medium, Low) or Category II (High) will fall into this criteria.

11.47.5.3. **(Added-AETC)** If an AR has fleet implications, respective squadron RSP will coordinate with additional squadrons to review the potential AR prior to submittal. All affected squadron RSPs will review the potential AR for impacts on their unit. Additionally, an AR review will be conducted to ensure all information is accurate and the proper category and severity has been assigned.

11.47.5.4. **(Added-AETC)** The review team shall consist of the following if applicable as determined by RSP:

11.47.5.4.1. **(Added-AETC)** QA Representative.

11.47.5.4.2. **(Added-AETC)** OG Representative.

11.47.5.4.3. **(Added-AETC)** Contractor Representative.

11.47.5.4.4. **(Added-AETC)** Subject Matter Expert.

11.47.5.5. **(Added-AETC)** ARs determined to have fleet implications will be annotated on AR by respective squadron RSP. Respective squadron RSP will annotate the review in the AR comment section prior to submittal by listing affected organizations and members of AR Review Team in attendance.

11.47.6. **(Added-AETC) AR process flow.**

11.47.6.1. **(Added-AETC)** Normal AR process flow.

11.47.6.1.1. **(Added-AETC)** Squadron initiator prepares AR and informs supervision of intent for submittal. Notify Squadron OSP of AR submittal.

11.47.6.1.2. **(Added-AETC)** Squadron OSP reviews AR submission to ensure the correct priority has been assigned and AR submission is valid. Ensure all information/attachments provided on AR are technically accurate, complete and annotate comments (if applicable). Submit AR for RSP approval.

11.47.6.1.3. **(Added-AETC)** Respective squadron RSP reviews AR submission to ensure the correct priority has been assigned and AR submission is valid. Ensure all information/attachments provided on AR are technically accurate, complete and annotate comments (if applicable). Submit AR to ALGS.

11.47.6.2. **(Added-AETC) AR process flow having potential fleet implications.**

11.47.6.2.1. **(Added-AETC)** Squadron initiator prepares AR and informs supervision of intent for submittal. Notify Squadron OSP of AR submittal.

11.47.6.2.2. **(Added-AETC)** Squadron OSP reviews AR submission to ensure the correct priority has been assigned and AR submission is valid. Ensure all information/attachments provided on AR are technically accurate, complete and annotate comments (if applicable). Submit AR for RSP approval.

11.47.6.2.3. **(Added-AETC)** The group RSP reviews AR submission to ensure the correct priority has been assigned and AR submission is valid. Ensure all information/attachments provided on AR are technically accurate, complete and annotate comments (if applicable).

11.47.6.2.4. **(Added-AETC)** Group RSP coordinates AR through all affected squadrons then annotates AR when complete. Coordination can take place by meeting, phone, email or any medium necessary to inform all units of potential fleet implications.

11.47.6.2.5. **(Added-AETC)** Respective Group RSP submits AR to ALGS.

11.47.7. **(Added-AETC)** Leadership review of CAT I, High ARs**.**

11.47.7.1. **(Added-AETC)** It is the RSP's responsibility to ensure group leadership is notified prior to AR submittal. All major maintenance will be coordinated with respective group commander or their designated representative prior to AR submittal. For instance, QA is responsible for notifying MXG/CC prior to submitting an AR for major maintenance resulting in an unserviceable condition of an aircraft.

11.47.7.2. **(Added-AETC)** Squadron and group leadership should be briefed periodically on high interest ARs.

11.47.7.3. **(Added-AETC)** Reports available in ALIS CRM are encouraged for briefing material.

11.47.7.4. **(Added-AETC)** Group commanders may further define guidelines for AR reviews within their group prior to AR submittal.

11.47.8. **(Added-AETC)** Operations under more than one SOU.

11.47.8.1. **(Added-AETC)** All procedures as defined above will apply.

11.47.8.2. **(Added-AETC)** Procedures will be further defined as additional SOUs are established.

11.47.9. **(Added-AETC)** CRM team member composition.

11.47.9.1. **(Added-AETC)** CRM is arranged by teams. Each team is comprised of members from specified squadrons and groups. Obtaining team composition is imperative to assignment of AR review responsibilities.

11.47.9.2. **(Added-AETC)** QA will designate team members requiring OSP and RSP permissions to the local ALIS administrators, the ALGS and LST by letter for the team/teams under their area of responsibility:

11.47.9.2.1. **(Added-AETC)** This process of gaining OSP and RSP permissions does not alleviate completing the permissions section on ALIS System Permission Request Form.

11.47.9.2.2. **(Added-AETC)** Distribution Team members are responsible for receiving Urgent Field Notice (UFN), TCTD and other correspondence from ALGS.

11.47.9.3. **(Added-AETC)** Distribution team responsibilities include the following at a minimum:

11.47.9.3.1. **(Added-AETC)** Information is forwarded to appropriate organization within their team/teams for action.

11.47.9.3.2. **(Added-AETC)** Receipt of information forwarded to ALGS as required. For example, when a UFN is received, QA will report receipt to ALGS for items concerning the MXG. This notification is confirmation to ALGS that the field has received the UFN.

11.47.10. **(Added-AETC)** Contingency Back-up. In the event CRM is down, the following process shall be utilized to initiate an AR.

11.47.10.1. **(Added-AETC)** Submit AR through designated RSP via: Fax - 1-817-777-1868, Email - **jsf-algs-center.fcaero@lmco.com** and/or Phone - 1-888-433-5677.

11.47.11. **(Added-AETC)** Classified AR procedures.

11.47.11.1. **(Added-AETC)** Ensure classified ARs are produced IAW F35_UGP-A0120000189-090A-A: ALIS Work Instruction-CRM and JTD AR Submittal Guide.

11.47.11.2. **(Added-AETC)** Protect classified information during the AR initiation process.

11.47.11.3. **(Added-AETC)** Consult ALIS administrator for assistance, if necessary.

## Chapter 12

## MAINTAINING COMMERCIAL DERIVATIVE AIRCRAFT (CDA)

**(OMITTED)**

## Chapter 13

## CENTRALIZED REPAIR FACILITIES (CRF)

**(OMITTED)**

## Chapter 14

## MAINTENANCE PLANS, SCHEDULING AND DOCUMENTATION (PS&D)

**14.1 (AETC) Responsibilities.**

**14.1.4.**5. **(AETC)** Provide Subject Matter Experts on all maintenance scheduling issues. EELs management embedded in ALIS replaces AFTO Form 95, *Significant Historical Data*. **(T-2)**

14.1.5.3. **(Added-AETC)** Ensure the asset transfer approval process and coordination between losing and gaining units required prior to, during, and after an Asset transfer is accomplished and coordination on any outstanding supply demands.

14.1.5.3.1. **(Added-AETC)** Any problems including lost or corrupt data will be dealt with by the AR process.

14.1.5.3.2. **(Added-AETC)** Coordinate on status reporting AR submissions

14.1.5.3.3. **(Added-AETC)** Use MAJCOM directed program/process for aerospace vehicle inventory transactions.

**14.2. (AETC) Data Documentation.**

14.2.1.2. **(AETC)** EELs are embedded in ALIS and replace legacy AFTO Form 95. **(T-2)**

14.2.2. **(AETC)** Jacket files will only contain DD Forms 2861, *Cross Reference*, FCFs, and backup files COC, DFT, CFT, etc. completion. All other information is embedded within ALIS.

14.2.3. **(AETC)** Aircraft Document Reviews. Not required. At least every 60 days, F-35 aircraft crew chiefs, with LRS assistance, will review all open/backordered supply requisition IDs to track EDDs and confirm receipt of items.

**14.3. (AETC) Configuration, TCTO, SI and TCI Management.**

14.3.2. **(AETC)** Configuration Management is managed by ALIS.

14.3.2.1. **(AETC)** Units are responsible for accurate reporting of AV configuration in ALIS. **(T-2)**

14.3.2.2. **(AETC)** Maintenance personnel discovering an item with a missing data plate, or one that does not have a serial number will submit an AR within CRM application in ALIS for disposition. **(T-2)**

14.3.2.4. **(AETC)** ALIS notifies users of out of configuration items in real time.

14.3.3. **(AETC)** TCTD Management. TCTD management is accomplished IAW F-35 JPO directives and the F-35 Air Vehicle Sustainment Contract (AVSC), which governs the program's supply chain management, ground maintenance, and logistics support structure. PS&D will chair a monthly meeting due to the program's supply chain management structure. There is no need for QA to distribute copies of TCTDs, as ALIS will distribute them digitally; therefore, there is no need to maintain copies in a TCTD folder. Additionally, TCTD validations are not accomplished IAW TO 00-5-15, Air Force Time Compliance Technical Order Process, and a local form may be used for TCTD proofing.

14.3.3.3.1.5. **(AETC)** QA personnel will use the CRM application in ALIS to

submit an AR to report TCTD deficiencies IAW **Paragraph 11.8** of this instruction. SOI 1514.02.

14.3.3.3.2.5. **(AETC)** TCTD kits are managed by the ASC or PSC. Use SCM requisition option to order required parts/kits/tools.

14.3.3.3.2.5.3. **(Added-AETC)** The ASC and/or PSC will ensure kits and/or parts are assembled prior to release. **(T-2)**

14.3.3.3.2.5.4. **(Added-AETC)** PS&D will control and release TCTD kits from contractor sources.

14.3.4.1. **(AETC)** Job Standard Master Listing/ PAIR Management

14.3.4.1.1. **(AETC)** ALIS MM-PAIRs and A13-10 table within JTD represent all PAIRs applicable to an aircraft.

14.3.4.2.4.2. **(AETC)** Perform a review of the A13-10 Table and all PAIRs for accuracy and currency when PAIR audit TCTD is received. **(T-2)**

14.3.4.2.4.2.1. **(AETC)** PS&D will review PAIRs in the MIS as soon as an automated JTD update is received within ALIS, and will promptly notify all affected sections for action. **(T-2)**

14.3.4.2.4.2.2. **(AETC)** PS&D will monitor PAIRs for all inspections and time changes listed in the JTD A13-10 table within ALIS. Job Standards are automated by JTD A13-10 table within ALIS. **(T-2)**

14.3.4.2.4.3. **(AETC)** For Remaining Life Estimate (RLE)/ Time to Maintenance (TTM), red is displayed upon the end of life or time limit reached and extensions can only be granted via the AR process or MAJCOM policy. Upon reaching the end of life or time limit, a WO will automatically be generated for that event. If a WO is not automatically generated, manually generate a WO. Refer to established SOI or User Guide procedures.

14.3.4.2.4.3.1. **(AETC)** ALIS JTD A13-10 table depicts the total number of Special Inspections and TCIs loaded for each assigned aircraft/system.

14.3.4.3. **(AETC)** TCI accomplishment is managed in ALIS MM-PAIRs by PS&D

14.3.4.3.1. **(AETC)** Monitor, schedule and manage TCIs through JTD application within ALIS, DAFMAN 21-201, *Munitions Management* or identified as Federal Supply Group (FSG 13) and Materiel Management Code AQ Items. **(T-2)**

14.3.4.3.3. **(AETC)** MM-PAIRs application within ALIS automates RLE/TTM.

14.3.4.3.3.3. **(AETC)** ALIS is the source of record for all egress data. **(T-2)**

14.3.4.3.3.3.1. **(AETC)** Forecasting of CAD/PAD items for long-term CAD/PAD spare requirements will be accomplished by SCM through contractor management and control. **(T-2)**

14.3.4.3.3.4. **(AETC)** Initiate, validate, and submit TCI extension requests via AR within CRM application in ALIS. **(T-2)**

14.3.4.3.12. **(AETC)** All time changes are ordered through SCM guidelines within ALIS. **(T-2)**

14.3.4.4. **(Added-AETC)** Management of all AV and propulsion system Scheduled and Prognostic Maintenance will be carried out within ALIS via MM-PAIRs.

14.3.4.5. **(Added-AETC)** Scheduled Maintenance Inspections:

14.3.4.5.1. **(Added-AETC)** Only authorized individuals will perform PAIR creation. Refer to established SOI or User Guide procedures.

14.3.4.5.2. **(Added-AETC)** Each PAIR is applicable to specific type variance effectivities (TVE) as detailed in JTD. Specific details about the PAIR and work requirements will be detailed within JTD.

14.3.4.5.3. **(Added-AETC)** Authorization to deviate, along with any applicable latitudes, from Scheduled/Prognostic maintenance requirements may be granted via the AR process.

14.3.4.5.4. **(Added-AETC)** If an AR Response directs an inspection requirement, the MM-PAIRs tool will be used to initiate these requirements.

14.3.4.5.5. **(Added-AETC)** If there is a requirement to adjust or correct usage on an aircraft or part, the MM-PAIRs can be utilized by an ALIS administrator to make the necessary changes through AR submission.

14.3.5. **(AETC)** Coordinate on all major maintenance through AR submission within ALIS through CRM application. **(T-2)**

14.3.10. **(Added-AETC)** Depot Induction.

14.3.10.1. **(Added-AETC)** Maintenance Unit/Squadron will prepare aircraft and equipment for entry to depot level work efforts. Refer to established SOI or User Guide procedures.

14.3.10.2. **(Added-AETC)** Maintenance Unit/Squadron will participate in the Pre and Post meetings for their respective aircraft. Pre-dock will be held no later than 30 days prior to aircraft induction into depot. Pre-dock/induction meeting will have, as a minimum, the Baseline Scheduled Work Package and the F-35 Maintenance Request Form. Aircraft configuration required for depot induction will be discussed during Pre-dock/induction meeting. A Post-dock meeting will be held no later than 10 days prior to scheduled aircraft completion.

14.3.10.3. **(Added-AETC)** Maintenance Unit/Squadron will report unsatisfactory receipt, at either the squadron or the depot level, through the Depot Feedback Questionnaire within 30 days. Submit an AR as required.

14.3.10.4. **(Added-AETC)** Additional work requests (Unit Level TCTDs), One Time Inspections, Delayed Discrepancies, and PAIRs will be annotated on a Maintenance Request Form submitted to the F-35 JPO no later than 60 days prior to aircraft induction for consideration. The F-35 JPO will notify requesting unit of what work will be approved and included in the depot work package.

14.3.10.5. **(Added-AETC)** Non-ALIS portion of an asset's records will be transferred by electronic media/jacket file.

14.3.10.6. **(Added-AETC)** When directed to transfer an asset, the originating unit will input all current state data associated with a PAIR for the AV to a Deferred Work Order.

14.3.10.7. **(Added-AETC)** In addition to ALIS SOU transfer, pertinent factory documentation will be transferred.

14.3.10.8. **(Added-AETC)** CMMS will cancel all requisitions after the initiation of an asset transfer. The losing and gaining unit will coordinate to ensure necessary demands are transferred.

14.3.10.9. **(Added-AETC)** The losing Maintenance Unit/Squadron will ensure all requisition details are included in any, deferred WO or Follow on Maintenance Requirement prior to asset transfer.

14.3.10.10. **(Added-AETC)** The losing Maintenance Unit/Squadron will inform local SCM administrator/user of any outstanding requisitions that must be transferred/redirected to the gaining Operating Unit/Squadron. Transferal or redirection of open requisitions is a SCM responsibility.

14.3.10.11. **(Added-AETC)** The receiving unit will ensure that all necessary requisitions are reordered on the gaining unit's SOU. If problems or anomalies occur, an AR is to be initiated for resolution.

14.3.10.12. **(Added-AETC)** The gaining ALIS admin will notify the losing unit to initiate the deletion of the AV from their SOU after the gaining unit has loaded and verified the data.

**14.4. (AETC) Engine Management (EM).**

14.4.1. **(AETC)** Propulsion Flight does not exist under the maintenance concept. Engine Management responsibilities are performed by the AMXS/AMU Dedicated Scheduler.

14.4.1.2.5. **(AETC)** Engine PAIRs are automated within ALIS through MM-Pairs application.

14.4.1.3. **(AETC)** SRAN Engine Manager does not exist under the maintenance concept.

**14.5. (AETC) Maintenance and FHP Planning Cycle.**

14.5.6.3. **(AETC)** Units are authorized Daily Aircraft Scheduling. When required, maintenance production will ensure proper coordination of which aircraft are being flown on the daily schedule. AMU production teams will attempt to evenly utilize aircraft as airworthiness permits to increase pilot production.

14.5.6.3.1. **(AETC)** Units may choose not to assign aircraft tail numbers (primary and spares) to specific sortie sequence numbers on the daily operational portion of the weekly flying schedule.

14.5.6.3.2. **(AETC)** Aircraft tail numbers will be briefed to the MXG daily via the maintenance production and scheduling meeting as well as monthly in the health of the fleet (HOF) brief to ensure even aircraft utilization.

14.5.6.3.9. **(AETC)** When Daily Aircraft Scheduling is required routing AF Forms 2407, *Weekly/Daily Flying Schedule Coordination,* is not required for sortie sequence numbers, aircraft tail numbers (primary and spares).

## Chapter 15

## AIRCRAFT SUNSHADE MANAGEMENT

**(OMITTED)**

## Chapter 16

## AIRCRAFT AND EQUIPMENT MAINTENANCE CONTRACT SURVEILLANCE

**(OMITTED)**

JILLIAN T. WATSON, SES, DAF
Director of Logistics, Engineering and Force Protection

**Attachment 1**

**GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION**

***References***

AFI 33-322, *Records Management and Information Governance Program,* 23 March 2020

AFMAN 21-206, *Aircraft Armament Systems Management,* 25 September 2025

DAFI 21-101, *Aircraft and Equipment Maintenance Management*, 16 January 2020

DAFI 21-101_AETCSUP, *Aircraft and Equipment Maintenance Management*, 8 October 2024

DAFMAN 21-201, *Munitions Management*, 24 October 2024

DAFMAN 90-161, *Publishing Processes and Procedures*, 18 October 2023

DAFPD 10-9, *Lead Command/Lead Agent Designation and Responsibilities for United States Air Force Weapon Systems, Non-Weapon Systems, and Activities*, 25 May 2021

F-35 Supply Sustainment Operations Policy, 1511.02, 9 October 2024

TO 00-5-15, *Air Force Time Compliance Technical Order Process*, 28 July 2023

***Prescribed Forms***

None

***Adopted Forms***

AF Form 2407, *Weekly/Daily Flying Schedule Coordination*

AFTO Form 95, *Significant Historical data*

AFTO Form 781, *Arms Aircrew/Mission Flight Data Document*

DAF Form 679, *Department of the Air Force Publication Compliance Item Waiver Request/Approval*

DAF Form 847, *Recommendation for Change of Product*

DD Form 1348-1A, *Issue Release/Receipt Document*

DD Form 2861, *Cross Reference*

***Abbreviations and Acronyms***

**AETC**—Air Education and Training Command

**AFI**—Air Force Instruction

**AFMAN**—Air Force Manual

**AFRC**—Air Force Reserve Command

**AFTO**—Air Force Technical Order

**AGE**—Aerospace Ground Equipment

**ALGS**—Autonomic Logistics Global Sustainment

**ALIS**—Autonomic Logistics Information System

**AME**—Alternate Mission Equipment

**AMU**—Aircraft Maintenance Unit

**AMXS**—Aircraft Maintenance Squadron

**APS**—Aircraft Parts Store

**AR**—Action Request

**ASC**—Air System Contractor

**ASIP**—Aircraft Structural Integrity Program

**AV**—Air Vehicle

**AVDO**—Aerospace Vehicle Distribution Officer

**AVSC**—Air Vehicle Sustainment Contract

**BIRT**—Built In Reporting Tool

**BOS**—Backup Operations Servicing

**CAD/PAD**—Cartridge Actuated Device/Propellant Actuated Device

**CDDAR**—Crashed, Damaged or Disabled Aircraft Recovery

**CMMS**—Computerized Maintenance Management System

**COTS**—Commercial-Off-the-Shelf

**CRM**—Customer Relationship Management

**CTK**—Consolidated Tool Kit

**DAFI**—Department of the Air Force Instruction

**DAFMAN**—Department of the Air Force Manual

**DAS**—Distributed Aperture Sensor

**DIFM**—Due In From Maintenance

**DMS**—Decentralized Maintenance Support

**EEL**—Electronic Equipment Log

**EESOH-MIS**—Enterprise Environmental, Safety, and Occupational Health Management Information System

**EOTS**—Electro-Optical Targeting System

**ER**—Exceptional Release

**FCF**—Functional Check Flight

**FHP**—Flying Hour Program

**FOM**—Facilitate Other Maintenance

**GFE**—Government Furnished Equipment

**GFM**—Government Furnished Material

**HAZMAT**—Hazardous Material

**HIT**—Health Inspection Task

**HPSI**—Hybrid Product Support Integrator

**HRC**—Health Reporting Code

**IAW**—In Accordance With

**IFF**—International Friend or Foe

**IFS**—Industrial and Financial System

**IOS**—Inter Operations Servicing

**IPP**—Integrated Power Plant

**JPO**—Joint Program Office

**JSF**—Joint Strike Fighter

**JTD**—Joint Tech Data

**JTDAR**—Joint Technical Data Action Request

**JTDM**—Joint-Service Technical Data Manager

**LCN**—Logistics Control Number

**LIMS-EV**—Logistics Information Management System-Enterprise View

**LM**—Lockheed Martin

**LO**—Low Observable

**LODEM**—Low Observable Defect Entry Module

**LOHAS**—Low Observable Health Assessment System

**LOMMM**—Low Observable Maintenance Management Module

**LRS**—Logistics Readiness Squadron

**LST**—Lightning Support Team

**MAJCOM**—Major Command

**MC**—Mission Capable

**MDS**—Mission Design Series

**MEFL**—Minimum Essential Function List

**MICAP**—Mission Impaired Capability Awaiting Part

**MIS**—Management Information System

**MM-PAIRS**—Maintenance Management Production Aircraft Inspection Requirements

**MMA**—Maintenance Management Analysis

**MMU**—Maintenance Margin Used

**MOA**—Memorandum of Agreement

**MOC**—Maintenance Operations Center

**MXG**—Maintenance Group

**NCOIC**—Non-Commissioned Officer in Charge

**NDI**—Nondestructive Inspection

**NMC**—Non Mission Capable

**O&M**—Operation & Maintenance

**OEM**—Original Equipment Manufacturer

**OG**—Operations Group

**OML**—Outer Mold Line

**OPR**—Office of Primary Responsibility

**OSP**—Optional Screening Point

**PAIR**—Production Aircraft Inspection Requirement

**PBL**—Performance Based Logistics

**PE**—Periodic Inspection

**PEB**—Pre-Expended Bin

**PIC**—Purpose Identifier Codes

**PHM**—Prognostics and Health Management

**PMA**—Portable Maintenance Aid

**PMD**—Portable Maintenance Device

**POC**—Point of Contact

**POS**—Post Operations Service

**PRA**—Planning Requirements

**PSC**—Propulsion System Contractor

**PS&D**—Plans Scheduling and Documentation

**QA**—Quality Assurance

**RLE**—Remaining Life Estimate

**RMA**—Return Material Authorizations

**RSP**—Required Screening Point

**RWR**—Radar Warning Receiver

**SAM**—Signature Assessment Module

**SCM**—Supply Chain Management

**SCR**—Special Certification Roster

**SE**—Support Equipment

**SEMM**—Support Equipment Maintenance Matrix

**SI**—Special Inspection

**SOI**—Sustainment Operating Instruction

**SOU**—Standard Operating Unit

**SPRAM**—Special Purpose Recoverable Authorized Maintenance

**SRAN**—Stock Record Account Number

**SSOP**—Supply Sustainment Operations Policy

**TCI**—Time Change Item

**TCTD**—Time Compliance Technical Directive

**TCTO**—Time Compliance Technical Order

**TD**—Training Detachment

**TMDE**—Test, Measurement, and Diagnostic Equipment

**TNB**—Tail Number Bin

**TO**—Technical Order

**TTM**—Time to Maintenance

**TUR**—Track Usage Record

**UFN**—Urgent Field Notice

**WO**—Work Order

***Office Symbols***

**AETC/A4M**—AETC Chief, Aircraft Maintenance Division

**AETC/A4MA**—Aircraft Maintenance Branch

**AETC/A4MMP**—Aircraft Maintenance Policy and Procedures Branch

***Terms***

**Daily Aircraft Scheduling**—The process by which units assign specific aircraft tail numbers (primary and spare) to designated sortie sequence numbers on the daily operational portion of the weekly flying schedule, ensuring efficient and effective aircraft utilization and flexibility.

## Attachment 25 (Added-AETC)

## EXAMPLE AR ROUTING SCENARIOS

**A25.1. (Added-AETC) Example AR scenario where first level RSP submits AR to ALGS.**

**A25.1.1. ( Added-AETC)** Contractor maintenance personnel discovers a broken nut plate that requires drilling. During the repair process, the drill bit fails and creates a scratch in the aircraft panel. JTD is not available to repair the damaged panel. AR is drafted for repair procedures and submitted by initiator to OSP for review. OSP reviews the AR, annotates comments, approves AR and forwards to RSP. RSP reviews the AR, annotates comments, approves the AR and forwards to ALGS. AR Review Team is not organized because damage is from a known source and does not have fleet wide implications.


**A25.2. ( Added-AETC) Example AR scenario with fleet implications.**

**A25.2.1. ( Added-AETC)** Maintainer discovers a stress crack on panel 100. JTD does not exist to repair damage on the panel. AR is drafted for repair procedures by and submitted by initiator to OSP for review. OSP reviews the AR, annotates comments, accepts and forwards the AR to first level RSP. First level RSP reviews the AR, annotates comments and determines stress crack may have fleet wide implications. First level RSP informs additional squadrons and starts actions to stand-up AR Review Team. AR Review Team reviews AR and agrees with potential impact to the fleet. First level RSP annotates AR upon completion of AR Review Team review. In this scenario, an AR Review Team review is conducted because the damage is caused by an unknown source and may have fleet wide implications. The first level RSP will ensure all units are aware of potential fleet problem. First level RSP will annotate AR after AR Review Team review is complete.

## Attachment 26 ( Added-AETC)
## LO HEALTH ASSESSEMENT SYSTEM (LOHAS) MARGIN DEFINITION

**A26.1 (Added-AETC) Maintenance Margin Used.** The Maintenance Margin Used (MMU) or "gas gauge" below (**Figure A26.1**) shown in LOHAS displays the residual signature used by defect repairs, the defect impacts, and the current signature status of the aircraft, based upon Effects of Repair (EoR) and Effects of Defects (EoD) data that resides within the SAM. It depicts the maintenance margin used to determine the mission capable status for the aircraft LO system.

**Figure A26.1. ( Added-AETC) LOHAS Maintenance Margin Used or "Gas Gauge".**




**A26.1.1. (Added-AETC)** The LO margin for each aircraft is determined via the OML inspection in concert with LOHAS. An aircraft is fully mission capable for the LO system when the LOHAS margin is less than 100 percent. LO margin reduction is required when the maintenance margin is equal to or greater than 100 percent. Utilize the Defect Prioritization Report within the LO Maintenance Management Module (LO3M) to determine which defects, if repaired will return the LO system to a fully mission capable status. **Note:** A depleted (NMC) LO system does not render an aircraft unflyable.

**A26.1.2. ( Added-AETC)** Manage LO maintenance by taking advantage of opportunistic downtime or scheduling LO margin reduction when the maintenance margin approaches the 80 percent trigger point. In order to effectively manage/control LO signature margin growth, fleet LOHAS margin averages should be maintained at or below 80 percent.

## Attachment 27 (Added-AETC)
## SAMPLE MICAP VERIFICATION WORKSHEET

**Figure A27.1. (Added-AETC) Sample MICAP Verification Worksheet.**

| | | |
|---|---|---|
| **Tail number** | **NOUN** | **Part Number** |
| **Requisition ID** | **Quantity** | **Priority** |
| **Job Control Number** | **IFS Purchase Order#** | **IFS Customer Order # 1** |
| **Maintainer Who Ordered Part** | **Pro Super Signature** | **Pro Super Print** |

CANN Action

| | |
|---|---|
| **CANN From Aircraft & LCN** | **CANN To Aircraft & LCN** |
| **CANN From JCN** | **CANN To JCN** |
| **Pro Super Signature** | **Pro Super Print** |

Supply Checklist

| **Checklist Item** | **Yes** | **No** | **N/A** |
|---|---|---|---|
| **Is the warehouse balance zero?** | ☐ | ☐ | ☐ |
| **Are assets available in TNB?** | ☐ | ☐ | ☐ |
| **Has base repair capability been verified?** | ☐ | ☐ | ☐ |
| **Did you document MICAP on Supply Status Board?** | ☐ | ☐ | ☐ |

Cancel MICAP

| | | |
|---|---|---|
| **Cancellation Code** | **Pro Super Signature** | **Pro Super Print** |

MICAP Cancellation Codes

1-RECEIVED FROM ALTERNATE F35 SOURCE

2-RECEIVED FROM GOVT SERVICE/OTHER SERVICES (GFE/DLA)

3-CANNIBALIZATION ACTION

4-RECEIVED FROM BASE ASSETS (DSP/BENCHSTOCK/PEB)

5-ALT P/N SATISIFED REQUIREMENT

6-SUSTAINMENT DIRECTED (would include IM directed cancellations and requirements we would not track such as TCTD, time change, mod etc.)

7-OTHER

9-REPORTED/ORDERED IN ERROR BY MAINT

0-ADMINISTRATIVE/CMMS ERROR/CONFIGURATION

Comments

| |
|---|
| |

**Attachment 28 (Added-AETC)**

**F35 AUDIT PROCEDURES, DOCUMENTATION AND REPORTING TEMPLATE**

**Table A28-1. (Added-AETC) F-35 Audit**

| |
|---|
| Create a work order in CMMS for the audit. |
| Perform Aircraft Safe for Maintenance (F35-AAA-A05210100000-120A-A) JTD Data Module. |
| Perform audit utilizing Post Operations Servicing (POS(OML))- Inspection (F-35-AAA-A13210300000-281-A) JTD Data Module. |
| Input new damages and compare all damages/repairs to the OML with entries contained in LODEM. Update LODEM as the audit progresses. |
| Maintain an ongoing record during the audit for starting LOHAS MMU number, damages added, damages deleted, damages edited and final audit LOHAS MMU value for audit historical files. |
| The LOHAS and OML audit historical files will be maintained for 5 years. Each audit file will include at a minimum: |
| Aircraft Tail Number.<br>Date of audit.<br>Name of person(s) performing the audit. |
| Pre-audit LOHAS margin percentage.<br>Post-audit LOHAS margin percentage. |
| Number of new damages identified.<br>Number of damages marked but not in LODEM.<br>Number of previously repaired damages not removed from LOHAS.<br>Number of duplicated entries identified.<br>Date of last audit.<br>Last OML before audit.<br>Root cause and corrective action when posted audit results in a +15% or -15% change. |
| **NOTE:** Report audit results upon completion to: 19AF.LGMS.All1@us.af.mil |