BY ORDER OF THE SECRETARY OF THE AIR FORCE (USAFE)

INCIRLIK AIR BASE INSTRUCTION

23-104

30 JULY 2024

MATERIAL MANAGEMENT

INSTALLATION DANGEROUS GOODS MANAGEMENT PROGRAM

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing website at **www.e-publising.af.mil** for downloading or ordering.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: 39 MSG / IDGA

Certified by: 39 ABW/CC (Colonel Kevin M. Lord)

Supersedes: IABI23-104 Incirlik Air Base Instruction, 10 July 2014

Pages: 90

This instruction implements and extends Department of the Air Force (DAF) Policy Directive (DAFPD) 23-1, Material Management, and USAFE-AFAFRICAI23-104, USAFE-AFAFRICA Command Dangerous Goods Program. It establishes guidance and procedures for on- and off-base transportation of regulated amounts of dangerous goods, by road, rail, or sealift, as defined in ADR, (Agreement Concerning the International Carriage of Dangerous Goods by Road), RID, (Regulations Concerning the International Carriage of Dangerous Goods by Rail), IMDG-Code, (International Maritime Dangerous Goods Code), and Host Nation regulations. Dangerous Goods, Hazardous Material and Hazardous Waste (DG/HM/HW) is defined in 29 CFR, 40 CFR, 49 CFR § 172.101, ADR **Chap 3.2, table A**, IMDG Code, and CLP, (Classification, Labeling and Packaging Directive (EC 1272/200)). In context of this instruction, the term dangerous goods (DG) include material classified as 'hazardous material (HM)' or 'hazardous waste (HW)', unless stated otherwise. The requirements of DTR 4500.9R (Defense Transportation Regulation), Part II, and ADR have been incorporated into this Incirlik Air Base Dangerous Goods Management Program. This instruction describes the training requirements and the duties and responsibilities of personnel involved in the carriage of dangerous goods. This instruction applies to all Air Force and tenant units, military, and civilian personnel, transporting dangerous goods on- or off-Incirlik Air Base or associated Geographically Separate Units (GSUs 425 ABS IZMIR & 717 ABS ANKARA). It does not apply to pure on-base transportation of ammunition and explosives, and operations in restricted areas of munitions storage, aerial ports, or flight lines (49 CFR applies). The Installation Dangerous Goods Advisor (IDGA) office will review the instruction annually to

ensure accuracy of the document. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, Recommendation for Change of Publication; route AF Form 847s from the field through the appropriate functional chain of command. The authorities to waive requirements in this publication are identified with a Tier number (T-0, T-1, T-2, T-3) following the compliance statement see Department of the Air Force Instruction (DAFI) 90-160, Publications and Forms Management, for a description of the authorities associated with the Tier numbers. Ensure all records generated as a result of processes prescribed in this publication adhere to Air Force Instruction (AFI) 33-322, Records Management and Information Governance Program, and are disposed in accordance with the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System," or any updated statement provided by the AF Records Management office located in the Air Force Chief Information Office Compliance Division (SAF/CNZA).The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the Air Force.

SUMMARY OF CHANGES

This instruction is substantially revised and must be completely reviewed. It reflects changes in USAFE-AFAFRICAI23-104, USAFE-AFAFRICA Command Dangerous Goods Program redesigned to describe a two-tiered program with revised responsibilities between USAFE A4R Command Dangerous Goods Program and subordinate.

Chapter 1—TRANSPORTATION OF DANGEROUS GOODS (DG) 6

1.1. Purpose and Overview. 6

1.2. Responsibilities and Duties. 6

1.3. Scope. 8

1.4. Participants in the Incirlik Air Base DGMI. 8

Chapter 2—PREPARATION AND CARRIAGE OF DANGEROUS GOODS (DG) 9

2.1. Sequence of Operations. 9

2.2. Exemptions. 12

2.3. Hazardous Waste Storage and Accumulation Areas. 12

Chapter 3—PROCEDURES FOR VEHICLE BREAKDOWN, ACCIDENTS AND ACCIDENTAL RELEASE OF DANGEROUS GOODS 15

3.1. General. 15

3.2. Procedures. 15

3.3. Accident/Incident Reports. 16

3.4. Quantities and Incidents that must be Reported. 17

Chapter 4—SECURITY 18

4.1. Supervision of Vehicles. 18

4.2. Security Training. 18
4.3. High Consequence Dangerous Goods (HCDG)..... 18
4.4. Security Plan All Units moving high consequence DG must implement written security plans and train assigned personnel. 18
4.5. List of Security Checklists. 19

Chapter 5—VEHICLE EQUIPMENT AND VEHICLE CREW PERSONAL PROTECTION EQUIPMENT 20

5.1. General. 20
5.2. Miscellaneous- and Personal Protection Equipment (PPE) is required for transport units that exceed the threshold limits prescribed in 1.1.3.6.3 20
5.3. Fire-Extinguishers. 20

Chapter 6—TRAINING 21

6.1. General Information. 21
6.2. Types of Training..... 21
6.3. Training Certificates. 23
6.4. Documentation. 23
6.5. Appointments. 23
7.1. General. 23
7.2. Transport Document. 24
7.3. Instructions In Writing. 25
7.4. DD Form 626, Motor Vehicle Inspection. 25
7.5. Container/Vehicle Packing Certificate. 25
7.6. Competent Authority Approval (CAA)/Competent Authority Document (CAD). . 25
7.7. Identity Card (ID Card)..... 25
7.8. ADR Driver License. 25
7.9. Certificate of Approval for Vehicles..... 26

Chapter 8—HAZARD COMMUNICATION CONCERNING CLASSIFICATION, LABELLING AND PACKAGING OF HAZARDOUS MATERIAL 27

8.1. General Information. 27
8.2. Safety Data Sheets (SDS). 27
8.3. Procedures. 27
8.4. Label Elements. 28
Figure 8.2. CLP Article 33 Decision Chart. 28

Chapter 9—COMPLIANCE CHECKLISTS **29**

9.1. General Inspection Requirements. 29

9.2. Inspection Checklists. 29

Chapter 10—EXEMPTIONS FOR ON-BASE TRANSPORTATION OF DANGEROUS GOODS **30**

10.1. General Requirements. 30

10.2. Retail Quantities. 31

10.3. Carriage of Pressurized Cylinders. 31

Chapter 11—WAIVERS AND RESTRICTIONS FOR OFF-BASE TRANSPORTATION OF DANGEROUS GOODS **33**

11.1. Mode Regulation. 33

11.2. Additional Host Nation Requirements. 33

Chapter 12—DUTIES AND RESPONSIBILITIES OF PERSONNEL INVOLVED IN THE CARRIAGE OF DANGEROUS GOODS **35**

12.1. General. 35

12.2. Compliance. 35

12.3. Participants. 35

12.4. Safety Obligations. 36

Attachment 2—LIST OF DANGEROUS GOODS THAT REQUIRE PERMISSION **50**

Attachment 3—INCIRLIK AB, DGP CHECKLIST I/A- INSPECTION FORM **52**

Attachment 4—INCIRLIK AB, DGP CHECKLIST I/B – TRANSPORT DOCUMENT **55**

Attachment 5—INCIRLIK AB, DGP CHECKLIST I/C – VEHICLE EQUIPMENT **57**

Attachment 6—INCIRLIK AB, DGP CHECKLIST I/F – PACKING, PLACARDING & MARKING **58**

Attachment 7—INCIRLIK AB, DGP CHECKLIST I/G –CHECKLIST IAW 1.1.3.1.C, ADR **60**

Attachment 8—INCIRLIK AB, DGP CHECKLIST **62**

Attachment 9—Figure A9.1. Security Checklist – Facility (Page 1). **64**

Attachment 10—SECURITY CHECKLIST – CONSIGNOR **66**

Attachment 11—SECURITY CHECKLIST – CARRIER **69**

Attachment 12—SECURITY CHECKLIST – RECEIVER **71**

Attachment 13—DANGEROUS GOODS TRANSPORT DOCUMENT **73**

Attachment 14—STEP BY STEP GUIDE TO COMPLETE A DANGEROUS GOODS TRANSPORT DOCUMENT 76

Attachment 15—USAFE-AFAFRICA FORM 60 – ANNUAL DGA REPORT 79

Attachment 16—USAFE FORM 66 – UDGA APPOINTMENT ORDER 82

Attachment 17—USAFE-AFAFRICA FORM 67 CERTIFYING OFFICIAL (DCO) FOR DANGEROUS GOODS AND HAZARDOUS WASTE MOVEMENTS APPOINTMENT ORDER – MODE SURFACE 85

Attachment 18—TRAINING OF PERSONS INVOLVED IN THE CARRIAGE OF DANGEROUS GOODS 88

Attachment 19—CONTENT OF THE UNIT DGA BINDER 90

Chapter 1

TRANSPORTATION OF DANGEROUS GOODS (DG)

1.1. Purpose and Overview.

1.1.1. The responsibility of the Wings/Installations to develop and install an installation dangerous goods management program (2nd level) in accordance with CDGMP, laws and regulations applicable in the area of responsibility (AOR) of the installation. This instruction applies to all units/sections moving or offering DG for on- or off-base transportation (incl. receipt of DG). It applies to the movement of DG on the installation other than restricted areas of munitions storage, aerial ports or flight lines. The Defense Transportation Regulation (DTR) DOD 4500.9R, Chap 204, para C 2 directs services to comply with applicable Status of Forces Agreements (SOFA) and host nation (HN) requirements when moving dangerous goods for off-the-installation by commercial surface, sea or air transportation mode. In accordance with the CDGP, the Installation Commander determines the requirements for on-installation transportation of regulated amounts of DG, as defined in this instruction. The Republic of Türkiye adopted and implemented all European Union regulations concerning safe handling and management of chemicals, i.e. Classification, Packaging and Labeling (CLP) of chemicals, Registration, Authorization, Evaluation, and Restriction of Chemicals (REACH), the Reduction of Hazardous Substances (RoHS) and the reduction and elimination of substances depleting the Ozone layer (ODS). Further TU implemented the ADR, Movement of Dangerous Goods by Road, and RID, Movement of Dangerous Goods by Rail, IMDG-Code, the International Maritime Dangerous Goods Code, and IATA-DGR, the International Air Transport Association Dangerous Goods Regulation as national law. On-installation transportation of DG applies to roads controlled by the installation and access to the road is restricted at all times through the use of gates and/or guards. With the exemption of **Chapter 10**, unless stated otherwise, all chapters and attachments of this instruction apply to off-base transportation of DG/HW/CW. This publication may not be supplemented or altered. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, Recommendation for Change of Publication; route AF Form 847s from the field through the appropriate functional chain of command. (T-0)

1.2. Responsibilities and Duties.

1.2.1. Responsibilities and duties of Commanders, Dangerous Goods Advisors (DGAs), Dangerous Goods Certifying Officials (DCOs), functional elements (e.g. Shippers, Carriers) of units transporting DG are prescribed in the USAFE AFAFRICA Command Dangerous Goods Program (CDGP), USAFE-AFAFRICAI 23-104 and are supplemented by this instruction as required by local regulations. Squadrons assigned to 39th ABW, including GSUs 425 ABS (IZMIR) & 717 ABS (ANKARA), and tenant units (728 AMS, OSI Det 522) stationed on Incirlik AB with responsibilities and duties according to CDGP are listed in **paragraph 1.4**. Duties and responsibilities described in **Chapter 12** are subject to review by the Installation Dangerous Goods Advisor (IDGA) and may be adjusted, based on mission requirements and changes thereto, and on information gained during IDGA inspections. This list will be reviewed and updated by the IDGA annually, based on information gained during mandatory inspections. In general, all personnel involved in activities relating to the movement of DG/HW/CW must ensure all safety requirements are met. Commanders of

tenant units may implement their own instruction to organize the duties and responsibilities identified in the CDGP and Installation Dangerous Goods Management Program (IDGMP) and as directed and coordinated within their own command structure. And in such a case, they should work with the IDGA to monitor compliance with the program. (T1)

1.2.1.1. **Installation Commander** By law the overall responsibility for the transportation safety of DG/HW/CW rests with the head of the organization. The 39 ABW/CC is the head of the organization in this sense for all organizations under the 39 ABW, GSUs 425ABS IZMIR & 717 ABS ANKARAs, and tenant units (728 AMS) on installations managed by this wing. (T-1)

1.2.2. **Unit Commander.** This applies to group and/or squadron commander. Unit Commanders are appointed persons and responsible persons in the meaning of the DG transportation law as explained in USAFE-AFAFRICAI 23-104. They will ensure that assigned personnel comply with obligations and provisions prescribed in the USAFE-AFAFRICAI 23-104 and this instruction. Further details to unit commander responsibilities are identified in USAFE-AFAFRICAI 23-104, section 2.5, and in this instruction, **Paragraph 12.4.13** (T-1)

1.2.3. **Dangerous Good Advisor (DGAs).**

1.2.3.1. The IDGA manages the implementation and execution of the USAFE-AFAFRICA CDGP on Incirlik AB (incl. GSUs) as described and directed by USAFE-AFAFRICAI 23-104. In this capacity the IDGA acts as a consultant to the 39 ABW/CC and subordinate units and is responsible implementing Host Nation (HN) requirements concerning the carriage dangerous goods. The 39 ABW/CC must appoint a Primary and Alternate IDGA. The primary 39 ABW IDGA is assigned to 39 MSG. The IDGA duty phone numbers are 676-6202 and Mob: 0090 549 821 43 32 and location is building 833, room 273. The IDGA Office is required to be close the training room. The location of current office should not be changed without the approval of the IDGA. Primary and alternate IDGA provide on call duty to support commanders in case of an incident involving dangerous goods as described in section 3.4 according to Dangerous Goods Emergency Response Plan and to assist units in case of a DG/HW/CW related movement accident. The Emergency Services and Environmental shall be contacted as a priority. Note: Names and contact information of the IDGA and UDGA must be posted on the safety board of every unit handling dangerous goods. To ensure the monitoring duties of the Wing commander are properly executed and documented the IDGA will act as a Wing IG augmentee IAW AFI 90-201. The IDGA may publish a local MICT checklist based on this instruction to cover additional local requirements identified in by this instruction. Duties and responsibilities of the IDGA according to this instruction are described in **Paragraph 12.4.10** (T-1)

1.2.3.2. Unit Dangerous Goods Advisors (UDGAs), appointed at Flight, Squadron or Group level, are executing the USAFE-AFAFRICA Command Dangerous Goods Program as described in the USAFE-AFAFRICAI 23-104 and this instruction on behalf of the Unit Commander. Unit Commanders still remain ultimately responsible. The UDGA self-inspection MICT checklist to be used by DGAs to ensure general compliance with the CDGP. The CDGP related documents shall be filed in single binder(s) as structured and

described in **Attachment 21**, of this instruction. Duties and responsibilities of the UDGA according to this instruction are described in **Paragraph 12.4.11** (T-1)

1.3. Scope. Packages of DG consigned for movement sea will be prepared in accordance with the IMDG. The movement by commercial air must comply to IATA_DGR. The use of AFMAN 24-604 for MILAIR is authorized in TU as identified in the ratification document to STANAG 3854. The surface transportation of dangerous goods using US military vehicles, on or off Incirlik Air Base, must comply with the safety provisions set forth in this instruction and to the provisions of ADR, Agreement Concerning the International Carriage of Dangerous Goods by Road, and EC 1272/2008, Classification, Labeling and Packaging (CLP). The delivery, collection, and carriage of dangerous goods on the installation with vehicles operated by contractors (including carriage of dangerous goods by tradesmen) must comply with the provisions of the EC 1272/2008 and ADR. This instruction does not apply to on-base transportation of explosive or ammunition. This instruction does not apply to on-base transportation of explosives or ammunition unless assets are marked and prepared for off-base transportation. For the on-base movement of ammunition and explosives refer to AFMAN 91-201 and corresponding USAFE Sup. In areas where the Defense Transportation Regulation (DTR), Part II (DOD 4500.9-R) is more stringent than ADR, DTR Part II applies for movements of Hazardous Materials on the installation. (T0). Note: Organizations moving dangerous goods or hazardous waste on, and off Incirlik Air Base must keep a current copy of the ADR on file in the unit. The most current version of the ADR (PDF file) may be downloaded from the following website: **https://unece.org/trans/danger/danger.html**-

1.4. Participants in the Incirlik Air Base DGMI. Incirlik Air Base Units involved in the USAFE- AFAFRICAI 23-104 Incirlik Air Base Dangerous Goods Management Instruction, including tenant units:

1.4.1. 39 Medical Group (39 MDG)

1.4.2. 39 Civil Engineer Squadron (39 CES)

1.4.3. 39 Logistics Readiness Squadron (39 LRS)

1.4.4. 39 Maintenance Squadron (39 MXS)

1.4.5. 39 Security Forces Squadron (39 SFS)

1.4.6. 39 Force Support Squadron (39 FSS)

1.4.7. 728 Air Mobility Squadron (728 AMS

1.4.8. 425 Air Base Squadron (425ABS)

1.4.9. 7717 Air Base Squadron (717 ABS)

Chapter 2

PREPARATION AND CARRIAGE OF DANGEROUS GOODS (DG)

2.1. Sequence of Operations. Units releasing DG for transportation will comply with the following steps: *Applicability Codes: 1 = Shipper, 2 = Consignor, 3 = Packer, 4 = Loader/Filler/Unloader, 5 = Carrier, 6 = Driver, 7 = Consignee/Receiver (see **Chapter 12** for details concerning the duties and responsibilities of personnel involved in the carriage of DG).

2.1.1. Step 1 – Training. Unit Commanders will ensure only qualified personnel, trained and appointed according to this instruction, **chapter 6** will be used for preparation and movement of DG. Personnel must be trained before being involved in the processes of preparation or movement of DG activities. (T-0)

2.1.2. Step 2 – Identifying Material (*1,2). Determine whether an article or substance is hazardous and if so, if it is authorized for transport. (T-0). Proper information may be obtained from one of the following data files/sources:

2.1.2.1. Manufacturer, Shipper, Ordering Party of the Shipper

2.1.2.2. HMIRS (Hazardous Material Information Resource System)

2.1.2.3. EESOH-MIS (Enterprise Environmental Safety and Occupational Health Management Information System)

2.1.2.4. SDS (Safety Data Sheet)

2.1.2.5. JHCS (Joint Hazardous Classification System)

2.1.2.6. Technical Directives or Orders

2.1.2.7. IHC (Interim Hazard Classification). Note: IHCs are only authorized for movement of the item within the United States via Surface mode for the purpose of testing. In case items are moved under an IHC internationally for the purpose of testing by NATO or DOD agencies outside the US, the IHCs issued by DOD agencies listed in DTR Part II, Ch. 204, must be verified by the host nation competent authority (HNCA). Units must be prepared to pay for the approval document of the HNCA. The IHC HNCA verification process is identified in the CDGP.

2.1.2.8. European Waste Catalog (EWC) – (HW/CW only)

2.1.2.9. Organization of Economic Cooperation and Development (OECD) Code for HW. Note: Units will ensure that Safety Data Sheets (SDSs) conforming to EC directive 453/2010 are maintained for hazardous material on stock (SDSs are also authorized if adjusted according to the above directive). For hazardous waste the waste monitors will maintain the USAFE- AFAFRICA Form 1930.

2.1.3. Step 3 – Identify Contents of DG (*1,2). Obtain the following information from sources outlined in ‘Step 2’ and forward the data to the ‘Consignor’ so that they can determine the proper shipping requirements in accordance with **Part 3**, Table A, ADR.

2.1.3.1. UN Number (always required)

2.1.3.2. Proper Shipping Name (always required)

2.1.3.3. Hazard Class (always required)

2.1.3.4. Classification Code (only required for Class 1)

2.1.3.5. Technical Name (only if Proper Shipping Name includes the term 'N.O.S.')

2.1.3.6. Packing Group (if assigned)

2.1.3.7. EWC-Code and Type of Waste (HW only) Note a: Contact Unit or Installation DGA for assistance if UN number identified is not listed in **Part 3**; Table A, Column (1), ADR. Note b: For substances produced after 1 Dec 2010 ensure the hazardous material identification conforms to Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging (CLP) of substances and mixtures. Substances produced prior to 1 Dec 2010 must comply with CLP regulation starting 1 Dec 2012.

2.1.4. Step 4 – Shipment Planning (*1,2). Use information obtained through Steps 2-3 to determine item specific requirements/provisions prescribed in the Dangerous Goods List of **Chap 3**.2, Table A, ADR. Columns 1-20, Table A, ADR provides necessary information required for the packaging, labeling, marking and carriage of DG. Identify waivers, exemptions, limited and excepted quantity limits (Column 7a, 7b and 15) that may partially or totally exempt DG from the requirements of ADR. Review **Chapter 11** for local requirements (e.g. routing permits or waivers). Checklists shown in Attachments **3**-**10** (or similar unit checklists) may be used by the shippers, consignors, loaders, or carriers of DG to ensure system compliance with DG movement regulations.

2.1.5. Step 5 – Packaging (*1,2,3). Prepare DG for surface road transportation. Type of package, packaging requirements, marking, and labeling must comply with:

2.1.5.1. Consignment procedures described in Parts **4**, **5** and **6** of the ADR (T-0).

2.1.5.2. CLP marking requirements described in **Chapter 8** of this instruction.

2.1.5.3. Appropriate airlift or sealift regulations (i.e. IATA or AFMAN 24-604, IMDG Code), if material is moved in a multimodal transportation chain (IAW 1.1.4.2, ADR). (T-0)

2.1.6. Step 6 – Documentation (*2). Prepare transport documents and other supporting documents in accordance with **Chapter 7** of this instruction. (T-0). Comply with the instructions described in **Attachment 16** in conjunction with **Attachment 15** when preparing proper transport documents required by Chapter 5.4 of the ADR. (T-3)

2.1.7. Step 7 – Miscellaneous Equipment and Fire Extinguishers (*5). Every placarded and/or orange plated vehicle loaded with DG shall be furnished with fire extinguishers for inflammability classes A, B, C and miscellaneous equipment described in ADR 8.1.4 and 8.1.5. (T-0)

2.1.8. Step 8 – Compatibility (*4, 6). Packages bearing different hazard labels may only be loaded together in the same vehicle or container if permitted by compatibility tables outlined in **Ch. 7**.5, ADR. (T-0)

2.1.9. Step 9 – Types of vehicles (*4, 5). DOD non-tactical vehicles, tank vehicles, trailers, and semi-trailers that transport DG defined in the Dangerous Goods List, **Ch. 3**.2, ADR must be in good structural and mechanical condition and authorized for carriage of DG according to

DOD and established Air Force regulations/policies. Off-base restriction; only vehicles carrying an ADR certificate of approval, for vehicle types of FL, AT, EX II or EX III according to ADR Part 9, may be used for the carriage of UN Class 1 (ammunition or explosives exceeding the threshold limits in ADR Table 1.1.3.6., or UN Class 3 (flammable liquids carried in tank vehicles or tanks). (T-0)

2.1.9.1. Only vehicles equipped with proper anchor points (e.g. to secure loads with tie down equipment or chains) or equivalent load securing methods (barriers) will be used to transport packages containing DG. (T-1)

2.1.9.2. POVs are not authorized for the carriage of DG unless explicitly authorized by the DOD Component HQ due to operational necessity. If a POV is used for official duty travel transporting DG the exemptions listed in the ADR, 1.1.3.1. for private individuals will not apply. (T-1)

2.1.9.3. Under no circumstances will packages containing DG requiring ventilation be carried in a vehicle passenger compartment. (T-0). If DG is moved in open passenger compartments, i.e., vans or buses, provided ventilation is not required, the packages must be secured in accordance with the safety principles for load securing.

2.1.9.4. Closed or sheeted vehicles must be used for the carriage of packages sensitive to moisture. (T-0)

2.1.9.5. The type of vehicles/containers to carry DG, must be control from column 16 thru 19 of Table A, **Ch 3**.2, ADR.

2.1.10. Step 10 – Load Securing (*4, 6). Packages containing DG must be securely restrained or packed in vehicles or containers to prevent movement or release of dangerous goods during transportation. (T-0). For handling and stowage requirements, ADR Section 7.5.7. provides recommended standards and practices concerning proper load securing. Personnel responsible for load securing must be trained and in possession of valid training certificates. (T-1)

2.1.11. Step 11 – Placarding (HazMat placards and orange-colored plates) (*4, 6, 7). Tank vehicles (including tank vehicles NOT drained and purged) and other transport units or large containers (e.g., ISOs and MILVANs) carrying DG exceeding threshold limits specified in ADR Table 1.1.3.6.3. and 1.1.3.6.4. must be placarded, marked and furnished with orange-colored plates according to Chapter 5.3 of the ADR. Corresponding placards required for other modes of transportation, with minor variations which do not affect the obvious meaning of the placards, are also acceptable. The placards may include text such as UN numbers or words describing the hazard (i.e., Flammable Liquid) provided the text does not obscure or detract from other required placard elements. Once a vehicle has been unloaded, cleaned and free from dangerous goods residues, the placards and orange-colored plates must be removed or covered. (T-0). Note: Tank vehicles or tank containers must be empty, drained and purged prior to removing placards and/or orange plates. A certificate must be provided verifying the tank is free from dangerous goods.

2.1.12. Step 12 – Vehicle Crew (*5, 6). Drivers of tank vehicles or vehicles transporting DG in quantities exceeding the threshold limits prescribed in Section 1.1.3.6 of the ADR, must possess a valid ADR Driver Certificate according to Section 8.2.1 of the ADR, the driver must also hold a regular driver license for the size and type of vehicle being used. (T-0). Prior to movement the consignor/carrier must brief the driver(s) on the content of the load,

requirements concerning the supervision of the vehicle and emergency procedures in case of a vehicle breakdown, accident and/or an accidental release of DG, as described in **Chapter 3** of this instruction.

2.1.13. Step 13 – Security (*1, 2, 3, 4, 5, 6, 7). Regardless of quantity, before releasing DG to drivers, the shipper/loader will verify the identity of the crew members. Each member of the vehicle crew must carry an identification card which includes their photograph. (T-1).

2.2. Exemptions. Consult with the IDGA for guidance on specific exemption cases.

2.2.1. General ADR exemptions. The provisions laid down in ADR do not apply to the movement of DG in the situations enumerated in section 1.1.3, ADR. Prior to taking action, active participants involved in the process must consult the ADR to verify that a particular shipment meets the requirements for exemption.

2.2.2. Limited and Excepted Quantities. Carriage of DG packed, marked and labeled according to **Chapters 3**.4 (Limited Quantities), ADR or **Chapter 3**.5 (Excepted Quantities), ADR may be exempt from most ADR provisions. The List of Dangerous Goods, **Chap 3**.2, Table A, column 7a will provide maximum quantities for inner packaging limits relating to Limited Quantities (LQ). This column 7a leads to ADR chapter 3.4 for details of DG packed in LQ. Column 7b will provide an alphanumeric code which leads to ADR table 3.5.1.2. This provides information on maximum quantities for packages processed as Excepted Quantities (E).

2.2.3. ADR Table 1.1.3.6. Carriage of loads (other than shipments in tanks/tank vehicles or break-bulk) not exceeding the exemption limits prescribed in 1.1.3.6, ADR may be exempt from some of the major ADR provisions which be found in **paragraph 1.1.3.6.2**., ADR. It is important the shipper can provide information on the ADR Transport Category for this table to be utilized correctly. Information on mixed Transport Category loads can also be found within Section 1.1.3.6 of the ADR.

2.3. Hazardous Waste Storage and Accumulation Areas.

2.3.1. Hazardous Waste which meets the classification criteria for Dangerous Goods must be prepared in accordance with CLP, and ADR. Units generating and storing or accumulating HW must comply with the standards and procedures described in Chapter 5 of AFMAN 32-7002, Environmental Compliance and Pollutions Prevention and country specific Final Governing Standards (FGS). In case of conflict with other regulations, i.e., FGS, the CLP and ADR take precedence for preparing the movement of hazardous waste (marking, packing, labeling, classification). Hazardous Wastes that are regulated by ADR must comply with all the movement provisions that apply to the carriage of 'regular' dangerous goods Installation Hazardous Waste Management Plans (HWMP) may provide additional information and overall strategy, delineates responsibilities, and set forth specific objectives and procedures for properly managing HW generated by the units.

2.3.2. Containers used for the storage of HW shall be labeled and marked in accordance with:

2.3.2.1. ADR if containers are used or prepared for the carriage of HW (e.g., UN No. and Hazard Label(s))

2.3.2.2. GHS markings as described in **Chapter 8** of this instruction and FGS (e.g. Pictograms and Hazard/Precautionary Markings)

2.3.2.3. Six-digit European Waste Code (EWC) and waste description, described in FGS.

2.3.3. Suitable containers must be used for the collection of HW. If used for off-base carriage, these containers (e.g., Drums or IBCs) must meet the provisions of the ADR.

2.3.4. Measures must be in place to prevent the build-up of pressure and dangerous atmospheres in containers used for the collection of HW (e.g., Aerosol Cans).

2.3.5. Personnel and their supervisors who are assigned duties involving actual or potential exposure to HW must successfully complete an appropriate training program before assuming those duties. (T-0). See DODI 6050.05, DOD Hazard Communication (HAZCOM) Program.

2.3.6. The primary office of responsibility for disposal of HW is 39 CES/CECIV (DSN 676-8942). UDGAs appointed by 39 CES/CC or other personnel assigned to 39 CES tasked to provide training to HW managers in accordance with AFMAN 32-7002, Chapter 5 Hazardous Waste Management must be in possession of a UDGA/DCO training certificate (in accordance with **Chapter 6** of this instruction). The 39 CES/UDGA must ensure that the following elements are included in their training plans for HW Manager or Monitor training.

2.3.6.1. Container labeling and marking requirements in accordance with the ADR;

2.3.6.2. Container markings in accordance with OSHA (Attachment 8);

2.3.6.3. European Waste Catalog Codes and Waste Description

2.3.6.4. Identification of the HW (e.g. Proper Shipping Name, UN No.);

2.3.6.5. Stowage and Segregation.

2.3.6.6. Measures preventing the build-up of pressure and dangerous atmospheres in containers.

2.3.6.7. Procedures concerning the proper turn in of HW from the storage area to the base storage area.

2.3.6.8. Use of HW Profile Sheets or equivalent forms to document disposal of HW.

2.3.7. Units generating hazardous waste will maintain completed copies of Hazardous Waste Profile sheets (HWPS) USAFE AFAFRICA Form 1930 or the format provided in EESOH-MIS. 39 CES/CECIV, appointed UDGAs and IDGA will assist the units identifying HW properties in accordance with waste and DG rules as described herein, in USAFE-AFAFRICAI 23-104 and in the FGS for TU. in accordance with DG rules, HW monitors at HWSAs and HWAPs must be trained as Technical Expert (TE) for Hazardous Wastes. The unit HW monitor must ensure the HW profile sheets are current. When the unit deploys the unit commander must ensure the deployment team carries the HW profile sheets corresponding to the HW and processes at the deployment site. DLA disposition service should be contacted prior to the deployment to assist with planning of HW disposal at the deployment site.

2.3.8. In the case of HW, contractors may pick up the goods. It is not recommended to move HW through off-base routes to HW collection points by military vehicles/personnel. If there is a requirement for this to happen, all transportation and traffic safety rules and qualifications apply. The preferred method is to arrange pick up of HW by qualified contractors.

2.3.9. The contractor may execute the loader, packer, consignor, and carrier duties. Contracting officers and waste generators involved in the statement of work should clearly

identify which of the functions listed in this instruction are delegated to the contractor. If delegated, the waste generator is still liable to ensure the contractor complies with the duties listed in the contract and in this instruction.

2.3.10. The identification of the HW cannot be delegated. Proper identification of HW is the responsibility of the unit generating the HW. The person executing the shipper function 'identifying' the HW on behalf of the owning unit, will remain liable for the proper identification until its final destination.

2.3.11. DLA Hazardous Waste Profile Sheets (HWPS) or equivalent forms may be used for the proper identification of HW. 39 CES may assist units with their technical expertise completing the required HWPS. A copy of the required HWPS used for carriage of HW from the HW generating site to HW Storage Area will be issued to the operator of CHWSA. The unit and base waste monitor will ensure the DG information of each HW packages is handled by traceable means.

Chapter 3

PROCEDURES FOR VEHICLE BREAKDOWN, ACCIDENTS AND ACCIDENTAL RELEASE OF DANGEROUS GOODS

3.1. General. An accidental or unauthorized release of dangerous goods may occur after a vehicle accident, during loading/unloading, or without warning during movement of DG due to improper/damaged packaging or insufficient load securing. Vehicle crew members must be briefed on emergency response requirements by the carrier prior to the journey. A colored copy of the instructions in writing (actions by drivers in the event of an accident of emergency) in accordance with 5.4.3 of the ADR, and as described in **Paragraph 7.3**, instructions in writing must be issued to the drivers prior to transportation. Instructions must be in the driver's language and readily available in the vehicle cab. Instructions In Writing can be found at the following website: **https://unece.org/linguistic-versions-adr-instructions-writing**

3.2. Procedures. Actions to be taken in case of an incident/accident described in this Chapter only apply to drivers of vehicles which are required to display orange plates, in accordance with ADR 5.3.2 (actions are not listed in priority order). Drivers of non-placarded vehicles carrying dangerous goods should comply with the instructions as far as reasonably practicable (e.g., non-placarded vehicles are not required to carry some of the equipment or documentation listed). In the event of an accident or emergency the members of the vehicle crew shall take the following actions where safe and practicable to do so:

3.2.1. Whenever possible, park the vehicle in a safe area, clear of traffic and as far away from inhabited buildings and populated areas as practicable.

3.2.2. Drivers of a leaking tank vehicle must, under all circumstances, try to get out of the areas of settlements, tunnels and from bridges. If necessary, have the tank vehicle towed away with the help of the emergency services.

3.2.3. Apply the parking brakes and turn off the engine.

3.2.4. Whether day or night, activate the hazard lights.

3.2.5. Activate the battery master switch (if available).

3.2.6. Put on a warning vest (one must be carried for each member of the crew).

3.2.7. Secure disconnected trailers without braking devices with the wheel chocks.

3.2.8. Display traffic warning triangles (if available also use traffic cones or portable flashing lights) at the roadside, consider using the following distances from the scene of the incident, where practicable:

3.2.8.1. Approx. 50 meters within a town

3.2.8.2. Approx. 100 meters outside a town

3.2.8.3. Approx. 150 – 400 meters on a motorway

3.2.9. Provide first aid to injured people, using the vehicle first aid kit if needed.

3.2.10. Use personal protective equipment available on the vehicle, as listed in ADR 8.1.5. and on the Instructions in Writing.

3.2.11. Do not walk into or touch spilled substances.

3.2.12. Avoid inhalation of fumes, smoke, dusts, and vapors by staying up wind.

3.2.13. If necessary, use portable fire extinguishers installed on the vehicle to tackle:

3.2.13.1. Fires in engine compartments, tires, and brakes.

3.2.13.2. Vehicle crew members should not tackle fires in the load compartment.

3.2.14. If necessary, contact Emergency Services (Dial 112) for assistance, in particular if the dangerous goods carried present a risk to life, infrastructure or the environment, especially if there is leakage of dangerous goods and the risk cannot be eliminated quickly. When dialing the Emergency Services have the following information for the authorities:

3.2.14.1. What has happened (e.g., accident or loss of product).

3.2.14.2. Where it has happened (exact location).

3.2.14.3. How many people are injured and what types of injuries.

3.2.15. Keep the dangerous goods transport document ready to provide the following information to the Emergency Responders upon request:

3.2.15.1. UN Numbers of the dangerous goods being carried.

3.2.15.2. Proper Shipping Names of the goods being carried.

3.2.15.3. Corresponding Hazard Label No. and/or UN Class of the dangerous goods being carried.

3.2.15.4. Packing Groups where applicable.

3.2.15.5. Quantities of dangerous goods involved with the incident.

3.2.15.6. Do not hang up until told to do so.

3.2.16. Avoid sources of ignition, in particular, do not smoke, use electronic cigarettes or similar devices, or switch on any electrical equipment.

3.2.17. Direct unauthorized personnel not involved in the incident to stay away from the scene.

3.2.18. Upon arrival provide a general awareness brief to the Emergency Services and follow their instructions.

3.2.19. Upon request of the Emergency Services, the dangerous goods transport document (in accordance with **chapter 5**.4, ADR) must be provide to them.

3.2.20. Contact supervisor, UDGA, IDGA and IAB Security forces for awareness and support, as necessary and for additional guidance ensuring compliance with Dangerous Goods Emergency Response Plan.

3.2.21. Remove any contaminated clothing and dispose of it safely.

3.3. Accident/Incident Reports. Contact your UDGA and the IDGA office (DSN 676-6202).) for assistance to complete the required accident/incident report (USAFE-AFAFRICA Form 61). UDGAs will prepare accident/incident reports on USAFE-AFAFRICA Form 61, according to USAFE-AFAFRICAI 23-104 and issue copies of the reports to the IDGA. Upon completion this accident report by the IDGA, will be submitted to the Command DGA. The CDGA will prepare

the official report for release to the Host Nation Competent Authority and must not include classified information.

3.4. Quantities and Incidents that must be Reported. The following criteria must be reported on a USAFE-AFAFRICA Form 61:

3.4.1. Personal injury means an occurrence in which death or injury directly relating to the dangerous goods carried has occurred, and where the injury:

3.4.1.1. Requires intensive medical treatment.

3.4.1.2. Requires a stay in hospital of at least one day; or

3.4.1.3. Results in the inability to work for at least three consecutive days.

3.4.2. Loss of product means the release of dangerous goods:

3.4.2.1. Of transport category 0 or 1 in quantities of 50 kg/50 l or more;

3.4.2.2. Of transport category 2 in quantities of 333 kg/333 l or more; or

3.4.2.3. Of transport category 3 or 4 in quantities of 1000 kg/1000 l or more.

3.4.3. If dangerous goods of Class 6.2 are involved, the obligation to report applies whatever the quantity limitation.

Chapter 4

SECURITY

4.1. Supervision of Vehicles. Any military vehicle carrying DG, regardless of quantity or volume must be protected against unauthorized access and safeguarded against theft. Vehicles may only be left unattended if the doors/gates to the vehicle and cargo area can be locked and the vehicle is parked in a secure area, only if not contrary to any other US military regulations. Placarded/orange plated vehicles carrying DG in quantities or volumes exceeding 1.1.3.6, ADR threshold limits should not be parked next to inhabited buildings whenever possible

4.2. Security Training. All DG employees must be trained in accordance with **Paragraphs 6.2.1.4** in this instruction.

4.3. High Consequence Dangerous Goods (HCDG).

4.3.1. High consequence dangerous goods (HCDG) are defined as those which have a potential for misuse in a terrorist incident and which may, as a result, produce serious consequences such as mass casualties or mass destruction. The list of high consequences dangerous goods is provided in **Table 1.10.3.1.2**., ADR and 49CFR, 172.800.

4.3.2. The security provisions for 'HCDG' provide measures of precautions to be taken to minimize theft or misuse of dangerous goods that may endanger persons, property, or the environment. All participants (Units, contractors, and other agencies) engaged in the carriage of DG must comply with the provisions of **Chapter 1**.10, ADR if movement exceeds the threshold limits for high consequence DG as listed in section 1.10.3.1.2, ADR or 49CFR, 172.800 (most stringent regulation must be applied). ADR Section 1.10.3. covers the requirements for security of high consequence DG. This includes the requirement for a security plan.

4.4. Security Plan All Units moving high consequence DG must implement written security plans and train assigned personnel. The transportation security plan will include an assessment of possible DG transportation security risks. The security plan will include:

4.4.1. Personnel Security. A method to validate information provided by job applicants hired for positions that involve access to/handling of the DG covered by the security plan.

4.4.2. Unauthorized Access. Measures to assess the risk of unauthorized persons gaining access to DG listed in the security plan or transport conveyances being prepared for transportation of the DG covered by the security plan.

4.4.3. En Route Security Measures to assess the risk of DG shipments moving from origin to destination, including any temporary storage of the material while en route to destination.

4.4.4. Responsibility. Assign responsibilities for security to competent and qualified personnel.

4.4.5. Inventory. Records of dangerous goods or types of dangerous goods concerned.

4.4.6. Security Policy. Effective procedures for responding, reporting, and dealing with security threats, breaches of security or security incidents.

4.4.7. Procedures for the evaluation and testing of security plans and procedures for periodic review and update of the plans.

4.4.8. Measures to ensure the physical security of transport information add in the security plan.

4.4.9. Measures to ensure that the distribution of information relating to the transport operation contained in the security plan is limited to those who need to have it.

4.4.10. Clear statement of measures that are to be taken to reduce security risks, commensurate with the responsibilities and duties of the participants, including:

4.4.10.1. Security Training (see **paragraph 6.2.5**.);

4.4.10.2. Equipment and resources used to reduce security risks (e.g., alarm system);

4.4.11. Security plan must be:

4.4.11.1. In writing.

4.4.11.2. Retained for as long as it remains in effect.

4.4.11.3. Available to employees responsible for implementing it, consistent with personnel security clearance/background investigation restrictions and employee's need to know.

4.4.11.4. Revised and updated, as necessary, to reflect changing risks, commodities, and circumstances.

4.4.11.5. Maintained as of the date of the most recent revision.

4.4.12. Draft copy of a security plan may be obtained from IDGA office upon request.

4.4.13. If a unit wishes to develop their own security plan, the information it must contain is listed in herein and in **paragraph 1.10.3.2**., ADR.

4.4.14. The security plan should be reviewed regularly to ensure the information contained is relevant.

4.5. List of Security Checklists. Checklists listed in Attachments11-14 may be used for internal security risk assessments, security training and security plans, as required. It's essential for personnel involved in the handling of DG to become familiar with security standards and requirements outlined corresponding movement regulations.(T-3).The following security checklists are attached to the instruction:

4.5.1. Facility Security Checklist (**Attachment 11**)

4.5.2. Security Checklist for the Consignor of Hazmat (**Attachment 12**)

4.5.3. Security Checklist for the Carrier of Hazmat (**Attachment 13**)

4.5.4. Security Checklist for the Receiver of Hazmat (**Attachment 14**)

Chapter 5

VEHICLE EQUIPMENT AND VEHICLE CREW PERSONAL PROTECTION EQUIPMENT

5.1. General. The Carrier must ensure that the required protective equipment and fire extinguishers in accordance with ADR 8.1.4 and ADR 8.1.5 are available on vehicles carrying DG in quantities requiring orange colored warning plates. (T-0). See Attachments **5** and **6** for corresponding checklists to be used during vehicle inspections.

5.2. Miscellaneous- and Personal Protection Equipment (PPE) is required for transport units that exceed the threshold limits prescribed in 1.1.3.6.3 , ADR and must be available on vehicles carrying DG is depending the hazard classes (label numbers).

5.3. Fire-Extinguishers. The number and total capacity of fire-extinguishers required on vehicles carrying DG is pending on the permissible mass of the transport unit. These fire-extinguishers on vehicles must comply with the technical requirements of Section 8.1.4 of the ADR and are subject to a two-year periodic technical inspection to guarantee functional safety. (T-0). Units must keep track of expiration dates indicated by a Month/Year marking on the outside of the fire-extinguisher. After two years fire-extinguishers must be serviced or replaced.

Chapter 6

TRAINING

6.1. General Information. Personnel involved in the carriage of DG require training appropriate to their functions, duties and responsibilities. Training as used in this Chapter means a systematic program that ensures a DG employee has familiarity with the provisions of this DGMP, and the ADR, applicable to the functions performed by the employee. Training must be completed before assuming responsibilities concerning the carriage of DG. Each Unit Commander shall ensure they have enough trained personnel to ensure they can meet their mission requirements. Things to consider include but are not limited to, frequency of DG transportation, TDY commitments, PCS dates of DG trained personnel, DG inventory and DG functions undertaken by their unit's staff (e.g., Drivers, Packers, Loaders, etc.).

6.2. Types of Training.

6.2.1. Unit Internal Training.

6.2.1.1. General Awareness/Familiarization Training. Personnel shall be familiar with the general requirements of the provisions concerning the carriage of dangerous goods and be able to recognize and identify dangerous goods. (T-0)

6.2.1.2. Safety Training. Commensurate with the degree of risk of injury or exposure arising from an incident involving the carriage of DG, including loading and unloading, personnel shall receive training covering the hazards and dangers presented by dangerous goods. The training provided shall aim to make personnel aware of the safe handling and emergency response procedures. (T-0). The training shall be periodically supplemented with refresher.

6.2.1.3. Function Specific Training. Personnel will receive detailed training commensurate directly with their duties and responsibilities in the requirements of the regulations concerning the carriage of dangerous goods. Where the carriage of dangerous goods involves a multi-modal transport operation, the personnel shall be made aware of the requirements concerning other transport modes. (T-0). Unit training plans for function-specific training must cover responsibilities by function and mode, as described in **Chapter 12** of this instruction.

6.2.1.4. Security Awareness Training. Each qualified DG employee must receive training that provides an awareness of security risks associated with DG transportation, designed to enhance transportation. This training must include a component covering how to recognize/respond to possible security risks. Each unit responsible from the Incirlik Air Base DGMP are required to install a security plan in accordance with the ADR, Chapter 1.10, Title 49 CFR 172.704 Subpart I and DTR 4500.9-R, para 204. They must ensure the applicable personnel are trained according to the content of the security plan. (T-0)

6.2.1.5. Responsibilities. Training described in **Paragraph 6.2.1** is always required (unless stated otherwise in this instruction) and shall be provided by the UDGA or a supervisor with the Subject Matter Expertise in that area. Training may be covered by the workplace specific HAZCOM training required by AFI90-821; Hazard Communication, provided that elements of training outlined in **paragraph 172.704**(a) of 49 CFR are included. The training described is required in accordance with 49 CFR 172.204 Subpart I

and DTR 4500.9-R Chapter 204. Training required by Paragraphs **6.2.1.1**, **6.2.1.2** and **6.2.1.3** shall be deemed as covered if personnel already received UDGA, DCO, ADR-certified driver, or technical expert training by the IDGA office.

6.2.2. Commander Awareness Brief. The 39 AB Wing Commander, and Unit/Group Commanders of the units involved with dangerous goods shall be briefed by the IDGA on the contents of the DGP. The IDGA will organize a brief for the Wing Commander through the Commander's secretary within 90 days after a change of command. UDGAs shall coordinate the required briefing for their Unit Commander through the IDGA office not later than 90 days after a change of command. A memo for record (MFR) provide details of the brief and those present will be issued to the Unit after completion of the brief.

6.2.3. Vehicle Crew Training.

6.2.3.1. ADR Certified Drivers. Drivers of vehicles carrying DG in quantities exceeding the limits of ADR 1.1.3.6. and drivers of tank vehicles, must possess an ADR driver certificate, in accordance with **Chapter 8**.2, ADR when driving the vehicles outside of the Incirlik Air Base and GSUs (425 ABS & 717 ABS). The required ADR driver training may only be provided by licensed training schools or qualified and licensed IDGA. 39 ABW IDGA will try to obtain license from the competent authorities to be familiar general requirements concerning the training of drivers and if necessary to provide this training on base. All requests for ADR driver training must be routed through 39 FSS and contractor company (civilian personnel) or unit training section (military personnel) to the IDGA office. Note: Prerequisite: General vehicle driver license (as required)

6.2.3.2. Other Drivers. Drivers of vehicles carrying DG in quantities not exceeding the threshold limits specified in **paragraph 1.1.3.6**., ADR. must be trained according to **paragraph 6.2.1** of this instruction.

6.2.4. Hazardous Waste Training. All personnel handling hazardous waste and their supervisors must receive and successfully complete HW training before working with HW. Units operating HW storage or accumulation areas in accordance with **Paragraph 2.3** of this instruction will contact 39CES/CECIV for specific HW training. Note: Units possessing HW Storage Areas or Accumulation Points must ensure personnel responsible for the disposal of HW are certified as ADR Technical Experts as described in **Paragraph 6.2.9** below.

6.2.5. Class 7, Radiation Protection. Any persons must receive appropriate training concerning radiation protection including precautions to be observed in order to restrict their occupational exposure and the exposure of other persons who might be affected by their actions.

6.2.6. Load Securing. Personnel involved in the loading or monitoring the loading of cargo (e.g., drivers, loaders) shall be trained in proper techniques to prevent loads from moving vertically, laterally and horizontally, according to best practices described in section 7.5.7, ADR. Mixed Loading Prohibitions in accordance with section 7.5.2, ADR must be followed when securing DG loads.

6.2.7. UDGA Training. Units involved in the process of moving, packing, loading/unloading, or filling DG must ensure that a primary and an alternate UDGA are trained and appointed in accordance with USAFE AFAFRICAI 23-104. (T-1). Signed copy of appointment orders must be provided to the IDGA NLT 30 days after training completion. Units are responsible

for maintain a list of trained and appointed personnel assigned to the unit and submit to the data to the IDGA as changes occur in their data to schedule training for them. UDGAs will receive refresher training annually from the IDGA to be aware update of the regulations concerning the carriage of dangerous goods.

6.2.8. Dangerous Goods Certifying Official (DCO) Training. Units who execute Consignor duties according to Paragraphs **12.3.2** and **12.4.2** must ensure that DCOs are trained and appointed for each mode of transportation utilized. Commanders are responsible for ensuring they have enough trained DCOs to meet their missions' requirements both when transporting DG from Incirlik AB and when returning DG back to Incirlik AB. (T-1)

6.2.9. Technical Expert/Basic Awareness Training. This training is recommended for those individuals who have a role with regards to identifying and handling DG but are not involved in the preparation or execution of transporting the DG packages. Training shall be deemed as covered if employees have been trained in accordance with the **paragraph 6.2.1** of this instruction, provided the workplace specific HAZCOM training includes elements of training outlined in DTR Paragraph 172.704(a) of 49 CFR.

6.3. Training Certificates. Once successfully completed the UDGA or DCO training, the students will be issued with a training certificate outlining the name of the attendee, training source, course number, certificate number and expiration date. Students who attend but fail the final exam are trained as Technical Experts in accordance with **Paragraph 6.2.9** of this instruction, unable to certify consignments of DG. Drivers that successfully complete the training listed in **Paragraph 6.2.3.1** of this instruction will receive an individual ADR Driver certificate. The ADR Driver's License will be issued by the Competent Authority. Appointment orders in accordance with **Paragraph 6.5** of this instruction are not required for drivers.

6.4. Documentation. Training of personnel in accordance with **Chapter 6** must be documented and recorded. Individual training certificates must be kept on file at the unit and made available to the employee and competent authority upon request. (T-0). In accordance with the USAFE AFAFRICAI 23-104, records must be kept on file for five years. All personnel that have completed training in accordance with the Incirlik AB DGMP must be tracked by the unit on a training master list.

6.5. Appointments. In line with the USAFE-AFAFRICAI 23-104, Unit Commanders must appoint UDGAs and DCOs in writing using a standardized USAFE AFAFRICA Form 66 or 67, as applicable. (T-1). Once appointment orders are signed by the Commander and Appointee, a copy of the order must be submitted to the IDGA. Individuals that have passed the final test for UDGAs and DCOs but are not appointed by their Commanders will be considered Technical Experts in accordance with **Paragraph 6.2.9** until their appointment orders have been completed. Appointment Orders shall be returned to the IDGA within 30 days of the individual's completion of training.

DOCUMENTATION

7.1. General. In addition to documents that may be required by other regulations, the following documents must be carried on vehicles moving DG, as required by ADR Section 8.1.2, and Paragraph 11.2 of this instruction. The unit releasing DG on to the public roads must ensure that the following documents are passed on to the driver and available in the vehicle cab. Note: Consignments of DG (other than those in tanks/tank vehicles or bulk) that are not exceeding the

threshold limits described in ADR 1.1.3.6. may be exempt from carrying the below documents except for those described in Paragraphs, 7.2, 7.6 and 7.7.

7.2. Transport Document. Unless specifically exempted in the ADR, the unit executing the consignor duties in accordance with **Paragraph 12.4.2** of this instruction must complete a transport document according to Chapter 5.4 of the ADR and to this Chapter. A qualified DCO appointed by the Consigning unit, or Shipping unit, must inspect the DG prior to creating and signing the transport document, stating that the contents of the consignment are fully and accurately described by the proper shipping name, classified, marked, labeled/placarded and in all respects, in proper condition for transport according to the applicable international and national regulations.

7.2.1. Format required. There is no specific format required for the design of the dangerous goods transport document. Multimodal Dangerous Goods Form (Section 5.4.5, ADR), DD Form 1384 (TCMD), DD Form 2890 (DOD Multimodal Dangerous Goods Declaration) or equivalent forms may be used as transport documents provided corresponding ADR information is entered in proper sequence and in English language. When transporting Hazardous Waste (HW), via commercial transportation on Republic of Turkey public roads and highways, HW generators will prepare off-installation HW shipments in compliance with applicable Republic of Turkey transportation regulations which is ADR. Requirements may include classification, labeling, packaging, and marking, placarding. In the absence of Republic of Turkey regulations, international standards will be used. For the carriage and disposal of Hazardous Waste; all HW leaving the installation will be accompanied by a waste manifest to ensure a complete audit trail from point of origin to ultimate disposal. The manifest will include the information listed below. Host nation forms will be used when applicable; and also, DD Form 1155, “Order for Supplies or Services”, or DD Form 1348-1A, “Issue Release/Receipt Document,” may be used. For the carriage and disposal of Hazardous Waste, units must use the European Version of the Hazardous Waste Profile Sheet, USAFE-AFAFRICA Form 1930. Note: If DD Form 2890 is used for the carriage of DG by road, replace referenced 24-Hour emergency assistance telephone number (unless shipment is marked for CONUS – carriage in a transport chain including maritime) with phone number for Unit DGA and/or DCO.

7.2.2. Carriage in a transport chain including maritime or air carriage. The Shipper’s Declaration for Dangerous Goods according to the IATA or AFMAN 24-604, or Multimodal Dangerous Goods Forms according to the IMDG Code may also be used for over the road transportation of DG to/from the Aerial or Water Port, provided that the additional information required by the ADR is also included. ADR Sections 5.4.1. and 5.4.1.1.7. provides details on the requirements. ADR Section 1.1.4.2. provides information on the applicability of other regulations.

7.2.3. Copies required. Complete and sign at least two copies of the dangerous goods transport document. One copy must be issued to the selected carrier in accordance with **Paragraph 12.4.2** of this instruction. Another copy must be kept on file in accordance with **chapter 5**.4.4, ADR. Other copies may be distributed as required or requested.

7.2.4. Step by step instructions for completing the dangerous goods transport document. See **Attachment 16** and corresponding sample of Multi Modal Dangerous Goods Form in **Attachment 15** for guidance preparing the required transport document for surface road

transportation of dangerous goods. This guide does not alleviate the responsibility of the DCO from studying the details of ADR Chapter 5.4. when completing the dangerous goods transport document.

7.3. Instructions In Writing. In accordance with Section 5.4.3 of the ADR the Carrier must provide written instructions in languages each member of the vehicle crew can understand. Members of the vehicle crew must be capable of carrying out the actions prescribed in the written instructions in case of an accident or emergency. (T-0) Copies of written instructions may be downloaded from the following UNECE web-site: **http://www.unece.org/trans/danger/publi/adr/adr_linguistic_e.html**.

7.3.1. Only these instructions shall be used. They cannot be altered. If additional information is required to instruct the driver on special details identified in US or Turkish regulations regarding safe movement or emergency response, add an additional page with those instructions to the official document. Provide this additional page to carrier. The carrier is responsible to communicate information provided by US Forces in English in the native language of the driver, i.e., Turkish. Personnel turning over the load to the carrier shall check if the driver received and understands the instructions in writing and has all miscellaneous equipment contained in the Instructions in Writing or as provided by the additional information, as applicable.

7.4. DD Form 626, Motor Vehicle Inspection. The DD Form 626 is only required for US Military vehicles carrying DG in amounts that require placarding in accordance with **Chapter 5**.3, ADR, or IMDG-Code (orange plates and/or hazard placards). Vehicles loaded with DG must be inspected before and after loading. Inspection requirements in accordance with the DD Form 626 must be met at the point of origin. The requirements outlined in section II, item 12.f. and 12.g. of the form may be altered according to the Instructions in Writing Sections 5.4.3. and 8.1.5. of the ADR

7.5. Container/Vehicle Packing Certificate. Packing certificates conforming to section 5.4.2 of ADR and IMDG-Code shall be issued together with the transport documents when DGs are packed or loaded into containers (i.e., 20ft MILVANS) or vehicles (other than tank vehicles, portable tanks or tank containers), when carried in a transport chain including sealift. (T-0). The information required in the transport document and the container/vehicle packing certificate may be incorporated into a single document.

7.6. Competent Authority Approval (CAA)/Competent Authority Document (CAD). Where a CAA has been issued for a road movement, a copy of the CAA must be available on the vehicle during the movement. Where a CAD has been issued to reclassify a military explosive, a copy of the CAD must be available on the vehicle during the movement of the items. (T-0)

7.7. Identity Card (ID Card). Means of identification which includes a photograph for each member of the vehicle crew, in accordance with section 1.10.1.4, ADR. (T-0)

7.8. ADR Driver License. Drivers of vehicles carrying DG above the threshold limits stated in section 1.1.3.6, ADR must hold a valid ADR training certificate issued by a competent authority stating that the driver has participated in a training course in accordance with the **Chapter 8**.2, ADR and passed an examination on the particular requirements that have to be met during the carriage of DG. The expiration date on the license must not be exceeded. (T-0)

7.9. Certificate of Approval for Vehicles. In accordance with Section 9.1.3, ADR a certificate of approval (e.g., USAFE-AFAFRICA Form 68) is required for vehicles carrying DG in placarded amounts. The expiration dates for the annual vehicle inspection, as well as the expiration dates for the tank inspections (for tank vehicles), as outlined on the certificate must not have been expired.

Note: All of the above documents must be kept within easy reach inside the vehicle cab, when required to be carried. The driver must have knowledge of where they are kept within the vehicle cab. Checklist I/A of **Attachment 3** may be used for vehicle inspections to ensure compliance with this chapter.

Chapter 8

HAZARD COMMUNICATION CONCERNING CLASSIFICATION, LABELLING AND PACKAGING OF HAZARDOUS MATERIAL

8.1. General Information. 29 CFR Part 1910 (Occupational Safety and Health Administration) and European Directive EC/1272/2008 (CLP) regulate the classification, labeling and packaging of hazardous material (chemical substances and mixtures). The requirements for hazard communication in the form of labeling is based on Articles 1(6) and 33 of EC/1272/2008 and 29 CFR 1910.1200(f). **Figure 8.1** below, provides clarification on Final Governing Standards Labeling Requirements for Hazardous Material in the EUCOM AOR. **Figure 8.1**. **HQ EUCOM Memo for DoD LEC Representatives in EUCOM AOR.**

8.2. Safety Data Sheets (SDS). Work areas must maintain a SDS for every item of DG on the work area specific hazardous chemical list, conforming to AFI 90-821; Hazard Communication Program and Final Governing Standards (FGS). Sections 2 and 14 of the SDS must be reviewed for completeness and plausibility.

8.2.1. Section 2 – Possible Risks. Ensure that the label described in **Paragraph 8.3.1** is attached to the packaging and that the elements are matching the information of the corresponding SDS. When transporting substances and mixtures as a combination package, the inner package must always bear the required label, within the outer package, in accordance with GHS/OSHA. On a single package the GHS/OSHA label is optional.

8.2.2. Section 14 – Transport Information. Ensure that the relevant information concerning the carriage of DG is available. If necessary, check whether the classification of the hazard class and the packing group can be verified using the information in Sections 9, 11 and 12 of the SDS. Ensure that the Proper Shipping Name (PSN) matches the UN Number in applicable dangerous goods regulations (e.g., ADR/RID). Verify if the transportation labels and markings affixed on the packages match the SDS information.

8.3. Procedures. Units with responsibilities concerning storage, preparation and movement of DG must comply with the instructions prescribed in Chapter 3 of AFI 90-821; Hazard Communication Program and USAFE AFAFRICAI 23-104; Command Dangerous Goods Program.

8.3.1. In accordance with paragraph 3.1.3.1. of the AFI 90-821, Unit supervisors must ensure that labels with the following information (label elements) are affixed on packages containing hazardous chemicals (References for EC/1272/2008 (CLP), 29 CFR Part 1910 (OSHA) are cited after the description in italic letters):

8.3.1.1. Product Identifier; Article 18, CLP/Part 1910.1200 (f)(1)(i), OSHA

8.3.1.2. Hazard Pictograms; Article 19, CLP/Part 1910.1200 (f)(1)(iv), OSHA

8.3.1.3. Signal Words; Article 20, CLP/Part 1910.1200 (f)(1)(ii), OSHA

8.3.1.4. Hazard Statements; Article 21, CLP/Part 1910.1200 (f)(1)(iii), OSHA


8.3.1.5. Precautionary Statements; Article 22, CLP/1910.1200 (f)(1)(v), OSHA

8.3.1.6. Supplemental Information; Article 25, CLP/1910.1200 (f)(1)(vi), OSHA

8.4. Label Elements. Label elements containing the information described above in Paragraph

8.4.1. **Are required in addition to the labels and markings prescribed in the ADR.** All hazardous substances and mixtures that are not regulated by the ADR or other transportation regulations (IMDG Code/IATA/RID etc.) but are classified in accordance with CLP or OSHA must show the described labels in accordance with CLP/OSHA. **Figure 8.2** below provides a decision maker flow chart for CLP labeling and pictograms.

Figure 8.2. CLP Article 33 Decision Chart.



Chapter 9

COMPLIANCE CHECKLISTS

9.1. General Inspection Requirements. IDGA will inspect each unit's DGP in accordance with USAFE-AFAFRICAI 23-104 as a part of WIT during each unit's vertical inspection as scheduled by Air Base Wing Inspector General. Units must establish a program that standardizes their local compliance processes and ensures a continuous level of quality. Inspection checklists listed below may be used for assistance and as a tool during visual inspections by certifying officials and/or other responsible personnel. They should be used to verify dangerous goods are properly identified, packaged, marked, labeled, prepared, documented, and carried in accordance with the relevant transport regulations. Follow guidance outlined in this instruction and use checklists listed in Attachments **3** to **10** to ensure safe carriage of the dangerous goods. Electronic copies of checklists may be available by the IDGA office upon request. These checklists may also be used by UDGAs to support the completion of USAFE-AFAFRICA Form 63 Monitoring Reports. If required, checklists may be changed and tailored to specific functions and movement modes executed by the unit, if coordinated with, and approved by the IDGA office. UDGAs must ensure checklists are implemented and used randomly by personnel involved in the carriage of DG. The proper use of checklists shall be subject to unit instructions concerning the safe movement of DG. (T-1)

9.2. Inspection Checklists. The attached checklists don't replace regulations and the study of these regulations. It's essential for DCOs, UDGAs and other personnel involved in the carriage of DG to get trained and become familiar with DG regulations and associated military instructions. The following checklists are listed as attachments in this instruction:

9.2.1. Checklist I/A (**Attachment 3**); to be used for multimodal transportation (Surface Road and water) of dangerous goods regulated by ADR, RID and IMDG-Code. Checklist covers inspection items for the vehicle crew; documentation and carriage of DG (follow instructions outlined on reverse page).

9.2.2. Checklist I/B (**Attachment 4**); supplements checklist I/A. Checklists identify information to be entered in the transport document (follow instructions outlined on reverse page).

9.2.3. Checklist I/C (**Attachment 5**); supplements checklist I/A. Identifies the requirements for miscellaneous vehicle equipment and equipment for personal protection.

9.2.4. Checklist I/D (**Attachment 6**); supplements checklist I/A. Identifies the requirement for the fire-fighting equipment.

9.2.5. Checklist I/E (**Attachment 7**); supplements checklist I/A. Provides information on mixed loading/compatibility (follow instructions outlined on reverse page).

9.2.6. Checklist I/F (**Attachment 8**); supplements checklist I/A. Identifies packaging, placarding and marking requirements (follow instructions outlined on reverse page).

9.2.7. Checklist II/A (**Attachment 9**); checklist identifies minimum safety requirements and threshold limits for the carriage to and from buildings or civil engineering sites, if ancillary to the units' main activity (Ref.: Section 1.1.3.1.c, ADR).

9.2.8. Checklist II/B (**Attachment 10**); Turkish language copy of Checklist II/A.

Chapter 10

EXEMPTIONS FOR ON-BASE TRANSPORTATION OF DANGEROUS GOODS

10.1. General Requirements. Within the boundaries of Incirlik AB and associated GSUs 425ABS IZMIR & 717 ABS ANKARAs, surface road movements of DG must:

10.1.1. Comply with the provisions laid down in the ADR; except for:

10.1.1.1. ADR Chapter 1.4, Safety Obligations of the Participants. Functional elements including Shipper, Consignor, Carrier, Driver, Consignee, Loader, Filler, Packer, Receiver, Hazmat Pharmacy, DG/HW Storage Areas, Units using/consuming DG must comply with training, duties and responsibilities must comply with the duties and responsibilities specified in **Chapter 12** of this instruction.

10.1.1.2. ADR Part 9, Requirements concerning the construction and approval of vehicles. Military vehicles meeting DOD standards and accompanied by Turkish forces in Turkey are exempt from ADR vehicle requirements.

10.1.1.3. ADR Section 1.8.3. Safety Advisor. The IDGA must comply with the responsibilities listed in the USAFE AFAFRICAI 23-104 CDGP.

10.1.1.4. ADR Section 5.1.2. Use of Overpacks. Overpacks used for packaging and transport of DG, including retail quantities in accordance with **paragraph 10.2** of this instruction, are not required to be marked and labeled in accordance with Section 5.1.2, ADR if they are marked according to **Chapter 8** of this instruction. Orientation arrows required for the carriage of liquid DG are still required (Orientation arrows, as illustrated in Section 5.2.1.9, ADR, may be added manually on the outside of the package if the original handling labels are not available).

10.1.1.5. ADR Section 2.2.1. Explosive substances and articles. For on-base transportation of ammunition and explosives refer to the AFMAN 91-201 and corresponding USAFE Sup1.

10.1.1.6. ADR Section 5.4.1, Dangerous goods transport document and related information. In deviation from:

10.1.1.6.1. **Para 5.4.1.4.1**., ADR; the particulars to be entered in Transport Document may be drafted in English language only.

10.1.1.6.2. **Para 5.4.1.1.7**., ADR; the entry “Carriage in accordance with 1.1.4.2.1 may not be added in Transport Document.

10.1.1.6.3. **Para 5.4.1.1.1** (h), ADR; the Transport Document may not reflect addresses if there are multiple consignees (multi-stops).

10.1.1.6.4. **Para 5.4.1.1.1** (f), ADR; the total quantity of DG referenced in the Transport Document may not be adjusted when providing multi-stop service to various customers.

10.1.1.6.5. **Para 5.4.1.1**., ADR; There is no requirement for a dangerous goods transport document to be raised for transportation taking place within the confines of Incirlik AB, provided the threshold limits specified in ADR 1.1.3.6.3. and 1.1.3.6.4.

are not exceeded, and packages are properly marked and labeled in accordance with ADR and/or GHS/CLP.

Note: Transport documents are not required for the carriage of DG in tanks/tank vehicles if the UN Number and Hazard Identification Number are correctly posted on orange-colored placards mounted at the front and rear (and when required, the sides) of the transport unit.

10.1.1.6.6. **Para 5.4.1.1.7**., ADR; For on-base deliveries of DG to/from the Aerial Port, Shipper's Declaration for Dangerous Goods according to IATA or AFMAN 24-604 may be used as Transport Documents. Additional information required by the ADR is not required on the Shipper's Declaration for Dangerous Goods when being moved on-base.

10.1.1.7. ADR Chapter 6.1, Requirements for the Construction and Testing of Packaging. Where practicable for outer packaging or single packages intended to contain liquid, UN Certified packages should be used to transport DG substances and articles around the confines of Incirlik AB. When not practicable the original manufacturer's package should be used; if the manufacturer's original packaging is not available a suitable sturdy package which is capable of containing any substance or article being carried should be used. Packages shall be protected from the weather conditions and secured adequately to prevent movement during normal transport conditions. Packaging material shall not react dangerously with the substance or article being transported. This requirement does not apply to those substances or articles which are being transported as "Ready to Use" (e.g., lifesaving appliances being transported to an aircraft for operator use, Security Forces carrying munitions for their duties)

10.1.1.8. ADR, Section 8.1.4.3; US standardized fire-extinguishers may be used.

10.2. Retail Quantities. The carriage of small quantities of DG packaged for retail sale Intended for the unit's use are exempt from some of the provisions of the ADR when the conditions of section 1.1.3 are met. Further details are as follows:

10.2.1. Radioactive material (Class 7), refer to 1.7.1.5 ADR/RID.

10.2.2. Threshold limits specified in 1.1.3.6.3, ADR must not be exceeded.

10.2.3. Total quantity must not exceed 60 liters of flammable liquids.

10.2.4. Total quantity must not exceed 2400 liters of flammable liquids per vehicle.

10.2.5. Packaging must be in proper condition, not damaged and tight.

10.2.6. Measures must be taken to prevent any leakage of contents during transportation.

10.2.7. DG shall be carried directly from place of origin to the unit without delay.

10.2.8. DG must be marked and labeled in accordance with ADR or CLP.

10.2.9. Driver must be briefed on contents of DG and limits of this paragraph.

10.3. Carriage of Pressurized Cylinders.

10.3.1. Transportable pressure receptacles may:

10.3.1.1. Only be transported with the shut-off valve closed and the required valve protection (e.g., protective cap or valve protection cage);

10.3.1.2. Only be rolled on the devices provided for this purpose (e.g., rolling tires, bottle bases or concave bottoms);

10.3.1.3. Not be thrown.

10.3.1.4. Only be handled with load bearing equipment that reliably prevents damage to or dropping of the transportable pressurized cylinder (magnetic cranes must not be used); and

10.3.1.5. Not be lifted by the valve guard or the valve unless they are specifically designed for this purpose.

10.3.2. A valve protection device is not required for the internal transport of transportable pressurized gas cylinders with connected tapping devices when the shut-off valves are closed.

10.3.3. For the internal transport of acetylene cylinder bundles, the individual cylinder valves shall be open during transport. Bundles shall only be closed with the main shut-off valve.

10.3.4. During transport on vehicles and forklifts, pressurized gas cylinders must be secured in such a way that they cannot move. During carriage in closed vehicles, including those with tarpaulins, there shall be adequate ventilation both above and below.

Chapter 11

WAIVERS AND RESTRICTIONS FOR OFF-BASE TRANSPORTATION OF DANGEROUS GOODS

11.1. Mode Regulation. Surface road movements of Dangerous Goods, Incirlik Air Base (incl. GSUS 425ABS IZMIR & 717 ABS ANKARAs that are located in Turkey), must:

11.1.1. Comply with instructions laid down in ADR; except for below provisions outlined in italic letters:

Note: Follow instructions described after the corresponding ADR reference.

11.1.1.1. Sub-section 1.1.3.1 c); Units must comply with limits and standards described in attached checklists.

11.1.1.2. Sub-section 1.1.3.1 d); Section only applies to host nation emergency responders.

11.1.1.3. **Chapter 1**.4; Unit must comply with duties and responsibilities of functional elements described in **Chapter 12** of this instruction.

11.1.1.4. Section 1.8.3; DGAs comply with USAFE AFAFRICAI 23-104 and obligations supplemented by this instruction.

11.1.1.5. Sub-section 5.1.2.1.a) (ii); the marking of the word 'OVERPACK'(DIS PAKET) which shall be readily visible and legible, shall be in an official language of the country of origin and also, if that language is not English, French or German, than additional marking is required in English, French or German.

11.1.1.6. Sub-section 5.4.1.4.1.; The particulars to be entered in document shall be drafted in Turkish language and also in English.

11.1.1.7. Sub-section 7.5.11; Special Provision CV36 - Open or ventilated transport units must be used for the carriage of DG, coded as 'CV36' in Table A, Column 18, ADR.

11.1.2. Comply with procedures outlined in this instruction, except for: **Chapter 10**

11.2. Additional Host Nation Requirements.

11.2.1. Shippers of DG will contact the servicing TMO or MCT to request routing permissions from host nation competent authorities for material/threshold limits listed and quantified in **Attachment 2**, **Table A2.1** (T-0). A copy of the routing permission must be issued to the driver prior to the journey. Drivers must be advised to strictly follow routing instructions as outlined in the routing permission.

11.2.2. Shippers of ammunition and/or explosives will ensure that host nation competent authority approvals required for certain types of Class 1 (i.e., Fireworks) are available and issued to consignor or carrier prior to shipment. (T-0)

11.2.3. Liquids or solids assigned to UN2810 and UN2811 must not be accepted for carriage. If required, contact the IDGA office for further assistance. (T-0)

11.2.4. Fire-Extinguishers according to 8.1.4.4. ADR must be inspected every two years by competent authority. (T-0)

11.2.5. IDGA will inform the units on any additional waivers/restrictions that may apply to the carriage of DG in Turkey, as chances occur. Note: This instruction is focusing on the technical aspects relating to the carriage of DG. It doesn't specify the additional requirements and procedures that may apply to customs, road and diplomatic clearances, war weapon control act, positive inbound clearance, diplomatic or country clearances, 2+4 treaty etc. In these cases, please contact your local TMO or MCT for further guidance.

Chapter 12

DUTIES AND RESPONSIBILITIES OF PERSONNEL INVOLVED IN THE CARRIAGE OF DANGEROUS GOODS

12.1. General. This chapter supplements the USAFE AFAFRICAI 23-104 and ADR with specific requirements applicable to Incirlik AB. The participants in the carriage of dangerous goods must comply with the requirements of the ADR and local regulations described in this instruction. (T-0). They must take appropriate measures according to the nature and the extent of foreseeable dangers, so as to avoid damage or injury and, if necessary, to minimize their effects. When there is an immediate risk that both public and on-base safety may be jeopardized, the participants shall immediately notify the emergency services and shall make available to them the information they require to take action.

12.2. Compliance. Obligations described in this Chapter are based on host nation dangerous goods regulations. They are not intended to be exhaustive and may not reflect all possible scenarios and processes. Violation of responsibilities may be subject to mission delays or mission stoppage, in extreme circumstances individuals may face legal trial which could result in fines or imprisonment. Checklists described in **Chapter 9** shall be used to ensure compliance with ADR and local host nation dangerous goods regulations.

12.3. Participants. The following lists the participants and a general description of their responsibilities. Detailed description of the participants, i.e., units involved in the transport of dangerous goods executing e.g. shipper-, loader- or carrier-duties, described in **Paragraph 12.4** below.

12.3.1. The Shipper. Any unit which mandates a consignor to act as such and to consign dangerous goods on its own behalf or by means of a third person. See **Paragraph 12.4.1** below for duties and responsibilities.

12.3.2. The Consignor. Any unit which consigns dangerous goods (i.e., entering dangerous goods into public traffic) either on its own behalf or for a third party, such as the Shipper. See **Paragraph 12.4.2** below for duties and responsibilities.

12.3.3. The Packer. Any unit which puts dangerous goods into packages, including large packages and intermediate bulk containers (IBCs), or prepares packages for carriage. A packer also means any unit which changes packages or their marking or labeling. See **Paragraph 12.4.3** below for duties and responsibilities.

12.3.4. The Loader. Any unit which loads packaged dangerous goods, into or onto a vehicle, or loads a container, bulk container onto a vehicle. Loader also means any unit which, as the direct owner, carries dangerous goods themselves or passes dangerous goods over to a carrier for carriage. See **Paragraph 12.4.4** below for duties and responsibilities.

12.3.5. The Filler. Any unit which fills dangerous goods into a tank, tank vehicle, demountable or portable tank, tank container, large container, or small container for carriage in bulk, a bulk container, in a vehicle for carriage in bulk or a cargo tank. See **Paragraph 12.4.5** below for duties and responsibilities.

12.3.6. The Carrier. The unit which carries out the transport operation with or without a transport contract. See **Paragraph 12.4.6** below for duties and responsibilities.

12.3.7. The Driver. Persons which drive vehicles carrying dangerous goods, either drivers with an ADR training certificate in accordance with ADR Chapter 8.2, or drivers without an ADR training certificate, carrying dangerous goods in quantities not exceeding the threshold limits of ADR 1.1.3.6. If the driver does not load the vehicle themselves, they remain responsible alongside the person who is actually loading, within the scope of reasonable influence. The driver of the vehicle is obliged to check the load securing before departure by conducting an external inspection and to correct any visible defects during the journey. See **Paragraph 12.4.7** below for duties and responsibilities.

12.3.8. The Unloader. The unit which removes a container, bulk container, tank container or portable tanks from a vehicle, unloads packaged dangerous goods, small containers, or portable tanks out of or from a vehicle or container or discharges dangerous goods from a tank or from a vehicle, large or small container for carriage in bulk or a bulk container. See **Paragraph 12.4.8** below for duties and responsibilities.

12.3.9. The Consignee.

12.3.10. The Installation Dangerous Goods Advisor (IDGA). The IDGA is a trained and appointed individual, executing the Installation Dangerous Goods Program on behalf of the 39 ABW/Commander. (T-0). See USAFE AFAFRICAI 23-104 and **Paragraph 1.2.3.1**. & 12.4.10 of this instruction for duties and responsibilities.

12.3.11. The Unit Dangerous Goods Advisor (UDGA). UDGAs are trained and appointed individuals executing the Unit Dangerous Goods Program on behalf of their Squadron or Group Commanders. UDGAs ensure unit compliance with Dangerous Goods Programs and movement regulations within their AOR. UDGA duties are identified in DG regulations and fit the duty of a senior supervisor in charge. (T-1). As a minimum it is recommended that the UDGA is a higher rank than those personnel appointed as DCOs. See USAFE AFAFRICAI 23-104 and **Paragraph 1.2.3.2**. & 12.4.11 of this instruction for duties and responsibilities.

12.3.12. The Dangerous Goods Certifying Official (DCO). DCOs are trained and appointed individuals, this appointment is mandatory for units executing “Consignor” duties, entering dangerous goods on to public roads. DCOs declare, by signing the required transport document in accordance with ADR 5.4.1. that the contents of the consignment are fully and accurately described in the transport document and that the dangerous goods are correctly classified, packaged, marked, and labelled/placarded and in all respects in proper condition for transport according to applicable international and national governmental regulations. (T-1). See USAFE AFAFRICAI 23-104 and **Paragraph 12.4.12** of this instruction for duties and responsibilities.

12.4. Safety Obligations. Persons employed by organizations whose duties concern the carriage of dangerous goods, must be familiar with the requirements governing the carriage of such goods appropriate to their responsibilities and duties. (T-0). Each Unit Commander must ensure, through the appointed UDGA that, all persons involved in the carriage of dangerous goods are trained in accordance with the USAFE-AFAFRICAI 23-104 and **chapter 6** of this instruction according to their functions, and are aware of their obligations. Employees must be trained before assuming responsibilities and must only perform functions under the direct supervision of a trained person when required training has not yet been provided. Persons executing duties in accordance with the ADR and local host nation dangerous goods regulations must ensure compliance with the following safety obligations, as applicable. Note: An individual may fulfil multiple roles within

the roles detailed in **paragraphs 12.4.1** through to 12.4.13. this does not remove their obligations to follow all of the safety responsibilities within each role they are undertaking.

12.4.1. The Shipper will:

12.4.1.1. Proper Classification. Ensure that the substance or article being offered for transport is correctly classified and identified. And ensure before tasking the consignor that the dangerous goods are classified IAW **part 2** of ADR and authorized for transport in accordance with ADR and **Chapter 11** of this instruction. (T-0)

12.4.1.2. Fumigated Transport Units. Ensure that the information under sub-sections 5.4.1.1, 5.4.1.2 and paragraphs 5.5.2.4.1, 5.5.2.4.3 and 5.5.3.7.1 of ADR, except for the name and address of the consignor under 5.4.1.1.1 (g) of ADR is provided to the consignor in writing or electronically. (T-0). Information that must be passed on to the consignor include UN Number, Proper Shipping Name and where applicable the Packing Group.

12.4.1.3. Routing Permission. Ensure if dangerous goods are carried by road which are subject to **Paragraph 11.2.1** of this instruction to advert the consignor in writing or electronically to the consideration of these requirements. (T-0). If another unit is acting as the consignor, the shipper must provide an up-to-date safety data sheet relevant to the substance or article being offered for transport.

12.4.1.4. Limited and Excepted Quantities. Ensure that in case of transport under **chapter 3**.4, the consignor is informed of the dangerous good in limited quantities stating the gross mass and, in case of transport under **chapter 3**.5, the consignor is informed of the dangerous good in excepted quantities stating the number of packages, with the exception of carriage under sub-section 3.5.1.4 of ADR. (T-0)

12.4.2. The Consignor will:

12.4.2.1. Ascertain that the dangerous goods are classified and authorized for carriage in accordance with the relevant dangerous goods' modal regulations.

12.4.2.2. Provide the carrier with information & data in a traceable form, such as a DG transport and accompanying documents, such as waivers, tank cleaning certificates etc.

12.4.2.3. Use only packaging, IBCs and tanks (tank vehicles, demountable tanks, portable tanks and tank containers) approved for and suited to the carriage of the substances concerned and bearing the marks prescribed by the relevant dangerous goods mode regulations.

12.4.2.4. Ensure that even empty uncleaned and not degassed tanks or empty uncleaned vehicles and bulk containers are placarded, marked and labelled in accordance with the relevant dangerous goods mode regulations. And that empty uncleaned tanks are closed and present the same degree of leak proofness as if they were full.

12.4.2.5. When the consignor acts on behalf of a third party, the latter shall inform the consignor in writing that dangerous goods are involved and make available to them all the information and documentation they need to perform their obligations.

12.4.2.6. If the consignor uses the services of other participants (packer, loader, filler, etc.), they shall take appropriate measures to ensure that the consignment the requirements of the relevant dangerous goods mode regulations.

12.4.3. The Packer will:

12.4.3.1. Limited Quantities. Comply with the provisions on packing, placement in overpacks and marking in accordance with Chapter 3.4 of ADR. (T-0)

12.4.3.2. Excepted Quantities. Comply with the provisions on packing, placement in overpacks and marking in accordance with Chapter 3.5 of ADR. (T-0)

12.4.3.3. Compatibility. Ensure the requirements concerning packing conditions, or mixed packing conditions are met. (T-0)

12.4.3.4. Marking and Labeling. Ensure the requirements concerning the marking and labelling of packages are met. (T-0)

12.4.3.5. Overpacks. When preparing an overpack, they will ensure the packages within the overpack are secured, and the provisions concerning marking and labelling of overpacks are met. (T-0)

12.4.3.6. Leak proofness Test and Quality Assurance. Comply with the provisions concerning the use and leak proofness test after filling of pressure receptacles, packings including IBCs and large packaging. (T-0)

12.4.4. The Loader will:

12.4.4.1. DGs authorized for road transportation. Only hand over dangerous goods to the carrier which are authorized for carriage in accordance with the ADR. (T-0)

12.4.4.2. Incomplete or damaged packages. When handing over packed DGs or uncleaned empty packages for carriage, they must ensure the packages are examined for evidence of incompleteness, damage to the package or signs of dangerous goods residue to the outer surface of the package. The loader shall not hand over a package or uncleaned empty package if the package is clearly incomplete, damaged, showing signs of leaking, there are signs of a risk of leaking or the outer surface shows signs of dangerous goods residue, until the damage has been repaired. This also applies to packages being transported as Limited Quantities, Excepted Quantities or overpacks. (T-0)

12.4.4.3. Partial Emptying of Packages. Ensure that a package from which a part of the dangerous goods contained in it has been removed, is loaded only if the packaging complies with the provisions of ADR sub-section 4.1.1.1. (T-0)

12.4.4.4. Empty Packages. Ensure that the provisions concerning empty packages under ADR sub-section 4.1.1.11. in conjunction with ADR sub-section 4.1.1.1. are met. (T-0)

12.4.4.5. Ensure the provisions of ADR Chapter 7.5. are met, including the Mixed Loading Prohibitions detailed in ADR 7.5.2.1. and 7.5.2.2. (T-0

12.4.4.6. Carriage in Tanks. Ensure that the provisions concerning vehicles carrying tank containers and portable tanks under ADR Section 7.4.1. are complied with. (T-0)

12.4.4.7. Marking and Labeling of Empty Uncleaned Packages. Ensure that the provisions concerning labels and marks under sub-section 5.1.3.1 in conjunction with chapter 5.2 of ADR are complied with. (T-0)

12.4.4.8. Placarding and Marking of Containers. Ensure after loading dangerous goods into a container comply with the requirements concerning placarding, marking and orange-colored plates in accordance with ADR Chapter 5.3. (T-0)

12.4.4.9. Mixed Loads of Dangerous Goods and Food. Comply with the provisions under section 7.5.4 of ADR on precautions with respect to foodstuffs, other articles of consumption and animal feeds. (T-0)

12.4.4.10. Accident/Incident Report. Ensure, with assistance of the Unit DGA, that in accordance with sub-section 1.8.5.1 of ADR and **paragraph 3.3** of this instruction a report is submitted to the IDGA office immediately after an accident/incident has occurred. (T-0).

12.4.5. The Filler will:

12.4.5.1. Pre-inspection. Fill tanks only if both they and their equipment are technically in a satisfactory condition. (T-0)

12.4.5.2. Dangerous Goods Authorized for Road Transportation. Only fill tanks with the dangerous goods authorized for carriage in those tanks. (T-0)

12.4.5.3. Leak proofness of the Closures and Equipment. Ensure that after filling the tank all closures are in the closed position and there is no leakage. (T-0)

12.4.5.4. Residues of Dangerous Substances. Ensure that no dangerous goods residue of the filling substance adheres to the outside of the tank filled by them. (T-0)

12.4.5.5. Maximum Filling Degree. Ensure that the maximum filling ratio or the maximum permissible mass of filling per liter of capacity or the maximum permissible gross mass for the substances being filled. (T-0)

12.4.5.6. Inspection Expiration Dates. Fill tank-vehicles, battery vehicles, demountable tanks, portable tanks, tank-containers and MEGCs whose date of the next test has not expired with the dangerous goods admissible. (T-0)

12.4.5.7. In preparing the dangerous goods for carriage, comply with the requirements concerning placarding, marking and orange-colored plates in accordance with ADR Chapter 5.3. (T-0)

12.4.5.8. Compliance with Safety Regulations. Ensure that the provisions concerning loading under sub-section 7.5.1.2 of ADR are complied with. (T-0)

12.4.5.9. Accident/Incident Report. Ensure, with assistance of the Unit DGA, that in accordance with sub-section 1.8.5.1 of ADR and **Paragraph 3.3** of this instruction a report is submitted to the IDGA office immediately after an accident/incident has occurred. (T-0)

12.4.6. The Carrier will:

12.4.6.1. Ascertain that the dangerous goods to be carried are authorized for carriage in accordance with the ADR. (T-0)

12.4.6.2. Ascertain that all information prescribed in the ADR related to the dangerous goods to be carried has been provided by the consignor before carriage and that the prescribed documentation is on board the transport unit. If electronic data techniques are used, the information shall be readily available during transport in a manner at least equivalent to that of paper documents. (T-0)

12.4.6.3. Ensure that visually the vehicle and load have no obvious defects, leakages, cracks or missing equipment etc. (T-0)

12.4.6.4. Ensure that any vehicle that requires a certificate in accordance with ADR Part 9, has not expired and is available to the driver during the journey. (T-0)

12.4.6.5. For those vehicles not holding a certificate in accordance with ADR Part 9, a waiver covering the journey must be available to the driver during the journey. (T-0)

12.4.6.6. Verify that the vehicle is not overloaded. (T-0)

12.4.6.7. Ensure that the placards, marks and orange-colored plates prescribed for the vehicles in ADR Chapter 5.3. have been affixed.

12.4.6.8. Ensure that the equipment prescribed in the ADR for the transport unit, vehicle crew and certain classes is on board the transport unit and functional, in accordance with ADR Sections 8.1.4. and 8.1.5. (T-0)

12.4.6.9. Ensure the driver allocated to the task has received the relative training in accordance with the ADR training requirements, where applicable the driver's ADR training Certificate covers the Classes being transported on the transport unit. (T-0)

12.4.6.10. Ensure Instructions in Writing is available for the driver in a language that they can understand. Ensure that each member of the vehicle crew concerned understands the instructions and can carry out these instructions properly. (T-0)

12.4.6.11. The Carrier may in cases rely on information or data provided to them by other participants. In the case of **Paragraph 12.4.6.3** they may rely on what is certified in the "container/vehicle packing certificate" in accordance with section 5.4.2 of ADR for the load inspection for defects.

12.4.6.12. Provide the driver with the required equipment for load securing. This equipment must be serviceable and capable of restraining the load under normal transport conditions. (T-0)

12.4.6.13. Security and supervision of vehicles. Ensure compliance with regards to the supervision requirements in accordance with ADR Chapters 8.4 and 8.5. (T-0). When required, ensure a Security Plan is in place when required, in accordance with ADR Chapter 1.10 and Chapter 4 of this instruction.

12.4.7. The Driver will:

12.4.7.1. Not carry a package that is visibly incomplete or damaged or shows signs of leaking.

12.4.7.2. Comply with Tunnel Restrictions in accordance with ADR 8.6.4.

12.4.7.3. For loads exceeding the threshold limits in ADR 1.1.3.6., the driver will ensure they have a valid ADR Driver's Certificate covering the UN Classes being carried. Ensure the correct placards and orange plates are affixed to the vehicle when required. The driver must remove the placards and orange plates when the load no longer requires them. Either the dangerous goods are no longer being carried by the vehicle, or the load falls below the threshold limits in ADR 1.1.3.6.

12.4.7.4. In the event of an accident or incident take actions prescribed in the Instructions in Writing.

12.4.7.5. Ensure the vehicle fire-fighting equipment in accordance with Section 8.1.4. of the ADR is available on the vehicle and serviceable prior to the start of the task.

12.4.7.6. Ensure the vehicle equipment and personal protection equipment in accordance with ADR 8.1.5. is available on the vehicle and serviceable.

12.4.8. The Unloader will:

12.4.8.1. Ensure the correct goods are unloaded by comparing the relevant information on the transport document with the information on the package, container, tank, or vehicle.

12.4.8.2. Before and during unloading, check whether the packaging, the tank, the container or the vehicle have been damaged to an extent which would endanger the unloading operation. If this is the case, ascertain that unloading is not carried out until appropriate measures have been taken.

12.4.8.3. Comply with all the relevant requirements concerning unloading and handling.

12.4.8.4. Immediately following the unloading operation, remove any dangerous goods residues which have adhered to the outside of the tank, vehicle, container, or packages, and where appropriate, ensure the closure of valves and inspection openings.

12.4.8.5. Ensure that the prescribed cleaning and decontamination of the vehicles or containers is carried out.

12.4.8.6. Ensure that the containers once completely unloaded, cleaned and decontaminated, no longer display the placards, marks and orange-colored plates that had been displayed in accordance with ADR Chapter 5.3.

12.4.9. The Consignee will:

12.4.9.1. Acceptance of dangerous goods. Not defer or refuse acceptance of the goods without compelling reasons. (T-0)

12.4.9.2. Compliance. Verify after unloading and before return or reuse that the requirements of ADR concerning him have been complied with. (T-0)

12.4.9.3. Non-compliance with 12.4.9.2. If an examination of a container reveals an infringement of the provisions of ADR, not return the container to the carrier until the infringement has been corrected. (T-0)

12.4.9.4. Accident/Incident Report. Ensure, with the assistance of the UDGA (if necessary, the IDGA) a report is submitted to the IDGA immediately after an accident or incident has occurred. (T-0)

12.4.10. The IDGA will:

12.4.10.1. Comply with all the responsibilities listed in the USAFE-AFAFRICA 23-104 Command Dangerous Goods Program, Section 2.4.

12.4.10.2. Responsibilities. Implement and execute the Installation Dangerous Goods Program described in this instruction on behalf of the Installation (Wing) Commander. (T-1)

12.4.10.3. Appointment Orders. Ensure that the IDGA appointment orders (USAFE-AFAFRICA Form 66) bear the signature of the acting Installation (Wing) Commander. (T-1)

12.4.10.4. IDGA Training. Attend training and examination for 'Safety Advisors' in accordance with HN requirements and Section 1.8.3 of the ADR, administrated by examining body approved by the competent authority of an ADR contracting party. Training must include elements for the carriage of DG by road (ADR), rail (RID), air (IATA) and sealift (IMDG-Code). (T-0)

12.4.10.5. IDGA Training Certificate. Hold a vocational training certificate for 'Safety Advisors', valid for transport by road, rail, air and sealift. That certificate must be issued by the competent authority, or the body designated for that purpose by host nation. (T-0)

12.4.10.6. ADR Driver Instructor. Possess a valid ADR certificate in accordance with Section 8.2.2.8 of the ADR and may attend required instructor training (e.g., train the trainer) according to host nation directives. Qualification may require by IDGAs to provide additional training to drivers carrying certain types of dangerous goods off-base. (T-3)

12.4.10.7. UDGA/DCO Instructor. Attend DG refresher training to stay abreast of DG movement regulations and changes thereto. Qualification is required by IDGAs to provide function specific training to UDGAs and DCOs. (T-0)

12.4.10.8. Training material. Ensure training material for the training of UDGAs, DCOs and ADR-drivers is constantly reviewed and updated as required (e.g., training slides, tests and student' hand-books). (T-0)

12.4.10.9. IDGA Advisory Notes. Ensure UDGAs and other responsible personnel are informed via 'IDGA Advisory Notes' on any changes concerning the DGP and related regulations. (T-0)

12.4.10.10. Inspections. Act as WIT member for the IGs to inspect units involved in the DGP. Ensure that units acting as 'consignors' are inspected as least once a year. If required, coordinate stand-alone inspections with the applicable IG office. (T-3)

12.4.10.11. Emergency Procedures. In accordance with **Paragraph 1.2.3.1** provide information on emergency procedures in the event of any accident, or incident that may affect safety during the carriage, packing, filling, loading or unloading of dangerous goods. (T-0)

12.4.10.12. Virtual Inspections. Conduct random inspections in MICT ensuring UDGA MICT checklists are uploaded to unit's MICT site and properly answered. Informs UDGAs on any findings immediately. (T-1)

12.4.10.13. Checks. Conduct random checks (on-base) concerning the safety of DG movements. Halts consignments (MIL or COMM carriers) that obviously violate DG safety regulations, and informs section supervisors, UDGAs and Contracting (if applicable) on any findings immediately. Recommend solutions for eliminating identified discrepancies. (T-0)

12.4.10.14. Hazardous Material Management Process (HMMP) Team. Become a member of the HMMP team and assist the team with policies and conflict resolution concerning the preparation and transportation of DG. (T-3)

12.4.10.15. Management Internal Control Toolset (MICT). Ensure that the MICT Checklist for IDGAs is uploaded to MICT home and assessed, as directed. (T-1)

12.4.10.16. Contracting Assistance. Coordinate with the installation contracting function to ensure the regulatory requirements clauses and other appropriate conditions concerning the carriage of DG on the installation are included in all contracts (incl. IDGA contact information in accordance with **Chapter 3**.3).

12.4.10.17. IDGAs will ensure that 'notifications of occurrences involving 'DGs' are documented immediately are reported as required by host nation regulations. (T-0

12.4.11. The UDGA will:

12.4.11.1. USAFE AFAFRICA Command Dangerous Goods Program. Comply with the UDGA duties and responsibilities described in the USAFE-AFAFRICAI 23-104; USAFE AFAFRICA Command Dangerous Goods Program, Section 2.6. (T-1)

12.4.11.2. Responsibilities. Implement and execute the Unit Dangerous Goods Program described in this instruction on behalf of the Group or Squadron Commander. (T-1)

12.4.11.3. Unit Operating Instructions (OI). Ensure a Unit Dangerous Goods Operating Instruction is developed and maintained. Ensure the contents of the Operating Instruction are relevant to the unit's dangerous goods inventory and role within the dangerous goods transportation process. Review and update the Operating Instruction as required (e.g., based on changes in regulations or a changeover of personnel). (T-1)

12.4.11.4. Exemptions for On-Base Transportation of DG. Ensure personnel are aware of the exemptions for on-base transportation of DG within the boundaries of Incirlik AB, as described in **Chapter 10** of this instruction. (T-1)

12.4.11.5. Inspection Checklists. Ensure Checklists are developed and used to meet the Units requirements when involved in the process of transporting dangerous goods. (T-1)

12.4.11.6. Waivers and Restrictions for Off-Base Transportation of DG. Ensure personnel within their AOR are aware of waivers and restrictions concerning off-base transportation of DG. Unit Operating Instructions shall refer to or cover processes described in **Chapter 11**, as applicable. (T-1)

12.4.11.7. Accident and Incidents. Ensure personnel are aware of actions to be taken in case of an incident/accident, as described in **Chapter 3**. Use USAFE-AFAFRICA Form 61 to prepare an accident/incident report, if required. Unit operating instruction shall refer to or include procedures described in **Chapter 3**.

12.4.11.8. Appointment Orders. Process Appointment Orders up to the Commander for signature and ensure the subject of the Appointment Order signs to accept the Appointment. Ensure that signed copies of appointment orders for UDGAs and DCOs are kept on record and forwarded on to the IDGA as soon as the Commander and subject have signed the USAFE-AFAFRICA Form 66 or USAFE-AFAFRICA Form 67, as applicable, within 30 days of completion of training.

12.4.11.9. Annual Dangerous Goods Report. Ensure that the Annual Dangerous Goods Report required in accordance with the USAFE-AFAFRICAI 23-104 is completed in line with the IDGA's guidance. The report covers a 12-month period, 1 October through to the

30 September the following year. The UDGA's final report must be sent to the IDGA utilizing the USAFE-AFAFRICA Form 60 by 15 November each year.

12.4.11.10. Security. Ensure that the Unit meets the security requirements described in **Chapter 4**. Ensure that a security plan according to Section 4.4. is in place and observed when handling high consequence dangerous goods. This must be reviewed at least annually.

12.4.11.11. Vehicle Equipment and Fire Extinguishers. When executing carrier duties in accordance with 12.4.6. ensure that equipment and fire extinguishers required and described in **Chapter 5** are available on vehicles carrying dangerous goods. (T-1)

12.4.11.12. ADR Certified Vehicles. Ensure that the USAFE-AFAFRICA Form 68, Certificates of Approval for Vehicles carrying Certain Dangerous Goods, (or equivalent forms) of vehicles assigned to the unit are kept on file. Keep track of vehicle and tank inspection dates in accordance with ADR 6.8.2.4. and 9.1.2.3.

12.4.11.13. Training. Review **Chapter 6** for available training courses. Ensure employees executing the duties described in **Chapter 12** are properly trained to complete their roles. Considering TDY and PCS dates, ensuring there is not a shortfall in Unit trained personnel.

12.4.11.14. HazCom Training. Ensure those personnel that require HazCom training are trained in line with the training offered by 39 CES.

12.4.11.15. Hazardous Waste Storage Area and Accumulation Points. Ensure those personnel who require Hazardous Waste training are trained in line with the training offered by 39 CES. UDGAs of Civil Engineering units responsible for Hazardous Waste (HW) training will ensure that training of personnel, whose work involves HW, includes elements described in **Chapter 2**.3. (T-1)

12.4.11.16. List of Trained Personnel. Ensure that the Unit's Master List of dangerous goods trained personnel covers the following:

12.4.11.16.1. Type of Training

12.4.11.16.2. Last Name, First Name

12.4.11.16.3. Office Symbol

12.4.11.16.4. Course Number (Obtained from Certificate)

12.4.11.16.5. Driver's License or Certificate Number

12.4.11.16.6. Course Dates

12.4.11.16.7. Type of Appointment (e.g. UDGA, DCO)

12.4.11.17. Management Internal Control Toolset (MICT). Ensure that MICT checklists are uploaded to the Unit's MICT home and frequently assessed, as directed.

12.4.11.18. Contact Information. Post names and contact information of IDGAs and UDGAs on the unit safety board. (T-0)

12.4.11.19. UDGA Replacement. Ensure, NLT three month prior to PCS or retirement that a successor for the leaving UDGA is nominated and enrolled for training.

12.4.12. The DCO will:

12.4.12.1. USAFE-AFAFRICA Command Dangerous Goods Program. Comply with DCO (Certifier) duties and responsibilities described in the USAFE-AFAFRICAI 23-104; USAFE AFAFRICA Command Dangerous Goods Program, Section 2.7. (T-1)

12.4.12.2. Preparation and Carriage of Dangerous Goods. Follow steps 1 – 13 (sequence of operations) described in Section 2.1. when preparing and certifying dangerous goods consignments for off-base transportation. (T-1)

12.4.12.3. Waivers and Restrictions. Review **Chapter 11** for waivers and restrictions applicable to the Unit's area of responsibility. (T-1)

12.4.12.4. Checklists. Use appropriate checklists to ensure compliance with dangerous goods regulations when releasing dangerous goods on to public roads. Ensure that copies of the completed checklists are attached to applicable transport documents, and available on file. Samples of checklists described in **Chapter 9** are listed in Attachments **3** – **10**. (T-1)

12.4.12.5. Documentation. Review **Chapter 7** of this instruction to identify the types of documents that may be required for the consignment. (T-1)

12.4.12.6. Transport Document. Follow step by step instructions for completing the dangerous goods transport document, described in Section 7.2.4 and **Attachment 16**. (T-1)

12.4.12.7. Equipment and Fire Extinguishers. Review **Chapter 5** to identify which vehicle equipment, personal protective equipment and how many fire- extinguishers are required to be on the vehicles carrying dangerous goods. (T-1)

12.4.12.8. Packages. Ensure correctly tested packages are used in line with relevant packing instructions. Ensure all required marks and labels are affixed or embossed on the package as required. (T-1)

12.4.12.9. Compatibility of dangerous goods. Review Chapter 7.5. of the ADR for mixed loading restrictions on vehicles and in containers. If a multi-modal journey is involved, ensure Part 7 of the IMDG Code is complied with.

12.4.12.10. Load Securing. Ensure packages are adequately secured by the loaders of vehicles or containers in accordance with Section 7.5.7. of ADR. (T-0)

12.4.12.11. Placarding. Ensure vehicles carrying dangerous goods are properly placarded and marked in accordance with **Paragraph 2.1.11** of this instruction.

12.4.12.12. Contractors. Monitor compliance with DG movement regulations when contractors are hired for the carriage of U.S. Government-owned or leased property.

12.4.12.13. Where applicable all Special Provisions listed in the List of Dangerous Goods are read and understood.

12.4.13. The Unit commander will:

12.4.13.1. Unit commanders ensure awareness training concerning DG/HW movement rules applicable in the AOR is obtained from the IDGA within 90 days of assumption of responsibilities.

12.4.13.2. Unit commanders ensure personnel charged with duties identified in **Chapter 12** of this instruction are properly trained before assuming those duties and they will ensure that assigned personnel comply with obligations and provisions prescribed in the USAFE-AFAFRICAI 23-104 and this instruction.

12.4.13.3. Depending on volume and in coordination with the Installation DGA the appointment of a unit DGA (UDGA) may at group or squadron level. If a qualified and appointed UDGA is deployed to another unit, the appointment of the home station commander is not valid. The unit commander of the deployed unit must provide his own appointment orders to the UDGA, showing proper delegations of responsibility to the appointed person.

12.4.13.4. Unit commanders ensure the UDGA procedures and keeps all records required by the CDGP on file for at least 5 years. And Unit commanders ensure proper funds are made available to keep the CDGP library current.

12.4.13.5. Unit commanders must ensure the unit DGAs execute the duties identified in USAFE-AFAFRICAI 23-104, section 2.6 and this instruction, in cooperation with the IDGA. Further details to unit commander responsibilities are identified in USAFE-AFAFRICAI 23-104, section 2.5, and as described herein. (T-1)

KEVIN M. LORD, Col, USAF
Commander, 39th Air Base Wing
END SIGNAURE

Attachment 1
GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION
References

ADR; Agreement Concerning the International Carriage of Dangerous Goods by Road;01 Jan 2023
AFI 33-360; Publications and Forms Management;21 Jun 2023
AFI 90-821; Hazard Communication Program;13 May 2019

AFI 32-7086; Hazardous Material Management; 01 Nov 2004
AFMAN 24-604; Preparing Hazardous Material for Military Shipments ;9 Oct 2020
AFMAN 32-7002; Environmental Compliance and Pollutions Prevention AFMAN 33-363; Management of Records;4 Feb 2020

AFMAN 91-201; Explosives Safety Standards ;12 Feb 2024
AFMAN 91-201; USAFE Supplement; 12 Feb 2024
40 CFR; Protection of Environment;10 Apr 2024

49 CFR; Transportation;10 Apr 2024
CLP, Classification, Labeling and Packaging Directive (EC 1272/200);01 Jan 2023
DOD 4500.9R; Defense Transportation Regulation (DTR); 08 Apr 2024

DODI 6050.05; DOD Hazard Communication (HAZCOM) Program;10 Jun 2019
USAFE AFAFRICAI 23-104; USAFE AFAFRICA Command Dangerous Goods Program; 2 Mar 2022
NATO Standards ratified by Turkiye

Eurotunnel Dangerous Goods Guide
GHS; Globally Harmonized System of Classification and Labelling of Chemicals
IATA; International Air Transport Association Dangerous Goods Regulations

PRESCRIBED FORMS

None

Adopted Forms
AF Form 847 - Recommendation for Change of Publication
DD Form 2890 - DOD Multimodal Dangerous Goods Declaration
MOD F/Mov 1042 - Dangerous Goods Note
USAFE-AFAFRICA Form 60 - Command/Installation Dangerous Goods Advisor Annual Report
USAFE-AFAFRICA Form 61 - Accident/Incident Report on Occurrences During the Carriage of Dangerous Goods/Hazardous - Waste
USAFE-AFAFRICA Form 63 - Command Dangerous Goods Advisor (CDGA)/Installation Dangerous Goods Advisor (IDGA) Monitoring Report
USAFE-AFAFRICA Form 66 - Dangerous Goods Advisor (DGA) Appointment Order
USAFE-AFAFRICA Form 67 - Certifying Official (DCO) for Dangerous Goods Movements Appointment Order
USAFE-AFAFRICA Form 68 - Certificate of Approval for Vehicles Carrying Certain DGs
USAFE-AFAFRICA Form 69 - Vehicle Inspection Checklist – Prerequisite for the ADR Inspection

Abbreviations and Acronyms
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road
AOR - Area of Responsibility

CAA - Competent Authority Approval
CAD - Competent Authority Document
CC - Unit Commander
CDGA - Command Dangerous Goods Advisor
CDGP - Command Dangerous Goods Program
CFR - Code Federal Regulation
CLP - Classification, Labeling and Packaging Directive (EC 1272/2008)
DCO - Dangerous Goods Certifying Official
DG - Dangerous Goods
DGA - Dangerous Goods Advisor
DGMP - Dangerous Goods Management Plan
DGP - Dangerous Goods Program
DGR - Dangerous Goods Regulations
DLA - Defense Logistics Agency
DOD - Department of Defense
DOT - Department of Transport
DSA - Defense Safety Authority
DTR - Defense Transportation Regulation
DTS - Defense Transportation Regulation
EUCOM - European Command
EWC - European Waste Code
EX - Explosives
FGS - Final Governing Standards
FL - Flammable Liquids
GHS - Global Harmonized System of Classification and Labeling of Chemicals
GSU - Geographically Separated Unit
HAZCOM - Hazard Communication
HAZMAT - Hazardous Material (in the context of this Instruction, means the same as dangerous goods)
HCC - Hazardous Classification Code
HD - Hazard Division
HM - Hazardous Material
HMIRS - Hazardous Material Information Resource System
HN - Host Nation
HNCA - Host Nation Competent Authority
HNSA - Host Nation Surveillance Agency
HQ - Headquarters
HW - Hazardous Waste
HWAP - Hazardous Waste Accumulation Point
IATA - International Air Transport Association Dangerous Goods Regulations
IDGA - Installation Dangerous Goods Advisor
IHC - Interim Hazardous Classification
IMDG - International Maritime Dangerous Goods
ISO - International Organization for Standardization
JHCS - Joint Hazardous Classification System
Kg - Kilogram

L - Liter
MFR - Memorandum for Record
MICT - Management Internal Control Toolset
MOD - Ministry of Defence
NATO - North Atlantic Treaty Organization
NEM - Net Explosive Mass (means the same as NEQ, Net Explosive Quantity or NEW, Net Explosive Weight)
OPR - Office of Primary Responsibility
OSHA - Occupational Safety and Health Administration
PG - Packing Group
PPE - Personal Protective Equipment
PSN - Proper Shipping Name
POV - Privately Owned Vehicle
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
SOFA - Status of Forces Agreement
SDS - Safety Data Sheet
UN - United Nations
US - United States

Attachment 2

LIST OF DANGEROUS GOODS THAT REQUIRE PERMISSION

A2.1. All domestic and international, ground/sea/air transportation of ammunition and explosives requires TDA clearance from Turkish General Staff (TGS) through ODC-T office. Specific directives concerning transportation of ammunition and explosives provided by TGS along with TDA clearance. Note: Additional restrictions may apply based on distance and volume if HM carried in a transport unit exceeding a net mass of 6,000 kg. Contact the IDGA office for more details prior to shipment.

Table A2.1. List of Dangerous Goods that require Permission IAW Law Gazette Date: 31.03.2007 Law Gazette Number: 26479.

Permission required Dangerous Goods	List of Competent Authorities
All Class 1 articles listed in ADR	The Ministry of Interior
All Class 6 articles/substances listed in ADR	The Ministry of Health The Ministry of Agriculture and Rural Affairs, The Ministry of Environment and Forestry
All Class 7 listed in ADR	The Ministry of Energy and Natural Resources. (TAEK)

A2.2. Note: Additional restrictions may apply based on distance and volume if HM carried in a transport unit exceeding 1,000 kg net mass. Contact the IDGA office for more details prior to shipment.

A2.3. Note: Additional restrictions may apply based on distance and volume if liquid substances assigned to Packaging Group I, exceeding 1,000 kg net mass and carried in single tanks with tank volume > 3 m³.

A2.4. Note: Additional restrictions may apply based on distance and volume if flammable liquids (Class 3) assigned to Packaging Groups (PG) I or II, if carried in tank-vehicles or tanks, provided transport distance is greater than 100 km and volume of HM carried in tank exceeds 3,000 liters (PG I) or 6,000 liters (PG II).

Table A2.2. List of countries allowing deviations from ADR.

STATE	Registered Deviation	Registered Additions
Austria	No	No
Belgium	Yes	Yes
Czech Republic	Yes	No
Denmark	Yes	No
Finland	Yes	Yes
France	Yes	No
Germany	Yes	Yes

Ireland	No	No
Italy	Yes	Yes
The Netherlands	Yes	Yes
Norway	Yes	No
Poland	No	No
Slovakia	Yes	Yes
Sweden	Yes	Yes
Switzerland	Yes	No
Turkey	Yes	No
United Kingdom	Yes	No

A2.2. Note: STANAG 4441 and Allied Movement Publication (AMovP) 6. provides information which countries agree on deviations from ADR for moving ammunition on military vehicles. Contact the IDGA for a copy of the AMovP6.

Attachment 3

INCIRLIK AB, DGP CHECKLIST I/A- INSPECTION FORM

Figure A3.1. Road Transportation of Dangerous Goods (on/off Base) (Page 1).

ROAD TRANSPORTATION OF DANGEROUS GOODS (on/off Base)

Inspection Ref. No._____

I. Location of check: ..... II. Date/Time: ..... III. Type of vehicle: .....

IV. License plate of vehicle..... V. License plate of trailer:.....

VI. Driver: ..... VII. PPN: .....

VIII. Consignor: ..... IX. Consignee: .....

1. General				
a. For loads not exceeding Limited or Excepted Quantities (LQ), use DGP Checklist IV [1]				
b. For loads not exceeding the exemption limits prescribed in Section 1.1.3.6 ADR, use DGP Checklist III [2]				
c. For the carriage of DG in a transport chain including maritime or air carriage, see Para 1.1.4.2.1 ADR for details				
(1) For the carriage of DG inlcuding military or commerical air carriage, see IATA-DGR or AFM 24-204 for attached checklists				
d. For on-base-only shipments (OBO) not leaving a military installation, only check item numbers that're marked with an 'X'				
	OBO	**Inspection Status**		
2. Driver				
a. Driver ID card (with Picture / ADR 1.10.1.4)		☐ SAT	☐ UNSAT	
b. ADR driver certificate (ADR 8.2.1)	X	☐ SAT	☐ UNSAT	
c. Valid driver's license	X	☐ SAT	☐ UNSAT	
d. Driver briefed on contents of Dangerous Goods	X	☐ SAT	☐ UNSAT	
e. Driver briefed on emgerncy actions to be taken in case of an incident/accident	X	☐ SAT	☐ UNSAT	
f. Driver informed on no smoking rules [4]	X	☐ SAT	☐ UNSAT	
g. No obvious signs that the driver is unfit to drive due to drugs, alcohol or medication	X	☐ SAT	☐ UNSAT	
3. Documentation				
a. ADR transport document (see *IDGA Checklist I/B* for entries in the document)	X	☐ SAT	☐ UNSAT	
b. DD Form 626 (Motor Vehicle Inspection)		☐ SAT	☐ UNSAT	
c. Written Instructions (ADR 5.4.3)	X	☐ SAT	☐ UNSAT	
d. ADR vehicle certificate (e.g. USAFE Form 68)		☐ SAT	☐ UNSAT	☐ N/A
e. Routing permit IAW Para 11.2.1 and Atch 2 of RABI 23-104 [5]		☐ SAT	☐ UNSAT	☐ N/A
f. Container/Vehicle packing certificate [6]		☐ SAT	☐ UNSAT	☐ N/A
g. Waivers/Permits/Exemptions/Clearances (other)		☐ SAT	☐ UNSAT	☐ N/A
i. Customs documents for border crossing shipments (AE Form 302)		☐ SAT	☐ UNSAT	☐ N/A
4. Carriage				
a. Hazardous material authorized for transportation	X	☐ SAT	☐ UNSAT	
b. Type of vehicle / railcar authorized for carriage of dangerous goods	X	☐ SAT	☐ UNSAT	
c. Closed/sheeted vehicles used to carry moisture sensitive packages	X	☐ SAT	☐ UNSAT	☐ N/A
d. Max loading capacity of transport unit not exceeded	X	☐ SAT	☐ UNSAT	
e. Load securing (ADR 7.5.7)	X	☐ SAT	☐ UNSAT	☐ N/A
f. No leaks or damages	X	☐ SAT	☐ UNSAT	
g. Open or ventilated vehicle required by ADR Special Provison [7]	X	☐ SAT	☐ UNSAT	☐ N/A
h. CSC approval plate [8]		☐ SAT	☐ UNSAT	☐
i. NEW limitations [9]		☐ SAT	☐ UNSAT	☐ N/A
5. Mixed Loading (see *DGA Checklist I/E*) [3]	X	☐ SAT	☐ UNSAT	☐ N/A
6. Packaging (see *DGA Checklist I/F , Para 1*)	X			
7. Placarding & Marking (see *DGA Checklist I/F , Para 2*)	X			
8. Vehicle Equipment (see *DGA Checklist I/C*)	X			
9. Fire-fighting Equipment (see *DGA Checklist I/D*)	X			

X. Inspector:.....

Name (print) Signature Date

[See reverse page for notes and remarks]

Figure A3.2. Road Transportation of Dangerous Goods (on/off Base) (Page 2).

NOTES:

OBO = On Base Only (minimum requirement - applies to the carriage of dangerous goods (DG) within fenced boundaries of military installations)

ADR = European Agreement Concerning the International Carriage of Dangerous Goods by Road (comply when moving DG off the installation)

IATA-DGR = International Air Transport Association – Dangerous Goods Regulations

IMDG-Code = International Maritime Dangerous Goods - Code

AFM 24-604 = Preparing Hazardous Materials for Military Air Shipments

[1] Limited (LQ) and exempted quantities are subject to Chapters 3.4 & 3.5 of the ADR

[2] Loads not exceeding the exemption limits prescribed in 1.1.3.6, ADR are exempt from various provisions of the ADR – use DGP Checklist III

[3] See 7.5.2 ADR or DGA Checklist I/E to verify mixed loading permits in a vehicle or container

[4] No smoking authorized during loading, unloading and in vehicles when handling dangerous goods. No smoking authorized in vehicles during transportation if driver's cab is not separated from the loading compartment. No smoking authorized in vehicles carrying class 1, ammunition and/or explosives, regardless of vehicle design.

[5] Special routing permits are required for loads exceeding the threshold limits specified in Attachment 2 of RABI23-104. If applicable, ensure driver is in possession of the necessary permit (issued by host nation).

[6] If the carriage of dangerous goods in a large container precedes a voyage by sea, a container packing certificate conforming to section 5.4.2 of the IMDG Code shall be issued with the transport document. Certificate must be signed by the individual responsible for packing/loading.

[7] If Special Provision 'CV36' applies (ADR, Table A, Chap 3.2, Column 18), only open or ventilated vehicles will be used for the carriage of these dangerous goods. Under no circumstances will dangerous goods subject to 'CV 36' be carried in the vehicle cab (cab must air-separated from loading compartment).

[8] Unless otherwise specified (in ADR/RID/IMDG), the applicable provisions of the International Convention for Safe Containers (CSC) 1972, as amended shall be followed for the use of any cargo transport unit) which meets the definition of a 'container' (e.g. 20/40 ft ISO or MILVAN within the terms of that convention. [Ref.: 7.4.2, IMDG / 7.1.3, ADR/RID] Containers shall not be offered for the transport of goods of class 1 other than division 1.4 unless the container is structurally serviceable, as witnessed by a current CSC approval plate. [Ref. 7.4.6.4.2, IMDG]

[9] The total net mass in kg (NEW) of explosive substance and articles which may be carried on one transport unit is limited as indicated in sub-paragraph 7.5.5.2.1, ADR/RID. In deviation from 7.5.5.2.1, ADR/RID the maximum permissible NEW for military EX/II transport units carrying explosives or ammunition, subclasses 1.1-1.3 is 7,500 kg [Ref.: Waiver BMVg Nr. 22 (5) US]. On-base movement of ammunition and explosives is subject to USAFE Sup to AFMAN91-201.

REMARKS:

_____

_____

_____

_____

_____

_____

Attachment 4

INCIRLIK AB, DGP CHECKLIST I/B – TRANSPORT DOCUMENT

Figure A4.1. Road Transportation of Dangerous Goods (on/off Base) (Page 1).

ROAD TRANSPORTATION OF DANGEROUS GOODS (on/off Base)

Inspection Ref. No._____

ADR Transport Document (Ref.: Chapter 5.4, ADR)

The following information may be entered in the transport document

Description	OBO[1]	Inspection Status		
1. General Information				
a. UN Number	X	☐ SAT	☐ UNSAT	
b. Waste (PSN preceded by the word "WASTE")	X	☐ SAT	☐ UNSAT	☐ N/A
c. Proper shipping name (PSN)	X	☐ SAT	☐ UNSAT	
d. Technical name in brackets[2]	X	☐ SAT	☐ UNSAT	☐ N/A
e. Classification code or label model number	X	☐ SAT	☐ UNSAT	
f. Sub-risk label model number(s) in brackets when assigned	X	☐ SAT	☐ UNSAT	☐ N/A
g. Packaging Group when assigned	X	☐ SAT	☐ UNSAT	☐ N/A
h. Tunnel restriction code (as required)		☐ SAT	☐ UNSAT	☐ N/A
i. Above entries in proper sequence[3]	X	☐ SAT	☐ UNSAT	
j. Number & description of packages		☐ SAT	☐ UNSAT	☐ N/A
k. Total quantity (volume, gross or net weight mass) of each dangerous goods item bearing a different UN No., PSN or packing group		☐ SAT	☐ UNSAT	☐ N/A
l. Consignor (Name and Address)		☐ SAT	☐ UNSAT	☐ N/A
m. Consignee (Name and Address)		☐ SAT	☐ UNSAT	☐ N/A
n. Statement "Environmentally Hazardous" (engl. language only is authorized)[4]	X	☐ SAT	☐ UNSAT	☐ N/A
o. Statement "Carriage in accordance with 1.1.4.2.1" [5]		☐ SAT	☐ UNSAT	☐ N/A
p. Statement for empty, un-cleaned packages, tanks-vehicles etc. [10]		☐ SAT	☐ UNSAT	☐ N/A
q. Statement "Salvage Packaging" (if used)		☐ SAT	☐ UNSAT	☐ N/A
2. Additional or Specific Information				
a. Entries in proper language[4]	X	☐ SAT	☐ UNSAT	☐ N/A
b. Information in Transport Document must be legible	X	☐ SAT	☐ UNSAT	☐ N/A
c. Signature of certifying official, and date signed	X	☐ SAT	☐ UNSAT	☐ N/A
d. Declaration as required by terms of any special agreement[7]		☐ SAT	☐ UNSAT	☐ N/A
e. Statement of classification or packaging approval (Class 1)[8]		☐ SAT	☐ UNSAT	☐ N/A
f. Class 6.2: Name and phone number of reponsible person (consignee)		SAT	UNSAT	N/A

I. Remarks:.....

.....

.....

.....

II.Inspector:.....

Name (print) Signature Date

[See reverse page for NOTES]

Figure A4.2. Road Transportation of Dangerous Goods (on/off Base) (Page 2).

NOTES:

ADR = European Agreement Concerning the International Carriage of Dangerous Goods by Road (comply when moving DG off the installation)

[1] OBO = On Base Only (applies to the carriage of dangerous goods within fenced boundaries of military installations)

[2] ADR: For UN Numbers assigned to special provisions 274 or 318, enter the technical name in brackets. Two technical names are required for mixtures. The percentage of the technical constituent may also be entered.

[3] Entries in the transport document must be in the following order: UN No / PSN + [if required the Technical Name] / Classification Code or Label Model No / Sub-risk Label Model No / Packaging Group / Tunnel Restriction Code.

[4] The particulars entered in the transport document must be in German and English language. English language only is authorized for OBO shipments, or if carried off-base in a transport chain that includes maritime or air carriage.

[5] not used

[6] The statement "Environmentally Hazardous" must be entered in the ADR Transport Document if DG has been identified as environmentally hazardous substances (e.g. by the environmentally hazardous substance mark or in the Safety Data Sheet).

[7] e.g. Multilateral Agreements, Competent Authority Approvals (CAAs), Single Waivers etc.

[8] Special statements may be required in the ADR transport document for Fireworks (UN No. 0333 – 0337) and substances and explosives assigned to an N.O.S. entry, or if packed IAW Packaging Instruction P 101. See Chapter 5.4 ADR for details.

[9] Statement is required for carriage in a transport chain including maritime or air carriage.

[10] E.g. "Empty Packaging" or "Empty Tank-Vehicle, last load: UN 1202 Diesel Fuel, 3, PG III (D/E)"

Attachment 5

INCIRLIK AB, DGP CHECKLIST I/C – VEHICLE EQUIPMENT

Figure A5.1. Road Transportation of Dangerous Goods (on/off Base).

ROAD TRANSPORTATION OF DANGEROUS GOODS (on/off Base)

Inspection Ref. No._____

Vehicle Equipment (Ref.: Section 8.1.5 ADR; Miscellaneous Equipment and equipment for personal protection)

Equipment / Danger Label	1*	2.1	2.2	2.3	3	4.1	4.2	4.3	5.1	5.2	6.1	6.2	7	8	9	Inspection Status	
a. Wheel chock	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
b. Two self standing warning signs	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
c. Eye rinsing liquid[1]					X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
d. Fire Extinguisher(s)[2]	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
e. Warning vest(s)[3]	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
f. A pair of protective gloves[4]	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
g. Eye Protection (protective goggles)[5]	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
h. Portable Lighting apparatus (flashlight)[6]	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	SAT	UNSAT
i. Emergency escape mask				X							X					SAT	UNSAT
j. A shovel[4]					X	X		X						X	X	SAT	UNSAT
k. A drain seal[4]					X	X		X						X	X	SAT	UNSAT
l. A collecting container made of plastics[4]					X	X		X						X	X	SAT	UNSAT

NOTES:

[1] Not required for danger label numbers 1, 1.4, 1.5, 1.6, 2.1, 2.2 and 2.3

[2] See DGA Checklist ID for more details

[3] Equipment required for each member of the vehicle crew

[4] Only required for solids and liquids with danger label numbers 3, 4.1, 4.3, 8

[5] Includes all class 1 divisions (1.1 - 1.6)

Caution: Regardless of quantity or type of dangerous goods carried, all vehicles must be equipped with a first aid kit, a warning triangle, and a warning light for vehicles exceeding a permissible mass of more than 3.5 tons.

Remarks:_____

_____

_____

Inspector:_____ Name (print) Signature Date

Attachment 6

INCIRLIK AB, DGP CHECKLIST I/F – PACKING, PLACARDING & MARKING

Figure A6.1. Road Transportation of Dangerous Goods (off Base) (Page 1).

ROAD TRANSPORTATION OF DANGEROUS GOODS (off Base)

Inspection Ref. No._____

Packaging, Placarding & Marking

	OBO	Inspection Status		
1. Packaging				
a. Package complies with packaging instruction		□ SAT	□ UNSAT	
b. Packaging Codes (Ref.: 6.1.3.1, ADR)		□ SAT	□ UNSAT	□ N/A
c. Weight limits of packages not exceeded	X	□ SAT	□ UNSAT	
d. Period of use for plastic containers not exceeded [1]	X	□ SAT	□ UNSAT	□ N/A
e. Have measures been taken to prevent leakage of contents [2]	X	□ SAT	□ UNSAT	□ N/A
f. Packing of Class 2 items IAW 4.1.6.8, ADR [3]	X	□ SAT	□ UNSAT	□ N/A
g. Marking and labeling of packages				
(1) UN Number	X	□ SAT	□ UNSAT	
(2) "OVERPACK" marking (Ref.: 5.1.2, ADR)	X	□ SAT	□ UNSAT	□ N/A
(3) "SALVAGE" marking (Ref.: 5.2.1.3, ADR)	X	□ SAT	□ UNSAT	□ N/A
(4) Orientation arrows (Ref.: 5.2.1.10, ADR)[3]	X	□ SAT	□ UNSAT	□ N/A
(5) Proper Shipping Name for Class 1 (ammo & explosives)	X	□ SAT	□ UNSAT	□ N/A
(6) Proper Shipping Name for Class 2 (gases)	X	□ SAT	□ UNSAT	□ N/A
(7) PSN supplemented with technical name (IAW SP 274 or 318)		□ SAT	□ UNSAT	□ N/A
(8) 'Hazard' labels (Ref.: Chap 5.2, ADR)	X	□ SAT	□ UNSAT	
(9) Environmentally hazardous marking [4]	X	□ SAT	□ UNSAT	□ N/A
(10) IBCs and large packagings marked & labeled on two opposite sides	X	□ SAT	□ UNSAT	□ N/A
h. GHS/CLP or OSHA markings (Ref.: EG 1272/2008, Art. 33) [5]	X	□ SAT	□ UNSAT	□ N/A
2. Placading & Marking (Ref.: Chap 5.3, ADR)				
a. Orange colored plate marking (Ref.: Section 5.3.2, ADR) [6]	X	□ SAT	□ UNSAT	
b. Orange colored plates showing Hazard ID and U.N No.s on tank-vehicles (Ref. 5.3.2.1, ADR)[6]	X	□ SAT	□ UNSAT	□ N/A
c. Proper placards affixed on all four sides of the container [8]	X	□ SAT	□ UNSAT	□ N/A
d. Proper placards affixed on both sides and the end of the vehicle [9]	X	□ SAT	□ UNSAT	□ N/A
e. Proper placards affixed on both sides and the end of the tank-vehicle [10]	X	□ SAT	□ UNSAT	
f. Most dangerous division outlined on placards for mixed loads of Class 1 [11]		□ SAT	□ UNSAT	□ N/A
g. Compatibility groups (CG) not indicated on placadards for loads with mixed CG [12]		□ SAT	□ UNSAT	□ N/A
h. Environmentally hazardous substance mark affixed on containers & tank-vehicles [13]	X	□ SAT	□ UNSAT	□ N/A

Remarks:.....

.....

Inspector:.....

Name (print) Signature Date

[See reverse page for NOTES]

Figure A6.2. Road Transportation of Dangerous Goods (off Base) (Page 2).

NOTES:

OBO = On Base Only (minimum requirement - applies to the carriage of dangerous goods (DG) within fenced boundaries of military installations)
ADR = European Agreement Concerning the International Carriage of Dangerous Goods by Road (comply when moving DG off the installation)
DG = Dangerous Goods (hazardous material and hazardous waste)

[1] For plastics containers, unless otherwise approved by the competent authority, the period of use permitted for the carriage of dangerous substances is 5 years, except where a shorter period of use is prescribed (e.g. 2 years for UN 1790 & UN 2031 IAW SP PP81).

[2] Required for combination packages containing inner packages filled with liquids (Exemption: Combination packages containing hermetically sealed inner packages with not more than 500 ml each); Single packages fitted with vents; Cryogenic receptacles carrying liquefied gases.

[3] Applies to UN3077 & UN3082 and dangerous goods classified as environmentally hazardous IAW Para 2.2.9.1.10.5, ADR/RID. Marking is required on single packages or inner packages of combination packages exceeding 5 liters for liquids and 5 kg for solids. Marking is not required on 'Overpack'.

[4] Measures must be taken to prevent leakage of contents during normal conditions of transportation (see 4.1.1.1, ADR). Packages must be clean and not damaged. Residues of filling substances must not adhere to the outside of the packages. Openings must be closed, sealed and protected against inadvertent discharge.

[5] EG-GHS labels (showing Pictogram, Signal Words etc. - see Art. 16 of CLP) are required on: all single packages; inner and outer packages of combination packages (not required on outer package if dangerous goods labels are affixed). Safety Data Sheets provide information on hazard identification, GHS-Classification and labeling.

[6] Transport units carrying DG must display two rectangular orange-colored plates (to be mounted at the front and the rear of the vehicle). Orange-colored plates affixed on tank-vehicles must also bear the UN number (lower half) and the hazard identification number (upper half).

[7] Valves shall be designed and constructed in such a way that they are inherently able to withstand damage without release of the contents or shall be protected from damage which could cause inadvertent release of the contents of the pressure receptacle, by one of the following methods (see also table of standards at the end of this section):

(a) Valves are placed inside the neck of the pressure receptacle and protected by a threaded plug or cap;
(b) Valves are protected by caps. Caps shall possess vent-holes of sufficient cross-sectional area to evacuate the gas if leakage occurs at the valves;
(c) Valves are protected by shrouds or guards;
(d) Pressure receptacles are carried in frames, (e.g. cylinders in bundles); or
(e) Pressure receptacles are carried in protective boxes.

[8] Containers (e.g. ISOs, MILVANs and tank-containers) must be affixed with placards (min 25x25cm in size) identifying the hazard(s) of the contents. With respect to colors and symbols, Placards shall have the same design as labels (correspond to 5.2.2.2, ADR/RID/IMDG). No placards are required for ammunition/explosives of Division 1.4, compatibility group S.

[9] Vehicles used for the carriage of class 1 & 7 (other than in containers) must be affixed with placards described in Note [8].

[10] Tank-vehicles must always be affixed with corresponding placards, unless tanks are drained and purged.

[11] Most dangerous Division in the order 1.1 (most dangerous), 1.5, 1.2, 1.3, 1.6, 1.4 (least dangerous) – Ref.: 5.3.1.1.2, ADR

[12] For Class 1, compatibility groups shall not be indicated on placards if the vehicle or container is carrying substances or articles belonging to two or more compatibility groups.

[13] Mark is required on containers and tank-vehicles carrying environmentally hazardous substances meeting the criteria of 2.2.9.1.10, ADR. Equivalent marine pollutant mark is required when moving DG defined as marine pollutants in transport chain including sealift. Marine Pollutant marks are still required even packages may be exempt from labeling IAW Note[4]. Review SDS for classification details.

Attachment 7

INCIRLIK AB, DGP CHECKLIST I/G –CHECKLIST IAW 1.1.3.1.C, ADR

Figure A7.1. Road Transportation of Dangerous Goods (on/off Base) (Page 1).

ROAD TRANSPORTATION OF DANGEROUS GOODS IAW 1.1.3.1 c), ADR (on/off Base)[1]

Inspection Ref. No._____

I. Location of check..... II. Date..... III. Time.....

IV. License plate of vehicle..... V. License plate of trailer.....

VI. Type of vehicle ☐ Van (closed) ☐ Pick-up truck ☐. Tractor/Trailer ☐. Other.....

VII. Driver.....PPN:.....

VIII. Consignor (address).....

IX. Consignee (address).....

1. Driver			
a. Valid driver's license	☐ Complete/accurate	☐ Discrepant	☐ N/A
b. Driver briefed on contents/limits of Dangerous Goods (see No. 2)	☐ Complete/accurate	☐ Discrepant	☐ N/A
c. Driver briefed on emgerncy actions to be taken in case of an incident/accident	☐ Complete/accurate	☐ Discrepant	☐N/A
d. Driver informed on no smoking rules[12]	☐ Complete/accurate	☐ Discrepant	☐N/A
2. Carriage (the below limits must not be exceeded)			
a. Maximum 450 liters per package	☐ Complete/accurate	☐ Discrepant	☐ N/A
b. Threshold limits specified in 1.1.3.6.3, ADR	☐ Complete/accurate	☐ Discrepant	☐ N/A
c. Class/Division 1.1 – 1.4; 3 kg total NEW[13] per transport unit	☐ Complete/accurate	☐ Discrepant	☐ N/A
d. Class/Division 1.1 – 1.3; 5 kg gross weight per transport unit	☐ Complete/accurate	☐ Discrepant	☐ N/A
e. Class/Division 1.4; 20 kg gross weight per transport unit	☐ Complete/accurate	☐ Discrepant	☐ N/A
f. Radioactive material (Class 7) not authorized for movement	☐ Complete/accurate	☐ Discrepant	☐ N/A
g. One kg net mass per vehicle must not be exceeded for the following:			
(1) Class 4.1; Solid Desensitized Explosives[2]	☐ Complete/accurate	☐ Discrepant	☐ N/A
(2) Class 4.1; Self-Reactive Substances (solids & liquids)[3]	☐ Complete/accurate	☐ Discrepant	☐ N/A
(3) Substances related to Self-Reactive Substances; Class 4.1[4]	☐ Complete/accurate	☐ Discrepant	☐ N/A
(4) Class 4.2; Substances assigned to Packaging Group I & II	☐ Complete/accurate	☐ Discrepant	☐ N/A
(5) Class 4.3; Substances assigned to Packaging Group I & II	☐ Complete/accurate	☐ Discrepant	☐ N/A
(6) Class 5.1; Substances assigned to Packaging Group I	☐ Complete/accurate	☐ Discrepant	☐ N/A
(7) Class 5.2; All Packaging Groups	☐ Complete/accurate	☐ Discrepant	☐ N/A
3. Packaging			
a. Have measures been taken to prevent leakage of contents[11]	☐ Complete/accurate	☐ Discrepant	☐ N/A
b. Packing complies with general provisions of section 4.1.1.2, ADR[5]	☐ Complete/accurate	☐ Discrepant	☐ N/A
c. Packing complies with mixed packing provisions; 4.1.1.6, ADR[6]	☐ Complete/accurate	☐ Discrepant	☐ N/A
d. Packing of Class 2 items comply with section 4.1.6.8, ADR[7]	☐ Complete/accurate	☐ Discrepant	☐ N/A
e. Marking of packaging according to CLP/GHS[8]	☐ Complete/accurate	☐ Discrepant	☐ N/A
4. Vehicle & Equipment			
a. Open or ventilated vehicle required IAW Special Provision CV36[9]	☐ Complete/accurate	☐ Discrepant	☐ N/A
b. Type of vehicle authorized for the carriage of dangerous goods[10]	☐ Complete/accurate	☐ Discrepant	☐ N/A
c. Maximum loading capacity of vehicle not exceeded	☐ Complete/accurate	☐ Discrepant	☐ N/A
d. Load is secured to prevent movement during carriage	☐ Complete/accurate	☐ Discrepant	☐ N/A
e. Warning Vest for vehicle driver (off-base only)	☐ Complete/accurate	☐ Discrepant	☐ N/A
f. First Aid Kit	☐ Complete/accurate	☐ Discrepant	☐ N/A
g. Warning Triangle	☐ Complete/accurate	☐ Discrepant	☐ N/A
h. Warning Light (> 3.5 ton truck) [14]	☐ Complete/accurate	☐ Discrepant	☐ N/A
i. Wheel Chock	☐ Complete/accurate	☐ Discrepant	☐ N/A

Remarks:.....

.....

X. Inspector:.....

Name (print) Signature Date

[See reverse page for NOTES]

Figure A7.2. Road Transportation of Dangerous Goods (on/off Base) (Page 2).

NOTES:

[1] IAW paragraph 1.1.3.1.c), ADR this checklist only applies to the carriage of Dangerous Goods undertaken by units which is ancillary to their main activity such as deliveries to or returns from building or civil engineering sites. Carriage undertaken for supply or external or internal distribution does not fall within the scope of this exemption.

[2] Solid desensitized explosives assigned to Class 4.1 (with classification codes 'D' or 'DT')
Definition: Solid desensitized explosives are substances which are wetted with water or alcohols or are diluted with other substances to suppress their explosive properties. Such entries in Table A of Chapter 3.2 are: UN Nos. 1310, 1320, 1321, 1322, 1336, 1337, 1344, 1347, 1348, 1349, 1354, 1355, 1356, 1357, 1517, 1571, 2555, 2556, 2557, 2852, 2907, 3317, 3319, 3344, 3364, 3365, 3366, 3367, 3368, 3369, 3370, 3376 and 3380.

[3] Self-reactive substances (solids & liquids) assigned to Class 4.1 (Type B – F; Type A is forbidden for transportation). Samples for self-reactive substances are: UN Nos. 3221, 3222, 3223, 3224, 3225 – 3240.

[4] Such as: UN Nos. 2956, 3241, 3242 and 3251.

[5] Parts of packagings, including IBCs and large packagings, which are in direct contact with dangerous goods:
(a) shall not be affected or significantly weakened by those dangerous goods; and
(b) shall not cause a dangerous effect e.g. catalysing a reaction or reacting with the dangerous goods.
Where necessary, they shall be provided with a suitable inner coating or treatment
Sample: Period of use for plastic receptacles is 5 years; or 2 years if filled with UN 1790 & UN 2031; Ref.: 4.1.1.15, ADR

[6] Dangerous goods shall not be packed together in the same outer packaging or in large packaging, with dangerous or other goods if they react dangerously with each other. See 4.1.10, ADR for mixed packing special provisions.

[7] Valves shall be designed and constructed in such a way that they are inherently able to withstand damage without release of the contents or shall be protected from damage which could cause inadvertent release of the contents of the pressure receptacle, by one of the following methods (see also table of standards at the end of this section):
(a) Valves are placed inside the neck of the pressure receptacle and protected by a threaded plug or cap;
(b) Valves are protected by caps. Caps shall possess vent-holes of sufficient cross-sectional area to evacuate the gas if leakage occurs at the valves;
(c) Valves are protected by shrouds or guards;
(d) Pressure receptacles are carried in frames, (e.g. cylinders in bundles); or
(e) Pressure receptacles are carried in protective boxes.

[8] Outside package must be marked with label and hazard pictogram(s) according to CLP/GHS (EG 1272/2008 or 67/548/EWG). Pictograms may not be required if packages are already marked or labeled IAW Part 5, ADR.

[9] Dangerous Goods coded 'CV36' in column 18, table A of Chapter 3.2, ADR must be carried in open or ventilated vehicles with cab always separated from loading compartment.

[10] Type of vehicle must be designed and authorized for transport of DG; e.g. diesel engine requirement for ammunition & explosives, loading compartment must be equipped with proper lashing points for tie down tie lashings or designed for equivalent load securing equipment. POVs not authorized for the carriage of DG.

[11] Measures must be taken to prevent leakage of contents during normal conditions of transportation (see 4.1.1.1, ADR). Packages must be clean and not damaged. Residues of filling substances must not adhere to the outside of the packages. Openings must be closed, sealed and protected against inadvertent discharge.

[12] No smoking authorized during loading, unloading and in vehicles when handling/transporting dangerous goods.

[13] NEW = Net Explosive Weight

[14] Required for off-base only (Ref.: STVZO / STVO)

Attachment 8

INCIRLIK AB, DGP CHECKLIST

Figure A8.1. Incirlik AB, DGP Checklist I/H – Checklist In Turkish Language IAW 1.1.3.1.C, ADR (Page 1).

TEHLIKELI MADDELER KARAYOLU TAŞIMACILIĞI - 1.1.3.1 c, ADR hükümleri uyarınca (Üs ici/dışı)[1]

Muayene Ref. No._____

I. Kontrolün yapıldığı yer ..... II. Tarih..... III. Saat.....

IV. Arac Plaka bilgisi..... V. Römork Plaka bilgisi .....

VI. Arac Tipi ☐ Kamyonet (kapalı) ☐ Pick-up kamyon ☐. Traktör/Römork ☐.Diğer .....

VII. Sürücü .....PPN:.....

VIII. Gönderen adres.....

IX. Alıcı adres.....

1. Sürücü			
a. Gecerli Sürücü belgesi	☐ Tamam/dogru	☐ Eksik	☐ Yok
b. Sürücü, maddenin icerigi/limiti konusunda bilgilendirildi (see No. 2)	☐ Tamam/dogru	☐ Eksik	☐ Yok
c. Sürücü, acil durum/kaza anında yapılması gerekenler konusunda bilgilendirildi	☐ Tamam/dogru	☐ Eksik	☐ Yok
d. Sürücüye Sigara icilmez kuralı bildirildi.[12]	☐ Tamam/dogru	☐ Eksik	☐ Yok
2. Taşıma/Nakliye (Aşağıda belirtilen limitler geçilmemelidir)			
a. Maksimum 450 litre her taşıma paketi icin	☐ Tamam/dogru	☐ Eksik	☐ Yok
b. Taşıma ünitesi başına düşen en büyük toplam miktar 1.1.3.6.3, ADR	☐ Tamam/dogru	☐ Eksik	☐ Yok
c. Sınıf/Kısım 1.1 – 1.4; 3 kg total NPA[13] her taşıma ünitesi icin	☐ Tamam/dogru	☐ Eksik	☐ Yok
d. Sınıf/Kısım 1.1 – 1.3; 5 kg toplam ağırlık her taşıma ünitesi icin	☐ Tamam/dogru	☐ Eksik	☐ Yok
e. Sınıf/Kısım 1.4; 20 kg toplam ağırlık her tasıma ünitesi icin	☐ Tamam/dogru	☐ Eksik	☐ Yok
f. Radyoaktif malzemeler (Sınıf 7) taşınması yasaklanmıstır	☐ Tamam/dogru	☐ Eksik	☐ Yok
g. Bir kg net kütlesi, her arac icin aşağıda belirtilen limitler geçilmemelidir:			
(1) Sınıf 4.1; Alevlenir katılar [2]	☐ Tamam/dogru	☐ Eksik	☐ Yok
(2) Sınıf 4.1; Kendiliğinden tepkimeye giren maddeler (katı&sıvı)[3]	☐ Tamam/dogru	☐ Eksik	☐ Yok
(3) Sınıf 4.1; Duyarlılığı azaltılmış katı patlayıcılar; [4]	☐ Tamam/dogru	☐ Eksik	☐ Yok
(4) Sınıf 4.2; Ambalajlama Grubu I & II atanan maddeler	☐ Tamam/dogru	☐ Eksik	☐ Yok
(5) Sınıf 4.3; Ambalajlama Grubu I & II atanan maddeler	☐ Tamam/dogru	☐ Eksik	☐ Yok
(6) Sınıf 5.1; Ambalajlama Grubu I atanan maddeler	☐ Tamam/dogru	☐ Eksik	☐ Yok
(7) Sınıf 5.2; Bütün Ambalajlama Grupları	☐ Tamam/dogru	☐ Eksik	☐ Yok
3. Packaging			
a. İçeriğinin sızmasını önlemek için tedbir alınmış[11]	☐ Tamam/dogru	☐ Eksik	☐ Yok
b. Ambalaj, kısım 4.1.1.2, ADR genel hükümlerine uygun;	☐ Tamam/dogru	☐ Eksik	☐ Yok
c. Ambalaj, karışık ambalaj 4.1.1.6, ADR[6] hükümlerine uygun;	☐ Tamam/dogru	☐ Eksik	☐ Yok
d. Sınıf 2 maddelerin ambalajlanması kısım 4.1.6.8, ADR[7] ye uygun;	☐ Tamam/dogru	☐ Eksik	☐ Yok
e. Ambalajların etiketlenmesi CLP/GHS[8] hükümlerine uygun	☐ Tamam/dogru	☐ Eksik	☐ Yok
4. Arac ve Ekipman			
a. Tercihan açık veya havalandırmalı araçlar (özel hükümler CV36[9])	☐ Tamam/dogru	☐ Eksik	☐ Yok
b. Tehlikeli malların taşınması için yetkili arac tipi [10]	☐ Tamam/dogru	☐ Eksik	☐ Yok
c. Arac maksimum yükleme kapasitesi belirlenen sınırı geçmemeli	☐ Tamam/dogru	☐ Eksik	☐ Yok
d. Yük, taşıma sırasında hareket etmesini önlemek için güvence altına alınmış	☐Tamam/dogru	☐ Eksik	☐ Yok
e. Sürücü uyarı Yelegi (sadece üs dışında)	☐ Tamam/dogru	☐ Eksik	☐ Yok
f. Ilk yardım Çantası	☐ Tamam/dogru	☐ Eksik	☐ Yok
g. Uyarı/ikaz için üçgen levha	☐ Tamam/dogru	☐ Eksik	☐ Yok
h. Uyarı Işığı (> 3.5 ton kamyon) [14]	☐ Tamam/dogru	☐ Eksik	☐ Yok
i. Teker için takoz	☐ Tamam/dogru	☐ Eksik	☐ Yok

Açıklamalar: .....

.....

X. Denetci:.....

Ad/Soyad Imza Tarih

Figure A8.2.

NOTLAR:

[1] 1.1.3.1.c. ADR hukumlerince bu kontrol listesi ilgili kisim/komutanlik tarafindan ustlenilmis tehlikeli maddelerin kendi ana faaliyetleri disinda binadan ve ya insaat muhendislik binasindan getirilip goturulmesi durumlarinda gecerlidir. Lojistik destek amaciyla, harici veya dahili dağıtım için yapılan taşımalar bu muafiyet kapsamına girmemektedir.

[2] Duyarlılığı azaltılmış katı patlayıcılar, su veya alkol ile ıslatılmış veya patlayıcı özellikleri diğer maddelerle bastırılmış veya seyreltilmiş maddelerdir. ADR Bölüm 3.2 Tablo A'da verilen aşağıdaki kayıtlar duyarlılığı azaltılan katı patlayıcılardır: UN No. 1310, 1320, 1321, 1322, 1336, 1337, 1344, 1347, 1348, 1349, 1354, 1355, 1356, 1357, 1517, 1571, 2555, 2556, 2557, 2852, 2907, 3317, 3319, 3344, 3364, 3365, 3366, 3367, 3368, 3369, 3370, 3376, 3380 ve 3474.

[3] Kendiliğinden tepkimeye giren madde tipleri Sınıf 4.1, teste tabi tutulduğu ambalaj içinde taşınmasına izin verilmeyen A tipinden, kendiliğinden tepkimeye giren maddelerine ilişkin hükümlerine tabi olmayan G tipine kadar değişir. B tipi ve F arasındaki sınıflandırma, bir ambalaj içerisinde bulunmasına izin verebilecek azami miktar ile doğrudan doğruya ilişkilidir. Örnek UN Nos. 3221, 3222, 3223, 3224, 3225 – 3240.

[4] Duyarlılığı azaltılmış katı patlayıcılara örnek UN Nos. 2956, 3241, 3242 and 3251.

[5] Tehlikeli madde ile doğrudan temas halinde olan ambalaj parçaları, IBC ve büyük ambalajlar dahil.
Ambalajin tehlikeli maddeden etkilenmemis, buyuk olcude zayiflamamis olmasi gerekmetedir.
Ambalajin tehlikeli bir etkisi olmamalıdır örneğin bir tepki katalize veya tehlikeli mallar ile reakte olmamalidir.
Eğer gerekli ise, uygun bir iç kaplama ya da bakim sağlanmalıdır
Ornek: Plastic ambalajlarin kullanim suresi 5 yil, eger ici UN 1790 ve UN2031 ile dolu ise 2 yil; Ref. :4.1.1.15, ADR

[6] Eger tehlikeli maddeler ya da diğer mallar birbirleriyle tehlikeli olarak reakte ise; aynı dış ambalajında veya büyük ambalaj içinde birlikte paketlenmeyeceklerdir. Karışık ambalaj özel hükümler için, ADR 4.1.10 bakın

[7] Valflar, içeriğin salınımı olmaksızın hasara dayanabilecek özellikte olacak şekilde tasarlanacak ve yapılacak veya aşağıdaki yöntemlerden biri sayesinde basınçlı kabın içeriğinin istenmeden salınımına neden olabilecek hasarlara karşı korunacaktır (ayrıca bkz. bu bölüm sonundaki standartlar tablosu):

(a) Valflar kapların boyun kısmı içine yerleştirilmelidir ve dişli tapalar ile korunmalıdır;
(b) Valflar kapakçıklar ile korunmalıdır. Kapakçıklar, valflarda sızıntı oluşursa, gazları boşaltmak için yeterli kesit alanı olan havalandırma deliklerine sahip olur.
(c) Valflar örtüler veya muhafaza kapakları ile korunmalıdır;Vanalar ortuler veya koruyucular ile korunmaktadır
(d) Basınçlı kaplar çerçevelerde taşınır (örn. demetlerdeki silindirler); veya
(e) Basınçlı kaplar koruyucu kutularda taşınır. BM basınçlı kapları için, taşımaya hazırlanan ambalaj, 6.1.5.3'te belirtilen düşme testini ambalajlama grubu I performans seviyesine göre geçebilecek özellikte olmalıdır.

[8] Dış ambalaji CLP/GHS (EG 1272/2008 or 67/548/EWG) uyarinca tehlike etiketi ve tehlike piktogramlari ile işaretlenmiş olmalıdır. Eger paketler zaten IAW Bölüm 5, ADR uayrinca etiketli ise, piktogramlar gerekmeyebilir.

[9] ADR, tablo A kisim 3.2 ve kolon 18 de CV36 kodu uyarinca, tehlikeli maddeler, tercihan açık veya havalandırmalı araçlara veya açık veya havalandırmalı konteynerlere yüklenecektir.

[10] Araç tipi Tehlikeli madde taşınması için tasarlanmış ve yetkili olmalıdır. örneğin dizel motor araclar, mühimmat ve patlayıcı madde için, yükleme bölmesi uygun baglama ve yere sabitleme veya eşdeğer yük sabitleme ekipmanları tasarlanmalidir. Kisisel araclar tehlikeli madde tasimasi için yetkili degildir.

[11]ADR 4.1.1.1. gereginee, Normal tasima kosullarinda iceriklerin sizmasini engellemek icin gerekli onlemler alinmalidir. Paketleri temiz ve hasarsız olmalıdır. Paket icindeki artik dolgu maddesi paketin disina bulasmamalidir. Acilan kisimlar kapalı mühürlü ve yanlışlıkla tahliyeye karşı korunmalıdır.

[12] Tehlikeli madde taşımacılığı yapılan araçlarda Yükleme, boşaltma ve taşıma sırasında sigara içilmez

[13] NPA = Net patlayıcı ağırlık

[14] Sadece us disi tasimalarda gecerlidir.

Attachment 9

FIGURE A9.1. SECURITY CHECKLIST – FACILITY (PAGE 1).

Question	Response	Recommendation
1. Is the facility located in an area of high, medium, or low population?	H M L	
2. What is the distance to the police department and their likely response time?		
3. What is the distance to emergency response personnel/fire department and their likely response time?		
4. Have you conducted a vulnerability assessment of your hazardous materials?	Yes No	
5. How many points of access are there to the facility?		
6. Do the access points have an entrance registration procedure?	Yes No	
7. Are there security personnel at the access points?	Yes No	
8. Are all entries to the facility recorded?	Yes No	
9. What are the procedures for exiting?		
10. Are all departures from the facility recorded?	Yes No	
11. Are there specific procedures for closing and locking up the facility?	Yes No	
12. Is there an alarm system on the perimeter of the facility?	Yes No	
13. Is there an alarm system on the access points?	Yes No	
14. Are cameras used to monitor the facility?	Yes No	
15. Are security personnel used to monitor the facility?	Yes No	
16. Is there adequate lighting for the facility grounds?	Yes No	

Figure A9.2. Security Checklist – Facility (Page 2).

Question	Response	Recommendation
17. Is there a fence or similar barrier around the perimeter of the facility?	Yes No	
18. Is the barrier in good repair?	Yes No	
19. How easy would it be to breach the barrier?		
20. When was the last time that locks were changed?		
21. Who has keys to these locks?		
22. Is the facility security in compliance with all federal, state, and local laws and regulations?	Yes No	
23. Are security logs kept?	Yes No	
24. When was the last time security logs and/or incident reports were reviewed?		
25. Is there a current security plan and when was it last reviewed?	Yes No	

Attachment 10

SECURITY CHECKLIST – CONSIGNOR

Figure A10.1. Security Checklist Consignor (Page 1).

Question	Response	Recommendation
Hazmat Storage and Handling		
1. How are hazardous materials secured?		
2. Does your company protect hazardous materials using alarms and/or other security systems?		
3. How are unauthorized personnel restricted from area?		
4. How are untrained personnel restricted from the area?		
5. What records are maintained to inventory hazmat?		
6. How often is the inventory audited?		
7. What is the reporting procedure if material is missing from the inventory?		
8. Do your employees have a checklist for packaging and transferring hazmat?		
9. Do they use the checklists effectively?		
10. Does your company implement routine security inspections?		

Figure A10.2. Security Checklist Consignor (Page 2).

Question	Response	Recommendation
Training and Personnel		
11. How are shipping personnel trained?		
12. How are training records kept?		
13. Are handlers of hazardous materials trained in the recognition and disposal of suspect packages?		
14. Are all personnel trained in recognizing and dealing with aberrant behavior?		
15. Are employee background checks being conducted?		
16. Are background checks periodically reviewed and/or updated? How often?		
17. Does your company hold regular employee/ management meetings to discuss security measures and awareness?		
Carrier Safety		
18. How is the carrier's identification matched to shipping records?		
19. What program do you have to audit your carrier's security procedures?		
20. What procedure do you have to verify if the carrier is authorized to carry your hazmat?		
21. How is the carrier's equipment checked for safety?		

Figure A10.3. Security Checklist Consignor (Page 3).

Question	Response	Recommendation
Loading and Securing Shipments		
22. What procedures do you have to verify that your hazmat has been securely loaded and properly labeled?		
23. How do you track the shipment after it has left your facility?		
24. When is the receiver notified that the shipment is en route?		
25. What information is provided to the receiver?		
26. Is this information adequate?		
27. What procedure do you have to follow up on the safe arrival of hazmat?		

Attachment 11

SECURITY CHECKLIST – CARRIER

Figure A11.1. Security Checklist Carrier (Page 1).

Question	Response	Recommendation
Hazmat Transportation and Handling		
1. How are vehicles with hazardous materials secured?		
2. How are unauthorized personnel restricted from the area?		
3. How are untrained personnel restricted from area?		
Training and Personnel		
4. How are your drivers/operators trained?		
5. How are your maintenance people trained?		
6. How are training records kept?		
7. How do you verify that personnel meet all federal requirements for handling and transporting hazmat?		
8. Are personnel trained in inspecting packages and recognizing suspect packages prior to accepting them for shipment?		
9. Are all personnel trained in recognizing and dealing with aberrant behavior?		
10. Are drivers/operators trained in marking, labeling, placarding, and packaging requirements?		
11. Are employee background checks being conducted?		
12. Are background checks periodically reviewed and/or updated? How often?		

Figure A11.2. Security Checklist Carrier (Page 2).

Question	Response	Recommendation
Carrier Safety		
13. Do your operators/drivers carry the proper identification?		
14. What procedure do you have to verify if your operator/driver is authorized to carry hazmat?		
15. How is the equipment checked for safety?		
16. Are security spot checks of personnel and vehicles conducted?		
17. What monitoring and tracking equipment have you added to your fleet?		
18. What procedures are in place for safeguarding hazardous materials during en route breakdowns and/or emergencies.		
Transport		
19. Are local law enforcement familiar with what you carry?		
20. What procedure do you use to review a driver/operator's planned routes, layovers and equipment changes?		
21. How does your driver/operator verify the site is expecting a pickup or delivery?		
22. Is the driver/operator provided with a delivery point-of-contact and contact information?		
23. Do you have a way to contact the driver 24 hours a day?		
24. What procedure do you have to follow-up on the safe arrival of hazmat?		

Attachment 12

SECURITY CHECKLIST – RECEIVER

Figure A12.1. Security Checklist Receiver (Page 1).

Question	Response	Recommendation
Hazmat Storage and Handling		
1. How are hazardous materials secured and stored after receipt?		
2. Does your company protect hazardous materials using alarms and/or other security systems?		
3. How do you verify that authorized personnel are available to receive and promptly store hazmat?		
4. How are unauthorized personnel restricted from the area?		
5. How are untrained personnel restricted from the area?		
6. What procedure do you have to refuse receipt of suspect packages?		
7. How often is the inventory audited?		
8. What is the reporting procedure if material is missing from the inventory?		
9. Do your employees have a checklist for receipt and temporary storage of hazmat?		
10. Do they use the checklists effectively?		
Training and Personnel		
11. How are personnel trained?		

Figure A12.2. Security Checklist Receiver (Page 2).

Question	Response	Recommendation
12. How are training records kept?		
13. Are handlers of hazardous materials trained in the recognition and disposal of suspect packages?		
14. Are all personnel trained in recognizing and dealing with abnormal behavior?		
15. Are employee background checks being conducted?		
16. Are background checks periodically reviewed and/or updated? How often?		
Receiving a Delivery		
17. What procedure do you have to verify if the carrier's delivery is expected?		
18. How is the carrier's identification matched to shipping records?		
19. How is the carrier's equipment checked for safety and security?		
Unloading and Securing Shipments		
20. What procedures do you have to verify that your hazmat is securely unloaded and stored?		
21. How do you notify the shipper on receipt of a shipment?		
22. What procedures are in place to inspect packages and shipping documents?		
23. How do you notify the shipper of missing or damaged items?		

Attachment 13

DANGEROUS GOODS TRANSPORT DOCUMENT

Figure A13.1. Dangerous Goods Transport Document.



F/Mov 1042 (Rev 10/21 e-version) DANGEROUS GOODS NOTE Ministry of Defence

1. Consignor:
2. Transport Document Reference:
Customs reference:
4. Consignor's reference:
3. Page: of
5. Freight Forwarder's reference:
6. Consignee:
Via Points:
7. Shipper | Cargo agent | Carrier | Shipping line
I hereby declare that the contents of this consignment are fully and accurately described below by the proper shipping name, and are classified, packaged, marked and labelled/placarded and are in all respects in proper condition for transport according to the applicable international and national governmental regulations. The consignor must complete and sign Box 22.
10. Vessel:
11. Port of Loading:
8. Additional handling information/Freight forwarder:
12. Port of Discharge:
13. Destination:

14. Description of goods; Number and type of packages; UN No, Proper Shipping Name, Hazard Class/Division, Additional Information (see overleaf)	TC	Net Quantity of NEM (kg/L)	Hazard Units Road & Rail only	Gross Mass (kg)	Cube (m³) (if required)
15. Container identification number/ vehicle registration number:	16. Seal number(s):	17. Container/vehicle size & type:	Total (kg/L)	Total Hazard Units	Total (kg)	Total (m³)

20. CONTAINER/VEHICLE PACKING CERTIFICATE (see overleaf)

I hereby declare that the goods described above have been packed/loaded into the container/vehicle identified above in accordance with 6.4.2 of the modal regulations.
MUST BE COMPLETED AND SIGNED FOR ALL CONTAINER/VEHICLE LOADS BY THE PERSON RESPONSIBLE FOR PACKING/ LOADING

Unit or company title:
Name, rank & status of declarant: -
Place and date: -
Signature of declarant:

18. Tare Weight (kg)
19. Total gross mass (including tare)

21. DOCK/TERMINAL RECEIPT

HAULIERS DETAILS
Haulier's Name:
Vehicle Reg No:
Driver's Signature:

RECEIVING AUTHORITY REMARKS
Received the above number of packages/ containers/trailers in apparent good order and condition unless stated hereon.
Name:
Signature & date:

22. CONSIGNOR'S DECLARATION (see overleaf)
Tel No: Unit:
Name, rank & status of declarant: -
Place & date: -
Signature of declarant:

(Text amended 2021) This form does **NOT** have to be printed in red

MOD USE ONLY

Figure A13.2. Dangerous Goods Transport Document.

ADDITIONAL INFORMATION (Box 14) - Description of goods; Number and type of packages

In addition to UN Number, proper shipping name and hazard Class/Division the following:

Must appear where applicable:

1. Subsidiary Hazard (in brackets)
2. Packing Group
3. Tunnel Code (in brackets)
4. "Salvage Packaging" after the description
5. "Empty, Uncleaned" or "Residue, Last Contained" for packages
6. "Empty Tank-Vehicle, Last Load:" for Tank Vehicles
7. "Waste"
8. "Environmentally Hazardous" (ADR, RID or ADN) and/or "Marine Pollutant" (IMDG Code)
9. Minimum closed cup (cc) flashpoint if 60°C or less (IMDG Code)

Additional information is required for:

10. Substances and articles in Classes 1 and 2
11. Certain substances in Classes 4.1 and 5.2
12. Infectious substances (Class 6.2)
13. Radioactive materials (Class 7)
14. Gas Cylinders, IBCs or Tanks that are out of inspection
15. Dangerous goods in limited quantities (IMDG Code)
16. Dangerous goods in excepted quantities (IMDG Code)
17. Viscous dangerous goods (IMDG Code)

HAZARD UNITS

Applicable to road and rail only:

Smaller dangerous goods loads are exempt from a number of the regulatory provisions, providing they do not exceed the threshold. If the load contains dangerous goods of only one Transport Category (TC) the threshold limits are:

TC 0 - Any amount - Full provisions always apply **TC 4** - Unlimited quantities - Limited provisions apply (see below)

TC 1 - 20kg/L * **TC 2** - 333kg/L **TC 3** - 1000kg/L

* Certain Class 1 items and gases have a threshold of 50kg, see DGM - current edition Chapter 1.1 Annex A - Note a.

In the UK only, Class 1 commodities have two additional TCs (DGM - current edition Chapter 1.1 Annex A):

TC 1A - 50kg NEM **TC 2A** - 500kg NEM

Where a load consists of more than one TC, the quantities of the goods are converted into Hazard Units (HU). The HU is determined by multiplying the total quantity (kg/L) for each TC by a prescribed Multiplier, as follows:

TC 1 x 50 **TC 2 x 3** **TC 3 x 1** **TC 4 x 0** **TC 1A x 20** **TC 2A x 2**

When added together, if the total for the load exceeds 1000HU then the load exceeds the threshold and full regulatory provisions apply.

For loads that do not exceed the threshold, only the following carriage provisions apply:

1. A Transport Document is required (this also applies for loads exceeding the threshold);
2. Driver must be at least DG driver awareness trained for the classes carried (ie does not require an ADR Driver Certificate);
3. The minimum of a 2kg dry powder (or equivalent) fire extinguisher to be installed on the vehicle (must meet all requirements);
4. Smoking is prohibited and no portable lighting apparatus with any metal surface liable to produce sparks is permitted; and
5. For Class 1, some additional requirements may apply relating to parking, supervision and attendants

Box 7 is to indicate who has completed the Notice of Entry into a Harbour Area as required by DGHAR 2016 Reg 6.

CONTAINER/VEHICLE PACKING CERTIFICATE

Box 20 to be completed and signed by a person trained to take responsibility for stuffing/loading or supervising the stuffing/loading of the container/vehicle

To confirm that:

1. Boxes 15-19 completed where appropriate;
2. The container/vehicle was clean, dry and apparently fit to receive the goods;
3. Packages requiring segregation have not been stuffed/packed together, unless authorised by the Competent Authority;
4. All packages have been externally inspected for damage and only sound packages loaded;
5. Drums have been stowed in an upright position, unless otherwise authorised by the Competent Authority, and where necessary adequately braced with securing material suitable for the mode of transport;
6. Goods loaded in bulk have been evenly distributed in the container/vehicle;
7. For goods of Class 1, other than division 1.4, the container is structurally serviceable conforming to IMDG Code 7.1.2;
8. Packages and container/vehicle have been properly marked, labelled and placarded, as appropriate;
9. When solid carbon dioxide (CO_2 - dry ice) is used for cooling, the container/vehicle is externally marked in accordance with ADR & IMDG Code 5.5.3.6; and
10. A dangerous goods transport document, as indicated in 5.4.1 of the IMDG Code has been received for each dangerous goods consignment loaded in the container/vehicle.

CONSIGNOR'S DECLARATION (Box 22)

In signing the declaration the consignor is confirming that, in accordance with current regulatory texts:

1. Dangerous goods as presented may be carried;
2. The goods and any packaging, intermediate bulk container or tank in which they are contained are in a fit condition for carriage, and are properly labelled; and
3. Regulations concerning mixed packing have been observed.

(Text amended 2021)

Attachment 14

STEP BY STEP GUIDE TO COMPLETE A DANGEROUS GOODS TRANSPORT DOCUMENT

A14.1. The following information is a guide to completing the Dangerous Goods Transport Document shown in Attachment Nine. Although there is no set format for the Dangerous Goods Transport Document, this form is strongly recommended for use when consigning dangerous goods by surface. (The guide below does not alleviate the requirement to use the relevant dangerous goods regulations to complete the form)

A14.1.1. **Box 1:** Consignor: The address of the Unit sending the consignment.

A14.1.2. **Box 2:** Transport Document Reference: A reference such as the Transport Control Number (TCN).

A14.1.3. **Box 3:** Page: The number of pages to the Dangerous Goods Transport Document, such as, 1 of 1 or, 1 of 2, 2 of 2.

A14.1.4. **Box 4:** Consignors Reference: Any reference the consignor may have for the consignment.

A14.1.5. **Box 5:** Freight Forwarders Reference: Any reference that may be used by the freight forwarder.

A14.1.6. **Box 6:** Consignee: The address of the Unit receiving the consignment.

A14.1.7. **Box 7:** Names of the Shipper, Cargo Agent, Carrier, Shipping Line, as applicable.

A14.1.8. **Box 8:** Declaration text for the signatory of box 22, Consignor's Declaration.

A14.1.9. **Box 9:** Additional Handling Information/Freight Forwarder: Information may be entered such as, keep out of sunlight.

A14.1.10. **Box 10:** Vessel: The name of the vessel if the journey involves sea transportation.

A14.1.11. **Box 11:** Port of Loading: The name of the port where the consignment will be loaded on to a ship, if the journey involves sea transportation.

A14.1.12. **Box 12:** Port of Discharge: The name of the port where the consignment will be offloaded from a ship, if the journey involves sea transportation.

A14.1.13. **Box 13:** Destination: The end destination of the consignment, this may be a shortened version of the information in box 6.

A14.1.14. **Box 14:** Description of Goods; Number and type of packages: The following information is required, when applicable:

A14.1.14.1. UN Number.

A14.1.14.2. Proper Shipping Name.

A14.1.14.3. Hazard Class/Division, including any subsidiary hazards, and for Class 1 the Compatibility Group (e.g., 1.1A, 1.4S).

A14.1.14.4. Packing Group, where assigned.

A14.1.14.5. The Tunnel Restriction Code

A14.1.14.6. The number and a description of the packages when applicable (e.g., 4 x boxes (4G), 1 x drum (1A1)).

A14.1.14.7. The Flashpoint of any flammable liquids, including any subsidiary hazards of Class 3. Flashpoint required for any journey involving sea transportation.

A14.1.14.8. The statement "Marine Pollutant" as required in accordance with the IMDG Code for any journey involving sea transportation.

A14.1.14.9. The statement "Limited Quantity" or "LTD QTY" as required in accordance with the IMDG Code for any journey involving sea transportation.

A14.1.14.10. The EmS code may be entered in accordance with the IMDG Code for any journey involving sea transportation.

A14.1.14.11. Transport Category column **(**TC): The transport category of the dangerous goods listed, as per the ADR List of Dangerous Goods, column 15.

A14.1.14.12. Net Quantity or NEM column: The net quantity of dangerous goods for each listed entry. The net quantity will be entered in either kilograms or liters. For UN Class 1 explosives/munitions this will be the Net Explosive Mass/Quantity/Weight.

A14.1.14.13. Hazard Units column: For single TC loads on a transport unit, this is the net quantity amount to identify if the threshold limit, in accordance with ADR 1.1.3.6.3, is exceeded. For multiple TCs loads on a transport unit, this is to identify if the sum of net quantities in accordance with ADR 1.1.3.6.4, is exceeded.

A14.1.14.14. Gross Mass column: This is the gross mass of the consignments listed.

A14.1.14.15. Cube (m^3) column: This is the cubic capacity of each consignment listed (optional use). Cubic capacity is the sum of length x width x depth (e.g. a consignment is 2 meters long, 1 meter wide and 80 centimeters deep (2 x 1 x 0.8= 1.6) 1.6 m^3).

A14.1.15. **Box 15:** Container identification number/vehicle registration number: The container serial number and/or the vehicle registration number.

A14.1.16. **Box 16:** Seal number(s): The serial numbers of security seals that are used to secure containers or vehicles.

A14.1.17. **Box 17:** Container/vehicle size & type: E.g., 20' skyvan container. Cab + 40' flatbed/curtain sider.

A14.1.18. **Box 18:** Tare Weight (kg): The tare weight of a container, before it is loaded.

A14.1.19. **Box 19:** Total gross mass (including tare): The combined weight of the container plus the load it contains.

A14.1.20. **Box 20:** Container/Vehicle Packing Certificate: Details and signature of the individual responsible for the loading/packing of the vehicle/container. (See the reverse of the form for more details)

A14.1.21. **Box 21:** Transporter Information: The Carrier's vehicle and driver details.

A14.1.22. **Box 22:** Consignor's Declaration: The details and signature of the consignor accepting responsibility for the consignments listed. (See the reverse of the form for more details)

Attachment 15

USAFE-AFAFRICA FORM 60 – ANNUAL DGA REPORT

Table A15.1. USAFE-AFAFRICA Form 60-FRONT.

COMMAND / INSTALLATION DANGEROUS GOODS ADVISOR ANNUAL REPORT	1. REPORT PERIOD: 1 Oct - 30 Sep
REF. USAFE-AFAFRICA 23-104, COMMAND DANGEROUS GOODS SAFETY PROGRAM	
2. FROM:	3. TO: HQ USAFE/A4/7 ☐ COMMAND DANGEROUS GOODS ADVISOR *(CDGA)* ☐ INSTALLATION DANGEROUS GOODS ADVISOR *(IDGA)* ☐ UNIT DANGEROUS GOODS ADVISOR *(UDGA)*

4. TYPE AND GROSS MASS OF DANGEROUS GOODS MOVED IN METRIC TONS BY HAZARDOUS CLASS

HAZARDOUS CLASS (a)	< 5 METRIC TONS (b)	5 - 50 METRIC TONS (c)	> 50 - 1000 METRIC TONS (d)	> 1000 METRIC TONS (e)
1.1				
1.2				
1.3				
1.4				
1.5				
1.6				
2.1				
2.2				
2.3				
3				
4.1				
4.2				
4.3				
5.1				
5.2				
6.1				
6.2				
7				
8				
9				

5. REPORTABLE INCIDENTS/ACCIDENTS

TYPE OF INCIDENT/ACCIDENT (a)	AMOUNT (b)	TYPE OF INCIDENT/ACCIDENT (a)	AMOUNT (b)
POLLUTION / SPILL		EXPLOSION FOLLOWED BY FIRE	
FIRE		MISSING / WRONG IDENTIFICATION	
EXPLOSION		MISSING / LACK OF LOAD SECURING	
		c. TOTAL	

6. ADDITIONAL COMMENTS CONCERNING DANGEROUS GOODS SAFETY

NOTE: The annual report must be released to Host Nation Authorities upon request. Coordination with the CDGA is required prior to releasing the information.

USAFE-AFAFRICA 60, 20220302 PREVIOUS EDITIONS ARE OBSOLETE *(OVER)*
Prescribed by: USAFE-AFAFRICAI23-104

Table A15.2. USAFE-AFAFRICA Form 60- REVERSE.

IDGA - Installation Dangerous Goods Advisor; DGA - Dangerous Goods Advisor; ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road; CDGA - Command Dangerous Goods Advisor; UDGA - Unit Dangerous Goods Advisor; RID - European Regulation Concerning the International Carriage of Dangerous Goods by Rail; ADN - European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways; IATA - International Air Transport Association; DGR - Dangerous Goods Regulation; IMDG-CODE - International Maritime Dangerous Goods - Code.

7. IDGA ACTIVITIES

a. NUMBER OF DGA MONITORING REPORTS	b. NUMBER OF DEFICIENCIES REPORTED AND CORRECTED

TYPE OF CLASSES CONDUCTED	NUMBER OF CLASSES CONDUCTED	NUMBER OF CERTIFICATES ISSUED	TYPE OF CLASSES CONDUCTED	NUMBER OF CLASSES CONDUCTED	NUMBER OF CERTIFICATES ISSUED
c. ADR DRIVER TRAINING CLASSES			f. MILAIR / COMAIR CLASSES		
d. UDGA / IDGA TRAINING CLASSES			g. IMDG CLASSES		
e. ADR / RID CERTIFIER CLASSES			h. ADNR / ADN CLASSES		

8. TRAINING FORECAST FOR CALENDAR YEAR:

	TYPE OF TRAINING		INITIAL	REFRESHER
a.	ADR DRIVER TRAINING SLOTS SEGREGATED BY CATEGORY	BASIC		
		TANK		
		AMMUNITION		
b.	ANNUAL CDGA WORKSHOP SLOTS			
c.	IDGA /UDGA TRAINING SLOTS			
d.	ADR / RID / ADN CERTIFICATION TRAINING SLOTS			
e.	IATA-DGR / AFMAN 24-204, *Preparing Hazardous Materials for Military Air Shipments,* TRAINING SLOTS			
f.	IMDG CODE CERTIFICATION TRAINING SLOTS			
g.	INLAND WATER			
			DRIVERS	CERTIFIERS
h.	CLASS 7 TRAINING REQUIREMENTS			

9. REMARKS

CERTIFIED BY IDGA

10. NAME AND RANK OF IDGA *(Last, First, Middle Initial)*	11. DATE *(YYYYMMDD)*	12. SIGNATURE
		CLICK HERE TO SIGN

REVIEWED BY INSTALLATION COMMANDER

13. NAME, RANK AND TITLE OF COMMANDER *(Last, First, Middle Initial)*	14. DATE *(YYYYMMDD)*	15. SIGNATURE
		CLICK HERE TO SIGN

USAFE-AFAFRICA 60, 20220302 ***(REVERSE)***

Figure A15.1. Step by Step Instructions Completing USAFE-AFAFRICA Form 60 Annual Dangerous Goods/Waste Report.

This report ONLY concerns, volume of Dangerous Goods Movement on/off base (through Air/Sea/Surface mode of transportation). This can be receiving of hazardous material (local or overseas GPC purchases and bringing on base) this one is considerate as a movement and also your Waste which always leaving off base for final disposal is another movement.
Some clarification has provided in below; for USAFE-AFAFRICA Form 60.
Section 1; Report Period. The data to be included in the report focuses on the operations carried out in a fiscal year (1 Oct – 30 Sep). Enter the fiscal year for which this report applies.
Section 2; Enter unit's info
Section 3; Mark Installation Dangerous Goods Advisor (IDGA)
Section 4; a, b, c, d, e; you will find list of Hazardous classes followed by blocks for gross mass weight info. Please indicate volume of movement, to the relevant class in that applicable range. Measurement should be converted in to metric tons.
See below for more clarification on weight calculation for reporting purposes;
1. UN Class 1 ammo shipment.
NEW = 100 kg and gross weight of cargo packaged items is 1000 kg.
The 1000 kg cargo in packages is loaded in a 20' ISO container.
The total gross weight of the 20' ISO container plus the packages is 7000 kg.
For the annual report purpose, the figure to be considered is the weight of the loaded packages/goods (1000 kg).
2. POL is delivering home fuel off base using a C300 (refueling truck/tank) loaded with 3000 US gallons of UN1202 fuel; weight of the loaded 3000 US gallons fuel is 6000 kg.
Weight of the vehicle plus the fuel is 15000 kg.
For the annual report purpose, the total weight of the fuel contents applies (6000kg)
3. Gas cylinder filled with UN1066 class 2. Total amount of content is 100 kg. The cylinder weight including the content weight is 130 kg.
For the annual report purpose, total weight to be considered is 130 kg.
It is important to remember that, for report purpose, cylinders not completely full or empty unclean, volume counts; therefore, they are to be considered as full plus weight of the cylinder itself.
4. Unit is disposing of a drum filled with solid waste. Waste weight itself is 50 kg. The drum and the waste total weight is 150 kg.
For the annual report purpose, total weight to be considered is 150 kg.
Some Units may have less than the minimum range, but I still need you to indicate it on the form. As the IDGA I will be consolidating numbers from all squadrons and make one report for 39 ABW. Numbers should be as accurate as possible due to this report will be signed by 39 ABW/CC and then will be submitted to USAFE A4/7CDGPM.
Hazardous Waste (HW) is also considered as dangerous goods and will be shown as Class 9.
Section5; If applicable – Reportable incidents/accidents. Self-explanatory.
Section 6; If additional information concerning DG safety, you may indicate in here.
Section 7; IDGA activities. IDGA fills this part
Section 8; Training forecast for Calendar year. Add number (training slots) and type of training required and requested by the unit for the next fiscal year. Unit DGA can coordinate with the IDGA for required training forecast for calendar year
Section 9; Remarks. Self-explanatory.
Section 10; Name, Rank of the IDGA. N/A.
Section 11; Date. N/A.
Section 12; Signature. N/A.
Section 13; Name, Rank and Title of Commander. N/A.
Section 14; Date. N/A.
Section 15; Signature. N/A.

Attachment 16

USAFE FORM 66 – UDGA APPOINTMENT ORDER

Table A16.1. USAFE-AFAFRICA Form 66- FRONT.

DANGEROUS GOODS ADVISOR *(DGA)*APPOINTMENT ORDER	1. SPECIAL ORDER NUMBER

Ref. USAFE-AFAFRICAI 23-104, USAFE Command Dangerous Goods Program

2. NAME OF APPOINTEE *(Last, First, Middle Initial)*	3. RANK

4. OFFICE SYMBOL / UNIT ADDRESS	5. DUTY PHONE

6. IS APPOINTED AS

- ☐ **COMMAND DANGEROUS GOODS ADVISOR** *(CDGA) (MAJCOM USE ONLY)*
- ☐ **INSTALLATION DANGEROUS GOODS ADVISOR** *(IDGA)*
- ☐ **UNIT DANGEROUS GOODS ADVISOR** *(UDGA)*

7. TRAINING SOURCE, CERTIFICATE AND EXPIRATION DATE CERTIFYING DGA EXPERTISE

	MODE	SOURCE	CERTIFICATE NUMBER	EXPIRATION DATE
a.	ROAD/RAIL			
b.	AIR			
c.	SEA			
d.	INLAND WATER			

8. AREAS MONITORED

☐ ROAD ☐ RAIL ☐ AIR ☐ SEA ☐ INLAND WATER ☐ OTHER *(Specify)* _____

9. EXPIRATION DATE OF ORDER *(Enter any date before the expiration date of the certificate) (YYYYMMDD)*

10. REMARKS *(Specify restrictions, i.e. only for specific equipment / material, hazard class, processes, or organizational elements. Continue on reverse if more space is needed.)*

APPROVING AUTHORITY

NOTE: CDGA appointment is delegated to the USAFE A4/7. IDGA appointment is delegated to the Ranking Officer at Wing Level (Installation Commander). UDGA appointment is delegated to Group or Squadron Commanders. Ref. USAFEI 23-104)

11. NAME *(Last, First, Middle Initial)*, RANK AND TITLE OF COMMANDER	12. DATE *(YYYYMMDD)*	13. SIGNATURE
		CLICK HERE TO SIGN

ACCEPTANCE

14. *I accept the duties as* ☐ CDGA *(MAJCOM USE ONLY)* ☐ IDGA ☐ UDGA

15. NAME *(Last, First, Middle Initial)*AND RANK OF APPOINTEE	16. DATE *(YYYYMMDD)*	17. SIGNATURE
		CLICK HERE TO SIGN

USAFE-AFAFRICA FORM 66, 20220302 *(OVER)*

Prescribed by: USAFE-AFAFRICAI23-104

Table A16.2. USAFE-AFAFRICA Form 66- REVERSE.

CONTINUATION SHEET

USAFE-AFAFRICA FORM 66, 20220302 *(REVERSE)*

Table A16.3. Step by Step Instructions Completing USAFE-AFAFRICA Form 66.

Note: References below and answers thereto refer to sample shown in Table 21.1.

Block 1. Special Order Number. May be used for unit internal control numbers. Mark N/A if not used;
Block 2. Name of Appointee. Self-Explanatory;
Block 3. Rank. Self-Explanatory;
Block 4. Office Symbol/Unit Address. Self-Explanatory;
Block 5. Duty Phone. Self-Explanatory;
Block 6. Appointment. Select (X-mark) 'Unit Dangerous Goods Advisor (UDGA)';
Block 7. Training Source, Certificate and Expiration Date Certifying DGA Expertise. Copy information from individual training certificates and fill out blanks as shown in the sample. Ensure expiration dates are tracked on separate training lists (required by USAFEI 23-104) and that personnel is sent to refresher training as required;
Block 8. Expiration Date of Order. Based on training certificate(s) select (X-mark) the appropriate boxes indicating the monitoring areas the UDGA will be appointed for; (e.g. Road/Rail)
Block 9. Expiration Date of Order. If required enter a date before the expiration date of the certificates shown in block 8 above (e.g. PCS date);
Block 10. Remarks. Specify whether individual will be appointed as primary or alternate UDGA. Describe AOR of the UDGA (e.g. Group, SQ, Flight level) and classes of HM for which the UDGA is responsible for; based on information outlined on training certificates (E.g. IAW USAFEI 23-104, Para 5.1. Appointment and Training, individual will be appointed as Primary Unit Dangerous Goods Advisor (UDGA) for the entire Squadron responsible for modes Road, Rail (ADR/RID), incl. all hazmat classes 1-9 except class 7).
Block 11. Name, Rank and Title of Commander. Self-Explanatory;
Block 12. Date. Self-Explanatory;
Block 13. Signature. Signature of the approval authority (Group or Squadron Commanders). Commanders will sign Block 13. prior to appointee (UDGA) signing Block 17.
Block 14. Acceptance. Select (X-mark) 'UDGA)';
Block 15. Name and Rank of Appointee. Self-Explanatory;
Block 16. Date: Self-Explanatory;

Attachment 17

USAFE-AFAFRICA FORM 67 CERTIFYING OFFICIAL (DCO) FOR DANGEROUS GOODS AND HAZARDOUS WASTE MOVEMENTS APPOINTMENT ORDER – MODE SURFACE

Table A17.1. USAFE-AFAFRICA Form 67b- FRONT.

CERTIFIER FOR DANGEROUS GOODS AND HAZARDOUS WASTE MOVEMENTS APPOINTMENT ORDER - MODE SURFACE

Ref. USAFE-AFAFRICAI 23-104, USAFE Command Dangerous Goods Program

1. APPOINTMENT IS VALID FOR ☐ ROAD ☐ RAIL ☐ SEA ☐ INLAND WATER ☐ OTHER *(Specify)* _____ | 2. SPECIAL ORDER NUMBER

3. NAME OF APPOINTEE (Last, First, Middle Initial) | 4. RANK

5. OFFICE SYMBOL / UNIT ADDRESS | 6. DUTY PHONE

7. APPOINTMENT

☐ ***Is appointed as certifying official for dangerous goods and hazardous waste movements for the mode described in block 8 below.***
Certification will be in accordance with DOD and host nation regulations. See block 10 for further details.

8. TRAINING SOURCE, CERTIFICATE AND EXPIRATION DATE CERTIFYING EXPERTISE OF APPOINTEE

	MODE	TRAINING SOURCE	CERTIFICATE NUMBER	EXPIRATION DATE
a.	ROAD / RAIL			
b.	SEA			
c.	INLAND WATER			

9. EXPIRATION DATE OF ORDER *(Enter any date before the expiration date of the certificate)* *(YYYYMMDD)*

10. REMARKS *(Specify restrictions, i.e. only for specific equipment / material or only for hazard classes as a technical expert. Continue on reverse if more space is needed.)*

APPROVING AUTHORITY

11. NAME, RANK AND TITLE OF COMMANDER *(Last, First, Middle Initial)* | 12. DATE *(YYYYMMDD)* | 13. SIGNATURE CLICK HERE TO SIGN

ACCEPTANCE

14. *I accept the duties as certifier for dangerous goods and hazardous waste movements.*

15. NAME AND RANK OF APPOINTEE | 16. DATE *(YYYYMMDD)* | 17. SIGNATURE CLICK HERE TO SIGN

USAFE-AFAFRICA FORM 67B, 20220302 PREVIOUS EDITIONS ARE OBSOLETE *(OVER)*
Prescribed by: USAFE-AFAFRICAI23-104

Table A17.2. USAFE-AFAFRICA Form 67b- REVERSE.




Table A17.3. Step by Step Instructions Completing USAFE-AFAFRICA Form 67B.

Note: References below and answers thereto refer to sample shown in Table 22.1.

Block 1. Appointment Order is valid for. Based on training certificate(s) select (X-mark) the appropriate boxes indicating the modes of transportation(s) the individual will be appointed for (e.g. Road/Rail/Sea);
Block 2. Special Order Number. May be used for unit internal control numbers. Mark N/A if not used;
Block 3. Name of Appointee. Self-Explanatory;
Block 4. Rank. Self-Explanatory;
Block 5. Office Symbol/Unit Address. Self-Explanatory;
Block 6. Duty Phone. Self-Explanatory;
Block 7. Appointment. Box must be X-marked for all types of appointment orders;
Block 8. Training Source, Certificate and Expiration Date Certifying Expertise of Appointee. Copy information from individual training certificates and fill out blanks as shown in the sample. Ensure expiration dates are tracked on separate training lists (required by USAFEI 23-104) and that personnel is sent to refresher training as required;
Block 9. Expiration Date of Order. If required enter a date before the expiration date of the certificates shown in block 8. above (e.g. PCS date);
Block 10. Remarks. Specify the AOR of the DCO (e.g. Group, SQ, Flight level) and classes of HM for which the DCO is responsible for; based on information outlined on training certificates (E.g. IAW USAFEI 23-104, Para 5.1.1 Appointment and Training, individual will be appointed as Dangerous Goods Certifying Official (DCO) for the entire Squadron responsible for modes Road, Rail (ADR/RID) and Sea (IMDG-Code), incl. all hazmat classes 1-9 except class 7). Add additional remarks as required.
Block 11. Name, Rank and Title of Commander. Self-Explanatory;
Block 12. Date. Self-Explanatory;
Block 13. Signature. Signature of the approval authority (Group or Squadron Commanders). Commanders will sign Block 13. prior to appointee (DCOs) signing Block 17.
Block 14. Statement of Acceptance. Self-Explanatory;
Block 15. Name and Rank of Appointee. Self-Explanatory;
Block 16. Date. Self-Explanatory;

Attachment 18

TRAINING OF PERSONS INVOLVED IN THE CARRIAGE OF DANGEROUS GOODS

Figure A18.1. Training of Persons involved in the Carriage of Dangerous Goods (Page 1).

TRAINING OF PERSONS INVOLVED IN THE CARRIAGE OF DANGEROUS GOODS
(Ref.: USAFEI 23-104, USAFE Command Dangerous Goods Program, ADR and 49CFR)

	Trainee:	Instructor:
Name:		
First Name, MI:		
Unit (Office Symbol):		
DOB:		
Rank:		

	A. General Awareness Training
☐	1. Modes of Transportation
☐	2. Legal basis of dangerous goods (DG) movements in Europe and specific to country of U.S. base
☐	3. National and international dangerous goods policies
☐	4. Military regulations
☐	5. The participants in the carriage of DG; unit (internal) responsibility
☐	6. Principles of classification; DG classes, Packaging Groups, UN-Numbers, Proper Shipping Names; In partipular, Class:.....
☐	7. Class 1 specific provisions
☐	8. Class 7 specific provisions
☐	9. Hazardous Waste
☐	10. Requirements concerning the supervision of vehicles
☐	11. National and multilateral waivers
☐	12. Exemptions based on mode of transportation
☐	13. Other:.....
	B. Safety Training
☐	1. Hazardous properties of dangerous goods/hazardous wastes; In partipular, Class:.....
☐	2. Marking and labelling of dangerous goods; meaning of danger labels/markings
☐	3. Principles of load securing
☐	4. General measures to be taken in case of an accident or emergency
☐	5. Actions to be taken in the event of an accident or emergency (according to 'Written Instructions')
☐	6. Accident / Incident Reporting
☐	7. Miscellaneous equipment for personal and general protection
☐	8. Fire-fighting equipment
☐	9. Additional operation requirements relating to particular classes or substances
☐	10. Additional loading, unloading and handling provisions applicable to classes of specific goods
☐	11. Special provisions concerning the carriage in packages or bulk
☐	12. Hazardous Material Emergency Response Plan (KMC)
☐	13. Comprehensive Emergency Management Program (KMC)
☐	14. Pollution Prevention Management Plan (86 AW)
☐	15. Other:.....

(X as applicable)

Page 1 of 2 pages

Figure A18.2. Training of Persons involved in the Carriage of Dangerous Goods (Page 2).

TRAINING OF PERSONS INVOLVED IN THE CARRIAGE OF DANGEROUS GOODS

(Ref.: USAFEI 23-104, USAFE Command Dangerous Goods Program, ADR and 49CFR)

C. Function Specific Training

- ☐ 1. Obligations of the Ordering Party of the Shipper
- ☐ 2. Obligations of the Shipper/Consignor
- ☐ 3. Obligations of the Driver
- ☐ 4. Obligations of the Carrier
- ☐ 5. Obligations of the Loader
- ☐ 6. Obligations of the Packer
- ☐ 7. Obligations of the Filler
- ☐ 8. Obligations of the Consignee
- ☐ 9. Obligations of Shipper, Consignor, Carrier and Consignee
- ☐ 10. Obligations of the Unloader
- ☐ 11. Obligations of the Vehicle Owner
- ☐ 12. Obligations of the DGA
- ☐ 13. Obligations of Units using/consuming DG
- ☐ 14. Obligations of the Hazmat Pharmacy, DG/HW Storage Area

D. Security Awareness Training

- ☐ Security awareness training (to be provided to employees within 90 days of employment)

E. In-depth Security Training

- ☐ Training according to the objectives of the security plan and employee's responsibilities

F. Radiation Protection Training (Class 7)

- ☐ Training concerning radiation protection including precautions relating to occupational exposure

G. Training of the vehicle crew

- ☐ Training of persons other than the drivers holding a certificate in accordance with Section 8.2.1, ADR

H. Other

- ☐ .....

- ☐ **I. Initial Training**
- ☐ **J. Refresher Training**

.....

(Signature of Instructor) **(Location, Date)**

.....

(Signature of Trainee)* **(Location, Date)**

*confirming receipt of training

(X as applicable)

Page 2 of 2 pages

Attachment 19

CONTENT OF THE UNIT DGA BINDER

Figure A19.1. Content of the Unit DGA Binder.

Table of Contents		
Cover		
Tab	A	**Instructions**
Sub-Tab	A1 *	Copy of USAFE-AFAFRICAI 23-104
Sub-Tab	A2 *	Copy of IAB DGMI 23-104
Sub-Tab	A3	DG Library Inventory (referencing title, number, date of issue and file location)
Tab	B	**Appointment Orders**
Sub-Tab	B1	Appointment Orders of UDGA (USAFE Form 66)
Sub-Tab	B2	Appointment Orders of DCO - Mode Air (USAFE Form 67A)
Sub-Tab	B3	Appointment Orders of DCO - Mode Surface (USAFE Form 67B)
Sub-Tab	B4	List of trained and appointed personnel assigned to the unit
Tab	C	**Reports & Certificates**
Sub-Tab	C1	Annual DG Report (USAFE Form 60)
Sub-Tab	C2	Accident Report (USAFE Form 61)
Sub-Tab	C3	Completion of Annual Refresher Training
Sub-Tab	C4	List of ADR Certified Vehicles (USAFE Form 68)
Sub-Tab	C5	Monitoring Report (USAFE Form 63)
Sub-Tab	C6	Miscellaneous
Tab	D	**Unit Procedures & Instructions**
Sub-Tab	D1 *	Unit Compliance Checklists
Sub-Tab	D2 *	Instructions and procedures concerning load securing and safe movement of DG/HW
Sub-Tab	D3 *	Emergency Procedures in case of an incident/ accident
Sub-Tab	D4 *	Security Plan
Tab	E	**Training of persons involved in cariage of Dangerous Goods**
Note: (*) If parts of your files are automated, please place a cross-reference sheet in that section identifying location of e-file		