BY ORDER OF THE COMMANDER
51ST FIGHTER WING

51ST FIGHTER WING INSTRUCTION
10-203

6 NOVEMBER 2026

Operations

AIRCRAFT SHELTER CLEANOUT

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: This publication is available for downloading or ordering on the e-Publishing website at **http://www.e-Publishing.af.mil**

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 51OSS/ADO
Certified by: 51OG/CC
Supersedes: 51FWI10-203, 18 July 2014
Pages: 15

This instruction implements Department of the Air Force Policy Directive (DAFPD) 10-2, *Readiness*. It outlines procedures for cleanout of Hardened Aircraft Shelters (HASs), hangars, revetments and unprotected parking spaces at Osan Air Base (AB). It also establishes and specifies daily management, periodic inspections, training and security responsibilities for all base agencies using shelters for storage purposes. It applies to all units assigned to 51st Fighter Wing (51 FW) Osan AB, Korea. Ensure all records generated as a result of processes prescribed in this publication adhere to Air Force Instruction (AFI) 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with (IAW) the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System. Refer recommended changes and questions about this publication to the office of primary responsibility (OPR) using the DAF Form 847, *Recommendation for Change of Product*; route DAF Form 847 from the field through the appropriate functional chain of command.

SUMMARY OF CHANGES

This document has been revised and should be completely reviewed. Changes include updating the Records Management Statement in the opening paragraph to reflect that Air Force Manual (AFMAN) 33-363, *Management of Records*, has been superseded by AFI 33-322, clarifying communication lines by adding the 51st Maintenance Group (51 MXG) Director as the coordinator during contingency operations, and adding a list of office symbols used within the publication to **Attachment 1**.

1. General: 3
2. 51st Operations Group Responsibilities: 3
3. Facility Manager Responsibilities: 4
4. 51st Maintenance Operations Flight Responsibilities: 5
5. Shelter User Responsibilities: 6
6. Shelter Vacating Procedures: 7

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 8

Attachment 2—EXAMPLE USER SHELTER STORAGE REQUEST 10

Attachment 3—EXAMPLE USER SHELTER CLEANOUT PLAN 12

Attachment 4—AIRFIELD PARKING DIAGRAM 13

1. General:

1.1. The purpose of this instruction is to ensure aircraft shelters are available for reception and beddown of forces deploying to Osan Air Base during peacetime or contingency operations IAW the Osan Base Support Plan (BSP). This will be accomplished by peacetime shelter users who are required to clean out their facilities when directed. For the purposes of this publication, "shelter" encompasses HASs, revetments, hangars and unprotected parking spaces within the A-Diamond, B-Diamond, C-Diamond, and Draggin's Lair, as indicated in **Attachment 4**.

1.2. The following instructions do not transfer or negate the responsibility of designated facility managers to monitor or maintain facilities IAW DAFI 32-1001, *Civil Engineer Operations.* Facility managers will continue all normal responsibilities despite approved storage requests within a shelter.

1.3. The 51st Fighter Wing Commander (51 FW/CC) will initiate the shelter cleanout upon notification of inbound deployed forces or when otherwise deemed necessary. The initiation will disseminate through the 51st Operations Group (51 OG) Mission Coordinator or through the 51st Operations Support Squadron Director of Operations (51 OSS/DO).

1.4. These procedures are executed and monitored by the 51 OSS/DO during peacetime operations and the 51 OG Mission Coordinator during contingency operations. Any associated reporting will flow through the same channels.

1.5. 51st Maintenance Group (51 MXG) units are allocated specific parking spaces designated in BSP II, Chapter 8. The scope of cleanout responsibility for those parking spaces extends only to the ability of 51 MXG units to consolidate all aircraft and equipment within those spaces. No additional procedures are required unless 51 MXG aircraft or equipment extends beyond the designated parking spaces. If additional space is required, the procedures within this instruction delineate the process for acquiring space and executing a cleanout.

1.6. Aircraft shelters without facility managers (revetments/unprotected parking) and those that lie outside of the 51 MXG designated spaces require 51 OSS/DO approval prior to use by utilizing the procedures within this instruction.

1.7. Agencies requesting utilization of 51 MXG designated parking spaces require approval from 51st Maintenance Group Deputy Commander (51 MXG/CD) prior to use by utilizing the procedures within this instruction.

2. 51st Operations Group Responsibilities:

2.1. 51 OSS/DO maintains the BSP II Chapter 8 parking plan IAW evolving contingency operation requirements.

2.1.1. 51 OSS/DO (or 51 OG Mission Coordinator) will:

2.1.1.1. Coordinate execution of the shelter cleanout plan with 51 MXG/Maintenance Group Programs (MXOP) during peacetime operations or with the 51 MXG Director during contingency operations upon 51 FW/CC initiation.

2.1.1.2. Monitor shelter cleanout progress, directing resources in order of precedence if required.

2.1.1.3. Relay inbound timeline to 51 OG Combat Catch.

2.1.1.4. Initiate 51 OG Combat Catch inspection of applicable shelters after completion of shelter cleanout, allowing a minimum of six hours for inspection.

2.1.1.5. Report cleanout progress, inspection progress, and Combat Catch status to the 51 FW/CC.

2.2. 51OG Combat Catch will:

2.2.1. Verify shelter cleanout is executed IAW BSP II Chapter 8 requirements.

2.2.2. Complete a cleanout inspection no later than (NLT) 48 hours after Prepare to Deploy Order (PTDO) or 48 hours prior to arrival of inbound forces, whichever is later.

2.2.3. Report inspection results/discrepancies to 51 OSS/DO or 51 OG Mission Coordinator.

2.2.4. If required, request shelter inspection assistance from 51 OSS/DO or 51 OG Mission Coordinator.

2.3. 51 OSS/Airfield Management (OSAA) will:

2.3.1. Report inbound flight plan timelines to 51 OSS/DO or 51 OG Mission Coordinator.

2.3.2. Assist 51 OG Combat Catch in shelter inspections if directed by 51 OSS/DO or 51 OG Mission Coordinator.

2.3.3. After cleanout, ensure airfield is ready for reception IAW AFMAN 11-218, *Aircraft Operations and Movement on the Ground*.

2.3.4. Report airfield discrepancies to 51 OSS/DO or 51 OG Mission Coordinator.

3. Facility Manager Responsibilities:

3.1. Facility managers maintaining responsibility of shelters indicated in **Attachment 4** will:

3.1.1. Monitor and maintain facilities IAW DAFI 32-1001, despite any approved Shelter Storage Request (**Attachment 2**).

3.1.2. Ensure the shelter remains clear and ready for aircraft reception at all times. If a shelter is designated a parking spot for 51 MXG within BSP II, Chapter 8, 51 MXG may use the shelter as desired, provided all 51 MXG aircraft reside within the designated spots.

3.1.3. If an agency requests the storage of equipment within a shelter, direct the using agency to 51 MXG/MSOP and this instruction for initiation of a Shelter Storage Request (**Attachment 2**) and Shelter Cleanout Plan (**Attachment 3**).

3.1.4. If a storage request is approved, maintain a copy of the approved Shelter Storage Request (**Attachment 2**) and Shelter Cleanout Plan (**Attachment 3**).

3.1.5. Assist 51 MXG/MSOP in ensuring users re-submit/update Shelter Storage Requests (**Attachment 2**) and Shelter Clean out Plans (**Attachment 3**) semi-annually, NLT 31 January and 31 July.

3.1.6. If required, provide a Signed DAF Form 1297, *Temporary Issue Receipt,* to 51 MXG/MSOP, transferring responsibility of permanently assigned shelter equipment to the using agency.

3.1.7. Maintain current contact information for shelter users. If contact information changes, immediately notify 51 MXG/MSOP.

4. 51st Maintenance Operations Flight Responsibilities:

4.1. The following responsibilities are strictly for developing a central point for all Shelter Storage Requests. No shelter responsibilities are transferred to 51 MOF from facility managers or owning agencies. For example: Building 1187 is currently owned by the 51 OSS. If an outside agency desires storage within 1187, the storage request will flow through 51 MOF for approval by the 51 OSS/DO (reference **paragraph 1.6**.). Once approved, the storage request and associated documents will be stored by 51 MOF for central accountability purposes. The 51 OSS facility manager still maintains all responsibility in regard to building 1187, including maintaining a copy of the storage request information. However, 51 MOF will serve as a central agency maintaining situational awareness on required resources to execute a shelter cleanout of the shelters designated in **Attachment 4**.

4.2. 51MXG/MSOP maintains accountability (not responsibility) for the use of the A-Diamond, B- Diamond, C-Diamond, and Draggin's Lair as designated in **Attachment 4**. If a shelter designated in **Attachment 4** is outside the scope of 51 MXG facility managers, accountability in this sense is merely a record keeping function. The purpose of maintaining a central record keeping function is to ensure all facility managers and associated agencies utilizing shelters for storage are easily contacted for cleanout execution by a single agency.

4.3. 51MXG/MSOP will:

4.3.1. Acquire Shelter Storage Request approval from 51 MXG/CD for 51 MXG designated parking locations or from 51 OSS/DO for all other shelters (including revetments and open parking spaces). Only the spots designated in **Attachment 4** require approval.

4.3.2. Maintain a current list of users in each shelter identified in **Attachment 4**. If a facility isn't being used or there is no active storage, no documentation is necessary (with the exception of maintaining awareness that the shelter isn't occupied).

4.3.3. Store, file, and maintain the following documentation for each occupied shelter:

4.3.3.1. Current Shelter Storage Request (**Attachment 2**), produced by the shelter user.

4.3.3.2. Current Shelter Cleanout Plan (**Attachment 3**), not to exceed 24 hours for execution, produced by the shelter user.

4.3.3.3. If required, provide a signed DAF Form 1297, transferring responsibility of permanently assigned shelter equipment from the facility manager to the shelter user, produced by the facility manager.

4.3.4. Provide a copy of the User's Shelter Cleanout Plan to 51 MXG Emergency Support Function (ESF) representative when requested.

4.3.5. Advise users in the coordination and processing of work orders with 51 Civil Engineering Operations Directorate Electric and Mechanical Branch (51CE/CEOER) Customer Service Operations (CSO). This function is merely directing users to CSO or the owning agency facility manager when work orders are required.

4.3.6. Ensure users re-submit/update Shelter Storage Requests (**Attachment 2**) and Shelter Clean out Plans (**Attachment 3**) semi-annually, NLT 31 January and 31 July.

4.3.7. Maintain a consolidated list of required personnel, equipment, and support elements to complete the entire shelter cleanout. This encompasses all shelters which have approved Shelter Storage Requests designated in **Attachment 4**.

4.3.8. Upon direction from the 51 OSS/DO or 51 OG Mission Coordinator, 51 MXG/MSOP or 51 MXG Director will notify shelter users to execute the shelter cleanout as indicated in the stored Shelter Cleanout Plan (**Attachment 3**). Utilize the owning agency facility manager or Squadron Unit Control Centers (UCCs) as required.

5. Shelter User Responsibilities:

5.1. Requests for use will be submitted to 51 MXG/MSOP by using **Attachment 2** (Shelter Storage Request). All fields will be completed or request will be denied.

5.2. Using agency will provide the following to 51 MXG/MSOP prior to occupation:

5.2.1. Copy of training verification for all personnel authorized to operate HAS doors, as applicable. Contact 51 MXG/Maintenance Training Section (MXOT) to schedule HAS Door Training.

5.2.2. A shelter cleanout plan by using **Attachment 3**.

5.2.3. A copy of the using agency door access key or lock combination.

5.2.4. Signed DAF Form 1297, which transfers responsibility of the permanently assigned shelter equipment (Note: Permanent HAS equipment will not be removed or disassembled. HAS door motor key will not be removed from the facility).

5.3. Users will:

5.3.1. Revalidate shelter use requests with 51 MXG/MSOP and owning agency facility manager semi-annually or whenever changes occur. Revalidation will be completed NLT 31 January and 31 July.

5.3.2. Perform and document periodic facility inspections IAW 51 CE *Facility Manager Handbook*, section 3. Maintain inspection results and immediately report any discrepancies that impact ability to use shelter(s) for either peacetime or contingency operations to 51 MXG/MSOP and owning agency facility manager.

5.3.3. Coordinate all Civil Engineer (CE) work requests through the building facility managers identified in the Shelter Storage Request (**Attachment 2**) except for emergency repair calls. Emergency repair calls will be called in directly to CE CSO. At the next earliest opportunity, information on emergency calls will be provided to 51 MXG/MSOP and owning agency facility manager.

5.3.4. Maintain cleanliness and Foreign Object Damage (FOD) standards IAW DAFI 21-101, *Aircraft and Equipment Maintenance Management*, Chapter 11.8 Foreign Object Damage (FOD) Prevention Program.

5.3.5. If contact information changes, immediately notify 51 MXG/MSOP and owning agency facility manager.

5.4. If shelter users are comprised of deployed forces IAW BSP II Chapter 8, all requirements within this publication apply with the exception of User Storage Requests and User Shelter Cleanout Plans.

6. Shelter Vacating Procedures:

6.1. 51 OSS/DO or 51 OG Mission Coordinator will initiate execution of the shelter cleanout plan with 51 MXG/MSOP or 51 MXG Director when directed by the 51 FW/CC.

6.2. A list of resources required for cleanout will be consolidated by 51 MXG/MSOP or by the MXG Wing Operations Center (WOC) Group Control Center (GCC) through the Squadron UCCs and briefed to the 51 OSS/DO or 51 OG Mission Coordinator. Allocation of resources will be prioritized by the 51 OSS/DO or 51 OG Mission Coordinator if required.

6.3. In peacetime operations, 51 MXG/MSOP (or in contingency operations, the MXG WOC GCC) will expeditiously notify users to vacate assigned shelters IAW the submitted Shelter Cleanout Plan (**Attachment 3**). Any user unable to comply with the actions presented in the Shelter Cleanout Plan will be relayed to the 51 OSS/DO or 51 OG Mission Coordinator.

6.4. Users will provide updates every 3 hours to their squadron UCC until completion. Each using squadron UCC will up-channel cleanout status to their appropriate Emergency Operations Center (EOC) ESF representative.

6.5. The using organization EOC ESF representative will channel all 3-hour status updates through the 51 MXG Director and to the 51 OG Mission Coordinator.

6.6. If the UCC and/or EOC isn't stood up, 3-hour cleanout status updates will be channeled to the 51 OSS/DO.

6.7. 51 OSS/OSAA will notify the 51 OG Mission Coordinator of inbound forces.

6.8. The 51 OG Mission Coordinator will relay expected timelines of inbound forces to 51OG Combat Catch.

6.9. 51 OG Combat Catch will conduct shelter inspections and provide reception updates to the 51 OG Mission Coordinator after each completed reception.

6.10. The 51OG Mission Coordinator will brief the 51 FW/CC as required.

RYAN B. LEY, Colonel, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

DAFPD 10-2***,*** *Readiness*, 17 June 2026

AFI 33-322, *Records Management and Information Governance Program*, 23 March 2020

DAFI 21-101, *Aircraft and Equipment Maintenance Management*, 20 December 2023

DAFI 32-1001, *Civil Engineer Operations,* 27 February 2025

AFMAN 11-218, *Aircraft Operations and Movement on the Ground*, 5 April 2019

Osan Base Support Plan (BSP) II, 24 August 2024

51st Civil Engineer Squadron Facility Manager Handbook, 1 January 2026

Adopted Forms

DAF Form 847, *Recommendation for Change of Product*

DAF Form 1297, *Temporary Issue Receipt*

Abbreviations and Acronyms

51 FW—51st Fighter Wing

51 MXG—51st Maintenance Group

51 OG—51st Operations Group

AB—Air Base

AFI—Air Force Instruction

AFMAN—Air Force Manual

BSP—Osan Base Support Plan

CE—Civil Engineer

CSO—Customer Service Operations

DAFPD—Department of the Air Force Policy Directive

EOC—Emergency Operations Center

ESF—Emergency Support Function

FOD—Foreign Object Damage

GCC—Group Control Center

HAS—Hardened Aircraft Shelter

IAW—In Accordance With

MXG—Maintenance Group

NLT—No Later Than

OPR—Office of Primary Responsibility

PTDO—Prepare to Deploy Order

RDS—Records Disposition Schedule

UCC—Unit Control Center

WOC—Wing Operations Center

Office Symbols

51 CES/CEOER—51st Civil Engineer Operations Directorate Electric and Mechanical Branch

51 FW/CC—51st Fighter Wing Commander

51 MXG/MXOP—51st Maintenance Group Programs

51 MXG/MXOT—51st Maintenance Group Training Section

51 MXG/CD—51st Maintenance Group Deputy Commander

51 OSS/DO—51st Operations Support Squadron Director of Operations

51 OSS/OSAA—51st Operations Support Squadron Airfield Management

Attachment 2

EXAMPLE USER SHELTER STORAGE REQUEST

Figure A2.1. Example User Shelter Storage Request.

(Insert Unit Letter Head)

MEMORANDUM FOR 51 MXG/MSOP

FROM: (*Insert Using Agency)*

SUBJECT: Shelter Storage Request

1. We are requesting the storage of the following equipment: (*Insert equipment list)*

2. Expected Storage Dates: (*Insert Requested Storage Dates)*

3. Shelter Cleanout Plan is attached. *(Attach Shelter Cleanout Plan)*

4. The following personnel are the building managers and unit POCs:

Building Managers			
Rank Last, First	Phone Number	Email Address	DEROS
Using Agency POCs			
Rank Last, First	Phone Number	Email Address	DEROS

5. We have the following HAZMAT storage request: (*Insert HAZMAT list)*

6. Door access combination: (*Insert access combination)*

7. A copy of any physical door key will be stored with 51 OSS/DO.

8. No permanent shelter equipment will be moved, disabled or tampered with. Door motor keys will not be removed from the facility.

9. This request will be renewed semi-annually NLT 31 January and 31 July.

(Insert Signature Block)

1st Ind, *(51 OSS/DO or 51 MXG/CD)*

MEMORANDUM FOR *(Insert Using Agency)*

Concur/Non-concur

(Insert 51 OSS/DO or 51 MXG/CD Signature Block)

Attachment 3

EXAMPLE USER SHELTER CLEANOUT PLAN

Figure A3.1. Example User Shelter Cleanout Plan

(Insert Unit Letter Head)

MEMORANDUM FOR 51 MXG/MSOP

FROM: *(Insert Using Agency)*

SUBJECT: *(Assigned Shelter)* Cleanout Plan

1. The following equipment is required to complete the shelter cleanout within 24 hours:
(Insert required equipment)
2. Required equipment will be sourced from: *(Insert equipment source and POC)*

3. The number of personnel required for the shelter cleanout: *(Insert number of personnel)*

4. Required personnel will be sourced from: *(Insert personnel source and POC)*

5. The following support elements are required to complete the shelter cleanout within 24 hours:

(Insert elements as applicable)

6. Required support elements will be sourced from: *(Insert support element source and POC)*

7. Expected time for vacating shelter upon notification: *(Insert hours, not exceeding 24 hours)*

8. Stored equipment will be moved to the following location: *(Insert location)*

9. The following actions will ensure cleanout is completed within 24 hours: *(Insert actions)*

10. Responsibility of the assigned shelter will not be relinquished until all non-permanent equipment is removed and final cleanout inspection is completed by 51 OG Combat Catch or designated representative.

(Insert Signature Block)

1st Ind, *(51 OSS/DO or 51 MXG/CD)*
MEMORANDUM FOR *(Insert Using Agency)*
Concur/Non-concur

(Insert 51 OSS/DO or 51 MXG/CD Signature Block)

Attachment 4

AIRFIELD PARKING DIAGRAM

A4.1. The following diagrams indicate the parking locations which require accountability as described in this instruction. The parking spots are indicated by circles over the position.

Figure A4.1. Alpha Diamond.




Figure A4.2. Bravo Diamond



Figure A4.3. Bravo Diamond Flows




Figure A4.4. Charlie Diamond




Figure A4.5. Draggin's Lair

