BY ORDER OF THE COMMANDER
AIR FORCE MATERIEL COMMAND

AIR FORCE MATERIEL COMMAND
MANUAL 23-102

19 NOVEMBER 2025

Materiel Management

COMPUTATION OF REQUIREMENTS FOR EQUIPMENT ITEMS

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: This publication is available for downloading or ordering on the e-Publishing website at www.e-Publishing.af.mil.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: USAF/HQ AFMC/A4RM
Certified by: HQ AFMC/A4R
Supersedes: AFMCMAN 23-102, 10 June 2021
Pages: 61

This manual implements Department of the Air Force Policy Directive (DAFPD) 23-1, *Supply Chain Materiel Management*. This manual applies to the Inventory Management Specialists (IMS), Equipment Specialists (ES), Production Management Specialists (PMS), Logistics Managers (LM), and Program Managers (PM) at all Air Force Materiel Command (AFMC) and United States Space Force (USSF) field units, except for Aerospace Maintenance and Regeneration Group and the United States Air Force (USAF) Medical Center, Wright-Patterson Air Force Base (AFB). This publication does not apply to the Air Force Reserves (AFR) and Air National Guard (ANG) units. Ensure that all records created as a result of processes prescribed in this publication are maintained in accordance with (IAW) Air Force Instruction (AFI) 33-322, *Records Management and Information Governance Program*, and disposed of IAW Air Force Records Information Management System Records Disposition Schedule. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using DAF Form 847, *Recommendation for Change of Product*; route DAF Forms 847 from the field through the appropriate functional chain of command using the following MANDATORY HQ AFMC Logistics Readiness Division (A4R) e-DAF Form 847 submission process. Centers will assign a primary and alternate POC to populate the HQ AFMC/A4R Publications Management SharePoint, to include attaching a digitally signed DAF Form 847 with Sections 1 and 2 completed by the submitting organization leadership and Center LG respectively. Status will be obtained from the HQ AFMC/A4R Publications Management SharePoint. Non-AFMC organizations will submit recommended changes and questions concerning this publication via email to the OPR HQ AFMC Supply Chain Management Branch (A4RM) using DAF Form 847. The authorities to waive wing and unit level requirements in this publication are identified with a tier number ("T-0, T-2 or T-3") following the compliance statement. See Department of the Air Force Manual (DAFMAN) 90-

161, *Publishing Processes and Procedures*, for a description of the authorities associated with the Tier numbers. Submit requests for waivers using Department of the Air Force (DAF) Form 679, *Department of the Air Force Publication Compliance Item Waiver Request/Approval*, through the chain of command to the appropriate Tier waiver approval authority, or alternately, to the Publication OPR for non-tiered compliance items. All requests for waiver must be approved by the publication OPR prior to implementation. Copies of all approved waivers will be provided to HQ AFMC Mission Readiness Branch (A4RX), to include waivers approved against the basic publication. This publication may be supplemented at any level, but all supplements must be routed to HQ AFMC/A4RM for coordination prior to certification and approval. Finally, in those instances where this manual delegates a program/responsibility to a lower-level organization, that delegation includes the Pertinent Oversight Authority responsibilities as outlined in Department of the Air Force Instruction (DAFI) 90-302, *The Inspection System of the Department of the Air Force*, and corresponding AFMC Supplement.

SUMMARY OF CHANGES

This manual removes the Air Force Nuclear Weapons Center, replaces the Logistics, Installations, and Mission Support-Enterprise View Major Command (MAJCOM) Equipment Requirement Reference Table with the Basing and Logistics Analytics Data Environment (BLADE) Equipment Criticality Reference Table, and adds additional procedures governing the use of the Enterprise Logistics Management System (ELMS), formerly the Defense Property Accountability System, in conjunction with the interim requirements computation database.

Chapter 1—GUIDANCE AND RESPONSIBILITIES 5

1.1. Applicability. 5
1.2. Purpose. 5
1.3. Authority. 5
1.4. Type of Items. 6
1.5. Equipment Control. 6
1.6. Computation Purpose. 6
1.7. Computation Cycles. 7
1.8. Product Retention. 7
1.9. Requirements Management. 8
1.10. File Maintenance. 8
1.11. Index of Actions. 8
1.12. Recommended Work Sequence for Scrubbing Computations. 9
1.13. Responsibilities: 9
1.14. Inventory Management Specialists (IMS), Logistics Manager (LM)/Program Manager (PM) and Equipment Specialist (ES) Relationship. 15

1.15. Management by Item and by Weapon/Support System. 15
1.16. Management Team Intervention. 15
1.17. Requirements Data. 16
1.18. Asset History. 16
1.19. Asset Data. 16
1.20. Program Data. 17
1.21. Support Levels. 17
1.22. Backorders. 19
Table 1.1. Advice Codes. 19
1.23. Initial Requirements for Support Equipment. 20
1.24. Requirements Formula. 20
1.25. Materiel Repair. 20
1.26. Unit Price. 20
1.27. Training. 20
1.28. Quality Control. 20
1.29. Cataloging and Item Identification. 20
1.30. Item Peculiarities. 21
1.31. Use of Replenishment Funds. 21

Chapter 2—DATABASE PRODUCTS 22

2.1. Database Products. 22
2.2. Interim Computation. 22
Figure 2.1. Interim Computation Output. 23
Table 2.1. Interim Computation Number Description. 24
Table 2.2. Asset Application Hierarchy. 29
2.3. Funded On Order Table. 30
2.4. On Work Order Table. 30
2.5. Additive Table. 30
Table 2.3. Type Requirement Codes. 31
2.6. Notepad Table. 33
2.7. Termination Listing. 33
Table 2.4. Termination Codes. 34
2.8. Retention Listing. 35
2.9. Disposal Listing. 36

2.10. Requirements Planning List. 36
2.11. Redistribution Listing. 36
2.12. Repair Execution Listing. 36
2.13. Mechanical Additive Listing. 36
2.14. IMS Input Additive Listing. 36
Chapter 3—EQUIPMENT REPAIR REQUIREMENTS DETERMINATION 37
3.1. Purpose. 37
3.2. Overview. 37
3.3. Basis. 37
3.4. Equipment Repair Requirement (ERR) Database. 37
3.5. National Stock Number (NSN) baseline. 38
3.6. Production Management Specialist (PMS) Worksheet. 38
3.7. Inventory Management Specialist (IMS) Review. 38
3.8. Logistics Manager Review. 39
3.9. Repair Integrated Product Team (IPT). 39
3.10. Inventory Management Specialist (IMS). 39
3.11. Production Management Specialist (PMS) Review. 39
3.12. Production Management Specialist (PMS) Changes. 40
3.13. Equipment Repair Requirement (ERR) OPR. 40
3.14. Logistics Manager (LM)/Program Manager (PM) Projection. 40
3.15. Repair Requirements. 40
3.16. 404 SCMS/GULA—Integration Support Review. 40
3.17. Air Force Life Cycle Management Center (AFLCMC) Program Office Review. 41
Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 42
Attachment 2—SIGNATURE LEVEL OF EQUIPMENT COMPUTATION REQUIREMENTS, TERMINATIONS, EXCESS, & RETENTION 48
Attachment 3—INTERIM FILE MAINTENANCE CHECKLIST AND STEP-BY-STEP GUIDE 50
Attachment 4—EQUIPMENT REPAIR REQUIREMENT WORKSHEET BREAKDOWN 54
Attachment 5—EQUIPMENT REPAIR REQUIREMENT (ERR) WORKSHEET CHECKLIST 60

Chapter 1

GUIDANCE AND RESPONSIBILITIES

1.1. Applicability. This manual applies to HQ AFMC, the Air Force Sustainment Center (AFSC), the Air Force Life Cycle Management Center (AFLCMC), DAF Cryptologic & Cyber Systems Division (AFLCMC/HNC) at Lackland AFB, and personnel responsible for development, adjustment, computation, review, and approval of requirements for end item equipment items and management actions that result from those requirements.

1.1.1. AFLCMC/HNC will follow the Interim Computation guidance provided in this manual with the exception of the Equipment Repair Requirement (ERR) process.

1.1.2. Security Assistance Programs (SAP) will follow locally developed procedures. SAP retention requirements will apply as identified in **Chapter 2.**

1.1.3. Classified programs/Special Access Programs satisfy the computation requirements in this manual by processes identified within their program activity.

1.2. Purpose. This manual implements the Interim Requirements Computation database and provides basic guidelines for computing requirements for equipment items.

1.2.1. Equipment items are separate, primary end items (other than the weapon system itself) needed by an individual or organization to perform an assigned mission. Equipment items are known by many terms (end items, replacement items, automatic test equipment, etc.) and are items that normally do not lose their identity when in use. They are easily identified by their Expendability, Recoverability, Reparability, Category (ERRC) codes of NF and ND.

1.2.1.1. NF (ERRC "U") = non-expendable, reparable (field level), recoverable (repair and reuse).

1.2.1.2. ND (ERRC "S") = non-expendable, reparable (depot level), recoverable.

1.2.2. All centrally acquired ND and NF items, common and peculiar, standard and developmental must be included in the database except: Federal Supply Classification (FSC) 8115 and 8145 with a Materiel Management Aggregation Code (MMAC) of AN, AP, AS, CN, PQ, or TE (engine containers); FSC 3510 (laundry and dry cleaning equipment); MMAC PU, XV, XW, XX, XY and XZ; and all Budget Code (BC) V National Stock Numbers (NSN).

1.2.3. This manual only addresses equipment item requirements that are assigned an ERRC "S" or "U", Procurement Source Code (PSC) 5, and Source of Supply (SOS) codes FGZ (Hill AFB) FHZ (Tinker AFB), FLZ (Robins AFB), and FPD (San Antonio AFB).

1.2.4. Maintenance Division (MD) requirements, identified by the Organizational Identifier 'DMIF' in the PA Master Data record, are included in the Support Equipment (SE) requirements computation but require outside funding provisions for purchase/repair.

1.3. Authority. The 404 Supply Chain Management Squadron (SCMS) and AFLCMC act as the SE functional OPR for equipment requirements and procedures under their purview. The 404 SCMS and AFLCMC are comprised of Requirements Control Officers (RCO) and Equipment OPRs, respectfully. Henceforth, any reference to these entities will encompass one or more of these functions.

1.4. Type of Items.

1.4.1. Other criteria include Automatic Test System, missile (Budget Program [BP] 22) SE, weapon (BP35) SE, and SE peculiar to the Program Executive Office, as well as a specific list of items from the Office of the Secretary of Defense.

1.4.2. The following central procurement appropriations will be used to procure investment SE. Refer to DAFMAN 65-604, *Appropriation Symbols and Budget Codes (Fiscal Year 2025)* for specific criteria and eligibility requirements. **Note:** DAFMAN 65-604 is updated annually to reflect the current fiscal year.

1.4.2.1. Appropriation 3010: Aircraft Procurement.

1.4.2.2. Appropriation 3011: Procurement of Ammunitions.

1.4.2.3. Appropriation 3020: Missile Procurement.

1.4.2.4. Appropriation 3080: Other Procurement

1.4.2.5. Appropriation 3600: Research, Development, Test and Evaluation (RDT&E).

1.5. Equipment Control. The DAF Equipment Management process will require support by systems that perform the majority of the functions or provide the majority of the data required for equipment requirements. ELMS is designated as the Department of the Air Force Accountable Property System of Record for Class VII general support equipment. The Interim Requirements Computation compiles data from ELMS, BLADE, Item Manager Wholesale Requisition Process (D035A), Commercial Asset Visibility - Air Force (CAV AF), Contracting Information Data System (CIDS) (J018R), Integrated Logistics System-Supply (ILS-S) and the Global Asset Reporting Tool (GART) report (applicable to pallets and nets items only) into output products that maximize material support.

1.5.1. ELMS provides audit trail accounting for all DAF equipment assets at retail locations and houses authorization/asset data, while D035A provides audit trail capability for all DAF equipment assets not reporting in ELMS.

1.5.2. The MAJCOM will convey urgency of need for critical requirements to the IMS for coordination with the applicable program office to determine how the requirement will be satisfied. The IMS will convey support plans and problems to the applicable program office and/or MAJCOM.

1.6. Computation Purpose.

1.6.1. Economic Consideration. Consistent with DAF policy, the Interim Requirements Computation database is designed to ensure the best materiel support readiness and operational capability at minimum expense. This is done by combining minimum essential authorization data with maximum useable asset data to determine a realistic net item requirement. Requirements are first prioritized utilizing the Uniform Materiel Movement and Issue Priority System (UMMIPS). Further prioritization utilizes marginal analysis methodologies, along with inputs from Council of Colonels, MAJCOMs, and applicable program office(s). Consideration is given to multiple, complex influences to develop a prioritization sequence to ensure optimum use of economic resources. Although all of the techniques used in the computation are not discussed in this manual, some of the more prominent economic considerations are:

1.6.1.1. Use of precisely screened, edited, and updated minimum essential authorization data reported by 440 Supply Chain Operations Squadron through ELMS.

1.6.1.2. Economic application, alignment, and allocation of useable assets which takes into consideration the item preferred, cost, location, need date, priority of user, and condition of asset.

1.6.1.3. Incorporation of multiple or integrated management concepts to simultaneously develop acquisition plans, budget estimates, interservice utilization and disposition data, requirements inventory analysis reports, candidates for contract termination, retention levels, disposal quantities, and master repair schedule data.

1.6.1.4. Use of the BLADE Equipment Criticality Reference Table, also referred to as the Criticality Reference Table, provides the baseline prioritization of equipment requirements used by MAJCOMs to assess criticality.

1.6.2. Management and Support Decisions. The computation is only one of the segments associated in the equipment management process. The computation is generally the basis for decisions and actions used by most IMSs when they are determining item net requirements and providing input to the program office's procurement plans and budget estimates.

1.6.2.1. The computation provides data for management decisions pertaining to: contract termination; disposal and retention quantities; support capability studies; and item management controls, reports, and asset distribution. The IMS uses all aspects of data reflected in the computation to determine item management control actions and the degree of support for current, new, or future requirements.

1.6.2.2. Supply Assistance Requests (SAR). The Integrated Product Team (IPT) will receive SARs, vetted through the appropriate functional area manager, for consideration when determining how best to allocate current and future assets. SARs do not change placement within D035A/Asset Distribution List (ADL).

1.7. Computation Cycles. The equipment item requirements computation is accomplished semiannually each Fiscal Year (FY) with the "as of" dates 31 Mar and 30 Sep. Each cycle consists of three snapshots where data is refreshed: Initial, Update, and Final. This allows managers to see updated computation results throughout the cycle as newer data becomes available.

1.8. Product Retention. The IMS must retain the March and September computations, related products, and supporting documentation for the current cycle plus four cycles of March and September (two-year period). IMSs are not required to retain paper products but are encouraged to instead retain electronic copies of file maintenance actions, documentation, and signed computations. This does not alleviate the need to retain all documentation to support computed requirements or to provide products when requested. The ultimate goal is to minimize the retention of paper products. Examples:

1.8.1. Current March Cycle: Mar 25 Initial/Update/Final—Retain Current Mar 25 cycle (Initial/Update/Final) products plus four cycles: Sep 24 Final; Mar 24 Final; Sep 23 Final; Mar 23 Final

1.8.2. Current September Cycle: Sep 25 Initial/Update/Final—Retain Current Sep 25 cycle (Initial/Update/Final) plus four cycles: Mar 25 Final; Sep 24 Final; Mar 24 Final; Sep 23 Final

1.9. Requirements Management. The requirements computation, while important, is only one of the tools for effective equipment management. The requirements computation database will provide the basis for making many decisions on the total scope of item management efforts; keep requirements computation in the proper perspective; and make a distinction between a factual statement of requirements and the ability to fill these requirements from available resources. Do not adjust the requirements computation to arrive at a preconceived figure; results should be justifiable and supported by documentation, especially in products where data edits have been made.

1.9.1. The equipment IMS will buy the most economical quantity of SE within the computed/authorized requirement that can reasonably be procured to support worldwide support equipment needs. The IMS will work closely with the appropriate contracting personnel to acquire price comparison/evaluation data to support all economical buy considerations.

1.9.2. SE/Equipment Procurement Planning Criteria.

1.9.2.1. Review the buy year, budget year, and out-years requirements to be supported.

1.9.2.2. Consider the firmness of all your requirements by assessing the risk of rapidly changing technology, weapon system reprogramming efforts, unprogrammed requirements, and the current priority for all outstanding equipment requirements.

1.9.3. Replacement program quantities will be bought out as soon as possible, considering total equipment requirement priorities.

1.9.4. The justification and logic to support economic equipment buys and the economic buy quantity will be maintained by the IMS.

1.9.5. Certain types of equipment cannot be procured in economic quantities because of special considerations such as: budget program funding and quantity constraints; unique warehousing; contractor production limitations; military construction projects scheduling; excessive handling and second destination transportation cost, shelf-life considerations; and others; therefore, equipment procurement planning will reflect the evaluation of all known impacts through collaborative effort conducted by the IPT.

1.9.6. SE requirements are procured only against authorizations, but actual buy requirements may be smaller quantities. However, in those situations where economical SE buys can be made, do so. The bottom line is support of mission essential requirements, while also economizing on equipment procurements, whenever it is reasonable and does not negatively impact the DAF enterprise level.

1.10. File Maintenance. The objective of file maintenance is to provide quality products that will integrate the processing of all centrally procured equipment item data. File maintenance of the interim computation will consist of corrections and adjustments to source system data and reference table data that will be maintained, electronically or otherwise, for the computation. File maintenance checklist and guide can be found in **Attachment 3** of this manual.

1.11. Index of Actions. The Index of Actions (IA) summarizes the results of an equipment item computation cycle. Its purpose is to furnish the IMS with a road map as to the sequence in which their computations will be reviewed. The IA can be obtained by accessing the Interim

Requirements Computation database and may be obtained accessed any time after the data is loaded.

1.11.1. NSN Management Level. The IA contains Sub-Group Master (SGM) NSNs which have computed termination, buy, budget, budget +1, excess and/or retention quantities.

1.11.2. Unit Cost Updates. The IMS must ensure that updated unit pricing is cataloged and maintained in all associated systems. Without the accurate unit cost, the computational products will not accurately depict the expected cost of the requirements.

1.12. Recommended Work Sequence for Scrubbing Computations. All computations should be reviewed for any necessary file maintenance actions; however, due to time constraints, the IMS will use the IA, in conjunction with their ADL or D035A Backorder List, to determine a manageable scope of items to be scrubbed and file maintained as applicable. It is recommended that items be scrubbed based on the following categories and in the sequence identified:

1.12.1. Work the SGMs with — Terminations beginning with the item with the most backorders and the highest termination dollar value.

1.12.2. Work the SGMs with — Buys beginning with the item with the most critical/important backorders and the highest Buy dollar value.

1.12.3. Work the SGMs with — Budget only requirements beginning with the most critical/important backorders and the highest Budget dollar value.

1.12.4. Work the SGMs with — Budget +1 only requirement beginning with the most critical/important backorders and the highest Budget+1 dollar value.

1.12.5. Work the SGMs with — Excess requirements beginning with the item with the most backorders and the highest Excess dollar value.

1.12.6. Work the SGMs with — Retention requirements beginning with the item with the most backorders and the highest Retention dollar value.

1.12.7. Review the SGMs in — Optimum position that have backorders. Based on the item's total dollar value on backorder, work these in conjunction with the items computing buys. Applicable signature levels can be found in **Attachment 2** of this manual.

1.13. Responsibilities:

1.13.1. **HQ AFMC/A4RM will:**

1.13.1.1. Develop and institute guidance for computing equipment item requirements.

1.13.1.2. Coordinate changes impacting guidance for determining requirements.

1.13.2. **HQ AFMC Aviation Support Equipment, Maintenance Training, and Depot Policy Branch (A4MY) Council of Colonels will:**

1.13.2.1. Conduct annual review of common aviation equipment requirements.

1.13.2.2. Apply further prioritization inputs to the requirements sequence.

1.13.3. **MAJCOMs will:**

1.13.3.1. Communicate critical needs for common aviation support equipment requirements to AFMC/A4MY (lead command).

1.13.3.2. Coordinate with applicable program office and/or IMS on equipment issues and critical equipment needs.

1.13.4. **The 404 Supply Chain Management Squadron (SCMS) will:**

1.13.4.1. Coordinate and adhere to guidance for determining requirements.

1.13.4.2. Initiate management improvements. Ask for revisions to the database for required improvements. Input all change requests to resolve applicable database problems.

1.13.4.3. Help in resolving any database, system or individual item problem which cannot be solved at the Center level.

1.13.4.4. Provide input for the indoctrination and training of personnel on data input to affect the equipment requirements computation (tables, indexes, etc.) and use of output products. Provide periodic workshops and supplemental materials if necessary.

1.13.4.5. Maintain AFMCMAN 23-102 and forward publication change requests to HQ AFMC/A4RM.

1.13.4.6. Furnish equipment requirement computation input and output schedules to the IMSs.

1.13.4.7. Determine and develop format of input data and output.

1.13.4.8. Verify and update tables, codes, factors, formats, etc. for the equipment requirements computation.

1.13.4.9. Pull Price Update data from external sources, e.g., DAF cataloging system of record (Foundational Logistics IT Enterprise System [FLITES]), Contracting Information Database System (J018R), etc., at least once at the end of each cycle to provide updated price information prior to the start of the next computation cycle.

1.13.4.10. Generate Requirements Planning List biannually.

1.13.4.11. Periodically pull data from equipment data systems, compile and analyze it, and create and publish a report, identifying conflicting data elements.

1.13.4.12. Ensure changes to equipment guidance are coordinated with System or Database Programmers and IMSs.

1.13.5. **Database Programmers will:**

1.13.5.1. Develop and implement database specifications, user's manual and corresponding documentation.

1.13.5.2. Perform detail planning, database design, and machine programming to do phased mechanical computations.

1.13.5.3. Provide database surveillance and conduct training for operations.

1.13.5.4. Verify and update database files.

1.13.6. **Requirements OPR will:**

1.13.6.1. Review procedural instructions received from the 404 SCMS/GULA, ensure understanding, prepare necessary supplemental guidance, and disseminate to the AFSC/AFLCMC RCOs.

1.13.6.2. Ensure guidance is implemented and work with the 404 SCMS/GULA to obtain clarifying information.

1.13.6.3. Perform Semiannual Random Quality Computation Reviews to ensure workforce understands and is complying with the procedural guidance.

1.13.6.4. Provide input for the indoctrination and training of personnel on data input to (tables, indexes, etc.) and use of output products. Provide periodic workshops if necessary.

1.13.6.5. Provide all related information required by the 404 SCMS/GULA (i.e., termination report, etc.).

1.13.6.6. Report any mechanized system problems to the 404 SCMS/GULA.

1.13.6.7. Notify Product Groups of the file maintenance dates for computing equipment repair requirements. OPRs will use the ERR schedule. **Note**: AFLCMC/HNC will follow local ERR guidance.

1.13.6.8. Provide ERR guidance (Robins OPR only).

1.13.6.9. Provide notification to the ERR Database Manager to update ERR database for the current repair cycle (Robins OPR only).

1.13.6.10. Provide the Robins Production Management Officer (PMO) a worksheet from the ERR tool requesting the review and correction of the following data elements: Program Control Number (PCN) /Requirements Control Number (RCN), Source of Repair (SOR), shop flow days, PMS (seller/buyer) codes, and the unit repair cost. Robins OPR will pass the updated worksheet to ERR database manager for inclusion into the ERR database.

1.13.6.11. Send an E-mail reminder (on or about 1 Nov) to the PMO, asking him/her to task the PMSs to complete an AFMC Form 197, *Contractor/Interservice Asset Visibility Report* for applicable NSNs and provide the form to the IMS no later than 1 Dec of each calendar year.

1.13.6.12. Add NSNs for ERR Worksheet generation upon notification from the IMS.

1.13.6.13. Assist IMS in generating ERR Worksheets, via the ERR database, for additional NSNs that have been identified for inclusion into the repair budgeting process.

1.13.6.14. Assist IMS with reviewing and correcting data on the ERR worksheets per IMS request or as a result of an internal review of ERR Worksheets.

1.13.6.15. Coordinate the review of the final ERR data from the ERR database (or other repair requirement computation) to ensure consistency between the finalized ERR Worksheet (or other repair requirement computation) and the budget submission.

1.13.7. **Requirements Control Officer (RCO) will:**

1.13.7.1. Provide all related information required by OPR (i.e., termination report, etc.).

1.13.7.2. Report any mechanized system problems to the 404 SCMS/GULA.

1.13.7.3. Receive the guidelines and the file maintenance schedule for the March and September computation cycles and provide them to the IMS community.

1.13.7.4. Review and sign computations in accordance with signature levels identified in **Table A2.1**.

1.13.7.5. Review and sign the ERR Worksheet upon notification from the IMS within seven working days of receipt.

1.13.7.6. Ensure all appropriate documentation is attached to the worksheets.

1.13.8. **Logistics Manager/Program Manager (LM/PM) will:**

1.13.8.1. Schedule and hold Contract Buy Team meetings for buy list review and maintain meeting minutes.

1.13.8.2. Ensure there is a repair program in place for required NSNs.

1.13.8.3. Ensure that a retention program is in place for requiring NSNs and that the retention program meets the criteria provided in **paragraph 2.8**. Complete and provide IMS with the required Retention Memorandum justifying any retention quantities.

1.13.8.4. Coordinate and sign computation products IAW **Attachment 2** of this manual

1.13.8.5. Coordinate and sign the ERR Worksheet.

1.13.8.6. Schedule and hold Contract Repair Team meetings for required NSNs and maintain meeting minutes.

1.13.8.7. Ensure there is a Source of Repair Assignment (SORA), if required.

1.13.8.8. Ensure a timeline has been created to identify when a SORA will be established/completed.

1.13.8.9. Review and annotate necessary corrections to the ERR Worksheet (or other repair requirement computation), providing appropriate justification for any recommended changes from computed requirement.

1.13.8.10. Provide signature and documentation for any changes.

1.13.8.11. Serve as the Team Lead for the Repair IPT on items computing a repair variance quantity (qty) of +/- 5 from the ERR Worksheet (or other repair requirement computation).

1.13.8.12. Conduct a formal IPT meeting with minutes for all repair requirements where the computed requirements have been altered from the original computed quantity, if the extended dollar value of the repair in any year exceeds $1M.

1.13.8.13. Sign the ERR Worksheet (or other repair requirement computation) per changes from the Repair IPT meeting.

1.13.8.14. Coordinate the final ERR data (or other repair requirement computation) with the PMS to ensure consistency between the finalized ERR Worksheet (or other repair requirement computation) and the budget submission and justify inconsistencies between the ERR Worksheet and Sustainment Planning, Execution, and Reporting System (SPERS) inputs.

1.13.8.15. Update information in SPERS for each computed repair requirement and assign the applicable PCN/RCN.

1.13.8.16. Notify the PMS to initiate repair action upon receipt of repair requirement notification from the IMS.

1.13.9. **Inventory Management Specialist (IMS) will:**

1.13.9.1. Aggregate, review, update, and approve all weapon system input data with regard to completeness and accuracy.

1.13.9.2. Ensure complete and accurate requirements and that asset data are in the requirements computations.

1.13.9.3. Ensure complete documentation of all file maintenance actions and provide copies of documentation for file maintenance actions when required.

1.13.9.4. Collect, analyze, maintain, process, assemble, and submit requirements and asset data.

1.13.9.5. Ensure complete and accurate procurement information is captured on the Electronic Form 318, *National Item Identification Number (NIIN) Item History Record* (E-318) located within J018R and retain until the NSN is permanently deleted.

1.13.9.6. Perform a comprehensive review of the requirements computation and, as required for accuracy and completeness, take action to correct and update the source systems and/or database reference tables when erroneous data exists utilizing the guidelines derived from this manual.

1.13.9.7. Review (and correct if necessary) repair requirements and any other information on the ERR Worksheet (or other repair requirement computation) prior to providing copy to the PMSs. The IMS must include all data on the AFMC Form 197 as provided by the PMS. All reviews and corrections will be completed by cut-off date (to be provided each year by the Center OPR).

1.13.9.8. Consider any additional ERRC "S" items for inclusion into the repair budget. IMSs will notify 404 SCMS/GULA to have them added for ERR Worksheet generation. The IMS must input computation information for the newly listed NSNs as it will not overlay for manually added NSNs. **Note:** These NSNs will then follow the same instructions as pre-loaded NSNs.

1.13.9.9. Ensure that all quantities on the ERR Worksheet (or other repair requirement computation) are accurate and that all worksheets are completed by the cut-off date.

1.13.9.10. Provide the repair requirement computation to the LM/PM for their review when the repair variance of +/-5 (qty). Robins IMS will notify the LM/PM, via E-mail, of the need to review completed ERR Worksheets computing a repair variance of +/-5 (qty).

1.13.9.11. Serve on the Repair IPT for items computing a repair variance of +/-5 (qty) from ERR Worksheet (or other repair requirement computation) and will notify the LM/PM of the need for formal IPT meetings with documented minutes for all repair requirements where the computed requirements have been altered from the original computed quantity if the extended dollar value of the repair in any year exceeds $1M.

1.13.9.12. Obtain the necessary signatures to the ERR Worksheet (or other repair requirement computation).

1.13.9.13. Ensure all required documentation is attached to the ERR Worksheet (or other repair requirement computation).

1.13.9.14. Provide final computation copies with documentation and attain all signature levels; this will be done on an "as completed" basis to avoid bottlenecks close to the suspense date.

1.13.9.15. Provide a final (signed) copy of the ERR Worksheet (or other repair requirement computation) to the PMS by the cut-off date. If changes are made afterwards, an amended copy of the ERR worksheet (or other repair requirement computation) must be provided to the PMS, ensuring signatures are in accordance with amended copies.

1.13.9.16. Retain a copy of ERR Worksheet (or other repair requirement computation) with documentation for two years.

1.13.9.17. The IMS will use the prioritized monthly repair backlog listing to provide an E-mail notification to the LM/PM for repair authorization of a needed requirement.

1.13.10. **Equipment Specialist (ES) will:**

1.13.10.1. Provide the Repair IPT with information regarding replacement methodology, service life, usage, and rates and factors data for individual items, as needed.

1.13.10.2. Assist, review, and collaborate with the IPT to determine replacement requirements.

1.13.10.3. Serve on the Repair IPT for items computing a repair variance of +/- 5 (qty) from the ERR Worksheet (or other repair requirement computation).

1.13.11. **Production Management Specialist (PMS) will:**

1.13.11.1. Complete the contractor asset information on the AFMC Form 197, utilizing data as of 30 Sep and distribute them to the applicable IMS by the established suspense date. Supporting documentation must be attached.

1.13.11.2. Update PCN/RCN, SOR, shop flow days, the unit repair cost, quantities of past production, and quantities that have been previously funded but not delivered for inclusion to the ERR Worksheet (or other repair requirement computation).

1.13.11.3. Review the repair quantities per line item and adjust as necessary based on known or anticipated management production problems that will inhibit or prohibit induction/production of the planned workload. Adjustments made based on this knowledge must be coordinated with the IMS and LM/PM and documented on ERR Worksheet (or other repair requirement computation) specifying the reason for the adjustment.

1.13.11.4. Provide organic production schedule change information.

1.13.11.5. Serve on the Repair IPT for items computing a repair variance of +/- 5 (qty) from the ERR Worksheet (or other repair requirement computation).

1.13.11.6. Serve on the formal IPT required for all repair requirements where the computed requirements have been altered from the original computed quantity if the extended dollar value of the repair in any year exceeds $1M.

1.13.11.7. Sign the ERR Worksheet (or other repair requirement computation) per changes from Repair IPT meeting.

1.13.11.8. File the final copy of the ERR Worksheet (or repair requirement computation) with all required signatures received from the IMS and retain for two years for audit purposes.

1.13.11.9. Execute repair action upon notification from the LM/PM. Determine capability for repair at either a contractor or organic facility and produce a Repair Requirements Document (Robins Only) for signatures and LM/PM/IMS validation of requirement.

1.13.12. **Production Management Officer (PMO) will:**

1.13.12.1. Notify the Repair IPT of ERR (or other repair requirement computation) file maintenance dates and provide guidance.

1.13.12.2. Forward the AFMC Form 197 reminder (provided by the Equipment OPR) to the PMS on or about 1 Nov.

1.13.12.3. Coordinate with Centralized Asset Management (CAM) Requirements Manager (Robins-only). General CAM policy is identified in AFMAN 63-143, *Centralized Asset Management Procedures*.

1.13.12.4. Direct changes received from the budget to be documented and signed on the ERR Worksheet (or other repair requirement computation).

1.13.13. **Centralized Asset Management (CAM) Requirements Manager will:**

1.13.13.1. Notify the LM/PM of file maintenance dates for SPERS.

1.13.13.2. Review the database and notify the PMO of necessary adjustments.

1.13.13.3. Host the budget review.

1.13.13.4. Notify the PMO of final publishing.

1.14. Inventory Management Specialists (IMS), Logistics Manager (LM)/Program Manager (PM) and Equipment Specialist (ES) Relationship. While AFMC functional requirements hold the IMS responsible for adequate and timely support of assigned items, the LM/PM is assigned the same responsibility for individual weapon and support systems, and the ES is assigned the responsibility to ensure the replacement methodologies and service life data are accurate. The IMS is responsible for the aggregation, review, update, and approval of all weapon system input data with regard to completeness and accuracy. The ES is responsible for providing the IMS with the replacement methodology, usage, and life expectancy data to be used in the computation of equipment requirements. Coordination between the IMS, LM/PM and ES is essential to make sure current and future weapon and support systems are fully supported on a timely basis. This coordination prevents the duplication of requirements by LM/PM, IMS, and ES, or by standard database input versus non-standard factors and IMS additive input.

1.15. Management by Item and by Weapon/Support System. To facilitate materiel management actions required by both the IMS and LM/PM, requirements for equipment items are computed to a net by organization, by base, and by MAJCOM. Net requirements, so developed, are shown for each subgroup (computation group) within the Interchangeable and Substitute Group (I&SG).

1.16. Management Team Intervention. The Management Team (LM/PM, ES, IMS, PMS, and buyer) will not consider the mechanical determination of requirements as a perfect mathematical

application and summation of data. Judgment, practical knowledge, and experience acquired by the team members, customer, and manufacturer must be considered in determining valid and justifiable requirements. The management team will use these considerations to analyze and refine quantities generated by database factors, programs, and data elements. The IMS must consider the impact adjustments would have on the requirements computation. All changes to reported data will be completely justified and source documentation supporting these actions retained for as long as the computation is retained.

1.17. Requirements Data. Basic data used in determining gross materiel requirements is:

1.17.1. Authorized Equipment Data. Equipment authorization requirements are identified in AFI 23-101, *Materiel Management Policy* and managed in the ELMS Force Systems Management (FSM) module.

1.17.2. IMS and LM/PM Additive Data. The IMS and LM/PM will retain serviceable and supportable support equipment to fill anticipated unprogrammed requirements with documentation and justification. Rationale for retention of excess assets includes: holding assets for an expected requirement; holding assets to support reclamation program(s); offering assets to other services; or offering assets to Foreign Military Sales (FMS) programs. If this rationale does not apply, the IMS will review the assets for potential disposal action.

1.17.3. Replacement Data. While specific replacement criteria codes and factors will not be utilized in the interim computation, the IMS and ES are jointly responsible for replacement requirements and will closely coordinate their activities in this area. In general, the ES will indicate the replacement methodology to be used. Previously, the replacement methodology indicated the method/procedure that would be used to compute the replacement quantities. For the purposes of the interim computation process, replacement requirements are only generated for replacement additives (Type Requirement Codes (TRC) 13, 40-41, & 92-94). See TRC data in **paragraph 2.5.4** for additional information.

1.17.4. Procurement Lead Time Data. The procurement lead time is used to determine the asset quantity required at the time assets will be ready for delivery. Procurement lead time is a combination of the Administrative Lead Time (ALT) and the Production Lead Time (PLT).

1.17.4.1. ALT for equipment items is normally understood to be the number of days from the procurement document initiation until contract award.

1.17.4.2. PLT for equipment items will be number of days after contract award until the delivery of the first production article.

1.18. Asset History. All acquired assets will be accounted for by the IMS on the E-318.

1.18.1. For reference purposes, the IMS/MM will keep a record of significant acquisition process events for their items using an E-318. Mandatory item contracting history records will be retained utilizing E-318; documentation will be maintained in a location readily available for audits/inspections. The IMS/MM will review the E-318 header information annually for accuracy and currency and update as necessary.

1.18.2. Ensure that the ALT and PLT are recorded in days.

1.19. Asset Data. The computation is calculated at the SGM NSN level. No assets in lower capability computation groups within an ISG will be used to satisfy an authorization within a higher capability computation group unless the user has in-use possession of the asset.

1.19.1. Assets used in determining net materiel requirements: equipment currently in-use by all activities; equipment in the base and depot warehouses; equipment due-in from contractor; and equipment on order or funded.

1.19.2. Only assets identified as DAF assets (determined by ownership/purpose codes) will be considered for inclusion in the requirements computation. For maximum database efficiency, assets will not be placed in specialized accounts unless a firm requirement exists or will exist in the future.

1.20. Program Data. Time-phased programming data used in developing requirements will be based on forecasted data to compute requirements seven years into the future. (Equipment computation will show buy and budget requirements through budget +5 years into the future.

1.21. Support Levels. Non-expendable items are acquired to meet only specific predetermined future requirements, to fill existing shortages, or to replace assets that have been condemned. The requirements computation is intended to take into account all of these conditions. Therefore, stock levels are not authorized except for individual equipment as authorized by AFI 23-101. It is recognized, however, that some circumstances require the inclusion of requirements that are identified outside of the normal data systems. In such cases, the IMS is authorized to develop operating support levels, equipment rotation levels, or positive support levels to be entered into the computation as additive requirements. Written justification to support this authorization will include the method used to calculate and/or determine the quantities. Documentation for equipment support levels will be maintained by the IMS for as long as the additive requirement remains in the computation. The OPR will review and approve all operating support levels. Levels will be approved on an item-by-item basis.

1.21.1. Operating Support Levels. An operating support level is a quantity above the requirement computed by the database to cover unique circumstances involving the acquisition, distribution, or maintenance of an item of support equipment and selected telecommunications and electronics equipment. Since operating support levels involve unique circumstances, no standard method for their computation can be applied. The IMS computes operating support levels with appropriate assistance from the ES, the PMS, or the System Program Manager (SPM). Given the peculiarities of workload, conditions that warrant operating support levels will be determined by center management. Justification for operating support levels across a range of items will be forwarded to 404 SCMS/GULA for approval. An example of a range across a range of items would be several items within an FSC. The following are intended to serve as examples of operating support levels and their method of computation. They are offered as guidelines and are not to be taken as a complete list of all permissible instances, which may be covered by operating support levels.

1.21.1.1. Some cases may arise where factors outside of the database make forecasting accurate requirements difficult or impossible. These cases, when they occur, usually involve base conversions, authorization increases, or new activations to which the database did not have time to react. Under these circumstances, a level equal to the difference between the budget and the buy requirement may be developed. This would allow the IMS to buy the budget requirement. Use of this method would require detailed explanation by the SPM as to why the database was not able to forecast the requirement accurately.

1.21.1.2. A contractually repaired item that will not be inducted for repair during the current FY due to long ALT may also be assigned an operating support level computed

according to the method suggested in **paragraph 1.21.1.1**. This would compensate for any potential lost support due to unserviceable assets awaiting a repair contract. However, repair and subsequent availability of those unserviceable assets may necessitate a reduction of the buy requirement in the subsequent FY.

1.21.1.3. Embedded pieces of equipment are not normally authorized in FSM. Since these items are installed in another piece of equipment, they are authorized only as part of the next higher assembly. However, the IMS may still receive valid requisitions for them. An operating support level may be established to support these requisitions; justification must include an explanation why the higher assembly cannot be provided and why the embedded item cannot be managed as a recoverable component (ERRC "T"). In the event FSM management is required, normal computation procedures will apply.

1.21.2. Equipment Rotation Levels. Field units are occasionally authorized items in small quantities that require periodic overhaul or calibration in shops. If the continual operation of these items is essential to the assigned mission, it may be necessary to set up a small quantity or reserve pool of these items at the prime location for rotation to field units while in-use items are being overhauled or calibrated. Non-expendable components are included.

1.21.2.1. Levels must be based on the time required to return, induct, repair or calibrate, and return an item to the user. Normally, actual experience will be used to develop these pipeline times-reparable in transit days, base processing days, supply-to-maintenance days (if applicable), and serviceable turn-in days (if applicable). For items that have been in the system for less than two years, the ES or PMS may recommend estimated times. In the absence of any of other data, standards that apply to similar equipment may be used. Quantities must also be limited to those extra requirements generated by the peculiar conditions (see **paragraph 1.21.2**) rather than for all DAF activities using the item. Regional location of rotational quantities may be affected if the IPT and using command determine it more economical and responsive.

1.21.2.2. Justification is required and will be documented by the IMS indicating logic used in selecting computing methods used to determine quantities and dollar value of the levels. Rotation levels are not permitted for items that are authorized other types of levels.

1.21.3. Positive Support Levels. Under some circumstances, the IMS may establish a positive support level to assure continued support for certain low-cost items with high rates of issues and condemnations.

1.21.3.1. The primary criterion for selecting candidates for positive support levels is that emergency acquisition may be necessary in the next FY without them. Candidates must also meet all of the following conditions:

1.21.3.1.1. Unit cost must be less than $1,000. **Note**: 404 SCMS/GULA must approve candidates with higher unit costs.

1.21.3.1.2. Requirements must exceed normal increases in authorizations.

1.21.3.1.3. Item must not be subject to other support levels (flight safety or equipment rotations).

1.21.3.2. The IMS will maintain complete justification for all positive support levels. This justification will include the budget program affected, the method used to calculate the quantities, and the dollar value of the level.

1.21.3.3. The OPR will maintain a list of items, by budget program that have been approved for positive support levels.

1.21.3.4. All support levels will be reviewed and validated annually by the IPT.

1.21.4. Stock/Operating Levels. Levels of selected equipment items may be established at base level with the approval of the Accountable Property Officer. Maximum operating levels will be accumulated by NSN by the Department of Defense Activity Address Directory or other means and manually passed to the IMS as additive requirements.

1.22. Backorders.

1.22.1. Backorders are not generally authorized for inclusion in the requirements computation. Backorders with an advice code of 6R, 6S and 62 will be input as replacement additives if they are not otherwise captured in the computation. Any other backorder will be input as an additive only if the IMS can establish that the requirement is valid and has not been otherwise input into the computation. The IMS will review the FSM module to ensure it reflects a corresponding authorization record for the backorder.

1.22.1.1. In order to ensure that only valid backorders are satisfied, the IMS must review FSM and ELMS Property Accountability (PA) data to verify the submitting organization reflects an authorization and, when applicable, a shortage prior to filling a backorder. See **Table 1.1** for a list of advice codes applicable to ERRC "S" and "U".

Table 1.1. Advice Codes.

Code	Explanation
6E	Required to replace an item lost to the equipment management reporting Inventory/Property Accountability; that is, Inventory Adjustment document, and other relief of accountability documents
6G	Required as replacement issue to support an FSM authorization. For usage, a shortage must exist
6H	Required to satisfy shortage resulting from increased FSM authorization subsequent to the last FSM report
6J	Required to satisfy initial shortage previously reported in the FSM report
6Q	Item requires calibration, repair, and return
6R	Complete overhaul of ERRC "S" item required to insure performance, safety or maximum utilization. Replacement item must be available before item can be released
6S	Repair costs for ERRC "U" item exceed economic repair criteria. Operational requirement prevents condemnation until replacement is received
62	Materiel requested is for replacing installed equipment in next higher assembly

1.22.1.2. The IPT will ensure that funding is received prior to fulfilling requisitions submitted for MD requirements.

1.22.2. IMS may use cancellation code FN on invalid backorders. This code informs the requester that the backorder does not match ELMS reporting and appropriate action must be taken by their organizations prior to re-submittal.

1.23. Initial Requirements for Support Equipment. SE requirements are generally identified during the Support Equipment Recommendation Data process. For initial SE common to other programs included in the database, the IMS will review the last computation and latest authorization and asset information from ELMS to determine availability of assets to support the new SE requirement. IMS will also provide the latest procurement information, if available.

1.24. Requirements Formula. Although the internal processing of data required to develop equipment item requirements is quite complex, the basic elements can be reduced to the following oversimplified formula: equipment authorizations applied to projected organization programs; plus additives and replacement requirements; minus total assets (including on-order and funded); equal net shortage or excess.

1.25. Materiel Repair. DAF policy is to repair before buy. The IMS will make sure all suitable reparable assets are scheduled for repair when the computation group has a net requirement at the buy or budget position or has assets due-in from contracting. In such cases, the IMS must analyze the elements making up the requirement to determine the feasibility of amending the materiel repair schedule.

1.26. Unit Price. The unit price is mechanically input from FLITES. This price includes First Destination Transportation (FDT). The IMS will update the unit price through cataloging action.

1.26.1. Contractor Quotes/Estimates. If a more current contractor quote or estimate is received, it will be cataloged in FLITES and annotated on the E-318.

1.26.2. Secondary Inventory Control Activity (SICA) Unit Price Update. If the DAF is the SICA for an item and the Primary Inventory Control Activity (PICA) has not updated the unit price, the IMS will catalog the updated price in FLITES and on the E-318, when source data is available.

1.27. Training. Training all personnel who work with the database is an important contributor to effective equipment management. A formal training program will be developed and carried out locally by each unit's training element for all personnel who assume positions in which requirements computation products are a substantial portion of their workload. Refresher training will be given as the need occurs.

1.28. Quality Control. Each location must set up internal operating procedures to make sure this regulation is effectively carried out.

1.29. Cataloging and Item Identification.

1.29.1. NSNs are assigned in FLITES for most equipment items during the provisioning process for new weapon systems, subsystems or as a result of modification programs. The NSN is then automatically established in D035A and passed through system interfaces.

1.29.2. When it is determined the NSN has become obsolete and requirements no longer exist, action must be taken to dispose of all assets, remove the NSN from all Authorization Identifications, and change Acquisition Advice Code (AAC) to Y (terminal).

1.29.3. A freeze code will prevent the IMS from deleting the NSN from FLITES and the AAC Y will change to an AAC X if the NSN has an authorization or asset is being reported.

1.29.3.1. If the freeze code prevents the NSN from being deleted from FLITES, the IMS must research for reported asset and authorization data to find the reason for the freeze code. The IMS will communicate with appropriate base, system monitor, or authorization manager to have the reporting corrected. After all authorizations and assets have been eliminated from the applicable reporting system, the IMS must contact their freeze code monitor to request freeze code deletion in FLITES. This permits normal cataloging delete action to occur.

1.29.3.2. If the IMS finds, in the negotiation process, that a valid requirement exists for the item, immediate action will be taken to reestablish the NSN as an active item in FLITES.

1.30. Item Peculiarities.

1.30.1. Ground Communication-Electronic-Meteorological (CEM) Equipment. Developmental (peculiar) SE requirements for support of non-weapon system ground CEM equipment will be developed to the extent possible by the procedures in this instruction.

1.30.2. Vehicular Equipment. Vehicle requirements (NSNs cataloged with a BC of "V") will be determined by Vehicle Support Chain Operations Squadron and are excluded from the equipment computation.

1.30.3. Items for Training Purposes.

1.30.3.1. The Air Education and Training Command (AETC) may require equipment items for training purposes. Initial contracting plans for items approved for service, but not previously acquired for other than service test, will include consideration of any requirement for training.

1.30.3.2. The IMS or ES will negotiate with AETC for training requirements for all new and newly configured items. The training requirements will be included in the computation as additives.

1.30.3.3. After acquisition is started, the IMS must advise AETC of final dollars and quantities placed on acquisition so AETC can include these new item requirements on their next system update.

1.31. Use of Replenishment Funds. It is Department of Defense (DoD) policy to fill requirements from within, to include redistribution from other Services, before procuring additional equipment. However, replenishment funds are allowed for procurement when circumstances dictate (see **paragraph 1.4**.).

Chapter 2

DATABASE PRODUCTS

2.1. Database Products. The Interim Requirements Computation database provides input capability and output products which integrate the processing of all centrally procured equipment item data. The database and user manual can be downloaded from the 404 SCMS SharePoint Interim Comp Knowledge Base folder: **https://usaf.dps.mil/sites/22380/404scms/SitePages/Home.aspx**. SharePoint permissions may be required for access.

2.2. Interim Computation.

2.2.1. Purpose. The primary function of the database is to provide defensible buy and budget net requirements for use in procurement plans and budget estimates. Essential elements of this function are:

2.2.1.1. Projection of gross requirements based on current DAF plans and programs at the SGM NSN level. Currently a 7-year projection is used.

2.2.1.2. Application and allocation of available and funded on-order assets according to priorities and other prescribed criteria for projected requirements.


2.2.1.3. Development of net requirements in advance of actual need to permit acquisition and delivery concurrent with or prior to the actual need.

2.2.1.4. Identify potential candidates for termination action or retention. Identify potential excess assets for use in other services or for disposal action.

2.2.2. Sources of Data. Source systems include ELMS FSM, PA, and Inventory Control Point, ILS-S, and BLADE which provides reported authorizations and assets. FLITES provides NSN cataloging data. D035K provides additional asset data for wholesale warehouse assets, on loan assets, and On Work Order (OWO) assets. J018R data generates the Funded On-Order (FOO) table which is editable. The D035A backorder listing provides data for generating additive (replacement backorders, on loan data, etc.), as well as is used in the generation of the Redistribution Listing.

2.2.3. Interim Computation Output. **Figure 2.1** provides a sample interim computation product. See **Table 2.1** for a description of each numbered title.

Figure 2.1. Interim Computation Output.



Interim Computation View

Process Cycle: Sep 2023 -Initial
As of Date: 9/30/2023

1

2 Subgroup Master NSN: 6635013636674RN | 3 MDC: V3N | 4 ES: VS | 5 Nomenclature: TEST SET,ULTRASONIC | 6 ERRC: S | 7 Buy Cost: $18,716.00 | 8 AAC: W

		Buy	Bud	B+1	B+2	B+3	B+4	B+5
9		Buy	Bud	B+1	B+2	B+3	B+4	B+5
10	GROSS REQUIREMENT	854	854	854	854	854	854	854
11	DAF Initial	418	418	418	418	418	418	418
12	ANG Initial	253	253	253	253	253	253	253
13	AFR Initial	94	94	94	94	94	94	94
14	WRM	0	0	0	0	0	0	0
15	Replacements	89	89	89	89	89	89	89
16	Non Retention Additives	0	0	0	0	0	0	0
17	ASSETS	752	752	752	752	752	752	752
18	In Use	667	667	667	667	667	667	667
19	Serviceable Warehouse	18	18	18	18	18	18	18
20	Unserviceable Warehouse	1	1	1	1	1	1	1
21	On Work Order	0	0	0	0	0	0	0
22	Funded on Order	66	66	66	66	66	66	66
23	NET REQUIREMENT	102	102	102	102	102	102	102
24	RETENTION QTY	427	427	427	427	427	427	427
25	DISPOSAL QTY	0	0	0	0	0	0	0

26 **Notepad Comments:**
MGMT Concept: 3PL
Source of Lead Time: FA8517-14-D-0011
Source of Due ins: FA8517-14-D-0011
ALT: 30 days PLT:210 day

Modified Date: 12/13/2022 11:48:10 AM

Modified By: [redacted], 404 SCMS/GUMABC

27 **Index of Action Summary:**
BUY Ext Val $: $1,909,032 | BUDGET Ext Val $: $1,952,382 | BUD + 1 Ext Val $: $1,994,100
TERMS Ext Val $: $0 | EXCESS Ext Val $: $0 | RETENTION Ext Val $: $0

28 **Signatures Required:**
Item Manager Signature: _____ | IM Supervisor Signature: _____
LM Signature: _____ | RCO/SME Signature: _____
ES Signature: _____

Table 2.1. Interim Computation Number Description.

#	Term	Definition
1	**Process Cycle**	Represents the data processing cycle. Only March and September cycles are processed each year. An initial, update, and final iteration is created for each cycle. As Of Date: The date source data was extracted to complete the analysis.
2	**Subgroup Master NSN**	Interchangeability and Substitutability (I&S) subgroup master NSN as defined in FLITES.
3	**MDC**	Three-character manager designator code identifying the Inventory Management Specialist of record.
4	**ES code**	Two-character code identifying the Equipment Specialist of record.
5	**Nomenclature**	Noun and/or item description/name
6	**ERRC**	Expendability, Recoverability, Repairability Category code
7	**Buy Cost**	The Buy Cost is the escalated dollar value for the buy year. The standard price must be cataloged in FLITES and any other corresponding systems or tools. The standard price is the most current Unit Sales Price (USP) + 3% FDT. **Note**: NSNs procured through Third Party Logistics/Third Party Equipment Purchase already include the additional FDT charge. The USP includes the cost for transportation; therefore, the USP and STD Price will be the same.
8	**AAC**	Acquisition Advice Code
9	**Program Position Headers**	Across the top of the report are program position column headers for the current FY (Buy), the next FY (Budget), and the 5-year Future Years Defense Plan (FYDP).
10	**Gross Requirement**	The sum of all the initial authorizations for the Direct Air Force, Air National Guard (ANG), and Air Force Reserves (AFR) as well as any War Readiness Materiel requirements, replacements additives and 6R/6S & 62 backorders. The non retention and retention additives are also included in

		this total.
11	**DAF Initial**	The sum of Direct Air Force initial authorization quantities is comprised of the following data: a. Organizational Authorization (OAuth) quantity for readiness code A (Mobility) from FSM b. OAuth quantity for readiness code B (base support) from FSM c. Overage (In use quantity with no authorization) from PA where custodian number contains 'GOPDW' (General Officer Weapons). Authorization created in IC to ensure no overages exist. d. Overage (In use quantity with no authorization) from PA. Exception exists for Actbl UIC (SRAN) = 'AFRLHQ'. Authorizations created in IC to ensure no overages exist. e. In use quantity from PA where Unit Identifier Code (UIC) begins with 'FD' or loan code equals 'C'. Plus, any loan/lease quantities identified within D035A. Authorization created in IC to ensure on loan Government Furnished Equipment (GFE) loan/lease assets do not appear as an overage. f. Pallets and Nets data pulled from GART where organization does **not** equal ANG or AFR. **Note**: No ANG or AFR quantities are included above.
12	**ANG Initial**	The sum of Air National Guard (MAJCOM = 4Z) initial authorization quantity is comprised of the following data: a. OAuth quantity for readiness code A (Mobility) from FSM b. OAuth quantity for readiness code B (base support) from FSM c. Overage (In use quantity with no authorization) from PA where custodian number contains 'GOPDW' (General Officer Weapons). Authorization created in IC to ensure no overages exist. d. Overage (In use quantity with no authorization) from PA having RDT&E UIC. Authorization created in IC to ensure no overages exist. e. Overage (In use quantity with no authorization) from PA. Exception exists

		for Actbl UIC = 'AFRLHQ'. Authorizations created in IC to ensure no overages exist. f. In use quantity from PA where UIC begins with ‘FD’ or loan code equals ‘C’. Plus, any loan/lease quantities identified within D035. Authorization created in IC to ensure on loan GFE loan/lease assets do not appear as an overage. g. Pallets and Nets data pulled from GART where organization equals ANG.
13	**AFR Initial**	The sum of Air Force Reserve Command (MAJCOM = 0M) initial authorization quantity is comprised of the following data: a. OAuth quantity for readiness code A (Mobility) from FSM b. OAuth quantity for readiness code B (base support) from FSM c. Overage (In use quantity with no authorization) from PA where custodian number contains ‘GOPDW’ (General Officer Weapons). Authorization created in IC to ensure no overages exist. d. Overage (In use quantity with no authorization) from PA having RDT&E UIC. Authorization created in IC to ensure no overages exist. a. Overage (In use quantity with no authorization) from PA. Exception exists for Actbl UIC = 'AFRLHQ'. Authorizations created in IC to ensure no overages exist. e. In use quantity from PA where UIC begins with ‘FD’ or loan code equals ‘C’. Plus, any loan/lease quantities identified within D035. Authorization created in IC to ensure on loan GFE loan/lease assets do not appear as an overage. f. Pallets and Nets data pulled from GART where organization equals AFR.
14	**WRM**	The sum of OAuth quantities from FSM where readiness code = D.
15	**Replacements**	The sum of replacement additives (TRCs 13, 40-41, & 92-94) and replacement backorders (advice code = 6R/6S or 62).
16	**Non Retention Additives**	The sum of additives from the Additives table (excluding TRCs 13, 25-35, 40-41, & 92-94).

17	**Assets**	Totals the in-use, serviceable warehouse, unserviceable warehouse, on work order, and funded on order quantities.
18	**In Use**	The sum of all in-use asset quantities from PA, any remaining assets still reporting in-use within ILS-S, GFE (Loan/Lease) assets and GART pallets and nets in-use quantities.
19	**Serviceable Warehouse**	The sum of assets that meet the following criteria: a. D035 depot asset data having condition code equal to A, B, C, or D and purpose code not equal to Y or Z. b. PA record having custodian number equal to 'WHSE' (to signify it is in a base warehouse) and condition code A, B, C, or D. c. ILS-S serviceable base warehouse record. d. GART Pallets and Nets (available qty).
20	**Unserviceable Warehouse**	The sum of assets that meet the following criteria: a. D035 depot asset data having condition code equal to E, F, G, J, K, L, N, Q, R, or X and purpose code **not** equal to Y or Z. b. PA record having custodian number equal to 'WHSE' (to signify is in a base warehouse) and condition code **not** equal to A, B, C, or D. c. ILS-S unserviceable base warehouse record. d. GART Pallets and Nets (unserviceable qty + uninspected qty).
21	**On Work Order**	The sum of assets that meet the following criteria: a. D035 depot asset data having condition code equal to M, Y or Z and purpose code **not** equal to Y or Z (Organic). b. CAV-AF OWO Induct (M) plus (+) ReInduct (M) information (Contract). Secondary Source is CAV AF where OWO and Induction of condition code M information is available for Contract Repair.
22	**Funded On Order**	The sum of due-in assets from J018R (CIDS) and FOO asset quantities added to the FOO table.
23	**Net Requirement**	Equals the gross requirement less total

		assets. **Note**: Negative numbers (assets greater than authorizations) are capped to zero.
24	**Retention Qty**	Total gross requirement quantity at the highest computed program position * 50% + retention additives (TRCs 25, 30, 34, or 35).
25	**Disposal Qty**	Sum of assets above the retention level, not to include those assets subject to termination action.
26	**Notepad Comments**	All manually entered requirements and/or changes for each SGM NSN must be documented with reasons in the notepad comments. It provides an audit trail of file maintenance actions and any changes to source systems.
27	**Index of Action Summary**	Index of Action Summary provides categories with corresponding values for Buy, Bud, and Bud +1; Term valuation; Excess valuation; and the Retention valuation.
28	**Signature Block**	This section is automatically populated based on the level of signatures required by dollar value.

Notes:

1. This product cannot be file maintained. It is a summary product and will change as a result of file maintenance accomplished in the Additives table, FOO table, OWO table and source data systems.
2. Supply Condition Code (SCC) H assets are excluded from the asset quantity. They are unserviceable and do not meet repair criteria; therefore, assets in SCC H will not be returned to serviceable condition and will not be used to meet computation requirements.
3. The computation no longer utilizes TRC 69 additives for loan lease quantities. The loan lease quantity on contract is always reflected under DAF Initial. The corresponding assets on-loan are included in the In-use quantity within the computation.

2.2.4. Major Program Positions

2.2.4.1. As Of Date. This is the cut-off date for input data to be used in the computation (i.e., 31 Mar 2025).

2.2.4.2. Buy Position. The current operating position. The buy position is consistent with the current fiscal year.

2.2.5. Budget Position. The buy position plus 12 months. The budget position is consistent with the next fiscal year (i.e., if current is FY25, then the budget position will be FY26).

2.2.6. Asset Alignment. Asset alignment is based on the following:

2.2.6.1. Interchangeability & Substitutability. All items included in the equipment item requirements computation are assembled by computation groups known as “subgroups” or “I&SGs”. Items are grouped together in I&SGs because they have an interchangeable or substitutable relationship to each other from an engineering or technical perspective. Items which are two-way interchangeable imply that any NSNs within a subgroup can be used to satisfy that particular requirement.

2.2.6.1.1. A one-way I&S relationship exists when one NSN can be used in place of the other, but not vice versa. The I&S “Master” NSN is the most preferred because it can be used to satisfy all requirements within an I&S grouping. **Note**: A “bachelor” item is not in an I&S grouping and will be treated as if it is both a SGM NSN and I&SG Master NSN.

2.2.6.1.2. The Interchangeability & Suitability (I&S) method is the source for the Order of Use for assets. Additional information on I&S grouping and Order of Use may be found in AFMCMAN 23-103, *Cataloging and Standardization*.

2.2.6.1.3. Customers will be furnished an item that is both suitable and satisfactory for their use.

2.2.6.2. Assets from a lower capability computation group will not be allocated to satisfy requirements in a higher capability group; however, if the user already has in-use possession of an asset within the ISG from a lower capability group, the asset will not be reallocated to another requirement.

2.2.6.3. Application of Assets. Assets will be aligned to gross requirements in a predetermined order that is both economical and practical. The application of all assets adheres to the alignment logic approved by the Equipment Policy Working Group identified in **Table 2.2**.

Table 2.2. Asset Application Hierarchy.

#	Application Hierarchy
1	Depot and base serviceable warehouse
2	Base overages (in use quantity greater than authorized quantity)
3	Depot and base unserviceable warehouse
4	On work order
5	Suspended assets
6	In transit and funded on order.

2.2.6.3.1. The PA System Identification (SYS ID) field ‘PIO’ indicator aligns assets, War Reserve Materiel (WRM) to WRM and Base Expeditionary Airfield Resources (BEAR) to BEAR first.

2.2.6.3.2. All assets are aligned by Stock Record Account Number (SRAN)/UIC combination first, within SRAN second, within MAJCOM third, AFR to ANG/ANG to AFR and DAF to DAF fourth, and outside MAJCOM last.

2.3. Funded On Order Table.

2.3.1. Purpose. The function of the Funded On Order (FOO) table is to reflect due-in asset and funded asset quantities. Only asset quantities procured for the DAF should be included. The quantities within this table are used to offset requirements at the SGM NSN computation level.

2.3.2. Editing. The IMS can delete, reduce, or increase FOO table quantities in the Interim Computation database. In order to edit FOO quantities, the IMS must have the applicable SGM NSN, MAJCOM Code, SRAN, and quantity. The IMS will retain any documentation used to support increases, decreases, or new inputs to this table. **Note**: Only DAF assets should be included on the table. Outgoing Military Interdepartmental Purchase Requests (MIPR) for the purchase of DAF equipment should also be included.

2.3.3. Documentation. All changes to the FOO table (increases, decreases, manual additions, etc.) must be documented with reasons on the Notepad. All backup data must clearly show rationale or justification and will be kept on file (electronic file permitted) for review by audit agencies or higher management officials until the product retention period for the applicable cycle has passed.

2.4. On Work Order Table.

2.4.1. Purpose. The function of the On Work Order (OWO) table is to reflect OWO quantities. These are assets with condition codes M, Y, or Z. Only asset quantities owned by the DAF should be included. The quantities within this table are used to offset requirements at the SGM NSN computation level.

2.4.2. Editing. The IMS can delete, reduce, or increase OWO quantities. In order to edit OWO quantities, the IMS must have the applicable SGM NSN, MAJCOM Code, SRAN, and quantity; there is also a text field for additional notes (local Form 206 number, etc.). The IMS will retain any documentation used to support increases, decreases, or new inputs to this table. **Note**: Only DAF assets should be included on the table.

2.4.3. Documentation. All changes to the OWO table (increases, decreases, manual additions, etc.) must be documented with reasons on the Notepad. All backup data must clearly show rationale or justification used and will be kept on file (electronic file permitted) for review by audit agencies or higher management officials until the product retention period for the applicable cycle has passed. Exception: Documentation for changes applied to requirements containing classified information will be maintained IAW DoDM 5200.01, Volume 1, DAFMAN 16-1404, Volume 1, *Information Security Program: Overview, Classification, and Declassification*.

2.5. Additive Table.

2.5.1. Purpose. The function of the Additive table is to capture additive requirements. Additives are any type of requirement that generates from a non-reporting source. These are requirements that are not already reflected in the computation. Data in this table is accumulated through manual means. For information on the Mechanically Derived Additives see **paragraph 2.5.5**.

2.5.2. Editing. In order to add additive requirements to the Additive table, the IMS must have the applicable SGM NSN, MAJCOM Code, TRC, Additive Identification (ID), and Buy Qty, Bud Qty, B+1 Qty, B+2 Qty, B+3 Qty, B+4 Qty, & B+5 Qty (the program position fields allow

the IMS to input an additive in anticipation of a future additive requirement; in most cases though, the additive qty will be straight-lined across the program positions.) The IMS will need to input the applicable quantity in each program position. **Note**: Additives are only valid for the current cycle and will have to be reentered, if applicable, each cycle.

2.5.3. Documentation**.** All manually entered additive requirements must be documented with reasons on the Notepad. All backup data must clearly show rationale or justification used and will be kept on file (electronic file permitted) for review by audit agencies or higher management officials. This documentation will be kept as long as the additive requirement exists.

2.5.4. Type Requirement Code (TRC). Additives are identified by a two-position numeric code that identifies the specific type of additive. TRCs 13, 40-41, & 92-94 are considered replacement additives. TRCs 25-35 are retention type additives which will not increase the gross requirement but will add to the retention level. **Table 2.3** identifies the recognized TRCs.

Table 2.3. Type Requirement Codes.

TRC	Description
1	WRM additives that are in addition to those reported through FSM. Input appears on Non Retention Additives line of the Interim Computation
13	Replacement requirement backorders that have an advice code of 6R, 6S, & 62. Input appears on the Replacements line of the Interim Computation. ***Mechanical additive only**
16	DAF backorders that are not reporting. Input appears on Non Retention Additives line of the Interim Computation
17	DAF backorders that are not reporting but have a project code. Input appears on Non Retention Additives line of the Interim Computation
25	SAP/FMS additive used when a determination is made that assets should be retained to support future SAP/FMS requirements. Input quantity is added to the Retention Level, but does not increase gross requirements
30	Additive used for the retention of assets to support future HQ or SPO identified requirements. Input quantity is added to the Retention Level, but does not increase gross requirements
33	Additive used to retain up to 50 percent of the highest computed gross requirement in the FYDP for cost saving purposes. Input quantity is added to the Retention Level but does not increase gross requirements. ***Mechanical additive only**
34	Retention additive used if NSN has a sequence code/parts preference code of 4 or 9. It should equal the quantity of unsuitable assets directed/elected to be held in support of a limited amount of items peculiar to an antiquated or technologically obsolete weapons system. Input quantity is added to the Retention Level, but does not increase gross requirements

35	Retention additive used to reflect assets being held in anticipation of satisfying future needs/requirements. Input quantity is added to the Retention Level, but does not increase gross requirements
40	Additive used when it is necessary to establish reserve items for rotation to the field units while in-use assets are being repaired or calibrated. Input appears on the Replacements line of the Interim Computation
41	Additive used to ensure continued supportability for certain low-cost, high rate-of-issue, high condemnation items. Input appears on the Replacements line of the Interim Computation
50	Additives used for Communications-Computer Systems requirements not reported through ELMS. Input appears on Non Retention Additives line of the Interim Computation
60	Additive used when contractors are providing services to the DAF, but the equipment requirement is not reflected in FSM. Input appears on Non Retention Additives line of the Interim Computation
65	Additive used for contractor requisition(s) (those beginning in 'E'). Input appears on Non Retention Additives line of the Interim Computation. ***Mechanical additive only**
67	Additive used for other contractor requirements not covered by TRCs 60 & 65. Input appears on Non Retention Additives line of the Interim Computation
70	Additives used for initial training requirements for AETC for other than service test. Input appears on Non Retention Additives line of the Interim Computation
80	Used for IPT requested additives when TRCs 01-79 do not apply. Must not duplicate requirements already reflected in the computation. Documentation used in the validation process must not be greater than one year old. Input appears on Non Retention Additives line of the Interim Computation
81	Additive used for backorders citing an advice code of 6H or 6J when the authorization is not yet reflected in the computation, but showing in FSM. (New requirements that are not yet present in the computation due to a timing issue.) Input appears on Non Retention Additives line of the Interim Computation
82	Additives used to cover known future requirements not yet identified by the using MAJCOMs. Must not duplicate requirements already reflected in the computation. Input appears on Non Retention Additives line of the Interim Computation
83	Additives used for operating support levels. Documentation on the authorization of operating support levels must be available. Input appears on Non Retention Additives line of the Interim Computation
90	**Future use only.** Additive Alternate Mission Equipment (AME) requirements offset by assets. Input appears on Non Retention Additives line of the Interim

	Computation. ***Mechanical additive only**
91	**Future use only.** Additives used for AF Form 538, *Personal clothing and Equipment Record* non-reported losses. Input appears on Non Retention Additives line of the Interim Computation. ***Mechanical additive only**
92	**Future use only.** Additive Real Property Installed Equipment requirements offset by assets. Input appears on the Replacements line of the Interim Computation. ***Mechanical additive only**
93	Replacement additive requirements not covered elsewhere. Must not duplicate requirements already reflected in the computation. Documentation used in the validation process must not be greater than one year old. Input appears on the Replacements line of the Interim Computation
94	Replacement requirement backorders that have an advice code of 6E. Input appears on the Replacements line of the Interim Computation

2.5.5. Mechanically Derived Additive Listing. The Mechanically Derived Additives Listing is an output product that lists all additives that were generated mechanically. It includes additive data for TRCs 13, 33, 65, & 90-92. Additives found on this listing should not be duplicated elsewhere.

2.6. Notepad Table.

2.6.1. Purpose. Notepad provides a means for the IMS to record comments about the item. All manually entered requirements and/or changes for each SGM NSN must be documented with reasons on the notepad. It provides an audit trail of file maintenance actions.

2.6.2. Notepad Template. The notepad will include, at a minimum, the following information: Management Concept, Source of Lead Time, ALT/PLT, Source of Due Ins, Source of Additives, and date of last procurement.

2.7. Termination Listing.

2.7.1. Purpose. The Termination Listing is an output product that identifies funded on-order quantities that exceed the gross requirement at the budget+1 program position. Termination is a method used to reduce and prevent on-order excess assets from entering the inventory. Any contract or purchase request (PR) which would increase inventory beyond that level will show up on the Termination Listing.

2.7.2. Termination Quantity. The termination quantity is the quantity of funded on-order assets exceeding the total gross requirement at the budget+1 position. When termination quantities are computed and validated, prompt action will be taken to affect termination of contracting and acquisition action.

2.7.3. Editing. The IMS has edit capability only for the Termination Code and Quantity fields of this table. In order to edit, the IMS must have the applicable SGM NSN, Termination Code, and quantity.

2.7.4. Documentation. The IMS must edit the termination listing to add termination code(s) and corresponding quantity on every item in termination within 10 working days of the

computation becoming available. Documentation to support termination actions must be documented with reasons on Notepad. All backup data must clearly show rationale or justification used and will be kept on file (electronic file permitted) for review by audit agencies or higher management officials. This documentation will be kept until the product retention period for the applicable cycle has passed.

2.7.5. Termination Codes. A termination code is a one-position alpha code used to indicate the reason for taking termination/reduction or non-termination action of funded/on-order assets. A termination code must be entered for any item showing on the Termination Listing. See **Table 2.4** for a complete list.

Table 2.4. Termination Codes.

Code	Definition
A	Items on contract will be terminated
B	Termination action was taken in a prior review. Date of termination must be provided
C	Item on contract was delivered after the asset cutoff date. Date of delivery must be provided
D	Items were diverted to other uses after the asset cutoff date
E	Item does not require reduction or termination after erroneous data has been corrected
F	Item is ineligible for reduction or termination action due to higher headquarters' direction. Office symbol and point of contact in headquarters must be provided
G	Item will not be reduced or terminated for reasons other than provided for in other codes. An explanation and justification must be provided for this decision as required by local Center policy/procedures
I	The computation is correct, but the item will not be reduced or terminated because more than the actual computed buy was procured to obtain a price break, e.g., quantity discount, life of type buy, minimum buy, etc.
M	PR was cancelled in a prior review. Date of cancellation must be provided
P	Item on PR will be cancelled
Q	Reduction action on the PR was taken in a prior review. Date and amount of reduction action must be provided
R	Item on PR will be reduced. Amount of reduction must be provided
T	Reduction action on the contract was taken in a prior review. Date and amount of reduction must be provided. Requirements personnel must provide date, quantity and total dollar amount of reduction to appropriate organizational office. The organizational office will forward this information to the HQ AFMC focal point for equipment item termination reporting
Y	Item on contract will be partially terminated. Amount of reduction must be provided
Z	Contractor bankruptcy or other litigation prevents termination of contract

2.8. Retention Listing.

2.8.1. Purpose. The Retention Listing is an output product that identifies any assets that did not align to a requirement (not including FOO assets) that should be retained based on the mechanical retention quantity.

2.8.2. Retention Level. The mechanical retention level is calculated as 50% of the total gross requirement at the highest computed program position plus any retention additives (TRCs 25-35) and is reflected on the computation in the "Retention Qty" field. The quantity of assets to be retained will be all assets, exclusive of those computed for termination, required to meet the retention level. The mechanical retention level will not be raised through additive requirements without complete justification. The IMS/SPM/LM/PM will decide if a need for a retention level exists for items identified in the following paragraphs.

2.8.2.1. The IMS/SPM/LM/PM will retain serviceable and supportable support equipment to fill anticipated unprogrammed requirements with documentation and justification. Rationale for retention of excess assets includes: holding assets for an expected requirement; holding assets to support reclamation program(s); offering assets to other services; or, offering assets to FMS programs. If this rationale does not apply, the IMS will review the assets for potential disposal action.

2.8.2.2. The organization requesting the retention of assets will provide a memorandum to the IMS which states the rationale and describes the following information:

2.8.2.2.1. NSN and nomenclature for the item(s) being retained.

2.8.2.2.2. Specific quantities by NSN.

2.8.2.2.3. Standard price and extended cost of item(s) being retained.

2.8.2.2.4. Reason(s) for retention (e.g., project name).

2.8.2.2.5. Size of item in cubic feet and amount of space required to retain the full amount.

2.8.2.2.6. Length of time assets are to be retained.

2.8.3. Cost of retention.

2.8.3.1. The IMS will prepare and submit the package for signature through their respective coordination cycles. IMS will retain the documentation and identified excess equipment assets up to a period of one year provided they have proper justification. If retention is required beyond that time period, the organization will provide follow-on justification prior to the expiration date.

2.8.3.2. If the retention requirement exists for more than two years for SAPs, the SPM or the Air Force Security Assistance Center must provide an explanation of the problem contributing to the additional extension to the IMS for approval. **Note**: Existing SAP countries may continue for 8 to 10 years after the item is no longer in the active DAF inventory.

2.8.3.3. Peculiar support equipment will also be retained along with major end items when units are deactivated providing proper documentation is provided to the IMS.

2.8.3.4. Retention requirements exceeding the computed retention will be input and maintained by the IMS. To learn more about retention additives and SAP specific retention additives refer to.

2.9. Disposal Listing. The Disposal Listing is an output product that identifies assets that should be considered for disposal action. These are those assets exceeding the retention level for which retention has not been identified and do not align to requirement shortages, exclusive of those assets subject to termination action. If disposal quantities are computed, prompt action will be taken through normal supply channels to dispose.

2.10. Requirements Planning List. The Requirements Planning list is an output product that reflects a prioritized listing of all SE requirements. It only includes requirements that do not have assets aligned to them and should be considered for procurement. It will function as a product that can be utilized as a basis for making procurement decisions.

2.11. Redistribution Listing. The Redistribution Listing is an output product of all serviceable warehouse, excess, and assets in suspended condition that have been aligned to fill requirements. It identifies which asset should be used to support a specific requirement. It further identifies requirements that have a corresponding backorder versus those that do not.

2.12. Repair Execution Listing. The Repair Execution Listing is an output product that provides a listing of all unserviceable assets that have been aligned to a requirement regardless of their assigned ERRC. Assets listed should be considered for repair, if possible. If repair is not feasible, assets should be considered for disposal.

2.13. Mechanical Additive Listing. The Mechanical Additive Listing report identifies the replacement (TRC 13), retention (TRC 33), and contractor backorder (TRC 65) mechanical additives that were placed in the computation. The additives displayed on the mechanical additives listing are not editable.

2.14. IMS Input Additive Listing. The IMS Additive Listing report identifies any manually input additives that were placed in the computation.

Chapter 3

EQUIPMENT REPAIR REQUIREMENTS DETERMINATION

3.1. Purpose. This chapter outlines the policies and procedures required for organic and/or contract equipment item repair requirements determination. It identifies the key processes, roles, and responsibilities for each functional discipline of the Repair IPT: IMS, PMS, ES and LM/PM from the receipt of the updated Equipment Requirements Computation through production of the Repair Budget Process. AFLCMC/HNC is excluded from the requirements within this chapter and will adhere to their locally developed repair guidance.

3.2. Overview. Per DoDM 4140.01, Volume 2, *DoD Supply Chain Materiel Management Procedures: Demand and Supply Planning* repair is the preferred supply source for reparable items. Therefore, an IMS will make sure all suitable reparable assets are scheduled for repair when the computation group has a net requirement at the buy or budget position or has assets due-in from contracting. In such cases, the IMS must analyze the elements making up the requirement to determine the feasibility of amending the materiel repair schedule.

3.3. Basis. This manual is the basis for the development of the ERR Determination process. The ERR Determination process involves several progressive steps starting with the generation of the requirements computation for the September computation cycle.

3.3.1. The guidelines and schedule for the September computation cycle will be provided by 404 SCMS/GULA to the AFSC/AFLCMC Equipment OPRs and RCO for distribution to the IMS community.

3.3.2. ERR Worksheets are not generated during the March computation cycle; however, the IMS will review the September ERR Worksheets against the March computation for any significant changes. If significant changes are identified, the repair requirements will be re-computed using the ERR database, and any revised repair requirements will be provided to the PMS immediately for inclusion into the Budget. See **Attachment 4** for a breakdown of the ERR Worksheet. See **Attachment 5** for an ERR Worksheet checklist. Use of checklist in conjunction with ERR training slides located at 404 Supply Chain Management Squadron - IMS_PMS Documents is recommended.

3.3.3. AFMC IMSs, PMSs, and LMs will follow any additional guidance in DAFI 63-101/20-101, *Integrated Life Cycle Management*, AFMC Instruction (AFMCI) 21-100, Volume 1, *Depot Maintenance Principals*, AFMCI 21-100, Volume 2, *Depot Maintenance Production,* and AFMCI 21-100, Volume 3, *Depot Maintenance Production Support* pertaining to roles and responsibilities regarding how to compute and support repair requirements; how to develop and maintain supporting documentation for all Program Control Numbers in SPERS; and how to review and update requirements annually.

3.3.4. Economical Repair. Economical repair of DAF property is 75 percent of the current unit price unless otherwise specified by other published directives. Additional guidance on economical repair determination is available in TO 00-20-240, *Uniform Repair/Replacement Criteria For Selected USAF Support Equipment (SE)*.

3.4. Equipment Repair Requirement (ERR) Database. The second step in this repair requirements determination process is the file maintenance of the ERR Worksheets. This fully automated worksheet computes repair requirements for the IMS using information from the

interim computation September cycle product, as well as the CAV AF system and the Job Order Production Master System (G004L). The schedule for updates to the ERR Worksheets will be provided by the 404 SCMS/GULA SE Repair OPR to the AFSC/AFLCMC Equipment OPRs, RCOs, and IMS community.

3.4.1. Contractor Asset Visibility Report (AFMC Form 197). Because all contractors do not file maintain in CAV AF, the IMS may lose visibility of some assets repaired and/or condemned at a contractor's site. The PMS is responsible for providing contractor asset visibility information to the IMS.

3.4.2. On or about 1 Nov each year, the 404 SCMS/GULA SE Repair OPR will send an E-mail to the AFSC PMO to distribute to the PMSs as a reminder to complete and forward the AFMC Form 197 to the IMS, no later than (NLT) 1 December of the current year in order for the IMS to file maintain the quantities not included in CAV AF into the repair computation. Sellers are required to attach documentation (i.e., listings/letters from contractor) to justify the quantities on the AFMC Form 197 as this requires a change to the computed repair requirement. **Note**: Supporting documentation must be attached.

3.5. National Stock Number (NSN) baseline. The NSN baseline for the worksheets is ERRC "S" NSNs with unserviceable assets aligned to a shortage in the September computation update cycle. While the baseline NSNs present a firm foundation for repair requirements review, the IMS will also consider any additional ERRC "S" items for possible inclusion in the repair budget. If the NSN is not in the ERR database, the IMS will contact 404 SCMS/GULA who will then have the NSN added to the ERR database. The IMS will have the capability to generate worksheets for these additional NSNs. Placeholder requirements can be used when a requirement is unknown due to changing mission requirements and should equal $1,000 for ease of identification IAW AFMAN 63-143.

3.6. Production Management Specialist (PMS) Worksheet. The PMS will be provided an initial spreadsheet with NSNs and corresponding information for review from the ERR database. The PMS is responsible for reviewing and correcting PMS codes, Unit Repair Cost (URC), SOR, PCN/RCN, and shop flow days information on the worksheet. An ERR worksheet will subsequently be provided to the PMS community upon completion of the ERR data load. Information from the prior year will be used as a baseline. The PMS will review the information for accuracy and provide any missing information. The URC is used to derive the Budget Year Value at the highest computed position (before or after file maintenance) and is used to determine the signature level required on the Equipment Repair Worksheet. In many cases, the PMS will not have the updated price at this time. Therefore, the prior year URC will be used to determine the signature level. The PMS will have an opportunity to review again prior to submission to the budget later in the year. The PMS will have 15 working days to confirm or complete the worksheet information. The data provided by the PMS will then be automatically passed to the ERR database.

3.7. Inventory Management Specialist (IMS) Review. The IMS must review all ERR Worksheets for accuracy and make necessary corrections or adjustments as needed. The IMS ensures the requirement quantities are correct and adjusts the requirement based on changing scenarios and conditions not addressed by the computation. The IMS must incorporate any changes from the AFMC Forms 197 that were received from the PMS. This form provides contractor asset information as of 30 Sep and will be provided by the PMS to the applicable IMS NLT 1 Dec. IMSs

will ensure adequate documentation (e.g., listings/letters from contractor) is attached to justify the quantities on the AFMC Form 197 as this requires a change to the computed repair requirement.

3.7.1. The IMS notifies the LM/PM, via E-mail, of the need to review ERR Worksheets. A single E-mail with a list of all the NSNs is most efficient. If the IMS has not received a response from the LM/PM within 10 working days of the original E-mail, concurrence will be assumed, and the IMS will continue with preparations.

3.7.2. The IMS also notifies the LM/PM, via E-mail, of the need to review completed ERR Worksheets computing a repair variance of +/- 5 (qty) between the budget year requirements from the prior year versus the budget year requirements of the current year repair projections. The IMS will notify the LM/PM of the potential Repair IPT requirement to review any NSNs with variances. The variance is based upon prior year repair quantity versus current repair requirements.

3.8. Logistics Manager Review. The LM/PM will review the ERR Worksheets to approve and/or request necessary corrections. If the LM/PM suggests any changes to the computed repair requirement, justification must be provided and documented on the ERR Worksheet. Each ERR Worksheet must be signed at the appropriate level as shown in **Attachment 2**.

3.9. Repair Integrated Product Team (IPT). The LM/PM will determine if the Repair IPT needs to convene to review the NSNs with the repair variance of +/- 5 (qty) and will serve as Team Lead. In some instances, the LM/PM may have the information that explains the variance and an official meeting will not be necessary. If the Repair IPT is convened and it validates and/or documents any changes to the repair information, minutes must be attached to the ERR Worksheet and every team member must sign the ERR Worksheet. Formal IPTs with minutes are required for all repair requirements where the computed requirements have been altered (greater or less) from the original computed quantity if the extended dollar value of the repair in any year exceeds $1M. Formal IPTs with minutes are also required for all DoD-wide programs (i.e., pallets and nets) and for all repair programs where the extended dollar value of the repair in any year exceeds $5M (even if the computed repair has not been altered). These minutes must also be attached to the ERR Worksheet and documented in the remarks block. **(T-2)**

3.10. Inventory Management Specialist (IMS). The IMS must ensure:

3.10.1. All quantities on the ERR Worksheet are accurate.

3.10.2. All required documentation is attached (see previous paragraphs).

3.10.3. All levels of review are complete and ERR Worksheets signed and provided to the PMS by 31 May. When possible, IMS will provide ERR Worksheets to the PMS on an “as completed” basis so the PMS can begin gathering information as soon as possible. **Note**: IMS may request the ERR database be reopened to perform additional repair requirement(s) computations after the cut-off date, if required. Amended copies must be provided to the PMS, ensuring signatures are in accordance with revised copies.

3.11. Production Management Specialist (PMS) Review. The PMS will review the repair quantities per line item and make adjustments, as necessary, based on known or anticipated management production problems that will inhibit or prohibit induction/production of the planned workload. Adjustments made based on this knowledge must be coordinated with the IMS and documented as to the reason for the adjustment. All changes will be documented and signed onto

the ERR Worksheet (documentation must be attached). Written justification must be provided for all deviations from the computed requirement. Formal IPTs with minutes are required for all repair requirements where the computed requirements have been altered from the original computed quantity if the extended dollar value of the repair in any year exceeds $1M. These actions, taken together, ensure that the equipment community computes an adequate, valid requirement to present to higher headquarters for future funds. The PMS will review and validate the ERR Worksheet, verifying the final repair requirements in support of the LM/PM to submit a comprehensive budget. **(T-2)**

3.12. Production Management Specialist (PMS) Changes. If changes are made by the PMS, ERR Worksheets will be returned to the IMS for further review by all levels required (reference **Attachment 2**). The IMS will provide all final signed copies of the ERR Worksheet to the PMS and Repair IPT as quickly as possible, to ensure timely submission to the budget. IMS will need to provide justification for changes between current year computed repair requirement and previous year if necessary. Both the PMS and the IMS will retain signed, final copies (with documentation) of the ERR Worksheet for two years for audit purposes.

3.13. Equipment Repair Requirement (ERR) OPR. The ERR OPR (Robins only) will provide a worksheet to the PMO and RCOs after close of the ERR database requesting review and possibly additional information to include, but not limited to, correction of PMS code, PCN/RCN, SOR, and shop flow days. Missing information will be provided to the IMS for input into the ERR Database. Suspense will be provided by 404 SCMS/GULA. The PMS will use this information, provided by an Excel spreadsheet, to review PCN/RCN totals for accuracy.

3.14. Logistics Manager (LM)/Program Manager (PM) Projection. The LM/PM rolls NSN requirements to the PCN/RCN level to project MAJCOM requirements for the budget.

3.14.1. The LM/PM ensures accuracy of PCN/RCN and URC inputs in SPERS.

3.14.2. The LM/PM prints the PCN/RCN requirements report from SPERS and retains for two years.

3.15. Repair Requirements. The LM/PM develops each MAJCOM repair requirement under the PCN/RCN. The PMS should be involved in this process. Factors considered typically include:

3.15.1. Past requirements.

3.15.2. Outstanding backorders.

3.15.3. Planned deliveries from both procurement and repair.

3.15.4. Reparables available and/or expected to generate.

3.15.5. SOR capacity to repair the required items.

3.15.6. Negotiations with field level users and/or MAJCOM representatives.

3.15.7. MAJCOM in-use assets as a percentage of totals in-use assets.

3.16. 404 SCMS/GULA—Integration Support Review. The 404 SCMS/GULA will support the ERR determination process as outlined in paragraphs **1.13.6.7** through **1.13.6.14** of this manual.

3.17. Air Force Life Cycle Management Center (AFLCMC) Program Office Review. The AFLCMC Program Office is responsible for documenting requirements in collaboration with PMS. The AFLCMC Program Office will:

3.17.1. Review and document requirements in SPERS and notify 404 SCMS repair OPRs when repair projection changes deviate from the Final ERR Worksheet.

3.17.2. As applicable, host the SPM/Product Support Manager Validation and Prioritization Meeting.

3.17.3. Validate repair requirements. Changes required as a result of the review are input into SPERS.

3.17.4. Publish the portfolio.

LINDSAY C. DROZ, Brigadier General, USAF
Director of Logistics, Civil Engineering,
Force Protection and Nuclear Integration

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

AFI 23-101, *Materiel Management Policy*, 22 October 2020

AFI 33-322, *Records Management and Information Governance Program*, 23 March 2020

AFMAN 63-143, *Centralized Asset Management Procedures*, 18 December 2020

AFMCI 21-100V1, *Depot Maintenance Principals*, 22 January 2024

AFMCI 21-100V2, *Depot Maintenance Production*, 22 January 2024

AFMCI 21-100V3, *Depot Maintenance Production Support,* 22 January 2024

AFMCMAN 23-103, *Cataloging and Standardization,* 17 June 2021

DAFI 63-101_20-101, *Integrated Life Cycle Management*, 16 February 2024

DAFI 90-302, *The Inspection System of the Department of the Air Force*, 15 March 2023

DAFMAN 65-604, *Appropriation Symbols and Budget Codes (Fiscal Year 2025)*, 1 October 2024

DAFPD 23-1, *Supply Chain Materiel Management,* 1 June 2023

DoDM 4140.01V2, *DoD Supply Chain Materiel Management Procedures: Demand and Supply Planning*, 9 November 2018

DoDM 5200.01V1_DAFMAN16-1404V1, *Information Security Program: Overview, Classification, and Declassification*, 6 April 2022

Prescribed Forms

AFMC Form 197, *Contractor/Interservice Asset Visibility Report*

Adopted Forms

AF Form 538, *Personal Clothing and Equipment Record*

DAF Form 679, *Department of the Air Force Publication Compliance Item Waiver Request/Approval*

DAF Form 847, *Recommendation for Change of Product*

Abbreviations and Acronyms

AAC—Acquisition Advice Code

ADL—Asset Distribution List

AETC—Air Education and Training Command

AFB—Air Force Base

AFI—Air Force Instruction

AFLCMC—Air Force Life Cycle Management Center

AFMC—Air Force Materiel Command

AFR—Air Force Reserves

AFSC—Air Force Sustainment Center

ALC—Air Logistics Complex

ALT—Administrative Lead Time

ANG—Air National Guard

BC—Budget Code

BLADE—Basing and Logistics Analytics Data Environment

BP—Budget Program

CAM—Centralized Asset Management

CAV AF—Commercial Asset Visibility Air Force

CEM—Communication-Electronic-Meteorological

CIDS—Contracting Information Data System (J018R)

DAF—Department of the Air Force

DAFPD—Department of the Air Force Policy Directive

DoD—Department of Defense

ELMS—Enterprise Logistics Management System

ERRC—Expendability, Recoverability, Reparability Category

ERR—Equipment Repair Requirement

ES—Equipment Specialist

FDT—First Destination Transportation

FMS—Foreign Military Sales

FOO—Funded on Order

FSC—Federal Supply Classification

FYDP—Future Years Defense Plan

FY—Fiscal Year

GART—Global Asset Reporting Tool

HQ—Headquarters

I&SG—Interchangeable and Substitute Group

I&S—Interchangeability and Substitutability

IA—Index of Actions

ID—Identification

ILS-S—Integrated Logistics System-Supply

IMS—Inventory Management Specialist

IPT—Integrated Product Team

LM—Logistics Manager

MAJCOM—Major Command

MD—Maintenance Division

MIPR—Military Interdepartmental Purchase Request

MMAC—Materiel Management Aggregation Code

NLT—No Later Than

NSN—National Stock Number

OAUTH—Organizational Authorization

OPR—Office of Primary Responsibility

OWO—On Work Order

PCN—Program Control Number

PICA—Primary Inventory Control Activity

PLT—Production Lead Time

PMO—Production Management Officer

PM—Program Manager

PMS—Production Management Specialist

PR—Purchase Request

PSC—Procurement Source Code

QTY—Quantity

RCN—Requirements Control Number

RCO—Requirements Control Officer

RDT&E—Research, Development, Test and Evaluation

SAP—Security Assistance Program

SAR—Supply Assistance Request

SCC—Supply Condition Code

SCMS—Supply Chain Management Squadron

SE—Support Equipment

SGM—Sub-group Master

SICA—Secondary Inventory Control Activity

SORA—Source of Repair Assignment

SOR—Source of Repair

SOS—Source of Supply

SPERS—Sustainment Planning, Execution, and Reporting System

SPM—System Program Manager

SRAN—Stock Record Account Code

SYS ID—System Identification

TRC—Type Requirement Code

UIC—Unit Identifier Code

UMMIPS—Uniform Materiel Movement and Issue Priority Sequence

URC—Unit Repair Cost

USAF—United States Air Force

USP—Unit Sales Price

USSF—United States Space Force

WRM—War Reserve Materiel

Office Symbols

AFLCMC/HNC—DAF Cryptologic & Cyber Systems Division

HQ AFMC/A4MY—Aviation Support Equipment, Maintenance Training, and Depot Policy Branch

HQ AFMC/A4R—Logistics Readiness Division

HQ AFMC/A4RM—Supply Chain Management Branch

HQ AFMC/A4RX—Mission Readiness Branch

Terms

Acquisition Advice Code—A one-position alpha code that indicates how (as distinguished from where) and under what restrictions an item will be acquired.

Additive ID—15-character field used to describe the additive requirement being input**.**

Administrative Lead Time—The period of time (in whole months) from the initiation of a PR/MIPR to date of contract or purchase order award.

Advice Code—Used to notify the source of supply of specific processing instructions required for submitted requisition transactions.

As of Date—Cut-off date for input data to be used in the computation (e.g., 30 Sep).

Budget Position—Buy operating position plus 12 months.

Buy Position—Current operating position.

Commercial Asset Visibility Air Force—A web-based application that allows for a wide range of reporting, to include carcass tracking and accountability while material is at the commercial activity. It also allows daily transaction reporting from the commercial repair activity.

Contracting Information Database System (J018R)—Provides due-in asset information and lead-time pertaining to contractor bailments and purchase requests/military interdepartmental purchase requests.

Equipment—Separate, primary, end items (other than the weapon system itself) needed by an individual or organization to perform an assigned mission; normally do not lose their identity when in use; identified by ERRC codes of NF and ND.

Expendability, Recoverability, Reparability, Category Code—Used to categorize DAF inventory into various management groupings. These groupings determine the type of management used throughout logistics cycle, designate the process to be used in computing requirements, and are used in the reporting of asset and usage data.

First Destination Transportation—A 3% of unit price surcharge used for the cost of transportation to the first destination of the item.

Foundational Logistics IT Enterprise System (FLITES)—Provides cataloging data for equipment items.

Generic Item—An NSN which applies to a military, federal, or adopted industry specification or standard which is used to procure actual items of supply that meet the specification or standard. Assets are not stocked under the generic NSN. The generic item does not represent an actual item of supply but defines the performance of the items procured under the specification or standard. A generic master NSN will have an AAC of "W".

Gross Requirement—Quantity of approved authorizations and other justified DAF needs for a given equipment item.

Index of Actions—Product which summarizes the results of an equipment item computation cycle.

Job Order Production Master System (G004L)—Used to provide management information to the Air Logistics Complex (ALC) Directorates of Maintenance on production operation under a standard management control system and provides aggregation of data for future applications, such as planning, requirement computations, and resource control. This system provides a direct line of communication with depot supply to query supply balances. The user can track customer work requests, record work authorizations, maintain temporary work plans, and record end item production. Data files are updated and maintained in both supply and maintenance through processing production issues and turn-in transactions. The system provides visibility of workload requirements, end item assets availability in depot supply and job order number data on all workloads.

Life Expectancy—Anticipated age, expressed in years, at which time the item will be retired from the inventory due to declining performance and/or excessive repair costs.

Major Command Code—Identifies the parent MAJCOM responsible for reporting in-place assets.

Order of Use—A 2-character alphabetic Subgroup code and a 1-character Parts Preference code that determines how the ISG family functions.

Primary Inventory Control Activity Code—Identifies the location of the PICA (synonymous with the term SOS).

Procurement Lead Time—The summation of administrative and production lead-times (also known as acquisition lead time).

Procurement Source Code—A code identifying the source level from which unit/system will be purchased. Centrally Procured SE will always be assigned a PSC 5.

Production Lead Time—The time between the date of contract award (or purchase order) and the date of the first delivery of the production quantity.

Program Control Number—Identifies a particular workload for programming purposes. It consists of six positions: 1) Customer Code, 2) Repair Group Category designating the SOS ALC, 3) Pseudo Code, and 4-6) assigned by SOS ALC. It is the PMS's job to obtain a correct PCN code in order for repair to be programmed in the correct shop.

Readiness Code—Identifies whether the asset is for Mobility (A), Base Operations (B), Joint-use (C), or WRM (D).

Requirements Control Officer—Individuals within the IMS groups that disseminate guidance, assist IMSs with equipment database issues and to help them understand equipment processes and tasks. RCOs also consolidate and submit the data inputs for reports required by the Center's Requirement OPR.

Retention Level—Calculated as 50% of the total gross requirement at the highest computed program position plus any retention additives (TRCs 25-35).

Secondary Inventory Control Activity Code—Identifies the location of the SICA (synonymous with the term SOS).

Sustainment Planning, Execution, and Reporting System—Used to define, validate, prioritize, and publish system sustainment requirements at the depot.

Subgroup Master—The subgroup master stock number is comprised of a four-position numeric FSC, a nine-position National Item Identification Number, and a two-position MMAC. It is the item in an I&S family which is commonly regarded as a suitable replacement for all other items in the family and as the preferred item for acquisition purposes. **Note**: Within a family headed by a generic master, the generic NSN is always designated as the master.

Termination Code—Indicates the reason for taking termination/reduction or non-termination action of funded/on-order assets.

Type Requirement Code—Categorizes types of additive requirements data on the Additive reference table.

Attachment 2

SIGNATURE LEVEL OF EQUIPMENT COMPUTATION REQUIREMENTS, TERMINATIONS, EXCESS, & RETENTION

A2.1. Purpose. This table will be used to determine the signature level for all equipment computation requirements, termination, excess, & retention. It is understood that the signature requirements of each level are the lowest acceptable level required for approval. However, the lower levels are also required on each increasing level (in turn) up to the appropriate dollar value of the document. Signatures indicate review and validation of the product results and corresponding supporting documentation.

Table A2.1. Signature level Authority.

Type of Document	IMS/ ES/ LM/P M/P MS	IMS Lead and/or 1st Line Super-visor	RCO/ SME	Section	Flight	Squadron	Group	Wing	Center
Comps for Buy/Budget Review Items (Mar Cycle)	$1 & UP IMS/ES/LM/PM	$1 & UP	$1 & UP (RCO)	$1 & UP	$1 & UP	$3M & UP	$5M & UP	$150M & UP	$500M & UP
Comps computing a shortage through the Bud+1 position but not Buy/Budget Review Item (Mar & Sep Cycles)	$1 & UP (IMS) $100 K & UP (ES/LM/PM)	$1M & UP	$1M & UP (RCO)	$3M & UP	$5M & UP	$20M & UP	$50M & UP	$150M & UP	$500M & UP
Equipment Repair Requirements (ERR) Worksheet (Sep Cycle)	$1 & UP (IMS/ LM/P M /PMS)	$500K & UP	$500K & UP (RCO)	$500K & UP	$1M & UP	$10M & UP	$50M & UP	$150M & UP	$500M & UP
Terminations (Final	$1 & UP	$1 & UP	$1 & UP	$3M & UP	$5M & UP	$20M & UP	$50M & UP	$150M & UP	$500M & UP

Comp Term Code) (Mar & Sep Cycles)	(IMS/ LM/P M) $100 K & UP (ES)		(RCO or SME)						
Excess Comp (Mar & Sep Comps)	$1 & UP (IMS/ ES/L M/PM)	$1 & UP	$1M & UP	$3M & UP	$5M & UP	$20M & UP	$50M & UP	$150M & UP	$500M & UP
Retention (Mar & Sep Cycles)	$1 & UP (IMS/ ES/L M/PM)	$1 & UP	$1M & UP	$3M & UP	$5M & UP	$20M & UP	$50M & UP	$150M & UP	$500M & UP
Note 1: For the ERR Worksheet (Sep Cycle), IMS and PMS supervisors must ensure limited "placeholder" requirements are set to $1,000 annually.									

Attachment 3

INTERIM FILE MAINTENANCE CHECKLIST AND STEP-BY-STEP GUIDE

A3.1. Purpose. Interim File Maintenance Checklist and step-by-step guide is provided to assist the IMS in performing file maintenance. A copy of the checklist (**Figure A3.1**) and guide should be saved for use during each file maintenance effort.

Figure A3.1. Interim File Maintenance Checklist.

Interim Computation File Maintenance Checklist

IM Name / Office Symbol / Phone

Date		Comp Cycle	
NSN		Noun / Item Name	
Highest Signature Level[i]			

Part I: Checklist[ii]

SECTION ONE: INTERIM COMPUTATION		
☐	1A: Review notepad for Item Narrative - Is there a management concept that explains what the item is (Common Field Name, systems supported) and how the requirements will be supported? - If a replacement NSN is indicated, do all affected NSNs contain similar information? (Check RAT for corresponding information) - Are excess assets explained? (Waiting to ship? Waiting for DEMIL? Item will be modified to new configuration? Disposal or retention?; reason for retention) - Is the Source of Lead Time provided? Are the PLT/ALT annotated? Is the DOLP indicated? - Is the Source of Due Ins provided? If more than one source for the full FOO qty, are the qtys broken down by source? - Is the Source of Additives provided? Are Qty, TRC annotated? - Is there adequate justification for all FM actions taken? The notepad should tell the "story" of the items/NSN and should answer Who, What, Where, When, Why, and How actions were taken to work the comp during file maintenance.	The Notepad should explain the numbers that the comp is showing and answer any questions that could be asked based on the information provided.
☐	1B: Do the Auth / In Use Qtys correspond with the source system? (DPAS and ILS-S data pulled and posted to the 404th SharePoint by GULA) - Are significant differences explained? - Is the IM working with the User to get data corrected in the source systems?	Remember that differences in Auth / In Use Qtys can be caused by linked NSNs as well as by assets on loan in addition to the usual reporting errors.
☐	1C: Are assets On Loan explained? Include Qty, Estimated Return Date and contract they are loaned on. - Are loan assets reporting correctly in D035? - Is the IM working with the Loan Office to correct the source system?	
☐	1D: Do the Serviceable / Unserviceable Qtys correspond with the source systems? (D035A, WHSE DPAS, & ILS-S data pulled and posted to the 404th SharePoint by GULA) Are svc assets being shipped to valid backorders? Are unsvc excess assets being disposed of in RDS? Is the date shipped or the date disposed included? - Are significant differences explained? - Is the IM working with the User to get data corrected in the source systems?	If the NSN is ERRC U and there are unsvc assets present in the comp, please justify the reason for keeping them or actions being taken to dispose.
☐	1E: Do all Contract Asset (FOO and OWO) Qtys correspond with the source systems? - Are the Source of FOO & Qty ALT/PLT, EDDs annotated and correspond with the source system? (CIDS) - Are the Source of OWO & Qty, annotated and correspond with the source system? (CAVAF)	
☐	1F: Are additives validated and/or correctly input? - Is there adequate justification and documentation to support the addition or removal of additives? - Is there a statement referencing retention additive approval for IMS input retention additives? The use of additives in the computation should be discussed with RCOs / SMEs well before any file maintenance to add them takes place. ***They are a LAST RESORT and cannot duplicate any requirements already present in the computation.***	The most common additives are: TRC 13: "Replacement requirement backorders that have an advice code of 6R, 6S, & 62. Input appears on the Replacements line of the Interim Computation. **"Mechanical additive only"** TRC 33: "Additive used to retain up to 50 percent of the highest computed gross requirement in the FYDP for cost saving purposes. Input quantity is added to the Retention Level but does not increase gross requirements. **"Mechanical additive only."**
SECTION TWO: RAT PROCUREMENT INFORMATION SCREEN		
☐	2A: Is the Date Last Modified current? (Current within the last cycle)	
	Does the Items Remark block include a basic description of the item and the item's procurement/ requirements support status? - Common Field name of the item should be included if available. - Weapon Systems supported by the item should be indicated if known.	
☐	2B: Does the Date of Last Procurement correspond with the source systems? (CIDS)	
☐	2C: Is the item obsolete? Has the non-procurable flag been checked?	
☐	2D: If the item has been replaced, has the replacement NSN been provided? - Is the replacement NSN linked to the obsolete NSN? - Has D043 been updated with the replacement NSN? - Is the replacement NSN indicated on the Comp Notepad?	Does the RAT Procurement Information screen for the replacing NSN contain corresponding information to the replaced NSN?
☐	2E: Has the Unit Sales Price (USP) been updated, and does it correspond to the USP Source? - Does the USP correspond to CIDS? - Has the Standard Price been updated in D043?	USP is the value that an item was purchased for on a contract or indicated on a contractor's quote. The DOLP should match the date of the contract or the date of the contractor's quote.
☐	2F: Does the provided USP Source correspond to CIDS? - Has the 3PL indicator been selected? - Has the Expiration date been provided?	
☐	2G: For multi-year contracts, has the Fixed Price line been updated for out-year pricing?	
☐	2H: If applicable; have the Min/Max lines been used to indicate constraints on purchase qtys? - If Min/Max qtys have been input, have the Min/Max remarks blocks been updated with clear explanations?	Outdated information should be removed, or if still applicable, updated to reflect current dates / information.

[i] Remember that only Final cycle products should be signed and/or submitted for signature.

[ii] This checklist is a basis for good quality file maintenance but does not cover every individual aspect of item management and file maintenance that could arise. Item Managers are encouraged to ask for assistance if questions come up as to how to document actions taken during the file maintenance cycle prior to obtaining signatures to help prevent comp rework.

A3.2. Part II: Step-by-Step Guide

A3.2.1. Utilize supporting documentation, e.g., raw data files from the Interim Computation SharePoint site as well as any NSN specific information the IMS, IPT, or system unique information not produced by raw data files needed to answer the questions posed on the checklist. Information will be used to assist in validating the computation and answer checklist questions to format the computation notepad entry. Take notes while performing file maintenance to help ensure correct information is entered into the notepad. See **Figure A3.2** for a file maintenance process flow chart.

A3.3. Step One:

A3.3.1. Compare the Auth and In-use from the raw data files to the computation numbers to ensure they agree. Annotate any errors or discrepancies and the actions taken to investigate and/or correct the information in the source systems. Include information of any persons who assist in this effort (Section One Question 1B).

A3.3.2. Compare Loan Assets from the Material Support Division Information System/Enterprise Material Support system, GFE Loan Lease report in the raw data, and D035A to the computation numbers to ensure they agree. Annotate any errors or discrepancies and the actions taken to investigate and/or correct the information in the source systems. Include information of any persons who assist in this effort. **Note:** GFE assets do not generally have an FSM authorization. Assets reporting as GFE (Loan code ‘C’ in ELMS or assets reporting under UICs beginning with 'FD') will have an authorization created by the computation logic to match the loan quantity, so an erroneous overage does not generate. Therefore, GFE authorizations should not be found within raw data files (Section One Question 1C).

A3.3.3. Compare the Svc and Unsvc assets from the raw data files to the computation numbers to ensure they agree. Annotate any errors or discrepancies and the actions taken to investigate and/or correct the information in the source systems. Include the information of any persons who assist in this effort (Section One Question 1D).

A3.3.4. Compare the FOO and OWO assets to the computation numbers to ensure they agree. Annotate any errors or discrepancies and the actions taken to investigate and/or correct the information in the source systems. Include the information of any persons who assist in this effort (Section One Question 1E).

A3.3.5. If additives are present in the computation, pull the mechanical additives spreadsheet from the computation to validate the numbers. Annotate any errors or discrepancies and the actions taken to investigate and/or correct the information in the source systems. Include the information of any persons who assist in this effort (Section One Question 1F).

A3.4. Step Two:

A3.4.1. Validate the procurement information presented on the Requisition Action Tracker Procurement Information (RAT PI) or SE File Maintenance (Mx) Procurement Information database screens are accurate and current within the last cycle.

A3.4.2. Update any outdated information and annotate any changes made.

A3.5. Step Three:

A3.5.1. Compile notes from the completed file maintenance and RAT updates.

A3.5.2. Using the recommended Notepad template, complete the notepad entry for the computation being sure to answer the Who, What, Where, When, Why, and How. Example: 1 each serviceable asset released for shipping to [valid backorder] from WHSE FB2065 on [date].


A3.6. Step Four:

A3.6.1. For the Final Cycle, start the signature process following the signature level attachment within this manual. Signatures should be obtained in ascending order. i.e., RCOs will not sign if the required signatures below the $1M level are missing.

A3.6.2. Final comps should be sent through your Lead and Supervisor for review before pursuing signatures. The signature process may need to be restarted if any signer in the chain finds corrections are needed or questions remain unanswered.

A3.6.3. Once the computations have been reviewed and all signatures obtained, the final computations can be uploaded to the Share Point site.

Figure A3.2. File Maintenance Process Flow Chart.



Attachment 4

EQUIPMENT REPAIR REQUIREMENT WORKSHEET BREAKDOWN

A4.1. Purpose. The ERR worksheet breakdown provides an ERR worksheet example (**Figure A4.1**) and block-by-block field description (**Table A4.1**) to assist the IMS with understanding how the ERR worksheet is populated using the September cycle computation.

Figure A4.1. ERR Worksheet Example.




Table A4.1. Equipment Repair Requirement (ERR) Worksheet Field Descriptions.

Note	Field Name	Field Description
1	SGM	Subgroup Master NSN
2	NOUN	Item Nomenclature
3	ERRC	ERRC designator ND2 (ERRC Code "S"): Items are not expendable but are reparable. Items can be condemned only at depot level NF2 (ERRC Code "U"): Items are not expendable, but are reparable, and can be condemned at organizational level
4	SOR	Source of Repair
5	ES	Equipment Specialist code

6	PMS Seller	Production Management Specialist Seller (Contract)
7	PMS Buyer	Production Management Specialist Buyer (Organic)
8	PCN/RCN	Program Control Number/Requirements Control Number
9	Standard Price	Data pulled from FLITES (BLADE report)
10	EIDPSH	End Item Direct Product Standard Hours
11	Flow Days	Shop Flow Days (to be provided by PMS/will be stated in contract)
12	IMS	Manager Designator Code (MDC) of the Item Management Specialist (Extracted from BLADE where source system equals FLITES)
13	Worked	Yes or No selection. This is for IMS information only. Once the IMS completes review/changes to a master-NSN record, they will change the "Worked" indicator next to the NSN. By double-clicking the master-NSN record, the "Worked" indicator changes from Yes to No or from No to Yes -- just like a toggle switch. This will help IMSs determine how many NSNs they still have left to complete. The 404 SCMS/GULA will also use this to provide IMSs and RCOs with weekly status reports to help track progress.
14	ERRW Sent to PMS	Click the box on the right side to toggle to No or to Yes
15	Actual NSN	The NSN Selection is the NSN baseline for the ERR worksheets that will be NSNs with unserviceable assets aligned to a shortage as of the asset cut-off date, 30 Sep. While the baseline NSNs present a firm foundation for repair requirements review, the IMS will also consider any additional ERRC "S" items for possible inclusion in the repair budget. The IMS will contact 404 SCMS/ GULA Repair OPR to add additional NSNs not in the prior year if necessary. This fully automated worksheet computes repair requirements for the IMS using information from the Interim Computation as well as the CAVAF system. The IMS will review it for accuracy, make necessary corrections or adjustments. The Actual NSN. Notes: A NSN which has no I&S relationship to any other NSN in the I&S program is considered a "bachelor" NSN and is treated as if it is both the SGM NSN and the I&S master NSN. Procurement is not by actual NSN, but repair is done on the actual NSN.
16	W/W Rqmts	Total Worldwide (Gross requirements). Shown on the Interim Computation as of the asset cutoff date. Source of data is IC. This block is used in determining the OVERAGE/SHORTAGE position, blocks 26 and 27.
17	In Use Qty	In-use assets as shown on the Interim Computation as of the asset cutoff date. Source of data is IC. This block is used in determining the OVERAGE/SHORTAGE position, blocks 26 and 27.
18	In Place Qty	In-use and In-place quantities have been combined into one under the in-use field. This block is a placeholder used in determining the OVERAGE/SHORTAGE position, blocks 26 and 27.
19	WHSE Svc	Warehouse serviceable assets as shown on the IC as of the asset cutoff date. Source of data is IC. This block is used in determining the OVERAGE/SHORTAGE position, blocks 26 and 27.

20	Reps Available	Base and depot reparable assets on hand as the computation cutoff date. Include all reparables except condition code "M" (OWO) and "H" (condemned). Source of data IC. The information is pulled as of 30 Sep, in order to be in sync with IC data on the ERR Worksheet. It may not agree with what is currently in D035 if reparable assets have been shipped or received since 30 Sep. It is not in the best interest of the computation to change this quantity to what is currently reflected in D035 because other quantities on the worksheet are not current, and it would erroneously alter the computation. If reps available quantity is changed to current information, all blocks extracted from IC will be updated to current information.
21	Organic OWO	Organic On Work Order. Source of data is G004L. This block is used in determining the OVERAGE/SHORTAGE position, blocks 26 and 27. This action is to be updated manually by IMS and data provided to IMS by PMS.
22	Contract OWO	Contractor On-Work Order. Source of data is CAVAF. This block is used in determining the OVERAGE/SHORTAGE position, blocks 26 and 27.
23	On-Order Contract	On-Order Contract as of the asset cutoff date. IMS must complete this block. Can use funded on order from IC but use contract only. Enter the assets that were On-Order Contract as of the asset cutoff date. Do not include PR quantities or assets which have been terminated or where termination is planned. This block is used in determining the OVERAGE/SHORTAGE position, blocks 26 and 27. **Note:** These are assets due in from procurement – not repair
24	Total Repairs	This block is a total of the 8 quarters of repair history from blocks 33 and 34
25	Total Condemns	Total Condemnations. This block is a total of the 8 quarters of repair history from block 35 and 36.
26	Shortage Qty	Generated by the spreadsheet. No input is necessary. This represents the worldwide (WW) asset shortage after in-use, in- place, whse svc, OWO, and on-order contract assets are applied to the total WW requirements. If the total serviceable assets are less than the requirements, the difference is a shortage. It is derived as follows: block 16 less blocks 17, 18, 19, 21, 22, and 23.
27	Overage Qty	Generated by the spreadsheet. No input is necessary. This represents the WW asset overage after in-use, in-place, whse svc, OWO and on-order contract assets are applied to the total WW requirements. If the total serviceable assets are greater than the requirements, the difference is an overage. It is derived as follows: block 16 less blocks 17, 18, 19, 21, 22, and 23.
28	Rep Gens-3 YR Average	This block will represent an average of the number of reparable generations returned to the depot or contractor within the past three years. Repair IPT should work together to have this value as accurate as possible to help predict future repair needs. Rep gens are not captured in Interim Computation. IPT required to calculate 3-year rep gen average and update field. Outyear forecast will be representative of repair need in the future to satisfy projected outyear requirements. Complete documentation must be annotated in the comments block and maintained for audit purposes.

29	Unit Repair cost	Unit Repair Cost (also known as repair sales price). This value will be obtained from PMS via spreadsheet and entered automatically into the ERR database. IMS will ensure this block is filled; if not, will obtain from PMS. It is imperative that it be input in order to calculate the Budget Year Repair Cost.
30	Budget YR Repair Cost	This value is calculated from the cost in block 29 times the Budget Year quantity in block 38 or 41 (the higher value of the two). It is imperative that this field be calculated in order to derive a total budget year value. The budget year value is used to determine the signature level required on the computation. Computation must be signed IAW Signature Level requirements in Attachment 2.
31	Percent of Condemns	The condemnation percentage is computed by taking the past 8 quarters' condemnations and dividing it by the (past 8 quarters' condemnation + past 8 quarters' repaired). Divide condemnations by the total. This gives the percentage of condemnations. Percentage of repairs will be figured accordingly. This percentage is used to prevent budgeting for the percentage of assets that are expected to be condemned each year.
32	Number of Records	Number of ERR Worksheet NSNs per IMS code
33	Repairs by Quarter	This is the block-by-block repair history by quarter for the past 8 quarters. Source is G004L (organic) and CAVAF (contract) repair. This data is used by the spreadsheet to compute the condemnation percent. IMS and PMS will ensure accuracy. Data from "G004L" system must be entered manually by IMS.
34	Repair by Quarter - User Override	Block-by-block repair history – user override. If IMS/PMS is aware that this information is not indicative of the past 8 quarters, adjustments will be made accordingly in the user override blocks. Complete documentation must be annotated in the comments block and maintained for audit purposes.
35	Condemnations By Quarter	This is the block-by-block condemnation history by quarter for the past 8 quarters. Source is G004L (organic) and CAVAF (contract) repair. This data is used by the spreadsheet to compute the condemnation percent. IMS and PMS will ensure accuracy. "Data from "G004L" system must be entered manually by IMS.
36	Condemnations by Quarter - User Override	Block-by-block condemnation history – user override. If IMS/PMS is aware that this information is not indicative of past 8 quarters, adjustment will be made accordingly in the user override blocks. Complete documentation must be annotated in the comments block and maintained for audit purposes.
37	Prior Year Projections	Final projections from prior year ERR database. This field is to be used by the PMS and IMS to show what the final projections were from the prior year ERR Worksheets. This field is used in conjunction with the current year projections (block 38 or 41) to determine if a flag is required when data exceeds certain parameters (+/- qty of five variance in budget years). A red variance flag will show above this block if the variance is met. (The LM will determine if the Repair IPT needs to convene to review the NSNs with the repair variance. In some instances, the LM may have the

		information that explains the variance; consequently, an official meeting is not necessary. If the Repair IPT is convened and it validates and/or documents any changes to the repair information, then every team member must sign the ERR Worksheet).
38	Repair Projections by FY	Current Year computed final repair requirements, unless User Override (block 41) is filled in. These input quantities will be used in calculations for flat files that will be passed to SPERS. A cutoff date will be established by the 404 SCMS/GULA. After this date, all updates to the ERR Worksheets will be closed out, but IMS will still be able to view the worksheet and utilize it for any calculations needed during the March Comp Cycle.
39	Max Qty from Prior YR Projection	Generated by the spreadsheet. No input necessary. Form will automatically calculate the max qty for CY, BY, and B+1 year. Repair Projections by FY cannot exceed prior year projections but can decrease. If the Total Input Qty for FY (1st, 2nd and 3rd position) is larger than the prior year projections, then the smaller number is input as the max qty from prior year projections. Quantities will roll to future years and the form will place the net requirement qty from prior years in 4th FY position.
40	Smoothed Requirement	Generated by the spreadsheet. No input necessary. Form will automatically smooth the requirement in outyears if the max qty from prior year projection 4th FY position exceeds the rep gens.
41	Repair Projections By FY - User Override	Current Year computed final repair requirements – user override. IMS knowledge is an important facet in the computation of requirements. Therefore, IMS knowledge and prudent judgement must be used. Any changes to quantities computed by the spreadsheet (block 38) must be documented in the "Remarks" block of the spreadsheet and back-up documentation retained for audit trail. Adjustments made based on knowledge by any team member must be coordinated with the IMS and documented as to the reason for the adjustment. All changes will be documented and signed onto the ERR Worksheet. The IMS will retain a copy for audit purposes. Written justification must be provided for all deviations from the computed requirement.
42	Final Projections	This field is the bottom-line requirement that will be used for input into SPERS based on any user overrides input. This works the same way whether it is an overage or a shortage.
43	Comments	Enter backup documentation as necessary to support data contained on the ERR Worksheet. To add a new comment or change an existing one, click the inside the "Comments" block to open if for editing. As soon as the block is clicked, the current date and time is posted (this helps keep a historical list of events pertaining to the current NSN). To close the "Comments" block, click done or cancel if you choose not to save entered information. The "Comments" block will overlay comments from prior cycles, but IMS will keep in mind that the field size is not unlimited, and IMS will delete older data. One cycle of data will be sufficient as we can always pull older files if necessary. Cut and paste capabilities are available so it will be simple to keep data in an orderly fashion. Ensure that all USER

		OVERRIDES are fully explained in the comments block.
44	View Single Worksheet	Click the view single ERR Worksheet Data Icon (located left side of worksheet) to print single ERR Worksheet with proper signatures. Note: recommend using this option. Using the view single print option will populate proper signature lines based on Budget YR Repair Cost.
45	Print Single Worksheet	Click to print the single ERR Worksheet Icon (located left side of worksheet). Note: this option will print all signature lines/blocks, regardless of Budget YR Repair Cost.
46	Worksheet Data as of	Creates a copy of all ERR data as of the time it is selected. Select where you want to save ERR as of data worksheet/spreadsheet.
47	Print All Worksheets	Click print all icon to print all ERR Worksheets for current IMS (located left side of worksheet). Note: this option will print all signature lines/blocks, regardless of Budget YR Repair Cost.
48	Close DB	Press this button to close the database
49	Record Last Updated By	The ERR Worksheet keeps track of who makes the latest update to a NSN record. Whenever a change is made to the record, the username of the individual making the change is displayed on the bottom left of the ERR Worksheet. This can also be used as an indicator of whether or not you have opened the current record. If a name appears, then the record has been accessed. If no name is present, the worksheet has not been accessed.
50	Define Export Path for Worksheet	Shows the ERR as of data location. Select the folder where you want to save ERR as of data spreadsheet.
51	Assistance ERR Training Material	Click this link to access ERR training material located on 404 SCMS SharePoint site
52	Plus or Minus 5 Unit Variance in Budget Year	Red banner above the Prior Year Projection block informing of a variance between current and prior year. If there is a +/-5 quantity variance in between the prior year versus the current year repair projections in the budget years (2nd, 3rd, and 4th FY), the IMS will notify the Logistics Manager to act as the Team Lead of the Repair IPT that will need to convene to review these NSNs with variances. The ERR Worksheet displays a red banner above the Prior Year Projection block informing you of the variance. In some cases, the IMS and or PMS may be aware of what caused the variance, and the team will not need to meet. The reason will be annotated in the comments block.
Note	Approval Signatures	This field does not show in the ERR database but will be included on the printed/exported product. Required signatures are IAW Attachment 2.

Attachment 5

EQUIPMENT REPAIR REQUIREMENT (ERR) WORKSHEET CHECKLIST

A5.1. Purpose. The ERR Worksheet Checklist (**Figure A5.1**) is a resource to assist the IMS in ensuring all required actions are accomplished. Use of checklist is not mandatory.

Figure A5.1. Equipment Repair Requirement (ERR) Worksheet Checklist.

Equipment Repair Requirements (ERR) Worksheet Checklist

Date:	ERR File Maintenance Cycle:	
NSN:	Nomenclature:	MDC:
Highest Signature Level:		

Section 1: Review NIIN Data

☐	Is the ERR NIIN data correct?
☐	Did the PMS provide NIIN data?
☐	Do ALL worksheets with a Repair Projection in any year include: – Source of Repair (SOR) – PMS Seller Code – PMS Buyer Code – PCN – Flow Days – Unit Sales Price/Unit Repair Cost (URC)

Section 2: Review Requirements Data

☐	Is the requirements data correct?
☐	Are all WW Requirements, In Use, In Place, WHSE Svc, and Reps Avail quantities, correct, IAW September Final Interim Computation (IC)?
☐	Did you update your rep gens to account for failures based on 3-year average and to account for any unfunded assets stored at the contractors facility?
☐	– IPT (IMS, PMS, ES, LM) should work together to have this value as accurate as possible to help predict future repair needs. Rep gens are not captured in Interim Computation (IC). IPT required to calculate 3-year rep gen average and update field. Annotate change and provide reason for rep gen update in comments.
☐	Did the IMS work to correct any source system errors discovered during ERR review?
☐	Are all due in assets from procurement reflected in On Order Contract/Funded On Order (FOO)?
	Are On Work Order (OWO) reflected in Organic OWO field? Organic OWO (G004L) data is not captured in IC. IMS must manually enter data provided by PMS

Section 3: Review Repair History, Condemn History, and Prior Year Projections Data

☐	Did you receive a CAV-AF (Form 197) worksheet from the PMS for contract repair?
☐	Did you update the Contract OWO IAW CAV-AF?
☐	Are the Past Repairs by quarters data accounted for?
☐	Are the Past Condemns by quarters data accounted for?
☐	Past Repair and Past Condemn quantities come from source system G004L and CAV-AF. IMS must contact PMS for G004L data and update this section of ERR Worksheet
☐	Are your Prior Year Projections reflecting last year's Final Projections? – See prior year ERR worksheet or current pull of ERR Data As of Excel Spreadsheet. – Contact 404 SCMS GULA Repair OPR if Prior Year Projections are reporting erroneously.

Section 4: Review Projections by FY

☐	Does the worksheet have a +/-5 Variance? ☐ If yes, is the variance explained in comments block?
☐	Does the worksheet have pop-up stating, "CRT Required"? ☐ If yes, are the CRT meeting minutes attached?
☐	Does the worksheet have pop-up stating WW Rqmts Exceeded and have this notice been addressed?
☐	Did you consider all net requirements when using overrides?
☐	Does the worksheet support the override? Ensure that the repair override quantities do not exceed the item assets on hand.
☐	Are reps available and rep gens projecting? Has the IMS ensured that all reps available and rep gens have been accounted for in current and future repair actions?
☐	Has PMS/LM concurred on Budget Years (1st, 2nd, and 3rd FYs) changes that increased in quantity?

Comments Block

☐	Have all changes been annotated in the comments block?
☐	Was user override performed? ☐ If yes, are the overrides explained in the comments block?
☐	Was there a +/-5 Variance? ☐ If yes, was the variance explained in the comments block? ☐ Was the user override performed to clear variance? ☐ Was overrides explained in the comments block?
☐	Was a CRT meeting held? ☐ Did you annotate CRT meeting was held, meeting date, location and state minutes attached in comments section? (Ex: CRT Meeting held 01/01/2025 via Microsoft Teams / 404 SCMS Conf. RM 2, minutes attached).