BY ORDER OF THE COMMANDER
AVIANO (USAFE)

AVIANO AIR BASE INSTRUCTION

91-201

14 JUNE 2024

EXPLOSIVES SAFETY PROGRAM

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available for downloading or ordering on the e-Publishing website at **www.epublishing.af.mil**.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: 31st FW/SEW

Certified by: Certified by: 31 FW/CC
(Brig Gen Tad D. Clark)

Supersedes: AVIANOABI 91-201, 3 April 2018

Pages: 18

This Aviano Air Base Instruction (AABI) provides guidance on the net explosive weights (NEWs) authorized at protective aircraft shelters (PAS), combat aircraft parking areas (CAPA), hazardous cargo pads (HCP), U.S. Army Personnel Alert Holding Area (PAHA), U.S. Army Heavy Drop Rigging Facility (HDRF)/High Dock and Area G Munitions Storage Area (MSA). This guidance includes both daily and combat operating environments and sets forth the compensatory measures necessary to establish the safest environment possible during explosive operations in which increased NEWs are required for mission accomplishment. It applies to all personnel including, but not limited to, U.S. Army, Air Force Reserve, and Air National Guard (ANG) assigned or deployed to Aviano Air Base who handle or transport explosives. This publication implements DESR 6055.09_AFMAN 91-201 *Explosives Safety Standards*. This publication may be supplemented at any level, but all supplements must be routed to the Office of Primary Responsibility (OPR) listed above for coordination prior to certification and approval. Refer recommended changes and questions about this publication to the OPR listed above using the AF Form 847, *Recommendation for Change of Publication*; route AF Forms 847 from the field through the appropriate chain of command. Requests for waivers must be submitted to the OPR listed above for consideration and approval. Ensure that all records created as a result of processes prescribed in this publication are maintained in accordance with Air Force Instruction (AFI) 33-322, *Records Information and Information Governance Program*, and disposed of in accordance with Air Force Records Information Management System (AFRIMS) Records Disposition Schedule (RDS). The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the Air Force.

SUMMARY OF CHANGES

1. Overview. This Air Base Instruction (ABI) implements the requirements of DESR 6055.09_DAFMAN 91-201, 28 May 2020, *Explosives Safety Standards* and the USAFE-AFAFRICA COMMAND Supplement, 6 January 2021.

1. 1. This instruction:

1.1.1. **Meets requirements of DESR 6055.** 09_DAFMAN 91-201 **para V1**E5.2.3.3.1.2.7. to "develop a means to assure continued implementation of compensatory measures. **(T-2)."**

1.1.2. Provides explosives hazard mitigation guidance to personnel involved in explosive operations on Aviano Air Base.

1.1.3. Directs the implementation of mandatory compensatory measures (CMs), when required, to meet operational requirements and limit hazards to personnel and facilities unrelated to explosives operations.

1.1.4. Enforces the cardinal principle of explosives safety: Expose the minimum number of people to the minimum amount of ammunition and explosives (AE) for the minimum amount of time consistent with safe and efficient operations.

2. General . Explosives safety practices observed during war and peacetime provide personnel and property maximum protection from the damaging effects of potential accidents consistent with operational requirements. This instruction is conservative and provides the 31 FW/CC a vehicle for rapid, logical explosives safety decisions IAW all applicable directives. During sustained operations or contingencies, Event Waivers (EWs) may provide relief from requirements for one-time events of duration up to 365 days. Event Waivers are generated by 31 FW Weapons Safety (SEW) and routed to the appropriate approval authority prior to implementation.

3. Explosives Operating Environments. Aviano AB may operate under the following two explosives operating environments dependent on mission requirements: Combat and Daily.

3.1. **The combat operations explosives operating environment will be used during contingency operations when increased NEW is essential to execute air tasking orders (ATO) or other mission essential operations.** When approved, combat NEWs allow the full use of approved Explosive Site Plans (ESPs) at potential explosives sites (PES). The combat environment is not all inclusive and may be activated for a specific location. For example, an ATO is issued for the generation of six aircraft from one fighter squadron. Combat operations criteria would be applied to the affected area and not the remaining fighter squadron as they pose no additional hazard. Along with the increased amount of NEW, CMs must be implemented to limit the risk to personnel unrelated to explosives operations.

3.2. **The daily NEW explosives environment reduces risk to personnel and facilities not related to explosives operations.** Daily NEW limits allow full use of facilities, public traffic roads, parking lots, and aircraft parking locations. Approved ESPs may not reflect daily NEWs but are established by 31 FW/SEW and approved by the Wing Commander and listed in Attachments **2** through **7**.

4. Compensatory Measures. CMs implement specific risk management actions to allow combat NEWs when necessary to meet mission requirements. Examples include restricting perimeter road

traffic to related personnel only, closure of parking lots, and vacating aircraft parking locations. CMs are listed in **Attachment 8**.

4.1. **Daily NEW limits will not be directed by the 31 FW/CC, but it is the responsibility of the user to ensure compliance.**

4.2. **Personnel must be familiar with the CMs associated with the PESs in which they operate.** Facilities may have CMs associated even though listed NEWs do not differentiate between daily and combat (ex: Building 1204 Heavy Drop Rigging Facility).

4.3. **Units will attempt to meet daily operation limits and notify 31 FW/CC and 31 FW/SEW when combat limits are required to meet taskings.**

4.4. **CMs impacting activities external to the user's organization requires 31 FW/CC or 31 FW/CV approval.** The primary example is closure of the perimeter road (Craig Rd) to un-related traffic, which requires action by SFS, ITAF, and Carabinieri.

4.5. **Upon initiation of the combat operating environment, the 31 FW/CC or 31 FW/CV will direct implementation of compensatory measures and disseminate the change in operating environment via any acceptable means, i.** e., Crisis Action Team Directive (CATD), email, etc.

4.6. **The following PESs have established compensatory measures associated when explosives are introduced:**

4.6.1. Hazardous Cargo Pads (HCPs)

4.6.2. Zulu Loop Protective Aircraft Shelters (PAS)

4.6.3. Sierra Loop PASs

4.6.4. Tower Loop PASs

4.6.5. Combat Aircraft Parking Areas (CAPAs)

4.6.6. 82006B Pad (Area G)

4.6.7. 82206 Pad (Area G)

4.6.8. Building 1204 Army Heavy Drop Rigging Facility

4.6.9. Building 12041 Army High Dock

4.6.10. Facility 12004 EOD Proficiency Range

5. Responsibilities :

5.1. **ALL UNITS will:**

5.1.1. Post fire symbols for highest explosive Hazard Division (HD) of PESs for which they are responsible. NOTE: PASs within Mike, Sierra, Tower, and Zulu loops will not be individually posted with fire symbols or hazard signs; however, entrances to the loops will have fire symbols posted for the highest hazard present in the loop.

5.1.2. Notify Fire Department Emergency Communications Center (ECC) at 632-6001 when firefighting symbols are changed.

5.1.3. Notify Munitions Control of munitions movements. Applicable to all units operating on Aviano Air Base, whether permanently assigned or visiting. Does not apply to "in-use" munitions by 31 SFS or OSI.

5.1.4. Ensure Italian national employees and contractors directly supporting explosive operations are relocated from facilities within Intraline Distance of a PES. Personnel not directly supporting explosive operations must remain outside all explosive arcs. Contact 31 FW/SEW to determine applicability.

5.1.5. Support the implementation of compensatory measures if the combat operating environment is activated.

5.1.6. Notify 31 FW/SEW when implementing CMs.

5.2. **31st Operations Group (31 OG) will:** Ensure CAPAs/PASs have required airfield markings for explosive-loaded aircraft spots within 180 days of changes to ESPs.

5.3. **31st Mission Support Group (31 MSG) will:**

5.3.1. Coordinate with 31 OG and 31 MXG to provide possible workspace for evacuated Italian nationals in the event of compensatory measure implementation.

5.3.2. For CMs involving road closure, coordinate notification with ECC, 31 SFS, ITAF, and Carabinieri, and assist 31 FW/SEW in placement of cones/signs denoting limited traffic routes.

5.4. **31st Maintenance Group (31 MXG) will:**

5.4.1. Upon delivery of munitions, ensure shelter doors are closed as expeditiously as possible IAW DESR 6055.09_DAFMAN 91-201 **para V4**E3.7.3.3. This is a shared responsibility amongst all squadrons under the MXG.

5.4.2. Post and maintain NEW limits, including all HDs (1.1 Daily/Combat, 1.2.1 MCE, 1.2.2, (xx) 1.2.3 MCE/LSRN, 1.3, and 1.4) on the inside of the PAS.

5.4.3. 555th and 510th Fighter/56th Rescue Generation Squadrons (555/510 FGS/56 RGS) will:

5.4.3.1. Ensure the Maintenance Operations Center (MOC) is notified when hazard division (HD) 1.1 and 1.2.x munitions are loaded/downloaded at a PAS/CAPA.

5.4.3.2. Ensure MOC is notified of loaded aircraft departure from a PAS/CAPA or other circumstances when HD 1.1 or 1.2.x munitions are no longer present.

5.4.3.3. Ensure MOC is notified when an aircraft returns to a PAS/CAPA with un-expended HD 1.1 and 1.2.x munitions.

5.4.3.4. Ensure aircraft with HD 1.1 and 1.2.x munitions, returning from flight or positioned for launch, are only on the aprons in front of the PAS for the minimum amount of time. For example, after returning from flight with un-expended munitions, aircraft must be pushed back prior to servicing/inspection actions. Aprons located in front of the PASs are not approved for these HDs.

5.4.3.5. Ensure Italian national employees and contractors assigned to the 555 FGS relocate from Building 1237 when implementing CM Aviano-16-CM33.

5.4.4. 31st Munitions Squadron (31 MUNS)/Munitions Control will:

5.4.4.1. Notify ECC when 31 MUNS delivers or removes HD 1.1 and 1.2.x munitions to/from a PAS/CAPA.

5.4.4.2. Will post fire symbols and hazard signs when explosives are present at Zulu Ready Service Magazines (Zulu-107/EHR107/1238A, Zulu-108/HER108/1238B, Zulu-109/EHR109/1238C) and Sierra Flight Line Munitions Holding Area 82002.

5.4.4.3. Munitions Control will monitor all munitions movements and storage for units assigned, attached, or deployed to Aviano AB.

5.5. **US Army (173d ACBT, SETAF, USAREUR) will:**

5.5.1. Notify 31 FW/SEW when the U.S. Army plans to introduce munitions exceeding 500 pounds of HD 1.3 and/or 1.4, or any amount of 1.1 or 1.2.x into Building 1204 or 12041. Notification in support of training requirements must be submitted five calendar days out. Notification in support of operational requirements must be communicated and approved prior to start of any movements/storage.

5.5.2. Post appropriate fire symbol/hazard sign on 1204, 12041, and 1446.

5.5.3. External power connections (Building 1204 to temporary storage tents) will be disconnected when munitions are introduced to the facility to preserve integrity of Lightning Protection System.

5.5.4. Notify ECC when munitions are introduced/removed from facilities 1204, 12041, 1446, and the fire symbol/hazard signs are posted/removed.

5.5.5. Notify ECC and 31 OSS Airfield Management when Army munitions are present at the HCP (out-shipment or receiving).

5.6. 31 **FW/SEW will:**

5.6.1. Perform spot inspections to verify compliance with NEW limits and accurate tracking by Munitions Control and responsible organization.

5.6.2. Perform spot inspections on munitions delivery, loading, and unloading operations to ensure PASs and CAPAs do not exceed sited NEW.

5.6.3. Notify wing leadership when planned operations require implementation of CMs.

5.6.4. Provide hazard mitigation courses of action for wing leadership when operations hazard US or Italian personnel.

6. The attachments list the net explosive weights and compensatory measures for all facilities.

TAD D. CLARK, Brigadier General, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

DESR 6055.09_DAFMAN 91-201, 28 May 2020, *Explosives Safety Standards*

DESR 6055.09_AFMAN 91-201 USAFE-AFAFRICA Supplement, 6 January 2021

AFI 33-322, 28 July 2021, *Records Information and Information Governance Program*,

Prescribed Forms

None

Adopted Forms

AF Form 847, *Recommendation for Change of Publication*

Abbreviations and Acronyms

AABI—Aviano Air Base Instruction

AFRIMS—Air Force Records Information Management System

ATO—Air Tasking Orders

CATD—Crisis Action Team Directive

CAPA—Combat Aircraft Parking Areas

CZ—Clear Zone

ECC—Emergency Communications Center

ES—Exposed Sites

ESP—Explosive Site Plans

FGS—Fighter Generation Squadron

FS—Fighter Squadron

FW—Fighter Wing

HAS/PAS—Hardened/Protective Aircraft Shelters

HCP—Hazardous Cargo Pad

HD—Hazard Division

HDRF—Heavy Drop Rigging Facility

LSRN—Largest Single Round Net Explosive Weight for Quantity Distance

MCE—Maximum Credible Event

MSG—Mission Support Group

MOC—Maintenance Operation Center

MXG—Maintenance Group

MUNS—Munitions Squadron

NEW—Net Explosive Weight

NEWQD—Net Explosive Weight for Quantity-Distance

OG—Operations Group

OPR—Office of Primary Responsibility

PAHA—Personnel Alert Holding Area

PES—Potential Explosive Sites

QD—Quantity Distance

RGS—Rescue Generation Squadron

RDS—Records Disposition Schedule

SEW—Weapons Safety

Attachment 2

PAS NEWS (CONTACT SEW PRIOR TO USING COMBAT OPS LIMITS)

Table A2.1. PAS NEWs (Contact SEW Prior to Using Combat Ops Limits), Part 1.

SIERRA LOOP							
*** Compensatory measure associated with facility. Notify 31FW/SEW if implemented.**							
S-56 and S-55 remain at Daily Ops limits while S-56 is in use as a support section							
Facility	**1.1 (DAILY OPS)**	**1.1 (COMBAT OPS)**	**1.2.1 MCE**	**1.2.2**	**(xx) 1.2.3 LSRN**	**1.3**	**1.4**
1182 (S-51)*	**4,000**	**4,000**	**2,000 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
1183 (S-53)*	**3,449**	**6,000**	**2,000 <109**	**6,000**	**(09) 6,000 <109**	**6,000**	**6,000**
1184 (S-52)	**6,000**	**6,000**	**2,000 <109**	**6,000**	**(09) 6,000 <109**	**6,000**	**6,000**
1185 (S-54)	**500**	**500**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1186 (S-55)*	**500**	**4,300**	**2,000 <109**	**4,300**	**(09) 4,300 <109**	**4,300**	**4,300**
1188 (S-56)*	**0**	**500**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1189 (S-57)	**500**	**500**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1190 (S-60)*	**1,845**	**1,845**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1191 (S-58)*	**0**	**500**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1192 (S-62)*	**3,375**	**3,375**	**2,000 <109**	**3,375**	**(09) 3,375 <109**	**3,375**	**3,375**
1193 (S-59)*	**500**	**500**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1194 (S-64)	**5,870**	**5,870**	**2,000 <109**	**6,000**	**(09) 6,000 <109**	**6,000**	**6,000**
1195 (S-61)*	**500**	**1,100**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1196 (S-63)	**1,100**	**1,100**	**1,754 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
1197(S-66)	**500**	**500**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**
1198(S-67)	**500**	**500**	**1,000 <109**	**2,000**	**(09) 2,000 <109**	**2,000**	**2,000**

Table A2.2. PAS NEWs (Contact SEW Prior to Using Combat Ops Limits), Part 2.

ZULU LOOP							
*** Compensatory measure associated with facility. Notify 31FW/SEW if implemented.**							
Facility	**1.1 (DAILY OPS)**	**1.1 (COMBAT OPS)**	**1.2.1 MCE**	**1.2.2**	**(xx) 1.2.3 LSRN**	**1.3**	**1.4**
7830 (Z-17)*	**500**	**500**	**1,826 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
7870 (Z-13)*	**263**	**3,950**	**1,818 <99**	**4,000**	**(09) 4,000 <99**	**4,000**	**4,000**
7910 (Z-11)*	**263**	**4,000**	**681 <93**	**4,000**	**(09) 4,000 <93**	**4,000**	**4,000**
7920 (Z-18)	**6,000**	**6,000**	**6,000 <109**	**6,000**	**(09) 6,000 <109**	**6,000**	**6,000**
7930 (Z-9)*	**263**	**4,000**	**2,000 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
7940 (Z-16)	**6,000**	**6,000**	**2,050 <109**	**6,000**	**(09) 6,000 <109**	**6,000**	**6,000**
7960 (Z-10)*	**4,000**	**4,000**	**3,338 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
7970 (Z-6)*	**263**	**4,000**	**4,000 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
7980 (Z-7)	**5,000**	**5,000**	**3,875 <109**	**5,000**	**(09) 5,000 <109**	**5,000**	**5,000**
7990 (Z-5)*	**263**	**4,000**	**1,581 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
8000 (Z-1)	**5,000**	**5,000**	**5,000 <109**	**5,000**	**(09) 5,000 <109**	**5,000**	**5,000**
8010 (Z-2)*	**2,655**	**4,000**	**1,500 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**
8020 (Z-3)*	**4,785**	**6,000**	**1,774 <109**	**6,000**	**(09) 6,000 <109**	**6,000**	**6,000**
8030 (Z-4)	**4,000**	**4,000**	**2,413 <109**	**4,000**	**(09) 4,000 <109**	**4,000**	**4,000**

Table A2.3. PAS NEWs (Contact SEW Prior to Using Combat Ops Limits), Part 3.

TOWER LOOP							
* Compensatory measure associated with facility. Notify 31FW/SEW if implemented.							
Facility	1.1 (DAILY OPS)	1.1 (COMBAT OPS)	1.2.1 MCE	1.2.2	(xx) 1.2.3 LSRN	1.3	1.4
8230 (T-35)*	2,100	6,000	1,714 <109	11,000	(09) 11,000 <109	11,000	11,000
8250 (T-34)*	2,600	6,000	972 <109	11,000	(09) 11,000 <109	11,000	11,000
8270 (T-32)*	500	4,200	2,198 <109	11,000	(09) 11,000 <109	11,000	11,000
8280 (T-33)	6,000	6,000	1,410 <109	11,000	(09) 11,000 <109	11,000	11,000
8310 (T-30)*	500	5,960	1,348 <109	11,000	(09) 11,000 <109	11,000	11,000
8320 (T-29)*	988	1,100	1,694 <109	11,000	(09) 11,000 <109	11,000	11,000
8360 (T-27)*	500	1,100	1,005 <109	11,000	(09) 11,000 <109	11,000	11,000
8370 (T-25)*	500	2,300	1,016 <109	11,000	(09) 11,000 <109	11,000	11,000
8380 (T-26)*	1,299	4,000	1,051 <109	11,000	(09) 11,000 <109	11,000	11,000
8410 (T-23)*	500	1,100	1,022 <109	11,000	(09) 11,000 <109	11,000	11,000
8440 (T-22)*	2,584	3,000	2,289 <109	11,000	(09) 11,000 <109	11,000	11,000

Attachment 3

COMBAT AIRCRAFT PARKING AREAS (CAPA)

Table A3.1. Combat Aircraft Parking Areas (CAPA).

CAPAs						
*MIKE Loop CAPAs reduced to 0 NEW when helipads are in use.						
Facility	1.1	1.2.1 MCE	1.2.2	(xx) 1.2.3 LSRN	1.3	1.4
CAPA-T21	29.5	0	0	0	0	0
CAPA-T24	29.5	0	0	0	0	0
CAPA-T28	29.5	0	0	0	0	0
CAPA-T29A	29.5	0	0	0	0	0
Sierra Pad S82A	29.5	0	0	0	0	0
Sierra Pad S82B	29.5	0	0	0	0	0
Sierra Pad S82C	29.5	0	0	0	0	0
CAPA-S92A	29.5	0	0	0	0	0
CAPA-S92B	29.5	0	0	0	0	0
CAPA-S92C	29.5	0	0	0	0	0
CAPA-S92D	29.5	0	0	0	0	0
CAPA-S96A	29.5	0	0	0	0	0
CAPA-S96B	29.5	0	0	0	0	0
CAPA-S96C	29.5	0	0	0	0	0
CAPA-Z01A	29.5	0	0	0	0	0
CAPA-Z01B	29.5	0	0	0	0	0
CAPA-Z01C	29.5	0	0	0	0	0
CAPA-Z01D	29.5	0	0	0	0	0
CAPA-Z01E	29.5	0	0	0	0	0
CAPA-Z01F	29.5	0	0	0	0	0
CAPA-Z09A	29.5	0	0	0	0	0
CAPA-Z09B	29.5	0	0	0	0	0
CAPA-Z09C	29.5	0	0	0	0	0
CAPA-Z17A	29.5	0	0	0	0	0
CAPA-Z17B	29.5	0	0	0	0	0
CAPA-Z17C	29.5	0	0	0	0	0
CAPA-Z17D	29.5	0	0	0	0	0
CAPA-M37	29.5	0	0	0	0	0
CAPA-M38A	29.5	0	0	0	0	0
CAPA-M38B	29.5	0	0	0	0	0
CAPA-M40	29.5	0	0	0	0	0
CAPA-M41	29.5	0	0	0	0	0

Attachment 4

HAZARDOUS CARGO PADS (HCP)

Table A4.1. Hazardous Cargo Pads (HCP).

Hazardous Cargo/Heavy Pads						
* Compensatory measure associated with facility. Notify 31FW/SEW if implemented.						
Facility	1.1	1.2.1 MCE	1.2.2	(xx)1.2.3 LSRN	1.3	1.4
749A	0	0	956	0	28,000	MEQ
750A	0	0	2,000	0	28,000	MEQ
751A	0	0	1,226	0	27,000	MEQ
800A*	29,000	25,000 <450	30,000	(12) 30,000 <450	30,000	30,000
800B*	30,000	28,000 <450	30,000	(12) 30,000 <450	30,000	30,000
800C*	29,000	30,000 <450	30,000	(12) 30,000 <450	30,000	30,000
HCP-SR-S1*	0	176 <48	8,000	0	83,000	MEQ
HCP-SR-S2	0	287 <62	25,000	0	83,000	MEQ
HCP-SR-S3	0	270 <60	23,600	0	72,000	4,000
HCP-SR-S4	0	220 <48	14,600	0	72,000	4,000
13114	0	864 <104	40,000	0	40,000	MEQ
13115	0	1,980 <152	40,000	0	40,000	MEQ
13116	0	4,727 <222	40,000	0	40,000	MEQ
99917	0	5,000 ≤275	0	0	5,000	5,000
1100HCP	0	0	810	0	10,000	MEQ
921HCP	0	0	0	0	9,000	MEQ
925HCP	0	0	0	0	4,500	MEQ
933HCP	0	0	0	0	4,500	MEQ

Attachment 5

FLIGHTLINE MUNITIONS HOLDING AREAS & 1270 AREA

Table A5.1. Flightline Munitions Holding Areas & 1270 Area.

Flightline Munitions Holding Areas						
* Compensatory measure associated with facility. Notify 31FW/SEW if implemented.						
Facility	1.1	1.2.1 MCE	1.2.2	(xx) 1.2.3 LSRN	1.3	1.4
82002	280	832 <99	20,000	(06) 20,000 <103	20,000	20,000
ZULU 107	22,000	22,000 >451	22,000	(12) 22,000 <450	22,000	22,000
ZULU 108*	22,000	22,000 >451	22,000	(12) 22,000 <450	22,000	22,000
ZULU 109*	22,000	17,737 <383	22,000	(12) 22,000 <229	22,000	22,000
1270Area						
* Compensatory measure associated with facility. Notify 31FW/SEW if implemented.						
Facility	1.1	1.2.1 MCE	1.2.2	(xx) 1.2.3 LSRN	1.3	1.4
1270*	750	80 <33	800	0	5,400	4,000
1274	420	3,000 <187	20,000	0	20,000	20,000
1275	680	3,000 <187	20,000	0	20,000	20,000
1276	1,000	3,000 <187	20,000	0	20,000	20,000
1277	1,500	3,000 <187	20,000	0	20,000	20,000
1278	2,000	2,500 <175	20,000	0	20,000	20,000
1279	2,800	2,500 <175	20,000	0	20,000	20,000
1270PAD	10,000	394 <394	20,000	(05) 20,000 <450	20,000	MEQ

Attachment 6

AREA G & ARMY FACILITIES

Table A6.1. Area G & Army Facilities.

Area G						
* Compensatory measure associated with facility. Notify 31FW/SEW if implemented.						
Facility	1.1	1.2.1 MCE	1.2.2	(xx) 1.2.3 LSRN	1.3	1.4
1502	98	0	0	(02) 5,000 <33	5,000	MEQ
1525*	4,374	1,933 <31	30,000	(09) 2,000 <240	5,000	5,000
1527	7,400	4,500 <47	180,000	(03) 180,000 <47	167,000	MEQ
1556	140,500	500,000 >450	500,000	(13) 500,000 <450	500,000	MEQ
1560	0	0	0	0	0	MEQ
1561	0	0	0	0	0	MEQ
1562	0	0	0	0	0	MEQ
1563	0	0	0	0	0	MEQ
1564	20,250	500,000 >450	500,000	(12) 500,000 <414	211,962	MEQ
1565	0	0	0	0	0	MEQ
1568	6,797	10,000 <99	10,000	(12) 10,000 <240	10,000	10,000
1578	68,500	500,000 >450	500,000	(13) 500,000 <450	500,000	MEQ
1579	170,300	500,000 >450	500,000	(13) 500000 <450	500,000	MEQ
1580	24,750	500,000 >450	500,000	(12) 500,000 <450	169,479	MEQ
15015	66,000	500,000 >450	500,000	(13) 500,000 <450	200,000	MEQ
15017	100,500	500,000 >450	500,000	(13) 500,000 <450	463,000	MEQ
15019	145,000	500,000 >450	500,000	(13) 500,000 <450	500,000	MEQ
15031	53,250	331 <99	500,000	(13) 500,000 <99	167,500	MEQ
15033	82,250	500,000 >450	500,000	(13) 500,000 <450	373,900	MEQ
15035	122,500	500,000 >450	500,000	(13) 500,000 <450	500,000	MEQ
15037	148,750	500,000 >450	500,000	(13) 500,000 <450	500,000	MEQ
15039	153,750	500,000 >450	500,000	(13) 500,000 <450	500,000	MEQ
15049	59,500	500,000 >450	500,000	(13) 500,000 <450	236,000	MEQ
15051	95,750	500,000 >450	500,000	(13) 500,000 <450	354,250	MEQ
15053	140,500	500,000 >450	500,000	(13) 500,000 <450	359,000	MEQ
15055	153,000	500,000 >450	500,000	(13) 500,000 <450	445,000	MEQ
15097	75,000	500,000 >450	500,000	(13) 500,000 <450	390,000	MEQ
82206*	1,000	500 <83	26,205	(05) 507 <83	50,000	50,000
82006B*	10,000	5000 <99	5,000	(07) 250,000 <100	5,000	MEQ
Army Heavy Drop, Highliner, and PAHA						
* Compensatory measure associated with facility. Notify 31FW/SEW if implemented.						
866 Craig Road will be restricted when any amount of 1.1, 1.2.1, or 1.2.2 are present in 1204 or 12041						
Facility	1.1	1.2.1 MCE	1.2.2	(xx) 1.2.3 LSRN	1.3	1.4
1204*	10,000	3,000 <175	20,000	0	2,000	3,000
12041*	20,000	3,000 <175	20,000	0	2,000	3,000
1446	0	0	0	0	0	5,000

Attachment 7

EOD FACILITIES

Table A7.1. EOD Facilities.

EOD						
* Compensatory measure associated with facility. Notify 31FW/SEW if implemented.						
Facility	1.1	1.2.1 MCE	1.2.2	(xx) 1.2.3 LSRN	1.3	1.4
939A	1.25	0	0	0	0	0
939B	1.25	0	0	0	0	0
12004*	1.25	0	0	0	0	0
12004A*	5	0	0	0	0	0
12004B*	5	0	0	0	0	0
12004C*	5	0	0	0	0	0

Attachment 8

COMPENSATORY MEASURES

Table A8.1. Compensatory Measures, Part 1.

Compensatory No.	FACILITY	EXPOSED SITE	Specific Measures/Actions To Be Taken
ADMIN	1186	1188	Disperse support section from 1188 when HAS 1186 exceeds 500 lbs HD 1.1.
ADMIN (Pending Aviano-24-CM01)	EHR 108, EHR 109 (Zulu Ready Service Magazines)	7810 (Zulu 14)	EHR 108 - 1.1 limited to 17,908 - 1.2.1 limited to 15,879 <300 - 1.2.3 limited to (09) 22,000 <450 EHR 109 - 1.1 limited to 11,111 - 1.2.1 limited to 5,432 <235 - 1.2.3 limited to (09) 22,000 <229
Aviano-11-CM272	HCP-SR-S1	SR-DV-1	HCP-SR-S1 will not be used for explosive operations when SR-DV-1 is in use
Aviano-14-CM03	82006B	1568PK2	When 82006B is used 1568PK2 will contain no inert items
Aviano-14-CM04	82006B	1580	When explosives are present on 82006B, 1580 HD 1.1 and 1.3 will be limited to 11,000 lbs NEWQD and 27,500 lbs NEWQD respectively.
Aviano-14-CM06	82006B	82206	AGMS 82006B and 82206 will not be used concurrently
Aviano-16-CM01	8230	12042/12052	When HAS exceeds 2,100 lbs of HD 1.1, exposed facilities will not be used.
Aviano-16-CM02	8250	12042/12052	When HAS exceeds 2,600 lbs of HD 1.1, exposed facilities will not be used.
Aviano-16-CM03	8270	12042/12052	When HAS exceeds 500 lbs of HD 1.1, exposed facilities will not be used.
Aviano-16-CM04	8270	Perimeter Run	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of perimeter running track.
Aviano-16-CM05	8270	886 Craig Road	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of Craig RD to related personnel only.
Aviano-16-CM06	8270	FW-10, T10, G2	When HAS exceeds 1,100 lbs of HD 1.1, restrict use of FW-10, G2 and T10.
Aviano-16-CM07	8310	FW-8/T8	When HAS exceeds 1,100 lbs of HD 1.1, restrict use of FW-8 & T-8.
Aviano-16-CM08	8310	886 Craig Road	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of Craig RD to related personnel only.
Aviano-16-CM09	8310	12042/12052	When HAS exceeds 1,200 lbs of HD 1.1, exposed facilities will not be used.
Aviano-16-CM10	8310	1334	When HAS exceeds 2,100 lbs of HD 1.1, exposed facility will not be used.
Aviano-16-CM11	8320	T29A-PEX	When HAS exceeds 988 lbs of HD 1.1, T29A will not have explosive loaded aircraft present.
Aviano-16-CM12	8360	886 Craig Road	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of Craig RD to related personnel only.
Aviano-16-CM13	8370	886 Craig Road	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of Craig RD to related personnel only.

Table A8.2. Compensatory Measures, Part 2.

Compensatory No.	FACILITY	EXPOSED SITE	Specific Measures/Actions To Be Taken
Aviano-16-CM14	8370	Group PLT	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of exposed parking lots to related personnel only.
Aviano-16-CM15	8370	1334	When HAS exceeds 1,100 lbs of HD 1.1, exposed facility will not be used.
Aviano-16-CM16	8380	T24-PEX	When HAS exceeds 1,299 lbs of HD 1.1, T24 will not have aircraft present.
Aviano-16-CM17	8380	T28-PEX	When HAS exceeds 3,777 lbs of HD 1.1, T28 will not have aircraft present.
Aviano-16-CM18	8380	1334	When HAS exceeds 1,500 lbs of HD 1.1, exposed facility will not be used.
Aviano-16-CM19	8410	886 Craig Road	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of Craig RD to related personnel only.
Aviano-16-CM21	8410	203, 224, 271, 328, 359, 406, 442, 49, 519, 678	When HAS exceeds 500 lbs of HD 1.1, restrict exposed sections of exposed parking lots to related personnel only.
Aviano-16-CM22	8440	1447	When HAS exceeds 2,584 lbs of HD 1.1, no training will be conducted at exposed facility.
Aviano-16-CM23	1270	12004	EOD Range will not be used when Bldg. 1270 contains HD 1.1 munitions.
Aviano-16-CM24	800A	EOD Area	EOD Range will not be used when 800A has any 1.1 or 1.2.x present
Aviano-16-CM25	800B	EOD Area	EOD Range will not be used when 800B has any 1.1 or 1.2.x present
Aviano-16-CM26	800C	EOD Area	EOD Range will not be used when 800C has any 1.1 or 1.2.x present
Aviano-16-CM27	12041	EOD Range HLD Pads	EOD range hold pads won't be in use when 1.1 or 1.2.1 are present at 12041
Aviano-16-CM28	1204	EOD Range Area	EOD range or holding pads won't be in use when 1.1 or 1.2.1 are present at 1204
Aviano-16-CM29	12004/12004C	1204PV1	When EOD range is use 1204PV1 won't be in use.
Aviano-16-CM30	12004/12004A/B/C	1204PV2	When EOD range is use 1204PV2 won't be in use.
Aviano-16-CM31	800C	800A/800B	When 800C is used, 800A and 800B will not be used.
Aviano-16-CM32	7830	Zulu 17 CAPA A	When HAS 7830 exceeds 100 lbs HD 101, Zulu 17 CAPA spot A will be empty.
Aviano-16-CM33	7870	886 Craig Road	When HAS 7870 exceeds 263 lbs HD 1.1, the sections of road within PTRD will be restricted to related personnel. See para. 5.4.3.5. for additional local requirement.
Aviano-16-CM34	7910	866 Craig Road	When HASs exceeds 263 lbs 1.1 affected parts of Craig RD will be restricted to related personnel only.
Aviano-16-CM35	7930	866 Craig Road	When HASs exceeds 263 lbs 1.1 affected parts of Craig RD will be restricted to related personnel only.
Aviano-16-CM36	7930	Zulu CAPA 3	When HAS 7930 exceeds 3,658 lbs HD1.1, Zulu CAPA spot 3 will be empty.
Aviano-16-CM37	7960	866 Craig Road	When HASs exceeds 3,319 lbs 1.2.1 affected parts of Craig RD will be restricted to related personnel only.

Table A8.3. Compensatory Measures, Part 3.

Compensatory No.	FACILITY	EXPOSED SITE	Specific Measures/Actions To Be Taken
Aviano-16-CM38	7970	866 Craig Road	When HASs exceeds 263 lbs 1.1 affected parts of Craig RD will be restricted to related personnel only.
Aviano-16-CM39	7970	Zulu CAPA 1	When HASs exceeds 3,276 lbs 1.1 CAPA 1 will not be used for aircraft parking
Aviano-16-CM40	7990	886 Craig Road	When HASs exceeds 263 lbs 1.1 affected parts of Craig RD will be restricted to related personnel only.
Aviano-16-CM41	8020	886 Craig Road	When HAS 8020 exceeds 4,785 lbs HD 1.1, the sections of road within PTRD will be restricted to related personnel.
Aviano-16-CM42	8010	Zulu PAD A-F	When HAS 8010 exceeds 2,644 lbs HD 1.1, Zulu Pad spot C will be empty. When HAS 8010 exceeds 1,204 lbs HD 1.1, Zulu Pad spot D will be empty. When HAS 8010 exceeds 892 lbs HD 1.1, Zulu Pad spot E will be empty. When HAS 8010 exceeds 818 lbs HD 1.1, Zulu Pad spot F will be empty.
Aviano-16-CM43	12041	Zulu PAD A-F	When 12041 HD 1.1 NEW exceeds 19,492 lbs HD 1.1, Zulu CAPA spot E will not be used. When AGM 12041 exceeds 16,733 lbs HD 1.1, Zulu CAPA spot F will not be used.
Aviano-16-CM44	8020	1200 IST3	When HAS 8020 exceeds 4,300 lbs HD 1.1, inert storage will not be utilized.
Aviano-16-CM45	1182	Sierra Pad A-D, CAPA	When HAS 1182 exceeds 698 lbs HD 1.1, Sierra CAPA Spot A will be empty. When HAS 1182 exceeds 3,000 lbs HD 1.1, Sierra CAPA Spot B will be empty.
Aviano-16-CM46	1183	Sierra Pad A-D, CAPA	When HAS 1183 exceeds 5,305 lbs HD 1.1, Sierra CAPA Spot B will be empty. When HAS 1183 exceeds 5,937 lbs HD 1.1, Sierra CAPA Spot C will be empty.
Aviano-16-CM47	1183	886 Craig Rd	When HAS exceeds 3,449 lbs of HD 1.1, restrict affected sections of Craig RD to related personnel only.
Aviano-16-CM48	1190	S92A-D, CAPA	When HAS 1190 exceeds 1,814 lbs HD 1.1 S92, CAPA spot D will be empty.
Aviano-16-CM49	1191	886 Craig Rd	When any 1.1 is present at HAS 1191 affected parts of Craig RD will be restricted to related personnel only.
Aviano-16-CM50	1192	S92A-D, CAPA	When HAS 1192 exceeds 985 lbs 1.1 HD S92 CAPA Spot A will be empty. When HAS 1192 exceeds 3,117 lbs HD 1.1, S92 CAPA Spot B will be empty.
Aviano-16-CM51	1193	886 Craig Rd	When HAS 1193 exceeds 500 lbs of 1.1, 213 lbs <53 of 1.2.1 or any 1.2.3 affected parts of Craig RD will be restricted to related personnel only.
Aviano-16-CM52	1195	886 Craig Rd	When HAS 1195 exceeds 500 lbs 1.1 affected parts of Craig RD will be restricted to related personnel only.
Aviano-16-CM53	1204	886 Craig Rd	Affected areas of road restricted to related personnel when 1.1, 1.2.1, 1.2.3 or 1.3 explosives are present
Aviano-16-CM54	12041	886 Craig Rd	Affected areas of road restricted to related personnel when 1.1, 1.2.1, 1.2.3 or 1.3 explosives are present

Table A8.4. Compensatory Measures, Part 4.

Compensatory No.	FACILITY	EXPOSED SITE	Specific Measures/Actions To Be Taken
Aviano-16-CM55	1188	1542	Parking lot is vacant when explosives are present at 1188
Aviano-16-CM57	1525	1500	When hazard division 1.2.3 munitions are undergoing maintenance in 1525 all personnel not performing guard duties will be relocated from 1500.
Aviano-16-CM59	1204	1204VP2	1204VP2 is vacant with explosives present at 1204.
Aviano-16-CM99	82206	82006B	AGMs won't be used concurrently. Inert storage at 82206B is not allowed within 50 feet of AGM 82206