BY ORDER OF THE COMMANDER
MALMSTROM AIR FORCE BASE

DEPARTMENT OF THE AIR FORCE
INSTRUCTION 13-213

MALMSTROM AIR FORCE BASE
Supplement

6 NOVEMBER 2026

Nuclear, Space,
Missile, Command, and Control

AIRFIELD DRIVING

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing website at **www.e-Publishing.af.mil** for downloading or ordering

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 582OSS Det 4/OSA

Certified by: 582OSS/DET4/CC
(Major Christopher Boise)

Pages: 26

This instruction implements Department of the Air Force Instruction 13-213, *Airfield Driving*, and DAF Guidance Memorandum AFGM2020-01, 20 Dec 2020. This supplement states procedures and responsibility for control of vehicle/pedestrian operations on the Malmstrom AFB (MAFB) airfield. It applies to all 341 MW and 582 HG personnel, tenant personnel, and TDY/deployed personnel driving on the airfield, including the Air National Guard, if called to base. Regardless of past airfield driving experience, the contents apply to all personnel who must operate government owned or leased vehicles and vehicles operated by contractors on the airfield. Ensure all records generated as a result of processes prescribed in this publication adhere to Air Force Instruction 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System.

2.3.5. **(MAFB)** Reviews helipad incursion and HMA violation incidents and corrective actions taken.

2.4.1. **(MAFB)** Reviews HMA violations and corrective actions taken.

2.4.2. **(MAFB)** Convenes an Airfield Incursion Prevention Working Group (AIPWG) no later than 30 days following the occurrence of a third airfield driving incident within a six month period in which: (1) the safety of helicopter operations was impeded; or (2) vehicle or pedestrians encroached active rotor blades during helicopter movement operations. See **Attachment 2** for AIPWG requirements.

2.4.3. **(MAFB)** Approves the shape and/or increase/decrease in the size of the HMA with recommendations from Airfield Manager (AFM) and Wing Safety.

2.5.5. **(MAFB)** Suspends a unit member's airfield driving authorization upon suspension or revocation of their civilian driver's license, and/or base driving privileges. Notify the AFM/Wing ADPM of the individual's suspension/revocation. **NOTE:** Process request for reinstatement of airfield driving authorization according to **paragraph 4.31**.

2.5.6. **(MAFB)** Participates in the AIPWG. **(T-3)**

2.6. (MAFB) Airfield Operations Flight Commander (AOF/CC). The AFM is the acting AOF/CC.

2.6.2. **(MAFB)** The AFM concurs or non-concurs with safety investigations on HMA violations in accordance with Air Force Manual 91-223, *Aviation Safety Investigations and Reports.*

2.6.3. **(MAFB)** The AFM Provides notifications for HMA violations to the AFGSC/A3OA Airfield Operations Workflow (Email: **a3.ao.airfieldoperations.1@us.af.mil**). Include all requirements in **paragraph 4.32.5** in the notification email, as well as the local actions taken in response to the violation the first available duty day following the incident.

2.6.5. **(MAFB)** Participates in the AIPWG. **(T-3)**

2.7.1. **(MAFB)** The Airfield Manager serves as the Wing ADPM to provide overall airfield driving program management and oversight. This is regardless of rank as this is a single person position.

2.7.10. **(MAFB)** Notify individual's Unit Commander and ADPM when they commit a HMA violation. **(T-3).**

2.7.17. **(MAFB)** Participates in the AIPWG. **(T-3)**

2.7.19. **(MAFB)** Take immediate actions following a HMA violation to correct any identified systematic problems and ensures interim control measures are applied until permanent corrections are made. **(T-3).**

2.7.23. **(MAFB)** Develop a local airfield diagram/layout test to ensure individuals know the location of helipads, taxiways, aprons, perimeter road, and airfield access points. **(T-1).** See **paragraph 3.3.1.1** for additional information.

2.7.24. **(MAFB)** Develop a written communication, general knowledge, and HMA violations in the wing/base supplement. **(T-1).** Include the OPR and currency date on each test. See paragraph **3.3.1.2-3.3.1.5** for additional information.

2.7.25. **(MAFB)** Disseminate helipad/taxiway closures, construction activity, or other airfield hazards and disseminates to Units. **(T-3).**

2.7.26. **(Added - MAFB)** The AFM/Wing ADPM will not sign off the airfield driving requirement on pre-deployment checklists due to the vast differences between rotary wing and fixed wing airfield differences. A member's AF Form 483 is for local driving only.

2.8.2. **(MAFB)** Possess an AF Form 483. **(T-1). NOTE:** Unit ADPMs with members who require HMA access, must also have HMA access **(T-1).**

2.8.5. **(MAFB)** Limit airfield driver's access on the HMA to mission essential duties only. **(T3).**

2.8.6. **(MAFB)** Identify, document, and track personnel requiring access to the HMA, Non-HMA, or restricted airfield driving as applicable (i.e. Ramp only and/or Daylight Hours only) **(T-3).**

2.8.9. **(MAFB)** Ensure unit personnel authorized to drive on the HMA completed all required training requirements as outlined in **Chapter 3**, this instruction and possess an AF Form 483 annotated "*Helicopter Movement Area Access.*"

2.8.14. **(MAFB)** Schedule personnel that require access to the HMA for color vision testing according to this instruction. See **paragraph 3.4** for additional information.

2.8.27. **(MAFB)** Participate in the AIPWG.

2.8.28. **(MAFB)** Annually validate the number of personnel authorized to drive on the airfield to include justification for individuals required to enter or cross the HMA. Provide results to the Wing ADPM via an email and/or MFR.

2.8.29. **(MAFB)** Review current airfield information (NOTAMS, advisories and/or emails from Wing ADPM) for any taxiway closures, helipad closures, construction activity, or other airfield hazards and disseminate this information out to unit drivers for their situational awareness. **(T-3).**

2.9.1. **(MAFB)** Must possess an AF Form 483 with the same level of access (i.e. Unit Airfield Driving Program Trainers with members who require HMA access, must also have HMA access) as the personnel the trainers are training. **(T-1).**

2.10.4. **(MAFB)** Maintain situational awareness when driving on the airfield. It is the personal responsibility of every vehicle operator or pedestrian operating on the airfield to check for approaching aircraft, visually observe and recognize the location of helipads, taxiway, and aprons.

2.10.5. **(MAFB)** Review current airfield information for any taxiway closures, helipad closures, construction activity, or other airfield hazards.

2.10.7. **(MAFB)** Use service roads whenever possible to minimize time spent on taxiways and helipads.

2.11.3. **(MAFB)** Routinely monitors radios for proper radio terminology/phraseology and discipline. Immediately respond to and correct improper radio usage when notified by Blade Ops or through the monitoring of radio frequencies. Document corrective actions on an AF Form 3616.

2.11.5. **(MAFB)** Responds to reported or suspected airfield driving violations (e.g. HMA violations, speeding, expired POV, HMA incursions).

2.11.6. **(MAFB)** Participates in the AIPWG. **(T-3)**

2.11.7. **(MAFB)** AFM/Wing ADPM is responsible for signing AF Form 483s. Authority for signing AF Form 483 must not be delegated outside AM. **(T-1).**

2.12. (MAFB) Helicopter Operations Desk (Blade Ops).

2.12.1. **(MAFB)** Blade Operations is not ATC and only approves entry into the HMA. Blade Operations will coordinate with the AFM or send another appropriate party in the AFM's absence to have unauthorized vehicles and pedestrians removed from the HMA.

2.12.2. **(MAFB)** Reports known airfield/HMA violations and problems with vehicle operator radio communications to AFM. Assists AFM in identifying and locating violators or any unauthorized personnel and vehicles.

2.12.3. **(MAFB)** A qualified Operations Supervisor will participate in AIPWG.

2.13.3. **(MAFB)** Coordinates with Airfield Management in investigating airfield driving incidents, AF Form 651, *Hazardous Air Traffic Report* and HMA violations.

2.13.4. **(MAFB)** Will provide a copy of all HMA violation reports submittals (initial, status, final) to the Airfield Manager for review/concurrence as outlined in AFMAN 91-223. **(T-1)**

2.13.5. **(MAFB)** Participates in the AIPWG.

2.13.6. **(MAFB)** Reviews HMA violations for trends.

2.13.7. **(Added - MAFB)** Participates in airfield inspections to identify possible risks, hazards and vulnerabilities that could potentially lead to a HMA violation or hazard to helicopter operations.

2.13.7.1. **(Added - MAFB)** These inspections can be consolidated into other types of inspections.

2.14.1. **(MAFB)** SFS does not currently monitor the HMA on a daily basis. However, if SFS observes an individual violating this ADI while they are on the HMA, they will escort the person off and confiscate their AF Form 483 to be turned into the AFM.

2.14.6. **(MAFB)** Provides assistance when requested by AFM or Blade Ops to apprehend airfield driving violators (e.g. HMA violation, speeding, expired POV), remove unauthorized personnel from the airfield, and block access to HMA.

2.14.7. **(MAFB)** Participates in AIPWG.

2.16.1. **(MAFB)** Ensures contract personnel receive driver's training from the Civil Engineer Unit ADPM, AFM, Wing ADPM or designated AM representative prior to the start of construction activities, if personnel are not escorted by a HMA/Non-HMA licensed driver.

3.2.2. **(MAFB)** Refresher training annually or upon reissuance of the AF Form 483. **(T-1).** As a minimum, refresher training includes the HMA incursion prevention test.

3.3. (MAFB) Testing Requirements. Base assigned personnel (i.e. military, DoD civilian or contractor) required to operate a vehicle on the airfield must pass all required tests prior to issuance of an AF Form 483. **(T-1).** Training and testing materials should be made available in the predominant host nation language as applicable. All tests shall be administered closed book. **(T-1). NOTE:** Written tests may be consolidated as long as the minimum test questions are covered and clearly defined by sections (i.e. General Knowledge, Communication, HMA Incursion Prevention, Airfield Diagram/Layout Test).

3.3.1.1.1. **(MAFB)** Include identifying the location and description of markings, helipad(s) and taxiway(s) on the airfield diagram/layout test.

3.3.1.2. **(MAFB) Communications Test. (T-1).** Communication Test contains at least 5 questions with a minimum passing score of 100%. This test is mandatory for airfield drivers that required access onto the HMA. Use the Airfield Driving Training Documentation and Certification Checklist to document test results. At a minimum, the communications test is comprised of the following:

3.3.1.2.5. **(MAFB)** A simulation of radio communications between a vehicle operator and Blade Ops. For example, initial radio contact, crossing the HMA, or hold short instructions.

3.3.1.4. **(MAFB) Heliport Incursion Prevention Test. (T-1).** Test contains at least 5 questions with a minimum passing score of 100%.

3.3.1.5.3. **(MAFB)** Identify the location of hold lines, helipads and other HMA.

3.3.1.5.4. **(MAFB)** Demonstrate the ability to contact Blade Ops prior to entering the HMA.

3.4. (MAFB) Color Vision Requirements. Individuals that have a requirement to drive a vehicle on the HMA must pass a color vision test. **(T-1).** Contact the base hospital/medical treatment facility Optometrist for assistance in determining the best process for administering the color vision test to drivers that operate a vehicle on the HMA.

3.4.1. **(MAFB)** Individuals that fail to pass the color vision test can be issued a "Ramp Only" AF Form 483. **NOTE:** Access to the HMA must not be granted. **(T-1).**

4.2. (MAFB) Operating a Vehicle in the HMA.

4.2.1. **(MAFB)** No vehicle operator or unauthorized pedestrian shall enter the HMA without approval from Blade Ops. **(T-1). NOTE:** Vehicles and pedestrians with a qualified escort meet this requirement.

4.2.2. **(MAFB)** Vehicle operators and/or pedestrians must read back all Blade Ops instructions verbatim. **(T-1)**

4.2.3. **(MAFB)** Vehicle operators must monitor the appropriate radio frequency in the HMA or have an established means of communication with Blade Ops. **(T-1).**

4.2.4. **(MAFB)** Vehicle operators must use Light Emitting Diode/Rotating Beacon Lights and/or emergency/hazard warning flashers when driving in the HMA. **(T-1).**

4.2.5. **(MAFB)** Vehicles operating in the HMA will have a radio in the vehicle to communicate with Blade Ops, or have coordinated an alternate means of communication with Blade Ops prior to entry into the HMA. **Note:** Vehicle operators must conduct an operational test of their communication device prior to entering into the airfield.

4.2.6. **(MAFB)** Vehicle operators and/or pedestrians operating in the HMA must use a distinct approved call sign (e.g. Airfield 1, Chief 1, Sweeper 1, M1, etc.) coordinated with the AFM/Wing ADPM or Blade Ops to avoid duplicating, confusing, or different agencies using similar names (e.g. Airfield 1, Airfield Lighting, Airfield Sweeper, etc.)

4.2.6.1. **(Added - MAFB)** MAFB Approved Call Signs.

4.2.6.1.1. **(Added - MAFB)** Airfield Manager: AIRFIELD1

4.2.6.1.2. **(Added - MAFB)** Helo Maintenance: MAINTENANCE1/2, BLADE MAINTENANCE1/2, BLADE QC, and BLADE MOC

4.2.6.1.3. **(Added - MAFB)** Fire Department Vehicles: FIRE1/2/3

4.2.6.1.4. **(Added - MAFB)** Fire Chief/Command Vehicle: CHIEF1

4.2.6.1.5. **(Added - MAFB)** Assistant Fire Chief/Command Vehicle: CHIEF2

4.2.6.1.6. **(Added - MAFB)** Rescue Truck: RESCUE1/2/3

4.2.6.1.7. **(Added - MAFB)** Fire Engine: ENGINE1/2/3

4.2.6.1.8. **(Added - MAFB)** Hazmat: HAZMAT1/2/3

4.2.6.1.9. **(Added - MAFB)** ARFF Rapid Intervention Vehicle: CRASH1/2

4.2.6.1.10. **(Added - MAFB)** Fuels/POL: FUELS1/2/3

4.2.6.1.11. **(Added - MAFB)** Sweeper: SWEEPER1/2/3

4.2.7. **(MAFB)** Unconditional instructions (blanket approval) to vehicles requesting entry on the HMA is authorized with Blade Ops approval. **(T-0).**

4.2.8. **(MAFB)** Restrict entering onto the HMA to vehicle operators/traffic performing mission essential duties and then only to an absolute minimum. **NOTE:** When entering the HMA is required during flying operations, the preferred entrance point is the North entrance (ECP 2).

4.3. (MAFB) Emergency removal or exit of vehicles and/or pedestrians in the event of vehicle or Blade Ops radio failure.

4.3.1. **(MAFB)** Blade Operations will coordinate with the AFM or send another appropriate party in the AFM's absence to have unauthorized vehicles and pedestrians removed from the HMA.

4.3.2. **(MAFB)** All vehicles/pedestrians will exit the HMA immediately.

4.3.2.1. **(MAFB)** Contact Blade Ops (x-3250) immediately and advise when off of the HMA and include any pertinent information that might affect safe HMA operations.

4.3.2.2. **(MAFB)** If not able to communicate with Blade Ops or Airfield Management via radio, use other means of communication such as a cellular phone (when available). Report incident to Airfield Management immediately.

4.4.4. **(MAFB) N/A.** There are no Hot spots at MAFB.

4.5. (MAFB) Airfield Signs: N/A. MAFB does not have any signs on the airfield.

4.6.1. **(MAFB) Helipad Markings.** Helipad markings are retroreflective white and consist of an "H" center marking and a dashed border **(Attachment 3).**

4.6.2. **(MAFB) Taxiway and Apron markings.** Taxiway and Apron markings are marked in retro-reflective yellow. Some markings of any color on light-colored pavement are optionally highlighted by marking a black, non-reflective border.

4.6.3. **(MAFB) N/A.** MAFB is an uncontrolled Heliport.

4.6.4. **(MAFB) : N/A**. Instrument Hold Position:

4.7.1. **(MAFB)** Helipad edge lights are amber and outline the perimeter of Jolly and Huey Helipads.

4.7.2. **(MAFB) : N/A**. Taxiway edge lights.

4.7.3. **(MAFB) : N/A**. Taxiway centerline lights.

4.8.14. **(MAFB) : N/A** . There are no runways at MAFB.

4.9.3. **(MAFB)** Do not operate a vehicle in front of a taxiing aircraft unless signaled to do so by the pilot. Do not operate a vehicle between an aircraft and its marshaller.

4.9.6. **(Added - MAFB)** All vehicles and personnel will remain at least 100 feet from hovering/operating helicopters.

4.11.3. **(MAFB)** The primary surface clearance distance from the center of a standard VFR helipad is 300x300 feet. The primary surface clearance distance from the center of a limited use VFR helipad is 150x150 feet. When operating within this area, do not park and leave a vehicle or equipment unattended.

4.12. (MAFB) Control Tower light gun signals. Due to not having an ATCT, light gun signals are not used. During lost communications, Blade Ops will send a runner or contact the Airfield Manager to respond.

4.15.8. **(Added - MAFB)** Poor weather conditions (e.g. snow, fog, rain, etc.) might obscure visual cues, roadway markings, and airfield signs. Vehicle operators must remain vigilant of their surroundings and operating boundaries. Watch out for snow removal equipment and aircraft operating in the vicinity under low-visibility conditions. There are additional risks present under these conditions.

4.17.4. **(Added - MAFB)** Pedestrians/personnel will not enter the HMA without a communication method with and approval from Blade Ops.

4.18. (MAFB) Use of Perimeter, In-Field or other Airfield Roads. Helipad(s), taxiway(s), or HMAs shall not be used for convenience. **(T-3).** To the max extent possible, utilize perimeter, in-field, or other airfield roads.

4.19. (MAFB) Closed Runway Usage. The closed runway outside of the HMA is restricted from use and crossing unless prior coordination has been made with AFM and Wing Safety.

4.20. (MAFB) Emergency Responses on or near the Helipad(s).

4.20.1. **(MAFB)** All emergency response vehicles must have approval from the Blade Ops to enter and/or cross HMA(s). **(T-1).**

4.21. (MAFB) : N/A. There are no vehicle control devices/lights located in the HMA.

4.22. (MAFB) : N/A. MAFB does not use NVDs and blackout conditions are N/A for Malmstrom, therefore does not have NVD requirements/procedures.

4.23. (MAFB) Vehicle escorts and convoys on the HMA.

4.23.1. **(MAFB)** All escorted personnel must be visible at all times by, and in close proximity to, the escort official. **(T-2).** The escort official is responsible for getting approval from Blade Ops for entry of the escorted group.

4.23.2. **(MAFB)** Escort officials escorting vehicles must be trained/certified to drive on the HMA **(T-1).** Escort officials may only provide escort into the HMA if they are HMA qualified. **NOTE:** Airfield Management does not provide escorts for airfield construction projects and/or activities generated via submission of Base Civil Engineer Work Request, or customer service calls.

4.23.3. **(Added - MAFB)** When escorting vehicles onto the HMA, the lead vehicle will request into the HMA by adding "plus _(number of additional vehicles)_" to their callsign. Example: "Blade Ops, Airfield1 plus 2, request access onto the HMA." Do not report out of the HMA until all vehicles being escorted have left the HMA as to maintain situational awareness for Blade Ops.

4.24.3. **(Added - MAFB)** Currently no organization has approval to use studded tires. These requests will be handled on a case by case basis.

4.25. (MAFB) N/A. There are no in-ground fuel pits at MAFB.

4.26. (MAFB) N/A. There are no jet blast hazard areas at MAFB.

4.27.1.2. **(MAFB)** Contact Blade Ops immediately and state the nature of the problem and report the position of the vehicle on the heliport.

4.27.2. **(MAFB)** Operators of other radio-equipped vehicles (e.g. security forces, civil engineer, or transportation) should make every effort to assist with removing the disabled vehicle from the airfield, especially if the vehicle is located on parking aprons, taxiways, or helipads.

4.27.4. **(MAFB)** In the event of a disabled vehicle in the HMA, the vehicle operator will immediately notify Blade Ops by any means possible to coordinate expeditious removal of the disabled vehicle from the HMA.

4.27.4.1. **(MAFB)** Do not leave vehicles unattended in the HMA.

4.28.1. **(MAFB)** Do not grant temporarily assigned personnel, Inspection/Survey Teams and non-base assigned contractors access to the HMA unless they have completed all training and testing requirements outlined in this instruction and wing/base supplement.

4.28.2.1. **(MAFB)** The AFM/Wing ADPM or as delegated in the wing/base supplement to the Unit ADPM may provide a local briefing/training when temporarily assigned personnel, Inspection/Survey Teams and non-base assigned contractors driving route(s) require access on or across the HMA.

4.28.2.1.2. **(MAFB)** Issue a temporary AF Form 483 with the restriction "Apron Access Only" and expiration date.

4.30.2.4. **(MAFB)** Document and report the incident to the AFM/Wing ADPM.

4.30.3. **(MAFB) Consequences (Non-HMA).** (e.g. speeding, expired POV, no AF Form 483 in possession).

4.30.4. **(MAFB) Consequences (HMA).**

4.32. (MAFB) Reporting and documenting HMA violation events. See **Attachment 1** for HMA violation and Helipad Incursion definition.

4.32.1. **(MAFB)** For an actual or suspected helipad incursion, the individual's AF Form 483 is surrendered to Airfield Management and airfield driving privileges are temporarily suspended until an investigation and retraining is completed.

4.32.2. **(MAFB)** The AFM/Wing ADPM will notify the Unit Commander of the individual who committed a helipad incursion within three duty days of the alleged incident. **(T-3).**

4.32.3. **(MAFB)** HMA violation events are reported to Wing Safety as outlined in AFMAN 91-223, Chapter 9.

4.32.4. **(MAFB)** The AFM/Wing ADPM and Wing Safety review the unit's airfield driving program within three duty days to which personnel that commit an HMA violation are assigned. Place emphasis on how the unit trained the individual and their compliance with this instruction and wing/base supplement. The AFM/Wing ADPM reports results to the Unit Commander.

4.32.5.3. **(MAFB)** If individual was authorized on the airfield and/or HMA.

4.32.5.5. **(MAFB)** Approximate location where the HMA violation occurred (i.e. helipad/taxiway intersection, distance from location).

4.32.6. **(MAFB)** The AFM/Wing ADPM maintains a copy of the AF Form 651s/457s, actions taken, results and supporting documentation in accordance with Air Force RDS, Table 13-06, Rule 15.00 (see Air Force Instruction 91-202, *The US Air Force Mishap Program* and AFMAN 91-223.). A copy of the final helipad incursion report may be obtained from Wing Safety.

4.33. (MAFB) Reporting and documenting Non-HMA airfield driving incidents/violations.

4.34.1. **(MAFB)** Location and a detailed description of helipad(s), taxiways, and ramp/aprons.

4.34.4. **(MAFB)** HMA boundary.

4.34.6. **(MAFB) N/A.** MAFB does not have navigational aids.

4.34.7. **(MAFB)** Location of AFM and Blade Ops.

4.34.8. **(MAFB) N/A.** MAFB does not have any Hot Spots .

4.34.9. **(MAFB) N/A.** MAFB does not have any blind spots.

4.34.10. **(MAFB) N/A.** MAFB does not have any communications dead spots.

4.34.11. **(MAFB) N/A.** MAFB does not have runways or complex intersections.

4.34.12. **(MAFB) N/A.** MAFB does not have confusing or ambiguous areas identified on airfield.

4.34.14. **(MAFB) N/A.** MAFB does not have Jet Blast Hazard areas.

4.34.16. **(MAFB)** HMAs.

5.1.1. **(MAFB)** Radio communications are critical. Blade Ops is not Air Traffic Control. However, the most important thought in communications with Blade Ops or anyone is understanding. It is essential to acknowledge each radio communication with Blade Ops by using the appropriate call sign.

5.1.2. **(MAFB)** Brevity is important, therefore, radio transmissions must be kept as brief as possible. However, Blade Ops must know what you want to do before they can authorize entry into the HMA. Conversely, the vehicle operator, must know exactly what Blade Ops wants them to do.

5.1.4. **(MAFB)** Vehicle operators must maintain vigilance in monitoring radio communications frequencies for situational awareness, especially when operating within the HMA.

5.3. (MAFB) Phraseology. Vehicle operators must contact Blade Ops each and every time they proceed onto or leave the HMA. When proceeding into the HMA, vehicle operators must advise Blade Ops of three things: **WHO** you are, **WHERE** you are, and **WHAT** your intentions are. Vehicle operators must always acknowledge all communications so Blade Ops and other persons know that the message was received. Vehicle operators must always give aircraft and Blade Ops transmissions priority unless an emergency exists. VHF/UHF transmissions are reserved for the primary use of aircraft and Blade Ops personnel. A typical HMA access transmission sequence is as follows:

Table 5.1. (MAFB) Sample HMA Access Phraseology.

VEHICLE OPERATOR:	*"BLADE OPS, AIRFIELD ONE."*
BLADE OPS:	*"AIRFIELD ONE, BLADE OPS."*
VEHICLE OPERATOR:	*"BLADE OPS, AIRFIELD ONE REQUEST ONTO THE HMA FROM BUILDING 1440 WEST ENTRANCE."*
BLADE OPS:	*"AIRFIELD ONE, PROCEED ONTO THE HMA." or* *"AIRFIELD ONE, REMAIN OUTSIDE OF THE HMA."*

5.3.1. **(MAFB)** Vehicle operators must read back Blade Ops instructions. If you are unsure of what Blade Ops has transmitted, or if you do not understand an instruction, you MUST ask Blade Ops to repeat the instructions before entering into the HMA. Good communication only occurs when each party knows and understands what the other is saying.

Table 5.2. (MAFB) Sample Read back Instructions.

VEHICLE OPERATOR: **Note:** Airfield 1 visually scans the HMA prior to entry, and then proceeds across the HMA	*"AIRFIELD ONE UNDERSTANDS APPROVED TO ENTER THE HMA. WILL REPORT WHEN OUT." or "AIRFIELD ONE, REMAINING OUTSIDE OF THE HMA."*
VEHICLE OPERATOR:	*"BLADE OPS, AIRFIELD ONE IS OUT OF THE HMA."*
BLADE OPS:	"*AIRFIELD ONE, ROGER."*

5.3.2. **(MAFB) N/A.**

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

Abbreviations and Acronyms

(MAFB) CMA—N/A.

(Added MAFB) AIPWG—Airfield Incursion Prevention Working Group

Terms

(MAFB) Airfield Facilities—Includes: helipads, taxiways, parking and servicing areas, Blade Ops facilities, Airfield Management, aircraft fire suppression and rescue services and airfield lighting systems.

(MAFB) N/A. Airfield Management Operations (AMOPS)—A facility located near the airfield that provides aircrews with flight plan processing and planning services.

(MAFB) N/A. Air Force Runway Safety Action Team—Composed of AFFSA and/or Major Command OPR for Airfield Operations functional experts used to analyze, report and determine corrective actions required to reduce the number of Controlled Movement Area Violations on the airfield. Air Force Runway Safety Action Team functional experts evaluate all pertinent areas that are a part of, or affect, the negative trend or unsafe condition.

(MAFB) N/A. Approach End of Runway—The first portion of the runway available for landing. If the runway threshold is displaced, use the displaced threshold latitude/longitude as the approach end of runway.

(MAFB) N/A. Controlled Movement Area—As defined in Airfield Operation Instructions, any portion of the airfield requiring aircraft, vehicles and pedestrians to obtain specific Air Traffic Control Tower approval for (normally via two-way radio contact with the Air Traffic Control Tower).

(Added - MAFB) Helicopter Movement Area (HMA)—The portion of the airfield as defined by **attachment 10**. It requires approval from Blade Ops to enter. Movement within the HMA is uncontrolled. HMAs include but are not limited to areas used for takeoff, landing and as required taxiing of aircraft.

(MAFB) N/A. Controlled Movement Area Violation Event—An airfield infraction caused by aircraft, vehicles, or pedestrians entering the control movement area without specific Air Traffic Control Tower approval. This definition includes runway incursions and infractions caused by communication errors. Refer to AFMAN 91-223 paragraph 9.1 for reportable Hazardous Air Traffic Report reporting procedures and for reportable Controlled Movement Area Violation events.

(Added - MAFB) HMA violation Event—An airfield infraction caused by aircraft, vehicles, or pedestrians entering the HMA without specific Blade Ops approval. Refer to AFMAN 91-223 paragraph 9.1 for reportable Hazardous Air Traffic Report reporting procedures and for reportable Controlled Movement Area Violation events. The HMA is not a CMA.

(MAFB) N/A. Departure End of Runway—The end of runway available for the ground run of an aircraft departure. The end of the runway that is opposite the landing threshold, sometimes referred to as the stop end of the runway.

(MAFB) N/A. Hot Spot—A runway safety related problem area or intersection on an airfield. Typically, it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. A confusing condition may be compounded by a miscommunication between a controller and a pilot, and may cause an aircraft separation standard to be compromised. The area may have a history of surface incidents or the potential for surface incidents.

(MAFB) N/A. Instrument Hold line—A designated boundary intended to protect the runway environment. Found at the point where a taxiway and runway intersect. Instrument hold line is marked in retro- reflective yellow paint.

(MAFB) N/A. Light Gun—A handheld directional light signaling device which emits a brilliant narrow beam of white, green, or red light as selected by the tower controller. The color and type of light transmitted can be used to approve or disapprove anticipated pilot actions where radio communication is not available. The light gun is used for controlling traffic operating in the vicinity of the airport and on the airport movement area.

(MAFB) Perimeter Road—A road around the heliport perimeter designed to connect the access roads.

(MAFB) N/A. Restricted Area—An area on the airfield designated for the use by aircraft/equipment requiring security protection level. Marked with signs prior to entering, Red Lines indicate the boundaries.

(MAFB) N/A. Runway—A defined rectangular area on an airfield prepared for the landing and takeoff of aircraft.

(MAFB) N/A. Runway Hold line—A designated boundary intended to protect the runway environment. Found at the point a taxiway/runway intersect and runway/runway intersect.

(MAFB) N/A—Runway Incursion—Any occurrence at an aerodrome involving the incorrect presence of an aircraft, vehicle or person on the protected area of a surface designated for the landing and take- off of aircraft. Runway incursions have the potential to result in aircraft endangerment and loss of life. While there are several factors involved in a runway incursion, the leading causes of these incidents result from failure to follow procedures, inadequate vehicle operator training, and loss of situational awareness. These are further classified into three operational categories:

(MAFB) N/A. Operational Error—A failure of the air traffic control system that results in loss of separation.

(MAFB) N/A. Runway Incursion Prevention Working Group (RIPWG)—This group provides a forum for analyzing and discussing each runway incursion to determine corrective actions and strategies to prevent future occurrences.

(Added - MAFB) Airfield Incursion Prevention Working Group (AIPWG)—This group provides a forum for analyzing and discussing each helipad incursion to determine corrective actions and strategies to prevent future occurrences.

Attachment 2

(MAFB) AIRFIELD INCURSION PREVENTION WORKING GROUP (AIPWG)

A2.1. (MAFB) Program Objectives. The main objective of a AIPWG is to analyze each HMA incursion and corrective actions taken in an effort to prevent future occurrences.

A2.2. (MAFB) Program Scope. An AIPWG is used to evaluate the airfield driving operating procedures/standards and airfield configuration (to include signs/marking/lighting) to determine if corrective actions are needed. The AIPWG Functional experts will assess all pertinent areas that are a part of, or affect, the negative trend or unsafe condition.

A2.3. (MAFB) Attendees. The AIPWG includes the 582 HG/CC, 582 OSS/CC, AFM/Wing ADPM, 40 HS Operations Supervisor representative, Wing Safety, Flight Safety, Unit Commanders and/or Unit ADPMs, Security Forces and any other pertinent personnel involved in an incident.

A2.4. (MAFB) AIPWG. The AIPWG will:

A2.4.1. **(MAFB)** Develop strategies to prevent the reoccurrence of HMA incursions. Examples include but are not limited to:

A2.4.1.2. **(MAFB)** Implement mandatory briefings to all airfield drivers, aircrew, and Blade Ops personnel, as applicable.

A2.4.1.3. **(MAFB)** Limit HMA crossings and/or limit crossings to certain taxiways/road intersections.

A2.4.1.4. **(MAFB)** Increase penalty for HMA Violations.

A2.4.1.5. **(MAFB)** Alter the shape and/or increase the size of the HMA.

A2.4.2.1. **(MAFB)** Installing “Stop, Do Not Enter, Contact Blade Ops” signs/markings at helipad hold lines and roads leading to the helipad.

A2.4.2.2. **(MAFB)** Increasing visibility of helipad hold position markings by increasing the width of the yellow stripes from six to 12 inches. **NOTE:** This option requires coordination with Civil Engineer and Wing Safety and a work order request to change is implemented uniformly over the entire airfield.

A2.4.2.3. **(MAFB)** Painting helipad hold position signs on pavement prior to the helipad hold position markings. (See Federal Aviation Administration Advisory Circular 150/5340-1, *Standards for Airport Markings*). **NOTE:** This option requires coordination with Civil Engineer and Wing Safety and a work order request to change is implemented uniformly over the entire airfield.

A2.4.2.4. **(MAFB)** Painting Federal Aviation Administration enhanced taxiway centerline marking prior to the helipad hold position markings. **NOTE**: This option requires coordination with Civil Engineer and Wing Safety and a work order request to change is implemented uniformly over the entire airfield.

A2.4.4. **(MAFB)** Consider installation of additional FM radio repeaters for Blade Ops and the base station/ramp net.

A2.4.6. **(MAFB)** Provide a summary of the AIPWG analysis and recommendations during the next Airfield Operations Board (AOB).

A2.4.7. **(MAFB)** Publish minutes of the AIPWG and provide an informational copy to the Major Command OPR for Airfield Operations within 30 calendar days.

Attachment 3 (MAFB)

AIRFIELD SIGNS, MARKINGS, AND LIGHTING

Figure A3.1. Airfield Signs, Marking, and Lighting Part 1.



HMA entry control sign, Holding Position marking





Stop Bars/ FOD Checkpoints

Figure A3.2. Airfield Signs, Marking, and Lighting Part 2.





Helipad Markings.

Figure A3.4. Airfield Signs, Marking, and Lighting Part 4.





Airfield Lighting.

Attachment 4 (MAFB)

UNIT AIRFIELD DRIVING PROGRAM MANAGER AND TRAINER(S) APPOINTMENT LETTER

Figure A4.1. Unit Airfield Driving Program Manager and Trainer(S) Appointment Letter.

MEMORANDUM FOR 582 OSS/OSA

FROM: (Unit Commander Office Symbol)

SUBJECT: Appointment of Unit Airfield Driving Program Managers (ADPMs) and Trainers

1. The following individuals are appointed as Unit ADPMs (primary/alternate) and trainers. Individuals have received training IAW DAFI 13-213 and MAFB AFBI 13-213. Both the primary and alternate ADPM have the authority to certify personnel are qualified to drive on the Helicopter Movement Area (HMA) and will ensure completion and tracking of all airfield drivers training for unit assigned and TDY personnel.

NAME/Email	**OFFICE SYM**	**DP**	**483 #**
PRIMARY:			
MSgt John E. Doe Email: John.Doe@blank.af.mil	OSA	XXX-XXXX	####
ALTERNATE:			
TSgt John E. Doe Email: John.Doe@blank.af.mil	OSA	XXX-XXXX	####

2. The following individuals are appointed as Airfield Driving Program Trainers:

NAME/Email	**OFFICE SYM**	**DP**	**483#_____**
TSgt John E. Doe Email: John.Doe@blank.af.mil	OSA	XXX-XXXX	####

3. This letter supersedes all previous letters, same subject.

XXXX X. XXXXX, Lt Col, USAF
Commander

Attachment 5 (MAFB)

UNIT AIRFIELD DRIVING PROGRAM MANAGER TRAINING CHECKLIST

Table A5.1. Unit Airfield Driving Program Manager Training Checklist.

UNIT ADPM TRAINING CHECKLIST			
SECTION I – TRAINEE INFORMATION (*Completed by AFM/Wing ADPM*)			
Name (Last, First, Middle Initial)	Rank, Civilian Grade or equivalent	Unit/Office Symbol or Company Name	Duty Phone
SECTION II – QUALIFICATION TRAINING (*Completed by Trainee and AFM/Wing ADPM*)			
	Date Completed	**Trainee Initials**	**AFM/Wing ADPM**
1. Unit Airfield Driving Program Managers (ADPM) duties and responsibilities.			
2. Appointment of unit trainers.			
3. HMA incursion prevention.			
4. Governing Directives.			
4.1. AFMAN 24-306, *Manual for the Wheeled Vehicle Operator*, Chapter 18 and 20.			
4.2. AFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards,* Chapter 24			
4.3. AFI 21-101, *Aircraft and Equipment Maintenance Management.*			
5. Testing requirements to include test security/compromise.			
6. Color vision testing requirements. See Air Force Instruction 48-123, *Medical Examinations and Standards* for additional information.			
7. Airfield Driver's training requirements.			
7.1. Local Qualification.			
7.2. Refresher.			
8. Unit ADPM Continuity Binder.			

9. Reporting, Enforcement, and Violation Consequences.			
10. Vehicle Passes (Privately Owned/Government Leased).			
11. HMA procedures and training for unit personnel.			
12. TDY personnel/Non-based assigned contractors briefing and or training requirements.			
13. Escort procedures.			
14. Procedures for issuing revoking and reissuing an AF Form 483, *Certificate of Competency*.			
15. Participate with the Unit ADPM on an actual training session and practical check ride.			
16. **AF FORM 483 CERTIFICATE #**			

SECTION III – TRAINING CERTIFICATION (*Completed by the Trainee and AFM/Wing ADPM or designated representative)*			
TRAINEE			
I have received and completed all of the above training requirements and will comply with DAFI 13-213 and MAFB Supplement(ADI).			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
AFM/WING ADPM or designated representative			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:

Attachment 7 (MAFB)

AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST

Table A7.1. Airfield Driving Training Documentation and Certification Checklist.

AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST			
SECTION I – TRAINEE INFORMATION *(Completed by the AFM/ Wing ADPM)*			
Name (Last, First, Middle Initial)	Rank, Civilian Grade or equivalent	Unit/Office Symbol or Company Name	Duty Phone
SECTION II – QUALIFICATION TRAINING *(Completed by the Trainee and Trainer)*			
	Date Completed	**Trainee's Initials**	**Trainer's Initials**
1. Trainee possesses a valid (*List State of Issue*) Driver's License (*List restrictions*).			
2. Trainee possesses a valid Government Driver's License.			
3. Airfield Driver Training Classroom (*as determined locally*).			
4. Airfield Driving Qualification Training Checklist/ Curriculum. (Completion of this checklist).			
5. Local Airfield Familiarization. Training Outcome(s): Trainee must be familiar with knowledge of the local airfield environment.			
5.1. Non-Movement Area Boundary Marking as applicable.			
5.2. Non-Standard Airfield Markings as applicable.			
5.3. Location of the Fire Department, Blade Ops and Airfield Management.			
5.4. Taxiway configuration (e.g. dimensions, location, designation).			
5.5. HMA Boundaries.			
6. Local Vehicle Operator Requirements. Training Outcome(s): Trainee must be knowledgeable on local procedures and requirement for operating a vehicle on the airfield.			
6.1. Use of perimeter and infield roadways.			
6.2. Lateral distance requirements for mobile obstacles on an apron/ramp and taxiway.			
6.3. Speed limits for vehicles operating on an apron/ramp and taxiway.			
6.4. Procedures for reporting and removing FOD.			

6.5. Restricted visibility and/or night driving.			
6.6. Procedures for operating bicycles, tricycles, etc. on the HMA.			
6.8. Emergency Response Vehicle requirements.			
6.9. Vehicle Escort/Convoy driving procedures as applicable.			
7. Practical Night Airfield Driver Familiarization Training as applicable. Trainee must be knowledgeable of the airfield environment. At a minimum, the trainee must demonstrate the ability to operate a vehicle to and from their designated work areas.			
7.1. Practical Day Driving Check-ride			
8. Practical Driving Test. Includes day and night (as applicable). Training Outcome(s): Trainee must be knowledgeable of the airfield environment. At a minimum, the trainee must demonstrate the ability to operate a vehicle to and from their designated work areas.			
8.1. Practical Night Driving Check-ride (as applicable).			
9. Review Local AFI 13-213 supplement.			
10. USAF Airfield Driving CBT (Date Completed).			
11. Runway Incursion Prevention Training.			
11.1. HMA Incursion Prevention Test. [**Score:**]			
11.2. Airfield Diagram/Layout Test. [**Score:**]			
11.3. General Knowledge Test (Written). [**Score:**]			
11.4. Communications Test. [**Score:**]			

SECTION III - Color Vision Test for CMA drivers only. (Completed by Hospital/Medical Treatment Facility Optometry)			
Results: Pass / Fail (Circle one)			
Name of Trainer (Last, First, MI):	Grade	Signature:	Date:

SECTION IV – TRAINER CERTIFICATION (*Completed by Authorized Airfield Driving Training Instructor*)			
I certify that the trainee has received all required qualification training requirements annotated above.			
Name of Trainer (Last, First, MI):	Grade:	Signature:	Date:
SECTION V – TRAINEE ACKNOWLEDGEMENT (*Completed by Trainee*)			
I have received and completed all of the above training requirements and will comply with DAFI 13-213 and MAFB Supplement(ADI). I am also fully aware that no vehicle or pedestrian shall enter the HMA without approval from the 40th Helicopter Squadron Supervisor of Flying, "Blade Ops."			
Name of Trainee (Last, First, MI):	Grade:	Signature:	Date:
SECTION VI – UNIT CERTIFICATION (*Completed by Unit Commander or AFM/Wing ADPM*)			
I certify that the above trainee has successfully completed all training requirements to operate a vehicle on Malmstrom AFB's HMA. Check all applicable restrictions and or special access. □ Ramp Only □ CMA Authorized □ Daylight Hours only □ Other (*Specify*):			
Name (Last, First, MI):	Grade:	Signature:	Date:
SECTION VII– AIRFIELD DRIVING AUTHORIZATION (*Completed by the AFM/Wing ADPM or designated representative)*			
□ Approved □ Disapproved		AF FORM 483 CERTIFICATE #	
Name (Last, First, MI):	Grade:	Signature:	Date:

Attachment 8 (MAFB)

TEMPORARILY ASSIGNED PERSONNEL/NON-BASE ASSIGNED CONTRACTORS TRAINING CHECKLIST

Table A8.1. Temporarily Assigned Personnel/Non-Base Assigned Contractors Training Checklist.

TDY PERSONNEL/NON-BASE ASSIGNED CONTRACTORS TRAINING CHECKLIST			
SECTION I – TRAINEE INFORMATION *(Competed by Unit ADPM or AFM/Wing ADPM)*			
Name (Last, First, Middle Initial)	Rank, Civilian Grade or equivalent	Unit/Office Symbol or Company Name	Duty Phone
SECTION II – QUALIFICATION TRAINING *(Completed by the Trainee, Unit ADPM or Designated Trainer)*			
	Date Completed	**Trainee's Initials**	**Trainer's Initials**
1. Explain the different types of airfield markings (e.g. helipad, taxiway, and apron/ramp). Provide examples of local heliport markings.			
2. Explain the different types of airfield lighting systems (e.g. helipad, taxiway, and apron/ramp). Provide examples of local airfield lighting.			
3. Identify the speed limits for general/special purpose vehicles operating on helicopter parking aprons/ramp and taxiways.			
4. Identify the procedures for vehicles operating in the immediate vicinity of helicopters.			
5. Explain the requirements for parking and chocking vehicles and/or equipment within the HMA.			
6. Identify the lateral distance requirements for mobile obstacles on helicopter parking aprons.			
7. Discuss Foreign Object Damage (FOD) control/prevention measures for the HMA.			
8. Identify methods/practices to prevent a HMA violation.			
9. Explain the different types of airfield violations and their consequences.			
10. Identify the proper radio terminology and phraseology.			
11. Provide a local Airfield Diagram.			


12. Identify all restricted areas and entry control points.			
13. Identify HMA boundaries.			
14. Identify Free zones, when applicable.			
15. Practical airfield familiarization training. At a minimum, familiarize individual on route(s) to and from the designated work area.			
16. Explain procedures for Night Driving, Reduced visibility and Inclement weather, when applicable.			
17. Explain procedures for reporting an accident or vehicle maintenance problems.			

SECTION III – TRAINING CERTIFICATION *(Competed by Trainee Unit ADPM, and Wing ADPM as required)*			
TRAINEE			
I have received and completed all of the above training requirements and will comply with DAFI 13-213 and MAFB Supplement(ADI). I am also fully aware that no vehicle or pedestrian shall enter the HMA without approval from Blade Ops.			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
UNIT ADPM			
I certify that the above individual has completed all local training requirements outlined in DAFI 13-213 and MAFB Supplement(ADI). Check all applicable restrictions. □ Ramp Only □ CMA Authorized □ Daylight Hours only □ Other (*Specify*):			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
AFM/WING ADPM or designated representative (*as required*)			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:

Attachment 10

AIRFIELD DIAGRAM

Figure A10.1. (Added-MALMSTROMAFB) Airfield Diagram.



Attachment 11

HMA DIAGRAM

Figure A11.1. (Added-MALMSTROMAFB) HMA Diagram/ Parking Plan.

