BY ORDER OF THE COMMANDER
621ST CONTINGENCY RESPONSE WING

621ST CONTINGENCY RESPONSE WING INSTRUCTION 91-101

29 AUGUST 2017

Safety

CLOSE COMBAT MISSION CAPABILITY KIT

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available for downloading or ordering on the e-Publishing website at **www.e-Publishing.af.mil**.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: 621 CRSS/DOT

Certified by: 621 CRW/CC
(Col Charles R. Henderson)

Supersedes: 621CRWI91-1, 6 April 2012

Pages: 19

This instruction establishes procedures, policies, and additional guidance to effectively maintain, service, and repair aircraft and equipment specific to the 621st Contingency Response Wing (621 CRW) mission. This instruction applies to all 621 CRW units, along with their subordinates. This instruction provides wing-level guidance in accordance with AFI 21-101, Aircraft and Equipment Maintenance Management, dated 21 May 2015. It will be used in conjunction with AFI 21-101 AMC Sup, Aircraft and Equipment Maintenance Management, dated 9 February 2016.

Ensure that all records created as a result of processes prescribed in this publication are maintained In Accordance With (IAW) Air Force Manual (AFMAN) 33-363, *Management of Records*, and disposed of IAW with the Air Force Records Information Management System (AFRIMS) located at **https://www.my.af.mil/gcss-af61a/afrims/afrims/**. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, *Recommendation for Change of Publication*; route AF Form 847s from the field through the appropriate functional' s chain of command.

Chapter 1

INTRODUCTION TO CCMCK OPERATIONS

1.1. Overview. This chapter implements and establishes policies, procedures, and requirements for the use of dye-marking cartridges during Air Force force-on-force training on Joint Base McGuire-Dix-Lakehurst (JB-MDL). This instruction applies to 621 CRW personnel participating in integrated field training exercises on JB-MDL.

1.1.1. Dye-marking cartridges are a reduced energy, reduced impact, training ammunition that can be safely fired from each individual's assigned service weapon. A conversion kit is installed in each weapon to allow use of dye-marking cartridges and preclude the chambering of live ammunition. On impact, the markers produce a detergent-based, water-soluble inert color marking; similar to a paint-ball.

1.1.2. All personnel who use, supervise, or manage training using dye-marking cartridges are responsible for complying with this instruction. Only certified Security Forces Training Instructors may instruct and supervise the live-fire use of dye-marking cartridges in accordance with the AFSFC CCMCK Training Concept of Operations.

1.2. CCMCK Concept. Dye-marking cartridges and weapon conversion kits enhance learning throughout the full spectrum of force-on-force training. The incorporation of dye-marking cartridges enhances mission readiness by expanding training capabilities and eliminating most limiting factors (LIMFACs) associated with blank ammunition and laser technology. The pain penalty reinforces the use of proper cover and emphasizes to Airmen that even if they are wounded they can continue to return the fight to the enemy, move to safety, and/or communicate with team members. Eliminating these LIMFACs includes reducing the minimum safe firing distance from 20 feet to five feet. As an example, using dye-marking cartridges enables:

1.2.1. Force-on-force training scenarios

1.2.2. Patrolman survival/safety training

1.2.3. Firearm retention drills

1.2.4. Routine and Felony traffic stop training

1.2.5. Judgmental shooting (i.e. shoot/don't shoot)

1.2.6. Protection of PL Resources

1.2.7. Building/Room entries

1.2.8. Hostage Rescue

1.2.9. Aircraft/vehicle/bus/boat assaults

1.2.10. Military Operations on Urban Terrain

1.2.11. Close Quarters Battle

1.2.12. Individual and Team Movement Tactics

1.2.13. Operating in low light environments

1.3. Conversion Kits and Dye Markers. As previously mentioned, the CCMCK system allows students to use their assigned duty weapons. In order to prepare them for dye-marking training specific steps must be followed for installation. Chief Range Officers (CRO), Range Safety Officers (RSO), and Training Cadres (TC), are the only personnel authorized to change the configuration of weapons from live to CCMCK.

1.3.1. Use only conversion kits authorized in **Attachment 4**. Do not install or use kits not displayed on that list. When an actual weapon part is replaced with a conversion kit, place the actual weapon part into the conversion kit box. This maintains accountability, and also ensures weapon components return to their original weapon. Do not mix parts with other students.

1.3.2. Use only dye markers authorized in **Attachment 4**. Do not load or fire cartridges not displayed on that list. Dye markers are real explosives with a real projectile. Munition custodians and CROs must ensure security, safety, and transportation standards for Hazard Class/Division 1.4 are maintained. Follow the procedures for procurement, transportation, and safety in accordance with CRWI 91-10, *Explosive Operations* and AFMAN 91-201, *Explosive Safety Standards*.

1.4. Responsibilities.

1.4.1. Chief Range Officer (CRO). The CRO is responsible for managing personnel, equipment, and ranges during each training event. While the CRO may not be the primary instructor, he/she will be the direct link to the Army range complex and have ultimate control during training scenarios. Additionally, they will be responsible for ensuring that entry requirements into training areas include inspection of all pockets, pouches, and gear for real-world knives, weapons, ammunition, or other hazardous/dangerous items. The CRO will:

1.4.1.1. Be an E-6 or higher, appointed by the unit commander, and attend the Ft. Dix OIC/RSO class administered at the range control complex. Training will be documented on an Army Support Activity-Dix (ASAD) Form 1794, which must be on hand when performing duties on any range. Refresher training is required every three years.

1.4.1.2. Be trained and task-certified by the Combat Arms NCOIC on applicable range management duties. This training must be documented in the individual's training record on an AF Form 797, Job Qualification Standard Continuation/Command JQS and AF Form 1098, Special Task Certification and Annual Recurring Training.

1.4.1.3. Ensure adequate Range Safety Officers are on site during live-fire training.

1.4.1.4. Establish an Entry Control Point (ECP) for a single point of entry to the training area and training zones. Also establish personnel and equipment staging areas, smoking areas, and evacuation rally points.

1.4.1.5. Monitor all range openings and closings, equipment issue, and training events to maintain a safe training environment.

1.4.1.6. Assign range guards, as required, to control access to the training area.

1.4.1.7. Complete a risk assessment IAW CRWI 91-10, *Explosive Operations*.

1.4.1.8. Send a copy of the completed Risk Assessment to 621 CRW/SE.

1.4.2. Range Safety Officer (RSO). The RSO is responsible for ensuring all training is conducted safely and in accordance with established guidelines. Additionally, the RSO must have a copy of the TO 11W2-9-4-11, AFSFC CCMCK Training CONOPS (1 Feb 14), and this instruction on-hand during each training event. The RSO will:

1.4.2.1. Be an E-5 or higher, appointed by the unit commander, and attend the Ft. Dix OIC/RSO class administered at the range control complex. Training will be documented on an ASAD Form 1794, which must be on hand when performing duties on any range. Refresher training is required every three years.

1.4.2.2. Be trained and task-certified by the Combat Arms NCOIC on applicable range management duties. This training must be documented in the individual's training record on an AF Form 797 and AF Form 1098.

1.4.2.3. Inspect the training area for any objects, obstacles, or lethal munitions that pose a threat or hazard.

1.4.2.4. Conduct a pre-training safety brief with all trainers, students, and support personnel, as listed in **Attachment 2**.

1.4.2.5. Install or supervise the installation of weapon conversion kits in accordance with the AFSFC Close Combat Mission Capability Kit Training Concept of Operations.

1.4.2.6. Oversee the storage, verification, and issuing of training ammunition.

1.4.2.7. Designate the range as either 'Hot' or 'Cold'. These terms refer to whether training is being conducted on the range or the range is not in use and is safe for personnel to enter.

1.4.3. Training Cadre (TC). TCs are responsible for running the scenarios and verifying all training objectives are met. TCs must work together with the RSO to ensure training remains realistic and safe and to implement the evolution brief in **Attachment 3** and scenario execution checklist in **Attachment 6**. The TC will:

1.4.3.1. Be certified by attending a manufacturer's course, MAJCOM approved dye-marking cartridge course, unit developed train-the-trainer course, or a course equivalent. This training must be documented in the individual's training record on an AF Form 797 and AF Form 1098.

1.4.3.2. Assign weapon types and ammunition colors to participants.

1.4.3.3. Conduct a debrief and lessons learned with all participants.

1.4.3.4. Request additional TCs if running multiple scenarios.

Chapter 2

DYE-MARKING CARTRIDGE USE DURING TRAINING

2.1. Training Areas. Training areas will be comprised of a minimum of three distinctive zones: Unsafe Zone, Semi-safe Zone, and Safe Zone.

2.1.1. Unsafe Zone: The area where all scenarios take place. Personnel in this area are required to wear all mandatory personal protective equipment (PPE) at all times, until the range is certified 'Cold'.

2.1.2. Semi-safe Zone: The area where all lethal weapons and ammunition are kept. This is the transition area between the pre-scenario brief and the actual training.

2.1.3. Safe Zone: The area where all briefings, equipment storage, and scenario preparation take place. This area must be separated from the Unsafe Zone by a physical barrier or be beyond the round impact area (145 meters).

2.1.4. All zones should have controlled entry/access points (doors, range guards, signs, etc.).

2.1.5. The following are the only approved dye-marker training sites on JB-MDL:

2.1.5.1. Range 4 Monte San Silvesto (Live Shoot House).

2.1.5.2. Range 6 Mindanao (Philippine Insurrection).

2.1.5.3. Range 12 Bastogne (MOUT Village).

2.1.5.4. Range 59A Normandy (Live Fire Shoot House).

2.1.5.5. Range 59E Omaha Beach (WWII).

2.1.5.6. Range 59F (Urban Assault Course).

2.2. Safety. While on JB-MDL ranges, adhere to all the requirements of Ft. Dix Pamphlet 350-3, *Range Guide*. When a conflict between Ft. Dix Pamphlet 350-3 and Air Force Regulations exists, the most restrictive guidance will apply.

2.2.1. Personnel using dye-marking cartridges do not have to be qualified on the weapon used during training. However, they must be trained on the safety features of the weapon and have a working knowledge of the mechanical features. This training will be documented on an AF Form 1098 or AF Form 797. Exception: personnel performing Shoot, Move, and Communicate (SMC) must be qualified on the weapon they use in training.

2.2.2. Only approved marking ammunition and properly modified weapons are authorized for use in the training area.

2.2.3. Use extreme care when handling dye-marking cartridges. Marking ammunition is more susceptible to damage than service ammunition. Do not exert pressure on the projectile. Damaged projectiles may cause jammed weapons due to projectiles becoming lodged in the barrels. Do not reuse cartridges that have been jammed in a weapon. Any unused CCMCK 5.56MM marking ammunition must be repacked with the tip up to prevent marking compound from coming out.

2.2.4. If resources are available, paint or tape a two-inch blue stripe on blank ammunition containers and magazines.

2.2.5. With the exception of the armed weapon courier, no live ammunition is allowed in the written training scenario or in the training site. Each individual involved in the event will verbally declare they do not have live ammunition. If a live round is found or suspected in the training area, the phrase: "LIVE ROUND, LIVE ROUND, LIVE ROUND" will be shouted, echoed, and transmitted on the radio net. Additionally, execute the following steps:

2.2.5.1. All operations and scenarios will immediately cease.

2.2.5.2. The range OIC will direct a 100 percent physical verification of all ammunition in the field training area and consolidate it in the ammunition holding area.

2.2.5.3. If on a JB-MDL range, the range OIC will notify Range Control immediately IAW Fort Dix Pamphlet 350-3.

2.2.5.4. Operations will not resume until the OIC and RSO physically verify that all remaining rounds of ammunition are blank.

2.2.5.5. Upon completion of training, the OIC will notify the chain of command and 621 CRW Additional Duty Weapon Safety Representative (ADWSR) of the incident.

2.2.6. Personnel using CCMCK marking ammunition are required to follow good personal hygiene practices (i.e., hand washing, cleaning of contaminated clothing and equipment), following exposure/contamination with marking compounds. Seek medical care in the event of acute eye contamination, skin irritation, or ingestion of marking compound.

2.2.7. Dye-Marking Cartridges will not be fired in the direction of personnel closer than five feet.

2.3. Procedures. Due to the close proximity of trainees to each other, and the nature of pointing weapons at other individuals during training, extra care must be given to safety considerations. These procedures will ensure a safe training environment.

2.3.1. The RSO will perform the safety brief in Attachment 2, explain the safety considerations in **paragraph 2.2**, and ensure all personnel have safety equipment available that is outlined in **Attachment 4**.

2.3.2. Prior to training execution, the RSO will inspect the range, all ammunition crates, magazines, weapons, and individual combat equipment (ICE) to verify no live rounds are brought into the training site.

2.3.3. Weapons will be cleared by the RSO in accordance with AFMAN 31-229, *USAF Weapons Handling Manual*. They will visually inspect the barrel of each weapon to ensure there is no debris stuck in the bore. This can be accomplished by placing a cleaning rod through the barrels or disassembling the weapons to look down the back of the barrels. At no time will any personnel look through the muzzle of an assembled weapon.

2.3.4. RSOs and TCs will install conversion kits and store actual weapon parts IAW **paragraph. 1.3.1**. Once conversion kits are installed, the RSO and TCs will place the weapons into the Semi-safe Zone.

2.3.5. The weapon courier, with live ammunition for real-world security, must wear a vest for identification purposes. They will not participate in training or leave the Safe Zone.

2.3.6. Instructors issuing dye-marking cartridges in the Semi-safe Zone will inspect each box they hand out to ensure only marking rounds are introduced into the training area. A fire extinguisher will be positioned at the issue area.

2.3.7. When assigned a scenario and briefed on instructions, students will enter the Semi-safe Zone and load their magazines. A pre-designated disinterested official will be on site and will certify only dye-marking cartridges are loaded into magazines.

2.3.8. Prior to entering the Unsafe Zone to participate in the actual scenario, the RSO will visually inspect each person for all required PPE.

2.3.9. With all equipment, PPE, weapons, and rounds, all personnel will enter the Unsafe Zone simultaneously. The RSO will announce that the zone is 'Hot' and training will begin. If any mandatory safety equipment becomes dislodged during training, the individual will immediately cover the area with his/her hands, take a knee and call "cease fire." DO NOT remove any equipment until instructed to do so. Once the equipment is replaced, the training can continue.

2.3.10. If anyone sees new personnel approach the training area, they will direct those personnel to the range OIC or RSO to ensure the new personnel receives a safety brief.

2.3.11. Upon completion of each scenario, students will transition from the Unsafe Zone to the Semi-safe Zone. All personnel are only authorized to remove PPE when the zone is certified 'Cold' by the RSO. The RSO will then verify that each weapon is clear and instruct all personnel to return all unexpended rounds. A cleaning rod will be used to remove any ruptured cartridge or projectile stuck in the chamber or bore when necessary. Cleared weapons will be returned to the staging area.

2.3.12. At the end of the entire operation, all personnel will replace the live bolt back into the weapon system, turn in firearms, turn in dye-marking cartridge bolts and any remaining munitions residue to the TC and the RSO. For rifles, the firing line officials will place them into a 'Rack Safe' configuration: bolt forward, on semi, trigger depressed, and dust cover closed.

2.3.13. Ammunition and residue will be collected at the issue area. At the issue area, the RSO will inspect each magazine, all ICE, and receive a verbal certification from each individual stating that his/her uniform is free of live and expended ammunition.

2.3.14. A sweep of the entire training area will be conducted by all personnel to ensure live rounds and residue are not left behind. Collected live rounds and residue will be packaged in approved containers for shipment back to the MSA.

2.3.15. During weapon cleaning, all students must ensure their barrels are free of debris. Dye- marking projectiles get lodged in in barrels often. While a barrel may appear clear and empty, extra attention must be given to the grooves inside where plastic and paint may be stuck.

2.4. Emergency Actions. In the event of an emergency, immediately stop all operations and get personnel to a safe location. Once at the safe location, obtain personnel accountability and implement the following procedures, based on the situation.

2.4.1. Lightning.

2.4.1.1. A *Lightning Watch* will be in effect 30 minutes prior to thunderstorms being within 5 nautical miles (nm). Initiate controlled termination procedures for all explosives operations when a Lightning Watch occurs.

2.4.1.2. A *Lightning Warning* will be in effect whenever any lightning is occurring within a 5 nm radius. Immediately provide personnel protection equivalent to the fire evacuation distances. Cease all explosive operations.

2.4.1.3. After lightning has passed, the OIC will assess risks and determine whether to continue training.

2.4.2. Injured Personnel.

2.4.2.1. For a minor injury, provide first aid as soon as possible. If necessary, have another individual at the training location transport the injured person to a medical treatment facility. Do not let the injured person, or their escort, leave the training site with their weapons.

2.4.2.2. For a major injury, contact emergency services at 911 or the Law Enforcement Desk at 754-2001. When making contact, relay the nature of the emergency, number of personnel effected, severity, and exact location. Provide first aid as soon as possible, and keep the individual stable and alert until emergency personnel arrive. Send an individual to the training site entrance to meet and direct emergency personnel. Do not let the injured person, or their escort, leave the training site with their weapons.

2.4.2.3. Consolidate all explosives and take accountability.

2.4.2.4. After assessing the risks involved, continue training only if practical.

2.4.3. Fire involving explosives, vehicles, or training materials.

2.4.3.1. Make no attempt to fight fires when any explosives are engulfed in flames. If the fire does not involve explosives, the person nearest the on-hand fire extinguisher will attempt to battle the flames.

2.4.3.2. No matter the type of fire, evacuate all personnel at the training site to the pre-designated rally point, 300 feet from the ammunition issue area.

2.4.3.3. Contact emergency services at 911 or the Law Enforcement Desk at 754-2001. When making contact, relay the nature of the emergency, hazard class and division of the explosives, severity, number of personnel effected, and exact location. Send an individual to the training site entrance to meet and direct emergency personnel.

2.4.4. Misfires. A misfire is the failure of the propellant charge to ignite wholly or in part.

2.4.4.1. Misfires are removed by unit personnel as prescribed by applicable FMs and TMs for the weapons and ammunition being fired.

2.4.4.2. After removal from the weapon, place the projectile into the original pack- aging container, mark the container as containing a misfired projectile and keep separate from serviceable ammunition.

2.4.4.3. Turn the misfire into MSA personnel for disposition.

2.4.5. Reporting. If personnel are injured or government property is damaged during training, a proper safety mishap report must be accomplished. The Officer in Charge must initiate the report on an AF Form 457, *USAF Hazard Report* and Mishap Form 978. However, in addition to the standard reporting through an individual's chain of command, a notification must also be made to Ft. Dix Range Control, and to the 87 ABW Weapon Safety Office if the incident involves explosives.

2.4.6. Points of Contact:

2.4.6.1. Ft. Dix Range Control: (609) 562-4600/4650.

2.4.6.2. Joint Base Fire Department: (609) 754-2451.

2.4.6.3. Joint Base Law Enforcement Desk: (609) 754-6001.

2.4.6.4. Joint Base Command Post: (609) 754-3935.

2.4.6.5. 87 ABW/SE Weapon Safety Office: (609) 754-6854..

CHARLES R. HENDERSON, Col, USAF
Commander, 621 CRW

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

AFI 21-201, *Munitions Management*, 3 June 2015 (IC1, 13 Oct 15).

AFI 31-101, *Integrated Defense,* 8 October 2009 (IC3, 3 Dec 15).

AFI 31-117, *Arming and Use of Force by Air Force Personnel,* 2 February 2016.

AFI 36-2654, *Combat Arms Program*, 13 January 2016.

AFI 91-202, *Air Force Mishap Prevention Program*, 24 June 2015.

AFI 91-203, *Air Force Consolidated Occupational Safety Instruction,* 17 September 2015.

AFMAN 31-229, *Weapons Handling Procedures*, 12 March 2009.

AFMAN 91-201, *Explosive Safety Standards,* 12 January 2011 (AMC SUP, IC1, 29 Dec 14).

HQ AFSFC, *CCMCK CONOPS*, 1 February 2014.

USASA Fort Dix Pamphlet 350-3, *Range Guide,* 30 August 2013.

Adopted Forms

AF FORM 457, *USAF Hazard Report,* 17 November 2015.

AF FORM 797, *Job Qualification Standard Continuation/Command JQS,* 1 August 2002. **AF FORM 1098,** *Special Task Certification and Recurring Training,* 1 April 1985.

ASAD. Form 1794, *Range Control Safety Certification Card*, 1 Nov 2010.

Attachment 2

SAFETY BRIEF (EXAMPLE)

A2.1. (RSO) All weapons used in this training evolution will have the proper conversion kits installed. All weapons will be marked with brightly colored blue tape (if available) where it is easily visible and doesn't interfere with the functioning of the weapon.

A2.2. All magazines used in this evolution will be inspected by me (RSO) and marked with brightly colored blue tape (if available). All magazines not inspected and marked will be removed from the immediate training area. Ammunition will not be loaded into magazines until training is ready to commence. I will observe the loading of all magazines. No rounds of any kind will be carried in pockets at any time. I will inspect all weapons and magazines after this brief.

A2.3. All personnel will wear proper protective gear. Approved full-face helmet, throat, and groin protection is MANDATORY. This includes all participants and observers. Non-duty clothing must cover the arms, legs, and hands. Does everyone have the required safety equipment?

A2.4. I (RSO) am the only person who can grant permission for the training cycle to begin. When I am satisfied with the training area, proper clothing, protective equipment, and safety of the intended scenario, I will start the training cycle by announcing the range is 'Hot.' When the training cadre gives the order in the Unsafe Zone, point your weapons in a safe direction, charge it, re-holster/sling the weapon, and prepare for the scenario. At no time will a loaded weapon leave the training area. All standard weapon safety rules apply while on the range and involved in training.

A2.5. At no time shall any personnel remove any safety equipment until I have called the range 'Cold.' I will need full accountability of personnel, all weapons will be cleared, and a buddy-check performed before the range is certified 'Cold.'

A2.6. If you hear "CEASE FIRE," you will immediately stop training, point your weapon in a safe direction, and wait for further instructions. If anybody sees anything they think is unsafe, shout "CEASE FIRE." All training will stop until the condition is made safe. If you hear "CEASE FIRE," you must echo the command.

A2.7. Do not fire weapons within five feet of another individual.

A2.8. Do you have any questions?

Attachment 3

EVOLUTION BRIEF (EXAMPLE)

A3.1. (Training Cadre) We are about to conduct training using dye-markers and weapon conversion kits. Prior to entering the Semi-safe Zone, you were told by the RSO not to bring anything lethal onto the area with you. You all should have required protective equipment and gear. If you leave the Semi-safe Zone at any time you must be re-inspected by the RSO.

A3.2. I will assign the students to teams and issue the scenario brief. Then, I will assign role players and support personnel and issue them instructions. The role players, support personnel, and I will accompany the RSO to the entrance of the Safe Zone for a pre-training safety inspection by the RSO. I will brief you on your assigned duties after you have been inspected.

A3.3. All personnel must be inspected prior to entering the Safe Zone. When I complete the safety check, the RSO will make the range 'Hot.' Students will be issued their weapons and instructed to stand by. I will have students face in a safe direction, load, and make ready their weapons. I will then begin the scenario.

A3.4. Remember to keep alert and treat the scenario as real-world. Keep safety in mind at all times. Upon completing the scenario, you will hear the command to "CEASE FIRE." When instructed, personnel with weapons will face in a safe direction, clear, and sling their weapons. The RSO and I will inspect all cleared weapons. Once the RSO is satisfied all personnel, weapons, and equipment are accounted for and safe, he/she will call the range 'Cold' and give permission to remove masks. You may NOT remove your mask until the range is declared 'Cold.' All weapons will be returned to the RSO prior to leaving the Safe Zone. The debrief will be conducted at my discretion.

A3.5. Are there any questions?

Attachment 4

SCENARIO EXECUTION CHECKLIST (EXAMPLE)

A4.1. Give safety brief. **(RSO)**

A4.2. Conduct evolution brief. **(TC)**

A4.3. Safety inspection of **RSO**. **(TC)**

A4.4. Conduct safety inspection of **TC**, role-players, support personnel and vehicles (if applicable). **(RSO)**

A4.5. Brief role-players and support personnel on position for scenario. **(TC)**

A4.6. Prepare all weapons and issue unloaded weapons to role-players if needed. **(RSO)**

A4.7. Bring students to entrance of Safe Zone for inspection. **(TC)**

A4.8. Conduct safety inspection of students and vehicles. **(RSO)**

A4.9. Conduct first safety check. Role-players and support personnel put masks on. Role-players' weapons are not loaded yet. When satisfied that everyone is briefed and wearing all necessary protective equipment and the training area is secure, **RSO** will call the range "**HOT**." **(TC)**

A4.10. Have students face in a safe direction and load weapons. Begin scenario. **(TC)**

A4.11. RSO positions himself to monitor the scenario for safety violations. **RSO** is not an active participant in the scenario. However, if anyone sees any safety violation, shout "CEASE FIRE." **(RSO)**

A4.12. TC monitors the scenario for safety issues and ensures training objectives are met. End the scenario by shouting "CEASE FIRE, CEASE FIRE, and EVERYONE COME TO THE SOUND OF MY VOICE." All masks stay on. Check for injuries. **(TC)**

A4.13. Instruct all personnel with weapons to face in a safe direction and clear their weapons. Account for all personnel, weapons, and equipment. All items must be accounted for and checked by the **RSO** and **TC**. The **RSO** will call the range "**COLD**." All personnel may them remove masks. **(RSO)**

A4.14. Conduct debrief/ after action review. **(TC)**

A4.15. Once all training is complete account for all weapons, magazines, and equipment before personnel leave the Safe Zone. **(RSO and TC)**

Attachment 5

PERSONNEL SAFETY AND WEAPON EQUIPMENT

A5.1. The following safety equipment is approved and **MANDATORY** for wear when using dye-marking cartridges. All personnel in the training area must wear all mandatory safety equipment.

Figure A5.1. CCMCK Protective mask - NSN: 8415-99-359-9160.



Figure A5.2. Goggles, Sun, Wind and Dust - NSN: 8464-01-328-8268.



A5.1.1. Standard Issue Gloves; leather, nomex, or winter.

A5.1.2. Single Layer Hearing Protection; foam inserts or under-the-helmet headset.

A5.1.3. Groin Protection.

A5.1.4. Standard Combat Helmet; any government issued helmet.

A5.1.5. Full, single layer of clothing. Excessive clothing may detract from training realism.

A5.2. The following equipment is optional for wear when using dye-marking cartridges as needed to enhance scenario realism, and offer further protection and comfort to students.

A5.2.1. Individual Combat Equipment (ICE).

A5.2.2. Elbow and Knee Pads.

Table A5.1. Approved CCMCK Items.

Items Approved for Use and Purchase		
NSN	**NOMENCLATURE**	**NOTES**
6920-01-564-9657	Training Device, Fire Dye Marking Ammo: M16/M4	UTM
6920-01-564-9656	Training Device, Fire Dye Marking Ammo: M9	FX
6920-01-564-9658	Training Device, Fire Dye Marking Ammo: M11	FX
6920-01-564-9655	Training Device, Fire Dye Marking Ammo: M249	UTM

8415-99-359-9160	Mask, Cold Weather	
8464-01-328-8268	Goggles, Sun, Wind and Dust	
4240-01-612-0702	Helmet Mounted Training Facial Protection Systems: Eye Tactical CM121, black, CM121-43 (1G6Y3)	
4240-01-612-0696	Helmet Mounted Training Facial Protection Systems: Eye Tactical CM121, tan, CM121-44 (1G6Y3)	
4240-01-612-0690	Helmet Mounted Training Facial Protection Systems: Eye Tactical CM121, green, CM121-45 (1G6Y3)	
8415-20-005-2260	Helmet, Safety: Simunitions FX9003, black, 8971960 (0YAE9)	
8415-20-007-2548	Helmet, Safety: Simunitions FX9003, tan, 8971962 (0YAE9)	
8415-99-359-9160	Mask, Cold Weather (Standard CCMCK Face Mask), 69-0304 (KE396)	
Approved Munitions (Centrally Procured - Cannot Local Purchase)		
NSN (DODIC)	**NOMENCLATURE**	**NOTES**
1305-01-536-7722 (AB14)	9mm Red Marking Cartridge	
1305-01-536-7721 (AB13)	9mm Blue Marking Cartridge	
1305-01-537-1521 (AB16)	5.56 Blue Linked Marking Cartridge: M249 Only	
1305-01-537-1522 (AB17)	5.56 Red Linked Marking Cartridge: M249 Only	
1305-01-536-5822 (AB09)	5.56 Blue Marking Cartridge: M4/M16 Only	
1305-01-536-5827 (AB10)	5.56 Red Marking Cartridge: M4/M16 Only	

Notes:

1. Cartridges from different manufacturers are not interchangeable and may not be used in other manufacturer's adapters.
2. The AF is not procuring the yellow marking cartridges in either 5.56mm or 9mm; therefore, these rounds are not available to AF users.

Attachment 6

DYE-MARKING CONVERSION KITS

A6.1. The following conversion kits are currently approved for use. FX and UTM brands are not interchangeable.

Figure A6.1. DYE Marking Conversion Kits.

DYE-MARKING CONVERSION KITS:

ITEM NSN

M9 CONVERSION KIT: 6920-01-564-9656



ITEM NSN

M11 Conversion Kit: 6920-01-564-9658



ITEM NSN

M-4 CONVERSION KIT (BOLT) 6920-01-564-9657



ITEM NSN

M-249 CONVERSION KIT (BOLT) 6920-01-564-9655



Attachment 7

MAPS OF APPROVED JB-MDL CCMCK RANGES

A7.1. Maps Of Approved JB-MDL CCMCK Ranges.

Figure A7.1. Range 4.



Figure A7.2. Range 6.



Figure A7.3. Range 12.



Figure A7.4. Range 59E.



Figure A7.5. Range 59F.

