BY ORDER OF THE COMMANDER
8TH FIGHTER WING

8TH FIGHTER WING INSTRUCTION
15-101

29 AUGUST 2025

Weather

WEATHER SUPPORT

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing website at **www.e-Publishing.af.mil** for downloading or ordering

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: 8OSS/OSW

Certified by: 8OSS/CC
(Lt Col James M. Davis)

Supersedes: 8FWI15-101, 8 April 2020

Pages: 37

This instruction implements Department of the Air Force Policy Directive (DAFPD) 15-1, *Weather Operations*, Department of the Air Force Instruction (DAFI) 10-2501, *Emergency Management Program,* Air Force Manual (AFMAN) 15-111, *Surface Weather Observations,* AFMAN 15-124, *Meteorological Codes,* DAFI 15-129, *Air and Space Weather Operations,* United States Forces Korea Regulation (USFK Reg) 115-1, *USFK Area Weather Watches and Tropical Cyclone Procedures for the Republic of Korea,* and outlines policy and procedural guidance for the functions of weather support provided by the 8th Operations Support Squadron Weather Flight (8 OSS/OSW). General information for weather services, including weather observations and forecasts; weather warnings, watches, and advisories; space weather supported services; dissemination of information; and reciprocal support. It applies to all personnel and units assigned, attached to, or supported by the 8th Fighter Wing (8 FW), Kunsan Air Base (AB). Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, *Recommendation for Change of Publication*; route the AF Forms 847 from the field through the appropriate functional chain of command. Ensure that all records created as a result of processes prescribed in this publication are maintained in accordance with (IAW) AFI 33-322, *Records Management and Information Governance Program*, and are disposed IAW the Air Force Records Disposition Schedule (RDS), which is located in the Air Force Records Information Management System (AFRIMS). The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the Air Force.

SUMMARY OF CHANGES

This document has been substantially revised and must be completely reviewed. Major changes include duty priorities, planning weather product, mission execution forecasts, terminal aerodrome forecast (TAF), etc. Basic Weather Watch section has been removed with added language on transiting and rotational support procedures.

Chapter 1—WEATHER FLIGHT (WF) GENERAL INFORMATION **5**

1.1. Introduction. 5

1.2. Duty Priorities. 5

Table 1.1. Duty Priorities. 5

1.3. Duty Hours. 6

1.4. Contact Information. 6

Table 1.2. Contact Information. 6

1.5. Dissemination of Weather Information. 6

1.6. Release of Weather Information. 6

1.7. Continuity of Operations 6

Chapter 2—MISSION WEATHER SERVICES **7**

2.1. Mission Integration Functions. 7

2.2. Mission Weather Product (MWP). 7

2.3. Mission Meteorological Watch (MISSIONWATCH). 7

2.4. Supervisor of Flying (SOF) Support. 7

2.5. Support to Deployed/Expeditionary Units. 8

2.6. Space Weather Support. 8

2.7. Pilot-to-Metro-Service (PMSV). 8

Chapter 3—AIRFIELD SERVICES **9**

3.1. Terminal Aerodrome Forecast (TAF). 9

3.2. Airfield Surface Weather Observations. 9

3.3. Cooperative Weather Watch (CWW). 11

Chapter 4—RESOURCE PROTECTION **13**

4.1. General Information. 13

4.2. Dissemination. 13

4.3. Back-Up Dissemination. 13

4.4. AtHoc Dissemination. 13

Chapter 5—SIGNIFICANT WEATHER EVENTS 14

5.1. Significant Weather Event Notices. 14

5.2. Severe Weather Action Procedures (SWAP). 14

5.3. Tropical Cyclone Conditions of Readiness (TCCOR). 14

5.4. OPREP-3/Significant Weather Reporting Procedures. 14

Chapter 6—STAFF WEATHER SERVICES 16

6.1. General. 16

6.2. Staff Briefing. 16

6.3. Instrument Refresher Course (IRC) Briefings. 16

6.4. Airfield Operation Board. 16

6.5. Deployment/Concept Briefing. 16

6.6. Investigation Boards. 16

6.7. 5-Day Outlook. 16

6.8. Climatology Services. 16

6.9. Aircraft Mishap Support. 16

6.10. Emergency Operations Support. 16

Chapter 7—RECIPROCAL SUPPORT 18

7.1. 8FW assigned flying squadron: 18

7.2. Kunsan AB Command Post (8 FW/CP) will: 18

7.3. 8 OSS/OSAA (AMOPS) will: 18

7.4. 8 OSS/OSAR (RAPCON) will: 19

7.5. 8 OSS/OSAT (Tower): 19

7.6. 8 OSS/OSAM (Radar, Airfield, Weather Systems (RAWS)) will: 19

7.7. The 8 OSS/OSK will: 19

7.8. Wing Scheduling will: 19

7.9. The 8th Communications Squadron will: 20

7.10. The 8th Civil Engineer Squadron will: 20

7.11. The 8th Security Forces Squadron will: 20

7.12. The 8th Logistics Readiness Squadron (8 LRS) will: 20

7.13. The 8th Medical Group will: 20

7.14. The 8th FW Safety Office will: 20

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 21

Attachment 2—TAF SPECIFICATION/AMENDMENT CRITERIA 26

Attachment 3—SPECI CRITERIA 28

Attachment 4—WWA DISSEMINATION 32

Attachment 5—WEATHER WATCHES, WARNINGS AND ADVISORIES (WWA) 33

Attachment 6—TROPICAL CYCLONE CONDITIONS OF READINESS (TCCOR) 35

Attachment 7—SAMPLE MEF WEATHER PRODUCT 36

Attachment 8—COMMON 8 FW MOAS AND RANGES 37

Chapter 1

WEATHER FLIGHT (WF) GENERAL INFORMATION

1.1. Introduction. The 8 Operation Support Squadron Weather Flight (WF) is the focal point for official weather information at Kunsan AB. This plan defines the weather flight's duties, responsibilities and services, documents weather support requirements, illustrates the flow of information, and outlines the weather flight's coordination with other base agencies. All services are provided IAW appropriate Air Force instructions and federal guidance.

1.2. Duty Priorities. The WF duty priorities are outlined in **Table 1.1** These were developed IAW DAFI 15-129. These priorities exist to balance limited manning and mission critical tasks. Duty priorities focus efforts during peak work periods prone to task saturation and priority conflicts. Weather technicians will use sound judgment when complying with these duty priorities, especially where there is imminent danger to life and property.

Table 1.1. Duty Priorities.

1	Wartime defense of Kunsan AB
2	Perform Emergency War Order Tasks
3	Perform Evacuation / Continuity of Operations Plan
4	Issue/Disseminate Imminent Hazardous Weather Warnings
5	Respond to aircraft/ground emergencies
6	Issue/Disseminate Imminent Weather Advisories/Watches
7	Respond to Pilot-to-Metro Service (PMSV) Calls/Phone Patches
8	Provide Weather Information to Supervisor of Flying (SOF) and 8 FW Key Leaders
9	Publish and Disseminate weather observation
10	Disseminate Urgent Upper Air (UUA) Pilot Reports (PIREPs)
11	Generate/Disseminate Mission Weather Product
12	Generate/Disseminate Terminal Aerodrome Forecasts
13	Collaborate Weather Products with Supported Units
14	Perform METWATCH/MISSIONWATCH, Amend Weather Products
15	Respond to Requests for Information / Support Assistance Requests
16	Provide Staff Briefings / Non-Standard Weather Products
17	Weather Functional Training
18	Accomplish Administrative Tasks

1.3. Duty Hours. Airfield Weather Services will be provided 24/7. Mission Weather Operations (MWO) forecasters may be integrated into 8 FW flying squadron(s) during 8 FW flying as weather flight manning allows. MWO forecaster hours of support are dependent on the 8 FW aircraft's flying schedule.

1.4. Contact Information.

Table 1.2. Contact Information.

Airfield Weather Operations (AWO) Forecaster/Alternate Operating Location	782-4262 or 4501
Mission Weather Operations Forecaster	782-6194
Flight Leadership/Staff Services	782-4235
Organizational Email	8OSS.OSW.ORG@us.af.mil

1.5. Dissemination of Weather Information. BIFROST (**https://bifrost.afweather.mil/**) is the primary weather data portal for dissemination of weather information and can be accessed by any Kunsan computer. Additional weather resources and products can be accessed on SharePoint: **https://usaf.dps.mil/sites/kunsan/8OG/8OSS/Weather/SitePages/Home.aspx**. Additional means of dissemination are available based on the customers support agreement.

1.6. Release of Weather Information. The WF will not provide support or information to non-Department of Defense (DoD) organizations or to the general public except as authorized by 8 FW Public Affairs (8FW/PA), 7AF/CC or the 8 FW/CC (or designated representative). 8 FW/PA is the primary authorizing official to release weather data to outside agencies.

1.7. Continuity of Operations

1.7.1. The WF maintains the capability and Standard Operating Procedures (SOP) to support 8 FW missions in a degraded/backup mode from the primary Alternate Operating Location (AOL) in Building 2829.

1.7.2. The MWO forecaster will relocate to the WF building or the AOL if unable to provide necessary support when integrated.

1.7.3. The following are limitations and corresponding mitigations identified for conducting operations out of the AOL:

1.7.3.1. There is no dedicated Secure Internet Protocol Router (SIPR) terminal for WF personnel. WF personnel will work with units that require SIPR support and help arrange for this support to the greatest extent possible.

1.7.3.2. There is no window at the AOL, rapid changes in the weather (i.e., the start and stop of precipitation) may go unnoticed for a short time.

1.7.4. In the event of WF personnel exhausting the Primary, Alternate, Contingency, and Emergency (PACE) plan and are still unable to provide support to 8 FW agencies, the 17 OWS will assume weather support responsibilities as documented in the standing Installation Data Page (IDP) agreement until home station support can resume.

Chapter 2

MISSION WEATHER SERVICES

2.1. Mission Integration Functions. Mission integration requires gaining an in-depth understanding of supported mission platforms, equipment, and systems capabilities/sensitivities as well as mission processes (e.g., Risk Management, Common Operating Picture), tactics) to reliably inject timely, accurate, and relevant environmental information at every decision point in the mission planning and execution process to optimize mission success.

2.2. Mission Weather Product (MWP). A suite of MWPs is produced to include the Mission Execution Forecast (MEF), flight weather briefings, planning weather, and DD Form 175-1, *Flight Weather Briefing*. MWPs are produced utilizing the Mission Execution Forecast Process IAW DAFI 15-129, *Air and Space Weather Operations.*

2.2.1. MEF. The primary MWP for 8 FW Flying Operations and produced only during 8 FW flying hours. The MEF content is coordinated between the WF and 8 FW assigned fighter squadron leadership. If a change is requested by the 8 FW fighter squadron leadership or WF, it will be coordinated and finalized with those units. See **Attachment 7** for an example. It is disseminated via the 8 FW shared drive and 8 FW SharePoint site: **https://usaf.dps.mil/sites/kunsan/8OG/8OSS/Weather/Shared%20Documents/Forms/AllItems.asp** x.

2.2.2. Flight Weather Briefings. The DD Form 175-1 and verbal briefings are the primary MWP to provide briefing services. As duty priorities permit, the WF will provide or arrange for a briefing or update an existing briefing form for transient aircrews. The WF will defer to the transient units lead weather support as the preferred option. During 8 FW aircraft movements, the WF may utilize these forms of MWPs to support the movements.

2.3. Mission Meteorological Watch (MISSIONWATCH). This is a deliberate process for monitoring terrestrial weather and/or the space environment for specific mission-limiting environmental factors. During rapidly changing weather, the WF will amend/update MWPs as required and contact the applicable agencies to pass on critical changes and provide information to exploit mission weather. Any significant changes to observed or forecasted conditions will be passed verbally to the Top 3 and to the SOF.

2.4. Supervisor of Flying (SOF) Support.

2.4.1. The WF supports the SOF as follows:

2.4.1.1. WF notifies SOF of any Watches, Warnings, Advisories (WWA) issuance/cancellation, significant Pilot Report (PIREP) received, thunderstorms enter/exit a 10 Nautical Mile (NM) radius of Kunsan AB, or of any other phenomenon pertinent to flight safety.

2.4.1.2. WF Monitors and relays pertinent weather information for Military Operating Areas (MOA), training areas, ranges, or any other operating location.

2.4.1.3. WF notifies SOF when actual or forecasted conditions deteriorate or improve through pilot weather categories defined in AFMAN 11-202V3, *Flight Operations,* at Kunsan AB and SOF designated alternates.

2.5. Support to Deployed/Expeditionary Units. Weather support for deployed or expeditionary units (to include for exercises) operating from Kunsan AB will be provided or arranged by the deployed units weather flight. It is incumbent on the deploying unit's weather flight to ensure support requirements are met for their unit. Additional/Augmented support for rotational forces through the Kunsan WF will be handled through a Memorandum of Understanding/Memorandum of Agreement on a case-by-case basis with the deployed/expeditionary units primary weather support provider.

2.6. Space Weather Support. The WF provides space weather impacts on their MWPs, as applicable. Upon request, WF personnel will provide space weather support to 8 FW agencies and tenant units.

2.7. Pilot-to-Metro-Service (PMSV). U.S. aircraft in radio range of Kunsan AB may contact 'Kunsan Metro' on 346.5 MHz to request weather information. During extended outages, backup support for Kunsan AB is conducted by the 51 OSS/OSW at Osan AB.

Chapter 3

AIRFIELD SERVICES

3.1. Terminal Aerodrome Forecast (TAF). The 8 OSS/OSW issues and maintains the official Kunsan AB TAF under the International Civilian Aviation Organization (ICAO) airport code "RKJK" and is formatted IAW AFMAN 15-124, *Meteorological Codes*. For specification and amendment criteria, see **Attachment 2**. The TAF is issued at 0000Z, 0800Z, and 1600Z and is valid for a 30-hour period.

3.2. Airfield Surface Weather Observations. Observations will be taken and disseminated IAW AFMAN 15-111, *Surface Weather Observations*. The Automatic Meteorological Station *(*AN/FMQ-19*),* is the AF standard system for automated observations with WF technicians augmenting the system when required. There are three types of observations: Aviation Routine Weather Report (METAR), Aviation Selected Special Weather Report (SPECI) Observations, and Local (LOCAL) Observations.

3.2.1. Aviation Routine Weather Report (METAR). A scheduled observation taken each hour at 55-59 minutes past the hour; disseminated locally at Kunsan AB and long-line into the Automated Weather Network.

3.2.2. Aviation Selected Special Weather Report (SPECI). Special observations taken as required to report significant changes in weather elements; disseminated locally and long-line. A single element SPECI is authorized for tornadic activity and volcanic eruptions when a delay in reporting all elements would cause an immediate threat to life or property. SPECI criteria can be found in **Attachment 3**.

3.2.3. Aviation Selected Local Weather Report (LOCAL). A LOCAL is an unscheduled observation, reported to the nearest minute, not meeting SPECI criteria. LOCALs are only taken when 8 Operations Support Squadron (OSS) leadership determines there is a requirement in support of local operations.

3.2.3.1. LOCALs taken in support of aircraft operations are encoded in METAR format.

3.2.3.2. Altimeter Setting (ALSTG) LOCALs are single element observations that contain the time and ALSTG. When Air Traffic Control (ATC) agencies don't not have access to real-time ALSTGs, Kunsan WF will disseminate an ALSTG LOCAL observation at an interval not to exceed 35 minutes when there has been a change of 0.01 inches of mercury (inHg) (0.3 hectopascals [hPa]) or more since the last disseminated ALSTG value. Note: A METAR or SPECI taken within the established time interval fulfills this requirement.

3.2.4. Official Observing Point. The AN/FMQ-19 is the official observing point when operational. During AN/FMQ-19 outages or observation augmentation, the painted "Wolf Head" located on the Transient Pad in front of Building 2858 is the official observation point at the primary operating location. The "O" in "FOD" at the Foreign Object Debris (FOD) checkpoint in front of the AOL is the backup observation point during AN/FMQ-19 outages or augmentation.

3.2.5. Observing Equipment. WF weather observing services will be primarily accomplished by the AN/FMQ-19, an automated observing system. The AN/FMQ-19 produces METAR, and SPECI observations and disseminates them long-line to the automated weather network or locally via the Joint Environmental Toolkit Sensor Collection Appliance (JET SCA). Back-up Observing Equipment consists of the AN/TMQ-53 Tactical Observing System (TMOS) and the Handheld Kestrel Environmental Weather Meter.

3.2.5.1. AN/FMQ-19 Automated Meteorological Observing System. The AN/FMQ-19 is an integrated system of multiple weather sensors and data automation components that continually measure environmental conditions to provide responsive, reliable, accurate, real-time weather data to all supported agencies. The AN/FMQ-19 has the following sensors: wind sensor (10 meter height), ceilometer, visibility sensor, runway visual range (RVR) sensor, temperature sensor, relative humidity sensor, liquid precipitation measurement sensor, lightning detection sensor, barometer (station pressure/altimeter setting).

3.2.5.2. TMOS. The TMOS measures, processes, and reports wind speed and direction, temperature, relative humidity, dew point, pressure (altimeter pressure, sea level pressure, and pressure/density altitude), precipitation (type, amount, and intensity), visibility, present weather, sky condition, and lightning strikes. The AN/TMQ-53 includes a handheld monitor, laptop for transmitting long-line observations, solar panel, battery, and Alternating Current (AC) outlet connections. This sensor suite is used as a long-term backup to the AN/FMQ-19, as needed.

3.2.5.3. Kestrel Environmental Weather Meter. The Kestrel is a hand-held, commercial off- the- shelf device capable of providing measurements of wind speed, direction, temperature, wind chill, humidity, heat index, dew point, wet-bulb temperature, barometric pressure, pressure altitude, and density altitude. It is used during evacuations to the AOL and as a backup to the AN/FMQ-19.

3.2.6. AN/FMQ-19 Augmentation. Augmentation is the process of having certified weather personnel manually add or edit data to an observation generated by the AN/FMQ-19. WF personnel will augment the AN/FMQ-19 whenever any of the following criteria are met:

3.2.6.1. Tornado

3.2.6.2. Waterspout

3.2.6.3. Funnel Cloud

3.2.6.4. Freezing Precipitation

3.2.6.5. Ice Pellets

3.2.6.6. Hail

3.2.6.7. Volcanic Ash

3.2.6.8. Ceiling is below 3,000 ft and or visibility is less than 4 statute miles (SM)

3.2.6.9. Kunsan AB in Tropical Cyclone Condition of Readiness (TCCOR) 2

3.2.7. Backup Procedures. A combination of AN/TMQ-53, Kestrel, and human observer are utilized to backup AN/FMQ-19 instruments, as applicable. Due to specific citing requirements, altimeter and winds will be reported as estimated and coded “estimated (ESTMD)”. Additionally, RVR sensor outages are coded “RVR Information Not Available (RVRNO)”.

3.2.8. Dissemination. The AN/FMQ-19 and the WF will disseminate observations via the JET SCA. When the JET SCA is nonoperational, observations are then transmitted longline through Air Force Weather Web Services (AFW-WEBS) or via another weather unit (e.g., 51 OSS/OSW, 17 OWS, etc.). The WF will transmit observations locally, first to ATC agencies then continue with local dissemination.

3.3. Cooperative Weather Watch (CWW). The CWW has been established to encompasses the report of tower visibility, local pilot reports (PIREPs), and any occurrence of previously unreported conditions from Tower that are critical to the safety or efficiency of local operations and resources. To conduct Cooperative Weather Watch, the WF will:

3.3.1. Reevaluate the weather conditions whenever reliable sources (e.g., Airfield Operations Flight controller, SOF, pilot, local law enforcement) reports weather conditions different from the last disseminated observation (e.g., different ceiling height, visibility, present weather).

3.3.2. Generate a SPECI observation if the different conditions are valid and warrant immediate dissemination.

3.3.3. Include the differing conditions in the next required METAR or SPECI observation if the conditions alone do not warrant immediate dissemination.

3.3.4. Notify the Tower as soon as possible, whenever the prevailing visibility at the weather unit's observation point decreases to less than or increases to equal or exceed 4 miles (6,000 meters).

3.3.5. Reevaluate surface prevailing or sector visibility, as soon as practical, upon initial receipt of a differing tower visibility value, and upon receipt of subsequent reportable changes.

3.3.6. Use tower visibility values of prevailing or sector visibility as a guide in determining the surface visibility when the view of portions of the horizon is obstructed by buildings, aircraft, etc.

3.3.7. Include a tower visibility remark in the next METAR or SPECI when either the surface prevailing visibility or the control tower visibility is less than 4 SM (6000 m), and the control tower visibility differs from the surface prevailing visibility by a reportable value.

3.3.8. Develop, maintain, and conduct certification tests for ATC personnel to take tower visibility observations.

3.3.9. Immediately notify Tower, Radar Approach Control (RAPCON), and Airfield Management Operations (AMOPS) of any problems with airfield weather equipment or local weather communications equipment.

3.3.10. Flight Information Publications (FLIP) Updates. The WF will provide information to AMOPS for FLIP updates. Data includes, but is not limited to, operating hours, PMSV frequency, standby phone number, automated equipment, and limitations hindering unobstructed visibility observations. The WF will validate and document the accuracy of information each time the FLIP is published and take immediate steps to correct erroneous data.

Chapter 4

RESOURCE PROTECTION

4.1. General Information. 8 OSS/OSW is the issuing authority for all forecasts and observed Watches, Warnings, and Advisories (WWA) for Kunsan AB. All WWA's (with the exception of lightning within 10 nautical miles) are valid for 5 nautical miles from the center of the runway. WWA criteria can be found in **Attachment 5**.

4.1.1. Watch. The weather watch can be thought of as a "heads up" that agencies need to consider making plans to take required protective actions should an actual weather warning be issued later.

4.1.2. Warning. A weather warning signifies an environmental condition that can cause damage to life, limb, or property is imminent or already occurring.

4.1.3. Advisory. Weather advisories are special products notifying an end user when an established environmental condition affecting operations is expected to occur (forecast advisory) or is occurring (observed advisory).

4.1.3.1. Observed Advisories are issued after a particular threshold or weather phenomenon is first observed to occur. An observed advisory is valid Until Further Notice (UFN).

4.2. Dissemination. Dissemination is accomplished through the BIFROST system to designated agencies. Some of which require to-the-minute notifications and others subsequently notify additional agencies with whom they have agreements to do so. The dissemination tree is provided in **Attachment 4**.

4.2.1. Units that are not currently on the WWA dissemination list should contact WF Leadership to determine best methods to receive notifications.

4.3. Back-Up Dissemination. Back-Up Dissemination will be accomplished via telephone to Tier 1 agencies listed in **Attachment 4** as agreed upon. They will log Watches and Warning on DAF 3806, *Weather Watch Advisory Log*, and on DAF 3807, *Watch/Warning Notification and Verification*.

4.3.1. If the WF is unable to issue a WWA after exhausting their PACE plan, the 17 Operational Weather Squadron (OWS) will issue WWAs until the WF's capability to issue is restored.

4.4. AtHoc Dissemination. To ensure proper information flow and streamline use of AtHoc, only WWA's that affect the general base population will be disseminated by the Command Post (CP) using AtHoc.

Chapter 5

SIGNIFICANT WEATHER EVENTS

5.1. Significant Weather Event Notices. Whenever the WF forecasts an event that could have large impacts to base operations, infrastructure, and/or base personnel, the WF will send a detailed email to at a minimum all Group Leadership and OSS Leadership. Additional contacts will be added on request. Impending events that would potentially require emails to leadership include tropical storms, severe thunderstorms, heavy rain > 2” in 12 hours, any freezing precipitation, damaging winds, etc. These notices may also cover volcanic eruptions/tsunamis as applicable.

5.2. Severe Weather Action Procedures (SWAP). SWAP is utilized to ensure sufficient personnel are on duty during potential/actual severe weather events or during meteorological/operational events critical to mission success. During activation, Flight Leadership will discuss the need to recall additional personnel to address the situation. SWAP will be initiated when any of the following criteria are met:

5.2.1. Tornadic Activity

5.2.2. Severe Thunderstorm

5.2.3. Moderate Thunderstorm

5.2.4. Heavy Rain/Snow greater than or equal to (GTE) 2” in 12 hours

5.2.5. Freezing Precipitation

5.2.6. Kunsan AB in Tropical Cyclone Conditions of Readiness 2 or 1 (TCCOR 2-1)

5.3. Tropical Cyclone Conditions of Readiness (TCCOR). TCCOR are set for the Korean Theater of Operations (KTO) by the USFK/J3 Director of Operations IAW USFK Reg 115-1, upon recommendation by the 607 CWS/CC. TCCOR are listed in **Attachment 6**.

5.3.1. The WF will use the official tropical cyclone forecasts issued by the 17 OWS and Joint Typhoon Warning Center (JTWC) to provide support to 8 FW leadership when a tropical cyclone is expected to affect Kunsan AB. No deviation from the official forecast position, track, movement, and maximum wind speed or intensity trend is authorized.

5.3.2. WWA Dissemination in TCCOR 1. Upon entering TCCOR 1, all pertinent WWA’s (tornadoes, heavy rain, severe/moderate level winds, etc.) will be assumed possible. As a result, WWA dissemination will end upon entering TCCOR 1. WWA dissemination will begin when TCCOR ALL CLEAR is declared.

5.3.3. Tropical cyclone forecasts support to non-DoD agencies and the general public will not be provided unless coordinated through the 8 FW Public Affairs Office.

5.4. OPREP-3/Significant Weather Reporting Procedures. Include severe weather plans (including Tropical Cyclone Condition of Readiness (TCCOR)) into the Installation Emergency Management Plan 10-2 for hazards most likely to affect the installation.

5.4.1. For purposes of Operational Report (OPREP) reporting for tropical cyclones, the WF will provide the following to the 8FW/CP:

5.4.1.1. Current position of storm in relation to Kunsan.

5.4.1.2. Closest expected position of storm to Kunsan.

5.4.1.3. Wind Speed in closest proximity to Kunsan.

Chapter 6

STAFF WEATHER SERVICES

6.1. General. Staff meteorological functions aid leadership in identifying and understanding specific weather and environmental impacts. The WF is available to assist commanders in assessing weather support requirements and impacts to operations. Below are examples, not all encompassing, of Staff Weather Services provided.

6.2. Staff Briefing. Staff weather briefings for 8 FW will be provided by WF Leadership or designated representative. Standard information presented is the local five-day weather outlook but it may be tailored to meet specific weather or operational requirements.

6.3. Instrument Refresher Course (IRC) Briefings. The WF provides IRC briefings IAW AFMAN 11-210, *Instrument Refresher Program* and DAFI 15-129, *Air and Space Weather Operations Weather*. It is provide as required and as duty priorities and manpower allow.

6.4. Airfield Operation Board. WF Leadership or designated representative, will attend the quarterly Airfield Operations Board. The WF may not be a briefing member of the board but is still required to attend IAW AFMAN 13-204v1, *Management of Airfield Operations*.

6.5. Deployment/Concept Briefing. Upon notification by the Installation Deployment Officer (IDO), the WF will provide the weather portion of the deployment concept briefing. Briefing content is tailored to meet the customer requirements.

6.6. Investigation Boards. WF personnel will serve as the weather member for investigation boards upon appointment by Pacific Air Forces (PACAF) or 8 FW/CC and will provide weather data for inclusion in aircraft accident reports upon request by 8 FW/SE.

6.7. 5-Day Outlook. The WF will produce a 5-Day Outlook Monday through Friday, excluding 8 FW Down Days and Holidays. It is emailed and posted to the SharePoint at: **https://usaf.dps.mil/sites/kunsan/8OG/8OSS/Weather/Shared%20Documents/Forms/AllItems.asp** x.

6.8. Climatology Services. The WF can provide climatological data upon request. If no data is immediately accessible, the WF will request information from the 14th Weather Squadron. Upon receiving a response from the 14th Weather Squadron (WS), the WF will provide the data in a timely manner.

6.9. Aircraft Mishap Support. Upon notification, the WF will accomplish all procedures listed in the 8 FW Mishap Response plan and local SOPs.

6.10. Emergency Operations Support. The WF will integrate and routinely collaborate with Emergency Management (EM) to serve as the weather subject matter experts (SME) for the installation. Support is provided in ways to include:

6.10.1. Responding to the standup of the EOC and Crisis Action Team (CAT). WF personnel will report to the Emergency Operations Center (EOC), as required, during exercises or real-world events and provide support to leadership and the 8 FW Mission Director, as appropriate.

6.10.2. Provide weather briefings and forecasts (i.e. Chemical Downwind Messages (CDM)s, Effective Downwind Messages (EDM)s, etc.) for disasters and contingency response events at the request of EM.

6.10.3. Attend the Emergency Management Working Group as directed by the Kunsan AB Installation Emergency Management Plan (IEMP).

6.10.4. Assist in the development of the IEMP IAW DAFI 10-2501, *Emergency Management Program.*

Chapter 7

RECIPROCAL SUPPORT

7.1. 8FW assigned flying squadron:

7.1.1. Provide workspace for MWO forecasters for integrated support.

7.1.2. Notify WF leadership for the need of special weather support (cross-country MEF, Coronet mission support, etc.) requirements NLT 30 days prior to date of requested support.

7.1.2.1. Transiting/Expeditionary units operating from Kunsan AB will contact WF leadership NLT 30 days prior for coordination with their primary weather servicing unit if they require supplemental support. This will be assessed on a case-by-case basis based on manning and Kunsan WF primary mission requirements.

7.1.3. Notify the WF of scheduled deployment/Temporary Duty (TDY) briefings as far in advance of the required briefing time as possible.

7.1.4. Relay PIREPs to the WF via the SOF, TOP-3, Tower or RAPCON.

7.1.5. Provide squadron orientations for weather technicians, upon request.

7.2. Kunsan AB Command Post (8 FW/CP) will:

7.2.1. Promptly disseminate WWAs and tropical cyclone conditions IAW applicable 8 FW/CP Quick Reaction Checklists.

7.2.2. Notify the Flight Leadership of any changes in protective postures and other emergency action messages via CAT and/or Wing Recall.

7.2.3. Notify the WF of changes/requirements for scheduled or special briefings.

7.2.4. Coordinate with the Weather Flight Leadership or designated representative on weather support requirements.

7.2.5. Notify the weather station of any local aircraft mishap/incidents via the Chief of Safety, where weather or weather service may be a factor.

7.3. 8 OSS/OSAA (AMOPS) will:

7.3.1. Ensure information concerning weather watches, warnings, and advisories are properly disseminated. AMOPS will also broadcast weather warnings over the secondary crash net.

7.3.2. Ensure the forecaster/observer is notified of an in-flight emergency or aircraft mishap/incident at or in the vicinity of Kunsan AB and all mishaps involving Kunsan aircraft.

7.3.3. Ensure the Runway Surface Conditions (RSC) and Runway Condition Reading (RCR) are determined and passed to the weather observer.

7.3.4. Ensure specified DoD, Federal Aviation Administration (FAA), and ICAO publications are requisitioned and distributed to the WF upon request.

7.3.5. Ensure weather updates are submitted for publication in FLIPs.

7.3.6. Ensure any long-term PMSV outages are published in Notices to Airmen (NOTAM).

7.4. 8 OSS/OSAR (RAPCON) will:

7.4.1. Provide RAPCON orientation to WF personnel, upon request.

7.4.2. Relay PIREPs within 5 minutes after receipt.

7.5. 8 OSS/OSAT (Tower):

7.5.1. Provide an orientation to WF personnel, upon request.

7.5.2. Schedule Tower Visibility Observation certification for Tower personnel.

7.5.3. Report the following conditions, or any previously unreported weather conditions that could affect flight safety, to the weather observer:

7.5.3.1. Tornado, funnel cloud, thunder and lightning, to include approximate direction and distance from tower.

7.5.3.2. Any condition which, in the opinion of the controller, is significant to flight safety.

7.5.4. Relay PIREPs within 5 minutes after receipt.

7.5.5. Contact AWO personnel to augment the AN/FMQ-19 if the current observation is not representative and is impacting operations.

7.6. 8 OSS/OSAM (Radar, Airfield, Weather Systems (RAWS)) will:

7.6.1. Contact the WF when planning to perform normal maintenance. The WF shall be the determining authority on when the maintenance will occur based on ongoing weather operations.

7.6.2. Maintain response times to outages or malfunctions to airfield weather equipment when notified by the WF.

7.6.3. Provide Job Control Numbers and verify outages with the WF daily until fixed.

7.6.4. Uphold equipment restorable priorities.

7.6.5. Contact the WF and request an operational test of equipment after maintenance personnel report repair work complete.

7.7. The 8 OSS/OSK will:

7.7.1. Notify WF Commander in advance of Wing Verification and coordinate weather support requirements, as needed.

7.7.2. Provide the WF, via secure communications or through squadron briefers, information about assigned target areas and routing as soon as they are known.

7.8. Wing Scheduling will:

7.8.1. Provide flying schedule to the WF.

7.8.2. Provide assistance in gaining access to Windows Patriot Excalibur (WINPEX) or Electronic Patriot Excalibur (EPEX) if requested.

7.8.3. Advise the Weather Flight Leadership of changes in MOAs.

7.9. The 8th Communications Squadron will:

7.9.1. Provide physical network infrastructure cabling for both airfield weather equipment and the JET SCA server.

7.9.2. Notify WF personnel prior to performing any maintenance to prevent JET SCA outages during 8 FW Flying hours or significant weather conditions. The WF reserves the right to delay maintenance when existing or forecast weather requires such change.

7.10. The 8th Civil Engineer Squadron will:

7.10.1. Contact WF for official snowfall forecast when preparing/conducting snow removal ops.

7.10.2. Provide emergency power supply and air conditioning for weather sensors and communications equipment located in building 2858.

7.11. The 8th Security Forces Squadron will:

7.11.1. Assist weather flight by reporting any significant weather observed by Security Force personnel across base.

7.11.2. Contact WF for official snowfall forecast when recommending road condition changes.

7.12. The 8th Logistics Readiness Squadron (8 LRS) will:

7.12.1. Train WF personnel on the development of the weather annex to the Base Support Plan (BSP) Parts I and II.

7.12.2. Provide vehicle(s) to the WF at the Minimum Essential Level (MEL). Assigned vehicles ensure weather support to 8 FW is timely and accurate.

7.13. The 8th Medical Group will:

7.13.1. Through Bioenvironmental Engineering (8 OMRS/SGXB), request weather data from the WF as required to model toxic corridors during emergency response activities, update heat indices during summer months and wind chill during winter months.

7.14. The 8th FW Safety Office will:

7.14.1. Notify the WF as soon as possible when any mishap occurs requiring a weather data save. Notification should not exceed 5 hours. Failure to notify the WF within five hours will severely limit the weather data available for any subsequent investigation or actions.

7.14.2. Notify the WF when a weather representative is required for membership on an accident investigation board or other safety investigation board.

KATHRYN K. GAETKE, Colonel, USAF
Commander

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

AFI 33-322, *Records Management and Information Governance Program*, 23 March 2020

AFMAN 11-202V3, *Flight Operations*, 10 January 2022

AFMAN 11-210, *Instrument Refresher Program*, 21 December 2021 AFMAN 13-204V1, *Management of Airfield Operations*, 22 July 2020 AFMAN 15-111, *Surface Weather Observations*, 11 March 2019

AFMAN 15-124, *Meteorological Code,* 16 January 2019

DAFI 10-2501, *Emergency Management Program*, 16 October 2023

DAFI 15-129, *Air and Space Weather Operations*, 22 Aug 2025

DAFPD 15-1, *Weather Operations*, 28 May 2024

FAAJO 7110.65, *Air Traffic Control,* 20 February 2025

USFK Reg 115-1, *USFK Area Weather Watches and Tropical Cyclone Procedures for the Republic of Korea*, 20 July 2020

Adopted Forms

DAF Form 847, *Recommendation for Change of Publication*

DD Form 175-1, *Flight Weather Briefing*

AF Form 3803*, Surface Weather Observations (METAR/SPECI)*

DAF Form 3806, *Weather Watch Advisory Log*

DAF Form 3807, *Watch/Warning Notification and Verification*

Abbreviations and Acronyms

AB—Air Base

AC—Alternating Current

AFMAN—Air Force Manual

AFRIMS—Air Force Records Information Management System

AFW-WEBS—Air Force Weather Web Services

AGE—Aerospace Ground Equipment

ALSTG—Altimeter Setting

AMOPS—Airfield Management Operations

AN/FMQ-19—Automatic Meteorological Station

AN/TMQ-53—Tactical Meteorological Observing System

AOL—Alternate Operating Location

ATC—Air Traffic Control

AWO—Airfield Weather Operations

BDOC—Base Defense Operations Center

BIFROST—Bridging Environmental Intelligence for Responsive Operations Support Portal

BSP—Base Support Plan

BWW—Basic Weather Watch

CAT—Crisis Action Team

CDM—Chemical Downwind Message

COP—Common Operating Picture

CP—Command Post

CSAR—Combat Search and Rescue

CWW—Cooperative Weather Watch

DAFI—Department of the Air Force Instruction

DAFMAN—Department of the Air Force Manual

DAFPD—Department of the Air Force Policy Directive

DoD—Department of Defense

ECM—Electronic Counter Message

EDM—Effective Downwind Messages

EM—Emergency Management

EOC—Emergency Operations Center

EPEX—Electronic Patriot Excalibur

ESTMD—estimated

FAA—Federal Aviation Administration

FLIP—Flight Information Publication

FOD—Foreign Object Debris

FS—Fighter Squadron

FW—Fighter Wing

GTE—Greater than or equal to

GT—Greater than

IAW—In Accordance With

ICAO—International Civil Aviation Organization

IDO—Installation Deployment Officer

IDP—Installation Data Page

IEMP—Installation Emergency Management Plan

IRC—Instrument Refresher Course

IWWC—Integrated Weather Warning Capability

JET SCA—Joint Environmental Toolkit Sensor Collection Appliance

JTWC—Joint Typhoon Warning Center

KTO—Korean Theater of Operations

LOCAL—Aviation Selected Local Weather Report

LT—Less than

LTE—Less than or equal to

MEF—Mission Execution Forecast

MEL—Minimum Expected Level

MEFP—Mission Execution Forecast Process

METAR—Aviation Routine Weather Report

MHz—Mega Hertz

METWATCH—Meteorological Watch

MISSIONWATCH—Mission Meteorological Watch

MOA—Military Operating Area

MOC—Maintenance Operations Center

MWO—Mission Weather Operations

MWP—Mission Weather Product

NM—Nautical Mile

NOTAM—Notice to Airmen

OPR—Office of Primary Responsibility

OPREP—Operational Report

OWS—Operational Weather Squadron

PACAF—Pacific Air Forces

PACE—Primary, Alternate, Contingency, and Emergency

PIREP—Pilot Report

PMSV—Pilot to Metro Service

RAPCON—Radar Approach Control

RAWS—Radar, Airfield, Weather Systems

RCR—Runway Condition Reading

RDS—Records Disposition Schedule

RM—Risk Management

RSC—Runway Surface Condition

RVR—Runway Visual Range

RVRNO—Runway Visual Range Information Not Available

SIPR—Secure Internet Protocol

SM—Statute Mile

SME—Subject Matter Expert

SOF—Supervisor of Flying

SOP—Standard Operating Procedures

SPECI—Aviation Selected Special Weather Report

SWAP—Severe Weather Action Procedures

TAF—Terminal Aerodrome Forecast

TCCOR—Tropical Cyclone Condition of Readiness

TDY—Temporary Duty

TMOS—Tactical Meteorological Observing System

USFK—United States Forces Korea

UFN—Until Further Notice

UUA—Urgent Upper Air

WF—Weather Flight

WS—Weather Squadron

WINPEX—Windows Patriot Excalibur

WWA—Watch, Warning, Advisory

Terms

Airfield Weather Operations (AWO)—Primary location for AWO is Bldg. 2858. AWO forecasters are the focal point for airfield observations, forecast collaboration, installation resource protection, and SOF support.

Installation Data Page (IDP)—Agreement between 17 OWS and WF enumerating responsibilities, WWA criteria, contact numbers and other pertinent data related to support between the two organizations.

Mission Weather Product (MWP)—A MWP is a customized weather product providing terrestrial and space weather data and forecasts for a specific mission or set of missions. It fully integrates aerospace weather with the customer‘s tactics, weapon systems, environmental sensitivities of equipment, and other operational requirements.

Mission Meteorological Watch—(**MISSIONWATCH**)—The monitoring of aerospace weather for a specific mission (e.g., ground, air or space) and informing supported agencies when mission-limiting phenomena could affect operations.

Mission Weather Operations (MWO)—Weather personnel who provide MWPs for the operational decision cycle of their host or parent unit function are designated MWO forecasters. This element also provides MWPs for sortie planning, generation, and execution.

Severe Thunderstorm—A thunderstorm that produces hail greater than or equal to ¾ inch diameter and/or surface wind greater than or equal to 50 knots.

Severe Weather—Any weather condition that poses a hazard to property or life.

Terminal Aerodrome Forecast (TAF)—A structured, 30-hour weather forecast for the 5 NM aerodrome surrounding an airfield. Each TAF specifies the time of occurrence to the nearest hour, duration and intensity (if applicable) of weather conditions expected to occur.

Weather Flight (WF)—An umbrella term covering any military weather organization providing direct operational support at the tactical level.

Weather Watch—A special notice provided to supported customers that alerts them of a potential for weather conditions of such intensity as to pose a hazard to life or property for which the customer must take protective action.

Attachment 2

TAF SPECIFICATION/AMENDMENT CRITERIA

A2.1. General Information. TAF specification/amendment criteria are derived from DAFI 15-129 and local requirements. **Table A2.1** lists specification/amendment criteria for ceiling and visibility. **Table A2.2** lists specification/amendment criteria for all other weather elements.

Table A2.1. TAF Ceiling/Visibility SPECI/AMD Criteria.

Terminal Aerodrome Forecast Specification/Amendment Criteria		
Forecast Element/Occurrence	*Kunsan AB Specification/Amendment Criteria*	
Ceiling observed or later expected to decrease to less than, or if below, increase to equal or exceed:	CAT E	GTE 2000ft
	CAT D	LT 2000ft but GTE 1000ft
	CAT C	LT 1000ft but GTE 700ft
	CAT B	LT 700ft but GTE 200ft
	CAT A	LT 200ft
Prevailing visibility observed or later expected to decrease to less than, or if below, increase to equal or exceed:	CAT E	GTE 3SM (4800M)
	CAT D	LT 3SM (4800M) but GTE 2SM
	CAT C	LT 3SM (4800M) but GTE 2SM
	CAT B	LT 2SM (3200M) but GTE 1/2SM
	CAT A	LT 1/2SM (800M)

Table A2.2. TAF SPECI/AMD Criteria Other Than Ceiling/Visibility.

Surface Wind Speeds	Specify wind speed changes of 10 knots or more	Amend if predominant wind speed is in error by 10 knots or more
Surface Wind Gusts	Specify onset, duration, and intensity of wind gusts	Amend if wind gust speed is in error by 10 knots or more
Surface Wind Direction	Specify a change in prevailing wind direction of more than 30 degrees when the predominant wind speed or gusts are expected to be 15 knots or more	Amend if prevailing wind speed is in error by more than 30 degrees AND winds are 15 knots or more
Icing	Specify icing not associated with thunderstorms from surface to 10,000ft AGL	Amend if beginning or ending of icing meets, exceeds, or decreases to less than moderate (or greater) intensity and was improperly specified
Turbulence	(Weather Category II Aircraft) Specify turbulence not associated with thunderstorms from surface to 10,000 ft AGL	Amend if the beginning or ending of turbulence meets, exceeds, or decreases to less than moderate (or greater) intensity and was improperly specified
Weather Warning Criteria	Specify the onset, duration, and intensity of weather warning criteria	Amend if weather warning criteria occurs and is not forecast or is no longer expected to occur
Altimeter Setting	Specify the onset of altimeter settings meeting or exceeding 31.00 INS or altimeter settings 28.00 INS or less. If less than the threshold specify when altimeter settings equal or exceed the thresholds. If greater than, specify when altimeter settings will decrease to equal or less than the thresholds	Amend if the altimeter setting meets, or is expected to meet the threshold and was not specified in forecast
Forecast Weather Advisory Criteria (issued for TAF amendable criteria)	Specify the onset, duration, and intensity of forecast weather advisory criteria at the aerodrome complex	Amend if the forecast weather advisory criteria is improperly specified, occurs and was not forecast, or is no longer expected to occur
Thunderstorms	Specify onset and duration of thunderstorms at the aerodrome complex	Amend if the start or end time of the thunderstorm is incorrectly specified
Temporary Conditions	Specify the onset and duration of temporary conditions	1. Amend if temporary conditions become predominant. 2. Amend if temporary conditions do not occur as forecast. 3. Amend if temporary conditions are no longer expected to occur.
Changes to Predominant Conditions	Specify the onset, duration, and intensity (if applicable) of changes to predominant conditions	Amend if forecast changes conditions occur before the specified period of change, do not occur within 30 minutes after the specified time, or are no longer expected to
Representative Conditions		Amend if forecast conditions are not considered representative of the characterized state of the atmosphere and an amendment improves safety, flight planning, operational efficiency, or assists in flight aircraft

Attachment 3

SPECI CRITERIA

A3.1. General Information. Special observations taken as required to report significant changes in weather elements. **Table A3.1** Lists SPECI criteria derived from FLIPs and AFMAN 15-111, *Surface Weather Observations*.

Table A3.1. SPECI Criteria.

The ceiling (rounded off to reportable values) forms or dissipates below, decreases to less than, or if below, increases to equal or exceed:	Ceiling (feet) 3000 (See Note 1) 2000 (See Note 1) 1500 (See Note 1) 1000 (See Note 1) 900 (See Note 2) 800 (See Note 1 & 2) 700 (See Notes 1 & 2) 600 (See Note 2) 500 (See Notes 1 & 2) 300 (See Notes 1 & 2) 200 (See Notes 1 & 2) 100 (See Note 1)
Visibility decreases to less than or, if below, increases to equal or exceed:	Visibility (Statute Miles) 3 (See Notes 1 & 2) 2 1/2 (See Note 1) 2 (See Notes 1 & 2) 1 3/4 (See Note 2) 1 1/2 (See Note 1) 1 3/8 (See Notes 2, 3) 1 1/4 (See Notes 1 & 2) 1 1/8 (See Notes 2, 3) 1 (See Notes 1 & 2) 7/8 (See Note 2) 3/4 (See Notes 1 & 2) 1/2 (See Notes 1 & 2) 1/4 (See Note 1)
Sky Condition:	A layer of clouds or obscuring phenomena aloft is below 600 feet (highest landing minimum), and no layer aloft was reported below 600 feet in the preceding METAR or SPECI observation.

Wind Shift:	The wind direction changes by 45 degrees or more in less than 15 minutes with sustained winds of 10 knots or more throughout the wind shift.
Squall:	A strong wind characterized by a sudden onset in which the wind speed increases at least 16 knots and is sustained at 22 knots for at least one minute. (A SPECI is not required to report a squall if preceding METAR or SPECI has already identified squalls with additional criteria.)
Thunderstorm:	Begins (A SPECI is not required to report the beginning of a new thunderstorm if one is currently being reported) Ends (15 minutes after last occurrence of thunder)
Precipitation:	Hail begins or ends. Freezing precipitation begins, ends, or changes in intensity. Ice pellets begin, end, or change in intensity. Any other type of precipitation begins or ends. Note: Except for freezing rain, freezing drizzle, hail, and ice pellets, a SPECI is not required for changes in type or the beginning or ending of one type while another is in progress.

Tornado, Funnel Cloud, Waterspout:	Is observed, disappears from sight or ends.
Runway Visual Range (RVR): RVR for the active runway decreases to less than or, if below, increases to equal or exceed: **Additional RVR criteria:**	RVR (feet) 6000 (See Note 1) 5500 (See Note 2) 5000 (See Note 1) 4000 (See Note 1) 2400 (See Note 1) 2000 (See Note 1) 1800 See Note 2) 1600 (See Note 1) 1200 (See Note 1) 1000 (See Note 1) 600 (See Note 1) RVR is first determined as unavailable (RVRNO) for the runway in use, and when it is first determined that the RVRNO report is no longer applicable, provided conditions for reporting RVR exist.
Tornado, Funnel Cloud, Waterspout:	Is observed, disappears from sight or ends.
Tower Visibility:	**(1)** When notified by the control tower that tower visibility has decreased to less than or, if below, increased to equal or exceed 1, 2, or 3SM, 1600, 3200 or 4800 m (IAW FAA JO 7110.65X, *Air Traffic Control*) and the control tower visibility differs from the prevailing visibility. **(2)** When notified by the control tower that tower visibility has decreased to less than or, if below, increased to equal or exceed locally developed tower special criteria (if applicable) and the control tower visibility differs from the prevailing visibility.
Upon resumption of observing services:	Required within 15 minutes after returning to duty following a break in hourly coverage if a METAR was not filed as scheduled during that 15-minute period.


Aircraft Mishap: **Take an aircraft mishap SPECI immediately following notification or sighting of an aircraft mishap at or near the observing location unless there has been an intervening observation.**	Identify the observation by including the remark in column 13 remarks on the AF Form 3803 only; e.g., (ACFT_MSHP). This remark is not disseminated locally or long-line.
Miscellaneous	Any other meteorological situation that the airfield weather personnel deem critical
Note 1: Reference AFMAN 15-111 **Note 2**: Reference Flight Information Publication (terminal) **Note 3**: Required IAW Flight Information Publication when ALS is inoperative	

Attachment 4

WWA DISSEMINATION

A4.1. Dissemination Process. When the 8 OSS/OSW issues a WWA, dissemination is done by an AF approved dissemination system or via other methods that best suit the customer. The contacts being notified via Integrated Weather Warning Capability (IWWC) will receive the WWAs listed in **Attachment 5**. **Table A5.1** is current as of this publication, it may be adjusted based on unit requirements. Units temporarily operating out of Kunsan may request to be added to the dissemination list.

Table A4.1. Watches, Warnings, and Advisories Dissemination Tree.



* WWAs disseminated are unique to the notification system's intended audience

Attachment 5

WEATHER WATCHES, WARNINGS AND ADVISORIES (WWA)

A5.1. WWA Criteria. The Kunsan WF will issue the WWA's listed below to ensure resource protection at Kunsan AB. The criteria and desired lead times have been tailored to meet the needs of supported customers. **Table A6.1** is current as of this publication, it may be adjusted based on mission requirements.

Table A5.1. Weather Watches, Warnings, and Advisories.

Weather Watches		
Type	**Criteria**	**Desired Lead Time**
Tornado	**Tornado or Funnel Cloud**	**As potential warrants**
Severe Thunderstorm	**Damaging Wind GTE 50kts and/or Damaging Hail GTE 3/4 in**	**240 minutes**
Moderate Thunderstorm	**Strong Wind GTE 35kts but LT 50kts and/or Large Hail LT 3/4 in**	**90 minutes**
Damaging Winds (Non- convective)	**Winds GTE 50kts not associated with thunderstorms**	**90 minutes**
Freezing Precipitation	**Any intensity**	**90 minutes**
Heavy Snow	**2 inches New Snowfall in 12 hrs**	**90 minutes**
Lightning	**Potential for Lightning within 5nm**	**30 minutes**
Weather Warnings		
Type	**Criteria**	**Desired Lead Time**
Tornado	**Tornado or Funnel Cloud**	**30 minutes**
Severe Thunderstorm	**Damaging Wind GTE 50ktsand/or Damaging Hail GTE 3/4 in**	**120 minutes**
Moderate Thunderstorm	**Strong Wind GTE 35kts but LT 50kts and/or Large Hail LT 3/4 in**	**90 minutes**
Damaging Winds (Non- convective)	**Winds GTE 50kts not associated with thunderstorms**	**90 minutes**
Strong Winds (Non-convective)	**Winds GTE 35kts but LT 50kts not associated with thunderstorms**	**90 minutes**
Freezing Precipitation	**Any intensity**	**90 minutes**

Heavy Snow	**2 inches New Snowfall in 12hrs**	**90 minutes**
Heavy Rain	**2 inches New Rainfall in 12hrs**	**90 minutes**
Lightning	**Lightning Observed w/in 5nm of the airfield**	**First Observed**

Weather Advisories		
Criteria	**Forecast/Observed**	**Desired Lead Time**
Snow Accumulation GT Trace but LT 2”	**Forecast**	**30 minutes**
Observed Surface Winds GTE to 25kts but less than 35kts	**Observed**	**First Observed**
Observed Crosswinds GTE 25kts (Dry Runway) **Observed Crosswinds GTE 20kts (Wet Runway)**	**Observed**	**First Observed**
Observed Low Level Wind Shear below 2,000ft not associated with thunderstorms	**Observed**	**First Observed**
Observed Turbulence greater GTE moderate not associated with thunderstorms below 10,000ft	**Observed**	**First Observed**
Observed Icing GTE moderate not associated with thunderstorms from surface to 10,000ft	**Observed**	**First Observed**
Observed Ice FOD Potential*	**Observed**	**First Observed**
Observed Ceiling/Visibility LTE 2000ft/3sm	**Observed**	**First Observed**
Observed Wind Chill ≤ 40F	**Observed**	**First Observed**
Observed Wind Chill ≤ 20F	**Observed**	**First Observed**
Observed Wind Chill ≤ -20F	**Observed**	**First Observed**
Observed Wind Chill ≤ -40F	**Observed**	**First Observed**
Observed Fighter Index of Thermal Stress (FITS) - Caution and Danger Levels	**Observed**	**First Observed**
Wave heights GTE 3 meters and/or winds GT 25kts sustained exist in the East Sea	**Observed**	**First Observed**
Wave heights GTE 3 meters and/or winds GT 25kts sustained exist in the West Sea	**Observed**	**First Observed**
Observed Lightning w/in 10nm of airfield	**Observed**	**First Observed**

***NOTE: Ice FOD potential is required when the any one or more of the following criteria exist: (cancel when criteria are no longer met). (1) Ambient temperatures between 20°F (-7°C) and 45°F (7°C) with precipitation (rain, fog, sleet, or snow). (2) Dewpoint within 9°F (5°C) of ambient temperatures between 25°F (-4°C) and 45°F (7°C). (3) Ambient temperature below 45°F (7°C) with standing water or a mixture of water with ice or snow within the immediate proximity of the engine inlet.**

Attachment 6

TROPICAL CYCLONE CONDITIONS OF READINESS (TCCOR)

A6.1. General Information. TCCOR provide information on incoming tropical systems that will impact the Korean Peninsula. Kunsan AB falls under Area 4 for all TCCOR.

Table A6.1. TCCOR.


TCCOR FIVE*	Destructive winds are possible w/in 96 hours.
TCCOR FOUR	Destructive winds, greater than or equal to 50 knots (including gusts) are possible and forecasted to affect the designated area(s) within 72 hours.
TCCOR THREE	Destructive winds, greater than or equal to 50 knots (including gusts) are possible and forecasted to affect the designated area(s) within 48 hours.
TCCOR TWO	Destructive winds, greater than or equal to 50 knots (including gusts) are anticipated and forecasted to affect the designated area(s) within 24 hours.
TCCOR ONE**	Destructive winds, greater than or equal to 50 knots (including gusts) are occurring or are forecasted to affect the designated area(s) within 12 hours.
TCCOR ALL CLEAR	Winds greater than or equal to 50 knots (including gusts) are no longer forecast to affect the designated area.
***Note 1**: For the Korean Theater of Operations TCCOR FIVE is synonymous with the seasonal occurrence of Typhoons (1 Jun to 1 Oct) and will not require a formal declaration by the TCCOR authority. ****Note 2**: Upon entering TCCOR 1, all pertinent WWA's will be assumed possible, therefore WWA dissemination will end until TCCOR ALL CLEAR is declared.	

Attachment 7

SAMPLE MEF WEATHER PRODUCT

A7.1. General Information. The Kunsan WF has coordinated with the 35 FS and 80 FS regarding requirements for the MEF. **Figure A7.1** is an example of a MEF that is created by the weather flight.

Figure A7.1. Sample MEF.



Attachment 8

COMMON 8 FW MOAS AND RANGES

Figure A8.1. Common 8 FW MOAs and Ranges.

