BY ORDER OF THE SECRETARY OF THE AIR FORCE

DEFENSE EXPLOSIVE SAFETY REGULATION 6055.09

DEPARTMENT OF THE AIR FORCE MANUAL 91-201

AIR NATIONAL GUARD SUPPLEMENT

28 OCTOBER 2026

Safety

EXPLOSIVES SAFETY STANDARDS

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: This publication is available for downloading or ordering on the e-Publishing web site at **www.e-Publishing.af.mil**

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: NGB/SEW

Certified by: NGB/SE (Don E. Phillips)

Supersedes: DESR6055.09_DAFMAN91-201ANGSUP, 10 December 2020

Pages: 5

This supplement implements and extends the guidance of Defense Explosive Safety Regulation (DESR) 6055.09 Department of the Air Force Manual (DAFMAN) 91-201, *Explosives Safety Standards*. This supplement covers procedures and standards to promote the safe storage, handling, and transportation of US-titled Ammunitions and Explosives (AE) and is to be used in conjunction with the parent manual. It applies to all Air National Guard personnel including state employees responsible for the safety of Arms Ammunition & Explosives (AA&E), aircraft, facilities, personnel, and equipment. Refer recommended changes and questions about this publication to the office of primary responsibility (OPR) using the Department of the Air Force (DAF) Form 847, *Recommendation for Change of Product*; route DAF Forms 847 from the field through the appropriate functional chain of command. This publication may be supplemented at any level, but all supplements must be routed to the OPR of this publication for coordination prior to certification and approval. The authorities to waive wing, unit, delta or garrison level requirements in this publication are identified with a Tier ("**T-0**, **T-1**, **T-2**, **T-3**") number following the compliance statement. Submit requests for waivers using the DAF Form 679, *Department of Air Force Publication Compliance Item Waiver Request/Approval* through the chain of command to the appropriate tier waiver approval authority, or alternately, to the OPR of this publication for non-tiered compliance items at the NGB/SEW org box: **NGB.SE.SE.Workflow.Org@us.af.mil**. See

Chapter 9 of DAF Manual 90-161, *Publishing Processes and Procedures*, for Tier specific questions and to understand the limitations. See ANG Manual 90-161, *Management of Air National Guard Waivers* for ANG specific requirements and a breakdown of the authorities associated with the Tier numbers. To the extent its directions are inconsistent with other DAF or Air Force (AF) publications, the information herein prevails, in accordance with DAF Instruction (DAFI) 90-160, *Publications and Forms Management*. Ensure all records generated as a result of processes prescribed in this publication adhere to DoDI 8910.01, *DoD Implementation of the Paperwork Reduction Act* and DAF Instruction (AFI) 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with the AF Records Disposition Schedule (RDS) which is located in AF Records Information Management System (AFRIMS). The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the Department of the Air Force.

SUMMARY OF CHANGES

This document has been revised and should be completely reviewed. Changes include updates to waiver and compensatory measure processing utilizing the Air Force Safety Automated System (AFSAS), clarified buddy system requirements for unpackaged explosives, added guidance for on-duty ANG personnel regarding commercial fireworks, established in-transit explosive shipment procedures, and updated quantity-distance (QD) criteria for aircraft parking areas.

V1.E3.1.5. **(Added) (ANG)** Contact NGB/SEW prior to requesting assistance from AFSEC/SEW. **(T-2)**

V1.E3.1.8. **(Added) (ANG)** Commanders can only accept risk, as the approval authority, for personnel or property that is under their command. **(T-2)**

V1.E3.5.1. **(Added) (ANG)** The Air Force Safety Automated System (AFSAS) generated control number will be used for tracking in lieu of process at V1.E5.2.3.3.1.2.5.2. **(T-2)**

V1.E3.5.16. **(Added) (ANG)** Units with established non-QD waivers will treat those waivers as standard waivers to include the review requirements. **(T-2)**

V1.E3.8.2.4.1. **(Added) (ANG)** Extremely High, only in the case of temporary QD departures to construction workers, NGB/CF. **(T-2)**

V1.E3.8.2.4.2. **(Added) (ANG)** High, NGB/CF or NGB/CFD. **(T-2)**

V1.E3.8.2.4.3. **(Added) (ANG)** Moderate, ANGRC/CC or ANGRC/CD. **(T-2)**

V1.E3.9.1. **(Added) (ANG)** The following are required for annual reviews of compensatory measures as well. **(T-2)**

V1.E3.9.2. **(Added) (ANG)** Maintain compensatory measure review documentation in AFSAS Explosives Site Plan module.

V1.E3.9.4.2. **(Added) (ANG)** Commanders will ensure compensatory measures are reviewed annually at original approval level. **(T-2)**

V1.E3.9.6. **(Added) (ANG)** Cancellation of deviations and compensatory measures. Submit request to NGB/SEW in memorandum format signed by the Chief of Safety to cancel waivers, exemptions, and or compensatory measures. **(T-2)** Along with the requirements of V1.E3.9.6 (Added)(DAF) include the explosive site plan AFSAS ID number and AFSAS generated control number for deviations in the memorandum. The Wing Safety office is responsible for informing the commander responsible that the risk has been eliminated. **(T-2)**

V1.E5.2.3.3.1.2.1. **(Added) (ANG)** If compensatory measures are included, signature is considered approval of those measures. **(T-2)**

V1.E6.3.10. **(Added) (ANG)** Contact NGB/SEW prior to requesting assistance from AFSEC/SEW. **(T-2)**

V1.E6.15.1. **(Added) (ANG)** Buddy System. Explosives operations involving unpackaged explosives require a minimum of two qualified personnel. **(T-2)** If deployed where performance of munitions procedures is likely, deploy a minimum of two qualified munitions personnel. **(T-2)** Exception: (1) People who store and/or handle only the following are exempt: (a) Small arms ammunition, including cartridge actuated tools in quantity-distance class division 1.4; (b) Other class division 1.4 items in their packaged configuration only; (c) Small tear gas items (such as grenades); (d) Aircraft and facility fire extinguisher cartridges; (e) Personnel who activate Ground Burst Simulators (GBS) and smoke producing devices; (f) Munitions line delivery functions. (2) Squadron commander using risk management procedures, with approval of the unit safety office, will define in writing any additional procedures which may be performed by a single qualified individual.

V1.E6.25.1**. (Added) (ANG)** On-duty ANG personnel will not take part in the transportation, storage, setup, or functioning of commercial fireworks or pyrotechnic displays. **(T-2)**

V1.E6.25.7**. (Added) (ANG)** Forward risk assessments to NGB/SEW for concurrence 30 days prior to the explosives display event. **(T-2)**

V1.E6.33.13**. (Added) (ANG)** Send requests and risk assessments to evaluate other operations in explosives storage spaces containing explosives through NGB/SEW and NGB/A4MM. **(T-2)**

V1.E6.42.3. **(Added) (ANG)** Local Laws Regulating Transportation of Explosives and Dangerous Articles. All movements of munitions requiring a transportation control number (TCN) of installation must be coordinated with the Base Traffic Management function or IAW Base Traffic Management written instructions/procedures prior to transport to ensure compliance with all regulatory requirements. **(T-2)**

V1.E6.42.6.3.3 **(Added) (ANG)** RED HORSE may transport demolition explosives and initiation devices in the same vehicle as long as initiation devices are segregated and packaged within approved configurations to prevent propagation. **(T-2)**

V1.E6.42.13.1 **(Added) (ANG)** Explosive Operations Involving In-Transit Explosives shipments Transporting Hazard Classes Not Sited on Your Installation. **(T-2)**

V1.E6.42.13.1.1 **(Added) (ANG)** For the purpose of this paragraph In-transit is defined as the movement of an already explosive laden vehicle through your installation which is to be loaded or unloaded. **(T-2)**

V1.E6.42.13.2. **(Added) (ANG)** In-transit explosives laden vehicles containing hazard class divisions not sited on your installation may be loaded or unloaded under the following conditions: **(T-2)**

V1.E6.42.13.2.1. **(Added) (ANG)** Department of War Explosive Safety Office (DWESO) approved sited locations will be used for loading and unloading. If a sited location is not available, follow guidance per DESR 6055.09 AFMAN91-201 para. V4.E5.19. Conveyance Loading and Unloading at a Magazine. The laden vehicle is only to be parked long enough to complete the operation. **(T-2)**

V1.E6.42.13.2.2. **(Added) (ANG)** All criteria in V1.E6.42.14. (Added)(AF) and sub paragraphs are met. **(T-2)**

V1.E6.42.13.2.3. **(Added) (ANG)** The explosives on the laden vehicle with hazard class divisions not sited at your installation are not disturbed or handled. **(T-2)**

V1.E6.42.13.2.4. **(Added) (ANG)** Emergency procedures are in place through approved operating instruction for all hazard classes on explosive laden vehicles to include an appropriate explosive safety briefing. **(T-2)**

V1.E6.42.13.2.5. **(Added) (ANG)** Suspect vehicle holding area procedures are in place for hazard class division on explosive laden vehicles. **(T-2)**

V1.E6.42.13.2.6. **(Added) (ANG)** Assure requirements in **paragraph V1**E6.42.12. **(Added)(ANG)**, incoming explosives shipments have been verified and corrected if required. **(T-2)**

V1.E6.42.13.2.7. **(Added) (ANG)** Discrepancy report (DD Form 361) is processed by the Transportation Officer/ TMO for "Traffic Facilities Guide (TFG) related instructions not followed" per Defense Transportation Regulation (DTR Part II chapter 210 par. K) for each incident. **(T-2)**

V1.E10.3.2.3.5. **(Added) (ANG)** Half-sized symbols may be used on external doors. Coordinate the use of half size symbols used externally with the fire department. **(T-2)**

V3.E3.1.1.2.2.1.1. **(Added) (ANG)** Operations within a single facility. Follow parent regulation guidelines and DDESB approved site plans. **(T-2)** See the ANG Concurrent Operation Flow Chart on the SEW SharePoint page.

Table V3E3.T17. **(Added) (ANG)** HD 1.1 QD Criteria. Note 18. Wing Commanders in coordination with the owners of the unique mission and or high value non-explosives aircraft

parking areas make the determination to apply any additional protection through the explosive site planning process. **(T-2)**

Table V3E3.T18. **(Added) (ANG)** HD 1.2.1, 1.2.2, and 1.2.3 QD Criteria. Note 18. Wing Commanders in coordination with the owners of the unique mission and or high value non-explosives aircraft parking areas make the determination to apply any additional protection through the explosive site planning process. **(T-2)**

Table V3E3.T18. **(Added) (ANG)** HD 1.2.1, 1.2.2, and 1.2.3 QD Criteria. Note 27. No QD separation is required, unless aircraft survivability is desired; use PTRD separation per Note 20 for aircraft survivability. **(T-2)**

Table V3E3.T19. **(Added) (ANG)** HD 1.3, 1.4 and 1.6 QD Criteria. Note 6. Wing Commanders in coordination with the owners of the unique mission and or high value non-explosives aircraft parking areas make the determination to apply any additional protection through the explosive site planning process. **(T-2)**

Table V3E3.T19. **(Added) (ANG)** HD 1.3, 1.4 and 1.6 QD Criteria Note 20. IMD per Note 13 as a minimum unless the MAJCOM requires aircraft survivability (apply IBD or PTRD per Note 16 for aircraft survivability). See **paragraph V4**E3.5.2.1. **(T-2)**

V4.E5.31.9. **(Added) (ANG)** AE training assets will only be stored for the duration of the training. **(T-2)**

V4.E5.31.18. **(Added) (ANG)** Hand Loading or Reloading. Contact NGB/SEW for guidance. **(T-2)**

V5.E3.2.10.7.1. **(Added) (ANG)** Separate plans are not required if an approved locally written instruction is in place and all the minimum items below are addressed. **(T-2)**

V5.E3.2.10.7.1.7. **(Added) (ANG)** Separate written instructions, such as operating instructions, will not be required IAW section V1.E6.13. as long as the plan contains all the required items listed in **paragraphs V1**E6.13.1. through V1.E6.13.8. The plan must also contain a safety briefing, IAW **paragraph V1**E6.12.1.4. (T-2) This plan will be coordinated and approved by the safety office and the commander responsible. **(T-2)**

Adopted Forms

(Added-ANG) DD Form 361 *Transportation Discrepancies Report*

(Added-ANG) AF Form 2047 *Explosive Facility License*

RANDAL K. EFFERSON, Major General, USAF
HAF NGB/CF, Acting Director, Air National Guard