BY ORDER OF THE COMMANDER
OGDEN AIR LOGISTICS COMPLEX

OGDEN AIR LOGISTICS COMPLEX
INSTRUCTION

23-102

15 JANUARY 2026

Materiel Management

CONSOLIDATED SUSTAINMENT ACTIVITY GROUP MAINTENANCE DIVISION (CSAG-MD) OWNED MATERIEL MANAGEMENT

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available for downloading or ordering on the e-Publishing website at **http://www.e-publishing.af.mil/**.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: OO-ALC/OBWC

Certified by: OO-ALC/OB
(Ms. Sandra Fitzgerald)

Supersedes: OO-ALCI23-102, 13 May 2013

Pages: 8

This instruction establishes policy, responsibilities and procedures for the management of CSAG-MD-owned excess Materiel. This instruction applies to all groups within the Ogden Air Logistics Complex (OO-ALC) that handle Materiel in support of the Depot Maintenance Program and use the Depot Maintenance Information Systems to order and turn in Materiel. The exceptions are: 309th Aerospace Maintenance and Regeneration Group, located at Davis-Monthan Air Force Base, 570 Aircraft Maintenance Squadron utilizes Lockheed Martin and Autonomic Logistics Information System (ALIS) in lieu of Depot Maintenance Information System (DMIS) and The 575th Aircraft Maintenance Squadron, located at Randolph Air Force Base, and the Geographically Separate Units (GSUs) located at Malmstrom AFB, Minot AFB, FE Warren AFB and Vandenberg AFB who follow Air Force Instruction (AFI) 23-101, *Air Force Materiel Management*, and Air Force Manual (AFMAN) 23-122, *Air Force Materiel Management Procedures*. Use of the name or mark of any specific manufacturer, commercial product, commodity, or service in the publication does not imply endorsement by the Air Force (AF). Ensure all records created because of processes prescribed in this publication are maintained in accordance with (IAW) AFMAN 33-322 *Management of Records*, and disposed of IAW the AF Records Information Management System Records Disposition Schedule. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using

DAF Form 847, *Recommendation for Change of Publication*; route DAF Forms 847 from the field through the appropriate functional chain of command.

SUMMARY OF CHANGES

Replaced all references to AFMAN 33-363 with AFI 33-322 22 March 2020. Inserted 570 Aircraft Maintenance Squadron utilizes Lockheed Martin and Autonomic Logistics Information System (ALIS) in lieu of Depot Maintenance Information System (DMIS).

1. General Information. This instruction identifies roles and responsibilities of Production Support, and the Production Support Specialist performing Materiel ordering and turn in processes. It also identifies the process for transferring the Materiel from the AF to the Defense Logistics Agency (DLA) Aviation that provides supply support to depot maintenance.

1.1. **Direct Materiel is identified as Materiel that can be traced to an order for production job order number (JON).** Excess direct Materiel is Materiel that was not consumed in the repair of that end item. Direct Materiel may be turned into the maintenance owned inventory (Y) store if there is a future requirement for that Materiel. Future requirements are defined as Materiel that will be used within the next six months (180 days). If the Materiel is not used within the 180-day time frame and is being retained in the Y-store, a letter of justification is required. The justification must include an estimated date the Materiel is expected to be used and a valid reason to maintain the Materiel in the Y-store.

1.2. **NOTE: Whether or not credit will be received is not a valid reason.**

1.2.1. **(Added)** Material that does not meet the criteria to be held in NIMMS inventory (Y store), it may be placed in the MPS store.

1.2.1.1. **(Added)** Prior to placing the material in the MPS store, research will be performed to ensure the item has a valid NSN or locally assigned stock number (PG or non-definitive), only ERRC's XB3 (N) or XF3 (P) maybe stored in the MPS store. ERRC XD2 (T) will not be stored in the MPS store.

1.2.1.2. The NSN must be the same in all maintenance information systems (G004L, MPS, Impresa, ABOM and NIMMS) to allow the orders and issues to process systemically. NOTE: All NSNs may be either 13 or 15 digits, for example: 1560 01 123 4567 or 1560 01 123 4567 WF.

1.2.1.3. MPS stores will be inventoried and reconciled monthly to ensure that MPS and the physical locations match. When all the material is completely consumed in a location, the Production Controller-Material will contact the MPS System POC, via email, to delete the location. Shelf-Life control must be maintained.

1.2.1.4. When the material is no longer required, it will be removed from the MPS store, according to the turn in rules based on the NSN, IAW AFSCMAN 21-102 **Chapter 18 Para. 18.19.5.5.6.2.1**

1.2.2. **Only serviceable (condition code A) Materiel's will be placed in the Y-store.** The Materiel must have a supply condition tag, DD Form 1574, *Serviceable Tag-Materiel*, (yellow) or supply condition label, DD Form 1574-1, *Serviceable Label-Materiel*, if the Materiel is in the original package the condition label/tag is not required

but recommended. NOTE: Materiel in the Y-store must have the national stock number (NSN) assigned to the records to facilitate an automatic issue from the Y-store if or when the item is ordered.

1.3. **Indirect Materiel is identified as Materiel that is charged to an overhead JON instead of a particular workorder.** Indirect Materiel is always coded as Expendability, Recoverability, Reparability Category code (ERRC) N' or 'P' only. NOTE: ERRC'T' will not be stored in the Y-store.

1.4. **Residue from work orders that can be identified to a NSN or part number can be retained in the Y-store if a future need exists.** This Materiel will be turned over to the PST/PSS for disposition determinations. NOTE: Under no circumstance will this Materiel be maintained on the shop floor.

1.5. **Materiel that is unidentifiable (no NSN) or unserviceable will be disposed of either through a turn into DLA-Disposition Service (DLA-DS) or the Quality Recycle Program.**

2. Responsibilities.

2.1. **Production.**

2.1.1. Turn in excess service/unserviceable Materiel to the PST/PSS for disposition. The Materiel will be properly identified with the appropriate condition tag/label by the shop technicians. The technicians will ensure that foreign object damage prevention measures are taken by placing caps and plugs where needed.

2.2. **The PST/PSS.**

2.2.1. Assist production in identifying Materiel when required.

2.2.2. Use the production support determination checklist (**Attachment 2**) to determine the proper disposition of assets, e.g., turn into supply, retain in the Y-store, etc.

2.2.3. If a future requirement exists in the shop for the Materiel and needs to be retained in the Y-store, coordinate with DLA-A to ensure there is adequate space for the Materiel.

2.2.3.1. Accept only properly tagged/identified/capped/plugged Materiel and process the turn in.

2.2.3.2. Turn Materiel into the Y-store using the Naval Air System Command Industrial Materiel Management System (NIMMS) MN044P screen.

2.2.3.3. For Materiel to be returned to supply, use the NIMMS MN045P screen.

2.2.4. If the Materiel is from a bench stock location and is excess to production requirements, that Materiel will be sent to DLA-Disposition Service (DLA-DS), or the Quality Recycle Program (QRP).

2.2.5. To prevent excess Materiel from accumulating on the shop floor, contact the work leaders in the supported maintenance shop to determine the cause and to eliminate it.

3. Turn in Procedures.

3.1. **Direct Materiel with a future need will be turned into the Y-store.**

3.1.1. When an item is identified as 'serviceable' direct with future requirements, it may be turned into the Y-store on the MN044P screen. The PST/PSS will provide DLA with a

copy of the MN044P screen. **NOTE**: Exchangeable items, unidentified (scrap) will not be turned into the Y-store. Use the JON the Materiel was issued on, if that JON cannot be determined or is closed, then the indirect production Materiel JON, X5632610000 will be used.

3.1.2. When the Materiel is turned into the store a 'NIMMS Stowage order' will be generated in the Shop Service Center (SSC). The PST/PSS will contact DLA to obtain a copy and retain it on file for a minimum of 1 year. This document may be used for research during store inventories or to clear financial or Materiel errors.

3.2. **Turn ins from the Y-Store to Supply.**

3.2.1. If the Materiel is no longer required, provide information (i.e. email, MN090P screen print) to DLA-A to process the turn into supply. The returns processor screen (MN041P) will be used for this transaction.

3.3. **Six Month Validation.**

3.3.1. OO-ALC/OBWC, Production Support Office, will ensure the Y-store Materiel is validated every 6 months by establishing a suspense to the maintenance group's production support sections with a Y-store listing.

3.3.2. At this time, the decision will be made to retain or return the Materiel to supply.

3.3.2.1. The PST/PSS will perform the required research and communication with the planners to determine if the Materiel is on a bill of Materiel or if the production number is still active and repairs/overhaul is being performed.

3.3.2.2. Once the decision has been made to keep or turn in, the production support personnel will annotate the listing, with retain or turn in. **NOTE:** This action is normally made by the PST, but it may be made by the person appointed by the production support supervisor. A copy of this list will be provided to DLA-A so they can process the turn ins for the Materiel being returned to supply.

3.3.3. Attach a justification letter to the listing and return it to OO-ALC/OBWC to meet the suspense. **NOTE:** Justification letter will be signed by the production support flight chief for Materiel being retained that does not exceed a 12-month time period, for Materiel being retained that exceeds the 12-month period, the justification letter will be signed by the squadron director.

3.4. **Turn-Ins from the Production Floor to Supply.**

3.4.1. Materiel that was ordered via the Automated Bill of Materiel System that is determined to be excess to the current requirements or will not be consumed in the 6-month period, will be turned into supply using the NIMMS MN045P screen. The original issue document number and the related information will be used for the turn in. Excess indirect Materiel will be turned in on the NIMMS MN045P screen, using a cost code of "L" and the applicable indirect JON. If the Materiel is less than full unit of issue, that Materiel will be sent to DLA-DS instead of supply. The instructions are located on the Materiel Support Share Point at: **https://usaf.dps.mil/sites/OOALC/OBWC_Prod_Support/Test/Forms/AllItems.aspx?id=%2Fsites%2FOOALC%2FOBWC%5FProd%5FSupport%2FTest%2FMateriel%2FMaintenance%20Owned%20Materiel&viewid=6fda8a71%2Da700%2D4638**

%2Db359%2D3f9210ad0492&sw=bypass&bypassReason=abandoned&startedResponseCatch=true.

3.4.1.1. Ensure that two copies of the DD Form 1348-1A, *Issue Release/Receipt Document,* are attached to the Materiel being turned in. Maintain a copy of the turn in document until the turn in has been completed in the supply systems.

3.4.1.2. Maintenance will ensure that the condition tags are completed in accordance with Technical Order 00-20-2, *Maintenance Data Documentation.*

3.4.2. All other turn ins will be processed in accordance with AFSCMAN 21-102, *Depot Maintenance Management*, paragraph 18.19..

3.5. **Disassembly/Reclamation.**

3.5.1. If instructions in AFMC Form 206, *Temporary Work Request*, indicate that maintenance may keep some of the small reclaimed items for future use, those items must be maintained by the PST, in either electronic or manual form, to account for the Materiel, an inventory must be accomplished periodically. The reclaimed Materiel requires a serviceable tag, and the location will be labeled with the NSN or part number and the name of the item. When applicable, provide information to DLA-A to perform a demand history adjustment (DHA).

Sandra M. Fitzgerald, NH-04, DAF
Vice Director, Ogden Air Logistics Complex

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

AFI23-101, *Air Force Materiel Management,* 14 August 2024

AFMAN23-122, *Air Force Materiel Management Procedures*, 14 August 2024

AFSCMAN21-102*, Depot Maintenance Management*, 18 November 2024

AFMAN 33-322 *Records Management and Information Governance Program*

Technical Order 00-20-2, *Maintenance Data Documentation*

Prescribed Forms

AF Form 847, *Recommendation for Change of Publication*

AF Form 2519, *All Purpose Checklist*

AFMC Form 206**,** *Temporary Work Request*

DD Form 1348-1A, *Issue Release/Receipt Document*

DD Form 1574, *Serviceable Tag-Materiel*

DD Form 1574-1, *Serviceable Label-Materiel*

Abbreviations and Acronyms

AF—Air Force

AFMAN—Air Force Manual

AFSCMAN—Air Force Sustainment Center Manual

CSAG—Consolidated Sustainment Activity Group

DIFM—Due In From Maintenance

DOTM—Due Out From Maintenance

DLA—Defense Logistics Agency

ERRC—Expendability, Recoverability, Reparability Category

IAW—In Accordance With

JON—Job Order Number

NIMMS—NAVAIR Industrial Materiel Management System

NSN—National Stock Number

OO-ALC—Ogden Air Logistics Complex

OO-ALC/OBWC—Complex Production Support Flight

OPR—Office of Primary Responsibility

POC—Point of Contact

PST—Production Support Technician

PSS—Production Support Specialist

SDR—Supply Discrepancy Report

WEBSDR—An automated system used to submit SDRs

Attachment 2

TURN-IN OF CSAG-MD MATERIEL TO THE 'Y' STORE, SUPPLY OR DLADS

Figure A2.1. Production Support Turn-In Determination Checklist.

ALL PURPOSE CHECKLIST	PAGE 1 OF 1 PAGES
TITLE/SUBJECT/ACTIVITY/FUNCTIONAL AREA Production Support Turn-in Determination Checklist Turn-in of CSAG-MD Material to the "Y" Store, Supply or DLADS	OPR OO-ALC/ OBW DATE

NO.	ITEM (Assign a paragraph number to each item. Draw a horizontal line between each major paragraph.)	Yes	No	N/A
1.	Is there future requirements for material being turned in? (If yes, turn in to the "Y" store, if no, turn in to supply).	☐	☐	☐
2.	Has the PST/PSS coordinated with the DLA Aviation material supports specialists (MSS) to ensure adequate storage space in the "Y" store?	☐	☐	☐
3.	If the material being turned in to the "Y" store is serviceable and is NOT in the original package, material is required to be condition tagged (DD Form 1574) yellow and stamped by production.	☐	☐	☐
4.	Before turning material in to the "Y"store, is there an open JON and control number? (If not, use the overhead JON X56326100000).	☐	☐	☐
5.	Is the material being turned in an ERRC code "C" or "T" item? (If yes, material will be turned in to supply IAW the DIFM/DOTM instruction OO-ALCI23-101).	☐	☐	☐
6.	Is item serviceable (XB3/XF3) scrap material? (If yes, place in SMRF container or turn in to DLADS).	☐	☐	☐
7.	Is material a bench stock item? (If yes, have mechanic return item to the bench stock location). Note: Bench stock items cannot be turned in to the "Y" store.	☐	☐	☐
8.	Is material a shelf life item? (If yes, there must be a least 6 months shelf life remaining or turn the material in to supply).	☐	☐	☐
9.	Is material classified (CIIC code)? (If yes, then turn material in to supply).	☐	☐	☐

AF IMT 2519, 19911101 V5 PREVIOUS EDITIONS ARE OBSOLETE.