BY ORDER OF THE SECRETARY OF THE AIR FORCE

DEPARTMENT OF THE AIR FORCE INSTRUCTION 23-201

30 JULY 2026

Materiel Management

FUELS MANAGEMENT

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing web site at **www.e-Publishing.af.mil** for downloading or ordering

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: AF/A4LR

Certified by: AF/A4L
(Major General Elizabeth E. Arledge)

Supersedes: DAFI23-201, 23 August 2023

Pages: 131

This Department of the Air Force Instruction (DAFI) implements Department of the Air Force Policy Directive (DAFPD) 23-2, *Management of Bulk Fuels and Petroleum Related Products*, and provides guidance and procedures for managing aviation fuels, ground fuels, cryogenic fluids, missile propellants, pure gases, chemicals, and related services used in aerospace weapon systems, equipment, and energy commodities. It applies to all uniformed members of the Regular Air Force, Air Force Reserve, Air National Guard, and United States Space Force; Department of the Air Force (DAF) civilian employees; Civil Air Patrol members when performing missions as the official Air Force Auxiliary; and contractors with obligations to adhere to DAF issuances, specifically those who receive, store, issue, perform quality control, and/or account for these products. Ensure all records generated as a result of processes prescribed in this publication adhere to Air Force Instruction 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System (AFRIMS). Defense Logistics Agency-Energy (DLA-E) establishes Defense Working Capital Fund (DWCF) record retention requirements in accordance with (IAW) DLA-E guidance. Direct questions or recommended changes to this publication to the Air Force Petroleum Office (AFPET) via DAF Form 847, Recommendation for Change of Publication; AFPET will forward it to Headquarters Air Force/Logistics Readiness Division (AF/A4LR) for consideration. Supplements to this publication are authorized at any level, but Major Command (MAJCOM), Field Command (FLDCOM), Field Operating Agency (FOA), and Direct Reporting Unit (DRU) supplements must be routed to AFPET for review and AF/A4LR for coordination before approval. The authority to waive wing/delta and unit-level requirements is identified by a Tier number (T-0, T-1, T-2, or T-3) as

defined in Department of the Air Force Manual (DAFMAN) 90-161, *Publishing Processes and Procedures*; submit waiver requests through the chain of command to the appropriate Tier authority or to the commander (CC) for non-tiered items. Fuels training waiver requests should be submitted to the Fuels Functional Manager at Air Force Installation and Mission Support Center (AFIMSC). Report any conflicting guidance between this instruction and Department of Defense (DoD), also referred to as the Department of War (DoW), United States Air Force (USAF), or Technical Order (TO) guidance to AF/A4LR; pending resolution, DoW directives take precedence. The use of any specific manufacturer, commercial product, commodity, or service name in this publication does not imply DAF endorsement. Compliance with all attachments to this publication is mandatory.

SUMMARY OF CHANGES

This publication has been significantly revised and updated to reflect changes in guidance and procedures dealing with Fuel Management and must be completely reviewed. This change has been updated to reflect this guidance is applicable to the entire DAF, including the Regular Air Force, the United States Space Force (USSF), the Air Force Reserve, the Air National Guard, the Civil Air Patrol (when conducting missions as the official Air Force Auxiliary), all DAF civilian employees, and those with a contractual obligation to abide by the terms of DAF issuances. This change continues to clarify roles and responsibilities of key organizations and those internal to the Fuels Management Flight.

Chapter 1—USAF, DIRECTORATE OF LOGISTICS, LOGISTICS READINESS DIVISION, FUELS MANAGEMENT BRANCH (AF/A4LR) 6

1.1. HQ USAF/A4LR (AF/A4LR) General Responsibilities. 6

Chapter 2—AIR FORCE PETROLEUM OFFICE (AFPET) 9

2.1. General Responsibilities 9

2.2. Operations Directorate Responsibilities 10

2.3. Mission Support Directorate Responsibilities. 16

2.4. Product Support Directorate Responsibilities 20

Chapter 3—ORGANIZATIONS SUPPORTING FUELS MANAGEMENT FLIGHTS 22

3.1. United States Transportation Command (USTRANSCOM) General Responsibilities. 22

3.2. Defense Logistics Agency Energy (DLA-E) General Responsibilities. 22

3.3. Assistant Secretary of the Air Force for Installations, Environment, and Energy's (SAF/IE) General Responsibilities. 23

3.4. AF Installation and Mission Support Center (AFIMSC) General Responsibilities. 24

3.5. MAJCOM General Responsibilities. 26

3.6. Air Mobility Command (AMC/A4RX) General Responsibilities. 29

3.7. AF Special Operations Command (AFSOC/A4RE) General Responsibilities. 29
3.8. Air Combat Command (ACC) General Responsibilities. 30
3.9. National Guard Bureau (NGB) General Responsibilities. 31
3.10. AF Reserve Command, Logistics Readiness Division (AFRC/A4R) General Responsibilities. 31
3.11. 364th Training Readiness Squadron (TRS) 2F Schoolhouse General Responsibilities. 31
3.12. 635th Material Maintenance Support Squadron Fuels Management Flight Responsibilities. 32

Chapter 4—LOGISTICS READINESS SQUADRON (LRS) AND WING/DELTA AGENCIES 34

4.1. Logistics Readiness Squadron (LRS) Commander or Equivalent(s) General Responsibilities. 34
4.2. Base Civil Engineer (BCE) General Responsibilities. 35
4.3. Aircraft Maintenance General Responsibilities. 37
4.4. Wing/Delta Safety Office and Bioenvironmental Engineering (BE) General Responsibilities. 37

Chapter 5—REQUIREMENTS FOR THE FUELS MANAGEMENT TEAM (FMT) 39

5.1. FMT General Responsibilities. 39
5.2. Structure and Duty Titles. 40
Figure 5.1. Fuels Management Flight Structure. 41
Figure 5.2. Fuels Management Flight Duty Titles. 42
5.3. Handling Contaminated and Off-Specification Fuel and Cryogenic Products. 42
5.4. Special Fuel Handling (SFH) Operations. 43
5.5. Fuels Vehicles and Fuels Handling Equipment (FHE). 46
5.6. Refueling Vehicles Authorizations. 46
5.7. Using War Reserve Material (WRM) Expeditionary Fuels Handling Equipment (FHE) for Exercise Support. 46
5.8. Fuels Flight Administration and Guidance. 47
5.9. Preparing Required Reports. 48
5.10. Managing Contracted Fuel Operations. 49
5.11. Budget Forecasting Requirements. 50
5.12. Fuels Personnel Safety. 50
5.13. Controlling Static Electricity. 51

5.14. Communication During Fuel Transfers. 51
5.15. Two-Person Policy. 51
5.16. Managing Personnel. 52
5.17. Manpower Management Process. 53

Chapter 6—FUELS MANAGEMENT TEAM (FMT) REQUIREMENTS FOR FUELS FACILITIES, TOOLS, AND EQUIPMENT ITEMS 54

6.1. Facility Management. 54
6.2. Proper Use of Facilities and Equipment and Securing Assets. 54
6.3. Fuels Laboratory Requirements. 54
6.4. Fuel Spill Prevention and Containment. 55
6.5. Hydrant Utilization Strategy (HUS). 55
6.6. Cryogenic Facilities. 56
6.7. Tool Management Program. 57

Chapter 7—FUELS INFORMATION SERVICE CENTER (FISC) REQUIREMENTS 59

7.1. Fuels Information Service Center Section Responsibilities. 59
7.2. Fuels Service Center (FSC) Element Responsibilities 59
7.3. Fuels Accounting Responsibilities. 62
7.4. Fuels Support Element Responsibilities. 63
7.5. Fuels Equipment Responsibilities. 64
7.6. Fuels Training Responsibilities 65
7.7. Fuels Mobility Responsibilities. 67

Chapter 8—FUELS QUALITY COMPLIANCE REQUIREMENTS 69

8.1. Fuels Quality Compliance Section Responsibilities. 69
8.2. Fuels Environmental & Safety Element Responsibilities. 71
8.3. Fuels Laboratory Element Responsibilities. 72

Chapter 9—FUELS OPERATIONS REQUIREMENTS 74

9.1. Fuels Operations Section Responsibilities. 74
9.2. Fuels Distribution Element Responsibilities. 75
9.3. Fuels Mobile Distribution Responsibilities. 76
9.4. Fuels Preventive Maintenance Responsibilities. 76
9.5. Fuels Facilities Element Responsibilities. 77
9.6. Fuels Hydrants Responsibilities. 78
9.7. Military Service Station Responsibilities. 78

9.8. Cryogenics Responsibilities. 78
9.9. Specialized Fuel Handling-Air (SFH-A) Element Responsibilities. 80

Chapter 10—FUELS KNOWLEDGE OPERATIONS REQUIREMENTS 83

10.1. Fuels Knowledge Operations Element Responsibilities. 83
10.2. Information Management. 83
10.3. Base-Level Support Application (BLSA) Responsibilities. 84
10.4. Innovation Management. 85
10.5. Fuels MILCON and SRM. 85

Chapter 11—WAR PLANNING 86

11.1. AF/A4LR Fuels Functional Area Manager (FAM) Responsibilities. 86
11.2. AFPET Current Operations Responsibilities. 86
11.3. AFFOR Fuels Planners Responsibilities. 87
11.4. Fuels Management Team (FMT) Responsibilities. 89

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 92

Attachment 2—MISCELLANEOUSE FUELS DUTY TITLES 109

Attachment 3—FUELS VENUES AND DEVELOPMENTAL OPPORTUNITIES 110

Attachment 4—CLIPBOARD COLOR SCHEME 111

Attachment 5—FUELS INCIDENT REPORTING PROCEDURES 112

Attachment 6—FUELS CAREER FIELD CHARTERED WORKING GROUPS 115

Attachment 7—FUELS MANAGER® DEFENSE (FMD) CODES 116

Attachment 8—FUELS WAR RESERVE MATERIAL (WRM) STORAGE REQUIREMENTS 118

Attachment 9—RADIO TRANSMISSION CODES 120

Attachment 10—APPROVED FUELS VEHICLES AND FUELS HANDLING EQUIPMENT (FHE) AND FUELS SUPPORT EQUIPMENT (FSE) 121

Attachment 11—AIRCRAFT AND GROUND FUEL PLANNING FACTORS 122

Attachment 12—ALTERNATE USE FORMS 126

Attachment 13—FARP TRYOUT AND SELECTION PROCESS 127

Attachment 14—SFH-A/F TEAM INITIAL ISSUE LIST 129

Attachment 15—REQUIREMENTS CORRELATION TABLE (RCT) SWIM-LANE DIAGRAM 130

Chapter 1

USAF, DIRECTORATE OF LOGISTICS, LOGISTICS READINESS DIVISION, FUELS MANAGEMENT BRANCH (AF/A4LR)

1.1. HQ USAF/A4LR (AF/A4LR) General Responsibilities.

1.1.1. Establishes and updates DAF policy to effectively manage Class III (petroleum, oils, and lubricants) and cryogenic resources to support weapon systems, facilities, and personnel.

1.1.2. Serves as approval authority to allow personnel without the Air Force Specialty Code (AFSC) 2F0X1 to perform fuels servicing operations. **Note:** Missile alert facility refueler (MAF-R) operations may be performed by personnel who have completed the 2F0X1 "Initial MAF-R training course" IAW Air Force Global Strike Command (AFGSC) guidance and 2F Career Field Manager (CFM) concurrence.

1.1.3. Addresses concerns regarding the implementation of management concepts outlined in this instruction.

1.1.4. Provides staff expertise and Subject Matter Expert (SME) oversight to implement and develop management concepts outlined in this instruction.

1.1.5. Delegates the development of Self-Assessment Checklist (SAC) items for compliance to AFPET; the 2F CFM will validate prior to SAC publication. Develops and coordinates Special Interest Items for Inspector General (IG) teams and the Fuels Compliance Working Group based on trend analysis data or emerging threats to mission capability.

1.1.6. Coordinates, tasks, and shares knowledge with AFPET, MAJCOMs, Air Force Forces (AFFORs), and Fuels Management Flights (FMFs) based on equity and SME knowledge to obtain the best possible solution or resolution.

1.1.7. Develops budget estimates and manages financial responsibilities.

1.1.8. Provides a standard FMF organizational structure with associated duty titles and office symbols IAW **Figure 5.1**. **&** **Figure 5.2**. Provides miscellaneous fuels duty titles (e.g., AFPET, 364 TRS, MAJCOMs, IG, etc.) IAW **Attachment 2**.

1.1.9. Oversees the Fuels Logistics Education Advancement Program (LEAP).

1.1.9.1. Manages and enforces the Memorandum of Agreement established between AF/A4LR and the 635 SCOW, Det 1, AFPET.

1.1.9.2. Forecasts vacancies through the Fuels Enlisted Development Team (FEDT) ensuring 1 primary vector per projected vacancy and 1 overall alternate.

1.1.9.3. Ensures candidates meet pre-requisites: 1 year Time on Station, security clearance and rank requirements, Community College of the Air Force (CCAF), and no Quality Force Indicators.

1.1.9.4. Coordinates Talent Marketplace Advertisements with Air Force Personnel Center (AFPC).

1.1.9.5. Ensures participation in fuel working groups, boards, events, and panels.

1.1.9.6. Ensures completion of 2 developmental courses and 2 developmental Temporary Duty's (TDYs) annually.

1.1.10. Manages and completes 2F enterprise projects with a focus on process improvement.

1.1.11. Serves as Department of the Air Force (DAF) Functional Area Manager (FAM) for Joint Force Account (JFA) fuels personnel and Joint Force Deployment (JFD) fuels equipment Unit Type Codes (UTCs).

1.1.11.1. Manages UTCs IAW DAFMAN 10-406, *Unit Type Code Management.*

1.1.12. Serves as an advisory member for the Joint Staff Joint Petroleum Working Group.

1.1.13. Reviews innovation initiatives, site surveys, trip reports, and After-Action Reports (AARs) in the AFPET SharePoint® database before events such as the Installation Planning Review Board (IPRB), Fuels Utilization and Training Workshop (U&TW), Fuels Warfighter Summit (FWS), and Fuels Working Group (FWG) to inform agenda topic and conversational item development.

1.1.14. Integrates and harnesses Basing & Logistics Analytics Data Environment (BLADE) and Advanced Analytics (ADVANA) Artificial Intelligence (AI) driven analytics, to deliver persistent decision advantage across all echelons and multi-domain operations.

1.1.15. Advocates with the proper decision-making authorities (e.g., USTRANSCOM, JS, A3, A5/7, etc.) to advocate for realistic CLASS III Petroleum Fuel Storage and Distribution scenario inclusion in training and exercise events. This includes various refueling concepts of employment to include associated challenges.

1.1.16. IAW DAFI 36-2670, *Total Force Development*, delegates training waivers for 364 TRS 2F Schoolhouse course prerequisites and 2F0X1 Career Field Education and Training Plan (CFETP), Part I skill-level core tasks to the Air Force Installation and Mission Support Center (AFIMSC). The 2F CFM retains waiver authority for requirements beyond those outlined with AFIMSC and Air Force Personnel Center (AFPC).

1.1.17. Prescribes the use and delegates the authority for Fuels Technical Letters (FTLs) management to AFPET.

1.1.17.1. FTLs will provide interim operational guidance and must consider monetary and manpower costs associated with implementation.

1.1.17.2. FTLs must clarify existing procedural guidance in a technical order or process until solutions, procedures, or policy fixes the deficiency. FTLs can also serve as guidance when policy and/or guidance are absent.

1.1.17.3. FTLs must detail what actions are being taken or considered to rescind the FTL.

1.1.17.4. FTLs must affect more than one location, equipment item, batch, or lot number.

1.1.17.5. FLTs should not be established unless alternative remedy actions have been considered which may be better suited to resolve the issue (e.g., Time Compliance Technical Orders (TCTOs), Service Bulletins, Safety Alerts, Memorandums of Agreement (MOAs), Standard Operating Procedures (SOPs), etc.).

1.1.17.6. FTLs will be coordinated through AF/A4LR and NGB A4RMF before initial implementation, when updates are required, and at the very minimum, annually. Upon final review, the AFPET Commander will sign and publish.

1.1.18. Provides FHE and FSE portfolio priorities required to inform the 635th Supply Chain Operations Wing, WRM Program Integration Office (635 SCOW/WM), Air Force Life Cycle Management Center Support Equipment and Vehicles (AFLCMC/ROZ) program offices, and AFPET regarding strategic guidance to developing, validating, and prioritizing procurement documents (e.g., product/purchase descriptions, specifications, MIL-PRFs, commercial item descriptions) as determined by Combatant Command's (COCOM) requirements. **(T-1)**

1.1.19. Manages Fuels Career Field Workshops.

1.1.19.1. Chairs the Fuels Specialty Training Requirements Team (STRT)/U&TW forums.

1.1.19.2. STRT/U&TW voting members: 2F CFM, Air Education Training Command (AETC) Training Pipeline Manager, AFPET Fuels Manager, AFIMSC MFM and a representative from: Pacific Air Forces (PACAF), United States Air Forces in Europe – United States Air Forces Africa (USAFE-AFAFRICA), Air Force Global Strike Command (AFGSC), National Guard Bureau (NGB), Air Force Reserve Command (AFRC), Air Mobility Command (AMC), Air Force Special Operations Command (AFSOC), Air Combat Command (ACC), Air Force Central Command (AFCENT), LEAP, and SME contributors as identified by the 2F CFM.

1.1.19.3. Chairs the FWS and FWG. These convene annually, or more frequently as directed by the 2F CFM, to synchronize DAF and AF/A4 strategic objectives with the 2F Career Field. This synchronization is achieved through the oversight of eight functional portfolios: Policy, Manpower, Education & Training, Development, Equipment, Vehicles, Infrastructure, and Readiness. The core functions of these forums are to review, validate, and develop methodologies for calculating operational-level fuel plans; inform training requirements for fuels management personnel; and assess new equipment and Tactics, Techniques, and Procedures (TTPs) for installation and expeditionary refueling operations. The specific composition, roles, and responsibilities of the FWS and FWG are to be stipulated in the event charter.

Chapter 2

AIR FORCE PETROLEUM OFFICE (AFPET)

2.1. General Responsibilities .

2.1.1. Serves as the DAF Fuels Service Control Point (SCP) and Center of Excellence for quality assurance (petroleum, cryogenics, propellants, and gases), infrastructure, equipment, operational procedures, specialized and non-specialized fuel operations, war gaming and modeling, procurement contracts, fuel accountability, product engineering, alternative fuels, and energy programs, as outlined in DAFPD 23-2, Management of Bulk Petroleum and Related Products. Assists MAJCOMs with planning requirement validation. (T-1)

2.1.2. Liaises with SAF/IE's Deputy Assistant Secretary of the Air Force for Operational Energy (SAF/IEN), AF/A4LR, USTRANSCOM, DLA-E, AF Life Cycle Management Center (AFLCMC), Vehicle Support Chain Operation Squadron (VSCOS), etc., to shape, improve, and implement fuels-related governance/policy.

2.1.3. Synchronizes with the Army Petroleum Center, Navy Petroleum Office, and Marine Corp Petroleum Office to advance interoperability across the joint fuels community

2.1.4. Provides technical and product quality guidance and manages fuels requirements; manages Equipment Authorization Identification and Prioritization Plans; performs fueling equipment and vehicle authorization validation. **(T-1)**

2.1.4.1. Develops guidance, procedures, and provides technical support to fuels activities regarding fuels, lubricants, chemicals, propellants, and gases. **(T-1)**

2.1.4.2. Manages 37, 42B and 42C series Technical Orders (T.O.s) for fuels and cryogenics quality control guidance and operates worldwide Aerospace Fuels Laboratories. **(T-1)**

2.1.5. Provides subject matter expertise, technical and operational support to the warfighter.

2.1.6. Provides fuels subject matter expertise to locations (HHQ, CCMDs, CMDs, etc.) without assigned fuels staff and/or fuels personnel. Offers guidance to enhance operational readiness and expertise. **Note:** This excludes training and FAM responsibilities managed by AFIMSC.

2.1.7. Conducts research for AF/A4LR and shares knowledge with supporting agencies and base-level FMFs. **(T-1)**

2.1.8. Coordinates interim operational guidance affecting fuels activities; (e.g., T.O.s, FTLs, Defense Logistics Agency (DLA) agreements, and policies) with AF/A4LR before release. **(T-1)**

2.1.9. Assists in energy conservation and alternative fuel programs. **(T-0)**

2.1.10. Advocates for DAF fuels locations in DLA Military Construction (MILCON) and Sustainment, Restoration, and Modernization (SRM) programs. Serves as the AF voting member for the IPRB. **(T-1)**

2.1.11. Engages with DLA-E or USTRANSCOM on operational, product, or quality requirements affecting DAF units.

2.1.12. Participates in wargames and initiates or participates in logistics studies to increase AF readiness and combat capabilities.

2.1.13. Develops procedures and guidelines for managing recoverable and waste fuel using 42B series T.O.s. **(T-1)**

2.1.14. Serves as coordinating agency for the American Petroleum Institute Award. **(T-1)**

2.1.15. AFPET Fuels Manager Responsibilities.

2.1.15.1. Serves as the senior enlisted advisor to the AFPET/CC. Fulfills Group Superintendent responsibilities as outlined in AFI 36-2109, *Chief Master Sergeant of the Air Force, Senior Enlisted Leadership Management and Air Force Enlisted Council.*

2.1.15.2. Provides guidance to facilitate development, readiness, health, morale, welfare, and quality of life of all assigned personnel.

2.1.15.3. Coordinates with internal directorates to understand enterprise-level challenges and initiatives impacting the fuels enterprise.

2.1.15.4. Promotes empowerment of ideas to spur critical thinking, open dialogue, and achieve internal and external organizational process improvements.

2.1.15.5. In coordination with the AFEPT CC/DD and Directors, as required, serves as 2F synchronization liaison for AFPET, Secretary of the AF (SAF), Air Staff, Space Staff, MAJCOM/NAF Staffs, FMTs, DLA-E, USTRANSCOM, Joint Staff, Sister Services, and the Reserve Components, Air National Guard (AFRC/ANG) to disseminate communication, strategic objectives, and cross-talks to improve the Bulk Class III community.

2.1.15.5.1. In coordination with the AF Fuels CFM, as required, establishes and expands relationships to advance A4 priorities and connect teams to solve problems and align efforts across commands.

2.1.15.5.2. Coordinates with Air Staff, Space Staff, and AFIMSC to shape, improve, and implement fuels-related governance/policy by attending Operational Planning Teams, Working Groups, FEDT boards, and other chartered activities.

2.1.16. AFPET Superintendent Responsibilities.

2.1.16.1. Synchronizes with AFPET directorates on all matters related to fuels operations and requirements impacting global operations.

2.2. Operations Directorate Responsibilities .

2.2.1. Oversees the Current and Future Operations Division, the Equipment Management Division and Technical Assistance Division.

2.2.2. Serves as North Atlantic Treaty Organization (NATO) delegate for fuels equipment and vehicles for the NATO Petroleum Equipment Working Group.

2.2.3. Approves deviations for the use of fuels assets other than their primary designed mission (e.g., R-11 for aviation fuel, C-300/301 for ground fuel, and R-13 for small aviation fuel requirements). This includes any regrade to or from Aviation Gasoline (AVGAS). **(T-1)**

2.2.4. Evaluates, tests and recommends new or improved fuels handling equipment to enhance the effectiveness and efficiency of AF petroleum operations problems.

2.2.5. Current and Future Operations Division Responsibilities

2.2.5.1. Advises DLA-E and/or USTRANSCOM on all operational and product requirements affecting AF units and provides direct assistance during contingencies and/or exercises. **(T-1)**

2.2.5.2. Reviews all base fuels service contracts and coordinates with AF/A4LR as required. **(T-1)** New contracts and changes to existing contracts will be coordinated through AFRC/A4R Fuels Management Staff for location that have assigned 2F reserve personnel to ensure adequate training support.

2.2.5.3. AFPET reviews currency and applicability of fuels Self-Assessment Checklist, as guidance changes or required IAW DAFI 90-302, *The Inspection System of the Department of the Air Force*.

2.2.5.3.1. Evaluates and performs trend analysis and Management Internal Control Toolset (MICT) assessments on DAF locations as needed. **(T-1)**

2.2.5.3.2. Analyzes applicable support systems and metrics to provide informed guidance on Fuels career field compliance items. **(T-1)**

2.2.5.4. Maintains an AF fuels directory (Blue Book) and updates when requested. **(T-1)**

2.2.5.5. Manages fuels SME augmentation program in coordination with AFIMSC. **(T-1)**

2.2.5.6. Serves as the primary subject matter expert for Theater Working Groups to include Air Force and joint wargames.

2.2.5.7. Provides fuels contracting support. **(T-1)**

2.2.5.7.1. Coordinates with DLA-E Contracting Office regarding contract issues and concerns raised by the Contracting Officer Representatives (CORs) or Property Administrators (PAs). **(T-1)**

2.2.5.7.2. Provides subject matter expertise for technical review during contract source selection. Assists AF activities with Performance Work Statement (PWS) development, modification, and validation. **(T-1)**

2.2.5.7.3. Coordinates PWS through contracting office. **(T-1)**

2.2.5.7.4. **(AFRC Host Bases Only)** The AFRC/A4R Fuels MFM provides fuels contracting support and oversight for AFRC host bases that are Government Owned Contractor Operated (GOCO).

2.2.5.8. Provides technical advice and logistical support to MAJCOMs, NAFs, Joint Task Forces, and other warfighting activities. Coordinates and approves fuel support requirements with DLA-E. **(T-1)**

2.2.5.8.1. Provides support IAW **paragraph 2.1.6**, as requested. **(T-1)**

2.2.5.8.2. Provides support to DLA-E during contingencies, degraded service, and provide exercises assistance to the warfighter. **(T-1)**

2.2.5.8.3. Serves as the Office of Primary Responsibility for Special Fuels Handling (SFH) Operations and Innovation collaboration focal point for the 2F career field. **(T-1)** See **paragraph 3.10.7**.

2.2.5.9. Reviews Joint Chiefs of Staff (JCS) web-based Bulk Petroleum Contingency Report (REPOL) submissions and submits reports for operational locations without assigned fuels personnel to the applicable MAJCOM staff. **(T-0)**

2.2.5.10. Manages, monitors, and maintains the Fuels Incident Reporter IAW **(Attachment 5)**. **(T-1)**

2.2.5.10.1. Collects and analyzes fuel incident reports and environmental incidents. **(T- 1)**

2.2.5.10.2. Coordinates with DLA-E for on-site visits and/or investigations related to incidents or fuel releases involving fuel facilities and/or when the incident results in adverse environmental consequences, media coverage, or when assistance is requested. **(T-1)**

2.2.5.10.3. Engages on un-resolved incident reports and validates incident resolution. **(T-1)**

2.2.5.10.4. Maintains the master incident database containing all AF fuel-related reports. **(T-1)**

2.2.5.10.5. Publishes a monthly summary of incidents reported by FMFs. Incident summaries are posted no later than the fifth duty day of the month to the DAF2FPOLPortal site: **https://usaf.dps.mil/teams/DAF2FPOLPortal/SitePages/AFPET-Enterprise-Operations-Division.aspx**. **(T-1)**

2.2.5.10.6. Performs trend analysis of incident reports and provides an annual (calendar year) summary of fuels-related incidents to the Petroleum, Oil, and Lubricants (POL) career field, which includes recommended procedural action and/or revised technical data, as necessary. **(T-1)**

2.2.5.11. In partnership with AFIMSC, site surveys associated with Site Activation Task Force (SATAF) actions or related to other peacetime mission changes, as requested. The supported program office will fund AFPET temporary duty costs. (T-1).

2.2.5.11.1. Ensure you consider minimum operating stock for locations without PWRR IAW **paragraph 2.3.8.12.1**.

2.2.5.12. Engages directly with Regular AF and AFRC FMTs on all issues, including documenting and tracking customer assistance requests affecting fuels operations. **(T-1)**

2.2.5.13. Coordinates with NGB Fuels Management (NGB/A4RMF) staff for all Air National Guard (ANG) fuels-related issues. **(T-0)**

2.2.5.14. Publishes the Weekly Activity Report to the DAF2FPOLPortal site: **https://usaf.dps.mil/teams/AFPET-SharePoint/SitePages/frontpage.aspx**. **(T-1)**

2.2.5.15. Provides the agenda and holds quarterly teleconference with AF/A4LR, MAJCOM fuels staffs, and operational locations to discuss topics affecting the fuels community. **(T-1)**

2.2.5.16. Vehicle Validation:

2.2.5.16.1. Provides instructions to FMFs for validating fuels vehicle requirements. **(T-1)**

2.2.5.16.2. Performs peacetime refueler vehicle validations for each respective fuels activity by analyzing the unique mission requirements using the refueling vehicle validation program and associated data (e.g., refueler dispatch frequency and utilization, hydrant utilization, peacetime, and wartime busiest day fuel demand requirement). **(T-1)**

2.2.5.16.3. Develops and publishes refueler validation schedule and guide to inform FMFs and MAJCOM/FLDCOM of timelines and process. **(T-1)**

2.2.5.16.4. Routes the refueler vehicle validation results within AFPET and vested MAJCOM staffs to ensure all peacetime and wartime requirements are met before sharing with the bases fuels activity. **(T-1)**

2.2.5.16.5. Coordinates results with each respective fuels activity's FMT, fleet manager, and Logistics Readiness Squadron Commander (LRS/CC) (or equivalent) to adjudicate concerns. **(T-1)**

2.2.5.16.6. Once adjudicated, submits official refueler vehicle validation results to 441 VSCOS. **(T-1)**

2.2.5.16.7. Considers refueling authorizations, vehicle in-commission rates, hydrant utilization strategy (HUS), joint-integrated assets, and applicable factors and/or variances that affect authorizations. **(T-1)**

2.2.5.16.8. AFRC refueling vehicle authorizations and variances are required to be coordinated with AFRC/A4R Fuels Management Staff. **(T-0)**

2.2.5.16.9. NGB/A4RMF performs refueling vehicle authorizations and variances for the ANG and coordinates results with AFPET. **(T-0)**

2.2.5.16.10. Notifies 441 VSCOS of any mission changes to support daily or special mission requirements beyond current authorizations. **(T-1)**

2.2.6. Technical Assistance Division Responsibilities.

2.2.6.1. Provides comprehensive technical and quality surveillance oversight for all fuels-related operations and equipment. This includes expert management of fuels handling systems, advanced laboratory testing equipment, aircraft fueling facilities, bulk storage/transfer facilities, and cryogenic assets. Key responsibilities involve enforcing product quality protocols for DLA-Energy capitalized product(s), filters and filtration requirements, and providing critical assistance to installations for resolving fuel system deficiencies, contamination events, and disposal challenges. **(T-1)**

2.2.6.2. Directs corrective actions involving aviation & ground product contamination, commingling, product conservation, rehabilitation, reclamation, and matters involving fuel/cryogenic receipt, storage, and mobile and fixed dispensing system deficiencies. **(T-1)**

2.2.6.3. Provides alternative, synthetic, and bio-fuels technical and logistical support. **(T-1)**

2.2.6.4. Performs technical assistance visits upon request. **(T-1)**

2.2.6.5. Responds immediately to requests from installation and will be on-site for technical evaluation within three working days or as soon as possible depending on the severity of the situation. **(T-1)**

2.2.6.5.1. Technical Assistance Division Chief or designated representative provides a written or electronic verification the assistance requests has been received and when it is scheduled to the requesting organization. **(T-1)**

2.2.6.6. Trip reports will be completed and submitted to AFPET Command Team and requesting activity leadership within 30 days after departure. Trip reports will include a summary of problems found and corrective actions taken. **(T-1)**

2.2.6.7. Provides fuel disposition instructions involving off-specification, contamination, or products not meeting use limits. Disposition instructions will be provided to the FMF via written or electronic communication or the Air Force Test and Analysis Tool (AFTAT). **(T-1)**

2.2.6.8. Coordinates FMF's DD3075, *DLA-E Disposition Request* submissions with the DLA-E Regional Quality Manager for fuel grade changes. FMF's will route DD3075 through AFPET, Operations Directorate, Technical Division (AFPET/PTOT) for coordination with DLA-E. **(T-0)**

2.2.6.9. Arranges and approves contracted or DLA-E laboratory testing on an emergency basis, upon request. **(T-1)** FMTs provide a courtesy copy of the DD3075 to AFPET Requirements, Automation, and Accounting Division.

2.2.6.10. Participates in Tri Service POL User's Group, DLA Energy Quality Manager meetings and Energy Institute Aviation Fuel Committee meetings.

2.2.6.11. Partners with the US HoD, AFIC Fuels, and Lubricant and Gases WG on product research, development, standardization, and interoperability.

2.2.7. Equipment Management Division Responsibilities.

2.2.7.1. Provides technical expertise for fuel's vehicles, support equipment, and cryogenics and leverages AFI 63-101/20-101, *Integrated Life Cycle Management*, to include equipment modification and serves as administrator for MAJCOMs to submit requirements to the AFLCMC/ROZ based on AF/A4LR priority submission in **paragraph 1.1.15**. Ensures fuels handling and support equipment and vehicles are designed and procured to meet Air Force operations guidelines.

2.2.7.2. Validates equipment and vehicle requirements and authorizations. Coordinates with 440 SCOS, 441 VSCOS, AFMC, Command Equipment Management Flight (CEMF) and/or Command Equipment Management Offices (CEMO), AFLCMC, Item Managers (IMs), and equipment specialists on funding, procurement programs, and other required management actions. **(T-1)**

2.2.7.3. Proposes and assists AFLCMCS/ROZ with product descriptions, service bulletins, and T.O. changes. **(T-1)**

2.2.7.4. Authorization Identification (ID) review.

2.2.7.4.1. Participates in biennial reviews and provides changes, additions, and deletions to Authorization ID 460 (Quality Control/Laboratories) and Authorization ID 488 (Fuel Storage and Gas Generating Equipment/Storage Tanks and Maintenance Support Equipment). **(T-1)**

2.2.7.4.2. Assists FMTs with validating FHE requirements for peacetime authorizations and the requisition process. Coordinates equipment turn-in and disposition requests with IMs and provides instructions to base-level equipment custodians. **(T-1)**

2.2.7.5. Evaluates using commercial-off-the-shelf equipment capabilities and coordinates requirements with AF/A4LR, 441 VSCOS, FMFs, and AFFORs. **(T-1)**

2.2.7.6. Coordinates all operational equipment, refueling vehicles and FHE authorization requirements with FMFs. WRM assets will be coordinated with 635 SCOW/WM. **(T-1)**

2.2.7.7. Coordinates replacement requirements based on Enterprise Logistics Management System (ELMS) data for those items coming due or extending beyond their operational use life to AF/A4LR and the 635 SCOW/WM. Coordinates with program integrated process teams (IPTs) on replacement and funding of FHE and FSE assets. Coordinates with AF/A4LR, AFLCMC/ROZ, 440 Supply Chain Operations Squadron (SCOS), 441 VSCOS, IMs to develop, track, and oversee fuels equipment and vehicle lifecycle replacement programs. **(T-1)**

2.2.7.7.1. For AFRC equipment and vehicles, must coordinate with AFRC/A4R to advocate funding for items beyond their operational use life. **(T-1)**

2.2.7.7.2. For ANG equipment and vehicles, must coordinate with NGB/A4RMF to advocate funding for items beyond their operational use life. **(T-1)**

2.2.7.8. Monitors incidents and direct deficiency reports and engineering investigation submissions on appropriate incidents through the Joint Deficiency Reporting System (JDRS). Coordinates and recommends corrective action on the solution and closure of the deficiency reports and engineering investigation with AFLCMC/ROZ. Information is then disseminated via JDRS, TCTOs, and/or service bulletin. **(T-1)**

2.2.7.9. Tracks FHE/FSE accountable property records using ELMS to ensure equipment lifecycle management and replacement contract actions align with equipment disposition requirements. **(T-1)**

2.2.7.10. Validates MAJCOM/FLDCOM ELMS requirements for Property Accountability, Force System Management, and Maintenance and Utilization modules to inform command needs to affect Program Objective Memorandum (POM) cycle for the Fuels portfolio; provides requirements to AF/A4LR. **(T-1)**

2.2.7.11. Participates in Society of Automative Engineers International, NATO Equipment working groups, DLA Equipment working groups & joint working groups.

2.2.7.12. Serves as the fuels handling and support equipment and vehicle technical consultant to AFLCMC and DoW agencies.

2.2.7.13. Facilitates development of AF Fuels Qualification Training Packages (QTP) for newly centralized fuels assets by liaising with the initial postured unit. Forward draft QTPs to CFM for action.

2.3. Mission Support Directorate Responsibilities.

2.3.1. Infrastructure Division Responsibilities.

2.3.1.1. DAF SCP for all DLA capitalized fuels assets that supports MILCON and SRM programs consisting of centrally managed programs (CMP), recurring maintenance and minor repair (RM&MR), environmental, and alternative fuels programs. AF SMEs that provide engineering and technical expertise on fuel related infrastructures and environmental support. Develop and maintain project priority lists and schedule for all DLA-Energy funded projects. Engages with Base (LRS and CE), AF fuel engineers, MAJCOM, AFIMSC, and programmers to review and validate project needs, requirements, and documentations.

2.3.2. Military Construction (MILCON).

2.3.2.1. Coordinates DLA MILCON data call deadline and requirements with Base, and MAJCOM/FLDCOM/AFIMSC Detachment Engineers. **(T-1)**

2.3.2.2. Hold kickoff meetings with all interested parties to explain the DLA IPRB process, required documentation and provide schedule for IPRB submittal.

2.3.2.3. Collects, reviews, validates, and prioritizes DD1391s and requirement documents for submission to the IPRB. **Note:** OCONUS locations AFFOR fuels planners coordinates with respective Combatant Command JPO to collect, validate, and prioritize 1391s and requirement documents for submittal to the IPRB.

2.3.3. Sustainment, Restoration, and Modernization (SRM).

2.3.3.1. AF SCP and technical/engineering authority for all DLA Energy funded SRM Programs for DLA capitalized fuels infrastructure. The SRM program consists of the following pillars: CMPs, facility condition surveys, RM&MR, and environmental. Performs engineering and logistics review for Base and/or AFFOR fuels planners when preparing DD1391s, Facility Request forms, IGE etc. per DoD Manual (DoDM) 4140.25 Vol 8, DoD 16 **DAFI23-201 23 AUGUST 2023.**

2.3.3.2. Validates and reviews project requests/needs and confirm real property records are coded for DLA Energy funding.

2.3.3.3. Approves, coordinates, and prioritizes all SRM requirements submitted while advocating for funding execution for fuels facilities. **(T-1)**

2.3.3.4. Reviews construction designs to ensure code/criteria compliance, standardization and modernization consistency. **(T-1)**

2.3.3.5. Coordinates with construction agencies to execute the repair.

2.3.4. Centrally Managed Programs.

2.3.4.1. DLA provides funding for the following CMP to maintain fuel facilities and comply with regulatory requirements:

2.3.4.1.1. Aboveground storage tanks: internal and external API 653 and STI

2.3.4.1.2. Cathodic Protection

2.3.4.1.3. Pipeline Integrity Management: API 570

2.3.4.1.4. Filtration Elements

2.3.4.1.5. Scully Updates

2.3.4.2. Coordinates with Base and CAs to schedule inspections and repairs for DLA capitalized facilities.

2.3.4.3. Review reports and validates deficiencies.

2.3.5. Recurring Maintenance and Minor Repair (RMMR).

2.3.5.1. Conduct inspections and repairs on wetted fuel systems.

2.3.5.2. Assist Base Fuel Maintenance Service Representative (FMSR) with submitting service orders and coordinating with CA to schedule repair.

2.3.5.3. Assign and FMSR from the Fuels Management Flight to be an alternate for RM&MR service order submissions.

2.3.6. Environmental.

2.3.6.1. Assists Base with obtaining DLA funding for environmental compliance and remediations for DLA capitalized fuel infrastructures in accordance with applicable local, state, federal, and/or foreign government standards and regulations.

2.3.6.2. Reviews, approves, and submits project requirements and documentation.

2.3.6.3. Provides engineering and technical support on environmental regulatory matters.

2.3.6.4. Coordinate with Base and CA to develop SOWs and IGE and validate project documentation.

2.3.6.5. Provides assistance with obtaining funding for the following environmental compliance:

2.3.6.5.1. Permit fees

2.3.6.5.2. Emission fees

2.3.6.5.3. Oil Spill Removal Organization / Spill Cooperative fees

2.3.6.5.4. Petroleum waste removal and disposal

2.3.6.5.5. Oil Water Separator cleaning

2.3.6.5.6. Sampling and testing

2.3.6.5.7. Spill Prevention, Control and Countermeasure / Stormwater Pollution Preventive Plan / Facility Response Plan

2.3.6.5.8. National Environmental Policy Act documents

2.3.6.6. Provides assistance with obtaining funding for the following environmental remediation:

2.3.6.6.1. Spill cleanup / spill materials

2.3.6.6.2. Spill reimbursement

2.3.6.7. Approves and coordinates site visit requests for DLA Energy leak detection testing CMP for underground infrastructures (pipelines, tanks, and sumps).

2.3.6.8. Coordinates site visits at GOCO locations for DLA Energy-sponsored spill prevention and response training, and underground storage tank operator training. **(T-0)**

2.3.7. Real Property.

2.3.7.1. Per DoDI 4165.70 and DAFI 32-9005 real property records must be coded 3S in the AF NexGen IT database and the DLA Enterprise External Business Portal to receive DLA funding

2.3.7.2. Reviews real property records and coordinates with AFCEC/CIT and base real property offices to keep the real property database updated to allow DLA capitalized assets eligible for DLA funding. (T-0).

2.3.7.3. Assists Bases with the real property reconciliation process as required by DoDI 4165.70 and DAFI 32-9005 (T-1).

2.3.7.4. Assists CAs, Base Real Property Office and AFCEC CIT in validating all newly DLA- capitalized fuels facilities (SRM and MILCON) DD1354s, Transfer and Acceptance of DoD Real Property are accurately reflecting complete and usable.

2.3.7.5. Coordinates with CAs and DLA Energy Real Property Office to ensure that newly generated 1354s are added to the DLA-Energy EBS database.

2.3.8. Accounting, Requirements, and Automation Division Responsibilities.

2.3.8.1. Manages the AF fuels and Aerospace Energy requirements programs. **(T-1)**

2.3.8.2. Serves as AF SCP to DLA-E concerning all fuels automated systems. **(T-0)**

2.3.8.3. Performs SCP review of the Inventory Management Plan (IMP) IAW DoDM 4140.25 Vol 6, *DoD Management of Energy Commodities*: *Defense Fuel Support Point (DFSP) Management*; ensures FMF are provided access to current copy of their IMP. **(T- 0)**

2.3.8.4. Consolidates AF aviation, ground fuel, liquid nitrogen, and aviator's breathing oxygen for inclusion in DLA-E POM. **(T-1)**

2.3.8.5. Validates, consolidates, and coordinates aviation into-plane contract requirements for DLA-E. **(T-0)**

2.3.8.6. Validates and coordinates inventory levels with DLA-E annually and provides a copy to MAJCOM fuels staffs. **(T-0)**

2.3.8.7. Monitors AF fuels transactions, Fuel Manager Defense (FMD) accounting rejects and Enterprise Business System. **(T-1)**

2.3.8.8. Processes emergency fuel spot-buys through DLA-E for mission sustainment during disruptions or lapses in contracted fuel supply or during contingency conditions. **(T-0)**

2.3.8.9. Coordinates fuel grade changes between FMFs and DLA-E. **(T-0)**

2.3.8.10. Provides oversight for DLA-E help-desk trouble reporting and facilitates resolutions with applicable agencies. **(T-0)**

2.3.8.11. Coordinates capitalization of fuel sites IAW DLA-E P-15, *Defense Working Capital Fund Capitalization*. Processes de-capitalization for locations no longer meeting requirements as outlined in DLA-E P-28, *Defense Fuel Support Point (DFSP) De-Capitalization, Temporary and Permanent Closure*. **(T-0)**

2.3.8.12. Validates and coordinates inventory levels of operating stock with DLA-E annually. Operating stock for overseas locations must be coordinated through the appropriate MAJCOM and CCMD JPO. **(T-0)**

2.3.8.12.1. Minimum operating stock for locations without PWRR should be calculated to 10 Days of Supply (DOS) to mitigate supply disruptions, surge requirements and/or new mission.

2.3.8.13. Represents AF at the annual DLA-E Node Arc conferences to validate AF bulk fuel requirements and receipt capabilities. **(T-1)**

2.3.8.14. Validates, consolidates, and coordinates quadrennial ground fuel requirements for installations, MAJCOMs, and DLA-E in contract information system. **(T-1)**

2.3.8.15. Coordinates draft DLA-E publications and policy revisions with AF/A4LR, MAJCOM fuels staffs, AFIMSC and support agencies. **(T-1)**

2.3.8.16. Serves as AF lead for existing and emerging fuels automation. **(T-1)**

2.3.8.16.1. Provides acquisition, disposition, and replacement instructions for fuels automated information technology (AIT) IAW **paragraph 10.3.6**. **(T-1)**

2.3.8.16.2. Performs, validates, and consolidates automation data calls. **(T-1)**

2.3.8.16.3. Interfaces with DLA-E concerning management of AIT. **(T-1)**

2.3.8.16.4. Manages AF testing of new systems and interfaces with other AIT systems. **(T-1)** AIT includes but is not limited to types of systems outlined below:

2.3.8.16.4.1. Automated tank gauging (ATG), mobile automated fuels service station, automated fuels service station, tactical automated service station, electronic point of sale device, electronic overfill prevention systems, electronic or automated pump and valve controls, hydrant system automation, fuel tank independent alarm systems and tank or truck overfill prevention systems.

2.3.8.16.5. Coordinates AIT testing requirements with test locations and provides test results to DLA-E with recommended improvements. **(T-1)**

2.3.8.16.6. Administers system change requests and AF recommended system upgrades for all fuels AIT systems (e.g., Windows upgrade, FMD update). **(T-1)**

2.3.8.17. Coordinates FMD communication issues with DLA's information operations Joint Staff Command, Control, Communications and Computers and Cyber (J6). **(T-1)**

2.3.8.18. Coordinates and participates in DLA-E inventory audits with base level FMT and provides technical assistance to correct findings. **(T-1)**

2.4. Product Support Directorate Responsibilities .

2.4.1. Delivers direct operational, quality assurance and scientific support to the Air Force's Fuels Management functional area, National Aeronautics and Space Administration, NATO, Air Force Interoperability Council (AFIC), Weapon System Program Offices, Combatant Commanders and other DoW activities on aerospace energy. Participates in DoW service control point Tri-Service Petroleum, Oils and Lubricants working group to develop joint service fuel and lubricant standards and specifications requirements. Directorate roles contribute to global execution of steady state, training, expeditionary/ISR missions and Space Launch Programs. The Product Support Directorate contains two divisions: Petroleum Standards Division and Laboratory Division.

2.4.2. Petroleum Standards Division Responsibilities.

2.4.2.1. Promotes and provides technical support on new emerging, synthetic, and alternative type fuels to exploit the use of these products at location where consumption is justified, ensuring use is in the best interest of the DAF.

2.4.2.2. Performs product service engineering, life cycle, and scientific support for petroleum, cryogenics, propellants, lubricants, hydraulic fluids, gases, and chemicals. **(T-1)**

2.4.2.3. Serves as preparation authority and/or AF custodians for military specifications, standards, and Technical Orders related to petroleum cryogenics, propellants, lubricants, hydraulic fluids, gases, and chemicals. **(T-1)**

2.4.2.4. Partners with other government, industry, academia, and allied nations on product research, development, standardization, and interoperability issues. **(T-0)** This includes but is not limited to serving as the US Head of Delegation (HoD) to NATO Fuels & Lubricants and Gaseous Aircraft Systems Working Group (WG), developing International Standardization Agreements.

2.4.2.5. Works in conjunction with the Laboratory Division to evaluate and incorporate emerging laboratory testing technologies and methodologies. **(T-1)**

2.4.2.6. Coordinates with SAF/IEN, AFWERX/SPACEWERX, and AFSC/ENSI on management of Small Business Innovation Research and other innovation programs with AFPET.

2.4.3. Laboratory Division Responsibilities.

2.4.3.1. Operates and maintains a worldwide aerospace laboratory network. **(T-1)**

2.4.3.2. Provides quality surveillance testing for petroleum, cryogenics, propellants, lubricants, hydraulic fluids, gases, and chemicals. **(T-1)**

2.4.3.3. Recovers direct costs for laboratory support to government and commercial customers and for packaged POL and chemical shelf-life extension testing. **(T-1)**

2.4.3.4. Performs packaged POL and chemical acceptance, quality control, and shelf-life extension testing in support of DoW, DLA, and allied nation requirements. **(T-0)**

2.4.3.5. Conducts gas, fuel, packaged POL, chemical, and hypergolic product laboratory testing IAW DoW, industry, and international standards, guidelines and requirements. **(T-0)**

2.4.3.6. Supports secure fuel as well as Aircraft Incident/Mishap Safety Investigation Boards with laboratory testing as needed. **(T-0)**

2.4.3.7. Works in conjunction with the Standards Division to evaluate and incorporate emerging laboratory testing technologies and methodologies. **(T-1)**

2.4.3.8. Serves as the Program Management Office (PMO) for Air Force and Analysis Tool (AFTAT) system. **(T-1)**

2.4.3.9. Performs investigative analysis to characterize unknown liquid, solid, and cryogenic contaminants. **(T-1)**

Chapter 3

ORGANIZATIONS SUPPORTING FUELS MANAGEMENT FLIGHTS

3.1. United States Transportation Command (USTRANSCOM) General Responsibilities.

3.1.1. Commander (CDR), USTRANSCOM. Subject to the authorities in Title 10 U.S. Code § 2926 and consistent with the responsibilities, functions and authorities assigned to the Under Secretary of Defense (USD) Acquisition & Sustainment (A&S) in Department of Defense Directive (DoDD) 5135.02, CDR, USTRANSCOM, will serve as the DoW Single Manager for Global Bulk Fuel Management and Delivery (GBFMD) in support of Combatant Commander requirements. As the single manager, CDR, USTRANSCOM synchronizes bulk fuel posture, planning, and execution and advocates for resources, capabilities, and process improvements in coordination with Combatant Commands, Military Services, and the Defense Logistics Agency. USTRANSCOM may use the Transportation Working Capital Fund for any GBFMD expenses, and its charter will be updated to reflect this new mission.

3.1.1.1. Fuel Integration and Synchronization Officer (FISO).

3.1.1.1.1. Serves as primary focal point for USTRANSCOM's GBFMD Single Manager authority for the assigned CCMD.

3.1.1.1.2. Collaborates with key military and civilian stakeholders to ensure bulk fuel strategies are incorporated into planning and align with strategic goals, plans, and objectives.

3.1.1.1.3. Represents the USTRANSCOM Single Manager and serves as authoritative expert and focal point for bulk fuel planning to assign CCMD.

3.1.1.1.4. Serves as an authoritative expert and focal point for USTRANSCOM bulk fuel posture to the assign CCMD.

3.1.1.1.5. Establishes and guides the assign CCMD Petroleum Integration Cell (PIC) in collaboration with JPO and DLA-E Liaison.

3.2. Defense Logistics Agency Energy (DLA-E) General Responsibilities.

3.2.1. Director, DLA. Under the authority, direction, and control of the USD A&S, and IAW the DoDI 4140.25 *DoD Operational Energy and Bulk Fuel Policy* the Director, DLA, will execute Integrated Materiel Manager (IMM) functions for the DWCF bulk petroleum supply chain. The IMM and IMM-related responsibilities retained by DLA include, but are not limited to, the responsibilities set forth in DoDI 4140.25, Encl. 2 paragraph 3, except for paragraphs 3.b, 3d, 3e (25) and 3e (29).

3.2.2. Serves as DoW's IMM for bulk petroleum products, aviator's breathing oxygen and liquid nitrogen IAW DoDM 4140.25 Vol 1, *DoD Management of Energy Commodities: Overview.*

3.2.3. Uses regional offices to monitor customer activity, capability, and operating practices for both continental United States and overseas locations. **(T-0)**

3.2.4. Provides guidance regarding management of DWCF through DoDM 4140.25 Vol 1 and DLA-E P-7. Assesses and approves waiver requests to requirements outlined in DoDM 4140.25 Vol 6 and DLA-E interim policy implementation and procedural guidance. **(T-0)**

3.2.5. Works with CCMD JPO to execute IMM responsibilities. **(T-0)**

3.2.6. Furnishes DD448, *Military Interdepartmental Purchase Request*, for environmental expenses and SRM IAW DoDM 4140.25 Vol 8. **(T-0)**

3.2.7. Provides the following CMP for capitalized facilities: **(T-0)**

3.2.7.1. Cathodic protection.

3.2.7.2. Demolition.

3.2.7.3. Dredging.

3.2.7.4. Hydrants (maintenance and tune-ups).

3.2.7.5. Marine loading arms.

3.2.7.6. Piers and marine structures. Pipeline integrity management program American Petroleum Institute (API) (Standard 570, *Piping Inspection Code: Inspection, Repair, Alteration, and Rerating of In- Service Piping Systems*).

3.2.7.7. Railroad track systems.

3.2.7.8. Aboveground Storage Tanks (AST) designed and constructed to API, Standard for the Inspection (STI), and Underwriters Laboratories (UL) standards.

3.2.8. Filtration Elements IAW DLA-E P-22, *Procedures for Requisition, Funding Requests, or Reimbursement of Filter/Coalescer Element.*

3.2.9. DLA-E establishes service procedures for processing special fuels and providing fuel additives. **(T-0)**

3.2.10. Initiates DD1391 submission for MILCON and SRM projects in coordination with FMT to capture and build requirements to ensure mission success. Forwards to AFIMSC fuels engineers, infrastructure managers, programmers, MAJCOM fuels staffs, AFPET, and Joint Staff J-4 LEAP or Joint Staff J-4 personnel upon submission. **(T-1) Note:** DLA initiates under limited circumstances, and it is primarily the bases' responsibility since the Air Force owns the infrastructure.

3.2.11. Coordinates with the USSF for propellants requirements related to space launch and on-orbit propulsion.

3.3. Assistant Secretary of the Air Force for Installations, Environment, and Energy's (SAF/IE) General Responsibilities.

3.3.1. Provides guidance, direction, and oversight for all matters pertaining to the formulation, review, and execution of plans, policies, programs, and budgets to ensure sustainment, protection of the mission from degradation and encroachment regarding federal and state legislation and regulations related to: Energy, Environment, Infrastructure, Installations, and Safety.

3.3.2. Establishes and oversees effective, innovative, and efficient policies for environment, installations, occupational health, installation energy and operational energy, and safety.

3.4. AF Installation and Mission Support Center (AFIMSC) General Responsibilities.

3.4.1. Serves as the single intermediate-level organization delivering installation and mission support oversight for manpower, manning, and force development to MAJCOM, subordinate units, and base installations. Execute all MAJCOM FAM responsibilities.

3.4.2. MAJCOM Functional Manager responsibilities. (Exception AFRC) or (RegAF Only)

3.4.2.1. Coordinates with AFPC to validate weekly Technical Training Graduate allocations, ensuring fair and equitable distribution aligned with gaining unit training capabilities.

3.4.2.2. Validates quarterly Overseas, Overseas Returnee, and CONUS Mandatory Mover allocations in collaboration with AFPC to ensure equitable distribution aligned with career field and Air Force manning.

3.4.2.3. Develops Fuels CMSgt and SMSgt Assignment Priority Plans in coordination with the CFM and MAJCOM Fuels Staff.

3.4.2.4. Manages Unit Manpower Documents (e.g. Enlisted Grade Review (EGR), Manpower Change Request, (MCR) Authorization Change Request (ACR), etc.) in coordination with AFPC and MAJCOMs A1s.

3.4.2.5. Initiate and/or lobby for POM action and submit justification for unfunded manpower authorizations/requirements in collaboration with the Program Element Manager and CFM.

3.4.2.6. Coordinates manning assistance requests with AFPC and the ACC GFM, as required.

3.4.2.7. Balances military grade allocations using funded authorization grades to determine grade distribution by command.

3.4.2.8. Serves as functional advisor and liaison to installations, MAJCOM staffs, and the Air Force Career Field Manager.

3.4.2.9. Advises Commanders and FMTs on proper personnel utilization.

3.4.2.10. Conducts Enterprise Support (site) visits to assess base missions, engage with MAJCOM, and brief/educate personnel on career field health, training, and AFSC-related topics.

3.4.2.11. Prioritizes, evaluates, and justifies authorizations during the Chief Grade Review and Enlisted Grade Review, in coordination with the CFM.

3.4.2.12. Coordinates with units to publish Talent Marketplace ads for urgent and standard fills.

3.4.2.13. In partnership with AFPET, performs MFM, manpower, and training Site Activation Task Force (SATAF) actions or related to other peacetime mission changes, as requested. The supported program office will fund AFIMSC temporary duty costs. **(T-1)**

3.4.3. Manpower Management Responsibilities.

3.4.3.1. Manages the 2F manpower determination development process and allocations enterprise-wide through interaction with installation manpower offices, MAJCOM A1 staffs, the Air Force Manpower Analysis Agency (AFMAA), and AFPC coordination.

3.4.3.2. Adheres to the manpower study schedule to meet target deadlines.

3.4.3.3. Provides SME recommendations for the function review workshop.

3.4.3.4. Reviews all manpower study documentation (e.g., work center descriptions, measurement plans, and final reports) for accuracy to rectify disconnects and inaccuracies.

3.4.3.5. Scrutinizes factors and methodology are used to verify the accuracy measurement data.

3.4.3.6. Coordinates on all 2F manpower variances from each unit and MAJCOM A1 staff and to AF/A4LR.

3.4.3.7. Assists in developing work center process productivity enhancements.

3.4.4. 2F Mission Readiness Training (MRT) Responsibilities.

3.4.4.1. Plans, validates, and forecasts formal training requirements using course requirements outlined by Education and Training Course Announcements (ETCA) website, **https://usaf.dps.mil/teams/app10-etca/sitepages/home.aspx**.

3.4.4.2. Utilizes the Training Request SharePoint Team (TRST) channel.

3.4.4.3. Provides updates for education and training course announcement requirements for all 2F courses outlined in CFETP to training pipeline manager.

3.4.4.4. Programs for technical skill training and MRT to forecast and obtain required training quotas to support MAJCOM missions.

3.4.4.5. Justifies and requests funded training allocations through DLA-E for Joint Petroleum Enterprise courses (e.g., J-07, J-10, J-15, J-20, JPC 200, etc.).

3.4.5. Functional Area Manager (FAM) Responsibilities.

3.4.5.1. Responsible for developing, managing, planning, and executing requirements to support contingencies, as necessary, IAW DAFMAN 10-406 and DAFMAN 10-401. **(T-1)**

3.4.5.2. Functions as the Manpower and Equipment Force Packaging (MEFPAK) system responsible agency and pilot unit for all fuels conventional forces personnel UTCs. **(T-1)**

3.4.5.3. Supports MAJCOM Unit Type Code Availability (UTA) development for fuels capabilities. **(T-1)**

3.4.5.3.1. Reconciles fuels unit manpower document authorizations with postured UTCs. **(T-1)**

3.4.5.3.2. Applies posturing strategy to future year UTA. **(T-1)**

3.4.5.3.3. Provides posturing and coding requirements for fuels UTCs in coordination with MAJCOM fuels staffs. **(T-1)**

3.4.5.4. Identifies recommendations to MAJCOM A3 staffs on agile combat support consolidated planning schedule. **(T-1)**

3.4.5.5. Submits rotational and emergent tasking verification recommendations to MAJCOM A3 staff. **(T-1)**

3.4.5.6. Analyzes personnel readiness to adjudicate shortfalls and Unit Identification Code (UIC) changes. **(T-1)**

3.4.5.7. Performs UTC development, management, and maintenance activities for personnel and equipment UTCs assigned to AFIMSC and 635 SCOW/WM as the MEFPAK system responsible agency. **(T-1)**

3.4.5.8. Collaborates with the CFM, AF/FAM, and MAJCOM fuels staffs during Defense Readiness Reporting System (DRRS) unit reviews and Mission Essential Task Listing (METL) updates for the 2F enterprise.

3.5. MAJCOM General Responsibilities.

3.5.1. MAJCOMs have the responsibility to organize, train, and equip assigned fuels forces to support Operations Plan (OPLAN) requirements, exercises, and provides oversight to units and assists AFIMSC fuels FAMs as required.

3.5.1.1. Assists AF/A4LR with career field working groups, program reviews, U&TW, and career field re-engineering efforts. **(T-1)**

3.5.1.2. Manages storage and inspection programs for theater WRM assets. **(T-1)**

3.5.1.3. Fuels planners with assigned WRM FHE must, no later than 1 October of each year:

3.5.1.3.1. Recommend storage bases or locations, set inside storage priorities, prescribe command reporting procedures, and administer a sustainable operational management program in coordination with their command war reserve materiel office (CWRMO) and 635 SCOW. **(T-1)**

3.5.1.3.2. Provide WRM FHE requirement needs statements to the FWS to fill requirement gaps. **(T-1)**

3.5.1.3.3. Ensure all fuels functions utilize DRRS, Deliberate and Crisis Action Planning and Execution Segments (DCAPES) for readiness reporting.

3.5.1.4. Identifies sourcing of assigned forces in support of exercises, wartime, small-scale contingencies, humanitarian operations, and natural and environmental disaster theater plans. Coordinates with the AFIMSC FAM on any shortfalls requiring outside theater augmentation. **(T-1)**

3.5.1.4.1. MAJCOMs may contact AFPET for support or assistance if required. **(T-1)**

3.5.1.5. Coordinates Military Personnel Appropriation days with A1MT to provide skilled manpower to support missions when regular component resources are unavailable or insufficient. All personnel will use the Active-Duty Operational Support-Active Component man-day program IAW AFI 36-2619 to access capabilities within the ARC to support RegAF missions and Total Force Integration tasked operational missions.

3.5.1.6. Validates requests from local Host Aviation Resource Management (HARM) offices with MAJCOM A3T office to ensure operational flyer support. **(T-1)**

3.5.1.7. MAJCOMs that conduct Special Fuels Handling-Air (SFH-A) operations will assign an SFH-A Program Manager to perform the duties as prescribed herein. **(T-1)**

3.5.1.8. MAJCOMs with SFH-A Program Manager support will assist FMFs in the proper management of all SFH equipment maintenance and Wet Wing Defueling (WWD) procedures.

3.5.1.9. MAJCOMs will provide guidance to unit SFH-A Team Chiefs on proper storage, maintenance, and reconstitution of WWD equipment to ensure it is only used by 2F SFH-A operators.

3.5.1.10. Coordinates with Office of Primary Responsibility for SFH Operations and Innovation collaboration within AFPET.

3.5.2. Serves as fuels management functional lead to Commander of Air Force Forces (COMAFFOR) and the MAJCOM A4s for exercises, wartime, small scale contingencies, humanitarian operations, and natural and environmental disasters. **(T-1)**

3.5.2.1. Liaises with the respective CCMD JPO, DLA-E, and other logistics support agencies to facilitate peacetime, wartime, or emergency response fuels support and requirements IAW USTRANSCOM, applicable CCMD JPO, and/or authorities guidance. This includes advocacy to prioritize funding for joint fuel capabilities which may impact mission execution. **(T-1)**

3.5.2.2. Assists the AF 2F CFM with CFETP updates. **(T-1)**

3.5.2.3. Coordinates with AFPET for technical assistance and provides concept of support for fuel inventory management, facilities, vehicles, and equipment data upon request. **(T-1)**

3.5.2.4. Performs site surveys related to FAM duties with augmentation as needed from qualified SNCOs within the same geographical region. **(T-1)**

3.5.2.4.1. Utilize the POL Site Survey Template on the DAF2FPOLPortal site: **https://usaf.dps.mil/teams/DAF2FPOLPortal/SitePages/Future-Operations-%26-Planning.aspx**

3.5.3. Reviews POLCAPs and JCS REPOL web-based reports for fuel locations under their control. **(T-1)**

3.5.3.1. Provides a communication outage plan for contingency reporting in coordination with the geographic CCMD JPO. **(T-1)**

3.5.3.2. Reviews JCS web-based REPOL submissions. **(T-0)**

3.5.4. Obtains access and uses Basing & Logistics Analytics Data Environment (BLADE) and Advanced Analytics (ADVANA) to validate the status of capacities, assets, and other logistics planning data. BLADE access can be found on the AF Portal and ADVANA via Non-secure Internet Protocol Router (NIPR) or Secret Internet Protocol Router (SIPR) methods.

3.5.5. Calculates support and class III requirements for personnel and equipment necessary to meet maximum one-day requirements for the most demanding approved OPLAN for each base for which they have Base Operating Support Integrator (BOS-I) responsibility. **(T-1)** Ensures that all requirements are captured, such as manual enroute refueling stops, strategic airlift (military and civil reserve air fleet) refueling requirements, and other service component requirements.

3.5.6. Monitors AF component product levels IAW DoDM 4140.25 Vol 6. **(T-0)**

3.5.7. Coordinates MILCON project submissions and conveys priorities to applicable JPO, with a courtesy copy sent to AFPET for proposed DLA funded MILCON projects in preparation for the IPRB. **(T-1)**

3.5.8. Develops wartime refueling vehicle requirements in coordination with AFPET. **(T-1)**

3.5.9. Performs AFFOR fuels management-related duties to support the operational planning and execution process for their CCMD IAW AFI 13-103, *Air Component Headquarters AFFOR STAFF Operations, Readiness and Structures*. **(T-1)**

3.5.10. Performs FAM duties as identified in DAFMAN 10-406. The FAM is responsible for developing, managing, planning, and executing requirements to support contingencies in coordination with AFIMSC MFM. **(T-1)**

3.5.11. Communicates LIMFACs, shortfalls, and capability gaps. Generates mitigation measures to reduce risk to achieve CCMD theater campaign planning and order responsibilities. **(T-1)**

3.5.12. Liaises with the proper decision-making authority (e.g., A3, A5/7, etc.) to advocate for CLASS III Petroleum Fuel Storage and Distribution scenario inclusion in training and exercise events. This includes realistic refueling concepts of employment to include associated challenges.

3.5.13. Provides After-Action Report (AAR) from exercises and/or major events to AFPET/PTOC within 30 days of exercise conclusion. **(T-1)**

3.5.14. Communicates command specific SATAF planning requirements to AFPET/PTOC. **(T-1)**

3.5.15. Develops Appendix 1 to Annex D as required for each level 3 (Time Phased Force Deployment Data (TPFDD) and level 4 plan. **(T-1)**

3.5.16. Coordinates Joint Force Air Component Command Air Tasking Order (ATO) fuel requirements with other functional component commands to support inland petroleum distribution plan development. **(T-1)**

3.5.17. Participates in Boards, Bureaus, Cells, Centers, and Work Groups (B2C2WG) requiring fuels expertise. **(T-1)**

3.5.18. Tracks, monitors, adjudicates, and recommends additions or deletions of fuels Tier 1 or Tier 2 task critical assets IAW AFI 10-2402, *Critical Asset Risk Management Program*. **(T-1)**

3.5.19. Provides annual prepositioned war reserve requirement (PWRR) and highlights maximum one-day fuel demand for each supported plan to individual AF fuels DFSPs. **(T-1)**

3.5.19.1. Includes ground fuel, liquid oxygen, liquid nitrogen, additive requirements, and specialized fuels. **(T-1)**

3.5.19.2. Determines total fuel requirement, total sorties, and bed-down manpower, which informs the calculation requirements for individual site creation and updates the Base Support Plan (BSP) part 1 and 2 or expeditionary site plan. **(T-1)** AFFOR provide fuel requirements to base FMT.

3.5.19.3. Ensures that UTC augmentation requirements for personnel, fuels support equipment, and vehicles are captured and communicated for each concept plan or OPLAN. **(T-1)**

3.5.20. Coordinates with CWRMO to review and provide changes, additions, and deletions to the 635 SCOW/WM for D coded WRM assets.

3.5.21. Coordinates OPLAN, S-Plan updates and MAJCOM aligned Specialized Fueling Operations (SFO) equipment with NGB/A4RMF at least annually. **(T-0)**

3.5.22. IAW DoDI 1225.06 and DAFPD 10-9, Program Objective Memorandums (POMs) are developed for all initial purchases of Title 10-aligned FHE.

3.5.23. Coordinates installation bed-down priorities with NGB/A4RMF. **(T-0)**

3.5.24. Adheres to DoDM 4140.25 Vol 5, DoD Management of Energy Commodities: Support of Joint Operations, Contingencies, Civil Authorities, and Military Exercises and DLA-E P-17, Exercise and Contingency Operation guidelines. Refers non-capitalized fuel funding inquires to the appropriate MAJCOM Financial Management office.

3.6. Air Mobility Command (AMC/A4RX) General Responsibilities.

3.6.1. Serves as the Fuels career field office of primary responsibility for strategic airlift ground refueling planning requirements for United States Transportation Command (USTRANSCOM). **(T-1)**

3.6.2. Provides validation of Air Mobility Planner strategic airlift summary for all TPFDD requirements in support of PWRR submissions by supported CCMD MAJCOM fuels staffs. **(T-1)**

3.6.3. Provides Aerial Bulk Fuel Delivery System (ABFDS) support to United States Northern Command and United States Strategic Command as required. **(T-1)**

3.7. AF Special Operations Command (AFSOC/A4RE) General Responsibilities.

3.7.1. AFSOC retains lead responsibility for Forward Area Refueling Point (FARP) program management, equipment maintenance requirements and procedures, and must notify other commands and the 2F Schoolhouse of any changes to this program. **(T-1)**

3.7.1.1. Certifies FARP programs, coordinates requirements, fosters formalized training, and qualifies the initial cadre, including trainers of personnel prior to teams' initial commitment date. **(T-1)**

3.7.1.2. As the lead MAJCOM for FARP Operations, AFSOC/A4RE will assist in the management of FARP, including establishing procedures, developing appropriate checklists, FARP site survey approval, and waivers for commands with codified UTC requirements. **(T-1)**

3.7.1.3. Ensures command-to-command agreements are developed and updated annually to cover all FARP requirements. Includes, at a minimum: personnel requirements, equipment inspection and maintenance, fuel support, and training requirements that must be performed by a 2F. **(T-1)**

3.7.1.4. Develops policy/updates and monitors the training progress and assists with enhancement of equipment for 2F0X1 Hose Deployment Personnel (HDP). **(T-1)**

3.7.1.5. Manage AFSC 2F0X1 HDP positions that support AFSOC and AMC Special Operations Low-Level II. **(T-1)**

3.7.1.6. Augments inspection teams and provide technical evaluation of equipment, checklists, and training programs when requested. **(T-2)**

3.7.1.7. Serves as approval authority for deployment of AFSOC-owned fuels resources. **(T-1)**

3.7.1.8. Assist in the development and technical evaluations of fuel servicing procedures and support equipment in coordination with 2F Schoolhouse and AF/A4LR. **(T-1)**

3.7.1.9. Perform technical evaluation with AFPET SFH team for new SFH refueling equipment.

3.7.1.9.1. WWDs conducted by aircrew personnel without 2F0X1s will fund, maintain, procure, and inspect applicable equipment while adhering to Fuels and DoDI policy guidance. **(T-0)**

3.7.1.9.2. The aircraft maintenance unit and/or flying unit assumes the responsibility for fuel quality and ensures the fuel grade/type as listed in each respective mission design series (MDS) T.O. prior to being offloaded to another organization/flying unit for WWD operations.

3.7.1.10. Validates the initial FARP Phase III certification process or when changes are made. **(T-1)**

3.7.1.11. When new FARP Programs are established, AFSOC/A4RE FARP Program Manager will certify initial HDP cadre that will be performing AF FARP operations. **(T-1)**

3.8. Air Combat Command (ACC) General Responsibilities.

3.8.1. Organizes, trains, and equips assigned fuels forces, programs, exercises, and assist AFIMSC Fuels FAMs, as required. **(T-1)**

3.8.1.1. FARP Programs are an ACC/A3J requirement. ACC/A3J will provide all funding necessary for operations in addition to future sustainment of any approved program. **(T-1)**

3.8.1.2. Inspects FARP programs IAW AF inspection system and local wing/delta inspection teams. The ACC IG teams will perform evaluation or unit effectiveness inspections, and as deemed necessary by AFSOC for safety of flight and personnel. **(T-1)**

3.8.1.3. ACC/A4RF coordinates with Air Combat Command, Operations, Readiness Branch (ACC/A3OR) to provide fuels personnel to support Red Flag, Green Flag, Checker Flag, exercises, and events, as required. **(T-1)**

3.9. National Guard Bureau (NGB) General Responsibilities.

3.9.1. The National Guard Bureau (NGB) is an Air Reserve Component but maintains MAJCOM administrative responsibilities as prescribed by DoDD 5105.77, *National Guard Bureau.* **(T-0)**

3.9.2. Liaise between AFPET and the ANG FMF on all issues affecting fuels operations and coordinated assistance as required. **(T-0)**

3.9.3. Serves as the ANG 2F Career Field Manager for strategic-level non-federalized domestic operations (i.e., U.S. Title 32) IAW DAFI 36-2670, *Total Force Development*. **(T-0)**

3.9.4. Liaises with lead MAJCOMs to ensure personnel are organized, trained, and equipped to meet OPLANs/UTC requirements.

3.10. AF Reserve Command, Logistics Readiness Division (AFRC/A4R) General Responsibilities.

3.10.1. AFRC retains MAJCOM responsibilities as prescribed by DoDI 1225.06, *Equipping the Reserve Forces*. **(T-0)**

3.10.2. Coordinates with AFPET on equipment issues to prevent inappropriate transfer or misuse of support equipment. **(T-1)**

3.10.3. Validates and executes all 2F position ACR in coordination with AFRC/A1.

3.10.4. Reviews and validates fiscal year (FY) MRT quotas annually with AFIMSC and AFRC/A1.

3.10.5. Validates Accelerated MRT training plans and forecast budget requirements annually with AFRC/A1.

3.10.5.1. Reviews Approves/disapproves Accelerated MRT requests from.

3.10.6. Manages Fuels Inspection Program as Pertinent Oversight Authority. Conducts functional assessments IAW the unit effectiveness inspections schedule. Coordinates inspection augmentation requests through AFPET Operations.

3.10.7. Provides command oversight of Base Operation Support fuels contracts. Accomplishes PWS review, source selection, and on-site evaluation as needed. Reviews monthly COR reports to evaluate contractor performance and identify trends.

3.11. 364th Training Readiness Squadron (TRS) 2F Schoolhouse General Responsibilities.

3.11.1. Develops 2F Basic and Advanced course training material, seeks opportunities to develop fuels professionals (e.g., military, civilian), keeps curriculum relevant, performs course reviews, recommends changes when necessary, provides training templates, and adjudicates all incorporations from non-2F communities in coordination with the 2F CFM, AFIMSC, AFPET, and MAJCOM fuels staffs as applicable. **(T-1)**

3.11.2. Provides SME assistance and attends required conferences, work groups, and targeted ventures to better the 2F enterprise as outlined in this instruction. **(T-1)**

3.11.3. Participates in 2F equipment First Article Testing (FAT) and provides assessments of new equipment, as requested by AFPET. **(T-3)**

3.11.4. Hosts Fuels U&TW, STRT, course curriculum reviews, and activities as directed by 2F CFM or when required by other policy guidance. **(T-1)**

3.11.5. Develops agenda topics, identifies SMEs required to participate, and evaluates target vectors to enhance 2F training competency behaviors for each enhancement venue and for course validations. **(T-1)**

3.11.6. Send all approved training programs or aids developed by the 2F Schoolhouse to be published on the DAF2FPOLPortal SharePoint site: **https://usaf.dps.mil/teams/2FSchoolHouse (T-1)**

3.11.6.1. Aids development of QTPs, as requested. **(T-1)**

3.11.7. Develops MAF-R training, lesson plans, Air Force Job Quality Standard (AFJQS), and on-the-job training (OJT) plans for fueling assets not procured by 2F community and with coordination or at the direction of the 2F CFM. **(T-1)**

3.11.7.1. Reviews and updates MAF-R lesson plans every two years or as requested by AF/A4LR or AFGSC/A4RE. **(T-1)**

3.11.7.2. Provides guidance and makes recommendations as requested on inspection and operational MAF-R checklists. (T-1)

3.11.8. Screens 2F Instructor applicants for most qualified candidates based on return on investment, retainability, and career potential. Refers applicants will be vetted with the requirements listed below before selection/hire. **(T-1)**

3.11.8.1. FMT endorsement in LRS/CC letter of recommendation. **(T-3)**

3.11.8.2. AFPC 2F Assignments Manager applicant review. **(T-2)**

3.11.8.3. 2F CFM endorsement if conflict, split decision, or waiver is required.

3.11.8.4. Must have completed: a Logistics CCAF degree, awarded a two-year degree (within a logistics discipline) from an accredited institution, or within three classes of degree completion. **(T-1)**

3.11.8.5. Received AC or LC ratings in the last three years of duty performance.

3.11.9. Submits each graduate student AETC 156, *Student Training Report* to their gaining location's FKO or FMT org box for distribution and review of the immediate supervisor. **(T-1)**

3.12. 635th Material Maintenance Support Squadron Fuels Management Flight Responsibilities.

3.12.1. Serves as the Pilot Unit and primary point of contact for the following:

3.12.1.1. Management of FHE/FSE UTCs IAW this DAFI, AFI 24-301, AFI 25-101, AFI 10-401, and applicable policies.

3.12.1.2. Deployment of technical SMEs to assist the erection and maintenance of deployed FHE/FSE.

3.12.1.3. Expertise, guidance and procedures for standardization of storage, maintenance, and modernization of FHE/FSE. **Note:** The Pilot Unit will coordinate modernization initiatives with AFPET/EM & the 635 SCOW/WM, as required.

3.12.1.4. Provides deployment/redeployment (e.g., packing, preservation, receipt, disposition, etc.) of FHE/FSE IAW AFI 24-602.

3.12.2. Develops, coordinates, and submits FHE/FSE Readiness Spares Packages (RSP) authorization adjustments to 635 SCOW/WM.

3.12.3. Provides 635 SCOW/WM feedback on T.O. reviews, validations, and verifications IAW T.O. 00-5-3.

3.12.4. Participates in forward operating site surveys IAW AFI 10-404, as requested.

3.12.5. Liaises with AFPET/EM for technical support of FHE/FSE.

3.12.6. Coordinates deficiency reports IAW this DAFI.

3.12.7. Facilitates a quarterly POL WRM Storing Unit synchronization to disseminate and collect info (e.g., issues, challenges, best practices, modernization recommendations, etc.).

3.12.8. Conducts a UTC Biennial Review IAW DAFMAN 10-406.

3.12.9. Recommends UTC changes and cancellations IAW DAFMAN 10-406.

3.12.10. Advises POL WRM Storing Units to maintain FHE/FSE UTC specifications IAW MEFPAK/DCAPES (i.e., not based on proposed changes, etc.).

3.12.11. As the Pilot Unit advocates to resolve POL WRM Storing Unit challenges associated with FHE/FSE UTCs at the FWS & FWG.

Chapter 4

LOGISTICS READINESS SQUADRON (LRS) AND WING/DELTA AGENCIES

4.1. Logistics Readiness Squadron (LRS) Commander or Equivalent(s) General Responsibilities.

4.1.1. Ensures that only CFETP-qualified personnel possessing the AFSC 2F0X1, U.S. Civil Service employees, U.S. contract employees, coalition/host nation military and/or civilian personnel, or sister service equivalent(s) are permitted to perform fuels or cryogenics operations. **(T-1)** Non-fuels personnel may augment as a second person for safety oversight only after receiving a fuels workplace-specific briefing regarding their specific responsibilities.

4.1.2. Appoints a primary and alternate FMF RO IAW DoDM 4140.25 Vol 6 and DLA-E P-7, *Accountability and Custodial Responsibilities for DWCF Inventory and Government Property*. **(T-0)**

4.1.3. Budgets for training requirements outlined in the unit's Designed Operational Capability (DOC) statement and those postured as rotationally available in UTA in DCAPES. **(T-2)** This includes 2F Career Field Mission Critical Education, Training, and Development Venues IAW **Attachment 3.**

4.1.4. Approves requests for official passports for fuels personnel IAW DoDM O-1000.21, Passport and Passport Agent Services, and AFI 10-403, *Deployment Planning and Execution*. Coordinates with the Force Support Squadron and expedites requests when mission demands are necessary. **(T-2)**

4.1.4.1. Coordinates with MAJCOM to obtain secure fuel mission official passport requirements. **(T-1)**

4.1.4.2. Ensures all JFABF, JFARP, JFART, and JFA2P UTC postured personnel maintain a current official passport for readiness capability. **(T-1)**

4.1.5. Provides personal protective equipment (PPE) and safety equipment as required by BE's industrial hygiene survey and Job Safety Training Outline requirements. **(T-2)**

4.1.6. Ensures fuels personnel are not assigned as fuel delivery escorts to areas outside the FMT's span of control. **(T-2)**

4.1.7. Refer to **Attachment 14** to ensure FARP and SFH-A personnel are postured with required personal equipment, gear, and PPE for taskings. **(T-1)**

4.1.7.1. Refers to AFSOC personal equipment memorandum published annually by AFSOC FARP Program Manager to ensure that the FARP personnel postured for tasking receive the required gear and PPE, for most up-to-date memorandum. **(T-1)**

4.1.8. Under no circumstances will agencies outside wing/delta-level activities visit, request, or obtain information about an AF fuels operation without prior coordination and approval of AFPET. This ensures that AF fuels policies, procedures, and sensitive data are safeguarded to protect flights from unauthorized and/or uncoordinated contact or solicitation from outside agencies. **(T-2)**

4.1.9. Authorizes mobile refueling unit filter elements on hand quantities for routine and emergency element replacements. **(T-2)**

4.1.9.1. Coordination for the filter element Minimum Essential Levels (MELs) must be accomplished with Vehicle Management (VM) fleet manager and FMT. **(T-2)**

4.1.9.2. Inventory is dependent primarily on mission criticality, resupply reliability, fleet size, and historical usage demand. **(T-1)**

4.1.10. Ensures base general and/or special-purpose vehicles use the Military Service Station (MSS) as the primary method of refueling to the greatest extent possible. **(T-2)**

4.1.11. Uses Authorization ID 016, *Special Purpose Clothing and Personal Equipment* and Authorization ID 450, *Aircrew Flight Equipment (AFE), and Survival, Evasion, Resistance, and Escape (SERE)* and AFI 11-235, SFO to ensure personnel are outfitted with the necessary personal equipment. Uses Authorization ID 010, *United States Air Force Owned Vehicles* to ensure applicable "blue" fleet vehicles are available for use to perform fuels operations. **(T-1)**

4.2. Base Civil Engineer (BCE) General Responsibilities.

4.2.1. Provides 24-hour maintenance support for fuels facilities and associated equipment. **(T-2)**

4.2.1.1. Coordinates with FMT to establish a filter element MEL for fuels facilities. **(T-3)**

4.2.1.2. Minimum criteria for number of elements are dependent primarily on mission criticality, resupply ability, quantity of filter vessels, and historical usage demand. **(T-3)**

4.2.1.3. Utilize RM&MR when feasible to perform urgent or critical repairs.

4.2.1.4. Provide LRS-designated fuels facility management representative access to submit fuel specific service orders (RM&MR) as an alternate to BCE.

4.2.1.5. For USAFE installations, detachable pantographs will be managed, maintained, and considered as Real Property Installed Equipment.

4.2.1.5.1. Base Civil Engineers will utilize DLA-E guidance and/or FSRM/RM&MR funding to sustain any required replacement part bench stocks, and/or repairs outside of their organic capabilities.

4.2.2. Provides technical requirements and guidelines to ensure installation organizational tanks are compliant with applicable local, state, federal, foreign environmental laws, and regulations IAW the installation spill plan (as applicable) and 40 CFR 112.7, *General Requirements for Spill Prevention, Control and Countermeasures Plans,* (SPCC). Installation organizational tank program will comply with Department of Air Force Manual (DAFMAN) 32-1067, *Water and Fuel Systems* and AFMAN 32-7002, *Environmental Compliance and Pollution Prevention*. **(T-2)**

4.2.3. Provides detailed base grid map upon request to FMT; maps must show the following detail: **(T-2)**

4.2.3.1. Layout for all piping and facilities of liquid fuels systems.

4.2.3.2. Base disaster preparedness layout with associated cordon plotter.

4.2.3.3. Flightline layout as it applies to hydrant systems and outlets.

4.2.4. Provides detailed schematics and coordinates with FMT for operating checklists on each fuel system. **(T-2)**

4.2.5. Provides certified base pipeline inventories for each pipeline, and each fuel tank on installation and coordinates with FMT to meet requirements IAW Unified Facility Criteria (UFC) 3-460-01 and DLA-E P- 1, *Recording and Processing Inventory Transactions*. Expeditionary BCE will be responsible for certifying tactical/expeditionary fuel systems pipeline inventories. **(T-1)**

4.2.6. Paints, marks, and color codes permanently installed fuel facilities to comply with current MIL-STD-101, *Color Code for Pipelines and for Compressed Gas Cylinders*, current MIL-STD-161, *Identification Methods for Bulk Petroleum Products Systems Including Hydrocarbon Missile Fuels,* and DAFMAN 91-203, *Air Force Occupational Safety, Fire and Health Standards*. **(T-0)**

4.2.7. Emergency Power.

4.2.7.1. Identifies, coordinates, and establishes emergency power requirements with FMT IAW UFC 3-540-07, *Operation and Maintenance (O&M): Generators.* **(T-0)**

4.2.7.2. Only BCE personnel are authorized to verify proper generator connections. Use only qualified personnel to operate generators after connections are complete. **(T-2)**

4.2.7.3. Provides emergency power supply for fuels infrastructure, generally in the form of emergency generators, IAW UFC 3-460-01, and AFMAN 32-1062, *Electrical Systems, Power Plants, and Generators*. **(T-2)**

4.2.7.4. Provides the FMT with a base generator priority listing for servicing route and planning purposes. **(T-2)**

4.2.8. Initiates DD1391 submission for MILCON and SRM projects in coordination with FMT to capture and build requirements to ensure mission success. Forwards to AFIMSC fuels engineers, infrastructure managers, programmers, MAJCOM fuels staffs, and AFPET upon submission. **(T-1)**

4.2.9. Contracts or provides weed control and grass cutting in fuels management areas, including containments, and cut and cover fuel storage tanks to prevent environmental contamination/fire hazards for petroleum systems. **(T-3)**

4.2.10. Ensures secondary containment is impermeable to petroleum products at all loading and unloading facilities and for all above-ground tanks IAW UFC 3-460-01, UFC 3-460-03, *Operation and Maintenance: Maintenance of Petroleum Systems,* or Final Governing Standards (FGS). **(T-0)**

4.2.11. Works with FMTs when establishing required services for fuels facilities:

4.2.11.1. Winterization program (snow removal). **(T-3)**

4.2.11.2. Water accumulation program to prevent water intrusion into fuel products. **(T-3)**

4.2.11.3. A covered roof and climate-controlled indoor facility to perform required FHE maintenance, primarily for cold weather locations or other inclement weather conditions that apply. **(T-2)**

4.2.11.4. A covered roof for Liquid Oxygen (LOX) and Liquid Nitrogen (LIN) storage tanks. **(T-2)**

4.2.11.5. Security fencing IAW DAFI 31-101, *Integrated Defense*. **(T-2)**

4.2.11.6. Leverages DLA-E Instructions and Policy to request funding or reimbursement for filter and coalescer elements, spill materials, and remediation processes. **(T-0)**

4.2.12. Provides resources to inspect, clean, or deactivate tanks. For DLA-E capitalized fuels infrastructure, coordinates with AFPET to obtain services via the DLA-E funded SRM program. **(T-0)**

4.2.13. IAW DAFMAN 32-1067, manages and serves as the central point of contact for operation of wing/delta organization tanks (e.g., organizational fuel tanks).

4.2.13.1. Appoints a Petroleum, Oil, and Lubricants (POL) Storage Tank Compliance (STC) Program Manager to oversee installation compliance with the tasks outlined in DAFMAN 32-1067, Chapter 9.

4.2.14. The BCE will coordinate with the FMF on scheduled maintenance and tank cleaning IAW UFC 3-460-03, Operation and Maintenance: Maintenance of Petroleum Systems. **(T-0)**

4.2.15. Directs base agencies and aircraft maintenance units on how to collect and store recovered or waste fuel for reuse or disposal IAW federal, state, local laws, or base procedures. This includes local/host nation environmental procedures outlined in the FGS and the overseas environmental baseline guidance documents. **(T-0)**

4.2.16. Coordinates for variances to laboratory facility criteria IAW UFC 4-310- 03, *DoD Fuels Laboratory Standards.* **(T-0)**

4.3. Aircraft Maintenance General Responsibilities.

4.3.1. Coordinates refueling, ground products, and cryogenic support requirements with the Fuels Service Center (FSC). Provides exercise and deployment projections, sortie data, accurate quantity estimates, and verifies proper fuel grade at time of request. **(T-2)**

4.3.1.1. Provides flying schedules and promptly notifies the FSC of any schedule changes.

4.3.1.2. Notifies FSC immediately if any product contamination is suspected.

4.3.1.3. Provides verification of the last fuel grade issued to the aircraft for defuel requests.

4.3.2. Assists in filling cryogenic servicing carts by performing safety person responsibilities outside of established servicing hours. **(T-3)**

4.3.3. Coordinates with airfield management and FMT to establish aircraft fuel servicing priorities when not outlined in the BSP or ESP. **(T-2)**

4.3.4. Establishes procedures to recover and dispose of waste petroleum products IAW T.O. 42B-1-23, *Management of Recoverable and Waste Liquid Petroleum Products*. **(T-1)**

4.4. Wing/Delta Safety Office and Bioenvironmental Engineering (BE) General Responsibilities.

4.4.1. Performs required surveys and inspections. Conducts safety inspections on the FMF once a year or when requested by FMT. **(T-3)**

4.4.1.1. Provides risk assessment code input with vital fueling systems and safety requirements when a potential deficiency impedes mission accomplishment. **(T-3)**

4.4.1.2. Reviews and approves the selection and use of workplace specific PPE required. **(T-3)**

4.4.2. Completes evaluations when workplace operations change and/or when new hazardous materials are introduced, processes or procedures are changed, or engineering controls are modified or added IAW DAFMAN 91-203. **(T-3)**

Chapter 5

REQUIREMENTS FOR THE FUELS MANAGEMENT TEAM (FMT)

5.1. FMT General Responsibilities.

5.1.1. The FMT structure consists of a Fuels Management Flight Commander and a Fuels Management Superintendent and/or Flight Chief. The FMT composition at contracted, AFRC, and NGB locations may vary or be fulfilled by the contract service provider. **Note:** In limited instances, a 2F000 Chief or Fuels Manager may be assigned.

5.1.2. Provides optimal mission support, fosters innovation, and promotes quality-of-life initiatives geared toward building a robust and resilient FMF.

5.1.2.1. Advocates for training and exercise opportunities to facilitate readiness of assigned personnel and equipment UTCs solidified as MAJCOM requirements.

5.1.3. Fuels activities have direct liaison authority with AFPET for management and execution functions. **(T-1)** Reserve Component (AFRC & ANG) FMFs will work directly with AFRC/A4RMF and/or NGB/A4RMF, as applicable, for day-to-day management and execution functions prior to contacting AFPET.

5.1.4. Follows requirements, procedures, and guidelines as outlined in FTLs, T.O.s, service bulletins, incident alerts, and other authoritative directives as required; incorporates applicable guidance into fuels standard operating procedures.

5.1.5. Initiate lessons learned reporting to improve fuels enterprise policy, procedures, and strategy. Submit observations, trip reports, and AARs to the applicable Command Fuels Staff to enhance doctrine, organization, training, material, leadership and education, personnel, facilitates and policy (DOTMLPF-P). This reporting process will elevate best practices, identify shortcomings, and propose improvements concerning operations, temporary duties, deployments, and AF-sponsored fuels events. If a Command Fuels Staff is unavailable, submit directly to AFPET.

5.1.6. Submits requests for AFPET Technical Assistance Division site visit through the squadron CC (or equivalent) to AFPET Operations via email at **afpet.ptoc@dla.mil**.

5.1.7. Maintains an organization email box and updates the AF Fuels Directory (Blue Book) no later than 31 December annually and/or within 30 days of FMT changeover. **(T-2)**

5.1.8. Establishes refueling equipment and fixed facility filter element, vehicle, fuel support equipment filter elements, equipment, facility, and personnel MELs. Coordinates with applicable entities to document concurrence with MEL letters. **(T-2)** Validates filter element bench stock, vehicle, equipment, facility, and personnel MELs at least annually.

5.1.8.1. The refueling vehicle MEL will be set no less than 75% of total authorizations determined during most recent vehicle validation. This does not include WRM coded vehicles (Use Code “D” for equipment and Use Code “M” for vehicles). **(T-1)**

5.1.8.2. Annotates MEL filter separator element lot numbers in **weekly** JCS REPOL.

5.1.9. Directs private and commercial solicitations and requests for trial, testing, and use of new fuels, fuels technology, fuels equipment, and aftermarket fuel additives to AFPET. **(T-3)**

5.1.10. Project MRT and non-MRT schedules based on current assignments and inbound gains with AFMISC. Reserve Components coordinate with AFRC/A4RMF and/or NGB/A4RMF, as applicable.

5.1.11. Validates AFRC training requests from AFRC/A4R and provides management assistance during scheduled training events and/or annual tours. **(T-3)**

5.1.12. Flights with SFH-A UTCs will appoint an SFH-A Team Chief from team members that are nominated by the Fuels Operations Section Chief. At a minimum, the nomination criteria considered should include leadership, organization skills, competency level, mission experience, and ability to develop teams. **(T-2)**

5.1.13. IAW with DAFMAN 32-1067 provides an FMT member to perform duties as the POL Storage Tank Compliance (STC) Cross Functional Teams (CFTs).

5.1.14. Leverages the DAF 2F POL Portal NIPR and SIPR SharePoint sites.

5.1.15. Coordinates with the applicable MAJCOM fuels staff to establish minimum 10 DOS operating stock. **Note:** 10 DOS inventory is calculated as a function of the number of aircraft supported, their burn rates, and the number of hours flown. Example: ((#aircraft * burn rates * # sortie hours/day)10)

5.2. Structure and Duty Titles.

5.2.1. FMFs will be structured IAW **Figure 5.1**, as applicable.

5.2.2. FMF personnel shall be assigned to functional roles based on experience and developmental opportunities. Based on local manpower constraints, elements can consolidate aligned work center or function responsibilities.

5.2.2.1. FMFs will align duty titles and office symbols IAW **Figure 5.2**, as applicable.

5.2.3. FMFs will establish applicable FMT, Section Chief, and Element positions as a manning MEL IAW **Figure 5.2**. Reserve Component (e.g., AFRC & ANG) FMFs are only authorized to deviate with the concurrence of HQ AFRC/A4RF or NGB/A4RMF. Note: All applicable requirements outlined in this publication must be met.

5.2.4. GOCO Fuels Operations are encouraged to align with this structure. Deviations are authorized due to manning or until contract modifications can be made. Quality Assurance Evaluators (QAEs) will update the Statement of Work (SOW) to ensure all required FMF offices are established. Note: QAEs are not positioned to establish policy over contracts, but rather ensure contractors comply with SOW and PWS. (T-0)

Figure 5.1. Fuels Management Flight Structure.




Figure 5.2. Fuels Management Flight Duty Titles.

Office Symbol	Office Title	Duty Title
LGRF	Fuels Management	Fuels Management (Flight Commander)
LGRF[1]	Fuels Management	Fuels Management (Superintendent/Flight Chief) [2]
LGRFK[1]	Fuels Knowledge Operations	Fuels Knowledge Ops (NCOIC/Supervisor/Technician)
LGRFC[1]	Fuels Quality Compliance	Fuels Quality Compliance (Section Chief)
LGRFCE[1]	Fuels Environmental & Safety	Fuels Environmental & Safety (NCOIC/Supervisor/Technician)
LGRFCL[1]	Fuels Laboratory	Fuels Laboratory (NCOIC/Supervisor/Technician)
LGRFO[1]	Fuels Operations	Fuels Operations (Section Chief)
LGRFOD[1]	Fuels Distribution	Fuels Distribution (NCOIC/Supervisor/Operator)
LGRFOM	Fuels Mobile Distribution	Fuels Mobile Distribution (NCOIC/Supervisor/Technician)
LGRFOX	Fuels Preventive Maintenance	Fuels Preventive Maintenance or Fuels Preventive Mx (NCOIC/Supervisor/Technician)
LGRFOF[1]	Fuels Facilities	Fuels Facilities (NCOIC/Supervisor/Technician)
LGRFOS	Fuels Hydrants	Fuels Hydrants (NCOIC/Supervisor/Technician)
LGRFOC	Cryogenic Storage	Cryogenic Storage (NCOIC/Supervisor/Technician)
LGRFS	Special Fuels Handling-Air (SFH-A)	Special Fuels Handling-Air (NCOIC/Supervisor/Technician)
LGRFSA	Special Fuel Handling-Air (SFH-A) Aerial Bulk Fuel Delivery System (ABFDS)	Special Fuels Handling-Air ABFDS (NCOIC/Supervisor/Team Chief/Technician)
LGRFSF	Special Fuels Handling-Air (SFH-A) Forward Area Refueling Point	Special Fuel Handling-Air FARP (NCOIC/Supervisor/Team Chief/Technician)
LGRFI[1]	Fuels Information Service Center (FISC)	Fuels Information Service Center (Section Chief)
LGRFIF[1]	Fuels Service Center (FSC)	Fuels Service Center (NCOIC/Supervisor/Controller)
LGRFIA	Fuels Accounting	Fuels Accounting (NCOIC/Supervisor/Technician)
LGRFIS[1]	Fuels Support	Fuels Support NCOIC/Supervisor/Technician)
LGRFIT	Fuels Training	Fuels Training (NCOIC/Supervisor/Technician)
LGRFIM	Fuels Mobility	Fuels Mobility (NCOIC/Supervisor/Technician)
LGRFIE	Fuels Equipment	Fuels Equipment (NCOIC/Supervisor/Technician)

NOTE 1: A **[1]** denotes FMF manning Minimum Essential Level (MEL).
NOTE 2: A [2] denotes that either duty title will suffice. Some FMFs may include both. (e.g., CMSgt SMSgt, etc.)
NOTE 3: NCOIC & Supervisor duty titles will be IAW Enlisted Force Structure requirements**.**

5.3. Handling Contaminated and Off-Specification Fuel and Cryogenic Products.

5.3.1. Informs Chain of Command and affected agencies following technical guidance outlined in applicable 42B series T.O. **(T-2)**

5.3.2. Provides initial notification to AFPET/PTOC & applicable MAJCOM fuels staff (within 4 hours of the incident) and submits a follow-up message within 24 hours of occurrence. **(T-2)**

5.3.3. Completes and forwards DD3075 to AFPET/PTOT (NGB/A4RMF for ANG) for coordination with responsible DLA-E Region. **(T-0)**

5.4. Special Fuel Handling (SFH) Operations.

5.4.1. Only locations with a MAJCOM validated UTC assigned will organize, train, and equip for SFH-A operations and equipment.

5.4.1.1. WWD: An operation for providing fuel from a tanker aircraft with one or more engines running into a System Safety Engineering Analysis (SSEA) approved FHE, but not into another aircraft.

5.4.1.2. Hot Refueling: The transfer of fuel from a non-aircraft source by fixed infrastructure or certified FHE to an aircraft with one or more engines running.

5.4.1.3. Aircraft to Aircraft Fueling: The transfer of fuel from a tanker aircraft to a receiver aircraft with no engines running, this operation is not considered FARP.

5.4.2. Specialized Fuel Handling-Air (SFH-A) Operations.

5.4.2.1. FARP: This SFH-A capability is performed by AFSOC, AMC Special Operations Low-Level II, and ACC Personnel Recovery units and requires specialized equipment, training, and personnel referred to as FARP HDP. The primary purpose of this operation is transferring fuel from a tanker aircraft into a receiver aircraft, with engine(s) running on the tanker and/or receiver aircraft and is primarily utilized in an austere location. However, this operation can be conducted in other than austere environments if the mission dictates. **(T-1)**

5.4.2.1.1. Sister service doctrine defines FARP as Forward Arming and Refueling Point. This publication does not address arming procedures or arming survey requirements. For DAFI 23-201 and Department of the Air Force Enlisted Classification Directory (DAFECD) identification purposes, FARP is defined as Forward Area Refueling Point. **(T-1)**

5.4.2.1.2. Only 2F0X1s with a 035 SEI may serve as HDPs to conduct FARP operations. **(T-1)**

5.4.2.1.3. A list of approved tanker and receiver aircraft used in conducting FARP operations is available in TO 00-25-172. SFH-A operators will review the SSEA prior to FARP aircraft employment. **(T-1)**

5.4.2.1.4. Units will contact Air Force Special Operations Command, Operations, Weapons and Tactics (AFSOC/A3TW) and/or MAJCOM/A3 equivalent for completion and certification of FARP sites.

5.4.2.2. Aerial Bulk Fuel Delivery System (ABFDS): Is the transfer of fuel from palletized bladders that are transported by cargo aircraft (C130, C17, C-5) into a storage conveyance, or into aircraft. If ABFDS is employed for a hot refuel operation, 150 feet will be the minimum safe permitted distance criteria. This operation requires specialized equipment, training, and personnel referred to as ABFDS/AFS HDP.

5.4.3. SFH-A Operators (FARP and ABFDS HDPs).

5.4.3.1. Training Requirements: FARP and ABFDS HDPs require specialized training to obtain the 035 or 369 SEI, respectively. They must hold a 5 or 7 skill level as a qualified fuels specialist in AFSC 2F0X1. Additional requirements are outlined below. **(T-1)**

5.4.3.2. All FARP HDP candidates will pass the standardized FARP tryout in less than 15 minutes. **(T-1)** Refer to **Attachment 13**, *FARP Tryout and Selection Process*.

5.4.3.3. SFH-A Operators will hold the rank of TSgt or below, except for ANG personnel, for whom there is no rank restriction. **(T-1)**

5.4.3.4. Must be medically qualified according to AFMAN 11-403, Aerospace Physiological Training Program and DAFMAN 48-123, Medical Examinations and Standards and complete physiological training and documented on AF1274, Physiological Training and DD 2992 Medical Recommendation for Flying or Special Operational Duty. **(T-1)**

5.4.3.5. SFH-A Operators will be classified with an aviation service code of 9C. **(T-1)**

5.4.3.6. Will complete weapons training IAW DAFI 31-131, *Combat Arms Training and Maintenance* (CATM) Program, performed locally as Arming Group B. **(T-1)**

5.4.3.7. Obtains life support equipment training for equipment issued (performed locally). **(T-1)**

5.4.3.8. Completes aircraft ground egress training (performed locally). **(T-1)**

5.4.3.9. Completes Night Vision Goggles (NVG) training (performed locally). **(T-1)**

5.4.3.10. Will complete Tactical Combat Casualty Care, Combat Lifesaver (Tier 2) training. **(T-1)**

5.4.3.11. Completes SERE training IAW AFI 16-1301, *Survival, Evasion, Resistance, and Escape (SERE) Program*. Deploying members with S-V88-AL, *Evasion and Conduct After Capture (ECAC)* requirement identified by Unit Line Number (ULN) remarks and/or reporting procedures can complete S-V97-A, *Advanced SERE Skills Training* to satisfy the ULN requirement. **(T-1)**

5.4.3.12. Must complete ABFDS and FARP Certification Training and be awarded the 369 SEI and/or 035 SEI, as applicable. **(T-1)**

5.4.3.12.1. Phase I, Classroom Training: An instructor will review applicable technical data, procedures, and guidance with students to familiarize them with the FARP process and any special equipment required. **(T-1)** Instructors will stress the safety requirements, emergency procedures, and equipment inspections. **(T-1)** All personnel involved in FARP and ABFDS operations will complete this training as a minimum. **(T-1)**

5.4.3.12.2. Phase II, Hands-On Training: This phase applies the information learned in Phase I and progresses to the level of in-depth knowledge and proficiency in all facets of FARP and SFH-A operations, including proper operation, preventive maintenance, reconstitution, and emergency procedures. This training simulates FARP and ABFDS operations by performing all tasks without aircraft engine(s) running to include pressurizing fuel hoses and operation of SFH refueling equipment. Both day and night iterations are required. **(T-1)** Phase II training is required for all FARP and ABFDS HDPs. **(T-1)**

5.4.3.12.3. Phase III, Certification: This phase consists of an actual performance demonstration of FARP and/or ABFDS operation under the supervision of the certified 035 and/or 369 Fuels HDP trainer. **(T-1)** All personnel involved in these operations will accomplish a day and night iteration. **(T-2)** Fuels HDP Trainers may waive the day iteration based on student proficiency. If receiver aircraft abort after the site has been established, the trainer may certify crew members if all other duties are accomplished.

5.4.3.13. All training requirements will be updated and tracked on the respective AF Form 4132(A) Hose Deployment Personnel Training Record and will be kept in the HDP's individual flight evaluation folder or entered in the Aircrew Resource Management System (HARM/SARMs), as applicable. **(T-1)**

5.4.3.14. HDP currency will require a minimum of **four** missions per year. **(T-1)** FARP and ABFDS personnel operating SFH refueling equipment during blacked-out conditions must be Night Vision Goggle (NVG) qualified. **(T-1)**

5.4.3.15. To standardize special equipment items, ensure team members are adequately prepared to meet mission requirements, and to eliminate frivolous spending, all FARP and ABFDS members must be issued the items in **Attachment 14** of the SFH-A Team Initial Issue list. The equipment items listed in Table 1. **Note 1** are dependent on the number of authorized members on each team and are considered a one-time purchase. These items will be issued and reissued until the equipment is considered "unserviceable." **(T-1)**

5.4.3.16. SFH-A teams will use only approved fuel servicing components specified in T.O. 00-25-172 and T.O. 37A9-7-2-1, 37A9-3-16-1, 37A12-15-1, and T.O. 37A-1-101 for FARP & ABFDS operations. **(T-2)** Tasked FARP units will deploy with all equipment listed in JFARP, JFA2P, JFABF, JFART UTCs. **(T-2)** FARP Deviations require AFSOC/A4RE approval. Report damage or equipment malfunctions to AFSOC/A4RE for all FARP UTCs. **(T-2)**

5.4.3.17. The unit SFH-A Team will provide a spill containment kit capable of containing/absorbing 25 gallons of fuel. **(T-3)**

5.4.3.18. Units requiring FARP and SFH-A operations will be responsible for any cost incurred for cleanup and taxiway/runway repair directly related to fuel spills. **(T-1)**

5.4.3.19. SFH-A personnel will provide AARs, and Lessons Learned to the FMF and AFSOC/A4RE. **(T-1)**

5.5. Fuels Vehicles and Fuels Handling Equipment (FHE).

5.5.1. Ensures color-code clipboards are used IAW **Attachment 4** for locations storing or issuing more than one grade of aviation or ground fuel. For example, locations handling fuel such as Jet-A, MUR, and LS2 and DS2 are not required to color code their aviation fuel clipboards but are required to color code their ground products clipboards. **(T-2)**

5.5.2. Incorporate product verification procedures in locally developed checklists to mark, isolate, and control product. Verify all fill-stands, vehicles, and FHE fill/discharge connections to prevent product commingling. **(T-3)**

5.6. Refueling Vehicles Authorizations.

5.6.1. Requests AFPET to conduct refueling vehicle validation when mission changes warrant it. Mission changes can include factors affecting Per-Accomplishment-Times (PAT), the loss or gain of aircraft, reassignment of aircraft resulting from SATAF, new or moved facilities and changes to BSP implementation.

5.6.1.1. According to the AFPET Vehicle Validation schedule or when requested, an FMT will provide the requested data to start or support their vehicle validation. ANG locations will coordinate vehicle requirements with NGB/A4RMF.

5.6.1.2. Peacetime vehicle requirements are based off FMD data. Wartime data for vehicle validation is obtained from the AFFOR fuels planner and is based off the most demanding OPLAN requirements. **(T-2)**

5.6.1.3. Use Vehicle Validation Guide from AFPET/PTOC for a better understanding of data requests, vehicle coding, and the overall process.

5.7. Using War Reserve Material (WRM) Expeditionary Fuels Handling Equipment (FHE) for Exercise Support.

5.7.1. Before requesting the use of WRM expeditionary FHE to support exercise planning, submit written requests to MAJCOM fuels staff to determine if an alternative to WRM expeditionary FHE is available to support the requirement. FMT will coordinate all requirements through supported and supporting MAJCOM fuels staffs and CWRMO if/when required. If no alternative is available, submit a WRM Indirect Mission Support Request (IMSR) for FHE release and route for approval through CWRMO. **(T-2)**

5.7.2. When assessing the use of FHE for other than OPLAN requirements, coordinate and validate equipment requirements with AFPET and follow AFI 25-101 for the use of WRM assets. **(T-2)**

5.7.3. Uses the following considerations when submitting FHE use requests with justification:

5.7.3.1. Provides the scope of use for request.

5.7.3.2. Use JFA/JFD fuels UTCs to identify personnel and equipment. UTCs may be tailored to suit the using organization’s requirements.

5.7.3.3. Provides the required delivery date and duration of use.

5.7.3.4. Designates point of contact, unit of assignment, and defense switch network (DSN) phone number of the person(s) responsible for receiving, maintaining, and returning the equipment.

5.7.3.5. Lists all fund sites for transportation, FHE reconstitution, and TDY of personnel IAW AFI 25-101 when requested.

5.7.3.6. Forwards any special transportation information, as required. Use AFI 25-201, *Intra-Service, Intra-Agency, and Inter-Agency Support Agreements Procedures*, reconstitution costs include the "up front" expense of associated WRM RSP, fuel bladders, batteries, and any other items that will require maintenance, repair, or replacement.

5.8. Fuels Flight Administration and Guidance.

5.8.1. Writes and updates fuels operating instructions (FOIs) and locally developed checklists. Assigns unique identification numbers to FOIs and checklists. The FMT must document a review each year. **(T-3)**

5.8.2. The following serves as the *minimum* operational and procedural requirements for FOIs:

5.8.2.1. A review process used for FMD modules, (e.g., training, dispatch, equipment, and facility status) assessment of mission capability. **(T-0)**

5.8.2.2. Asset dispersal procedures for operational, regional, humanitarian, and disaster contingencies. **(T-3)**

5.8.2.3. Documents storage tank safe fill levels, High levels, High-High Levels and unobtainables by coordinating with Water Fuels System Maintenance (WFSM). **(T-3)**

5.8.2.4. Designs a quality control (QC) hold program outlining the requirements and procedures to effectively administer the program. **(T-3)**

5.8.2.5. Rotational Training must include a plan to ensure each member meets all ETCA requirements prior to attending any 2F Schoolhouse Training. Outlines a formal rotational training plan IAW DAFI 36-2670, *Total Force Development*. **(T-3)**

5.8.2.6. Incorporates procedures and validation frequency to verify product grade to prevent fuel commingling across infrastructure, vehicles, and equipment (i.e., new equipment/vehicle additions, overfill protection maintenance, semi-annual validation, asset product grade changes, etc.). **(T-2)**

5.8.2.7. Develops local procedures for recoverable and waste fuel management according to T.O. 42B-1-23, Management of Recoverable and Waste Liquid Petroleum Products. **(T-2)**

5.8.2.8. Establishes procedures to prevent unauthorized discharge of water containing residual petroleum products. **(T-3)**

5.8.2.9. Outlines how to maximize the use of Fuels VR Trainer & AIT equipment to gain efficiencies across FMF operations, if assigned. **(T-2)**

5.8.2.10. Defines procedures used to meet corrosion control guidance IAW T.O. 36-1-191,*Technical and Managerial Reference for Motor Vehicle Maintenance*, and local directives.

5.8.2.11. Identifies and coordinates primary, alternate, contingency emergency (PACE) plan for classified reporting procedures with the applicable MAJCOM fuels staff. **(T-2)**

5.8.2.12. Specifies control measures to prohibit smoking and spark producing items within fuels areas.

5.8.2.13. Defines additional two-person policy requirements above those outlined in **paragraph 5.15**.

5.8.2.14. Develops policy restricting use of cellular and other handheld devices by operators while performing any fuel handling operation, especially when operating fuel servicing vehicles.

5.8.2.15. Develops procedures to ensure training, maintenance and accountably of non-fuels specific equipment (e.g., pressure washers, mowers, snow blowers, etc.) and/or commercial off the shelf equipment.

5.8.3. Publishes locally developed checklist (LCL) IAW T.O. 00-5-1, *AF Technical Order System*.

5.8.3.1. LCLs are considered authorized for use when approved by the FMT. Signature authority resides at the FMT level.

5.8.3.2. Formats title page with a unique identification number comprised of "LCL" to identify locally developed checklists, originating organization, and designator (e.g., LCL-LGRF-001).

5.8.3.3. Writes LCLs in a simple, concise, and comprehensive manner. Create bilingual checklists when necessary.

5.8.3.4. Includes emergency action procedures at the beginning of the checklist. At a minimum, they must include the following:

5.8.3.4.1. Actions or steps to shut-down operation.

5.8.3.4.2. Actions or steps to prevent injury or environmental damage.

5.8.3.4.3. FSC contact (refer to phone numbers).

5.8.3.4.4. Fire dept. contact (refer to phone numbers).

5.8.4. Utilizes the 2F Schoolhouse for training aids, enterprise lesson plans and/or published QTPs.

5.8.5. At joint base locations, assesses sister service and/or contract support to determine the most efficient and effective use of resources to perform the fuel missions. Engage with appropriate cross service agreement POCs as required or request contract modifications through the COR.

5.8.6. FMTs will provide written guidance to specify frequency and quantity for Fuels Quality Compliance no-notice inspections. **(T-1)**

5.8.7. Ensures procedures are in place to provide pertinent information between shift controllers, FISC, fuels operations, FMT, and supporting agencies.

5.9. Preparing Required Reports.

5.9.1. FMTs will maintain a DRRS account and coordinate with their unit's designated DRRS POC. The FMT, in collaboration with the unit DRRS POC, will be responsible for updating all 2F data with DRRS. **(T-3)**

5.9.2. Uses JCS web-based REPOL to report bulk petroleum contingency status for all fuels activities IAW Chairman of the Joint Chiefs of Staff Manual (CJCSM) 3150.14, *Joint Reporting Structure Logistics*. **(T-0)**

5.9.2.1. JCS web-based REPOL considerations:

5.9.2.1.1. IAW CJCSM 3150.14 Joint Staff J-4 requires Combatant Logistics Directorates and supporting Service Components to submit WEEKLY REPOL for all ashore bulk fuel locations within the supported Area of Responsibility (AOR) or more frequently at the discretion of HHQ.

5.9.2.1.2. If JCS web-based REPOL cannot be accomplished or is unavailable, FMTs are required to have a PACE plan for alternate reporting to CCMD/JPO using the following alternate mediums: secure email REPOL template, hard copy secure fax, secure voice and this will be outlined in the BSP.

5.9.3. IAW CJCSM 3150.14 Joint Staff J-4 requires Combatant Command Logistics Directorates and supporting Service Components to submit QUARTERLY POLCAP for all ashore bulk fuel locations with the supported AOR or more frequently at the discretion of HHQ.

5.9.4. Provides Fuels Quick Reference Guide (QRG) to AFPET annually no later than 1 April and whenever changes occur for assigned aircraft, equipment, and capability factors.

5.9.5. Obtains access and uses Basing & Logistics Analytics Data Environment (BLADE) and Advanced Analytics (ADVANA) to validate the status of capacities, assets, and other logistics planning data. BLADE access can be found on the AF Portal and ADVANA via NIPR or SIPR methods.

5.10. Managing Contracted Fuel Operations.

5.10.1. For DLA-E contracted locations a Primary and Alternate COR will be appointed by the squadron commander (or equivalent) to execute the duties and responsibilities detailed in DAFI 63-138, *Acquisition of Services*. Where there is not sufficient staffing for an alternate COR, an exception to policy waiver may be submitted for AFPET assessment and approval. **(T-0)**

5.10.1.1. The COR's function is to monitor Contractor's day-to-day compliance with the PWS and Quality Assurance Surveillance Plan (QASP).

5.10.1.2. The COR will submit the required monthly inspections and approve financial reports/amendments within the Procurements Integrated Enterprise Environment system.

5.10.1.3. Contact AFPET Contracting (**AFPETContracting@dla.mil**) for initial orientation briefing prior to assuming COR and/or QAE duties.

5.10.2. COR and/or QAE will facilitate AF requirement determinations with AFPET and DLA-E or AFRC to:

5.10.2.1. Perform a technical review of contracts to ensure QASP provides quality fuel support for location.

5.10.2.2. Reviews the service provider's quality control plan and recommends PWS changes to the applicable contracting officer.

5.10.2.3. Enlists the assistance of BCE or equivalent facility maintenance service provider during COR and/or QAE compliance and surveillance of contract maintenance requirements.

5.10.3. COR and/or QAE will review or submit for PWS changes when the contract is under review or if modification is required. **(T-0)** These considerations include:

5.10.3.1. Fuels management employee training and qualification standards must meet AFSC 2F0X1 and CFETP requirements for each duty position. **(T-2)**

5.10.3.2. The requirement for an approved QASP. The purpose of a QASP is to provide a documented process for surveilling the contractor's actual performance and comparing that to the technical requirements of the contract.

5.11. Budget Forecasting Requirements.

5.11.1. Identifies fiscal year flight, mobility, and WRM support funding requirements. The budget forecasting of WRM requirements must be projected though the War Reserve Material Office (WRMO) to CWRMO. Validates and tracks WRM requirements received by CWRMO. **(T-2)**

5.11.2. Provides and submits budget requests for resource management of Fuels flights to include enhancement venue TDYs, exercise support, training, materials, inclement weather gear, and PPE to the LRS Resource Advisor (RA) or equivalent. Refers to AS 016, and attachments contained herein for authorized gear and equipment. **(T-2)**

5.11.3. Fundamental enhancement events identified in **Attachment 3**, a minimum of one representative per flight is required to attend. **(T-1)**

5.12. Fuels Personnel Safety.

5.12.1. Complies with Occupational Safety and Health Administration (OSHA), DAFI, and DoW instructions to protect the health of personnel exposed to fuel and other POL hazards. **(T-3)**

5.12.2. Follows **Attachment 5**, for incident reporting and ensures the following: **(T-1)**

5.12.2.1. Safety Data Sheets (SDS) are available for all chemicals used by fuels personnel.

5.12.2.2. Safety observers working in the cryogenics area wear the same level of PPE worn by the fuels specialist performing the task. Commercial drivers delivering shipments are required to wear PPE IAW OSHA requirements. **(T-3)**

5.12.2.3. Develops and implements cost-effective improvements and process reengineering initiatives to minimize and control environmental, safety, and occupational health risks. **(T-3)**

5.12.3. Applies risk management techniques IAW AFI 90-802, *Risk Management*, to identify and manage risks.

5.12.3.1. Does not allow untrained personnel to perform fuels or cryogenics operations without meeting certification requirements outlined in DAFI 36-2670 and CFETP 2F0X1. **(T-1)**

5.12.3.2. Ensures fall protection measures are used IAW DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards*.

5.13. Controlling Static Electricity.

5.13.1. Personnel must follow DAFMAN 91-203 regarding the hazards of static electricity.

5.13.2. Adheres to safety requirements outline in T.O. 00-25-172, *Ground Servicing of Aircraft and Static Grounding/Bonding* and T.O. 42B-1-1, *Quality Control of Fuels* to prevent static build-up and accidental discharge.

5.14. Communication During Fuel Transfers.

5.14.1. Must ensure two-way communication is available & maintained between pumping and receiving stations for all fuel product transfers. **(T-2)**

5.14.2. Consider use of dedicated circuits (hotlines), extra telephone circuits, or outgoing call restrictions to ensure telephone contact in an emergency. In the event telephone capability is not available, a radio or cell phone may be used.

5.14.3. Provides a loud bell, ring tone, horn, or other signaling device outside and in high noise areas; additionally, maintain radio contact, if possible.

5.15. Two-Person Policy.

5.15.1. Ensures contractor employees, or other individuals acting as a second person during fuel or cryogenic operations know the associated hazards involved with the operation and the corrective actions they are required to take in an emergency. If augmented safety personnel are not available, the task will require a qualified 2F0X1 or be suspended pending availability of safety personnel.

5.15.2. Ensures two people are present when: **(T-1)**

5.15.2.1. Servicing aircraft.

5.15.2.2. Expeditionary FHE operational testing and when in use

5.15.2.3. Issuing fuel to organizational tanks.

5.15.2.4. Issuing to ground equipment.

5.15.2.5. Entering confined spaces IAW DAFMAN 91-203.

5.15.2.6. Gauging and sampling above-ground tanks and bladders. **Note:** The only exception to this is above-ground low-profile tanks less than 4 feet in height (does not require a second person) and does not apply to any bladders regardless of size.

5.15.2.7. Performing hydrant servicing using the Type III, IV, or V system requires one person at the pumphouse and one person at the refueling equipment. At locations where FM-Operate is available, hydrants may be unmanned as long as it's IAW TO 37-1-1, *General Operation and Inspection of Installed Fuel Storage and Dispensing Systems*.

5.15.2.8. Manually gauging a floating roof tank from the roof, or when anyone descends to the roof, one person remains on the platform at the top of the tank. When gauging all other types of above ground tanks, one person remains on the ground. Personnel must use a self-contained breathing apparatus when descending onto floating roof tanks with geodesic domes.

5.15.2.9. Receiving, issuing, or transferring cryogenic fluids.

5.15.2.10. Transferring or filling high-pressure gases including cylinders.

5.15.2.11. Off-loading rail cars. Requires two 2F0X1 personnel.

5.15.2.12. Off-loading tank trucks.

5.15.2.13. Filling trucks or performing return to bulk operations under the following conditions:

5.15.2.13.1. Fill stands not equipped with deadman control system or Scully® overfill prevention system is inoperable or unavailable. Requires two 2F0X1 personnel.

5.15.2.13.2. A fuel storage tank has an inoperable automatic high-level shut-off valve, or the truck's deadman control system is inoperable. Requires two 2F0X1 personnel.

5.15.2.14. Transferring and receiving fuel requires one person at the transfer point and one person at the receiving point. Requires two 2F0X1 personnel.

5.15.2.15. Collecting fuel samples.

5.15.2.15.1. Collecting fuel samples from fixed fuel systems, pipelines and any other pressurized fixed source require one person to take the sample, and the second person is the safety observer.

5.15.2.15.2. Collecting fuel samples from pressurized refueling vehicles and equipment. A safety observer is needed; however, it need not be in the immediate area, but in eye or voice contact for immediate response to an emergency.

5.15.2.16. Testing fuels in the laboratory, whereby one of the individuals is a fully qualified lab technician. Requires two 2F0X1 personnel.

5.16. Managing Personnel.

5.16.1. FMT and Section Chiefs are required to interview newly assigned personnel to include a review of current and needed qualifications, past assignments and experience, and future training required using the 2F0X1 CFETP as a guide prior to assignment or section moves.

5.16.2. Reports any training deficiency and/or discrepancies to the unit training manager (UTM).

5.16.3. Ensures only personnel with AFSC 2F0X1, US Civil Service, US contract employees, Host National military and/or civilian, or sister service equivalent(s) are permitted to perform fuels or cryogenics operations. Non-fuels personnel may augment as the second person for safety oversight only after receiving fuels workplace specific briefing regarding their responsibilities. **(T-1)**

5.16.4. Ensures all prerequisites are met prior to attending fuels courses as listed in 2F CFETP.

5.16.5. Staffs the FSC with a minimum of two personnel with SEI 040. Contracted, ANG, and AFRC fuels operations may staff the FSC with one person with SEI 040. **(T-0)**

5.16.6. Contracted and civilian operated FSCs are required to be staffed by at least one graduate of the DLA-E Base Level Defense Fuels Management Course.

5.16.7. Ensures fuels functions are manned with the right grade, SEI, and skill commensurate with each Air Force Manpower Determinant (AFMD) earned position for the following: **(T-1)**

5.16.7.1. FMTs must equate to **paragraph 5.1.1**.

5.16.7.2. Fuels Quality Compliance dedicated to performing quality compliance functions. Fuels Quality Compliance personnel will reside within the FMF for direct personnel performance assessment of core functions outlined in CFETP, conduct competency behavior assessments, observe daily mission generation procedures and to abide by funded manpower positions. **(T-1)**

5.16.7.3. FE&S must have one person dedicated to performing environmental and safety compliance functions. **(T-1)**

5.16.7.4. Must adhere to MELs in **Figure 5.2**. **Note 1**. **(T-1)**

5.16.7.5. Fuels laboratory with a minimum of one person awarded the SEI 039. **(T-1)**

5.16.7.6. Cryogenics must have a minimum of one person awarded with SEI 036. **(T-1)**

5.16.7.7. SFH-A/FARP must have SEI 369 & 035 respectively.

5.16.7.8. Contract and civilian operated fuels laboratories require at least one graduate of the AF Fuels Quality Control Course.

5.17. Manpower Management Process.

5.17.1. Engages the applicable manpower office to provide analytical assistance for FMFs improve productivity and determine standardized manpower requirements.

5.17.2. Understands and abides by the current AFMD for Fuels (e.g., 42F100, etc.).

5.17.3. Evaluates the number of personnel assigned and takes action on overages, shortages, and grade imbalances.

5.17.4. Advocates for manpower to accomplish the mission, as necessary.

5.17.5. Coordinates with the local manpower office and/or CSS to correct errors.

5.17.6. Notify AFPET/PTOC and AFIMSC/MFM of significant mission changes or SATAFs affecting manpower, equipment, and infrastructure requirements.

5.17.7. Validates and executes all 2F ACR MCR, and Organization Change Request (OCR) in coordination with each respective MAJCOM A1.

5.17.8. Manages fuels SME list to support emerging AF requirements and provides it to AFPET for augmentation programs.

5.17.9. Approves training allocation waivers and provides a copy to the 2F CFM.

Chapter 6

FUELS MANAGEMENT TEAM (FMT) REQUIREMENTS FOR FUELS FACILITIES, TOOLS, AND EQUIPMENT ITEMS

6.1. Facility Management.

6.1.1. Refers to DAFMAN 32-1084, *Standard Facility Requirements* and UFC 3-460-01, *Design: Petroleum Fuel Facilities* to determine requirements needed to develop and construct new or existing fuel facilities.

6.1.2. Submits work requests for BCE to provide facilities IAW DAFMAN 32-1084.

6.1.3. Reviews SRM project submissions and tracks DD Form 1391 submission status.

6.1.4. Serves as an alternate to the BCE to submit RM&MR work requests on behalf of the BCE.

6.2. Proper Use of Facilities and Equipment and Securing Assets.

6.2.1. Will not use hydrants systems, tanks, or refueling vehicles to collect or store waste or unreclaimable fuels. **(T-0)**

6.2.2. Ensures proper security and storage of flight assets and secures entry gates to areas within the FMF's control IAW DAFI 31-101, *Base Defense Operations*. **(T-3)**

6.2.3. Locks and secures all fuels and cryogenic equipment and facility access/dispensing points not located within a secure area, with the exception of automated dispensing pumps. **(T-3)**

6.2.4. Establishes key control procedures.

6.2.4.1. The number and types of locks used require the approval of the Resource Protection Committee.

6.2.4.2. Magnetic locks are preferred for areas with severe climatic conditions.

6.3. Fuels Laboratory Requirements.

6.3.1. Maintains base fuels laboratory function to perform sampling requirements specified by 42-Series T.O.s for all products handled and ensures the quality, cleanliness, and proper operation of fuel-handling systems, vehicles, and equipment.

6.3.2. Furnishes fuels laboratory with authorized equipment prescribed in AS 460.

6.3.2.1. Uses UFC 4-310-03, DoD Fuels Laboratory Standards, DAFMAN 32-1084, and DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards*, to identify fuels laboratory criteria.

6.3.2.2. Posts Lab Safety Instructions IAW DAFMAN 91-203.

6.3.3. Leverages cross-utilization support with the host FMF or through Total Force Integration for co-located units where the lab capability does not exist under each activity's function to assure laboratory technician training and proficiency are obtained and maintained.

6.4. Fuel Spill Prevention and Containment.

6.4.1. Ensures all FMF fuel tanks are maintained and meet the requirements outlined in UFC 3-460-03, Operation and Maintenance: Maintenance of Petroleum Systems, and TO 37-1-1, General Operation and Inspection of Installed Fuel Storage and Dispensing Systems. Coordinates with the BCE to establish and document safe fill levels, high levels, and high-high levels for all storage tanks.

6.4.2. Programs inventory alarms in FM-Operate to alert users and record local alarm activity. **(T-0)**

6.4.2.1. Sets the FM-Operate high-level alarm to each tank's established safe fill level.

6.4.2.2. Sets the FM-Operate high-high level alarm between the system's audible alarm and the mechanical high-level control valve shut off.

6.4.3. Ensures fuels personnel understand responsibilities as outlined in the base SPCC plan (or equivalent) IAW AFMAN 32-7002*, Environmental Compliance and Pollution Prevention,* and the base's hazardous material emergency planning and response plan (hazardous materials plan), which addresses federal, state, and local spill prevention and response requirements.

6.4.3.1. Obtains a copy of the SPCC from BCE whenever it is updated or revised.

6.4.3.2. Ensures each fuels facility has the applicable section of the SPCC printed and readily available for use in the event of an emergency.

6.4.4. Notifies the BCE environmental manager of any changes in fuels operations that may require an amendment to the hazardous material plan.

6.4.5. Ensures spill prevention and clean-up material are readily available as identified by the SPCC.

6.4.6. Ensures that any chemicals or additives injected into DLA-E fuel are approved and documented IAW T.O. 42B-1-1, Quality Control of Fuels.

6.4.7. Ensures operator training is provided on installed leak detection systems.

6.4.8. Manages water from petroleum operations.

6.4.8.1. Coordinates with BCE to establish procedures for the proper operation, inspection, and maintenance of oil/water separators.

6.4.8.2. Coordinates with the base environmental manager to sample and properly dispose of tank dike drainage, tank water bottoms, and water containing residual petroleum IAW approved base policy.

6.5. Hydrant Utilization Strategy (HUS).

6.5.1. Fuels Operations, coordinated through the FMT, will establish a HUS documented on a memorandum for record to ensure the maximum use of hydrant systems and the most efficient use of available fuel servicing assets and personnel. The FMT crafts the HUS to best suit the installation's mission attributes. This can include defuel operations: **(T-0)**

6.5.1.1. The goal of the HUS is the targeted percentage of aircraft servicing operations for the optimal use of hydrant fueling systems.

6.5.1.2. The FMT will coordinate the HUS with the Operations Group (OG), Maintenance Group (MXG), flying functions with hydrant operation equities, and transient alert (or installation equivalents) every three years or as dictated by mission changes.

6.5.1.3. The HUS document will include the following:

6.5.1.3.1. The mission of the installation, the number of available aircraft parking locations with hydrant outlets, aircraft fuel servicing requirements, and available hydrant servicing equipment.

6.5.1.3.2. Separate objectives for independent systems to capture any unique requirements when multiple hydrant systems are utilized. All objectives will be documented on one signed HUS.

6.5.1.3.3. The minimum fuel quantity for aircraft servicing operations that is included in objective calculation or specifically excludes fuel servicing operations that must occur on ramps with no hydrant capability (such as hazardous cargo loading areas).

6.5.1.3.4. Systems designed for fighter aircraft will be included and calculated in the overall strategy.

6.5.1.3.5. A method to track the HUS objective. Additionally, the HUS must clearly state the procedures to correct deficiencies when underutilization of these systems is detected.

6.5.1.4. Installation CC (or equivalent) will approve the final HUS. **(T-2)**

6.5.1.5. Forwards a signed copy of the HUS to AFPET/PTOC for record, **afpet.ptoc@dla.mil**.

6.5.2. Hydrant Utilization Rate (HUR).

6.5.2.1. FMTs will use the following calculation to determine the local Hydrant Utilization Rate (HUR).

6.5.2.1.1. Hydrant Utilization Rates are calculated as a percentage by dividing (A) the total gallons serviced to aircraft via hydrant fueling systems for the period being calculated by (B) total gallons serviced to aircraft at eligible hydrant locations meeting minimum fuel load quantities (as established by HUS) for the period being calculated: (X = (A/B) * 100).

6.5.2.1.2. Example: In the month of July 20 C-17 refueling operations meeting HUS established eligibility criteria were issued 200,000 gallons (representing B). Of the 20 operations 18 C-17s were serviced via hydrants. These 18 aircraft were issued 180,000 gallons (representing A). The calculation and result in this example are: (90% HUR = (180,000/200,000) * 100).

6.5.3. FMF will use Fuels 20-Codes which affect the HUS (e.g., 20-L, 20-Q, 20-R, 20-T).

6.6. Cryogenic Facilities.

6.6.1. Provides the following to ensure safe, functional, and secure cryogenic facilities:

6.6.1.1. Electrical power for maintenance equipment must be 3-phase, 220/480 volts, 50/60 cycle.

6.6.1.2. Indoor and outdoor lighting for storing, receiving, and servicing areas.

6.6.1.3. Solid concrete foundations for storage, receiving and servicing cart parking areas. LOX-compatible sealant must be used in concrete foundation joints to prevent product runoff, the accumulation of dirt and other hazards. This requirement also applies to cart storage areas.

6.6.1.4. The area and accessibility must be capable of supporting commercial cryogenics delivery vehicles and maintenance vehicles.

6.6.1.4.1. A clear exit readily available and maintained during cryogenic product movement.

6.6.1.4.2. Use a spotter to ensure safety when backing any vehicle in the cryogenics area. **(T-2)**

6.6.1.5. A telephone connected to a visual indicator or an audible tone with the ability to be heard above the noise of the cryogenic operation. If telephone capability is unavailable, a radio or cell phone may be used.

6.6.1.6. Grounding points for all storage tanks and servicing units.

6.6.1.7. A permanent overhead structure for cryogenic storage facilities to protect cryogenic storage tanks, ensure cryogenic conservation, and provide support equipment from the elements. Leased temporary cryotainers will not drive new construction of overhead structures.

6.6.1.8. For facilities with roll-up-style doors, ensure doors remain fully open during receipt, servicing, transfer of cryogenic products or when using maintenance support equipment.

6.6.1.9. Snow must be removed before performing receipt, servicing, and transfer operations.

6.6.1.10. Uses Air Force Technical Order (AFTO) Form 40, Cryogenic Facility Inspections and Discrepancy Report to record deficiencies. Must review AFTO Form 40 monthly (every 30 days) prior to routing to FMT. **(T-3)**

6.7. Tool Management Program.

6.7.1. Develops a Tool Management Program and designate, at minimum, a primary and alternate custodian in writing. **(T-3)**

6.7.2. Establishes procedures for security, control and accountability of tools and equipment.

6.7.2.1. Includes procedures/actions for lost or missing tools using applicable guidance provided in DAFI 21-101, *Aircraft and Equipment Maintenance Management*.

6.7.2.2. Outlines tool disposition instructions, the exchange of tools under warranty, and when replacing tools and/or other items contained in the tool kits (TK) and/or expediter tool kits (ETK). **(T-3)**

6.7.2.3. Establishes safeguards to keep designated “For LOX Use Only” tools hydrocarbon-free.

6.7.2.4. Ensures only authorized TK and ETK assigned tools are used on the flightline.

6.7.3. Identifies the locations of established TK and/or ETK.

6.7.3.1. Standardizes and assigns a unique identification number for each TK and ETK.

6.7.4. Develops a Master Inventory List listing for all items contained in each TK and ETK.

6.7.4.1. Identifies tools by name, location (TK or ETK number), and quantity.

6.7.4.2. Identifies all small tools (e.g., drill bits, allen wrenches, etc.)

6.7.4.3. Identifies all consumables (e.g., safety wire, bonding plugs, etc.)

6.7.5. Assigns tools and consumables to TKs and/or ETKs.

6.7.5.1. Identifies their locations inside of the TK/ETK using inlay cutouts, shadowed layouts, labels or silhouettes.

6.7.5.2. Ensures one item per inlay, cutout, etc. except for toolsets (e.g., allen wrench set, etc.)

6.7.6. Execute inventory and inspections of TKs and ETKs.

6.7.6.1. Annually, or when the designated custodian changes, conduct a comprehensive, by tool, inventory of assigned TKs and ETKs. Document accordingly.

6.7.6.2. Users will perform a visual inventory before and after the use of TK/ETK tools.

6.7.6.3. Ensure all tools are inspected for serviceability IAW TO 32-1-101, *Use and Care of Hand Tools and Measuring Tools*.

6.7.7. Mark TK and ETK tools by means of etching, stamping, labeling, or affixing a tag.

6.7.7.1. Labels storage locations, cabinets, and drawers to identify contents.

6.7.7.2. Small tools or items that cannot be marked with an identification number are to be maintained in a container. Mark container with the TK and/or ETK unique identification number and the number of tools enclosed. The container is counted as one of those items.

6.7.7.3. Fiberglass-handled hammers are etched IAW T.O. 32-1-101, *Use and Care of Hand Tools and Measuring Tools*.

6.7.7.4. Ensure the Unit/Flight designator is marked (e.g., 123 LRS/LGRF or 123 LRS POL). This ensures lost tools are easily identifiable to the owning organization.

6.7.7.5. Tools utilized for cryogenic maintenance must be marked to specify “For LOX Use Only” in addition to their marked indentation numbers.

Chapter 7

FUELS INFORMATION SERVICE CENTER (FISC) REQUIREMENTS

7.1. Fuels Information Service Center Section Responsibilities.

7.1.1. Manages flight resources, mobility support, equipment, training, and product accounting programs.

7.1.2. Oversees the FSC and Fuels Support Elements.

7.1.2.1. Reviews applicable inspection reports and validates corrective actions.

7.1.2.2. Champions training enhancements and streamlines flight support required.

7.1.3. Reviews flying schedules and coordinates with Fuels Operations to meet mission requirements.

7.1.4. Familiarizes fuels controllers with DWCF principles and procedures set forth in DoDM 4140.25 Vol 12, *DoD Management of Energy Commodities: Defense Fuel Support Point (DFSP) Inventory Ordering, Receipts and Shipments.*

7.1.5. Submits request for operating a fuels radio net, preferably a separate radio net for fuels management. **(T-3)**

7.1.6. Ensures 24/7 accessibility and availability of a classified computer system. **(T-3)**

7.1.7. Outlines the FSC relocation process to ensure uninterrupted fuel support is maintained.

7.1.8. Uses a detailed base "liquid fuel system" map schematic from BCE and color codes active facilities by product IAW the clipboard color scheme described in **Attachment 4**. Identify all FMF facilities by name on the schematic (e.g., laboratory, cryogenics, and hydrants). **(T-1)**

7.2. Fuels Service Center (FSC) Element Responsibilities .

7.2.1. Manages fuel operations and serves as the single point of contact for the FMF. Accounts for all products stored, issued, and received IAW this DAFI, applicable DLA-E policies, and DoDI 4140.25 to ensure adherence and audit readiness.

7.2.2. Oversees the Fuels Accounting work center.

7.2.3. Ensures all assigned personnel to this element executes Fuels Mobile Distribution Fuels Expediter duties at least once per quarter (i.e., monitoring flight line operations, etc.).

7.2.4. Uses FMD Enterprise to collect, store, and monitor all product accounting transactions to include inventory management.

7.2.4.1. Records aviation, ground, and cryogenic product movements and servicing times.

7.2.4.2. Records, at minimum, the time of request, arrival time, start of operation, stop time, and end of the operation.

7.2.4.3. Records cryogenic servicing by cart. Do not multi-dispatched (20-F).

7.2.4.4. The fast log function will only be used for hot pits, server outages, or when radio transmissions are prohibited. Fast log justification will be documented using Fuels 20-Codes found in **Table A7.1** (T-2)

7.2.4.5. Monitors Vehicle and FHE serviceability status (i.e., In or out of service).

7.2.4.6. Flightline activity using Fuels 20-Codes found in **Table A7.1**.

7.2.4.7. Issue point codes of fuel vehicles and equipment based on mode of operation (hydrant use and/or mobile refueler) using the Issue Point Codes and definitions located in **Table A7.2**.

7.2.5. Maintains a list of FMF emergency power generator locations, trained operators, and POCs.

7.2.6. Uses controller's log to capture any significant information that affects the FMF's ability to generate sorties, fuels capabilities, emergent situations, or other as defined by FMT. FMT may identify other specific items that must be captured.

7.2.6.1. Monitors and provides current inventory status of all products and pertinent information regarding receipts, storage, issue transactions, MEL/IMP/War Reserve Materiel. Reports minimum inventory penetrations IAW DoDM 4140.25 Vol 7, DoD Management of Energy Commodities: Inventory Management. (T-0)

7.2.7. Monitors aircraft sortie generation status, rates, and installation FHP goals.

7.2.8. Informs FMF sections, FMT, WFSM and/or VM when in-commission rates fall below MEL.

7.2.9. Radios are the primary means of communication between FSC and personnel performing fuel operations. The FSC will maintain status of all fuels facilities, product accountability and FHE operations. (T-1)

7.2.10. Maintains the following within the FSC:

7.2.10.1. Direct communication with Maintenance Operations Center (MOC) and Airfield Management (Tower).

7.2.10.2. The ability to receive aircraft crash net and emergency notifications.

7.2.10.3. Recall Roster and a personnel standby roster, as applicable.

7.2.10.4. Alternative parking plan to relocate vehicles and/or FHE.

7.2.10.5. Disaster and Emergency checklists and operating instructions. **https://static.e-publishing.af.mil/production/1/af_a4/form/daf4427/daf4427.pdf**

7.2.10.6. A Liquid Fuel System map with flightline layout of all piping, facilities and servicing locations.

7.2.10.7. A Base Disaster Preparedness layout with associated cordon plotter.

7.2.10.8. A physical QC Hold Box. Note: Fuels Laboratory manages access oversight.

7.2.11. Maintain vehicle and/or expeditionary FHE clipboards with the following:

7.2.11.1. Mark exterior with the registration number and color code IAW **Attachment 4**, and **paragraph 5.4.2** (T-1)

7.2.11.2. AFTO Form 422, *Differential Pressure Log*.

7.2.11.3. DD 1898, *Energy Sale Slip*.

7.2.11.4. DAF4427, *Operator's Inspection Guide and Trouble Report (Fuels Support Equipment)* and waiver card.

7.2.11.5. A locally generated dispatch form, as applicable.

7.2.12. Provides fuels personnel with the following when dispatched: (T-0)

7.2.12.1. Clipboard (registration number will match what was dispatched in FMD or Electronic Point of Sale (EPoS) Fuel.

7.2.12.2. The servicing location.

7.2.12.3. The aircraft type and tail number, vehicle/equipment type, or facility number.

7.2.12.4. The applicable checklist.

7.2.12.5. The estimated fuel quantity, reason, and whether contamination is suspected (for defuels only).

7.2.13. Verifies fuel grade required, organizational tank, billing data, and tank custodian before fuel delivery.

7.2.14. Provides fuel inventory and equipment status to the Installation Control Center when requested. (T-3)

7.2.15. Manages Key Control Prevention Measures

7.2.15.1. Liaises with VM to retain vehicle spares on-hand or secure an agreement for emergency response (e.g., lost or damaged keys).

7.2.15.2. Conducts a semi-annual key inspection in February & August each year to validate inventory and correct deficiencies for all spare keys retained for fuels operations and facilities. Routes completed inspection report through the FMT for review, corrective actions, and signature.

7.2.15.3. Requests and replace keys or locks when required.

7.2.15.4. Fuel servicing vehicle keys must remain in the vehicle's ignition.

7.2.15.5. Ensures keys issued for operational use over extended periods are signed out using the AF1297, *Temporary Issue Receipt*.

7.2.15.6. Ensures offloading header keys are coded or separated to maintain positive control of separate product grades and sign these keys out individually after verification to prevent any commingling of fuel.

7.2.16. Manages weather notifications consisting of the following:

7.2.16.1. Notifies all applicable fuels personnel of adverse weather events

7.2.16.2. All product (e.g., aviation, ground, cryogenic, etc.) movement will cease during adverse weather events outlined IAW DAFMAN 91-203

7.2.16.3. Records adverse weather conditions in the FMD or DLA-E EPoS Fuel control log.

7.2.17. Manages EPoS and/or Vehicle Identification Link (VIL) Keys, as applicable.

7.2.17.1. For Units with EPoS, follow DLA Energy P-29, *EPoS Customer QR Codes*, and DLA Energy P-30, *DFSP EPoS Facility Responsibilities* for guidance. (T-0)

7.2.17.1.1. Informs the Fuels RO of specific duties, requirements, and overall EPoS management status.

7.2.17.2. For Units with VIL Keys:

7.2.17.3. Encodes VIL keys for vehicles with the appropriate fuel grade when available on base or within the local area per AFI 24-302, *Vehicle Management*.

7.2.17.4. Requires organizations whose mission requires them to travel off base frequently to have their VIL key encoded with sufficient grade codes to prevent mission impact. Justifies, coordinates, and approves requests for multiple grade codes programmed on VIL keys on the VIL key request form.

7.2.17.5. Coordinates with fleet management and analysis to reconcile the installation vehicle listing quarterly. (T-3)

7.2.17.6. Reconciles the installation vehicle listing with DoD Fuel Master®Advanced Enhanced and corrects all assigned vehicle organization code errors or vehicles identified as transferring off-base or to another unit.

7.2.17.7. Provides the unit vehicle control official (VCO) and/or resource advisor with the affected VIL key encode letters for correction or disposition.

7.2.17.8. Reconciles VIL key encode letters annually IAW DLA-E policy, *Vehicle Identification Link (VIL) Key Encoding, Accountability, and Control*. (T-0)

7.3. Fuels Accounting Responsibilities.

7.3.1. Reconciles transactions daily and submit data IAW DLA-E policy.

7.3.2. Resolves (i.e., clears) transaction rejections within two business days. If a reject cannot be cleared, contact the DLA-E help desk for assistance.

7.3.3. For aerial refueling mission locations, validate and process DD 791, *DoD In-Flight Issue Log*, transactions IAW AFI 11-253, *Managing Purchases of Aviation Fuel and Ground Services*. If rejections occur, coordinate wing refueling document control officers to resolve. (T-3)

7.3.4. Forecasts monthly demand planning collaboration data for capitalized product to DLA-E using the External Enterprise Business Portal (EEBP).

7.3.5. Forecasts non-capitalized product requirements with Aerospace Energy, as required.

7.3.6. Requisitions cryogenic products according to DLA-E P-11, *Energy Aerospace*.

7.3.7. Forecasts FY fuel product requirements through coordination from customers, host, tenant, and using organization, as applicable. (T-3)

7.3.8. Provides immediate notification of delivery refusals (i.e., rejected product) to the QAR at origin, AFPET, the Regional Office responsible for the receipt location and includes DLA Energy-A if it's a bulk contract delivery. Follow additional rejected product guidance IAW DLA-E P-2, *Receipt, Shipment and Bulk Sale of Energy Products*. (T-0)

7.3.9. Performs back-up of the BLSA system(s) and assists FKO with document control IAW DLA-P-3, *Document/Data Control and Retention*, as required.

7.3.10. Credits reclaimed aviation fuel, non-fly aviation fuel, and ground fuel at the DoW standard price back to the generating activity (e.g., aircraft or organization fuel was collected from) if returned as the original grade to bulk storage.

7.3.11. For cash sale information and guidance, you must use procedures in DoDM 4140.25 Vol 10*, DoD Management of Energy Commodities: Sales Accountability and Documentation Management.* (T-0) If authorized and required, contact AFPET Requirements for additional assistance, as required.

7.4. Fuels Support Element Responsibilities.

7.4.1. Oversees the Fuels Training, Fuels Equipment, and Fuels Mobility work centers.

7.4.2. Coordinates supply and equipment transactions with LRS Equipment Accountability Element (EAE) IAW DAFMAN 23-300, *Materiel Management Procedures*.

7.4.3. Prepares, maintains, and submits annual budget requests (i.e., supplies, equipment, training, etc.). Submits to the FMT for adjudication with the Squadron RA.

7.4.3.1. Budgets for FMF supplies, parts, tools, equipment, and PPE.

7.4.3.2. Budgets for annual laboratory supplies for product quality.

7.4.3.3. Budgets for training not funded by AETC. (e.g., PETRO, AFIT, FHE, etc.)

7.4.4. Forecasts spares and routine maintenance requirements authorized and approved as outlined in AFI 25-101, *War Reserve Materiel (WRM) Program Management*, and up-channels to the WRMO for CWRMO resolution of discrepancies or deficits.

7.4.5. Coordinates with AFPET to remedy excess or unserviceable equipment items and identifies the appropriate condition code before requesting disposition instructions from the Item Manager. AFPET determines, in coordination with the applicable MAJCOM fuels staff, inter-command or intra-command transfers for assets identified as serviceable. Consider which items should be coded 6R or 6S advice code items while awaiting replacement.

7.4.6. Reads to understand the unit DOC statement, METLs, UTC (posturing, coding procedures, and status of all flight UTCs) as presented in DCAPES that informs DRRS reporting.

7.4.7. Coordinates with installation deployment officer and Unit Deployment Managers (UDMs).

7.4.8. Identifies personnel qualified as trainers meeting the requirements of DAFI 36-2670, *Total Force Development*.

7.4.9. Ensures flight personnel are awarded the appropriate SEI upon completion of education and training and recommends candidates for the award IAW the DAFECD using the AF Form 2096 application.

7.4.10. Manages the Government Purchase Card program IAW DAFI 64-117, *Government Purchase Card Program*.

7.5. Fuels Equipment Responsibilities.

7.5.1. Performs equipment custodian responsibilities IAW DAFMAN 23-300 and ensures a minimum of two personnel have access to the required ELMS modules. **Note**: Locations with less than ten assigned full-time personnel must have at least one person with access to ELMS. **(T-2)**

7.5.1.1. For ELMS access, user must submit the following forms to **hpafmc.a4anl.dafpasuseraccess@us.af.mil**.

7.5.1.1.1. DD Form 2875, User Agreement.

7.5.1.1.2. Role Request Form (including PAS code).

7.5.1.1.3. A Current Cyber Awareness Challenge certificate. (within the past 12 months)

7.5.1.2. Identifies and validates new or current requirements for equipment items using ELMS **https://elmssupport.golearnportal.org**.

7.5.1.3. Monitors custodian inventory report authorizations and accountability of assets assigned as identified by Authorization ID 460 and Authorization ID 488.

7.5.1.4. Initiates new equipment requisitions with the LRS EAE section. Provides an appropriate priority category (critical, important, routine, defer) IAW DAFMAN 23-300. Requirements automatically default to routine unless otherwise specified. If criticality upgrade is necessary, coordinate with EAE. **(T-2)**

7.5.1.5. Requests equipment turn-in and/or disposition approvals from AFPET before initiating action with the Customer Support/Materiel Management activity. Approval requests will include an AFTO Form 375, Selected Support Equipment Repair Cost Estimate, supporting documentation (AFTO Form 95, Significant Historical Data), and any applicable pictures to aid the item manager in determining the necessary action. AFPET will provide information to support the FMF initiating an AF Form 2005, Issue/Turn-in Request, with the EAE.

7.5.1.6. Initiates AF601, *Authorization Change Request,* with EAE to adjust equipment authorizations when the amount on custodian inventory report is inadequate, excessive, or unsuitable for prescribed functions.

7.5.1.7. Ensures cryogenic cylinders additional to the cryogenic sampler end item are tracked as Special Purpose Recoverable Authorized Maintenance (SPRAM) assets IAW DAFMAN 23-300. Contact EAE to establish a SPRAM account.

7.5.2. Ensures storage, inspection, and operator maintenance are performed on FHE IAW applicable equipment T.O. for day-to-day use and refer to **Attachment 8** when maintaining FHE in short-term or long-term storage.

7.5.3. Identifies FY support funding requirements to the FMT to include in the LRS/WRM annual budget.

7.5.4. Assists FKO in maintaining an operational T.O. library IAW T.O. 00-5-1, Air Force Technical Order Systems, for all assigned FSE and FHE.

7.5.5. Prepares and processes equipment with associated RSPs and fuel kits for each UTC when tasked.

7.5.6. Coordinates with transportation, supply, and personnel functions to meet MAJCOM deployment time frames. Transfers accountability of customer inventory report items to a deployed supply account if deployment time period exceeds initial requirements. **(T-3)**

7.5.7. Maintains records of all FSE and FHE transactions (e.g., movement, maintenance, inspection, salvage, and transfer of equipment).

7.5.8. Coordinates with UDM to ensure documentation is maintained to meet deployment requirements.

7.5.8.1. Evaluates and reports the overall equipment program status to FMT monthly.

7.5.8.2. Provides recommended UTC updates to readiness program manager and/or UDM.

7.5.8.3. Supports fuels mobility office to ensure members are fully qualified to meet SEI refresher training and mission capability (MISCAP) requirements prior to deployment.

7.5.8.4. Uses AFFORGEN Connect on **https://tmis.us.af.mil/tmis** to gain foundational-level information for training, policies, and other AFFORGEN knowledge bases.

7.5.9. Provides fuels equipment funding requirements to the fuels support Non-Commissioned Officer in Charge (NCOIC).

7.5.10. Prepares and processes equipment tasked for deployment.

7.6. Fuels Training Responsibilities.

7.6.1. Coordinates with the UTM for upgrade training programs IAW DAFI 36-2670, *Total Force Development.*

7.6.2. Maintains fuels operator qualifications associated with fuels and cryogenic operations in FMD and leverages CFETP behavioral competencies. **(T-1)**

7.6.3. Provides annual budget considerations to fuels support NCOIC for training requirements (e.g., training mock-ups, commercial and unit funded classes, and information technology items).

7.6.4. Familiarizes fuels personnel on controlled or restricted area procedures IAW DAFI 31-101, *Integrated Defense*.

7.6.5. Provides fuels personnel with industrial security training upon arrival and annually thereafter DoDM 5220.32V1_AFMAN16-1406V2*, National Industrial Security Program: Industrial Security Procedures for Government Activities.*

7.6.6. IAW DAFMAN36-2689, develop one work center master task list that ensures completion of all duty position requirements (i.e., 100 percent task/competency coverage) and conducts a review annually. All CFETP, AFJQS, or CJQS day-to-day mission (duty position) requirements, core tasks/competency and contingency tasks, Cross Utilization Training tasks, and additional duties performed by the work center personnel. Core tasks/competencies not applicable or available at home station are not required for upgrade (units are not required to send personnel TDY for core task/competency training), and locally developed tasks/competencies.

7.6.6.1. Assists work center supervisors to develop master task listings consisting of a comprehensive list (100%) of all tasks performed within a work center, consistent with the CFETP and locally developed AF Form 797, Job Qualification Standard Continuation/Command JQS, lesson plans, and QTP implementation. **(T-3)**

7.6.6.2. Seeks out additional literature and directives pertinent to the OJT program and publication familiarization program, including commercial training sources.

7.6.7. Coordinates, prepares, and submits MRT and non-MRT training requests to AFIMSC annually.

7.6.7.1. Leverages ETCA to ensure trainees meet course pre-requisites.

7.6.7.1.1. Uses CFETP Course Numbers to search within ETCA.

7.6.7.1.2. Reports to the FMT if pre-requisite requirements are not met.

7.6.7.2. Leverages ETCA for Line of Accounting guidance. **Note:** The 364 TRS has no equity in this.

7.6.7.3. Coordinates with AFIMSC for ETCA waiver or name swap inquiries.

7.6.8. Synchronizes fuels vehicle operator training with fuels distribution and VCO schedules.

7.6.9. Coordinates vehicle QTP changes IAW AFI 24-301, *Ground Transportation* with 2F Schoolhouse & AFIMSC MFM.

7.6.10. Coordinates generator training with BCE and FMF facility managers to ensure fuels personnel are ready to operate fuels facility emergency power generators IAW AFMAN 32-1062, Electrical Systems, Power Plants, and Generators, and documents this accordingly.

7.6.11. Ensures applicable fuels personnel accomplish biennial HAZMAT training IAW QTP24-3-HAZMAT.

7.6.12. Inspects and documents all training records IAW DAFI 36-2670 and coordinates with work center supervisors for corrective actions. **(T-3)**

7.6.13. Implements the approved rotational training program utilizing CFETP against the master training plan. **Note:** At locations with fewer than 20 military personnel and those with less than 15-month tour lengths, a formal rotational training program is not required. **(T-2)**

7.6.14. Training and certification of TQT will be accomplished IAW DAFI 10-2501, *Emergency Management Program* and DAFI 36-2670 as identified in CFETP.

7.6.14.1. Task standardization is key to TQT, ensuring readiness while in a chemical, biological, radiological, and nuclear environment.

7.6.14.2. Documents completed TQT training on MTP according to CFETP. **(T-1)**

7.6.15. Assists supervisors to initiate AF Form 2096, *Classification/On-The-Job-Training Action,* for skill-level upgrade and SEI award. The fuels training supervisor will manage and track documents until the member's records are reflected correctly.

7.6.16. Coordinates hot refuel training with Aircraft Maintenance Unit or equivalent. **(T-1)**

7.6.16.1. Maintains a roster of hot refuel qualifications to meet DAFI 21-101 FMF personnel requirements.

7.6.16.2. Hot refuel qualifications are to be classified in the following categories and are not limited to specific MDS or location: **(T-1)**

7.6.16.2.1. Fixed-Wing Fighter Aircraft.

7.6.16.2.2. Rotary Aircraft.

7.6.16.2.3. MAF/Bomber Aircraft.

7.6.17. Will assess in-garrison and UTC forklift requirements and pursue appropriate training accordingly. A minimum, 20% of assigned flight personnel should be trained.

7.7. Fuels Mobility Responsibilities.

7.7.1. The Fuels Mobility Supervisor is the Fuels Flight POC for the readiness of personnel and equipment.

7.7.2. Conducts periodic exercises of mobility capabilities. These “in-house” exercises can be with personnel, equipment, or both and will be evaluated by Fuels Quality Compliance (e.g., Base Support Plan, Installation Deployment Plan, REPOL, Defense Support of Civil Authorities, Non-Combatant Evacuation Operations).

7.7.3. Prepares Fuels personnel for all deployment tasking requirements and family member support requirements.

7.7.4. Coordinates with the Logistics Planners on planning documents concerning fuels management to include but not limited to: BSP part I and II, TPFDD Monitoring, Logistics Module, Logistics Detail (LOGDET)/Manpower Force Requirement updates, and DOC statement.

7.7.5. Provides a monthly status update report to the FMT. At a minimum, this report will include all JFA/JFD UTC current status to inform the squadron of DCAPES reporting. Additionally, Fuels Mobility will aid FMT to inform the squadron DRRS reporting cycle.

7.7.6. Assesses and monitors personnel requiring special qualifications training in coordination with UDM and UTM to meet JFA UTC MISCAP or pre-deployment requirements.

7.7.7. Coordinates with the Fuels Equipment Management Supervisor on assigned JFD UTCs to ensure all MISCAP/LOGDET requirements.

7.7.8. Performs increment monitor role for all Fuels Flight assets.

7.7.9. In conjunction with the Fuels Training supervisor, ensures the appropriate SEI is awarded IAW DAFI 36-2670. SEIs will be contributing factors when posturing Fuels Flight members into UTCs with MISCAP requirements.

7.7.10. Maintains current listing of all flight personnel that hold SEIs, have completed flight physicals, physiological training, and any other unique training requirements for all UTC requirements outlined in the AF Enlisted Classification Directory and UTC Mission Capability.

7.7.11. Schedules personnel selected by FMT, with at least two years’ retainability, to attend SFH-A course training as outlined in CFETP. **(T-2)**

7.7.12. Schedules flight physicals and physiological training at least 45 days before due date.

7.7.13. Maintains copies of AF1274, *Physiological Training*, and DD Form 2992 records for ABFDS/FARP qualified personnel.

7.7.14. Provides annual budget considerations to Fuels Support NCOIC for mobility requirements.

Chapter 8

FUELS QUALITY COMPLIANCE REQUIREMENTS

8.1. Fuels Quality Compliance Section Responsibilities.

8.1.1. Manages FMF compliance functions ensuring strict compliance with policy, T.Os, and local/state/federal regulatory guidance. Resides within the FMF due to their direct oversight of multiple elements and the necessity to ensure strict compliance which could directly impact safety of flight/sortie generation. **(T-1) Note:** This is unique to any other Logistics Career Field.

8.1.2. Oversees the Fuels Environmental & Safety Element and Fuels Laboratory Element.

8.1.3. Inspections will be documented on the AF Form 2419/2420. The Logistics Evaluation Assurance Program and Inspector General Enterprise Management System (IGEMS) will not be used to document or record inspections for fuels activities.

8.1.4. Ensures AFTAT accounts have been established and remain active for all Laboratory and Fuels Environmental and Safety personnel. **(T-1)**

8.1.5. Review AFPET, DLA or commercial laboratory reports and inform FMF offices of trends, deficiencies, or suspect samples for situational awareness. Swiftly ensure all disposition directives provided by the AFPET Quality and Technical Directorate are implemented without delay to prevent mission degradation. **(T-1)**

8.1.5.1. Notifies the AFPET Laboratory Division (PTPL) to remove access to AFTAT when personnel no longer perform these functions. Personnel with AFTAT access will ensure accounts remain active by logging in to the system within 30 days of their last login. **(T-1)**

8.1.6. Will review all MICT inputs with FMT prior to routing outside of the flight. **(T-1)**

8.1.7. Perform monthly no-notice inspections across all shifts and operations, targeting CFETP competencies and compliance with this DAFI and referenced publications. At a minimum, 20% of assigned personnel shall be inspected monthly. **(T-2)**

8.1.8. Executes the following Special Inspections, at minimum, once per quarter or at the FMT's discretion: **(T-1) Note:** Ensures any exercise scenarios potentially impacting outside base agencies are well-coordinated to negate potential mission impacts.

8.1.8.1. Power outages (e.g., loss of primary power or generator power).

8.1.8.2. Communication outage (e.g., loss of phone, radio, NIPR, SIPR, etc.)

8.1.8.3. Recall procedures (e.g., flight, key personnel, element, etc.)

8.1.8.4. Dispersal procedures (e.g., relocations, asset dispersal, etc.)

8.1.8.5. Alternative routes (e.g., a taxiway outage, primary ECP closure, etc.)

8.1.8.6. Major capability degradation (e.g., MSS outage, partial fleet loss, etc.)

8.1.8.7. Readiness reporting accuracy (e.g., BSP, DRRS, DCAPES, etc.)

8.1.8.8. Filter separator element expiration dates (i.e., Facility, Vehicle, and FHE MELs)

8.1.8.9. FMT Responsibilities (e.g., resource use, programs, accounting, safety, etc.)

8.1.9. Ensures the FMT, Section Chiefs, and at minimum, the Elements are inspected semi-annually. **(T-1)** The FMT will designate an evaluator to inspect the FQC Section Chief. **Note:** The FMT may request an out-of-cycle inspection to address concerns within a given area.

8.1.9.1. Schedule assessments 14 days in advance and coordinate with applicable FMT, Section Chiefs, and Element leaders to negate potential mission impacts. Review the areas to be evaluated to include special interest items and any prior discrepancies. **(T-1)**

8.1.9.2. Semi-annual inspections will be no longer than five duty days of inspection. Assessments will be comprehensive and cover applicable responsibilities which may include additional duties. Inspections will be fully completed (i.e., in-brief, evaluation and summary of findings) within five duty days. **(T-1)**

8.1.9.3. Revaluates any identified discrepancies after 30 days but no longer than 45 days to ensure corrective measures have been taken to resolve findings. **(T-1)**

8.1.10. Inspection Documentation:

8.1.10.1. Use AF Form 2419, *Routing and Review of Quality Control Reports* and AF Form 2420, *Quality Control Inspection Summary* or electronic equivalent to document inspections. **(T-1)** The Logistics Evaluation Assurance Program and IGEMS will not be used to document or record inspections. **(T-1)**

8.1.10.2. Assessment Criteria. Rate all inspections as either "Satisfactory" or "Unsatisfactory." Other rating systems may be used at the discretion of the FMT. **(T-1)**

8.1.10.3. If a no-notice inspection is rated unsatisfactory identify the failure and circumstances involved. Route through the responsible supervisor and section chief within three calendar days. **(T-1)**

8.1.10.4. If one of the following conditions during any inspection is observed, stop the operation immediately and notify the immediate supervisor and the FMT:

8.1.10.4.1. An unsafe or hazardous facility, vehicle, and equipment that has not been identified, withdrawn from use, or properly danger and/or caution tagged. **(T-1)**

8.1.10.4.2. A safety violation that could reasonably be expected to result in injury to personnel or damage to aircraft, equipment, or facilities. **(T-1)**

8.1.10.5. Provides the assessments and inspections to FMT monthly. **(T-1)**

8.1.10.6. Documents recurring discrepancies and route to the FMT for correction. **(T-1)**

8.1.11. Preparing and routing the report:

8.1.11.1. Prepares and routes applicable findings on AF Form 2419 and/or AF Form 2420, or electronic equivalent using chain of command to the LRS/CC. **(T-2)**

8.1.11.1.1. For all unsatisfactory assessment findings, develops a closed-loop process that addresses the following: identifies root cause, circumstances of the assessment, the direct failure found, proposed corrective action to eliminate root cause, validation of corrective actions, and proposed closure date.

8.1.11.1.2. Carries forward open items to the next report.

8.1.11.1.3. The LRS/CC may delegate acknowledgement of semi-annual inspection completion.

8.1.11.2. Assists FKO with assessment and inspection document control IAW flight file plan. **(T-1)**

8.2. Fuels Environmental & Safety Element Responsibilities.

8.2.1. Manages environmental and safety programs.

8.2.2. Provides daily safety and weekly environmental briefing topics and attends daily operational safety briefings on a random basis to check for effectiveness. Will incorporate this instruction, T.O. 42B series, T.O. 37 series, environmental guidance and AFPET generated Back-to-Basics (B2B), incident summaries, and safety flashes which are maintained on the DAF2FPOL Portal site: **https://usaf.dps.mil/teams/DAF2FPOLPortal/SitePages/AFPET.aspx**. **(T-3)**

8.2.3. Reports flight mishaps and incidents within 24 hours. Conduct incident reporting IAW **Attachment 5**. **(T-2)**

8.2.4. Creates and updates Job Safety Training Outline IAW DAFI 91-202, *The Department of The Air Force (DAF) Mishap Prevention Program*. Contacts wing/delta safety office and BE for assistance as needed for assistance to conduct a hazard analysis when workplace operations change and/or when new hazardous materials are introduced, processes or procedures are changed, or engineering controls are modified or added IAW DAFMAN 91-203, *Air Force Occupational Safety, Fire and Health Standards*. **(T-3)**

8.2.5. Prepares for Environmental, Safety, and Occupational Health Compliance Assessment and Management Program inspections IAW AFMAN 32-7002 and DAFI 90-302, *The Inspection System of The Department Air Force*. **(T-2)**

8.2.6. Develops work area specific hazard communication (HAZCOM) program IAW AFI 90- 821, *Hazard Communication (HAZCOM) Program*. **(T-1)**

8.2.7. Establishes a hazardous energy control program, also known as lock-out/tag-out (LOTO) program management, IAW DAFMAN 91-203 and in coordination with the wing/delta occupational safety office, if needed. **(T-1)**

8.2.7.1. Ensures LOTO devices comply with DAFMAN 91-203, are maintained separately from the fuels QC hold program locks, and are clearly labeled and identifiable (e.g., POL/LO- 1, POL/LO-2). **(T-1)**

8.2.8. Briefs all fuels personnel at least quarterly on safety matters. This briefing includes hazards, safety precautions, first-aid measures, and off-duty seasonal hazards and precautions. **(T-3)**

8.2.8.1. The briefing should also include flight high-trend items, and other things such as safe handling of fuel-soaked clothes, prenatal precautions (if applicable), ways, means, and methods to improve safety in operations and mission support. **(T-3)**

8.2.8.2. Recommends best practice or benchmarked process to the FMT for inclusion for flight enhancement. **(T-3)**

8.2.9. Assures compliance with federal, state, and local environmental laws and regulations, and DAFPDs and AFIs. At overseas locations, assures compliance with FGS or the overseas environmental baseline guidance document in the absence of the FGS. **(T-0)**.

8.2.10. Ensures adequate spill prevention and clean-up materiel are readily available. **(T-3)**

8.2.11. Consults the installation occupational safety office and BE for required PPE IAW DAFMAN 91-203.

8.2.11.1. Identifies fall protection equipment requirements safety guidance and task performance (confined spaces, aboveground storage tank gauging). **(T-3)**

8.2.12. Identifies operations requirements for equipment to enter toxic environments (e.g., permit required confined spaces). Contacts base BCE environmental office for disposal instructions of off-specification product or fuel/water mixtures. **(T-3)**

8.2.13. Performs random evaluations of approximately 10% of personnel per shift for alertness and situational awareness while performing fuel and/or cryogenic handling operations.

8.3. Fuels Laboratory Element Responsibilities.

8.3.1. Ensures that provisions outlined in DAFMAN 91-203 regarding laboratory safety and internal and external safety inspections are accomplished and documented. **(T-1)**

8.3.2. Schedules and administers the fuels QC program IAW 42B series T.O.s. **(T-1)**

8.3.3. Observes and performs trend analysis of the condition and performance of installed filter and coalescer elements.

8.3.4. Ensures FMD is up to date and reflects current and accurate samples and due dates for fuels facilities, fuels equipment, and cryogenic sample results. **(T-1)**

8.3.4.1. Only FMT designated personnel should input sample data into FMD Quality Control Module. **(T-1)**

8.3.4.2. FMT designees will utilize FMD to record additional fuel samples from vehicles, FHE, and facilities as required for trend analysis and additional quality surveillance. **(T-1)**

8.3.5. Uses AFTO Form 150, *Base Fuels Sampling and Testing Record,* if FMD Quality Control Module fails. Update all records into FMD when the issue is resolved. **(T-2)**

8.3.6. Administers the QC hold program IAW local FOI and accounts for assets used to identify and isolate fuels and cryogenics storage and dispensing equipment. **(T-2)**

8.3.6.1. Ensures isolation devices (locks) are maintained separately from the LOTO devices and readily identifiable (e.g., LGRF-1, LGRF-2). **(T-2)**

8.3.6.2. Assigns AF Form 980, *Caution Tag* IAW the FOI. **(T-2)**

8.3.6.3. Notifies FSC when placing or removing an AF Form 980. **(T-2)**

8.3.6.4. Records AF Form 980 actions in FMD. **(T-2)**

8.3.6.5. Places an AF Form 980 and lock on assets that are overdue for laboratory sampling. **(T-2)**

8.3.6.6. Removes overdue assets from service and secures the corresponding clipboard in the QC hold box. **(T-2)**

8.3.6.7. Maintains a QC hold box in the FSC.

8.3.6.8. Ensures that only the laboratory personnel maintain keys and locks used for the fuels QC hold program. **(T-3)**

8.3.7. Ensures AFTAT accounts have been established for all laboratory personnel. Coordinate with AFPET/PTPL to remove access to AFTAT when personnel no longer perform laboratory functions. **(T-2)**

8.3.7.1. Ensures all required product samples are processed in AFTAT and submitted to an Aerospace Fuels Laboratory. **(T-2)**

8.3.7.2. Includes FMT email addresses in AFTAT report automated distribution. **(T-2)**

8.3.7.3. Reviews AFTAT analysis reports to identify negative trend patterns and recommends changes to the FMT to improve product quality. **(T-2)**

8.3.8. Establishes sampling requirements schedule and Laboratory program IAW 42B series T.O.s. **(T-1)**

8.3.9. Notifies FSC immediately of any suspected contaminated or off-specification products. Immediately implement QC hold IAW local FOI. **(T-2)**

8.3.10. Provides FSC with a laboratory standby roster. **(T-3)**

8.3.11. Maintains an aircraft crash kit IAW T.O. 42B-1-1, Quality Control of Fuels. A tamper proof seal will be utilized and visually inspected quarterly. A physical inventory will be executed annually for equipment serviceability and operability. Re-inspect the crash kit and inventory if there is any evidence of seal tampering. Documents all inspections in FMD. **(T-2)**

Chapter 9

FUELS OPERATIONS REQUIREMENTS

9.1. Fuels Operations Section Responsibilities.

9.1.1. Manages product servicing resources, flight line support, equipment maintenance, product movement, and storage of bulk petroleum, cryogenic, and hypergolic products as applicable. **(T-2)**

9.1.1.1. Reviews applicable inspection reports and validates corrective actions.

9.1.1.2. Develops methods to enhance operational support and streamline equipment management. **(T-2)**

9.1.1.3. Validates scheduling to ensure individuals are not performing beyond 12 hours of continuous work. **(T-2)**

9.1.2. Oversees the Fuels Distribution Element, Fuels Facilities Element, and Specialized Fuel Handling-Air Element (as applicable).

9.1.3. Reviews aircraft flying schedules for fuels support requirements and tailors work shifts accordingly. **(T-2)**

9.1.4. Submits requests for facility and equipment changes in coordination with FKO and fuels equipment supervisor to support the mission. **(T-2)**

9.1.5. Manages assigned vehicles IAW DAFI 24-302, *Vehicle Management.* **(T-2)**

9.1.6. Establishes product rotation procedures for hydrant and fuel storage facilities IAW DoDM 4140.25 Vol 4, *DoD Management of Energy Commodities: Quality and Technical Management*. (**T-0)**

9.1.7. Uses all serviceable tanks, transfer pipelines, pumps, meters, filter separators, and fill stands on a rotational, routine basis to prevent deterioration of pumps, seals, and gaskets. **(T-2)**

9.1.8. Validates alternate resupply capability:

9.1.8.1. Tests resupply capability (not resupply capacity) annually or when system modifications alter capability. **(T-2)**

9.1.8.1.1. Performs tests to validate DLA-E support, maintain training proficiency, and exercise receipt system capabilities. The FMT will ensure military members are proficient in operating bulk storage fuel resupply systems in the event that civilian and/or host nation support personnel are unable to perform contractual obligations. **(T-2)**

9.1.8.1.2. Initiates a feasibility analysis with AFPET/PTOR to determine the most efficient means of resupply. This ensures funding and construction are not committed to provide a resupply capability where commercial markets are able to fulfill requirements. **(T-2)**

9.1.8.2. Bases whose resupply capability is solely accomplished by a single available conveyance do not require exercising alternate receipt capability. Additionally, bases that receive via railcar and use the same off-loading headers during alternate mode of receipt do not require retesting of their receipt capability.

9.1.9. Establishes a cryogenic conservation plan. Must coordinate plan with using organizations and ensure the conservation plan provides the following at a minimum: **(T-3)**

9.1.9.1. Limits fill periods to minimum number to support mission requirements. **(T-3)**

9.1.9.2. Designates cryogenic servicing times. **(T-3)**

9.1.9.3. Identifies minimum cart limit to maximize conservation efforts. Encourage using organizations to keep active carts to a minimum, and maintain other carts in a purged, standby status. **(T-3)**

9.1.9.4. Coordinates with using organization(s) to determine the number of active carts needed to support using organization while maintaining inactive carts in purge and standby status. **(T-3)**

9.1.10. Monitors FARP/SFH-A personnel and equipment to ensure all required training is completed, qualifications are current, and overall readiness status meets or exceeds establish mission requirements, if applicable. **(T-2)**

9.1.11. Selects and nominates members from the pool of qualified FARP/SFH-A operators for FMT assignments to fulfill the SFH-ATC responsibilities based on established selection criteria, if applicable. **(T-2)**

9.1.12. IAW DAFMAN 32-1067, personnel will be assigned to access the Storage Tank Accounting and Reporting (STAR) database. This access will be used to maintain and update current tank information and inspection records for all DLA Energy capitalized tanks and fuel storage systems, including their associated piping and pipelines.

9.1.12.1. DLA Energy contracted Fuels Management/Bulk Storage sites must designate a government representative from the LRS to join the POL STC CFTs. This individual will be granted access to STAR for the purpose of maintaining and updating the database with current tank information and inspections pertaining to DLA Energy capitalized tanks.

9.2. Fuels Distribution Element Responsibilities.

9.2.1. Oversees the Fuels Mobile Distribution and Fuels Preventative Maintenance functions.

9.2.2. Reviews flying schedules ensuring resources are aligned with mission requirements.

9.2.3. Ensures actions directed by the FSC are accomplished safely and efficiently.

9.2.4. Ensures personnel are trained as outlined in FMF's master training plan.

9.2.5. Trains personnel on radio use, discipline, and transmission codes listed in **Attachment 9**.

9.2.6. Ensures operators conduct a pre-operation inspection (pre-trip inspection) for vehicles as required using applicable inspection forms. **(T-1)**

9.2.7. Operationally checks vehicles and reviews inspection forms before returning assets to service.

9.2.8. Uses applicable forms as prescribed in **Attachment 10**, to annotate discrepancies.

9.2.8.1. If a vehicle is being received from maintenance, ensure sump drains are closed, and filter separator air eliminators are properly installed.

9.2.9. Initiates disqualification action when an individual's attitude, mental, or physical state is potentially unsafe for operating vehicles.

9.2.10. Serves as the Primary Airfield Driving Program IAW 13-213, *Airfield Driving*.

9.2.10.1. Familiarizes servicing vehicle operators with flightline safety, aircraft parking ramps, runway crossings, aircraft taxiways, and control tower signals. Conducts familiarization on infrequently used routes or operations.

9.2.11. Serves as VCO IAW AFI 24-302 and any local guidance, as applicable.

9.2.11.1. Coordinates with VM to de-conflict scheduled maintenance and deficiency repairs.

9.3. Fuels Mobile Distribution Responsibilities.

9.3.1. Monitors for flightline fuel servicing operations, corrects deficiencies, terminates unsafe operations, and resolve or reports discrepancies.

9.3.2. Maintains communication with FSC and coordinates hydrant, storage, and other fuels servicing operators, as required.

9.3.3. Maintains availability to expedite fuel servicing operations and unique fuel servicing requirements determined by the FMT.

9.3.4. Maintains a spill response kit in the expediter vehicle for containment and cleanup of small leaks or spills.

9.3.5. Maintains an ETK to facilitate on-the-spot repairs.

9.3.6. Consider mission, flightline layout and proximity to RFM when determining ETK tools.

9.3.7. Ensures adherence to foreign object damage prevention requirements IAW DAFI 21-101.

9.3.8. Performs Fuels Distribution Element responsibilities as delegated.

9.4. Fuels Preventive Maintenance Responsibilities.

9.4.1. Documents, inspects, and maintains vehicles IAW T.O. 36-1-191, *Technical and Managerial Reference for Motor Vehicle Maintenance*, AAMVA CDL Driver's Manual, and applicable T.O.s.

9.4.1.1. Ensures FMD accurately reflects current vehicle status.

9.4.2. Performs daily and monthly vehicle inspections utilizing T.O. 36A12-13-2CL-1, *Air Force Refueling Vehicle Checkpoint Checklist*.

9.4.2.1. Vehicles may be inspected on-the-spot or at a centralized location.

9.4.2.2. A three-person team is recommended; however, FMTs may deviate as long as all checklist items are inspected, and two-person policy/inspection requirements are fulfilled.

9.4.3. Coordinates scheduled and unscheduled maintenance with VM.

9.4.3.1. For vehicles being taken out of service (e.g., unsafe or inoperable), validate the issue and as required, turn the vehicle into the appropriate maintenance activity for corrective action. Ensure the DAF Form 4427 is annotated accordingly.

9.4.3.2. For vehicles being returned to service, (e.g., repaired or released), validate the repair by performing an operational check. Ensure the DAF Form 4427 is annotated accordingly. **Note:** Ensure sump drains are verified closed and filter separator air eliminators are properly installed.

9.4.4. Ensures fuels preventative maintenance is equipped with the following:

9.4.4.1. PPE IAW **paragraph 8.2.11**.

9.4.4.2. Tool kit IAW **paragraph 6.7**.

9.4.4.3. Spill cleanup material and environmental safeguards (e.g., buckets, spill pans).

9.4.4.4. Covered shelter. If none is available, submit request to secure or other options such as co-locating with refueling maintenance.

9.4.5. Initiates vehicle modification requests through the FMT, VM and AFPET.

9.4.5.1. Major modifications must be approved by AFLCMC/ROZ's applicable Integrated Product Team (e.g., vehicles or FHE).

9.4.5.2. No modification should be made until approved at the appropriate level.

9.4.5.3. Approved modifications will be maintained in the permanent portion of the Vehicle Historical Record.

9.4.6. Identifies vehicles that have been out of service for 90 days or longer that have no identifiable cause (e.g., no reason has been discovered for what is wrong). Provides status to the FMT so further engagement with the Base Fleet Manager, and possibly VSCOS, can occur.

9.4.7. Establishes a Test, Measurement, and Diagnostic Equipment account IAW T.O. 33K-1-100-1, *Calibration Procedure for Maintenance Data Collection Codes and Calibration Measurement Summaries*.

9.4.8. Coordinates with Fuels Equipment Program Management for status updates impacting overall equipment management and ELMS inputs.

9.5. Fuels Facilities Element Responsibilities.

9.5.1. Managers cryogenic, hydrants, bulk storage, and military service station operations under the FMF's span of control. At locations with AF or DLA-E contracted functions, the COR provides the necessary contract oversight.

9.5.2. Oversees the Fuels Hydrants and Fuels Cryogenics work centers.

9.5.3. Coordinates receipt, storage, transfer, and inventory of all products used and supported.

9.5.4. Coordinates with the Fuels Laboratory during receipts to ensure required samples are taken.

9.5.5. Oversees the inspection and maintenance of all hydrant and bulk storage facilities and associated equipment.

9.5.6. Uses AFTO Form 39, *Fuel System Inspection and Discrepancy Report,* IAW T.O. 37-1-1 to record deficiencies. Must review AFTO Form 39 monthly (every 30 days) before routing to FMT. **(T-3)**

9.5.7. Ensures tank trucks and/or cars are inspected for evidence of theft, tampering, sabotage, leaks, or other obvious safety or quality discrepancies IAW DoDM 4140.25 Vol 12, DLA-E policies, and/or LCL(s) before off-loading. The FMT is responsible for determining shipment refusal. **(T-0)**

9.5.8. Maintains base service station(s) and bulk storage to provide automotive gasoline, diesel fuel, and approved alternative fuels for all authorized vehicles and equipment.

9.5.8.1. Equips service station(s) with a phone for customer use and for emergency reporting.

9.5.8.2. Ensures spill kit and absorbent materials are available and ready for use.

9.5.9. Updates facility and equipment status in FMD.

9.5.10. Monitors product inventories IAW DoDM 4140.25 Vol 6. **(T-0)**

9.6. Fuels Hydrants Responsibilities.

9.6.1. Promotes the effective and efficient use of hydrant systems and ensures that operator maintenance is accomplished.

9.6.2. Establishes a hydrant system flushing program IAW T.O. 37-1-1.

9.6.3. Updates hydrant status in FMD.

9.6.4. Coordinates all fuel transfer operations with the FSC.

9.6.5. Adheres to approved LCLs and T.O. 37-1-1 for fuel movement actions.

9.6.6. Ensures communication is maintained during fuel movement IAW **paragraph 5.15.2.7** of this instruction.

9.6.7. Monitors progress during fuel transfer and/or receipt operations using FMD when installed.

9.7. Military Service Station Responsibilities.

9.7.1. Ensures that AFTO Form 39 is used to record deficiencies IAW T.O. 37-1-1.

9.7.2. General purpose vehicles are to be refueled at the base service station, local vendor, or organizational issue tank. Mobile fuel servicing vehicles dispatched for general purpose vehicle refueling must be approved by the FMT.

9.7.3. Special purpose vehicles and material handling equipment that cannot easily access or travel to the base service station due to body design or propulsion method may be refueled by a mobile fuel servicing vehicle when coordinated and approved by the FMT. **(T-3)**

9.8. Cryogenics Responsibilities.

9.8.1. Executes Servicing Cart Operations and Inspections.

9.8.1.1. Ensures servicing carts are maintained by using organization, including purging and pulling a vacuum.

9.8.1.2. Verifies AFTO Form 244 to ensure carts meet safe operating conditions. Do not fill carts that do not meet safe operating conditions. **(T-1)**

9.8.1.3. Inspects AFTO Form 134, *Aviator Breathing Oxygen Servicing Trailer Log*, on LOX carts prior to servicing. Do not service if the form is not properly annotated. Refer to T.O. 42B6-1-1, *Quality Control of Aviator's Breathing Oxygen/Aviators Gaseous Breathing Oxygen* for specific responsibilities on documentation of the AFTO Form 134, quality control requirements and restrictions on filling LOX carts. **(T-1)**

9.8.2. Maintains and adheres to Cryogenic Conservation Plan requirements IAW **paragraph 9.1.9**. Product Quality and Conservation requirements.

9.8.2.1. Ensures active storage tanks are kept as full as economically possible.

9.8.2.2. Investigates, analyzes, and documents product loss to identify equipment issues and inform the Cryogenic Conservation Plan. Follows sampling and testing program as prescribed by the 42B-series T.O.s.

9.8.2.3. Coordinates with lab personnel to ensure that scheduled tests are taken and that results are entered into FMD.

9.8.3. Maintains cryogenics equipment documentation and records:

9.8.3.1. Maintains all AFTO Form 95s for generation and support equipment.

9.8.3.2. Monitors required forms, including AFTO Form 244, Industrial/Support Equipment Record, ensures T.O. compliance, and takes necessary corrective action.

9.8.3.3. Document vacuum meter readings and date on AFTO Form 95 (related to periodic inspections).

9.8.4. Ensures compliance with scheduled maintenance and inspections:

9.8.4.1. Accomplishes required, scheduled, and periodic maintenance.

9.8.4.2. Completes scheduled inspections, lubrications, and routine adjustments of equipment.

9.8.4.3. Adheres to the test, measurement, and diagnostic equipment schedule and follows T.O. 00-20-1, Aerospace Equipment Maintenance Inspection, Documentation, Policies, and Procedures.

9.8.4.4. Maintains a vacuum on all storage tanks IAW T.O. 37C2-8-1-116WC-1, Work Cards Periodic Inspection Non-Powered Aerospace Ground Equipment, Liquid Oxygen, Liquid Nitrogen, Liquid Argon, Liquid Air Storage and Transfer Tanks, (FSC 3655) 50, 400, 500, 2000, 3000, 5000, 6000 Gallon. **(T-1)**

9.8.4.5. Completes all periodic inspections IAW T.O. 37C2-8-1-116WC-1 to ensure loss rates are minimized. **(T-1)**

9.8.5. Executes equipment repair and overhaul actions.

9.8.5.1. Performs maintenance of equipment to include repair or replacement of major assemblies and components.

9.8.5.2. Requests repair and/or replacement of tanks that develop a history of poor vacuum performance.

9.8.6. Ensures only fuels certified personnel are authorized to modify equipment IAW T.O.s or when authorized by the item manager. **(T-1)**

9.8.6.1. Performs required and periodic maintenance, corrosion control, and submits work requests for painting when needed. **(T-1)**

9.8.6.2. Submits requests to modify storage containers to AFPET before submitting the request through the EAE.

9.8.6.2.1. AFPET will coordinate with MAJCOM/CEMO and the item manager for approval. **(T-1) Note:** In the absence of a CEMF/CEMO, coordinate via the FAM.

9.8.7. Coordinates Depot Maintenance actions as required.

9.8.7.1. Liaises with the Fuels Equipment Program Manager for Depot Maintenance and disposition actions of authorized equipment items.

9.8.7.1.1. Reports tanks that cannot efficiently (excessive product loss) store product to AFPET, who will coordinate with the item manager.

9.8.7.2. Considers contract maintenance when equipment maintenance requirements exceed the base capability.

9.8.7.2.1. Contacts AFPET to determine course of action if contract maintenance is unavailable. **(T-2)**

9.8.7.3. As a last resort, requests a depot maintenance assistance site visit through AFPET IAW T.O. 00-25-107, Maintenance Assistance. **(T-1)**

9.9. Specialized Fuel Handling-Air (SFH-A) Element Responsibilities.

9.9.1. This Element is only added to a local fuels flight structure if there is a codified UTC requirement and equipment assets are on-hand/available for use. **(T-1)**

9.9.2. In the absence of routine operations and/or missions, personnel will integrate with the Fuels Distribution Element and balance responsibilities accordingly. **(T-1)**

9.9.3. SFH-A ABFDS and FARP Duties.

9.9.3.1. Properly maintains refueling equipment for SFH-A operations to ensure its reliability. The SFH-A NCOIC will be responsible for maintaining, inspecting, and storing this equipment. **(T-1)**

9.9.3.2. Fuels SFH-A NCOIC will report personnel and equipment status as outlined below. Report shortfalls to higher headquarters by AAR with recommended corrective actions to AFSOC/A4RE or applicable MAJCOM. **(T-1)**

9.9.3.3. Report equipment status: type, quantity, number on hand, and number on order. FARP units will submit this report to AFSOC/A4RE Fuels, ABFDS units will submit to owning MAJCOM SFH Program Manager by the first Thursday of each month. **(T-1)**

9.9.3.4. The HDP requirement is one 2F0X1 for each refueling point. Use AF Form 4132/A, Hose Deployment Personnel Training Report/Specialized Fuel Handling Report, to track personnel FARP/ABFDS training. **(T-1)** FMTs will submit a monthly report (A4 Report) to AFSOC/A4RE identifying the training status of FARP personnel and equipment status. **(T-1)** The SFH-A NCOIC will maintain the original/signature copy of AF Form 4132 or AF Form 4132A for each of their FARP or ABFDS team members, respectively, and update as required. **(T-1)**

9.9.3.5. SFH-A NCOICs ensure that HDPs receive training in conjunction with aircrew training. **(T-2)**

9.9.3.6. The SFH-A NCOIC is responsible for periodic inspection/maintenance of the SFH-A FARP and/or ABFDS equipment and ensuring the hydrostatic testing of the servicing hoses. **(T-1)**.

9.9.3.7. Briefs FARP personnel/FMTs on all policies issued by AFSOC/A4RE. **(T-2)**

9.9.3.8. Provides the FMT with personnel, equipment, & UTC status updates. **(T-3)**

9.9.3.9. Provides the FSC with a forecast roster of primary and alternate team members on standby.

9.9.3.10. Coordinates with the flying squadron's planners and/or schedulers to ensure personnel availability for training and mission requirements. **(T-3)**

9.9.3.11. Ensures that SFH-A operators are available to conduct aircrew training.

9.9.3.12. Provides a trip report to report AFSOC/A4RE after each Major Force Program 11 (MFP-11) FARP TDY or deployment within 10 duty days upon return to base where mission originated. ABFDS units will submit trip reports to owning MAJCOM. **(T-2)**

9.9.3.13. Ensures that each FARP program maintains the required amount of equipment to perform DOC tasked UTC requirements, reports up chain of command when capability exceeds capacity, and equipment must be always available for mission support. **(T-1)**

9.9.3.14. Tracks FHE used to conduct SFH operations. All non-AFSOC FARP equipment will be maintained in Defense Priorities and Allocations System.

9.9.3.15. AF Form 4134, Forward Area Refueling Point (FARP) Budget Requirement. AFSOC units must adhere to wing/delta and group due dates for Major Force Program-11 (MFP- 11) funding. Complete a summarized report of budget requirements, equipment maintenance, TDY, personnel equipment, and other miscellaneous items. AFSOC units will submit the report annually by 1 June to appropriate flying unit's Resources Advisers (RA) and courtesy copy AFSOC/A4RE. **(T-2)**

9.9.3.16. AF Form 4134A, SFH-A Budget Requirements, is for SFH-A locations to complete a summarized report of budget requirements, equipment maintenance, TDY, personnel equipment, and other miscellaneous items.

9.9.3.17. SFH-A ABFDS/AFS AMC units will submit this report directly to AMC/A4RX annually by 1 June.

9.9.3.18. ACC SFH-A FARP units will submit this report annually to flying unit's resource advisors and courtesy copy ACC/A3JO. Complete the AF Form 4134(A) as outline in this publication. **(T-2)**

9.9.3.19. Submit copy of AAR to AFPET/PTOC to support improving DOTMLPF-P post SFH-A operations within 15 days. **(T-2)**

9.9.3.20. Request and coordinate Fiscal Year (FY) operational support flight man-year requirements for SFH-A ABFDS operations. **(T-1)**

9.9.3.21. Route requests through LRS/CC (or equivalent) to the Mission Support Group Commander (MSG/CC) (or equivalent) for endorsement. **(T-2)**

9.9.3.22. Submit man-year forecast per DAFMAN 11-402, *Aviation and Parachutist Service* to local HARM office as required for SFH-A ABFDS. **(T-2)**

9.9.3.23. Requests and submits for Aeronautical Orders Mo the home station HARM/SARM office for SFH-A operators once tasked. **(T-2)**

9.9.3.24. Trains and qualifies personnel to meet mission readiness requirements. **(T-1)**

9.9.3.25. Will maintain equipment applicable technical guidance. **(T-2)**

9.9.3.26. Will assist in development and technical evaluations of fuel servicing procedures and FHE in coordination with AFPET. **(T-1)**

9.9.4. FARP HDPs will assist in the FARP site survey process outlined in AFI 11-235. **(T-1)**

9.9.4.1. Units requesting a FARP survey should task at the lowest level internally or submit request for zone survey support IAW DAFMAN 13-217. Refence AFI 11-235 for FARP site survey process and requirements for all new requests and reassessments. **(T-2)**

9.9.4.2. SFH-A hot fueling operations must be conducted on a certified surveyed site. **(T-1)**

9.9.5. Monitors FARP/ABFDS/AFS personnel and equipment to ensure all training is accomplished, qualifications are maintained, and readiness status meets mission requirements.

9.9.6. Provides FMT with weekly status updates.

9.9.7. Provides the FSC with a recall roster of primary and alternate team members on standby.

9.9.8. Coordinates with the flying squadron's planners and/or schedulers to ensure personnel availability for training and mission requirements.

9.9.9. Ensures that FARP operations are conducted as outlined in AFI 11-235.

9.9.10. Provides a trip report to AFSOC/A4RE after each MFP-11 FARP TDY or deployment within 10 duty days of returning to the base where mission originated.

9.9.11. Ensures that each SFH-A ABFDS/FARP program maintains the required amount of equipment to perform DOC tasked UTC requirements: equipment must be always available.

9.9.12. Tracks FHE maintenance and reports discrepancies.

9.9.13. Ensures all SFH-A FARP HDPs remain current by performing at least four FARP missions per year, from fixed-wing aircraft to rotary-wing or fixed-wing aircraft with engines running, under blacked-out conditions using night vision goggles.

Chapter 10

FUELS KNOWLEDGE OPERATIONS REQUIREMENTS

10.1. Fuels Knowledge Operations Element Responsibilities.

10.1.1. The FKO reports to the FMT. **(T-3)**

10.1.2. Manages the flight's administrative functions to include management of the T.O. library, Enhanced Technical Information Management System (ETIMS), AFRIMS, FTL receiving and distribution, and AIT systems.

10.1.3. Ensures records are scheduled using the Air Force Records Disposition Schedule located in AFRIMS, DLA Directive 5025.3Q, DLA Records Retention Schedule, and DLA-E P-3, Document and Data Control and Retention. **(T-0)**

10.1.4. Ensures assigned AIT equipment functions properly and provides accurate data to the FSC. **(T-0)**

10.1.5. The use of fuels AIT equipment is mandatory to enhance operational safety and accounting accuracy and timeliness while enabling centralized command and control. **(T-0)**

10.1.6. Maintains an alert recall roster IAW local integrated defense plan and ensures it always remains current. Ensures the recall roster is distributed monthly to all flight members. (**T-3)**

10.1.7. Manages the Unit Manpower Document (UMD) and Unit Personnel Management Roster (UPMR). Coordinates with the Installation Manpower Office within 30 days of assignment to obtain training.

10.1.7.1. Monitors increases and decreases in the unit's authorized strength to ensure the number of people is sufficient to do the job.

10.1.7.2. Reviews the UPMR to ensure it reflects the people assigned against the number of positions authorized on the UMD. Provides oversight of the individuals serving outside the flight and advises the CC in cases of mission impact.

10.1.8. Maintains the Quick Reference Guide, ensuring accuracy of information on DAF 2F Portal.

10.1.8.1. At minimum, the following will be reflected on QRG: Chain-of-Command contact info, tanks and inventories (max and safe fills), ongoing MILCON and SRM project, assigned aircraft and inventory of fueling equipment.

10.2. Information Management.

10.2.1. Maintains all publications, directives, and LCLs, and creates a T.O. Distribution Account for needed major publications, T.O.s and Authorization IDs related to the fuels career field. Ensures sufficient capability exists to support on-the-job training and deployments.

10.2.2. Establishes T.O. distribution account access with the base T.O. Distribution Office IAW T.O. 00-5-1, *Air Force Technical Order System*. For smaller flights (e.g., ANG units, AFRC units, etc.), establish a sub-account from an existing Squadron T.O. account. ETIMS will be used IAW T.O. 00-5-1, and T.O. 00-5-3, *AF Technical Order Life Cycle Management*.

10.2.2.1. Manages FMF publication familiarization program and advises users of publication changes or updates.

10.2.2.2. Provides flight personnel (military, civilian, and contracted) access to T.O.s.

10.2.2.3. Maintains LCLs and coordinates with FMT to review and recertify them annually.

10.2.2.4. LCLs will be loaded in ETIMS as "private T.O.s" using ETIMS software user's manual. The use of electronic versions of T.O.s is acceptable if used and kept up to date.

10.2.3. Prepares and files all formal correspondence and ensures proper distribution of correspondence, reports, publications, and forms.

10.2.4. Manages flight documents and records in accordance with Air Force Records Disposition Schedule.

10.2.4.1. Documents the review of flight's inventory of records plan for accuracy and completeness annually. The records professional must coordinate with records professional at all levels for validation and approval.

10.2.4.2. Maintains all FMF generated waivers until superseded, expired or no longer needed.

10.2.5. Assists users in remedying identified errors, contradictions, procedures requiring clarification, and material deficiencies using procedures in T.O. 00-5-1. Submit AFTO Form 22, *Technical Manual (TM) Change Recommendation and Reply,* or DAF Form 847, *Recommendation for Change of Publication*, as needed.

10.2.5.1. AFTO Form 22 submittals pertaining to the 42B series, T.O. 37A-1-101, *USAF Fuel, Water, and Lubricant Dispensing Equipment* and T.O. 37-1-1 are initiated at flight level and then forward to AFPET/PTOC, for coordination to appropriate AFPET division.

10.3. Base-Level Support Application (BLSA) Responsibilities.

10.3.1. Develops backup procedures and maintains backup media IAW DoDM 4140.25 Vol 2, *Records Retention and Forms Management* and DLA-E P-3**. (T-0)**

10.3.2. Maintains DLA-E provided Uninterruptible Power Source for the FMD server(s).

10.3.3. Performs FMD custodial responsibilities outlined in DLA-E P-26, *Defense Logistics Agency (DLA) Energy Automated Information Systems (AIS).*

10.3.4. Manages and maintains DLA-E file plans and FMD accounts.

10.3.5. Coordinates with Communications Squadron to assist in analyzing program and network responsiveness. Coordinates actions with DLA-E help desk (Commercial 800-446-4950, DSN 697-6733/34/35/36/37/38, or **dlaenergyhelpdesk@dla.mil**) for DLA-E systems.

10.3.6. Coordinates with AFPET Automation (**afpet.ptor@dla.mil**) for procurement, replacement, or upgrade of AIT.

10.3.7. Performs and documents an inventory of all assigned AIT property annually.

10.3.8. Accomplishes and documents a joint inventory with incoming and outgoing custodian and certifies accurate and complete inventory records before relinquishing custodial responsibilities.

10.4. Innovation Management.

10.4.1. Develops procedures to capture innovation initiatives. Innovation initiatives can include but are not limited to:

10.4.1.1. New automation technologies.

10.4.1.2. New operational equipment.

10.4.1.3. Deviations to existing procedures to gain resource efficiencies, save time or manpower.

10.4.1.4. Squadron Innovation Funded projects affecting fuels operations.

10.4.2. During project development, FMTs will inform 2F CFM and AFPET Fuels Manager via e-correspondence for situational awareness and to deconflict innovation initiatives across the enterprises **(T-1)**

10.4.3. Refer to **Attachment 15** for Requirements Correlation Table (RCT) Swim-Lane procedures.

10.5. Fuels MILCON and SRM.

10.5.1. Serves as MILCON/SRM project monitor and provides centralized management and oversight of fuels projects.

10.5.2. Contacts Air Force Petroleum Office, Mission Support Directorate, Infrastructure (AFPET/PTMI) for current status of deficiencies and fuels projects. ANG locations will coordinate with NGB/A4RMF.

10.5.3. Reviews the DD Form 1391 for MILCON projects and includes complete justification IAW DoDM 4140.25 Vol 8, *DoD Management of Energy Commodities: Energy Commodity Infrastructure Operations*. **(T-0)**

10.5.4. Reviews SRM projects before BCE submission and forwarding to the MAJCOM/AFIMSC Fuels Engineers, programmers, MAJCOM fuels staff, and AFPET staff. Justification will include mission impact, scope, and regulatory requirements.

10.5.5. Coordinates with BCE annually to reconcile all fuels infrastructure real property records within the BCE's accountable property system of record. Facilitates corrective actions to ensure complete and usable capitalized fuel systems are correctly identified.

10.5.6. Validates DD Form 1354s for new SRM and MILCON projects to accurately reflect real property category code.

Chapter 11

WAR PLANNING

11.1. AF/A4LR Fuels Functional Area Manager (FAM) Responsibilities.

11.1.1. Establishes, reviews, and coordinates aircraft specific gallon per sortie planning factors in coordination with AF/A3, AF/A9, AFPET/PTOC, and other agencies that leverage USAF fuel planning factors for requirements generation and analysis.

11.1.2. Establishes guidance to assist AFFOR fuels planners and fuels management personnel in executing the fuels and cryogenics planning cycle, consisting of a pre-planning phase, a site survey phase, actual plan execution, and after-action planning to capture lessons learned.

11.1.2.1. The pre-planning phase determines requirements, and the initial support proposal is drafted. This phase is typically completed by the AFFOR fuels planners in coordination with the supported MAJCOM A3 and is based on the type of aircraft employed, the aircraft configuration, and the operational tempo, also known as sortie rate.

11.1.2.2. The site survey phase is coordinated by the AFFOR fuels planners and may be executed by the AFFOR staff or the individual unit that has the lead role in the exercise or contingency. This phase builds the baseline support concept of operations and requires a thorough understanding of available resources, required resources, and what augmentation can be leveraged. This phase will not be successful if the pre-planning phase requirements are not fully developed and validated. Site survey checklist can be found on the DAF2FPOLPortal site: **https://usaf.dps.mil/teams/AFPET-SharePoint/SitePages/frontpage.aspx**.

11.1.2.3. Actual plan execution is the most demanding part of the planning cycle and requires constant contact and communication between the lead AFFOR Fuel Planner and the deploying unit. Establish a PACE communication plan before execution to ensure mitigation measures can be established.

11.1.2.4. The After-action phase captures lessons learned to inform the career field and leadership.

11.1.3. Coordinates with Joint Staff, AF Warfighting Integration Concept, AF/A9, and SAF/IEN for modeling and simulation efforts related to future year's defense program initiatives to ensure the 2F career field capabilities can support the evolutionary concepts.

11.1.4. Serves on the Air Staff Directorate of Logistics Battle Staff as required and participates in B2C2WGs to inform decisions for the Deputy Chief of Staff for Logistics Engineering and Force Protection.

11.2. AFPET Current Operations Responsibilities.

11.2.1. Provides AFFOR support as requested.

11.2.2. Provides continuity for AF support requests validated through CCMD JPO to DLA-E Region to DLA-E Headquarters.

11.2.3. Participates in B2C2WGs as required to support AF continuity of operations.

11.2.4. Maintains visibility of Phase 0 support requirement deficiencies identified and highlighted by AFFOR fuels planners and reported by FMTs.

11.3. AFFOR Fuels Planners Responsibilities.

11.3.1. Serves as the regional fuels planners for Phase 0 exercises and Joint Operational Planning Process, with the responsibility to plan, posture, and, if necessary, execute the plan across the full range of military operations.

11.3.1.1. Augmentation for AFFOR fuels staff will be sourced from within respective Command and coordinated with the AFIMSC FAM on any shortfalls requiring outside theater augmentation. During a crisis/contingency, 034 SEI holders should be prioritized.

11.3.2. Calculates petroleum and cryogenic annual PWRRs for each signed and approved Level 3 concept plans with TPFDD or Level 4 OPLAN.

11.3.2.1. AMC AFFOR fuels planners will provide the strategic airlift fuel requirement analysis of each calculated TPFDD to the supported AFFOR fuels planner for validation using the USTRANSCOM Joint Flow Analysis Support Tool strategic aircraft summary file. In contingency, AMC fuel planners will coordinate mission requirements BOS-I support with the supported AFFOR fuels planner and Reserve Component (AFRC/ANG) fuels staff, as applicable.

11.3.2.2. AFGSC AFFOR fuels planners will provide bomber requirements validation to supported AFFOR fuels planners to ensure joint air operations plan demands are captured in conjunction with the AFGSC air operations center (AOC) requirements. In contingency, AFGSC fuels planners will coordinate mission requirements BOS-I support with the supported AFFOR fuels planner. and Reserve Component (AFRC/ANG) fuels staff, as applicable.

11.3.2.3. AFSOC AFFOR fuels planners provide special operations fuel and cryogenic demands to supported AFFOR fuels planners to ensure that requirements submitted as part of the joint air operations plan are consistent with supported CCMD submissions. In contingency, AFSOC fuels planners will coordinate mission requirements and BOS-I support with the supported AFFOR fuels planner and Reserve Component (AFRC/ANG) fuels staff, as applicable.

11.3.3. Provides petroleum and cryogenic demand planning requirements and associated PWRS allocation or wartime consumable distribution order to supporting locations in conjunction with publication of DLA-Energy's IMP. **(T-0)**

11.3.3.1. Calculates PWRR based off the daily demand rate for all supported petroleum consumption demands by fuel grade and then aggregated based off the Office of the Secretary of Defense Acquisition and Sustainment published days of supply (DOS) guidance for the geographic region where the issuing DFSP is located. **(T-0)**

11.3.3.1.1. Supports the CCMD JPO guidance and procedures for bulk petroleum requirements processing and validation for exercises and contingencies. **(T-0)**

11.3.3.1.2. Calculates the PWRR from point of embarkation to point of debarkation of the TPFDD as well as the sortie production and installation demands. **(T-0)**

11.3.3.1.3. Identifies the PWRS storage location recommendation to the JPO for locations where the amount of stock is not sufficient to cover the PWRR. **(T-0)**

11.3.3.1.4. Coordinates USAF fuel requirements with other service component planners who have BOS-I support responsibilities and ensure that the correct grade of fuel and associated DOS is factored based off the supply chain at the operational location. **(T-0)** As an example, do not calculate DOS for JP-8 at a location that only stocks JP-5. The requirement will not be stored as JP-8 since the only supply chain available is JP-5.

11.3.3.2. DLA-E's IMP published 1 October of each year and updated quarterly identifies the planned PWRR submitted to the Joint Staff JPO as well as the PWRS allocation. **(T-0)**

11.3.4. Develops and provides a detailed concept of petroleum and cryogenic support briefing to AF fuels FAM and AFPET Operations which will cover the following: requirements for bulk aviation fuel, ground fuel and cryogenics, planning assumptions, aircraft beddown, in-place forces, equipment and personnel augmentation, fuel and cryogenics quality control plan, primary and alternate fuel resupply, emergency aerial delivery plan, cryogenic support plan, special fuel requirements, and identified limiting factors or shortfalls.

11.3.5. Leverages FAM standardized fuel consumption factors by MDS published in this AFI as **Attachment 11** and reviewed annually by Fuels AF FAM.

11.3.6. Utilizes approved authoritative aircraft sortie rate, sortie duration and sortie maintenance factors when calculating fuel requirement for planning.

11.3.6.1. When published authoritative planning factors are not available, fuels planners will coordinate with AFFOR A5 lead planner and supported AOC strategy division to determine MDS sortie rate and gallon per sortie factors for fuel planning.

11.3.7. Documents and provides a memorandum for record of the authoritative planning factors utilized and geographic variance factors to AF FAM and AFPET Requirement to ensure auditability of fuel posture requirements and as part of the IMP validation process. **(T-1)**

11.3.8. Provides installation FMT with annual updates no later than 1 Oct for jet fuel, ground fuel, special fuel, bulk additives, and cryogenic requirements as well as TPFDD forces and equipment required to support planning concept of support to inform review and revision of BSP Part 1 and Part 2. **(T-1)**

11.3.9. Leverages AF approved Petroleum, Oils and Lubricants Capabilities and Analytics Tool (POLCAT) or other approved DAF Fuels FAM Planning tools to calculate fuels and cryogenic demands as well as FHE, refueler, and personnel augmentation.

11.3.9.1. Utilizes the following source documents for pre-planning which are as follows: installation POLCAP report, installation quick reference guide, plan beddown requirement by location, sources of supply, DLA-E Node Arc, installation fuel storage tank worksheet, IMP, and aircraft planning factors.

11.3.9.2. Utilizes the following source documents for executing the plan which are as follows: REPOL, ATO, fuel resupply schedule, TPFDD and stockage objective plan.

11.4. Fuels Management Team (FMT) Responsibilities.

11.4.1. Develops BSP or ESP as required for the following categories: operational, contingency and exercises IAW AFI 10-401; AFI 10-402, *Mobilization Planning;* AFI 10-403; and AFI 10-404, *Base Support and Expeditionary (BaS&E) Site Planning* as guidance. **(T-2)**

11.4.1.1. Coordinates updates to BSP/ESP Chapter 19 with installation logistics plans section when mission or system modifications that effect requirements IAW PWRR submission and IMP publication. **(T-2)**

11.4.1.2. Ensures updates include other functional areas that FMT support such as civil engineering for emergency generator refueling requirements, medical personnel for liquid oxygen and other agencies that rely on FMT commodity management support. **(T-2)**

11.4.1.3. Communicates changes of concepts of petroleum or cryogenic support to the AFFOR fuels planners where additional equipment or personnel augmentation is required. This communication is critical as changes to the Joint Operation Planning and Execution System (JOPES) will be required to ensure sourcing solutions are identified. **(T-2)**

11.4.1.4. Identifies and reports shortfalls and limiting factors prohibiting support of planned requirements to AFFOR with courtesy copy to DAF FAM and AFPET Operations. **(T-2)**

11.4.1.4.1. The forms listed in **Attachment 12** are to be used during applicable test procedures to display the understanding of alternative means of mission accomplishment i.e., Basic Expeditionary Airbase Resources operations, comm-out, power-out, relocation, mobile FSC, etc. **(T-2)**

11.4.1.4.2. Forms will be printed and maintained in applicable "bug-out" containers for rapid accessibility during exercises and real-world needs. **(T-2)**

11.4.2. Stores all assigned expeditionary and tactical fuels support equipment indoors to max extent possible. When allocating storage, priority is given to assets with OPLAN requirements. When indoor storage space is not adequate, use covered outside storage. Utilize T.O. 37A-1-101 for specific guidance for all openings in valves, hoses, nozzles, and other associated equipment.

11.4.3. Prepares and inspects FHE for shipment.

11.4.3.1. Prepares equipment IAW AFMAN 24-604, *Preparing Hazardous Materials for Military Air Shipments.* **(T-2)**

11.4.3.2. Includes inspection and maintenance records for equipment. **(T-2)**

11.4.4. Contacts AFFOR fuels planners and AFPET Operations as needed for additional assistance.

11.4.5. Maintains applicable forms for each piece of expeditionary and/or tactical FHE until final disposition.

11.4.6. Stores, inspects, and maintains non-ABFDS bladders IAW T.O. 37A12-15-1, *Operation, Service and Repair Instructions-Collapsible Coated Fabric Fuel Tanks.*

11.4.6.1. Stencil bladder serial number and manufacture date on the exterior of crate used to store bladder. ABFDS bladder serial numbers and manufacture date documentation is required on the AFTO Form 95.

11.4.6.2. Ensures storage activity requests replacement bladders for procurement, in coordination with AFFOR fuels planners, when bladders are initially wetted with fuel. **(T-2)**

11.4.7. Performs recurring inspection and maintenance for all assigned expeditionary and/or tactical FHE. Uses end item technical data and T.O. 37A-1-101 for operation, servicing, and periodic maintenance of all air transportable fuel systems. **(T-2)**

11.4.8. Airfield petroleum and cryogenic site survey.

11.4.8.1. Obtains as much information as possible on the fuel support capability at deployed operational locations. **(T-2)**

11.4.8.2. Contacts the AFFOR fuels planner or AFPET/PTOC to obtain historical Site Survey information as well as the current Petroleum and Cryogenic Site Survey Checklist to initiate required survey or complete site survey update. **(T-2)**

11.4.8.3. Provides copy of completed site survey to AFFOR fuels planners with a courtesy copy to AFPET/PTOC who will maintain on AFPET/PTOC SharePoint® site for use in future planning and analysis. **(T-2)**

11.4.9. Expeditionary and/or tactical FHE set-up.

11.4.9.1. Contacts AFFOR fuels planners to validate plans for setting up FHE particularly at locations other than main operating bases while considering the following:

11.4.9.1.1. The airfield layout and type of aircraft supported, the resupply source, aircraft taxi and/or tow capability, layout of roads and water channels, other facility limitations such as stand-off distance, ammo storage, hot refueling or other SF considerations. **(T-2)**

11.4.9.1.2. Site plan the cryogenics servicing area and ground refueling point for vehicles to minimize travel time and distance to the flightline while maintaining access for tank truck deliveries and ensure that plan complies with distance criteria outlined in DESR6055.09_DAFMAN91-201, *Explosives Safety Standards*. **(T-2)**

11.4.10. Maintains assigned cryogenic war reserve tanks.

11.4.10.1. Verifies storage tanks held in war reserve status are completely serviceable. **(T-2)**

11.4.10.2. Stocks an overboard vent system (OVS) for each mobility and WRM cryogenic tank listed in UTA IAW T.O. 37C2-8-1-127, *Liquid Oxygen/Nitrogen Overboard Vent System.* **(T-2)**

11.4.10.3. Stores the OVS in a locked box or footlocker and documents inventories based on the tank conditional status requirement IAW **Attachment 8**. **(T-2)**

11.4.10.4. Documents inventory and condition of OVS in FMD and leverage this conditional status for readiness reporting. **(T-2)**

11.4.11. Prepares air transportable cryogenic storage tanks for shipment.

11.4.11.1. Ensures an approved static ground reel is affixed on each cryogenic tank. **(T-2)**

11.4.11.2. Consults T.O. 37C2-8-1-127 for OVS air shipment instructions. **(T-2)**

11.4.12. Ensures cryogenic storage containers are adequately painted and marked.

11.4.12.1. Paints, marks, and maintains corrosion control on containers IAW T.O. 35-1-3, *Corrosion, Prevention, Painting and Marking of USAF Support Equipment (SE).* **(T-2)**

11.4.12.2. Requisitions decals IAW applicable standards. Locate decal part numbers in the applicable cryogenic storage container dash 4 T.O. illustrated parts breakdown. **(T-2)**

11.4.13. Coordinates cryogenic storage tank support plan changes to War Consumable Distribution Objective level requirements with the AFFOR fuels planners. **(T-2)**

11.4.14. Reviews DOC statement IAW AFI 10-201 to ensure ability to support requirements and documents review in an official memorandum. **(T-2)**

11.4.15. Refers to DAFMAN 10-406, AFI 10-401, AFI 10-402, and AFI 10-403 on how UTCs are used for planning and AFI 10-201 for assessing support capabilities.

KENYON K. BELL,
Lt General, USAF
DCS/Logistics, Installations & Mission Support

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

40 CFR § 112.7, *General Requirements for Spill Prevention, Control and Countermeasures Plans*

AFI 10-201, *Force Readiness Reporting*, 5 June 2024

AFI 10-401, *Operations Planning and Execution*, 19 July 2024

AFI 10-402, *Mobilization Planning,* 30 Jan 2024

AFI 10-403, *Deployment Planning and Execution*, 17 April 2020

AFI 10-404, *Base Support and Expeditionary (BaS&E) Site Planning*, 23 July 2019

AFI 10-2402, *Critical Asset Risk Management Program,* 29 August 2017

AFI 10-2501, *Emergency Management Program,* 16 October 2023

AFI 11-235, *Specialized Fueling Operations*, 31 May 2019

AFI 11-253, *Managing Purchases of Aviation Fuel and Ground Services,* 17 May 2021

AFI 13-103, *Air Component Headquarters AFFOR Staff Operations, Readiness and Structures*, 16 July 2025

AFI 16-1301, *Survival, Evasion, Resistance, and Escape Program,* 18 March 2025

AFI 25-101, *War Reserve Materiel (WRM)*, 27 August 2019

AFI 25-201, *Intra-Service, Intra-Agency, and Inter-Agency Support Agreements Procedures*, 18 October 2013

AFI 33-322, *Records Management and Information Governance Program*, 23 March 2020

AFI 65-503, *U.S. Air Force Cost and Planning Factors,* 13 July 2018

AFI 90-802, *Risk Management*, 1 April 2019

AFI 90-821, *Hazard Communication (HAZCOM) Program*, 13 May 2019

AFMAN 11-403, *Aerospace Physiological Training Program,* 18 March 2024

AFMAN 24-604, *Preparing Hazardous Materials for Military Air Shipments*, 6 June 2025

AFMAN 32-1062, *Electrical Systems, Power Plants, and Generators,* 20 October 2020

API Standard 570, *Piping Inspection Code: Inspection, Repair, Alteration, and Rerating of In-Service Piping Systems*

Authorization ID 010, *United States Air Force Owned Vehicles*

Authorization ID 016, *Special Purpose Clothing and Personal Equipment*

Authorization ID 450, *Aircrew Flight Equipment (AFE) and survival, evasion, resistance, and escape (SERE)*

Authorization ID 460, *Quality Control/Laboratories*

Authorization ID 488, *Fuel Storage and Gas Generating Equipment/Storage Tanks and Maintenance Support Equipment*

CJCSM 3150.14D, *Joint Reporting Structure Logistics,* 10 February 2025

DAFI 13-213, *Airfield Driving*, 4 February 2020

DAFI 21-101, *Aircraft and Equipment Maintenance Management*, 20 December 2023

DAFI 24-301, *Ground Transportation*, 09 January 2026

DAFI 24-302, *Vehicle Management*, 24 January 2026

DAFI 31-101, *Base Defense Operations,* 10 September 2024

DAFI 31-131, *Combat Arms Training and Maintenance (CATM) Program,* 1 April 2025

DAFMAN 31-131V1, *Combat Arms Training and Maintenance (CATM) Operations,* 17 June 2025

DAFI 36-2670, *Total Force Development*, 25 June 2020

DAFI 64-117, *Government Purchase Card Program*, 19 May 2022

DAFI 63-138, *Acquisition of Services*, 2 January 2024

DAFI 90-160, *Publications and Forms Management*, 14 April 2022

DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program,* 20 March 2020

DAFI 90-302, *The Inspection System of the Department of the Air Force Inspection System,* 15 March 2023

DAFMAN 90-161, *Publishing Processes and Procedures* 18 October 2023

DAFMAN 10-406, *Unit Type Code Management*, 6 October 2021

DAFMAN 11-402, *Aviation and Parachutist Service*, 24 January 2025

DAFMAN 23-300, *Materiel Management Procedures,* 22 July 2025

DAFMAN 32-1067, *Water and Fuel Systems,* 1 July 2025

DAFMAN 32-7002, *Environmental Compliance and Pollution Prevention,* 13 June 2025

DAFMAN 32-1084, *Standard Facility Requirements*, 15 January 2020

DAFMAN 48-123, *Medical Examinations and Standards,* 8 December 2020

DAFMAN 91-203**,** *AF Occupational Safety, Fire and Health Standards*, 25 March 2022

DAFPD 23-2, *Management of Bulk Petroleum and Related Products,* 19 October 2023

DESR 6055.09_DAFMAN 91-201, *Explosives Safety Standards*, 18 June 2025

DLA Directive 5025.3Q, *DLA Records Retention Schedule,* 16 May 2017

DLA-E P-1, *Recording and Processing Inventory Transactions,* 4 April 2019

DLA-E P-2, *Receipt and Shipment of Energy Products,* 5 March 2018

DLA-E P-3, *Document/Data Control and Retention*, 11 April 2018

DLA-E P-5, *Vehicle Identification Link (VIL) Key Encoding, Accountability, and Control*, 1 April 2014

DLA-E P-7, *Accountability and Custodial Responsibilities for Defense Working Capital Fund (DWCF) Inventory and Government Property*, 11 April 2023

DLA-E P-15, *Defense Working Capital Fund Capitalization,* 9 April 2019

DLA-E P-17, Exercise and Contingency Operation, 17 November 2025

DLA-E P-22, *Procedures for Requisition, Funding Requests, or Reimbursement of Filter/Coalescer Elements,* 27 July 2017

DLA-E P-26, *Defense Logistics Agency (DLA) Energy Automated Information Systems (AIS),* 12 March 2021

DLA-E P-28, *Defense Support Point (DFSP) De-Capitalization, Temporary and Permanent Closure,* 24 July 2019

DLA Energy P-29, *EPoS Customer QR Codes*, 1 June 2022

DLA Energy P-30, *DFSP EPoS Facility Responsibilities*, 15 March 2022

DLA-E P-40, *Fuel Spill/Leak/Release Reporting,* 27 April 2021

DoDD 5101.08E*, DoD Executive Agent (DoD EA) for Bulk Petroleum,* 2 May 2019

DoDD 5105.77, *National Guard Bureau (NGB),* 10 October 2017

DoDI 1225.06, *Equipping the Reserve Forces*, 28 June 2022

DoDI 4140.25, *DoD Operational Energy and Bulk Fuel Policy,* 28 November 2025

DoDM 4140.25 Vol 1, *DoD Management of Energy Commodities*: *Overview*, 2 March 2018

DoDM 4140.25 Vol 2, *DoD Management of Energy Commodities: Records Retention and Forms Management,* 2 March 2018

DoDM 4140.25 Vol 4, *DoD Management of Energy Commodities: Quality and Technical Management*, 2 March 2018

DoDM 4140.25 Vol 5, *DoD Management of Energy Commodities: Support of Joint Operations, Contingencies, Civil Authorities, and Military Exercises*, 4 April 2019

DoDM 4140.25 Vol 6, *DoD Management of Energy Commodities: Defense Fuel Support Point (DFSP) Management,* 2 March 2018

DoDM 4140.25 Vol 8, *DoD Management of Energy Commodities: Energy Commodity Infrastructure Operations,* 2 March 2018

DoDM 4140.25 Vol 12, *DoD Management of Energy Commodities: Defense Fuel Support Point (DFSP) Inventory Ordering, Receipts and Shipments,* 2 March 2018

DoDM 5220.22V2_AFMAN16-1406V2*, National Industrial Security Program: Industrial Security Procedures for Government Activities,* 8 May 2020

DoDM O-1000.21, *Passport and Passport Agent Services*, 9 May 2022

Joint Publication 4-03, *Joint Bulk Petroleum and Water Doctrine,* 11 January 2016

MIL-STD-101C, *Standard Practice Color Code for Pipelines and for Compressed Gas Cylinders*, 26 August 2014

MIL-STD-161H, *Identification Methods for Bulk Petroleum Products Systems Including Hydrocarbon Missile Fuels*, 4 September 2015T.O. 00-5-1, *AF T.O. System*, 19 November 2024

T.O. 00-5-3, *AF Technical Order Life Cycle Management*, 23 April 2025

T.O. 00-20-1, *Aerospace Equipment Maintenance Inspection, Documentation, Policies, and Procedures, 19* December 2023

T.O. 00-25-107, *Maintenance Assistance,* 15 August 2022

T.O. 00-25-172, *Ground Servicing of Aircraft and Static Grounding/Bonding*, 6 February 2026

T.O. 32-1-101, *Use and Care of Hand Tools and Measuring Tools*, 21 April 2024

T.O. 33K-1-100-1, *Calibration Procedure for Maintenance Data Collection Codes and Calibration Measurement Summaries,* 30 November 2022

T.O. 35-1-3, *Corrosion Prevention and Control, Cleaning, Painting, and Marking of USAF Support Equipment (SE), 13 December* 2024

T.O. 36-1-191, *Technical and Managerial Reference for Motor Vehicle Maintenance*, 24 September 2025

T.O. 36A12-13-2CL-1, Air Force Refueling Vehicle Checkpoint Checklist, 30 April 2014

T.O. 37-1-1, *General Operation and Inspection of Installed Fuel Storage and Dispensing Systems*, 15 December 2020

T.O. 37A-1-101, *USAF Fuel, Water, and Lubricant Dispensing Equipment*, 6 April 2022

T.O. 37A12-15-1, *Operation, Service, and Repair Instructions - Collapsible Coated Fabric Fuel Tanks*, 13 July 2017

T.O. 37C2-8-1-116WC-1, *Work Cards Periodic Inspection Non-Powered Aerospace Ground Equipment, Liquid Oxygen, Liquid Nitrogen, Liquid Argon, Liquid Air Storage and Transfer Tanks, (FSC 3655) 50, 400, 2000, 3000, 5000, 6000 Gallon, 05 May* 2025

T.O. 37C2-8-1-127, *Liquid Oxygen/Nitrogen Overboard Vent System*, 31 July 2025

T.O. 42B-1-1, *Quality Control of Fuels*, 15 June 2019

T.O. 42B-1-23, *Management of Recoverable and Waste Liquid Petroleum Products*, 1 September 2021

T.O. 42B6-1-1, *Quality Control of Aviator's Breathing Oxygen*, 6 March 2012

QTP 24-3-PTLHK, *Pintle Hook Vehicle Training Package*, 11 January 2019

UFC 4-310-03, *DoD Fuels Laboratory Standards*, 12 August 2020

UFC 3-460-01, *Design: Petroleum Fuel Facilities*, 12 January 2022

UFC 3-460-03, *O&M: Maintenance of Petroleum Systems*, 29 April 2021

UFC 3-540-07 Change 1, *Operation and Maintenance (O&M): Generators,* 5 November 2019

Prescribed Forms

AF4132A, *Special Fuels Handling-Air (SFH-A) Hose Deployment Personnel (HDP) Training Report*

AF4134A*, Special Fuels Handling-Air (SFH-A) Budget Requirements*

Adopted Forms

AF500, *Daily and Weekly Fuel Record*

AF601, *Authorization Change Request*

AF797, *Job Qualification Standard Continuation/Command JQS*

AF980, *Caution Tag*

AF1274, *Physiological Training*

AF1297, *Temporary Issue Receipt*

AF2005, *Issue/Turn-in Request*

AF2096, *Classification/On-The-Job-Training Action*

AF2419, *Routing and Review of Quality Control Reports*

AF2420, *Quality Control Inspection Summary*

AFTO22, *Technical Manual (TM) Change Recommendation and Reply*

AFTO39, *Fuel System Inspection and Discrepancy Report*

AFTO40, *Cryogenic Facility Inspection and Discrepancy Report*

AFTO95, *Significant Historical Data*

AFTO134, *Aviator Breathing Oxygen Servicing Trailer Log*

AFTO150, *Base Fuels Sampling and Testing Record*

AFTO244, *Industrial/Support Equipment Record*

AFTO375, *Selected Support Equipment Repair Cost Estimate*

AFTO422, *Differential Pressure Log*

DAF847, *Recommendation for Change of Publication*

DAF4427*, Operator's Inspection Guide and Trouble Report (Fuels Support Equipment)*

DD448, *Military Interdepartmental Purchase Request*

DD791, *DoD In-Flight Issue Log*

DD1354, *Transfer and Acceptance of DoD Real Property*

DD1391, *FY Military Construction Project Data*

DD1898, *Energy Sale Slip*

DD2875*, System Authorization Access Request*

DD2992, *Medical Recommendation for Flying or Special Operational Duty*

DD3075, *DLA-E Disposition Request*

Abbreviations and Acronyms

A&S—Acquisition and Sustainment

ABFDS—Aerial Bulk Fuel Delivery System

ACC—Air Combat Command

ACR—Authorization Change Request

AETC—Air Education Training Command

AF—Air Force

AF/A4LR—Headquarters Air Force/Logistics Readiness Division

AFCEC—Air Force Civil Engineering Center

AFCENT—Air Force Central Command

AFFOR—Air Force Forces

AFGSC—Air Force Global Strike Command

AFIC—Air Force Interoperability Council

AFIMSC—Air Force Installation Mission Support Center

AFJQS—Air Force Job Quality Standard

AFLCMC—Air Force Life Cycle Management Center

AFLCMC/ROZ—Air Force Life Cycle Management Center, Support Equipment and Vehicles

AFMAN—Air Force Manual

AFMD—Air Force Manpower Determinant

AFPET—Air Force Petroleum Office

AFPC—Air Force Personnel Center

AFMAA—Air Force Manpower Analysis Agency

AFRC—Air Force Reserve Command

AFRIMS—Air Force Records Information Management System

AFSC—Air Force Specialty Code

AFTAT—Air Force Test and Analysis Tool

AIT—Automated Information Technology

AMC—Air Mobility Command

ANG—Air National Guard

AOC—Air Operations Center

AOR—Area of Responsibility

API—American Petroleum Institute

AAR—After-Action Report

AFTO—Air Force Technical Order

AST—Aboveground Storage Tanks

ATG—Automated Tank Gauging

ATO—Air Tasking Order

AVGAS—Aviation Gasoline

B2C2WGs—Boards, Bureaus, Cells, Centers, and Work Groups

BCE—Base Civil Engineer

BE—Bioenvironmental Engineering

BLSA—Base-Level Support Application

BOS-I—Base Operating Support Integrator

BSP—Base Support Plan

CAT—Crisis Action Team

CC—Commander

CCAF—Community College of the Air Force

CCMD—Combatant Command

CDR—Commander

CEMF—Command Equipment Management Flight

CEMO—Command Equipment Management Office

CFETP—Career Field Education and Training Plan

CFM—Career Field Manager

CJCSM—Chairman of the Joint Chiefs of Staff Manual

CMP—Centrally Managed Program

COCOM—Combatant Command

COMAFFOR—Commander of AF Forces

COR—Contracting Officer Representative

CWRMO—Command War Reserve Materiel Office

DAF—Department of the Air Force

DAFECD—Department of the Air Force Enlisted Classification Directory

DAFI—Department of the AF Instruction

DAFMAN—Department of the Air Force Manual

DAFPD—Department of the Air Force Policy Directive

DCAPES—Deliberate and Crisis Action Planning and Execution Segments

DESR—Division of Environmental Safety Research

DFSP—Defense Fuel Support Point

DLA—Defense Logistics Agency

DLA-E—Defense Logistics Agency Energy

DOC—Designed Operational Capability

DoD—Department of Defense

DoDD—Department of Defense Directive

DoDI—Department of Defense Instruction

DoDM—Department of Defense Manual

DOS—Days of Supply

DOTMLPF-P—Doctrine, Organization, Training, Materiel, Leadership, and Education, Personnel, Facilities and Policy

DoW—Department of War

DRRS—Defense Readiness Reporting System

DRU—Direct Reporting Unit

DWCF—Defense Working Capital Fund

EA—Executive Agent

EAE—Equipment Accountability Element

ECAC—Evasion and Conduct After Capture

EEBP—External Enterprise Business Portal

EGR—Enlisted Grade Review

EI—Engineering Investigation

ELMS—Enterprise Logistics Management System

EPoS—Electronic Point of Sale

ETCA—Education and Training Course Announcements

ETIMS—Enhanced Technical Information Management System

ETK—Expediter Tool Kit

FAM—Functional Area Manager

FARP—Forward Area Refueling Point

FAT—First Article Testing

FEDT—Fuels Enlisted Development Team

FHE—Fuels Handling Equipment

FGS—Final Governing Standards

FISC—Fuels Information Service Center

FISO—Fuel Integration and Synchronization Officer

FKO—Fuels Knowledge Operations

FLDCOM—Field Command

FM—Fuels Manager

FMD—Fuels Manager® Defense

FMF—Fuels Management Flight

FMT—Fuels Management Team

FOA—Field Operating Agency

FOI—Fuels Operating Instruction

FORCE—Fuels Operational Readiness Capability Equipment

FOUO—For Official Use Only

FSC—Fuels Service Center

FSE—Fuels Support Equipment

FTL—Fuels Technical Letter

FWG—Fuels Working Group

FWS—Fuels Warfighter Summit

FY—Fiscal Year

GBFMD—Global Bulk Fuel Management and Delivery

GOCO—Government Owned Contractor Operated

HARM—Host Aviation Resource Management

HAZCOM—Hazard Communication

HDP—Hose Deployment Personnel

HoD—Head of Delegation

HUR—Hydrant Utilization Rate

HUS—Hydrant Utilization Strategy

IMM—Integrated Materiel Manager

IMP—Inventory Management Plan

IAW—In Accordance With

ID—Identification

IG—Inspector General

IGEMS—Inspector General Enterprise Management System

IMP—Inventory Management Plan

IMs—Item Managers

IMSR—Indirect Mission Support Request

IPRB—Installation Planning Review Board

IPT—Integrated Process Teams

JCS—Joint Chiefs of Staff

JDRS—Joint Deficiency Reporting System

JFA—Joint Force Account

JFD—Joint Force Deployment

JOPES—Joint Operation Planning and Execution System

JPO—Joint Petroleum Office

JPWG—Joint Petroleum Working Group

JQS—Job Qualification Standard

LCL—Locally Developed Checklists

LEAP—Logistics Education Advancement Program

LIN—Liquid Nitrogen

LOGDET—Logistics Detail

LOTO—Lockout/Tagout

LOX—Liquid Oxygen

LRS—Logistics Readiness Squadron

LRS/CC—Logistics Readiness Squadron Commander

MAF—Mobility Air Forces

MAF-R—Missile Alert Facility Refueler

MAJCOM—Major Command

MCA—Multi-Capable Airmen

MDS—Mission Design Series

MCR—Manpower Change Request

MEFPAK—Manpower and Equipment Force Package

MEL—Minimum Essential Levels

MFM—MAJCOM Functional Manager

MFP-11—Major Force Program 11

MICT—Management Internal Control Toolset

MILCON—Military Construction

MISCAP—Mission Capability

MOA—Memorandums of Agreement

MOC—Maintenance Operations Center

MRT—Mission Readiness Training

MSG—Mission Support Group

MTF—Medical Treatment Facility

MXG—Maintenance Group

NAF—Numbered Air Force

NATO—North Atlantic Treaty Organization

NCOIC—Non-Commissioned Officer in Charge

NGB—National Guard Bureau

NIPR—Non-secure Internet Protocol Router

NPMC—National Petroleum Management Corporation

OG—Operations Group

OJT—On-the-Job Training

OPLAN—Operations Plan

OS—Operating Stock

OSHA—Occupational Safety and Health Administration

OVS—Overboard Vent System

PA—Property Administrator

PACAF—Pacific Air Forces

PACE—Primary, Alternate, Contingency, Emergency

PIC—Petroleum Integration Cell

POC—Point of Contact

POL—Petroleum, Oil, & Lubricants

POLCAP—Petroleum, Oil, & Lubricants Capability

POLCAT—Petroleum, Oil, & Lubricants and Analytics Tool

POM—Program Objective Memorandum

PPE—Personal Protective Equipment

PTOT—Technical Assistance Division

PWRS—Prepositioned War Reserve Stock

PWRR—Prepositioned War Reserve Requirement

PWS—Performance Work Statement

QAE—Quality Assurance Evaluator

QASP—Quality Assurance Surveillance Plan

QC—Quality Control

QTP—Qualification Training Package

RCT—Requirement Correlation Table

REPOL—Bulk Petroleum Contingency Report

RM&MR—Recurring Maintenance & Minor Repair

RO—Responsible Officer

RSP—Readiness Spare Packages

SAC—Self-Assessment Checklist

SAF—Secretary of the AF

SAF/IE—Assistant Secretary of the Air Force Installations, Environment & Energy

SATAF—Site Activation Task Force

SCP—Service Control Point

SCOS—Supply Chain Operation Squadron

SDS—Safety Data Sheets

SEI—Special Experience Identifier

SERE—Survival, Evasion, Resistance, and Escape

SFO—Specialized Fueling Operations

SFH—Specialized Fuel Handling

SFH-A—Specialized Fuel Handling-Air

SIPR—Secure Internet Protocol Router

SME—Subject Matter Expert

SNCO—Senior Non-Commissioned Officer

SOP—Standard Operating Procedures

SPCC—Spill Prevention Control and Countermeasures

SPRAM—Special Purpose Recoverable Authorized Maintenance

SRM—Sustainment, Restoration, and Modernization

SSEA—System Safety Engineering Analysis

STAR—Storage Tank Accounting and Reporting

STI—Standard for the Inspection

STRT—Specialty Training Requirements Team

TASS—Tactical Automated Service Station

TCTOs—Time Compliance Technical Orders

TDY—Temporary Duty

TK—Tool Kit

TM—Terminal Managers

T.O.s—Technical Orders

TPFDD—Time Phased Force Deployment Data

TQT—Task Qualification Training

TRS—Training Readiness Squadron

TTPs—Tactics, Techniques, and Procedures

UDM—Unit Deployment Manager

UFC—Unified Facility Criteria

UL—Underwriters Laboratories

ULN—Unit Line Number

UMD—Unit Manpower Document

UPMR—Unit Personnel Management Roster

USAF—United States Air Force

USD—Under Secretary of Defense

USSF—United States Space Force

USAFE-AFAFRICA—United States AFs in Europe – United States AFs Africa

USTRANSCOM—United States Transportation Command

UTA—Unit Type Code Availability

UTC—Unit Type Code

UTM—Unit Training Manager

U&TW—Utilization & Training Workshop

VCO—Vehicle Control Official

VIL—Vehicle Identification Link

VM—Vehicle Management

VSCOS—Vehicle Support Chain Operation Squadron

WCDO—War Consumable Distribution Objective

WG—Working Group

WRM—War Reserve Materiel

WRMO—War Reserve Materiel Office

WFSM—Water Fuels System Maintenance

WWD—Wet Wing Defueling

Office Symbols

635 SCOW/WM—635th Supply Chain Operations Wing/Delta, WRM Program Integration Office

ACC/A3JO—Air Combat Command, Aviation Branch

ACC/A3OR—Air Combat Command, Operations, Readiness Branch

ACC/A4RF—Air Combat Command, Directorate of Logistics, Engineering, & Force Protection, Logistics Readiness Division, Force Integration Readiness Branch

AFPET/CC—Air Force Petroleum Office, Commander

AFPET/PTMI—Air Force Petroleum Office, Mission Support Directorate, Infrastructure

AFPET/PTOC—Air Force Petroleum Office, Operations Directorate, Current Operations

AFPET/PTOT—Air Force Petroleum Office, Operations Directorate, Technical Division

AFRC/A4R—Air Force Reserve Command, Logistics Readiness Division

AFRC/A4RMF—Air Force Reserve Command, Fuels Management Office

AFSOC/A3TW—Air Force Special Operations Command, Operations, Weapons and Tactics

AFSOC/A4RE—Air Force Special Operations Command, Logistics, Engineering, and Force Protection, Logistics Readiness Division

AF/A4LR—USAF, Directorate of Logistics, Logistics Readiness Division, Fuels Management Branch

AMC/A4RX—AMC Logistics Plans and Integration Branch

MSG/CC—Mission Support Group, Commander

NGB/A4RMF—National Guard Bureau, Fuels Management Office

SAF/IEN—SAF/IE's Deputy Assistant Secretary of the Air Force for Operational Energy

Terms

Aerospace Fuels Laboratory—A laboratory that provides testing services to bases on samples of petroleum and related products. Conducts specification tests to determine the quality of petroleum products under procurement and in the AF supply system.

AFPET Technical Division—Assigned to the Operations Support Directorate of AFPET and is the SCP for AF fuel quality issues. The Technical Division has worldwide responsibility to identify, investigate, and correct problems involving aviation, ground fuel contamination, fuel electrostatic hazards, conservation and reclamation of petroleum products, fuel, cryogenic receipt, storage, and mobile or fixed dispensing system deficiencies.

Automated Information Technology (AIT)—Suite of tools for facilitating total asset visibility source data capture and transfer. Automated identification technology includes a variety of devices, such as bar codes, magnetic strips, optical memory cards, and radio frequency tags for marking or "tagging" individual items, multi-packs, equipment, air pallets, or containers, along with the hardware and software required to create the devices, read the information on them, and integrate that information with other logistic information.

Bulk Petroleum Products—Petroleum products delivered in volumes greater than 208 liters (55 US gallons) such as tank trucks/cars, pipelines, coastal barges, and ocean tankers. This term can apply to several DLA-E purchase programs including the bulk fuels program for military specification jet and marine fuels, the posts, camps, and stations commercial gasoline and diesels, and the bunkers fuel program. Product is stored in tankage having a fill capacity greater than 208 liters (55 US gallons).

DLA-E Base Level Support Application (BLSA)—Vertically integrated automated information system consisting of base-level components and "Enterprise" level systems providing visibility of bulk fuel assets and transactions to Services, CCMD, vendors, and DLA-E.

Confined Space—A space large enough and configured so a worker can bodily enter and perform assigned work; has limited or restricted means for entry or exit (for example: tanks, vessels, silos, storage bins, hoppers, vaults, manholes and pits); and is not designed for continuous human occupancy.

Cryogenics—Science of Refrigeration, with reference to methods for producing very low temperature products.

Defense Logistics Agency Energy (DLA-E)—Organizational component of the Defense Logistics Agency (DLA). DLA-E is the integrated materiel manager and the DoW central procurement agent for bulk petroleum, natural gas, coal, and associated services. DLA-E owns and manages the bulk petroleum products in the DoW to the point-of-sale (end user).

DLA-E Region—Management component of the DLA-E with a geographic area of responsibility to monitor DLA-E contracts for adequate customer support, control fuel deliveries, perform contract administration functions such as property administration and quality surveillance, provide and coordinate transportation support and emergency planning and report inventory and/or supply transactions.

Defense Working Capital Fund (DWCF)—DoW revolving fund that finances the buying and selling of goods and services. It also provides cost visibility and accountability to facilitate business operations. DLA inventories are sold to end user organizational accounts (military units and federal agencies) that reimburse the DLA Division – DWCF for costs incurred.

Designed Operational Capability (DOC) Statement—Summary of a unit's mission and resources for which it has been organized, designed, and equipped.

Expediter Tool Kit (ETK)—Small issued tool kit that contains the inventory of items and is capable of being used on a check out/check in method. All tools are accountable and will be documented when used. Because of the nature of this kit the contents or type of container is exempt from shadowing or silhouetting, given an accurate and current inventory is maintained.

Forward Area Refueling Point (FARP)—Fuels operations are used to hot refuel aircraft in areas where fuel is otherwise not available. Fuel is transferred from a source aircraft's (C-130, C-17, or C-5) internal tanks to receiver aircraft while both aircraft's engines are running. Missions typically accomplished at remote locations under blackout conditions.

Fuels Handling Equipment (FHE)—Fuels equipment and vehicles that are used to directly perform Fuels handling operations. i.e., service fuel w/R-11, R-12, LCRV pantographs, hose carts, etc. Other FHE equipment items required to establish forward operational bases and forward operating sites. i.e., R-11, FARP Sled packages, ABFDS, PMU-27, FORCE etc. (See **Attachment 10**)

Fuels Operational Readiness Capability Equipment (FORCE)—Capability to receive, store, transfer, and issue petroleum products or support aircraft generation where fixed systems do not exist or require augmentation. FORCE is characterized by transportability and is primarily employed for wartime missions. However, it can be used to support peacetime and/or humanitarian operations as required. Primary equipment items are R-18, R-19, R-20, and R-21.

Fuel Sample—A small part of a quantity of product representative of the entire quantity, used for inspection or to determine the quality of the product.

Fuels Support Equipment (FSE)—Any other equipment items used by the FMF that is used to support the mission, and valid authorization exists for use in ELMS. i.e., laboratory equipment, multi-meters, snow blowers, Hydrostatic testers, Air Compressor, Vacuum Trucks/tanks, Gorman Rupp pumps/Double Diaphragm pumps, lawnmowers, etc.

Ground Products—Refined petroleum products normally intended for use in administrative, combat, and tactical vehicles, material handling equipment, special purpose vehicles, and stationary power and heating equipment.

Hydrant System—Aircraft fuel servicing facility that can provide fuel through one or more outlets into an aircraft. The hydrant system generally consists of operating storage tanks (older hydrant systems normally have many 50,000-gallon tanks while newer systems normally have two 10,000-barrel tanks), pumps, filter-separators, pipelines, and dispensing.

Inventory Management Plan (IMP)—Defines military specification fuel management by product type on a terminal and regional basis. The completed plan provides a basis to support the budget allocation for appropriate, stock funded fuel, and CCMD requirement support plan.

Military Construction (MILCON)—Any construction, alteration, development, conversion, or extension of any kind carried out with respect to a military installation.

Multi-Capable Airmen (MCA)—Are select Airmen, trained in advanced expeditionary skills and are capable of accomplishing limited and specific tasks outside of their core Air Force Specialty. MCA represents a mindset and cultural shift away from traditional, large force packages of highly specialized teams towards smaller footprint, multidisciplinary teams able to provide combat support with the skills and resources at hand.

Node Arc—DLA-E-generated report that shows current contracted sources of fuel and the distribution routes to its end-use location.

Off-Specification Fuel—Product that does not meet applicable specification requirements.

On-Specification Fuel—Product that meets the applicable specification requirements. T.O. 42B-1-23, Table**3-1**., *Management of Recoverable and Waste Liquid Petroleum Products*, sets the criteria for suitable quality.

Operating Stock (OS)—Fuel required to sustain daily operations and ensure fuel availability to support US military forces world-wide. Operating stock was formerly known as peacetime operating stock.

Prepositioned War Reserve Stocks (PWRS)—Assets that are designated to satisfy the pre-positioned war reserve materiel requirement.

Quality Assurance Evaluator (QAE)—Individual who represents the contracting officer in performing contractor evaluation functions.

Reclaimable Fuel—Fuel that does not meet its original specification, but which through processing can be recovered to its original grade or a lower grade without reprocessing.

Responsible Officer (RO)—Individual appointed by the squadron commander. This person must be proficient in Fuels Management and is responsible for the care and safeguarding of the petroleum stocks. This person also ensures all accountable records are maintained and required reports are generated.

Sustainment, Restoration and Modernization (SRM)—SRM is made up of four pillars: CMPs, Planning Studies, Recurring Maintenance and Emergent Deficiencies. The process begins with the identification of what needs to be fixed and through one of the four pillars a project is developed for approval, funding, and execution.

Special Fuel Handling (SFH) Operations—Employment of approved specialized refueling equipment to perform refueling operations designed to produce sortie generation with limited time. These operations and equipment are not CCMD specific, nor centric, but these capabilities will reside in all.

Unit Manpower Document (UMD)—Document which lists manpower authorizations. It reflects how many people are authorized to accomplish the mission. MAJCOMs use this document to show allocated resources, and as the baseline for portraying the impact of application of new or reapplication of existing manpower standards. The UMD contains: 1. The position number. 2. AFSC. 3. Functional account code (work center). 4. Authorized grade. 5. Number of authorizations. 6. A summary of authorizations for officers, enlisted, and civilians assigned to each unit by work centers.

Unit Type Code (UTC)—Specific capability of personnel and/or equipment to be deployed in support of various operations.

War Consumable Distribution Objective (WCDO)—Document prepared by MAJCOMs to identify authorized quantities of war consumables to support AF wartime missions.

Attachment 2

MISCELLANEOUSE FUELS DUTY TITLES

Table A2.1. Miscellaneous Fuels Duty Titles.

AIR STAFF, LEAP & NGB DUTY TITLES	
AF/ANG Fuels Career Field Manager (2F)	Deputy, Fuels Career Field Manager (2F)
Air Staff/DLA-E/Joint Staff LEAP SNCO	J-4 Joint Petroleum Office Fuels Manager
SAF Fuels Force Projection Analysis Manager	
CCMD/CMD/NAF DUTY TITLES	
CCMD JPO Fuels Manager	CMD/NAF Fuels Superintendent (2F)
CMD/NAF Fuels Functional Manager (2F)	CMD/NAF Fuels WRM Manager (2F)
CMDNAF Fuels Plans Manager (2F)	CMD/NAF Fuels WRM NCO (2F)
CMD/NAF Fuels Planner (2F)	CMD/NAF Fuels IG (2F)
CMD/NAF Senior Fuels IG (2F)	CMD Global Force Manager
CCMD/CMD/NAF DUTY TITLES	CMD Fuels Acquisitions Manager/Supervisor/Technician
AFISMC, AFPC DUTY TITLES	
AFIMSC Fuels MAJCOM Functional Manager (2F)	Fuels Force Generation Scheduling Manager (2F)
AFISMC Fuels Functional Area Manager (2F)	AFPC Fuels Assignment Manager (2F)
AFPET DUTY TITLES	
AFPET Fuels Manager	AFPET Superintendent
AFPET Operations Manager	AFEPT Equipment Manager
AFPET Requirements/Automation Manager	AFPET Infrastructure Manager
AFPET Contracting Manager	AFPET Aerospace Fuels Lab (NCOIC)
364 TRS	
2F Schoolhouse Manager	2F Schoolhouse Superintendent/Flight Chief
2F Instructor	2F Advanced/Master Instructor
2F Curriculum Development Manager	
OTHER DUTY TITLES	
Fuel Air Advisor	Fuel COR/QAE/QAR
Range Fuels (NCOIC)	
#AF Fuels Manager	2F WRM Program Manager
#AF 2F Ops Manager	2F WRM NCOIC/Supervisor/Technician
#AF WRM Contingency Manager	#AF Fuels Manager
#AF 2F Ops Manager	2F WRM Program Manager

Attachment 3

FUELS VENUES AND DEVELOPMENTAL OPPORTUNITIES

A3.1. 2F Career Field Mission Critical Education, Training, and Development Venues.

A3.1.1. The annual National Petroleum Management Corporation (NPMC) PETRO and DLA-E World-Wide Energy venues, held in the National Capital Region, represent critical training opportunities for all fueling professionals. These events are essential platforms for acquiring cutting-edge knowledge and skills directly impacting mission execution.

A3.1.2. NPMC PETRO unites Air Force fueling experts, DLA-E partners, and commercial fuel industry leaders, offering exclusive exposure to the latest fueling technologies and EXPO showcasing emerging tools and equipment from the global fueling market. Simultaneously, the DLA-E event provides specialized training for fuels managers, SMEs, DLA-E procurement specialists, analysts, maintenance foremen, civil engineers, and all professionals engaged in fueling operations.

A3.1.2.1. Required attendees AF/A4LR, AFPET, AFIMSC, AFRC, PACAF, USAFE, AFAFRICA, AFGSC, AMC, AFCENT, NGB, AFSOC, LEAP, 2F Schoolhouse, FMF Representation, 635th Supply Chain Operations Wing/Delta, WRM Program Integration Office, ACC War Reserve Materiel and ACC Global Force Management, ACC/AMIC, AF fuels UTC pilot units, AFRC, AF Life Cycle Management Center Support Equipment and Vehicle Division (AFLCMC/ROZ), and SMEs identified by 2F CFM. 21R Logistics Readiness Officers assigned to Fuels operations are highly encouraged to attend. **Note:** Attendance should be prioritized to the annual host of the AF Fuels Service Day.

A3.1.3. Attendance at these venues provides:

A3.1.3.1. Mission-Critical Training: Receive tailored, fuel-specific training on the latest procedures, technologies, and best practices.

A3.1.3.2. Industry Trend Insights: Gain first-hand knowledge of current industry and DoW trends, ensuring proactive adaptation to evolving operational demand.

A3.1.3.3. Peer Collaboration: Connect with peers to discuss challenges, share solutions, and build a robust network for ongoing support.

A3.1.3.4. Hands-On Experience: Obtain practical experience with cutting-edge technologies, enhancing operational efficiency and effectiveness.

A3.1.4. The AF Fuels Service Day, which alternates host, focuses on workforce development, strategic alignment, and enhanced mission readiness across the fueling enterprise. By engaging in discussions centered around career field enterprise portfolios, attendees contribute directly to the continuous improvement of the global fueling community.

Attachment 4

CLIPBOARD COLOR SCHEME

A4.1. Unless otherwise listed, products not identified with a NATO symbol do not have a current NATO designation and do not require NATO markings. **(T-0)**

Figure A4.1. Products.

PRODUCT (NATO SYMBOL)	BACKGROUND COLOR	STRIPES	EXAMPLE
AVIATION			
AVGAS (F-18)	Blue	N/A	AVGAS (F-18)
JP-5 (F-44)	Yellow	Black Dashes	JP-5 (F-44)
JP-8 (F-34)	Yellow	Blue	JP-8 (F-34)
JPTS	Yellow	Black	JPTS
JET A (F-24) (additive package)	Yellow	White	JET A (F-24)
TS1	Yellow	Red	TS1
Note: Additive package includes Corrosion Inhibitor/Lubricity Improver (CI/LI), Fuel System Icing Inhibitor (FSII), and Static Dissipater Additive (SDA).			
PRODUCT (NATO SYMBOL)	**BACKGROUND COLOR**	**STRIPES**	**EXAPMLE**
DIESEL			
Diesel, Low Sulfur	Brown	N/A	Diesel Low Sulfur
Diesel, High Sulfur	Brown	Blue	Diesel High Sulfur
Diesel, Ultra-Low Sulfur (F-54)	Brown	Yellow	Diesel Ultra-Low Sulfur (F-54)
Diesel, Biodiesel Blend (Referred to as B20)	Brown	Green	BDI B20
Kerosene (F-58) F-58 only applies to Grade 1-K)	Brown	Red	Kerosene (F-58)
AUTOMOTIVE GASOLINE			
Unlead (F-67) (F-67 only applies to Premium Grade)	Red	Green	Unlead (F-67)
Ethanol Fuel Blends (Referred to as E85)	Red	Bule	E85
Gasohol (Contains 10% Ethanol)	Red	Black	Gasohol
PROPELLANTS			
UDMH (P-922) Unsymmetrical Dimethy Hydrazine	Red	Yellow	UDMH (P-922)
Nitrogen Tetroxide	Brown	White	Nitrogen Tetroxide
Nitrogen Tetroxide	Green	White	LOX
Liquid Nitrogen	Gray	Yellow	LIN

Attachment 5

FUELS INCIDENT REPORTING PROCEDURES

A5.1. The Fuels Incident Reporter provides timely notification, tracking, and resolution of events as they occur within the fuels community and lends to pinpoint systemic problems with equipment, vehicles, facilities, and/or training and guidance.

A5.2. Incident reports are for trend analysis and informational purposes only.

A5.3. Reports generated in the Fuels Incident Reporter may be used for local environmental reporting.

A5.4. Reports must include the most current and accurate data available at the time of reporting to help target possible incident trigger points. Do not enter or store Personally Identifiable Information in the Fuels Incident Reporter and the use of individual names is strictly prohibited.

A5.4.1. Use "Pending Investigation" only when an initial investigation provides no definitive answer as to why the incident has occurred. Update the report with the final investigation causes.

A5.4.2. Use "Estimated Gallons Recovered" to specify the gallon amount of on-specification fuel returned to operating storage. Specify the reason for fuel that cannot be reclaimed.

A5.4.3. Photos may be sent to the Incident Reporter email box at: **afpet.incidentreporter@dla.mil**.

A5.5. FMT will designate alternate personnel to report incidents and must approve all submissions. To report incidents, personnel are required to first submit the DD Form 2875, System Authorization Access Request, to AFPET by emailing **afpet.incidentreporter@dla.mil**. AFPET approves valid requests for user IDs but may deny requests if the requester is not a member of the FMF or belongs to an organization with multiple users. With approved access, the user will have to follow the first-time users guide located on the AFPET SharePoint®.

A5.6. A minimum of three personnel must have access to the Fuels Incident Reporter.

A5.7. Contact AFPET for reporting or user assistance by emailing **afpet.incidentreporter@dla.mil**.

A5.8. Include as many detailed facts as possible within the report (e.g., training, registration numbers, experience of personnel involved, was proper equipment used, newly developed procedure, checklist associated, and does this issue require a Product Quality Deficiency Report or Engineering Investigation (EI) submission).

A5.8.1. Incidents warranting a Product Quality Deficiency Report or EI must be submitted by FMT to the JDRS at **https://jdrs.mil/DR_Initiate.cfm?service=AF**. Mobile Refueling vehicles will be submitted by Vehicle Maintenance in coordination with the FMT.

A5.8.2. Initiate an EI deficiency listing a primary or secondary cause as "Defect in Equipment."

A5.9. Incident reports must be forwarded to the MAJCOM fuels staffs and/or JPO/SAPO, as required.

A5.10. FMT incident reporting requirements are as follows:

A5.10.1. Notify the Chain of Command.

A5.10.2. Submit a Fuels Incident Report.

A5.10.3. Forward completed reports involving capitalized products to the DLA-E Operations Center, as well as the respective DLA-E Regional office IAW DLA-E P-40. Fuel releases that are 25 gallons or more must be reported to DLA-E regardless of the amount recovered.

A5.10.4. DLA-E Spill Reporting Regional offices:

A5.10.4.1. **DESC.spillreports@dla.mil**

A5.10.4.2. Americas East - **DLAEnergyAmericasEastCustomerOperations@dla.mil**

A5.10.4.3. Americas West - **DLAEnergyAmericasWestCustomerOperations@dal.mil**

A5.10.4.4. Pacific - **EnergyPacific-CAS@dal.mil**

A5.10.4.5. Europe & Africa - **DLAEnergy.ea.cust.acc.spc@dla.mil**

A5.10.4.6. Middle East - **DLAEnergy.ME.CustomerOps@dla.mil**

A5.10.4.7. USCG & Federal Agencies - **DLAEnergyCUSACCTSPEC@dla.mil**

A5.11. Incidents involving vehicles, facilities, fuel contamination, and/or Commingling events require the following information as a minimum:

A5.11.1. Vehicle accidents:

A5.11.1.1. What is the experience of the operator?

A5.11.1.2. How many hours were members on shift?

A5.11.1.3. Did environmental factors (weather, darkness) contribute to the cause?

A5.11.1.4. Describe what caused the vehicle accident and sequence of events?

A5.11.1.5. Did the vehicle recently return from maintenance?

A5.11.1.6. Is this a highly traveled area or are there any previous accidents at this location?

A5.11.1.7. Did RFM recently release the system from maintenance?

A5.11.2. Facility damage:

A5.11.2.1. Was the system signed off for the day?

A5.11.2.2. How was it damaged?

A5.11.2.3. Did WFSM recently release the system from maintenance?

A5.11.2.4. What are the cost estimates?

A5.11.2.5. Was the LOTO program correctly applied?

A5.11.3. Fuel contamination and/or commingling incidents:

A5.11.3.1. Were local procedures followed?

A5.11.3.2. How much fuel was involved?

A5.11.3.3. Was the Aerospace Fuels Laboratory notified?

A5.11.3.4. What are the base sample results?

A5.11.3.5. Was the Fuels QC Hold Program correctly applied?

A5.11.3.6. Was positive servicing controls established and in place to prevent Commingling?

A5.12. Fuel spills are classified based on their size and continuing duration and are defined as follows: Class I spills involve an area less than two feet in any plane dimension (direction). Class II spills involve an area not over 10 feet in any plane dimension (direction), or not over 50 square feet and not of a continuing nature. Class III spills involve an area over 10 feet in any plane dimension (direction) or over 50 square feet in total area or of a continuing nature. Once fuel spill classification has been determined, the FMT then categorizes mishaps as either: Category I (Minor), Category II (Moderate) or Category III (Severe).

A5.12.1. Category I:

A5.12.1.1. Class I fuel spills.

A5.12.1.2. Repair, value of lost or unrecoverable fuel and/or cleanup cost less than $100.

A5.12.1.3. Any individual seen by Medical Treatment Facility (MTF) and released back to duty with no restrictions.

A5.12.2. Category II:

A5.12.2.1. Class II fuel spill.

A5.12.2.2. Repair, value of lost or unrecoverable fuel and/or cleanup cost valued at $101 to $1,000.

A5.12.2.3. Any individual seen and/or treated by an MTF and restricted to light duty.

A5.12.3. Category III:

A5.12.3.1. Class III fuel spills or any class of fuel spill that reached ground water and/or navigable water ways.

A5.12.3.2. Any individual seen and/or treated by MTF and lost duty days.

A5.12.3.3. Any mishap requiring environmental remediation.

A5.12.3.4. Any mishap resulting in aircraft being grounded.

A5.12.3.5. Any mishap resulting in a fire and/or explosion. Cleanup costs of fuel spills should be minimal to an FMF; however, include costs of spill pads purchased by DLA-E or local CE environmental flight associated with cleanup cost.

Attachment 6

FUELS CAREER FIELD CHARTERED WORKING GROUPS

Table A6.1. Fuels Career Field Chartered Working Groups.

Event Title	Frequency	Chair/Co-Chair	Target Vector
Fuels Utilization & Training Workshop (U&TW)	As required	CFM[1] AETC[2,4] AFIMSC	Analyzes and determines career field training requirements.
FWS (FWS)[3]	Annually	CFM[1] AFPET/FM[2]	Establishes 2F Career Field Strategy through the management of 2F Portfolios. Informed by policies, priorities, and charted working groups supporting the logistics enterprise corporate structure.
Fuels Working Group (FWG)[3]	Annually	CFM[1] AFPET Operations[2]	Collects capability requirements, action items and conducts analytical data and technical data to provide to FWS for action.
Fuels Enlisted Development Team (FEDT)[3]	Semi-Annually (MSgt/SMSgt)	CFM[1] AFIMSC MFM[2]	Guides, mentors, develops SNCOs, and provides oversight of enlisted development to achieve both functional and AF corporate leadership goals.
Fuels Compliance Working Group	Quarterly and as required	AFPET[1] CFM[4] MAJCOM IG[4] FMF FQC[4]	Eyes and ears of the 2F community to inform equities of negative trends and pursue best practices for global adoption.

Note:
[1] Chair
[2] Co-Chair
[3] Refer to charter complete list of membership
[4] Contributing member

Attachment 7

FUELS MANAGER® DEFENSE (FMD) CODES

A7.1. Fuel 20-Codes.

A7.1.1. Fuel 20-Codes will be added as presented in **Table A7.1** with a hyphen and capital lettering then comment, (e.g., "20-M 200 gals"). If multiple 20-codes are utilized separate with a semicolon.

A7.1.2. Use Fuel 20-Codes to aid in controlling flightline operations and to quickly document events and/or actions.

A7.1.3. Additional information concerning each specific event can be added at FMT discretion to further capture details or unique situations.

A7.1.4. FMT may add additional codes to facilitate local requirements.

A7.1.5. Fuel 20-Codes are used as a data marker to capture standard, like items of interest across the AF. Codes can be used as standalone or include clarifying information. Not all codes apply to all locations.

Table A7.1. Memo Block Fuel 20-Codes.

CODES	MEANING	EXAMPLES
20-A	Errors	Operator, wrong unit, 2 units sent
20-B	Refueler 10-5 (standing by)	Acft 10 minutes out/quick turn
20-C	Cancellations	Cancelled by MOC (name of individual)
20-D	Delays in response	Not enough resources for fuel requests
20-E	Custodian verified (tank/grade/location)	Name of custodian; TK 9, DL2, Bldg. 85
20-F	Refueling unit multi-dispatched	3 x F-16s
20-G	Acft multi-trucked	1 of 4
20-H	Hot pits (open/closed)	Open (name/location)
20-I	IFE/GE/Weather hold	IFE (landing gear, 15-mins out)
20-J	Diverted to higher priority acft	NAOC arrival
20-K	Multi-source refuel	Pantograph, R-11
20-L	Hydrant pit not utilized	Acft on pit lid, hydrant available but not used
20-M	Top off	1K (gallon amount)
20-N	RTB	TK 14 (location)
20-O	All refueling/defueling assets utilized	C-17 defuel in progress, no units available
20-P	All personnel utilized	6 acft diverted, standby personnel called in
20-Q	Vehicles/equipment below MEL	4 refuelers out for maintenance, ETIC
20-R	Facilities below MEL	No power available, ETIC
20-S	Hydrant system check	Systems in automatic mode and unmanned
20-T	Late aircraft take-off	Acft missed fly time
20-U	Cart fill outside servicing hours	Emergency cart fill
20-V	One time defuel	Vehicle configured for refuel used to defuel
20-W	Water release log	Start/stop time (release contained water)

20-X	Recovered Product	Sample passed/QAR approved, JP-8,100 Gals from Unit/Bowser/Tank XX returned to Unit/Tank XX
20-Y	Below Personnel MEL	State why or cause that led to this effect

A7.2. Issue Point Codes.

A7.2.1. Issue point codes are essential to properly categorize peak workload during the cryogenic, vehicle, and equipment validation process.

A7.2.2. Ensure issue point code corresponds to the correct mode of delivery during a given fuels operation.

Table A7.2. Fuels Vehicle and Equipment Issue Point Codes.

CODES	MEANING	EXAMPLES
CY	Cryogenic	Liquid Oxygen issue point
RU	R-11	Without the use of hydrants/HSM
RH	R-12	Hydrant use
PT	Pantograph	Hydrant use
HC	Hosecart	Hydrant use
RL	LCRV	Without the use of hydrants
HL	LCRV-H	Hydrant use
R2	R-20	FORCE Aircraft servicing platform
HY	Hydrant Servicing Module (HSM)	Hydrant use

Attachment 8

FUELS WAR RESERVE MATERIAL (WRM) STORAGE REQUIREMENTS

A8.1. Storage Requirements

A8.1.1. FSH will be maintained in either short- or long-term storage, as determined by the owning MAJCOM fuels staff or CMD WRMO.

A8.1.2. Short term storage is the storage of equipment projected for use within 18 months, and long-term storage is the storage of equipment not projected for use within 18 months.

A8.1.3. FHE shall be stored indoors to prevent degradation of materials, water contamination, and corrosion/debris which would impact safety of flight and directly impact crisis/contingency operations. Adjudicate local indoor storage priorities with the Installation WRMO/WRMNCO. **(T-2)** In instances where this is not feasible, FHE should at minimum be covered (e.g., fixed sunshade, fitted cover, tarp, etc.) and formal actions to resolve should be pursued.

A8.2. Inspection Intervals

A8.2.1. Conducts initial and redeployment acceptance inspections. This includes operational inspection and functional checks.

A8.2.2. Conducts a quarterly visual exterior inspection on all on-hand FHE/FSE. **Note:** If FSE is stored in a container, the visual exterior inspection is of the container it is housed in.

A8.2.3. For FHE/FSE in short term storage, conducts operational inspection and functional checks at minimum every 12 months or IAW applicable T.O.s. **(T-1)**

A8.2.4. For FHE/FSE in long term storage, conducts operational inspection and functional checks at minimum every 24 months or IAW applicable T.O.s. **(T-1)**

A8.2.5. For FSE RSPs, conduct initial and redeployment inventory inspection. At minimum, ensure an annual inventory inspection occurs thereafter. **Note:** Ensure shelf-life items are verified as serviceable.

A8.2.6. For FHE Refueling Units (e.g., aviation, ground, etc.), fuels personnel will perform functional testing at minimum every 14 days. **(T-2)** For non-integrated FHE Refueling Units, vehicle maintenance personnel will also perform functional testing at minimum every 30 days.

A8.3. Operational Inspection and Functional Checks

A8.3.1. Conducts operation and functional checks as a complete UTC to ensure the systems operability and facilitates accurate readiness reporting. **(T-3)** Consumable items (e.g., hose, gaskets, etc.…) will be replaced, as required. **Note:** Tactical Automated Service Station (TASS) operational inspection and function check will be in the generator mode. Functional check with unleaded or diesel fuel is not required.

A8.3.1.1. Document FHE inspections leveraging the forms listed in **Attachment 10**. Ensures initial acceptance and interval inspections are documented in ELMS, as applicable.

A8.3.1.2. Filter separator elements are not required for inspection or function checks.

A8.3.1.3. Recirculate fuel & operate pumping systems in all modes. For aviation fuel systems, use high flashpoint fuels (e.g., JP-8, JP-5, Jet A, Jet A1, JPTS, etc.)

A8.3.1.3.1. In preparation for storage or redeployment, drain fuel from hoses, manifolds, and system piping. Ensure the engine fuel tank is no more than one quarter of a tank full.

A8.4. Deficiency Reporting

A8.4.1. Upon identification of a potential discrepancy, contact AFPET EM to assess the issue.

A8.4.1.1. AFPET/EM will determine if the issue is complex (requiring specialized expertise) or requires a technical solution (engineering analysis, design modification). If so, AFPET/EM will engage the relevant Vehicle/FHE IPT (Integrated Product Team for Vehicle/Flight Hardware Engineering).

A8.4.1.1.1. If AFPET/EM and/or IPT determine if a JDRS action is required, they will direct if it is initiated by the end user or the Pilot Unit.

A8.4.1.1.2. If the IPT determines a T.O. change or other formal actions are required (e.g., SB, TCTO, or FTL), AFPET/EM and/or the IPT will formally notify the Pilot Unit. This serves to alert the Pilot Unit of a specific issue, provided guidance on corrective actions, and ensures compliance with the new T.O. (or other formal documentation). **Note:** Field notifications will occur through the standard channels for the specific type of formal notification (e.g., the T.O. distribution system for T.O. changes, etc.).

Attachment 9

RADIO TRANSMISSION CODES

A9.1. Use the modified 10-series radio transmission code list to maintain radio discipline. FMT may add other call signs to meet any local requirements.

Table A9.1. Radio Transmission Codes.

CODE	MEANING
10-1	Radio receiving poorly
10-2	Radio receiving well
10-3	Radio check
10-4	Acknowledged, will comply
10-5	Standby
10-6	Say again, poor reception
10-7	Location out-of-service
10-8	Location in-service
10-9	What is your location
10-10	Return to FSC
10-11	Departing parking area
10-12	How many gallons are out of unit
10-13	Proceed to fill stand
10-14	Arriving at fill stand
10-15	Departing fill stand with full unit
10-16	Request another unit at location
10-17	Request supervisor at location
10-18	Request fire truck at location
10-19	Fuel spill, request assistance at location
10-20	Entering parking area
10-21	Unit requires maintenance, discrepancy
10-22	Ready to receive, valves open
10-23	Ready to start transfer, valves open
10-24	Start servicing
10-25	End servicing
10-26	Pumps stopped/off
10-27	Transfer complete, valves closed
10-28	Servicing canceled
10-29	Call FSC via telephone
10-31	Distinguished visitor in area
10-36	What is the correct time
10-87	Fire, Accident, Mishap request immediate assistance
10-97	Arrived at scene/location
10-98	Finished with last assignment

Attachment 10

APPROVED FUELS VEHICLES AND FUELS HANDLING EQUIPMENT (FHE) AND FUELS SUPPORT EQUIPMENT (FSE)

Table A10.1. Approved Fuels Vehicles and Fuels Handling Equipment (FHE)/Fuels Support Equipment (FSE).

FHE & VEHICLES	FORM(s) USED / MAINTAINED
GOVs	AF Form 1800
Low Speed Vehicles (LSVs)	
** (W/ACE) Aerial Bulk Fuel Delivery System (ABFDS)	* AF Form 980 AF Form 4427 **AFTO 422
**Agile Fueling System (AFS) Air	
**Agile Fueling System (AFS) Ground	
C30X/R-13	
Fluid Powered Additive Injection Cart (FPAIC)	
**Joint Deployable Refueling Pump (JDRP)	
**Large Capacity Refueling Vehicle (LCRV)	
Mobile Pantograph/Hose Carts	
PMU-27	
**Gov Owned Commercial Refuelers (C305, C306)	
**R11/HYMORE/HSM	
**R12	
* R18	
* ** R19	
* R20	
R21 Equipment/Tricon	
Tactical Automated Service Station (TASS)	
Pantographs / High reach / Defuel Carts Multiple	AF Form 4427
All-Terrain Berm Liners (10K, 50K, 210K)	AFTO Form 95
Bladders (Blivits, 3K, 10K, 50K and 210 K)	
Cryotainer (All Sizes)	AFTO Forms 95 / 244 / 245
Cryogenic Sampler	
Purge Unit	
Vacuum Pump	
Bowsers	AFTO Form 244 / 245
R-21 Equipment / Tricons	

Attachment 11

AIRCRAFT AND GROUND FUEL PLANNING FACTORS

A11.1. Aviation Fuel Planning Factors.

A11.1.1. Utilize **Table A11.1** as baseline planning factors. Fuel quantities are based off an 80% maximum capacity for bombers and airlift aircraft and 85% for fighter aircraft. Actual consumption varies due to mission profile. Helicopter length is the length of the fuselage, while the span is the main rotor diameter. All fuel quantities are in US gallons. Normal load indicates the normal aircraft capacity used in contingency standard combat load configuration.

A11.1.2. Official aircraft consumption factors are prescribed in AFI 65-503, *U.S. Air Force Cost and Planning Factors,* **Table A11.1**, Aviation Fuels Consumption Factors (updated annually).

A11.1.3. The numbers from **Table A11.1** are general planning factors for use. Contact applicable AFFOR fuels planner for AOR specific petroleum planning factors.

Table A11.1. Aviation Fuels Consumption Factors.

MDS	NAME	NORMAL LOAD (gals)	SPAN FT-IN	LENGTH FT-IN
A-10	Thunderbolt	1395	57-6	53-4
A330		19857	197-10	193-0
A350		35200	212-5	242-1
A380		67680	262-0	239-0
AC-130H	Spooky	7200	132-7	97-9
AC-130J	Ghostrider	7350	133-0	98-0
AH-1	Cobra	259	44-0	44-6
AH-64	Apache	375	48-0	48-2
AV-8A	Harrier	760	25-3	45-6
B-1B	Lancer	31674	136-9	147-0
B-2	Spirit	19940	172-0	69-0
B-52H	Stratofortress	37277	185-0	160-0
B-707-300C		19108	145-9	152-11
B-727		6144	108-0	153-2
B-747-100F		40800	195-8	231-4
B-747-200		41444	195-8	231-4
B-747-400F		43188	231-4	231-4
B-757-200F		9021	124-8	155-0
B-767		19184	156-0	201-0
B-777		38319	212-7	242-4
B-787		26710	170-6	186-0
C-12	Super King	431	54-6	43-9
C-130H	Hercules	7164	132-7	97-9
C-130J	Hercules	7500	132-7	112-9
C-131	Samaritan	1384	105-4	79-2

C-17	Globemaster	28436	170-0	175.2-0
C-20A	Gulfstream	1360	777-10	83-1
C-21	Learjet 35	745	39-6	48-8
C-23	Sherpa	400	74-8	58-1
C-5	Galaxy	40912	222-9	247-10
C-9	Nightingale	4394	93-5	119-4
CH-21	Shawnee	240	44-0	52-7
CH-34	Choctaw	210	56-0	46-9
CH-37	Mojave	318	72-0	64-11
CH-53	Stallion	502	27-7	73-4
CH-54	Skyhook	1080	72-0	88-0
CT-39	Sabreliner	488	44-5	43-9
CV-22	Osprey	2037	84-7	57-4
DC-10-20CF		21200	165-4	182-0
DC-10-30CF		24620	165-4	182-0
DC-8-50/61		18714	148-5	187-5
DC-8-62/63		19420	148-5	187-5
DC-9-301		2943	93-5	125-7
E-2	Hawkeye	1427	80-7	57-7
E-3B/G	Sentry	19084	145-9	152-11
E-4	NAOC	40597	195-8	231-4
E-8	JSTAR	18507	145-9	152-11
EA-18G	Growler	1600	45-0	60-0
EA-6B	Prowler	3798	53-0	59-0
EC-130H	Compass Call	7402	132-7	97-9
EC-130J	Commando Solo	7500	133-0	98-0
F-15C	Eagle	3500	42-10	63-9
F-15E	Strike Eagle	4510	42-8	63-8
F-16C/D	Falcon	1522	32-10	49-6
F-18	Hornet	1597	37-6	56-0
F-22	Raptor	2284	44-6	62-1
F-35	Lightning II	2347	35-0	51-0
H-47	Chinook	630	5-Dec	51-0
HC-130J	Combat King II	7326	132-7	97-9
HH-2	Seasprite	219	44-0	38-4
HH-21	Workhorse	240	44-0	52-7
HH-3	Pelican	548	57-3	61-0
HH-3E	Jolly Green	548	57-3	62-0
HH-53	Super Jolly	244	72-3	67-2
HH-60G	Pavehawk	702	53-8	50-1
HH-60W	Jolly Green II	644	53-8	50-1
KC-10	Extender	42500	165-4	181-7
KC-135	Stratotanker	24960	130-10	136-3
KC-46	Pegasus	25349	156-1	159-2
L-1011	Tri-Star	18400	155-4	177-8

MC-130J	Commando II	7250	132-7	97-9
MQ-1	Predator	75	48-7	27
MQ-9	Reaper	470	66-0	36
O-1	Bird Dog	31	36-0	25-10
OH-13	Sioux	34	35-2	30-5
OH-23D	Raven	37	35-5	28-5
OH-6A	Cayuse	47	26-4	23-6
OV-1	Mohawk	238	42-0	41-1
OV-10	Bronco	200	40-0	41-7
P-2	Neptune	2408	97-9	95-11
P-3	Orion	7360	99-8	116-10
P-8	Poseidon	11195	123-0	126-0
RC-135V/W	Rivet Joint	17777	130-10	136-3
RQ-170	Sentinel	300	66	14-7
RQ-4B	Global Hawk	2194	131-0	47-6
S-3A	Viking	1546	68-8	53-4
SH-3A	Sea King	548	62-0	54-9
T-33	Shooting Star	760	38-11	39-9
T-37	Tweet	544	33-3	29-3
T-38	Talon	466	25-3	46-4
U-11	Aztec	144	37-3	31-3
U-1A	Otter	171	58-0	41-10
U-2	Dragon Lady	2500	103-0	63-0
U-21	Ute	745	45-11	39-10
U-3A	Cessna 310	130	36-11	36-0
U-6A	Beaver	95	48-0	30-5
U-8	Seminole	230	45-3	31-6
UH-1	Iroquois	176	48-0	39-8
UH-10	Chicasaw	140	53-0	42-3
UH-60A	Blackhawk	290	53-8	50-1
US-3A	Viking	1538	68-8	53-4
WC-135R	Constant Phoenix	17777	130-10	136-3

A11.2. Ground Fuel Planning Factors.

A11.2.1. Ground fuel requirements are challenging to determine due to the number of UTCs, amount of end users, and general lack of data regarding projected fuel consumption per vehicle and/or equipment item. As a result, historical AFCENT fuel consumption data was analyzed and a “per capita” model was employed. Utilize 2.1 gallons per person for Diesel fuel and .5 gallons per person for MOGAS as a baseline planning factor. Fuels Planners should still coordinate with using agencies (e.g., vehicle management, civil engineering, maintenance, security forces, communications. etc) to secure better planning factors/demands. Contact applicable AFFOR fuels planner for AOR specific ground fuel planning factors

A11.3. Cryogenic Planning Factors

A11.3.1. Determining cryogenic (LOX/LIN) requirements is comparable to determining fuel requirements. The same source document (WAA from the parent MAJCOM or local Logistic Plans Office for each OPLAN) will be required to establish an accurate estimate. Since maximum lead-time is required to arrange cryogenic support, timeliness and accuracy in computing requirements are extremely important. The following procedures will help in identifying cryogenic requirements:

A11.3.2. Determine your MAX 1-day by identifying the cryogenic requirement for each airframe at your location. Take into consideration several airframes have self-generating capabilities and do not have a LOX requirement. There is also the availability of self-generating LIN carts that may be available to meet the deployed location's LIN requirement.

A11.3.3. To determine the requirement for each airframe, take the cryogenic fill quantity, which is reflected in liters, and multiply by 0.2642 (conversion factor for liters to gallons). Next take this converted quantity and multiply by 70% (fill capacity of cryogenic converter) (i.e. for the U-2 with two 10 liter converters, 10L x 2 * 0.2642 x 70% = 3.7 gallons). This quantity reflects a per aircraft requirement in gallons which will be used along with the WAA and OPLAN to determine your max one-day requirement.

A11.3.4. The MAX 1-day should be used to project equipment and manpower requirements. The FSE Calculator will allow you to manually input equipment and manpower additions based on MAX 1-day requirements and the deployed environment. Contact applicable AFFOR fuels planner for AOR specific cryogenic planning factor.

Attachment 12

ALTERNATE USE FORMS

Table A12.1. Alternate Use Forms for Digital outage and Exercises (Printed).

FORM	FORM TITLE	CORRELATION
AF824	DAILY FUELS REQUEST AND SERVICING LOG	Dispatch
AF839	FLIGHTLINE DAILY FUELS SERVICE LOG	Dispatch
AF1234	FUELING UNIT INVENTORY	Accounting/Dispatch
AF1235	PHYSICAL INVENTORY	Accounting
AF1237	INVENTORY	Accounting
AFTO134	AVIATOR BREATHING OXYGEN SERVICING TRAILER LOG	Dispatch/QC Module
AFTO150	BASE FUELS SAMPLING AND TESTING RECORD	QC Module
AFTO176	CRYOGENIC MATERIALS SAMPLE	AFTAT
AFTO475	FUELS AND LUBRICANTS SAMPLE	AFTAT
DD2512	BULK FUEL STOCK ROTATION PLAN	EEBP
DD2915	PROPELLANT SERVICING UNIT RECORD	Dispatch
DD2917	PHYSICAL INVENTORY (FUELS/MISSILE PROPELLANT)	Accounting
DD2921	PHYSICAL INVENTORY PETROLEUM PRODUCTS	Accounting
DD2924	MONTHLY INVENTORY TRANSACTIONS REPORT (MISSILES PROPELLANT)	EBS Accounting
DD2925	MISSILE FUELS/PROPELLANTS INVENTORY SUMMERY SHEET	Accounting

Attachment 13

FARP TRYOUT AND SELECTION PROCESS

A13.1. Candidates will accomplish Table A13.2. **FARP Tryout Procedures** without deviation.

A13.2. Participants completing the tryout will undergo a FARP Team and FMT interview. Discussions will cover several topics (e.g., expectations, requirements, training, etc).

A13.3. Once the FMT selects the candidate to be postured against a UTC requirement, the FMT will coordinate SFH-A Course attendance through the AFIMSC 2F MFM. **Note:** Phase II & III FARP training will occur after successful completion of the course.

Table A13.1. Required Equipment.

QUANTITY	EQUIPMENT	PART INFO
5 EA	100-ft 3-in or 2-in FARP Hose	NSN: 4720-01-256-6496
1 EA	FARP Sled	Locally Manufactured
1 EA	FARP Defuel Pump	NSN: 4320-01-643-4512
1 EA	SPR Nozzle	NSN: 4930-01-544-1945
1 EA	FARP Squeegee	Locally Manufactured
1 EA	5-Gallon Water Jug (Full)	NSN: 7240-00-089-3827
1 EA	#20 Fire Extinguisher	NSN: 4210-00-889-2492
1 EA	Vest w/ Armor Plates	Locally Acquired via LRS
1 EA	Helmet	Locally Acquired via LRS
1 EA	Gloves	Locally Acquired via LRS

Figure A13.1. FARP Tryout Diagram.




Table A13.2. FARP Tryout Procedures.

STEPS	PROCEDURE
Step 1	Participant will wear all required IPE (e.g., vest, helmet, and gloves).
Step 2	Time will start once the participant lifts the defuel pump off the sled.
Step 3	Participant will move the defuel pump 10-ft out the front of the sled, turn around, walk to the right-hand side of the sled, and place it on the ground.
Step 4	Participant will grab the APR nozzle connected to the 300-ft. hose from the sled and begin to run the hose out fully. If they are unable to pull the hose the full 300-ft, they are authorized one return trip to the sled to grab the slack before returning to the nozzle to complete the 300-ft pull.
Step 5	Participant will then return to the sled and grab the fire extinguisher, squeegee, and 5-gallon water jug.
Step 6	Participant will carry all items to the 200-ft coupler. Place the squeegee under the coupler, and the water jug on the ground and proceed to carry the fire extinguisher to the 300-ft point.
Step 7	Participant will conduct a 50-ft S-fold on the hose and take a knee for 5-seconds (*simulates FARP site being open*).
Step 8	Participant will extend the hose back to the 300-ft point and place the nozzle on the ground.
Step 9	Participant will then begin to roll the first 100-ft section of the pre-positioned hose.
Step 10	Once the hose is rolled completely, participant will lift the hose and carry it back to the sled.
Step 11	Participant will return to the second 100-ft section of the pre-positioned hose and begin to roll.
Step 12	Once the second hose rolled completely, participant will the lift the hose and carry it back to the sled. This COMPLETES the tryout.
NOTE: *Candidates must complete the tryout in 15 minutes, or it will be scored as a failure.*	

A13.4. SFH-A Course attendees that only have a postured ABFDS/AFS-A UTC requirement should mimic, to the greatest extent possible, the rigorous FARP Tryout Procedure requirements above in preparation for the course. FMFs are not required to purchase the specific items listed in **Table A13.1**. **Required Equipment**; however, they should explore use of local/alternate items that could result in similar physical exertion. (e.g., extending an R-11 hose from the reel repeatedly, carrying a local fire extinguisher/water jug repeatedly, etc.)

Attachment 14

SFH-A/F TEAM INITIAL ISSUE LIST

Table A14.1. SFH-A/F TEAM INITIAL ISSUE LIST.

Item	Quantity	Item	Quantity
Ops Core Tactical Ballistic Helmet[1]	1	Water Bottle	1
Rhino Gound NVG Mount[1]	1	Multi Tool w/ wire cutters	1
Peltor Tactical Comm Headset[1]	1	GPS Watch	1
Condor Plate Carrier Vest[1]	1	Waffle Shirt	1
Safariland 9MM Holster[1]	1	Tee Shirt (pack of 3)	2
Individual First Aid Kit[1]	1	Socks	5
M-4 Sling[1]	1	Deployment Bag	1
AF & Name Tapes	4 ea.	3 Day Bag	1
Flying Unit Patches	4	Sleeping Bag (Portable)	1
IR Flags	4	Hammock	1
IR FARP Designator (If Applicable)	4	Ballistic Glasses	1
C/W Fleece	1	Tactical Gloves	4
Softshell Jacket	1	Riggers Belt	1
Softshell Pants	1	Balaclava	1
Combat Pants	4	Retention Lanyard	1
Combat Shirt	4	Ballistic Goggles	1
Field Pant	4	Knee Pads	2
Field Shirt	2	Folding Knife w/ Serrated edge	1
Tactical Boots	2	Mollie Enable Hydration System	1
Cold Weather Flight Approve Boots	2	Flashlight w/ IR setting	1
Watch Cap (Coyote)	1	D-Rings (350 lbs. weight rated)	5
Sleep Shirt (Thermals)	2	EWICS	
Sleep Pants (Thermals)	2		
Note 1: Denotes an initial issue item that is required to be returned to the Unit.			

Attachment 15

REQUIREMENTS CORRELATION TABLE (RCT) SWIM-LANE DIAGRAM

A15.1. Requirement Correlation Table (RCT) Considerations

A15.1.1. The following considerations should be considered for RCT submissions.

A15.1.1.1. To minimize Mobility Air Forces (MAF) requirements, it should be the smallest size and the lightest weight possible.

A15.1.1.2. To minimize MHE, it should be capable of being towed with a pintle hook.

A15.1.1.3. To minimize weather damage (e.g., corrosion, etc), which could impact safety of flight, it should be covered (e.g., it can take 5 years to start storage facility MILCON).

A15.1.1.4. To maximize production, a “US Only” designation should be considered for at minimum a limited period (e.g., allows initial production to be “US Only”).

A15.1.1.5. To facilitate training, it should come with a lesson plan that is closely formatted to an AFQTP (e.g., allows for easy digesting into e-pubs).

A15.1.1.6. To facilitate SFH operations, the concept of operation wording or mission capability statement should specify what it will be used for (e.g., Hot Refueling, WWD, ICTs, etc.). Note: Upon production, a Unit must initiate an SSEA to get it into the T.O.

A15.2. Requirements Correlation Table (RCT) Swin Lane Figure.

Figure A15.1. Requirements Correlation Table (RCT) Swin Lane Figure.

