BY ORDER OF THE COMMANDER
31 FIGHTER WING (USAFE)

UNITED STATES AIR FORCES IN EUROPE INSTRUCTION

23-104

AVIANO AIR BASE
Supplement

30 APRIL 2024

Materiel Management

USAFE DANGEROUS GOODS PROGRAM

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing website at **www.epublishing.af.mil** for downloading or ordering.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: 31 FW/IDGA

Certified by: 31 MSG/CC
(Col Timothy P. Maxwell)

Supersedes: USAFEI23-103SUPP, 31 May 2012

Pages: 32

This instruction implements Air Force Policy Directive 23-1, Materiel Management, and USAFE- AFAFRICA 23-104, COMMAND DANGEROUS GOODS PROGRAM (CDGP) and applies to all United States Air Forces in Europe (USAFE) and Air Forces Africa (AFAFRICA) units and personnel. Specifically, it assigns responsibilities and prescribes policy and procedures for the USAFE-AFAFRICA 23-104, COMMAND DANGEROUS GOODS PROGRAM OFFICE (CDGPO), as well as wing/installation commanders. It provides local guidance for respecting Italian regulations to transport hazardous material (HM) both on and off base compliant to Defense Transportation Regulation (DTR) 4500.9-R, Part II, Chapter 204 Section C, USAFE-AFAFRICAI 23-104, paragraph 2.3, and in coordination with the ITAF/CC (T-1). Movements of Dangerous Goods/Hazardous Wastes (DG/HW) in Italy must comply with the provisions of European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR), International Maritime Dangerous Goods Code (IMDG), International Air Transportation Association Dangerous Goods Regulations (IATA DGR) and Transportation of Hazardous Material by Rail (RID). All units with responsibilities in the movement of DG/HM/HW outside the boundary of the Installation and GSUs must comply with the provisions of this instruction and respective transportation mode and regulation previously mentioned. Primary Responsibility (OPR) using the AF Form 847, Recommendation for Change of Publication; route AF Form 847s through local publications/forms managers.

SUMMARY OF CHANGES

This document is substantially revised and must be completely reviewed. Changes include Tier Waiver Authority added throughout the publication. Major changes include revised Chapters 3, 5 and 6, revised Tables and Attachments. This version describes the responsibilities and procedures between USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM OFFICE (CDGPO)* (1st level) and subordinate wings, and the responsibility of the wings to develop and implement an installation DG management program (2nd level) in accordance with instruction USAFEI 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)* as well as the laws and regulations applicable to the installation's AOR.

Chapter 1

TRANSPORTATION OF HAZARDOUS MATERIAL

1.1. Purpose and Overview. This instruction is based on USAFE-AFAFRICAI 23-104, *COMMAND DANGEROUS GOODS PROGRAM (DGMP),* which requires the establishment of an installation Dangerous Goods Management Program (DGMP) to ensure compliance with the Defense Transportation Regulation (DTR) 4500.9-R, Part II, chapter 204-5, this instruction and applicable International, European and local laws and regulations for Aviano Air Base and its Geographically Separated Units (GSU). (T-0)

1.2. Italian Law: Legislative Decree number 285, Article 168, *Discipline Road Transport of Hazardous Materials* dated April 30,1992 applies to Italian public roads. The classes listed in the Annexes to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) are considered, for the purpose of road transport, to be hazardous materials in accordance with Law Number 1839 dated 12 August 1962 and its subsequent amendments.

1.2.1. Movement of hazardous material on base must comply with the provisions outlined in DTR 4500.9-R, Part II, Chapter 204, Section C, Paragraphs 5.a. and 5.b. In lieu of 49 CFR, the ADR will be applied for regulated amounts of dangerous goods. Additionally, vehicle operators do not require an ADR driver training certificate for on base transportation. Instead, the operators must have the proper vehicle driver license and a documented safety briefing relating to the dangerous goods transported.

1.2.2. The safety briefing must include load securing, compatibility, emergency response, and notification procedures for incidents and/or accidents. On-base road movements are only accessible through the use of gates and guards.

1.2.3. Transports of dangerous goods between the Aviano AB areas through public roads must be in full compliance with ADR. This includes transports of dangerous goods ancillary to work assignments (i.e. painters or plumbers transporting hazardous material to execute work orders).

1.2.4. For on base and between the various areas of Aviano AB, dangerous goods must be properly packed and blocked to sustain the kinetic forces of transportation which originate from movement and load securing forces. For on base hazardous material (HM) movements, labels identified in the US Globally Harmonized System (GHS), 29 CFR, parts 1910, 1915, 1917, 1918, and 1926, or the European GHS, EC 1272/2008, or ADR may be used to ensure personnel moving or handling the packages have risk awareness of HM. A movement document is not required for on base movement.

Note: Organizations moving hazardous material on Aviano AB and its GSUs must have the most current copy of the ADR on file. The most current version in PDF format may be downloaded from the following website under the "Publications" heading: https://unece.org/transport/dangerous-goods.

1.3. Responsibilities and duties. Responsibilities and duties of Commanders, Dangerous Goods Advisors (DGAs), Dangerous Goods Certifying Officials (DCOs), and functional elements of units owning, offering and transporting HM are prescribed in the CDGP and are supplemented by this instruction. The shipper is the organization or individual owning the HM/HW.

1.3.1. The shipper. The shipper initiates the transport process. This function is responsible for the proper identification of the HM/HW to the ordering party of the shipper, or to the consignor according to the classification criteria of the respective mode of transportation and applicable European Union EU and international regulations.

1.3.2. Installation Commander. The overall responsibility for the transportation of HM rests with 31 FW/CC. **(T-1)**.

1.3.3. Unit Commanders. Unit Commanders responsible to manage the program on behalf of the Installation Commander will ensure that assigned personnel comply with obligations and provisions prescribed in USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)* and this instruction. (**T-1)**.

Units moving or packing, loading, filling or unloading HM/HW, must appoint at least one primary and one alternate Unit DGA (UDGA), using USAFE Form 66.

Unit Commanders shall Appoint at least one primary and one alternate qualified DCO prescribed in USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)* and this instruction using USAFE Form 67, to certify consignments which are fully and accurately described, classified, packaged, marked and labeled/placarded and are in all respects in proper condition for transport according to US military, international and national regulations. DCO are required for all movement modes. **(T-1)**.

1.3.4. **Unit Dangerous Goods Advisors (DGAs).** Unit Dangerous Goods Advisors (UDGAs), appointed at Flight, Squadron or Group level, are executing the Dangerous Goods Program described in USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)* and this instruction on behalf of the Unit Commander. The USAFE Management Internal Control Toolset (MICT) UDGA Dangerous Goods Checklist shall be used by UDGAs to ensure general compliance with the CDGP. (**T-1**).

1.3.4.1. **The UDGA will:**

1.3.4.1.1. Comply with UDGA duties and responsibilities described in USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP).* **(T-1).**

1.3.4.1.2. Implement and execute the Unit Dangerous Goods Program described in this instruction on behalf of the Group or Squadron Commander. **(T-1).**

1.3.4.1.3. Ensure that the unit Operating Instructions (OI), includes inspection checklists & emergency response procedures. **(T-1).**

1.3.4.1.4. Ensure that the Annual USAFE Form 60 *Command/Installation Dangerous Advisor Goods Report* required by *USAFE-AFAFRICA 23-l04 COMMAND DANGEROUS GOODS PROGRAM (CDGP)* is accomplished and

submitted to the IDGA office not later than 15 December each year, for the period 1 October through 31 September. **(T-1).**

1.3.4.1.5. Ensure personnel executing HM/HW duties are properly trained and that training elements are documented. **(T-1).**

1.3.4.1.6. ADR Certified Vehicles. UDGAs shall ensure that the USAFE Form 68, *Certificate of Approval for Vehicles Carrying Certain Dangerous Goods,* of vehicles assigned to the unit are kept on file. Keep track of vehicle and tank inspection expiration dates, IAW ADR Chap. 6.8.2.4, 9.1.2.3 and 9.1.3.4. **(T-1).**

1.3.4.1.7. Monitoring. Conduct random checks (at least once a year) to ensure DCOs comply with procedures and processes described. Document results of the internal inspection using the USAFE Form 63 *Command Dangerous Goods Advisor (CDGA)/Installation DGA (IDGA) Monitoring Report*. **(T-1).**

1.3.4.1.8. Contact the IDGA office in order to request and coordinate the required Awareness Training to Unit Commanders, as described IAW *USAFE-AFAFRICA 23-l04 COMMAND DANGEROUS GOODS PROGRAM (CDGP)*. **(T-1).**

1.3.4.1.9. Ensure that the USAFE UDGA MICT checklist is uploaded, assessed and maintained for the unit. **(T-1).**

1.3.4.1.10. Accident and Incidents. Ensure personnel are aware of actions to be taken in case of an incident/accident. USAFE Form 61 *Accident/Incident Report on Occurrences During the Carriage of Dangerous Goods/Hazardous Waste,* shall be used to prepare the report. **(T-1).**

1.3.4.1.11. Internal Inspections. UDGA shall conduct squadron internal monitoring, to ensure involved unit sections and personnel comply with the applicable procedures and processes IAW USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)*. USAFE Form 63 shall be used to document the monitoring. **(T-1).**

1.3.4.1.12. The UDGA shall ensure their own successor is enrolled for training three months prior to their permanent departure from the currently assigned unit. **(T-1).**

1.3.4.1.13. Unit Operating Instructions. Review and compare obligations with related duties and responsibilities of the unit and transfer them into unit OIs, required by USAFEI23-104. Review and update unit OIs as required (e.g. based on changes in regulation). **(T-1).**

1.3.4.1.14. Ensure that signed copies of appointment orders for UDGAs and DCOs are forwarded to the IDGA office NLT 30 days after completion of training. Appointment Orders must bear the signature of the acting Squadron or Group Commanders. **(T-1).**

1.3.5. Dangerous Goods Certifying Official.

1.3.5.1. **DCO will:** DCO are trained and appointed individuals mandatory in units executing Consignor duties (units entering DG into public traffic). DCO must review and declare conformance to a HM regulation. The movement of HW must also conform to HM movement mode and regulations. In this case the HM movement regulations take precedence over HW regulations regarding identification, marking, labeling, packaging, and authorization for movement. The certifier executes commander duties and therefore must be on appointment orders. **(T-1)**.

1.3.5.1.1. Comply with DCO (Certifier) duties and responsibilities described in USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)*. **(T1).**

1.3.5.1.2. **DCOs.**

1.3.5.1.2.1. Units executing Consignor duties must ensure that DCOs are trained and appointed for each mode of transportation IAW USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)*. **(T-1)**.

1.3.5.1.2.2. DCO will prepare and certify HM for carriage based on the mode of transportation and applicable regulations. **(T-1)**.

1.3.5.1.2.3. Use checklists to ensure compliance with Dangerous Goods regulations when releasing DG on public roads. Ensure that copies of the completed checklists are attached to applicable Transport Documents, and available on file. **(T-1)**.

1.3.5.1.2.4. Load Securing. Ensure that the cargo is adequately secured, blocked and braced by the loaders of the vehicles or containers IAW ADR Chapter 7.5. **(T-0).**

1.3.6. Technical Expert/Specialist.

1.3.6.1. Technical Expert/Specialist training is recommended for units which execute shipper and packer duties required to identify and/or prepare HM for a movement process. **(T-1)**.

1.3.7. ADR Drivers and License.

1.3.7.1. Drivers of ADR certified vehicles carrying HM must hold a valid ADR training certificate issued by a Competent Authority Approval (CAA), stating that drivers have participated to a training course IAW ADR Chapter 8.2, and passed the examination on the particular requirements that have to be met during carriage of HM. The expiration date stated on the license must not be exceeded. **(T-0).**

1.3.7.2. Drivers of vehicles carrying HM in quantities exceeding the threshold limits of ADR Table 1.1.3.6.3 and drivers of explosive certified, tank-

vehicles to include portable tanks, must possess an ADR driver training certificate IAW ADR Chapter 8.2, issued by the CAA of an ADR member state. The required ADR driver training may be provided by a qualified and licensed IDGA. **(T-3).**

1.3.7.3. Marking of Transport Units. When required by ADR Chapter 5.3, drivers shall affix or cover to the exterior surface of containers, fixed tanks, portable tanks and vehicles the required placards and markings. **(T-0).**

1.3.8. The Installation Dangerous Goods Advisor (IDGA) manages the implementation and execution of the Dangerous Goods Program in Aviano AB and GSUs, as described and directed by USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)*. In this capacity the IDGA acts as a consultant to the 31 FW/CC and subordinate units and is responsible for implementing local requirements concerning the carriage of dangerous goods.

1.3.8.1. The IDGA office is located in building 1442, room 163. The IDGA is supporting all the inspectors and is a FAM member of the 31 FW Inspector General Office. (**T-1**).

1.3.8.2. The IDGA will:

1.3.8.2.1. Comply with IDGA duties and responsibilities described in USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)*, as applicable. **(T-1).**

1.3.8.2.2. Implement and execute the Installation Dangerous Goods Program described in this instruction on behalf of the Installation (Wing) Commander. **(T-1).**

1.3.8.2.3. Ensure that the IDGA appointment orders USAFE Form 66 *Dangerous Goods Advisor (DGA) Appointment Order* bear the signature of the Wing/Installation Commander. **(T-1).**

1.3.8.2.4. Attend training and examination IAW ADR Chap. 1.8.3, administrated by examining body approved by the competent authority of an ADR contracting party. Training must include elements for the carriage of DG by road (ADR), rail (RID) and sealift (IMDG-Code). **(T-0).**

1.3.8.2.5. ADR Driver Instructor. Possess a valid ADR certificate IAW ADR Chap. 8.2.2.8 and attend required instructor training (e.g., train the trainer) according to USAFE/CDGP and Host Nation (HN) directives. Qualification is required by IDGAs to provide additional training to drivers carrying certain types of dangerous goods off-base. **(T-3).**

1.3.8.2.6. Act as IG WIT to inspect units involved in the DGP. Ensure that units acting as ‘consignors’ are inspected at least once a year. If required, coordinate dedicated inspections with the applicable IG office. **(T-3).**

1.3.8.2.7. MICT. Ensure that the USAFE/CDGP MICT Checklist for IDGAs is uploaded to MICT home, assessed and maintained. **(T-1).**

1.4. Scope. Movement of ammunitions on or between Aviano A B and GSUs must comply with the safety provisions set forth in this instruction, the MOA signed by 31 LRS/CC, 31 MUNS/CC, 31 SFS/CC, 724 AMS/CC DESR 6055.09_AFMAN 91-201 Explosive Safety Standards, DESR6055.09_AFMAN91-201_USAFE-AFAFRICASUP *Explosive Safety Standards*, the ADR, and the DTR 4500.9-R, Part II, Chapters 203, 204, and 205. For on-base movement of ammunition and explosives, refer to the DESR 6055.09_AFMAN 91-201 and DESR6055.09_AFMAN91-201_USAFE-AFAFRICASUP. In areas where the DTR 4500.9-R is more stringent than the ADR, the DTR 4500.9-R will take precedence. (**T-0**).

1.4.1. Aviano Air Base and tenant units involved in storing, shipping or disposing of HM/HW include, but not limited to 31 LRS, 31 FSS, 31 MUNS, 731 MUNS, 704 MUNSS, 31 CES, 31 CS, 31 MDG, 31 MXS, 31 AMXS, 555 FGS, 31 SFS, 31 OSS, 704 MUNSS, 724 AMS, 606 ACS, 510 FS, 56 RQS, 57 RQS, AAFES, DLA, and 173 ABCT.

Chapter 2

HAZARDOUS MATERIAL PREPARATION

2.1. HM/HW Classification.

2.1.1. Obtain the following information from sources and forward the data to the 'Consignor' in order to determine the proper shipping requirements IAW ADR Part 3, Table A. (**T-0**):

2.1.1.1. UN Number

2.1.1.2. Proper Shipping Name and Technical Name when required

2.1.1.3. Hazard Labels/Classes

2.1.1.4. Classification Code

2.1.1.5. Packaging Group

2.1.1.6. Tunnel Code

2.1.1.7. Prepare related transport, support documentation and required information prescribed by ADR Chapter 5.4.

2.1.1.8. The packer is responsible for ensuring the HM are properly packed, marked and labeled, according to the movement mode. This includes the type of package, marking and labeling, IAW ADR Chapter 4.1.

2.1.1.9. Compatibility. Packages bearing different danger labels shall not be loaded together in the same vehicle or container unless mixed loading is permitted according to ADR Chapter 7.5 and related Tables.

2.1.2. Load Securing. Packages containing HM must be securely fixed or packed in vehicles or containers to prevent movement or release of dangerous goods during transportation. **(T-0).**

2.1.2.1. Consult ADR Volume II, Chapter 7.5.7, for handling and stowage requirements and recommended standards and practices concerning proper load securing. Personnel responsible for load securing must be trained and in possession of a valid training certificate. **(T-1).**

2.1.3. Security: Ensure security plans are implemented for HM/HW identified in 49 CFR, Part 172, and in the movement mode specific security regulations outlined in ADR, RID, ICAO-TI and the IMDG code.

2.1.3.1. Ensure a secure holding area for transport assets loaded with HM/HW is identified to cope with security violations. Regardless of quantity, before releasing HAZMAT to driver (s), contractors or transport companies, the shipper/loader will verify crew members' positive identification card (name, photograph, Carta di Identita'-Italian ID or National card), and ADR certificates prior to being escorted into the installation. **(T-0).** Support checklists are located on provided wing link: **\\avodm03\WingDrive$\31MSG\MSG Staff\IDGA**

Chapter 3

SECURITY PROVISIONS

3.1. High Consequence Dangerous Goods.

3.1.1. High consequence dangerous goods are defined as those which have a potential for misuse in a terrorist incident and which may, as a result, produce serious consequences such as mass casualties or mass destruction. Lists of high consequences dangerous goods are provided in Tables 1 and 2 of this document, ADR Volume I, Tables 1.10.3.1.3 and 1.10.3.1.3 and 49CFR, § 172.800. **(T-0).**

3.1.2. The security provisions for 'high consequence dangerous goods' provide measures of precautions to be taken to minimize theft or misuse of dangerous goods that may endanger persons, property or the environment. All participants engaged in the carriage of DG must comply with the provisions set out in ADR, Volume I, Chapter 1.10 if movement exceeds the threshold limits for high consequence DG as listed in ADR or 49CFR, § 172.800 (most stringent regulation must be applied). **(T-0).**

Note: See DAFI 31-101_DAFGM2022-01, *Integrated Defense (ID)*, AFI 31-101_USAFESUP, *Integrated Defense*, DAFMAN 31-101V1_DAFGM2022-01, *Integrated Defense (ID) Planning*, DoDM 5100.76_AFMAN 31-101V2 *Physical Security of Sensitive Convention Arms, Ammunition, & Explosives (AA&E)*, DoDM 5200.01V1_AFMAN 16-1404V1, *Information Security Program: Overview, Classification and Declassification*, DoDM 5200.01V2_AFMAN 16-1404V2, *Information Security Program: Marking of Classified Information*, DoDM 5200.01V3_DAFMAN 16-1404V3, *Information Security Program: Marking of Classified Information*, DoDMAN 5200.02_AFMAN 16-1405, *Air Force Personnel Security Program*, and ADR, Volume I, Chapter 1.10 *Security Provisions*.


3.1.3. The security provisions shall include:

3.1.3.1. **Security Plan.** Units moving high consequence DG must implement written security plans and train assigned personnel. **(T-0**). The transportation security plan will include an assessment of possible HAZMAT transportation security risks.
3.1.3.2. **Personnel Security.** A method to validate information provided by job applicants hired for positions that involve access to/handling of HM covered by the security plan.
3.1.3.3. **Unauthorized Access.** Measures to assess the risk of unauthorized persons gaining access to HM listed in the security plan or transport conveyances being prepared for transportation of the HM covered by the security plan.
3.1.3.4. **En Route Security.** Measures to assess the risk of HM shipments moving from origin to destination, including any temporary storage of the material while en route to destination.
3.1.3.5. **Responsibility.** Assign responsibilities for security to competent and qualified personnel.
3.1.3.6. **Inventory.** Records of dangerous goods or types of dangerous goods concerned.
3.1.3.7. **Security Policy.** Effective procedures for responding, reporting and dealing with security threats, breaches of security or security incidents.

3.1.3.8. **Procedures** for the evaluation and testing of security plans and procedures for periodic review and update of the plans.
3.1.3.9. **Measures** to ensure the physical security of transport information contained in the security plan.
3.1.3.10. **Measures** to ensure the distribution of information contained in the security plan.
3.1.3.11. **Measures** to ensure that the distribution of information relating to the transport operation contained in the security plan is limited to those who need to have it.
3.1.3.12. **Clear statement** of measures that are to be taken to reduce security risks, commensurate with the responsibilities and duties of the participants.

3.1.4. Security Training.
3.1.4.1. **Equipment** and resources used to reduce security risks (e.g., alarm system).
3.1.4.2. **Security** plan must be a written document.
3.1.4.3. **Retained** for as long as it remains in effect.
3.1.4.4. **Available** to employees responsible for implementing it, consistent with personnel security clearance/background investigation restrictions and employee's need to know.
3.1.4.5. **Revised** and updated, as necessary, to reflect changing risks, commodities, and circumstances.
3.1.4.6. **Maintained** as of the date of the most recent revision.
3.1.4.7. **Draft copy** of a security plan may be obtained from IDGA office upon request.

Figure 1. High Consequence DG – Decision Chart



3.2. Security plan for movement of high consequence items.

3.2.1. General. US and European law require a plan for securing high consequence items while on the installation and when moved off the installation. This annex identifies the security requirements for high consequence inventory on Aviano AB and Camp Darby or transiting Aviano AB and Camp Darby. **(T1).**

3.2.2. Purpose. The purpose of this Annex is to provide procedures to prevent the loss of such items while they are under the responsibility of 31 FW and to mitigate the risk of exposure to unauthorized persons.

3.2.3. Responsibilities. The 31 MSG/CC has overall responsibility for this security plan. Once per year this function will conduct a meeting with personnel identified by the unit commanders identified in para 4. The meeting shall follow an annual review of the risk assessment to determine if the plan is still current or requires revision. In the context of the risk assessment the senior function may also conduct an exercise to test the efficiency of the security plan. The senior function will further ensure information on security breaches, threat, or instructions provided by higher command or HN Government is disseminated to the wing staff and the personnel involved in executing the security plan for high consequence items.

3.3. Guidelines Verifying the Gross Weight of Loaded Containers.

The gross weight of large containers (e.g., 20'/40' International Organization for Standardization (ISO) containers or Military Owned Demountable Container (MILVAN) carried in a multimodal transport chain marked for sea-lift transportation must be verified according to below guidelines approved by the Maritime Safety Committee (MSC) in directive MSC.1/Circ.1475. The Shipper is responsible for the verification of the gross mass of a container carrying cargo and also responsible ensuring that the verified gross mass is documented on the shipping documents.

3.3.1. Method No. 1: Upon the conclusion of packing and sealing a container, the shipper may weigh, or have arranged that a third party weighs, the packed container." to match the verbiage and method specified in MSC.1/Circ.1475.

3.3.2. Method No. 2: The shipper or any third party that has performed some or all of the packing of the container should inform the shipper of the mass of the cargo items and packing and securing material that the party has packed into the container in order to facilitate the shipper's verification of the gross mass of the packed container under Method No.2. The shipper should ensure that the verified gross mass of the container is provided sufficiently in advance of vessel loading. How such information is to be communicated between the shipper and any third party should be agreed between the commercial parties involved.

3.3.2.1. Individual, original sealed packages that have the accurate mass of the packages and cargo items (including any other material such as packing material and refrigerants inside the packages) clearly and permanently marked on their surfaces, do not need to be weighed again when they are packed into the container.

3.3.2.2. If a container is packed by multiple parties or contains cargo from multiple parties, the shipper (defined as a legal entity or person named on the bill of lading or sea waybill or equivalent multimodal transport document (e.g. "through" bill of lading) as shipper and/or who (or in whose name or on whose behalf) a contract of carriage has

been concluded with a shipping company) is responsible for obtaining and documenting the verified gross mass of the packed container.

3.4. Duties of permanent or temporary owners of high consequence items:

Unit commanders of the below units will maintain a list of people responsible for management of security issues that the security plan applies to, and their duties. Only personnel with appropriate security clearance are authorized to handle high consequence items. Identification of such personnel is given with an access roster posted. Personnel without proper clearance will work under direct supervision of cleared personnel. Foreign national personnel working for carriers will only be allowed to move high consequence items when cleared through the HN Government, e.g., the EU/Italian trusted carrier identification. Escort service during movement shall be arranged and provided by the Italian Carabinieri.

3.4.1. Participating, temporary or in transit units:

3.4.1.1. **31 MUNS** permanent/temporary storage of ammunition/explosives.
3.4.1.2. **731 MUNS** permanent/temporary storage of ammunition and explosives.
3.4.1.3. **31 CES/EOD** permanent (small amounts)/temporary storage of ammunition/explosives.
3.4.1.4. **31 SFS** temporary storage/transport (small amounts) of ammunition/explosives.
3.4.1.5. **31 LRS** permanent/temporary storage of UN 1203 PG II.
3.4.1.6. **31 MDG** temporary storage, in case there is positive identification of UN 2814 or 2900.
3.4.1.7. **56 RQS** temporary storage of ammunition/explosives.
3.4.1.8. **57 RQS** temporary storage of ammunition/explosives.
3.4.1.9. **724 AMS** (tenant); temporary storage of ammunition/explosives; Hazardous classes 6.2 and 6.1 transiting. (USAFE/AMC Command to Command MOA)
3.4.1.10. **173 IBCT(A) (tenant)** coordination of movement of high consequence items (see AER 55-50).
3.4.1.11. **606 ACS** permanent/temporary storage of ammunition/explosives.
3.4.1.12. **510 FGS** permanent/temporary storage of ammunition/explosives.
3.4.1.13. **555 FGS** permanent/temporary storage of ammunition/explosives.
3.4.1.14. **704 MUNNS** permanent/temporary storage of ammunition/explosives.

3.5. Reporting procedures

3.5.1. Positive inbound clearance (PIC):

3.5.1.1. **Outbound:** Squadrons involved will provide PIC information to the next destination of the high consequence items. In addition to the shipping details on the advance shipping document (e.g. DD Form 1384, Transportation Control and Movement Document (TCMD), DD Form 1348, Issue Release/Receipt Document, etc), 31 LRS will provide picture ID of the vehicle crew, vehicle type, and vehicle registration number to the next destination. LRS will ask for a destination POC, the delivery gate, and additional instructions the carrier needs to know about the destination prior to departure.

3.5.1.2. **Inbound:** Squadrons involved will provide positive inbound clearance to the requesting consignor based on advance documentation data and identification of the vehicle crew (picture ID) and carrier including vehicle type and vehicle registration number.

3.5.1.3. **Discrepancies:** In case shipments don't arrive as reported, e.g., stolen, damaged, tampered with, etc., LRS will initiate the actions identified in DTR 4500.9-R, Part II, Chapter 210, Section H. TMO or representative will also notify local security and law enforcement elements upon loss of high consequence items, suspected forgery or if loss, pilferage, theft, or vandalism is readily apparent.

3.6. Security of information processing in the Defense Transportation System (DTS)

3.6.1. Security procedures for hard copy information considered security sensitive.

3.6.1.1. **Paper copies** of advance shipping documents to coordinate the movement of high consequence items will be released to need to know personnel only. The documents will be marked "for official use only" as a minimum. If mission related information can be concluded from the advance shipping document the security level may be raised at the discretion of the Transportation Officer (TO).

3.6.2. Security procedures for electronic information considered security sensitive.

3.6.2.1. **Electronic copies** of advance shipping documents to coordinate the movement of high consequence items will be released to need to know personnel only. The electronic documents will be encrypted and marked "for official use only" or restricted to communication with designated trusted carriers (see para 7). If mission related information can be concluded from the electronic advance shipping document the information may only be processed in a secured system.

3.6.3. Records of dangerous goods.

3.6.3.1. Dangerous Goods records must be kept IAW USAFE-AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)*.

3.6.4. Communication to DTS civilian carriers.

3.6.4.1. Information shall be provided to need to know personnel of carriers cleared through the DTS or EUCOM traffic procurement system.

3.6.5. Transportation Procurement for high consequence items.

3.6.5.1. Squadrons involved will ensure only approved and trusted carriers are hired for the movement of high consequence items.

3.6.6. Training.

3.6.6.1. Personnel identified by the unit commander with responsibilities for managing security issues will provide general and in-depth awareness training to personnel authorized to handle high consequence items. The training shall include the information on how to secure and track high consequence items, e.g., signature service documents, escort, or electronic surveillance, while in use or when released for movement.

3.6.7. Equipment and resources to reduce security risk.

3.6.7.1. Comply with DOD 4500.9-R part II, Chapter 205.

3.6.7.2. Consult Table 1. List of high consequence items.

Table 1. (Added) **List of high consequence items.**

Class	Division	Substance or article	Quantity		
			Tank	Bulk (kg) [d]	Packages (kg)
1	1.1	Explosives	[a]	[a]	0
	1.2	Explosives	[a]	[a]	0
	1.3	Compatibility group C explosives	[a]	[a]	0
	1.4	Explosives of UN Nos. 0104, 0237, 0255, 0267, 0289, 0361, 0365, 0366, 0440, 0441, 0455, 0456, 0500, 0512 and 0513	[a]	[a]	0
	1.5	Explosives	0	[a]	0
	1.6	Explosives	[a]	[a]	0
2		Flammable non- toxic gases (classification codes including only the letter F or FC)	3000	[a]	[b]
		Toxic gases (classification codes including letters T, TF, TC, TO, TFC or TOC) excluding aerosols	0	[a]	0
3		Flammable liquids of packing groups I and II	3000	[a]	[b]
		Desensitized explosives	0	[a]	0
4.1		Desensitized explosives	[a]	[a]	0
4.2		Packing group I substances	3000	[a]	[b]
4.3		Packing group I substances	3000	[a]	[b]
5.1		Oxidizing liquids of packing group I	3000	[a]	[b]
		Perchlorates, ammonium nitrate, ammonium nitrate fertilizers and ammonium nitrate emulsions or suspensions or gels	3000	3000	[b]
6.1		Toxic substances of packing group I	0	[a]	0
6.2		Infectious substances of Category A (UN Nos. 2814 and 2900, except for animal material) and medical waste of Category A (UN No. 3549)	[a]	0	0
8		Corrosive substances of packing group I	3000	[a]	[b]

3.6.7.3. **a** Not relevant

3.6.7.4. **b** The provisions of 1.10.3 do not apply, whatever the quantity is.

3.6.7.5. **c** A value indicated in this column is applicable only if carriage in tanks is authorized, in accordance with Chapter 3.2, Table A, Column (10) or (12). For substances, that are not authorized for carriage in tanks, the instruction in this column is not relevant.

3.6.7.6. **d** A value indicated in this column is applicable only if carriage in bulk is authorized, in accordance with Chapter 3.2, Table A, column (10) or (17). For substances that are not authorized for carriage in bulk, the instruction in this column is not relevant.

3.6.8. Unit Risk Assessment.

3.6.8.1. Unit Risk Assessments will be kept with respective unit representative upon signature from 31 MSG/CC.

3.6.8.2. The risk assessment per unit is stored with respective UDGA.

Chapter 4

AVIANO ADR VEHICLES FLEET

4.1. 31 FW Aviano and GSU ADR Certified vehicles fleet Codes and Units:

4.1.1. EX/II or EX/III as applicable, intended for the carriage of explosives and articles of Class 1.

4.1.1.1. **731 MUNS** Camp Darby Livorno.

4.1.1.2. **31 MUNS** Aviano AB.

4.1.2. EX/II - AT vehicles, respectfully intended for the carriage of explosives and articles of Class 1, carriage of dangerous goods in fixed tanks or demountable tanks with a capacity exceeding 1 m^3.

4.1.2.1. **606 ACS** Aviano AB

4.1.3. FL tank vehicles subdivided in: (a-liquids), (b-flammable gases), (c-battery vehicle for flammable gases).

4.1.3.1. **31 LRS** Aviano AB.

4.1.4. 31 MUNS, 731 MUNS, 606 ACS and 31 LRS Aviano AB.

4.1.4.1. ADR Vehicles Pre-inspection Certification: 45 Days prior to the ADR recertification of the vehicles, unit(s) involved shall perform a vehicle pre-inspection and brake test using USAFE Form 69, Vehicle Inspection Checklist - Pre-requisite for the ADR Inspection, Page 1; Page 2 is care of the USAFE/CDGP Engineer fleet inspector, to ensure technical issues are corrected before the official certification. It is the unit(s) responsibility to contact base IDGA or USAFE/CDGP engineer and schedule mentioned inspection with times convenient to all parties. **(T-1).**

4.1.5. Equipment on board ADR Certified vehicles.

4.1.5.1. The following equipment shall be carried on board the transport unit, IAW ADR Chapter 8.1.5.2. **(T-0).**

4.1.5.1.1. For each vehicle, a wheel chock of a size suitable to the mass of the vehicle and diameter of the wheel.

4.1.5.1.2. Two self-standing warning signs.

4.1.5.1.3. Eye rinsing liquid when required.

4.1.5.1.4. A warning vest for each crew member.

4.1.5.1.5. Portable lighting apparatus not exhibiting any metal surface liable to produce sparks. IAW ADR Volume II, paragraph 8.3.4.

4.1.5.1.6. Protective gloves.

4.1.5.1.7. Eye protection.

4.1.5.1.8. When required an emergency escape mask for danger label numbers 2.3 or 6.1.

Table 2. Aviano AB ADR Certified Vehicles Identification and Inspection requirements:

31 LRS			
Type	**Registration No.**	**Vehicle inspection**	**Tank inspection**
C300 INTERNATIONAL ISOMETRICS	04 C 00120	Yearly	Every 3/6 years
C300 INTERNATIONAL ISOMETRICS	04 C 00119	Yearly	Every 3/6 years
R11 INTERNATIONAL KOVATCH	08 L 00009	Yearly	Every 3/6 years
R11 INTERNATIONAL KOVATCH	08 L 00006	Yearly	Every 3/6 years
R11 INTERNATIONAL KOVATCH	09 L 00065	Yearly	Every 3/6 years
R11 INTERNATIONAL KOVATCH	08 L 00550	Yearly	Every 3/6 years

606 ACS			
Type	**Registration No.**	**Vehicle inspection**	**Tank inspection**
OSHKOSH	12 K 00199	Yearly	Every 3/6 years
OSHKOSH	13 K 00086	Yearly	Every 3/6 years
OSHKOSH	13 K 00098	Yearly	Every 3/6 years
OSHKOSH	13 K 00106	Yearly	Every 3/6 years
OSHKOSH	19 K 00421	Yearly	Every 3/6 years
OSHKOSH	19 K 00424	Yearly	Every 3/6 years

731 MUNS		
Type	**Registration No.**	**Vehicle inspection**
MAN truck tractor	04 B 00131	Yearly
MAN truck tractor	04 B 00130	Yearly
MERCEDES truck tractor	04 B 02377	Yearly
MERCEDES truck tractor	04 B 02379	Yearly
MERCEDES truck tractor	04 B 02378	Yearly
DYNAWELD semi-trailer	95 L 00249	Yearly
DYNAWELD semi-trailer	95 L 00273	Yearly
TALBERT semi-trailer	07 L 00345	Yearly
BENKE INC. semi-trailer	20 L 00133	Yearly
BENKE INC. semi-trailer	19 L 00666	Yearly
BENKE INC. semi-trailer	20 L 00134	Yearly
CHEVROLET 4x2 Stakebed	05 B 00473	Yearly

31 MUNS		
Type	**Registration No.**	**Vehicle inspection**
FREIGHTLINER truck tractor	06 B 00058	Yearly
MAN truck tractor	03 B 00061	Yearly
DYNAWELD semi-trailer	91 L 00657	Yearly
DYNAWELD semi-trailer	91 L 00257	Yearly
FIAT IVECO	04 B 02300	Yearly
FIAT IVECO	04 B 02302	Yearly

Table 3. ADR vehicles checklist – Equipment and Documentation on board

ITEMS	YES	NO	N/A
Documentation:			
Transport Documents			
Instructions in Writing to be stored in an easily accessible place			
Identification of all crew members including photograph			
Certificate of approval of tank-vehicle			
Drivers ADR training certificate			
Fire-extinguishers (2 kg in the cab plus two 6 kg)			
Miscellaneous Equipment on board vehicle:			
Wheel chocks suitable to wheel diameter			
2 self-standing warning signs			
Eye rinsing liquid			
1 Shovel			
Drain seal and collecting container (orange container)			
Each member of the vehicle crew:			
1 Warning vest			
1 Portable lighting apparatus (spark proof flashlight)			
1 pair of protective gloves suitable for the substance transported			
1 Protective goggles			

Table 4. Vehicles Tonnage and Fire Extinguishers IAW ADR Chap. 8.1.4.

4.1.6 Fire Extinguishers: The ADR vehicles fire extinguishers periodic check must be performed by a local authorized competent company as per Italian Law UNI 9994-1:2013. The check consists of a prevention measure designed to verify, with a maximum periodicity of **six months** (by the end of the month in question), the efficiency of portable or wheeled fire extinguishers.

(1) Transport unit maximum permissible mass	(2) Minimum number of fire extinguishers	(3) Minimum total capacity per transport unit	(4) Extinguisher suitable for engine or cab fire. At least one with a minimum capacity of:	(5) Additional extinguisher(s) requirement. At least one extinguisher shall have a minimum capacity of:
≤ 3.5 tonnes	2	4 kg	2 kg	2 kg
> 3.5 tonnes ≤ 7.5 tonnes	2	8 kg	2 kg	6 kg
>7.5 tonnes	2	12 kg	2 kg	6 kg
The capacities are for dry powder devices (or an equivalent capacity for any other suitable extinguishing agent).				

Transport units carrying dangerous goods in accordance with 1.1.3.6 shall be equipped with one portable fire extinguisher for the inflammability classes[1] A, B and C, with a minimum capacity of 2 kg dry powder (or an equivalent capacity for any other suitable extinguishing agent).

4.1.7. Italy Legislation on Italian public roads: IAW the April 30, 1992 Legislative Decree number 285, Article 168 Discipline Road Transport of hazardous materials. For the purposes of road transport are considered hazardous materials those of the classes listed in the Annexes to the European Union. All carriers must abide to the agreement Concerning the International Carriage of Dangerous Goods by Road (ADR), of Law August 12, 1962, number 1839, and subsequent amendments. Failure to abide may result in citations and or fines. **(T-0).**

Chapter 5

TRAINING

5.1. 31 FW and GSU Recommended Minimum Trained Personnel by Unit, Flight or Shop:

5.1.1. 31 LRS/LGRF – 2 UDGA, 2 DCO, 10 ADR Drivers minimum, 5 Technical Experts/Specialists.

5.1.2. 31 LRS/LGRMSH HAZMAT Pharmacy – 2 DCO, 2 Technical Experts.

5.1.3. 31 LRS/LGRDDC – 2 UDGA, 4 DCO, 2 Technical Specialists.

5.1.4. 31 LRS/LGRDDO VEHICLE OPS – ADR Drivers as required.

5.1.5. 31 LRS/LGRV – 2 DCO, 2 Technical Specialists, and 2 Technical Experts.

5.1.6. 31 MDG – 2 UDGA, 4 DCO, 2 Technical Specialists, and 2 Technical Experts

5.1.7. 31 CES – 2 UDGA, 5 DCO, 4 Technical Specialists, and 5 Technical Experts.

5.1.8. 31 SFS – 2 UDGA, 2 DCO, 4 Technical Specialists, and 5 Technical Experts.

5.1.9. 731 MUNS – 2 UDGA, 4 DCO, 4 Technical Experts, and ADR Drivers as established in the 731 Munitions Employment Plan.

5.1.10. 704 MUNNS – 2 UDGA, 2 DCO, and 2 Technical Experts.

5.1.11. 724 AMS – 2 UDGA, 2 DCO, 3 Technical Specialists and 2 Technical Experts.

5.1.12. 31 MUNS – 2 UDGA, 4 DCO, 6 Technical Specialists, 5 Technical Experts and 15 ADR Drivers minimum.

5.1.13. 606 ACS – 2 UDGA, 4 DCO, 2 Technical Specialists and 15 ADR Drivers minimum.

5.1.14. 56 RQS – 4 Technical Specialists and 4 Technical Experts.

5.1.15. 57 RQS – 4 Technical Specialists and 4 Technical Experts.

5.1.16. 31 MXG – 2 UDGA, 4 DCO, 10 Technical Specialists, 15 Technical Experts.

5.1.17. Hazardous Waste (HW) – 2 Technical Experts per collection point as appropriate.

5.1.18. Units consuming DG – A number of Technical Experts ensuring proper identification of HW material.

5.1.19. 31 FSS – 2 UDGA, 2 DCO, 4 Technical Specialists, 4 Technical Experts

5.1.20. All deployable units involved in movement of HM/HW – 2 UDGA, 4 DCO.

TAD D CLARK,
Brigadier General, USAF
Commander, 31st Fighter Wing

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

ADR, European Agreement Concerning the International Carriage of Dangerous Goods by Road
AFMAN 24-604, *Preparing Hazardous Materials for Military Air Shipments*, 9 October 2020
CFR49, Parts 100 to 185, Transportation
DOD 4500.9-R, *Defense Transportation Regulation* (DTR), 11 September 2007
USAFEI 23-104, USAFE- AFAFRICA 23-104, *COMMAND DANGEROUS GOODS PROGRAM (CDGP)*, 2 March 2022
USAREUR 55-1, United States Military Motor Vehicle Operations on European Public Roads
AFPD 33-3, Information Resources Management, 8 September 2011
AFI 10-101, Format and Content of Mission Directives, 7 January 2015
AFMAN 33-326, Preparing Official Communications, 1 December 2018
HOI 33-3, Information Workflow Management and Correspondence Preparation, 20 November 2018
T.O. 00-5-1, Air Force Technical Order System, 14 June 2016
DOD Instruction 5025.01, DOD Directives Program, 1 August 2016
DOD Directive 5100.3, Support of the Headquarters of Combatant and Subordinate Joint Commands, 9 February 2011
DOD 5200.1-R, Information Security Program, 1 January 1997
DODR5400.7_AFSUP1, Department of Defense Freedom of Information Act Program, 12 December 2005

Abbreviations and Acronyms

AC—Administrative Change
ADR- European Agreement Concerning the International Carriage of Dangerous Goods by Road
AFDPO—Air Force Departmental Publishing Office
AFH—Air Force Handbook
AFI—Air Force Instruction
AFMAN—Air Force Manual
CC - Unit Commander
CDGA - Command Dangerous Goods Advisor
CDGP - Command Dangerous Goods Program
CLP - Classification, Labeling and Packaging Directive (EC 1272/2008)
DCO – Dangerous Goods Certifying Official
DG/HW - Dangerous goods and hazardous wastes regulated by ADR and CFR49
DRMS-E - Defense Reutilization and Marketing Service - Europe
DTS - Defense Transportation System
EQ - Exempted Quantities IAW Chapter 3.5, ADR
EWC - European Waste Catalog
FGS-I - Final Governing Standards - Italy
FCG - Foreign Clearance Guide
GHS - Global Harmonized System of Classification and Labeling of Chemicals
HAZMAT - hazardous material (in context of this instruction - dangerous material);

HM - Hazardous Materials
HMIRS - Hazardous Material Information Resource System
HW - Hazardous Waste
HWAP- Hazardous Waste Accumulation Points
HWSA- Hazardous Waste Storage Areas
IATA - International Air Transportation Association
IDGA - Installation Dangerous Goods Advisor
IMDG - Code – International Maritime Dangerous Goods Code
JHCS - Joint Hazardous Classification System
LQ - Limited Quantities IAW Chapter 3.4, ADR
MSDS - Material Safety Data Sheet
N/R - Not regulated for transportation
OECD - Organization for Economic Co-operation and Development
PG - Packaging Group
PSN - Proper Shipping Nam
POV - Privately Owned Vehicles
PPE - Personal Protective Equipment
QTY - Quantity
UDGA - Unit Dangerous Goods Advisor

Terms
Closed Vehicles - *A* vehicle having a body capable of being closed.
Combination packaging - Combination of packaging for transport purposes, consisting of one or more inner packaging secured in an outer packing in accordance with ADR Chapter 4.1.1.5.
Command Dangerous Goods Program (CDGP); See USAFEI 23-104.
European Waste Catalog - Provides Classification and Disposal Instructions for HW Functional elements.
Dangerous Goods - Hazardous Materials listed by UN Numbers, regulated by 49CFR, ADR, IMDGC or IATA DGR.
Dangerous Goods Advisor (DGA) - Term includes all levels of DGAs (Command-, Installation and Unit DGAs).
Dangerous Goods Certifying Officials (DCOs) - DCO declares, by signing the transport document or multimodal dangerous goods form, that the contents of a HAZMAT consignment comply with dangerous goods & safety regulations.
Final Governing Standards (FGS) - Final Governing Standards provide environmental compliance criteria at United States (U.S.) Department of Defense (DoD) installations in specific countries (e.g., FGS-Italy).
Hazardous Materials - In context of this instruction; all material defined as Dangerous Goods and Hazardous Waste; including substances and mixtures listed in GHS/CLP as hazardous.
Hazardous Substances and Mixtures - Chemicals classified as hazardous IAW GHS/CLP.
Hazardous Waste - Waste listed as hazardous in the European Waste Catalog (AVV), regulated by ADR and/or CLP.
Hazardous Waste Accumulation Points - An area at or near the point of generation for collecting and storing HW.
Hazardous Waste Storage Areas - Locations on the installation where HW is collected and stored prior to shipment for treatment or disposal.

Military vehicles - includes leased vehicles exclusively used by military units.
Movement (of DG/HW) - Includes preparation, transportation, temporary storage and receipt of DG/HW.
Responsible Personnel - Are commanders of units who have duties related to planning, preparing, storing, moving, loading, un-loading, carrying, and receiving of HAZMAT. The DG Program focus is on the head of the organization having overall responsibility. For USAFE units the lowest level of responsible personnel is the Squadron commander. Commanders are also appointed personnel.
Security Plan - Units handling or moving 'High Consequence dangerous goods must ensure security plans compliant to 49 CFR Para 172.800 and Para 172.802, are implemented. Additional or more stringent requirements listed in Chapter 1.10 of the ADR/RID/ADN must also be incorporated into the security plan.
Unit Dangerous Goods Advisor (UDGA) - Execute the Unit Dangerous Goods Program (UDGP) on behalf of the Squadron or Group Commander.

Attachment 2

AVIANO AIR BASE HAZARDOUS WASTE DISPOSAL PROCEDURES

A13.5.2. **Aviano Air Base** HM users and HW producers are distributed within the flight line main installation and on off base dislocated areas. The installation HW program is managed by 31 CE/CEIE Environmental Office, based on the Final Governing Standards (FGS) for Italy. HM user generated HW are picked up for off installation disposal by a contractor who is tasked to comply with all DG ADR regulations, as applicable. The HW becomes DG/HW once enters the public roads in which case, full ADR regulation applies. Personnel at their respective level, involved in HW preparation process regarding information required to properly identify the HW on documentation and on the outside packages, must be trained and appointed IAW USAFE 23-104 and applicable mode of transportation regulations. If improperly marked, labeled or documented HW enters the public traffic area and identified by the Host Nation (HN) authorities, Breaching of Administrative Act or Criminal Act rules, and associated fines apply.

Table 5. HW Collection points: Aviano Hazardous Waste Storage Areas

Bldg. #	Shop	Organization	ID #	Phone
43	FMO	31 CES/CEAC	1001	7872
9041	Mike Loop	31 CES/CEIE	1003	5394
1334	Golf Course	31 CES/CEIE	1004	5394
10296	TDW Area F	31 CES/CEIE	1005	5394

Table 6. Reclaimable HM Pick-Up Points

Bldg. #	Shop	Organization	ID #	Phone
1464	Auto Hobby Center	31 FSS/FSCA	1611	2277
9041	Main Facility Hazardous Waste Turn-in	31 CES/CEIE	1003	5394
1046	Power Production	31 CES/CEOFP	1011	8215
1174	31 MXS (AGE)	31 MXS/MXMG	1321	4656
1010	31 LRS/VM	31 LRS/LGRV	1711	8848
1442	31 CS	31 CS	N/A	6834
10296	Alternate Facility, Hazardous Waste Turn-in	31 CES/CEIE	1005	5394
4013	Conventional Maintenance	731 MUNS/MXWPA	N/A	9765
810	AGE	731 MUNS/MXWPG	N/A	9780
701	Vehicle Maintenance	731 MUNS/MSWPV	N/A	9785

Table 7. 31 FW Aviano Air Base Hazardous Waste Accumulation Points Hazardous Waste Accumulation Point Listing

AP#	Bldg. #	Shop Name	Office	Phone
1011	1046	31 CES - Power Production	CEOFP	8215
1012	416	31 CES - Structures	CEOHS	5795
1014	407	31 CES - Appliance Shop	CEOFL	5822
1016	421	31CES - Electrical Shop	CEOFE	5702
1016	939	31 CES - Explosive Ordinance Disposal	CED	7345
1018	13265	31 CES - Utilities	CEOIF	7517
1022	430	31 CES - HVAC	CEOIH	5498
1024	1333	31 CES - Pest Management	CEOIE	8213
1026	1036	31 CES – Pavement/Grounds Maintenance	CEOHP	7725
1202	1442	31 CS - Surety Systems	SCOT	7780

1203	1442	31 CS - Radar Systems	SCOT	1307
1204	1442	31 CS - RF Transmission Systems	SCOT	8811
1206	1330	31 CS - Cable Systems	SCOW	7391
1311	1143	31 MXS - Hydraulics	MXMCH	7712
1312	1163	31 MXS - Fuels	MXMCF	7452
1313	1198	31 MXS - Egress	MXMCG	8896
1314	1174	31 MXS - NDI	MXMFN	7544
1318	973	31 MXS - Structural Maintenance	MXMFS	7545
1321	1174	31 MXS - AGE	MXMG	4664
1324	1229	31 MUNS - Armament	MXWR	8998
1327	946	31 MXS – Electronic Warfare	MXMVW	8306
1328	907	31 MXS - PMEL	MXMD	4103
1329	946	31 MXS – Pack and Wrap	MXMTP	7102
1330	1568	31 MUNS - Munitions Inspection	MXWCB	4849
1331	1445	31 MUNS - Munitions Support	MXWPD	4514
1332	1445	31 MUNS - Weapons Maintenance	MXWSW	7823
1333	1530	31 MUNS - Precision Guided Munitions	MXWPCX	7454
1335	1530	31 MUNS - Conventional Munitions	MXWPA	8138
1337	1270	31 MUNS - Flight Line PGM	MXWPCX	3010
1411	1420	31 SFS - Combat Arms	S4AR	7887
1412	14231	31 SFS - Armory	S4AR	8720
1511	1032	31 LRS - Hazmat Pharmacy	LGRMSH	7024
1512	1048	31 LRS - Fuels Management	LGRFIL	4771
1611	1464	31 FSS – Auto Hobby	FSCA	2277
1612	176	31 FSS - Bowling Center	FSCB	7487
1613	1391	31 FSS -Golf Course	FSCG	7386
1614	1480	31 FSS - Lodging	FSVL	8118
1711	1010	31 LRS - Vehicle Maintenance	LGRV	8848
1713	1000	31 LRS - Refueling Maintenance	LGRF	7549
1911	1173	31 AMXS - 510th AMU	MXAAF	4831
2011	1237	31 AMXS - 555th AMU	MXABF	8160
2012	925	31 MXS - Phase Dock	MXMTC	4602
2311	121/A1	31st Medical Group	SGSM	5299
2312	1410	31 FSS - Vet Clinic	FSCV	8485
2401	1133	31 OSS - 510 Life Support Operations	OSLA	8916
2402	11173	31 OSS - 510 Life Support Operations	OSLB	8916
2303	1230	31 OSS - Back Shop/Fabric Repair/ Parachute Rigging and Repair Shop	OSLM	8916
3000	1411	Commissary DECA		
3500	1411	AAFES		
9999	TDW	31 CES Environmental	CEIE	5394

2114	933	RGS AVI2111	RGS	1262
2112	7300	SQS AVI 0610	SQS	1262
2410	1335	SCMD/RADIO AVI 0007	SCMD	1262
2410	1335	SCMR/RADAR AVI 0232	SCMR	1262
2410	1174	SCMA/TSS AVI 0100	SCMA	1262

Attachment 3

DANGEROUS GOODS TRANSPORT DOCUMENT SAMPLE

In the application of ADR, Volume I, Paragraph 1.1.3.6, Exemptions related to quantities carried per transport unit, the total quantity and calculated value/points of dangerous goods in each applicable transport category shall be indicated in the transport document.
(See movement document sample link)



Movement
Document ADR 2021


Table 8. 31 FW UDGA CONTINUITY BINDER CONTENTS

TAB	CONTENTS	SPECIFICS
A	USAFEI 23-104	USAFEI/CDGP Command Dangerous Goods Program
B	USAFEI 23-104SUPP	31 FW Aviano Supplement Instruction
C	Appointment Orders	UDGA - USAFE Form 66 DCO - USAFE Form 67 Mode Surface DCO - USAFE Form 67 Mode Air
D	Reports	USAFE Form 60 - Annual DG Report USAFE Form 61 - Accident Report USAFE Form 63 - Monitoring Report USAFE Form 68 - Certificate of Approval for Vehicles Carrying Dangerous Goods USAFE Form 69 – Vehicle Inspection Checklist
E	Updated SDS and HM inventory	All DG/HW by UN number and respective MSDS Unit specific sections HM/HW material inventory
F	Unit trained personnel	Unit list of trained personnel by rank, name, training level, date and DEROS Personnel Training Appointment Orders and Certificates

G	Vehicles/tanks ADR	List of certified vehicles, ADR inspections certificates and tank records Current ADR vehicles and tanks recertification due dates
H	ADR Drivers	Current list of trained ADR Drivers Basic/Tank/Ammo as applicable, training dates and DEROS
I	Unit Procedures and Instructions	Unit checklists consult: **\\avodm03\WingDrive$\31MSG\MSG Staff\IDGA** Operating Instructions HM/HW load securing and safe movement Accident incident safety procedures Security Plan and/or HM High Consequence Items Security Plan

Attachment 4

31 FW AVIANO INSTALLATION DANGEROUS GOODS PROGRAM STRUCTURE



Attachment 5

FORMS AND TERMS

Prescribed Forms

USAFE Form 60 *Command/ Installation Dangerous Goods Advisor Annual Report*
USAFE Form 61 *Accident/Incident Report on Occurrences during the Carriage of Dangerous Goods*
USAFE Form 63 *Installation Dangerous Goods Advisor (IDGA) Monitoring Report*
USAFE Form 66 *Installation Dangerous Goods Advisor (IDGA) Appointment Order*
USAFE Form 67 *Certifier for Dangerous Goods and Hazardous Waste Movements Appointment Order*
USAFE Form 68 *Certificate of Approval for Vehicles Carrying Dangerous Goods*
USAFE Form 69 *Vehicle Inspection Checklist*

Adopted Forms

AF Form 847, *Recommendation for Change of Publication*

Terms

Accountable Forms—Forms that the Air Force stringently control and which cannot be released to unauthorized personnel, since their misuse could jeopardize DOD security or result in fraudulent financial gain or claims against the government.

Administrative Change—Change that does not affect the subject matter content, authority, purpose, application, and/or implementation of the publication (e.g., changing the POC name, office symbol(s), fixing misspellings, etc.)

Approval Authority—Senior leader responsible for contributing to and implementing policies and guidance/procedures pertaining to his/her functional area(s) (e.g., heads of functional two-letter offices).