BY ORDER OF THE SECRETARY OF THE AIR FORCE

AIR FORCE MANUAL 11-301

13 AUGUST 2026

Flying Operations

AIRCREW FLIGHT EQUIPMENT (AFE)

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available for downloading or ordering on the e-Publishing website at: **www.e-Publishing.af.mil**

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: AF/A34P — Certified by: AF/A34

Supersedes: AFMAN11-301, 23 September 2025 — Pages: 90

This publication implements Air Force Policy Directive (AFPD) 11-3, *Aircrew Flight Equipment* (AFE). It establishes objectives, responsibilities, administrative, training, and quality assurance guidance for the AFE career field and those entities supporting AFE operations. This publication applies to all civilian employees and uniformed members of the Regular Air Force (RegAF), the Air Force Reserve, the Air National Guard (ANG), and those who are contractually obligated to comply with Department of the Air Force (DAF) publications. This publication does not apply to the United States Space Force. Failure to comply with the publication is punishable as a violation of Article 92 of the UCMJ. Refer recommended changes and questions about this publication to the office of primary responsibility (OPR) using the DAF Form 847, *Recommendation for Change of Publication*; route DAF Form 847s from the field through the appropriate chain of command. This publication may be supplemented at any level, but all supplements must be routed to the OPR of this publication for coordination prior to certification and approval. The authorities to waive wing or unit level requirements in this publication are identified with a Tier ("T-0, T-1, T-2, T-3") number following the compliance statement. See Department of the Air Force Manual (DAFMAN) 90-161, *Publishing Processes and Procedures*, for a description of the authorities associated with the tier numbers. Submit requests for waivers through the chain of command to the appropriate Tier waiver approval authority, or alternately, to the publication OPR for non-tiered compliance items. The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the Department of the Air Force.

SUMMARY OF CHANGES

This document has been rewritten and must be reviewed in its entirety. This publication focuses on providing flexibility at the unit level for AFE functions to accomplish their missions. Roles and responsibilities have been adjusted to enable AFE technicians to focus on providing safe, serviceable equipment. Historical 11-301 series guidance has been incorporated into this publication, including career field development, management/configuration of AFE, and deployed operations.

Chapter 1—OVERVIEW **6**

1.1. Mission: 6

1.2. Program Objectives. 6

1.3. Communications. 6

1.4. Total Force Associations (TFA). 7

Chapter 2—ROLES AND RESPONSIBILITIES **9**

2.1. Shared Responsibilities. 9

2.2. Air Force Director of Training and Force Management (AF/A34) through Aircrew Performance Division (AF/A34P). 9

2.3. Aircrew Performance Executive Council (APEC). 12

2.4. Air Force Chief of Safety (AF/SE) through the Air Force Safety Center, Aviation Safety Division (AFSEC/SEF). 13

2.5. Assistant Secretary of the Air Force for Acquisition, Directorate Global Power Program (SAF/AQP). 14

2.6. Air Force Surgeon General (AF/SG), USAF Chief of Aerospace Medicine (AF/SG3P). 14

2.7. Air Force Life Cycle Management Center, Human Systems Division (AFLCMC/ROU). 14

2.8. Air Force Operational Test and Evaluation Center (AFOTEC). 16

2.9. Air Force Materiel Command, Director of Air, Space, and Cyberspace, Flight Operations, Standardization and Evaluation Division (AFMC/A3V). 16

2.10. Major Commands (MAJCOMs) and National Guard Bureau (NGB). 17

2.11. Lead Command (LC)/ Lead Agency (LA): 21

2.12. Operations Group Commander (OG/CC), Wing Director of Operations (A3), Deputy Commander of Operations (DCO), or equivalent will: 23

2.13. Operations Support Squadron Commander (OSS/CC), Air Force Special Warfare (AFSPECWAR) Commander, or equivalent will: 26

2.14. Flying Squadron Commander or equivalent will: 27

2.15. AFE Leadership. 28
2.16. AFE NCOIC (Section Chief when responsible for multiple work centers/sections). 35
2.17. Quality Inspectors (QI). 37
2.18. In-Process Inspection (IPI). 38
2.19. Rigger Check Inspector. 38
2.20. USAF Parachute Rigger Program. 38
2.21. Aircraft Commanders. 39
2.22. Aircrew/Operators. 40
2.23. Flightline Maintenance Elements. 41
2.24. Plans, Scheduling and Documentation (PS&D). 41
2.25. Egress Elements. 42
2.26. Avionics. 43
2.27. Optometry Clinic. 43
2.28. Flight Medicine. 43
2.29. Operational Medicine. 43
2.30. Medical Logistics. 43
2.31. Occupational and Environmental Health. 43
2.32. Air Force Safety Center (AFSEC). 43
2.33. Wing Safety. 43

Chapter 3—CAREER FIELD DEVELOPMENT 44

3.1. Purpose. 44
3.2. Aircrew Flight Equipment University (AFEU). 44
3.3. Career Field Education and Training Plan (CFETP) 1P0X1. 44
3.4. AFE Technician Training (AFETT). 44
3.5. Training Program Progression and Administration. 44
3.6. AFE Special Duty Positions. 46
3.7. Development Teams (DT). 46
3.8. AFE Superintendent Workshop. 46
3.9. Special Experience Identifiers (SEI). 47
3.10. Civil Service 1P0-Assigned Personnel. 47

Chapter 4—AIRCREW FLIGHT EQUIPMENT CONTINUATION TRAINING (AFECT) 48

4.1. Purpose. 48

4.2. AFECT Instructor (AFECTI) Requirements and Qualifications. 48
4.3. AFECT Event Descriptions. 49
4.4. Training Aids and Equipment. 51
4.5. AFECT Lesson Plan Development. 52
4.6. AFECT Documentation. 52
Table 4.1. AFECT REQUIREMENTS. (T-2) 53
Chapter 5—PROGRAM MANAGEMENT **54**
5.1. Purpose. 54
5.2. Publication Supplements. 54
5.3. Budgeting/Financial Plan (FINPLAN). 54
5.4. Air Force Cost Analysis Improvement Group/Cost Per Flying Hour (AFCAIG/CPFH) Program. 54
5.5. Enterprise Logistics Management System (ELMS) – AFE Records Management System (AFERMS). 55
5.6. Aircraft Documentation/Maintenance Information System (MIS) and Red X. 56
5.7. Supply. 58
5.8. Equipment Redistribution. 59
5.9. Aircrew Small Arms Program. 59
5.10. Munitions. 60
5.11. Composite Tool Kit Program. 60
5.12. Technical Orders (TO)/Commercial Off-the-Shelf (COTS). 60
5.13. Product Quality Deficiency Reports (PQDRs)/Engineering Technical Assistance Request (ETAR). 61
5.14. AFE Facilities. 61
5.15. Resource Protection and Storage. 62
5.16. Deployment Requirements. 63
5.17. Safety. 64
5.18. Hazardous Communications (HAZCOM) Program. 64
5.19. Post-MISHAP procedures. 65
5.20. Premeditated Parachute Malfunction/Incident Reporting. 65
5.21. Physiological Events. 65
Chapter 6—MANAGEMENT AND CONFIGURATION OF FLIGHT EQUIPMENT **66**
6.1. General Aircraft Installed/Pre-positioned AFE Guidance. 66

6.2. Forward Area Refueling Point (FARP) and Airborne Bulk Fuel Delivery System (ABFDS) Equipment. 67
6.3. Emergency Respiratory Oxygen Systems (EROS) Mask. 68
6.4. Custom Oxygen Mask. 68
6.5. Aircrew and Operator Protective Helmets and Helmet Liners. 68
6.6. Aircrew Optical Devices, Helmet Mounted Devices (HMD), and Accessories. 68
6.7. Training ACBRNE. 68
6.8. Emergency Electronic Communication and Signaling Equipment. 69
Table 6.1. Command Centers. 70
6.9. Life Rafts and Escape Slides. 71
6.10. Anti-Exposure Suits. 71

Chapter 7—PREMEDITATED PARACHUTE PROGRAMS 73

7.1. General. 73
7.2. AFSPECWAR Training Requirements. 73
7.3. Federal Aviation Administration (FAA) and Contract Service Support (CSS). 74
7.4. FAA Civilian Rigger Operations. 74
7.5. Parachutist Main Canopy Packing Authorizations. 75
7.6. Non-Tactical Ram Air Parachute Systems (NTRAPS) and Tandem Systems. 75
7.7. Tandem Passenger Harness Inspection. 75
7.8. Ancillary Parachute Equipment. 75

Chapter 8—DEPLOYED OPERATIONS 76

8.1. General. 76
8.2. Planning and Preparation. 76
8.3. ACBRN Operational Responsibilities: 76
8.4. Deployed AFE Supply Custodians. 77

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 78

Attachment 2—LEAD COMMAND/LEAD AGENCY (LC/LA) FOR AFE SYSTEMS 89

Chapter 1

OVERVIEW

1.1. Mission: Provide USAF aircrew, operators, and passengers with safe and effective equipment, while establishing practices that increase program efficiency. Protect and sustain human life throughout flight operations. Equip aircrew and passengers with the knowledge and skills to survive emergency aircraft abandonments, facilitate their rescue, and return to duty. Provide aircrew protection from Chemical, Biological, Radiological and Nuclear (CBRN) threats.

1.2. Program Objectives.

1.2.1. Increase capability of the total weapon system by enhancing and maximizing the performance and survivability of equipment users.

1.2.2. Reduce injuries and increase survival rates by providing aircrew and passengers with the most technologically advanced equipment available through quality systems training and maintenance practices.

1.2.3. Identify requirements for modernization and development of new equipment by analyzing customer-validated operational requirements, operational deficiencies, suggestions and recommendations, technical order (TO)/ technical manual (TM) recommended changes, aircraft mishap investigations, safety report recommendations, and joint developmental programs from other Department of Defense (referred to as Department of War (DoW)) agencies.

1.2.4. Train aircrew, operators, and passengers to utilize flight equipment in a manner that expands confidence in their equipment and reinforces recall during emergencies.

1.2.5. Provide operational units with necessary resources to perform optimal equipment maintenance. Train and qualify AFE technicians IAW the 1P0X1 Air Force Specialty Code (AFSC) and Career Field Education and Training Plan (CFETP) to optimally maintain assigned equipment and conduct AFE continuation training (AFECT).

1.2.6. Conduct aircraft mishap safety investigations and analysis where AFE is involved IAW DAFI 91-204, *Safety Investigations and Reports*.

1.2.7. Establishes procedures governing the authority and administration of the USAF Parachute Rigger Program (PRP), qualifications, requirements and procedures applicable to rigging personnel and cargo parachutes.

1.3. Communications.

1.3.1. MAJCOM & National Guard Bureau (NGB) Communications. Installation or tenant level AFE Leadership will ensure AFE matters, including TO recommended changes, Engineer Technical Assistance Requests (ETARs), deficiency reports, and other official correspondence is routed through the owning MAJCOM/NGB staff.

1.3.1.1. Use written electronic communications to explain actions or request assistance from a higher echelon. Forward the request to the next HHQ for action and do not bypass any echelon. **(T-2)**

1.3.1.2. **Exception:** ANG AFES will work through their Weapon System Team Chief (WSTC) prior to contacting the National Guard Bureau (NGB), Air National Guard Operations, Combat Air Forces Division, Operational Support Branch (NGB/A3OS). **(T-2)**

1.3.2. Messages. Messages published from AF/A34P, MAJCOMs, and NGB have the same authority as Air Force regulations but apply only to the 1P0 career field and its equivalent activities (e.g., Air Logistics Centers (ALC), AFE Contract Officer Representatives (COR), etc.). **Exception:** Messages applicable to a wider audience will include applicable OPR coordination and concurrence (e.g., Lead Commands (LC) coordinating with all stakeholders MAJCOMs/NGB).

1.3.2.1. AF/A34P messages will be published on the USAF AFE SharePoint page and copies will be sent to affected command agencies for distribution to field units, as applicable. Messages will meet one or more of the following purposes:

1.3.2.1.1. Establish or update permanent AFE policies to be incorporated into future publication rewrites, interim changes, or guidance memorandums.

1.3.2.1.2. Establish or update temporary AFE policies with a clear expiration date or condition.

1.3.2.1.3. Communicate critical AFE program clarification or announcements.

1.3.2.2. Equipment messages will be limited to critical programmatic guidance (e.g., fielding plans/priorities, non-standard funding authorizations or clarification, etc.) of widely fielded items across multiple MAJCOMs/NGB when no other communication method is available, and the information cannot be added to a TO//TM/Commercial Off - the-shelf (COTS) manual.

1.3.3. Network Access. AF/A34P and MAJCOM/NGB/FOA regularly communicate with unit AFE leaders through various electronic means (e.g., telephonic, NIPR, SIPR, etc.). Personnel assigned to leadership roles/functions at the installation/unit/flight-level will maintain access to NIPR and SIPR systems at a minimum. **Note:** Units without a deployable mission are not required to maintain a SIPR account.

1.3.4. SharePoint Access. AF/A34P and MAJCOM/NGB/FOA SharePoint membership is mandatory for all AFE SNCOs, NCOs and AFE Contracting Officer Representatives (COR). Unit AFE Leadership will ensure assigned personnel regularly check applicable SharePoint sites to monitor official messaging and receive pertinent updates. Non-mandatory 1P0 personnel are encouraged to follow this publication.

1.4. Total Force Associations (TFA).

1.4.1. The TFA program is where RegAF and Air Reserve Component (ARC) units are collocated and share expertise, equipment, facilities, and other resources to execute AFE functions in support of a common mission IAW AFI 90-1001, *Total Force Associations (TFAs)*. The ARC, encompassing the Air Force Reserve Command (AFRC) and Air National Guard (ANG), partners with RegAF units across various missions, exercises, and deployments.

1.4.2. TFA Types. In Classic Associations (CA), RegAF owns the aircraft and leads operations, sharing the mission with an AFRC or ANG unit. In an Active Association (AA), AFRC or ANG owns the aircraft and leads operations, sharing the mission with a RegAF unit. The unit that owns the aircraft is referred to as the sponsor unit.

1.4.3. Association Plans (A-Plans) and Support Agreements. TFAs are formalized through A-Plan and support agreements. The A-Plan outlines TFA purpose, command relationships, funding, and operational employment. Support agreements (e.g., MOAs/MOUs) are formal documents that outline mutual commitments, roles, and responsibilities. Each TFA organization maintains separate organizational structures and Administrative Control (ADCON) over their assigned personnel.

Chapter 2

ROLES AND RESPONSIBILITIES

2.1. Shared Responsibilities. MAJCOMs, Direct Reporting Units (DRU), FOA Director of Operations (A3), NGB, comparable positions in the Numbered Air Force, centers, and subordinate units, share responsibilities for execution of AFE policy.

2.2. Air Force Director of Training and Force Management (AF/A34) through Aircrew Performance Division (AF/A34P).

2.2.1. AF/A34 is responsible for the Air Force AFE program.

2.2.1.1. Chief, Aircrew Performance Division (AF/A34P) oversees the entire AFE program.

2.2.1.2. A RegAF AFE Chief Master Sergeant (1P000) will be assigned to manage AFE matters and serve as the AFE Career Field Manager (CFM) for AFSCs 1P0X1A/1P0X1B, 1P091 and 1P000. An additional RegAF 1P091 will be assigned to assist in the management of AFE matters.

2.2.1.3. The CFM will chair the AFE Executive Committee (AFEEC), which will be convened on a semiannual basis, and as required to address critical career field requirements. These meetings, structured as in-person working groups, serve as the primary forum for strategic decisions concerning AFE force development, modernization and readiness. The AFEEC also serves as the 1P0 Functional Advisory Council (FAC) IAW DAFI 36-2670, *Total Force Development* to address and resolve operations and training (aircrew, operators and technician). Key membership includes the CFM, MAJCOM Functional Managers (MFM), NGB Career Field Manager (CFM), 1P000s, and MAJCOM staff members.

2.2.2. Coordinates on HAF, MAJCOM, NGB, direct reporting unit, and FOA operations and training issues (aircrew, operators and technician).

2.2.3. Coordinates directly with the MAJCOM, NGB and FOA functional managers on program guidance interpretations, Self-Assessment (SA) programs, best practices, process improvements, and training.

2.2.3.1. AF/A34P has functional AFE management and oversight responsibility over the 316 OSS AFE section for related programs to include (but not limited to): manpower, data calls, Staff Assistance Visits (SAV) and Unit Effectiveness Inspections (UEI). AFE Leadership will contact AF/A34P for overall AFE program guidance or issues.

2.2.3.2. The 316 OSS AFE section will follow guidance provided by LC for assigned Mission Design Series (MDS), applicable AFMAN 11-2 Mission Design Series (MDS) addendums, equipment configuration tables published on the USAF SharePoint page, **Chapter 6** of this publication and subsequent supplements, technical orders and messages. Waiver and deviation requests will be routed through AF/A34P to the LC AFE staff for resolution.

2.2.4. Coordinates with other HAF offices that affect AFE programs to include, but not limited to, Aircrew Chemical, Biological, Radiological, Nuclear Equipment (ABRNE) and procedures, research and development of AFE, logistics, egress, and counter-CBRN defense policy and doctrine.

2.2.4.1. AF/A34 is the approval authority for ACBRNE and aircrew contamination mitigation matters.

2.2.4.2. All ACBRNE matters will be staffed by the responsible MAJCOM AFE function to the affected MAJCOM/NGB AFE staff office(s). Air Combat Command (ACC) Director of Operations, Aircrew Training and Operations Division (ACC/A3TO), and Air Force Global Strike Command, Director of Operations, Aircrew Performance Branch (AFGSC/A3OL) are the lead combat integrators for ACBRNE, Aircrew Contamination Control Area (ACCA) and the Aircrew Contamination Control Station (ACCS). After consolidated coordination, the CFM will make a recommendation to AF/A34 for final decision. **Exception:** Air Force Special Operations Command (AFSOC) is solely responsible for mission-sensitive ACBRNE/ACCA/ACCS matters and contamination mitigation procedures for its aircrew personnel, bypassing coordination with lead combat integrators.

2.2.4.3. Coordinates with Air Force Civil Engineering Center (AFCEC) in advocating to Headquarters Air Force Installation and Mission Support Center (AFIMSC) for funding, manpower, exercise, equipment, supplies, modernization and training (these functions may be delegated). Examples of training include but are not limited to annual operational evaluation exercises of the 9ALCW AFE Aircrew Chemical Biological Radiological Nuclear (ACBRN) Response Unit Type Code (UTC)/ACCA and ACCS operations, and AFE participation in North Atlantic Treaty Organization's (NATO) annual ACBRNE Standardization Agreement (STANAG) evaluation and Combined Interoperability CBRN Defense in Air Operations Exercise (known as Exercise TOXIC TRIP).

2.2.4.4. Coordinate with MAJCOMs/NGB to host an annual 9ALCW exercise to validate skills, operation, and availability of the 9ALCW UTC.

2.2.5. Hosts an annual Aircrew Protection Executive Council (APEC) and Aircrew Performance Working Group (APWG) in cooperation with the AF Life Cycle Management Center Human Systems Division (AFLCMC/ROU), and include all stakeholders involved with AFE and aircrew performance (AP) responsibilities. AF/A34P will invite other interested functions, to include aircrew, if needed to resolve cross-functional issues with AFE.

2.2.6. Encourages MAJCOM/NGB representatives and field units to attend industry engagement events to source innovative capabilities and products to evolve AFE capabilities.

2.2.7. Advises on AFE-related aircrew/operator issues.

2.2.8. Briefs HAF directorates and other officials or organizations on AFE and training issues.

2.2.9. Serves on AF, joint, inter-agency, industry groups, boards, task forces, committees, and conferences dealing with AP operational issues.

2.2.10. Assists AETC in formulating, implementing, and evaluating formal training programs for AFE technicians.

2.2.11. Participates in MAJCOM and NGB AFE workshops or training events, as required.

2.2.12. Manages the USAF Outstanding AFE of the Year awards program, IAW DAFMAN 36-2806, *Military Awards: Criteria and Procedures*.

2.2.13. Monitors:

2.2.13.1. MAJCOM/NGB/FOA aircrew performance program (APP).

2.2.13.2. MAJCOM/NGB technical concerns affecting aircrew/operator performance system (APS) and subsystems, manpower resources, and equipment, and intervenes as required.

2.2.13.3. COTS or COTS/Non-Developmental Items (COTS/NDI) that AF aircraft, aircrew and operators might use as equipment, when appropriately authorized.

2.2.13.4. Aircraft acquisition, conversion, and modification programs to ensure proper integration of equipment and weapon systems.

2.2.13.5. Creation of Capabilities Development Document (CDD) and creation of Initial Capabilities Documents (ICD).

2.2.13.6. Aircraft and premeditated parachute mishap investigation and safety reports in which aircrew and operators have used AFE assets or systems.

2.2.13.7. Undergraduate Program Guidance Letter and shortfalls with formal AFE program quotas.

2.2.14. Provides oversight of AFE occupational competencies IAW this publication and applicable technical orders.

2.2.15. Establishes a proper Acquisition and Sustainment Life Cycle Management system to maintain the health of the AFE program. This includes programming and monitoring manpower, forecasting future sustainment requirements related to equipment acquisition and sustainment programs, and proactively pursuing opportunities to modernize AFE and services by exploring new technologies to meet evolving warfighter needs.

2.2.15.1. Works with the OPR and applicable AFLCMC System Program Office (e.g., AFLCMC/ROU) to ensure technical publications are published and training equipment is distributed before fielding new equipment.

2.2.15.1.1. Ensures required assets for AFE technical training courses are provided to support new training requirements.

2.2.15.1.2. Evaluates AFE manpower requirements prior to fielding new equipment to ensure required support is available.

2.2.16. Assigns LCs for AFE items and equipment types as outlined in **Paragraph 2.9**.

2.2.17. Develops HAF-level AFE Self-Assessment Communicator (SAC) using the Management Internal Control Toolset (MICT). Checklists will be developed and utilized IAW DAFI 90-302.

2.2.18. Represents the 1P0X1 career field for Secretary of the Air Force, Inspector General (SAF/IG) areas of concern to facilitate awareness and understanding between inspections, audits, and internal controls.

2.2.19. Manages the Development Team (DT) process for the 1P0 AFSC IAW DAFI 36-2670 and the 1P0 DT Charter.

2.2.20. Oversees 1P0 Enlisted Grade Allocation Review and CMSgt Grade Allocation Review processes.

2.2.21. Serves as the functional authority for AFE data maintained in the Enterprise Logistics Management System (ELMS).

2.2.21.1. The CFM will establish an ELMS Command Control Point (CCP).

2.2.21.2. Will advocate for required resources and program support to include, but not limited to, funding, hardware and system improvements.

2.2.22. Approves updates and creation of AFE Unit Type Codes (UTC).

2.2.23. Oversees the USAF Parachute Rigger Program.

2.2.23.1. Appoints the USAF Parachute Rigger Program Manager (PRPM) in accordance with this publication and serves as the Air Staff's office of primary responsibility (OPR) for USAF PRP.

2.2.23.2. Responsible for authoring all Air Force-level guidance affecting rigging of personnel and cargo parachute requires coordination through AF/A34P.

2.2.23.3. Advises the Secretary of the Air Force and the Chief of Staff on rigging personnel and cargo parachute requirements.

2.2.23.4. Manages Headquarters of the Air Force (HAF) and MAJCOM-approved waivers and review biennially for process improvement or archiving.

2.2.23.5. Participates in joint and service specific personnel and cargo parachute program conferences and executive councils (e.g., ADFSD biannual Malfunction Review Boards, USSOCOM MFF Community of Interest, Personal Parachute Program Executive Council etc.).

2.2.23.6. Adjudicates MAJCOM disputes pertaining to formal rigger training.

2.3. Aircrew Performance Executive Council (APEC).

2.3.1. The APEC is a Colonel-level (O-6) oversight and steering group that provides direction and advocacy for APPs. The APEC is a decisional body with representation from each MAJCOM Director of Operations (A3) and establishes APS acquisition and sustainment priorities. The purpose of the APEC is to prioritize and provide AF direction to resource sponsors and the single managers for APS acquisition and sustainment (AFLCMC/ROU Division Chief). APEC membership will include representation from all MAJCOMs, NGB/A3OS, and AF/A34P. Specifically, each organization will be physically represented by a MAJCOM/FOA/NGB O-6 (voting member) or designee, as well as the MAJCOM MFM/NGB CFM or designee.

2.3.2. The objective is to advocate for AF-sponsored APS research and development, equipment procurement, and Integrated Process Team (IPT) recommendations that align with user needs and funding priorities.

2.3.3. The APEC and sub-groups will operate under applicable approved charters and will meet in-person on a minimum annual basis to receive updates on APS programs and plans, discuss issues, and establish an aircrew performance strategic plan (APSP) for future development and acquisition. In addition, the APEC will prioritize sustainment activities related to currently fielded equipment.

2.3.4. AF/A34P and AFLCMC/ROU co-chair the APEC. The AFLCMC/ROU Chief will arrange for a suitable conference site, announce the meeting via message and provide an agenda and specific details related to the meeting.

2.3.4.1. The AFLCMC/ROU Chief will establish and maintain a history, background, status, and way ahead for each item on the APEC listing.

2.3.4.2. AFLCMC/ROU along with the applicable MAJCOM 3-digit will advocate/publish finalized priorities listing through their requirements directorates and aircraft System Program Office (SPO)s which will provide the necessary lead times to facilitate future airworthiness authority requirements and decisions.

2.3.4.3. The Aircrew Performance Working Group (APWG), ACBRNE Working Group and the Isolated Personnel Working Group (IPWG) are sub-groups of the APEC.

2.3.4.3.1. These working groups will present updated roadmaps, procurement and sustainment statuses, and career field issues to the APEC. Working groups will meet at least 90 days prior to the APEC. Additional meetings, whether in-person or via teleconference, will be scheduled at the discretion of the chairpersons.

2.3.4.3.2. These sub-groups will be chaired by the CFM and operate under approved charters.

2.3.4.3.3. The ACBRNE Working Group is co-chaired with ACC/A3TO and AFGSC/A3OL, while the IPWG is co-chaired with the AF Special Warfare Directorate (AF/A34S), Survival, Evasion, Resistance and Escape (SERE) Career Field Manager.

2.3.4.3.4. The IPWG is a joint service collaborative body between SERE, AFE, and other IP stakeholder organizations responsible for the selection of authorized survival components. SERE will provide Subject Matter Expert (SME) insight from a capability/tactics, techniques, and procedures (TTPs) aspect, proposing components which are determined to meet requirements for survival kits, vests, and backpacks configurations. AFE evaluates the proposal from a technical perspective, considering unique aspects (e.g., installation integration, space, weight, size, etc.). Based on the combined efforts of the IPWG, determination will be made if the survival component can and will be adopted or whether the matter be forwarded to AFLCMC/ROU for coordination at APWG and in advance of APEC.

2.4. Air Force Chief of Safety (AF/SE) through the Air Force Safety Center, Aviation Safety Division (AFSEC/SEF).

2.4.1. Provides statistical data, analysis, and recommendations on all aircraft mishap investigations or incidents involving AFE.

2.4.2. Monitors the AF APP to ensure aircrews maintain safety standards.

2.4.3. Provides technical assistance on request to aircraft mishap investigation boards.

2.4.4. Advises the APEC and APWG when necessary.

2.4.5. When requested, attend MAJCOM meetings, briefs attendees on AFE use and performance during aircraft mishap investigations, and general safety concerns.

2.4.6. Attends AF, joint, inter-agency, and industry meetings, boards, task forces and conferences that deal with AFE.

2.5. Assistant Secretary of the Air Force for Acquisition, Directorate Global Power Program (SAF/AQP).

2.5.1. Monitors the development, acquisition, and sustainment of Program Element Code (PEC) associated equipment.

2.5.2. Assigns an officer to advise the APEC and ensures the AFE Program Management Directive contains the research, development and acquisition strategies and APEC priorities, and provides representation to the APWG.

2.5.3. Monitors APS development and demonstration programs aimed to satisfy validated user requirements.

2.6. Air Force Surgeon General (AF/SG), USAF Chief of Aerospace Medicine (AF/SG3P).

2.6.1. Performs oversight to the medical aspects of the APP.

2.6.2. Establishes guidelines for infection control.

2.6.3. Provides representation to the APEC and APWG, when requested.

2.6.4. Controls training products and reporting criteria for laser exposure incidents IAW AFI 48-139, *Laser and Optical Radiation Protection Program*.

2.7. Air Force Life Cycle Management Center, Human Systems Division (AFLCMC/ROU).

2.7.1. Acquisition management through AFLCMC/ROU:

2.7.1.1. Evaluates new APS requirements submitted by LCs IAW an approved charter maintained by AF/A34P and AFLCMC/ROU.

2.7.1.2. Maintains operational safety, effectiveness, and suitability compliance of developmental and future equipment items IAW DAFI 20-101_63-101 and AFMCI 63-1201.

2.7.1.3. Manages, reviews, maintains, and provides recommended updates to the Master Configuration List for all equipment related systems published in TO 14-1-1. The Master Configuration List will outline all authorized subsystems and equipment in the AF AFE inventory.

2.7.1.4. Recommends updates to AF TO 00-25-06-2-1 when new equipment is fielded. LCs will sponsor updates if new equipment items are command specific. AFMC will deconflict the creation and assignment of equipment WUCs with the applicable aircraft SPO or responsible agency.

2.7.1.5. Ensures current equipment systems and subsystems are integrated with newly developed technologies, systems and subsystems.

2.7.1.6. Directs engineering/product engineering evaluations and analysis with the purpose of providing Safe-to-Fly (StF) recommendations to aircraft SPOs for airworthiness certifications IAW DAFI 62-601 and MIL-HDBK-516. Advises MAJCOMs/NGB on Assumptions of Risk for equipment not approved StF.

2.7.1.7. Provides coordination to aircraft SPOs for the acquisition of common equipment systems and subsystems of commercial aircraft converted for AF missions.

2.7.1.8. Manages procedures for the acquisition of common equipment items through the COTS/NDI programs. Monitors and tracks the procurement, approval, and capability of COTS/NDI systems used to meet formally documented AF requirements to include Urgent Operational Needs (UON), Capabilities Development Documents (CDD) and those submitted via AF Form 1067.

2.7.1.9. Works with and monitors other services' equipment acquisition and developments to avoid duplication of effort in programs.

2.7.1.10. Develops a technology transfer plan to move exploratory and advanced-stage development equipment technologies into full-scale development.

2.7.1.11. Initiates and/or advises Configuration Control Boards (CCB) to maintain configuration management of initial procurement of equipment subsystems and equipment.

2.7.1.12. Encourages operational input to AFE programs by ensuring MAJCOM, NGB, and AFLCMC representatives attend key acquisition events.

2.7.1.13. Collaborates with AF/A34P the development, publishing, and maintenance of an Aircrew Performance Strategic Plan (APSP) outlining APS acquisition and sustainment strategies. APEC and APWG-directed priorities will be used as a basis for the APSP plan.

2.7.1.14. Serves as an approval authority for implementation of new aircrew/operator and aircraft-installed equipment items through initial procurement and accomplishment of the Transition Support Plan (TSP).

2.7.1.15. Conducts initial procurement of LC coordinated and agreed upon Initial Operational Capability (IOC) levels and accomplishes objectives outlined in the requirements documentation.

2.7.1.16. Assists MAJCOMs and NGB in determining training requirements for developmental systems.

2.7.1.17. Assists MAJCOMs and NGB in developing initial production funding plans for each AP endeavor.

2.7.1.18. Provides technical assistance and laboratory analysis to aircraft mishap safety investigation boards (as requested) and to the Defense POW/MIA Accounting Agency, assisting in determining the status of DoW warfighters missing in action.

2.7.1.19. Ensures all AFLCMC/ROU-managed developmental and COTS/NDI AFE programs include and meet the TO acquisition requirements set forth in TO 00-5-3.

2.7.1.20. Provides representation and the status of their APP to the APEC and APWG.

2.7.1.21. Is the Milestone Decision Authority (MDA) on AFE acquisition research and development efforts except for CBRN, which is the Joint Program Executive Office.

2.7.2. Lifecycle management through AFLCMC/ROU:

2.7.2.1. Manages specific equipment items, providing sustainment support and final systems disposition.

2.7.2.2. Serves as the Engineering Support Activity (ESA) for fielded aircrew/operator and aircraft installed equipment under management by AFLCMC but not supported by MDS SPOs. Maintains configuration control and ensures operational safety, suitability, and effectiveness compliance of fielded equipment IAW AFMCI 63-1201.

2.7.2.3. Directs TCTO/one-time-inspection criteria and notifies affected MAJCOMs/NGB on how to execute.

2.7.2.4. Loads/manages TCTO and one-time-inspection criteria to ELMS for user input.

2.7.2.5. Tracks completion and collects data to address equipment issues, working with DLA to update applicable contracts.

2.7.2.6. Monitors the Army MILSUITE, Tank-Automotive Armament Command (TACOM), TACOM Unique Logistics Support Application, Safety First and Logistics Support Activity, and provides USAF-unique guidance to the field for sister-service systems.

2.7.2.7. When applicable, ensures developmental, and COTS/NDI AFE systems include and meet TO requirements outlined in Air Force Technical Order 00-5-1 and TO 00-5-3.

2.7.2.8. Collaborates with field to resolve product and system deficiencies via Joint Deficiency Reporting System (JDRS) submissions.

2.7.2.9. Assists MAJCOM/FOA during training requirements determination for system changes.

2.7.2.10. Provides inspection intervals for aircrew performance equipment shelf life.

2.7.2.11. Leads efforts to develop and submit sustaining engineering requirements plans.

2.7.2.12. Assists MAJCOM/FOA upon request, to include out-year funding plan development of fielded and centrally managed APS.

2.7.2.13. Notifies LCs of equipment items that have been determined to no longer be sustainable, providing disposition instructions when items are removed from service and/or demilitarized to ensure proper disposal.

2.8. Air Force Operational Test and Evaluation Center (AFOTEC).

2.8.1. Plans and conducts objective-based operational test and evaluation to determine the functionality and suitability of AF systems and their ability to meet mission needs.

2.8.2. Advises MAJCOMs and NGB on operational test issues.

2.9. Air Force Materiel Command, Director of Air, Space, and Cyberspace, Flight Operations, Standardization and Evaluation Division (AFMC/A3V).

2.9.1. Maintains operational control of Air Logistic Complex (ALC) AFE sections.

2.9.2. Ensures equipment inspected and repacked by an ALC maintains owning unit configurations and follows owning command guidance.

2.10. Major Commands (MAJCOMs) and National Guard Bureau (NGB).

2.10.1. Will assign a full-time AFE MFM/NGB CFM (AFSC 1P000) to manage the APP. MFM/NGB CFM may delegate certain responsibilities to a Numbered Air Force (NAF) Chief Enlisted Manager (CEM), Program Manager (e.g., 9 AF AFE Functional Manager) or Weapon System Team Chief (WSTC). A WSTC will be appointed in writing by the NGB/A3OS CFM.

2.10.2. Provide representation and the status of their APP to the APEC and APWG.

2.10.2.1. Participate in APEC and APWG activities as defined in the applicable charter(s) to ensure executive leadership is aware of emerging technologies, and to address equipment and technical issues within the AFE community.

2.10.2.2. Attend the annual IPWG.

2.10.3. Manage MAJCOM AFE policy responsibility. Establish MAJCOM specific AFE programs according to AFIs, AFMANs and applicable MAJCOM and NGB instructions (e.g., A-Staff Structure).

2.10.4. Monitor command manning levels and coordinate with MAJCOM/FOA, Director of Manpower and Personnel Programs (A1) to ensure optimized AFE manning. **Exception:** Not applicable NGB.

2.10.4.1. Provide mission impact analysis to unit leadership-initiated manpower authorization change requests.

2.10.4.2. Establish requirements for the AFE COR concerning any organization with contractors/service providers not covered in **Paragraph 2.15.38**.

2.10.4.3. Forecast Military Personnel Appropriation (MPA) funds needed to augment AD vacancies and missions with ARC personnel.

2.10.4.4. Coordinate with AF/A34P, AFRC/A345F, and/or NGB/A3/10 regarding ARC MPA utilization.

2.10.5. Provide effective guidance to field units and coordinate with LCs as necessary to resolve queries and policy conflicts.

2.10.5.1. Provide guidance to units on using, controlling, and safeguarding equipment.

2.10.5.2. Conduct site visits to subordinate units to provide HHQ-level assistance and remain connected to unit-level requirements.

2.10.5.3. Assist in identifying operational requirements and provide SME-level input in the preparation of Joint Capabilities Integration Development System documents, as required.

2.10.5.4. Assist TFA units with review of AFI 25-201 and host-tenant agreements involving AFE functions.

2.10.6. Guide MAJCOM Inspector General (IG) functions IAW DAFI 90-302.

2.10.6.1. When MAJCOMs have funded 1P0 IG positions, ensure AFE SMEs are permanently assigned primarily as AFE functional inspectors to perform external continuation evaluations of AFE programs and provide feedback to any MFM or career field initiatives.

2.10.6.2. Ensure MAJCOM IG Inspectors and/or augmentees collaborate with applicable MAJCOM staffs to determine focus areas related to current AF and 1P0 priorities and initiatives. Utilize continual evaluation feedback to inform senior leader decision-making, program oversight, and to identify gaps or deficiencies in existing guidance.

2.10.7. Support SPOs during acquisition-related activities to include review, edit and draft of acquisition-related documents.

2.10.8. Monitor the introduction of new weapons systems into the command that requires AFE. Inventory and monitor modification programs of existing aircraft to ensure timely integration of flight equipment and training. Coordinate with the applicable SPO to ensure AFE issues are addressed.

2.10.9. Evaluate performance of AFE deliverables related to acquisition, research, and development contracts.

2.10.10. Participate in industry engagements to source innovative capabilities and products to evolve AFE protection capabilities. Potential capability or product leads should be tied to a current or emerging mission set and provided to the LC of the applicable system for further evaluation and potential presentation to the APWG.

2.10.11. Participate in periodic Research, Development, Test and Evaluation (RDT&E) program reviews as requested by AFMC or other joint agencies.

2.10.11.1. Provide AFE expertise and coordinate the inclusion of qualified SMEs early in the requirements definition phase, providing oversight throughout the RDT&E and acquisition process.

2.10.11.2. Assigned technicians will be able to:

2.10.11.2.1. Participate in laboratory research and development of AFE and human-related studies.

2.10.11.2.2. Ensure the assembly, fit, adjustment, inspection and maintenance of equipment used to support the related studies is effectively managed, and any issues encountered are routed to the RDT&E authority. Prompt feedback during testing can mitigate production delays or future fielding issues (e.g., helmet cracks once optical device attachments are installed when aircrew pull it over their head).

2.10.12. Ensure new APS requirements are submitted to the LC for evaluation and coordination.

2.10.12.1. If disapproved, LC will provide a complete rationale and return the requirement to the originating MAJCOM/NGB.

2.10.12.2. If approved, LC will send the new requirement to all MAJCOMs/NGB for coordination. The Human Systems Division Chief will establish coordination methods for all MAJCOMs/NGB to follow (e.g., e-mail, SharePoint, MS Teams, etc.).

2.10.12.3. MAJCOMs/NGB have 10 calendar days to respond to initiating MAJCOM/NGB. No response implies unconditional concurrence. The owning-MAJCOM or NGB will consolidate all inputs and modify requirements as needed. If consensus is not met, the initiator will adjudicate points of contention or seek resolution with the LC.

2.10.12.4. If the requirement is disapproved by any MAJCOM/NGB, the originator will provide rationale and submit a report to originating A5 or customer.

2.10.12.5. If approved, the LC will route the requirement IAW the approved charter established by HAF/A34 and AFLCMC/ROU.

2.10.13. Attend AF, joint, inter-agency, and industry meetings, groups, boards, task forces, committees and conferences dealing with the development, modification or research of equipment.

2.10.14. Participate in flight safety evaluation boards assessing equipment safety of flight prior to flight-related studies.

2.10.15. Review aircraft and premeditated parachute mishap investigation, malfunction and incident reports (command specific) involving AFE and resulting recommendations. Select qualified AFE technicians to augment mishap review boards as required.

2.10.16. Appoint MAJCOM Command Riggers (MCR) to oversee MAJCOM PRP, acting as the principal personnel and cargo parachute programmatic SME responsible for standardization and rigging related activities to include logistics.

2.10.17. Review and validate sections of AFE authorization within Authorized Platform 450, Aircrew Flight Equipment and Survival Evasion Resistance Escape (SERE); and AFE authorizations within Authorized Platform 538, Security Police Equipment, Organizational Small Arms Equipment, Military Dogs, Associated Equipment, and Civil Disturbance Equipment, for accuracy and adequacy.

2.10.17.1. Work with Pilot/Non-Pilot units and applicable MAJCOM staff(s) to address required changes to be presented to the platform authorization manager.

2.10.17.2. Attend formal Authorized Platform reviews, as required.

2.10.18. Evaluate Enhanced Technical Management System (ETIMS) Recommended Change (RC) submissions, IAW TO 00-5-1, MAJCOM procedures and **Chapter 5** of this publication. RC submissions will route through MAJCOM CCP for coordination on both fielded items and those involved in test and evaluation.

2.10.19. Draft, edit, and review reports/maintenance procedures necessary to support both fielded and prototype equipment under development.

2.10.20. Coordinate AFE formal training requirements with the 436th Training Squadron (TS) and/or Directorate of Personnel staff when submitting class quotas for technicians to attend formal training courses.

2.10.21. Convene an AFE Training Review Board (TRB), on a biennial cycle. It is recommended to host a TRB opposite the AFE Superintendent Development Workshop. MAJCOMs will determine TRB content applicable to current DAF initiatives, AFE program objectives or Special Interest Items, shortfalls or deficiencies.

2.10.22. Coordinate with AF/A34P on AFECT program requirements.

2.10.23. Monitor overall program compliance to include associated programs (e.g., supply, etc.), IG reports, and in ELMS/MICT.

2.10.24. Review, manage, and utilize ELMS data in performance of duties and responsibilities to include, but not limited to sustainment matters, asset management, redistribution, forecasting, unit compliance, budgeting, accountability and data calls.

2.10.25. Validate units have the required equipment for each specific OPLAN they support, they are accurately assessing their capability and reporting in the Defense Readiness Reporting System (DRRS) IAW AFI 10-201.

2.10.26. Will coordinate with lead MAJCOM to obtain training equipment/systems to support non-operational AFE units for ACCA training.

2.10.27. MAJCOMs with Strategic Aircraft Regeneration Teams (e.g., Bomber Strategic Aircraft Regeneration Teams, etc.) must review AFI 13-520 and any MAJCOM supplements to identify and ensure tasked units meet these specialized requirements.

2.10.28. Use operational user results to provide fielding recommendations to leadership IAW DODI5000.89_DAFI99-103.

2.10.29. Monitor the forecasting of replacement requirements for calendar time-change items IAW TO 00-20-9.

2.10.30. Monitor Deficiency Reports applying to the APS.

2.10.31. Review and update Mission Capability (MISCAP) statements and Manpower details (MANFOR) biennially (or as needed) on applicable unit type codes (UTC) with AFE technicians and/or equipment Logistics Detail (LOGDET).

2.10.32. Ensure LOGDET is accurate and consistent with current platform policy statements in AFI 10-403 and AFI 25-101.

2.10.32.1. Upon receipt of a Logistics Force Module material listing from LOGDET manager, conduct a thorough comparison of the UTC LOGDET against appropriate authorization platform (Use Code “A” items) for consistency to ensure the pilot unit has not exceeded authorizations.

2.10.32.2. FAMs will use Enterprise Logistics Management System (ELMS), or request assistance from the Force System Manager when comparing the LOGDET to the appropriate authorizations platform. Logistics Force Module Material Listings will be provided to the Manpower and Equipment Force Packaging Responsible Agency and/or Air Staff FAM on a first-time report of a newly developed LOGDET, when designated pilot units submit their UTCs to the LOGDET manager because of biannual reporting, and upon request.

2.10.32.3. Coordinate all UTC developments, changes, and cancellations with using MAJCOMs/FOA, NGB/A3OS, AF/A34P, and pilot units/non-pilot units if tasked in unit type availability. **Exception:** Not applicable to AFSOC.

2.10.33. Assist the Air Force Civil Engineer Center, Emergency Management Division (AFCEC/CXR), ACBRNE liaison during annual FY execution cycles. The execution cycle is a phased process used to validate ACBRN requirements, redistribute unit ACBRNE overages to units with shortages and to distribute and execute funding to fulfill unit ACBRNE requirements.

2.10.33.1. Validate unit-level ACBRNE defense sustainment requirements (e.g. D/D-1 Bag). Submit annual sustainment forecasts for processing of equipment shortages/overages, repair parts requirements and support equipment requests no later than 15 November of each year or as established by the current FY ACBRNE Execution cycle instruction disseminated by AFCEC/CXR POC Aircrew CBRN liaison. **Exception:** Not applicable to the ARC.

2.10.33.2. ACBRNE redistribution will be utilized to fulfill shortages prior to funding allocation. Units must redistribute assets within 30 days of notification. Any deviation to the execution timeline must be reported to and be approved by AFCEC/CXR ACBRNE liaison. **Exception:** Not applicable to the ARC.

2.10.33.3. Purchase authorizations to fill shortages will be processed, and funding allocation notices will be sent to units after redistribution actions are completed. Authorized purchases for assets must be completed within 30 days of notification. Any deviation to the execution timeline must be reported to and be approved by AFCEC/CXR ACBRNE liaison. **Exception:** Not applicable to the ARC.

2.10.33.4. Any requests outside of the above forecast cycle should be submitted to the ACBRNE liaison via MAJCOM/FOA POC and will be processed on a case-by-case basis. **Exception:** Not applicable to the ARC.

2.10.33.5. Forecast budget requirements for all ACBRNE events to include Total Force AFE attendees and participants, and forward to Aircrew Performance Division (AF/A34P) for inclusion in the annual AFCEC CBRN budget. **Note:** United States Air Forces in Europe-Air Forces Africa (USAFE-AFAFRICA) AFE FAM will coordinate budget inputs and participation in the annual NATO Exercise TOXIC TRIP.

2.10.34. Address all AFE-related Air Force Cost Analysis Improvement Group/Cost Per Flying Hour (AFCAIG/CPFH) program requirements with responsible MAJCOM entities and AF/A34P.

2.10.35. Serve as 1P0X1 FAM IAW AFI 10-401 on all MAJCOM/NGB-tasked 9AL Series UTC AFE issues. Provides AFSC 1P0X1 inputs to 3-Series Aviation UTC FAMs and 7-Series UTC FAMs. **Exception:** Not applicable to AFSOC.

2.10.36. Approves new AFE UTCs and advances request to CFM for final approval authority.

2.10.37. Will conduct annual Force Activity Designator (FAD) code reviews IAW DAFMAN 23-300.

2.10.38. Conduct MAJCOM/NGB/FOA workshops and attend other AFE-related workshops, as required.

2.10.39. Administer the MAJCOM annual awards program IAW the HAF Outstanding AFE Awards Program policy message.

2.11. Lead Command (LC)/ Lead Agency (LA):

2.11.1. AFPD 11-3 establishes the following authorities and responsibilities for AFE and system LCs. LC and LA designations, roles, responsibilities and general process are outlined in Department of the Air Force Policy Directive (DAFPD) 10-9. LC designations for AFE systems are outlined in **Attachment 2**.

2.11.1.1. LCs identify and pursue AFE requirements for their MDS/weapons system and aircrew/operator portfolio (e.g., ACC for Combat Air Forces (CAF), AMC for Mobility Air Forces (MAF)) per DAFPD 10-9, including funding and POM input for initial procurement and fielding. LCs do not fund continued use, sustainment or additional AFE purchases. Each command funds its own current/MAJCOM/NGB-specific AFE needs.

2.11.1.2. LCs will fund initial procurement and acquisition of new AFE UTC LOGDET requirements if none exist or when the gaining command requires ARC AFE to perform its mission. **Note:** MAJCOMs do not fund LOGDETs when a unit converts to a new MDS with an existing LOGDET.

2.11.2. Maintain integrity of the operational safety, suitability, and effectiveness baseline for all AFE IAW DAFI 20-101_63-101 and AFMCI 63-1201.

2.11.2.1. Ensure newly sourced or developed COTS/NDI equipment, including modifications to existing equipment pursued by units for USAF aircraft and/or aircrew/operator use are evaluated and approved by the appropriate organization, sharing StF documentation on the AFLCMC AFE SharePoint.

2.11.2.2. LCs will source and maintain manuals related to any COTS/NDI equipment under their scope of responsibility and collaborate with all stakeholders prior to publishing.

2.11.2.3. LCs will advocate for the sustainment of equipment/systems and support the AFMC, Director of Logistics, Product Support Division (AFMC/A4F), ensuring all requirements associated with equipment/system sustainment receive equitable consideration in AFMC's programming, budgeting, and execution of resources to establish depot capabilities and sustain equipment/systems under Centralized Asset Management and Cost-Per-Flying Hour (CPFH) programs.

2.11.3. Provide opportunities for AFE personnel to participate in equipment studies as test-participants.

2.11.4. Monitor tests involving live test subjects utilizing equipment.

2.11.5. Construct/modify test assets IAW approved test plans to support laboratory equipment studies.

2.11.6. Participate in and monitor Operational Test and Evaluation (OT&E) of equipment; if the item is of an MDS-specific nature, the LC for that MDS (refer to DAFPD 10-9) will oversee the process with AFMC.

2.11.7. Air Combat Command (ACC) is the designated LC for all Chemical and Biological (CB) issues, and Air Force Global Strike Command (AFGSC) is designated LC for all Radiological and Nuclear (RN) related issues. Both MAJCOMs will collaborate with impacted MAJCOM/NGB/FOAs and AFLCMC/ROU Aberdeen Proving Ground (PG) to develop, field, provide repair procedures and establish ACBRNE protocols.

2.11.8. Air Education and Training Command is designated LC for Aircrew Flight Equipment University (AFEU) and shall create and maintain a unified training and education infrastructure to establish a continuum of learning for 1P0 personnel to follow throughout their career.

2.11.8.1. Establish and maintain a charter which aligns 1P0 CFM mission, vision and priorities to overall Air Force-wide objectives and functional priorities.

2.11.8.2. Establish and manage a Board of Trustees (BoT) to operate on behalf of the 1P0 CFM and AETC MFM.

2.11.9. Command Requirements Manager. 1P0 personnel assigned to the MAJCOM/FOA 1P0 requirements manager position will serve in the A5 (Plans and Requirements) directorate, typically under the LC. The Command Requirements Manager will:

2.11.9.1. Serve as the primary liaison between field units and AFLCMC, collaborating with all MAJCOM/FOA AFE staff to develop solutions addressing emerging operational needs, following the APEC charter.

2.11.9.2. Provide support during Site Activation Task Forces (SATAFs) to ensure AFE requirements are fully addressed. Coordinates the identification, documentation, and programming of required flight equipment, support equipment (e.g., tools, testers, etc.) and associated funding for applicable training.

2.11.9.3. Evaluate Operational Utility Evaluation (OUE) results impacting AFE.

2.11.9.4. Assess OUE for equipment requiring compatibility with AFE (e.g., helmet-mounted cueing systems) and systems affecting aircrew performance (e.g., physiological monitoring systems).

2.12. Operations Group Commander (OG/CC), Wing Director of Operations (A3), Deputy Commander of Operations (DCO), or equivalent will:

2.12.1. Assign AFE CEM, AFES, and AFE COR personnel, collectively referred to as “AFE Leadership,” and all other 1P0 manpower positions (including military, civil service, and contractor equivalents) IAW the wing/group-approved organizational structure. **Exception**: RegAF Total Force Integration (TFI) personnel will typically be assigned to the flying squadron, as well as AFRC flight test units aligned under a Flight Test Group, Squadron or Flight. Air Force Special Warfare Special Warfare Mission Support (AFSPECWAR SWMS) AFE positions, personnel, and functions will remain aligned with and assigned to the AFSPECWAR unit owning them. ALC AFE technicians will be aligned under their respective organizations.

2.12.1.1. If an ARC 1P000 billet is earned on the Unit Manpower Document (UMD), their designation will be "AFE Chief" on the UMD and serve as the AFE Chief Enlisted Manager (CEM). ANG personnel in 1P000 billet will serve as Weapons Systems Team Chiefs (WSTCs).

2.12.1.2. ARC personnel hired into a 1P091 full-time billet will serve as the AFES and will be designated as “AFE Superintendent” on the UMD.

2.12.2. Ensure the AFE Leadership are responsible to the OSS/CC or equivalent for the management of the wing/group AFE program to include manpower, training, technician rotation plans and budget.

2.12.3. Ensure contracted organizations comply with the provisions of their existing contracts. Contracted documentation will be modified to acknowledge the transfer of functional liaison to the Group Commander, or equivalent. Contracted organizations may be utilized for AFE maintenance, training, and/or resources for military and civil service technicians in all aspects of the career field IAW CFETP AFSC 1P0X1, as applicable. **Note:** All civilian and contracted organizations performing AFE functions are subject to HHQ-level assistance from Director of Operations (A3).

2.12.4. Ensure AFE facilities meet standards in DAFMAN 32-1084.

2.12.4.1. Ensure all flight equipment is stored/maintained within approved AFE facilities and IAW applicable technical data. This will include adequate facilities to support premeditated personnel and cargo airdrop requirements. AFRC units will also refer to Air Force Reserve Command Handbook (AFRCH) 32-1001. NGB units will also refer to NGBH 32-1086.

2.12.4.2. Ensure AFE facilities afford maximum protection of flight equipment and are sufficient in size to support equipment inspection, storage (to include mobility bins), training, aircrew/operator training (LL-events), aircrew/operator ready room, and office space for program management. Facilities must satisfy requirements identified in 13C/15X/14D-series TOs and 32/91-series publications.

2.12.5. Support agreements for interaction and procedures involving organizations outside of AFE functions (e.g., maintenance, medical, safety, operations, etc.) will be locally defined and must be reviewed annually. **Note:** Informational copies of support agreements will be forwarded to MAJCOM for awareness.

2.12.5.1. Ensure Memorandums of Agreement (MOA) and/or Memorandums of Understanding (MOU) are established with necessary outside functions, permitting unimpeded AFE maintenance and operations in facilities that are not unit owned. Validate established MOA/MOUs on an annual basis.

2.12.5.2. TFA units will ensure a MOA is established to define roles and responsibilities for 1P0X1 functional area requirements IAW AFMAN 90-1001.

2.12.6. Ensure funds are allocated for the continued management of all AFE programs and contingency plans. This includes having access to a government purchase card to execute and manage Cost Per Flying Hour (CPFH), Operations and Maintenance (O&M), medical supply, ACBRNE, and premeditated personnel and cargo airdrop requirements. **Note:** ANG units are assigned the following accounts for NGB distributed funds: 7V and 2Q funding to support readiness and CBRN operations.

2.12.7. Support sending AFE Leadership, at a minimum, to annual AFE workshops, symposiums, and training review boards.

2.12.8. Ensure flight equipment utilized for flight operations has an approved StF IAW AFLCMC/ROU's SharePoint authorized by applicable authorization platforms, TOs, aircraft-specific manuals, F35A-PFE-001, F-35A Lightning II, Pilot Flight Equipment Configuration and this instruction.

2.12.9. Coordinate all other items with the appropriate MAJCOM/FOA AFE focal point to determine StF need. See TO 14-1-1 and Authorized Platform 016 for authorized equipment and clothing. **Note:** AFE is critical to life sustaining/saving equipment and must only be purchased from approved sources. Wing contracting offices will only purchase COTS/NDI items from Engineering Support Activity approved vendors. This may often result in AFE COTS/NDI items being purchased as Sole Source Items. Questions concerning the authorized purchase of AFE COTS/NDI items, particularly if the arrangement will be from a sole source, should be directed to Air Force Life Cycle Management Center/ AFLCMC/ROU.

2.12.10. When approved equipment modifications impact ground egress, ejection procedures, or crew comfort, etc., a squadron-level rated officer will fly with the new equipment to assess changes to operational and training procedures and provide the unit leadership and respective MAJCOM staff a synopsis of affected mission parameters. The MAJCOM staff will review the feedback and work with AFLCMC ROU/MDS SPOs to assist in clarifying potential procedure updates.

2.12.11. Ensure aircrew/operators are the focal point for Flight Duty Uniform items. Units requesting procurement, deviation or any new approvals will refer to TOs, and DAFI 36-2903 and route questions through force support and logistics readiness squadrons to the Air Force uniform office at Wright Patterson AFB. **Note:** Not applicable to the Integrated Aircrew Ensemble (IAE).

2.12.12. During heightened operational readiness preparations, combat generations, wartime contingencies, exercises at any level, Readiness Inspections (RI), Nuclear Readiness Inspections, Readiness Assistance Visits (RAV), generation exercises, etc., AFE personnel must be available to perform mission-essential duties to sustain AFE operations (e.g., AFE issue, fitting and inspection, aircraft-installed AFE configurations, pre-deployment AFE briefings, Aircrew Contamination Control Area/Station (ACCA/S) operations, AFE contamination mitigation, etc.). Ensure AFE personnel are not assigned duties that will detract from wartime proficiencies and requirements.

2.12.13. May direct aircrew/operators to perform their own postflight inspections.

2.12.14. Ensure AFE associated with premeditated parachuting programs are listed on the Air Force Personnel Parachute Program's - Approved for Use List and is procured for official use or placed under AFE oversight in accordance with AFI 10-3503.

2.12.15. Assign AFE technicians to support Temporary Duty (TDY) flying operations that exceed seven days, or operations that utilize helmet-mounted devices. **Exception:** N/A to MAF home station departure/return, with multi-leg missions as part of a single mission.

2.12.16. Authorize increases to aircraft AFE configurations when mission requirements dictate, provided they comply with this publication, applicable TOs and Authorization Platform 450.

2.12.17. When directed by MAJCOM/CC, recommend AFE accident/safety board investigator (AIB/SIB) for applicable MDS/weapon system(s) during mishap investigations and base Disaster Control Group functional input during peacetime accidents IAW DAFI 91-204, *Safety Investigations and Reports*. In addition to the training requirements in DAFI 91-204, AFE members who have completed the Life Science Equipment Investigation Course (LSEIC) will be recommended for these roles.

2.13. Operations Support Squadron Commander (OSS/CC), Air Force Special Warfare (AFSPECWAR) Commander, or equivalent will:

2.13.1. Be responsible for the wing/group AFE program, to include manpower, training, technician rotations and budgeting, etc. In addition, monitor related contractor-operated locations.

2.13.2. Be familiar with DAFI 31-117 and other applicable guidance and establish a collaborative process with the local medical authority to validate the medical readiness of assigned 1P0 prior to performing aircrew/operator arming/disarming operations, AFE inspection and maintenance, rigging, In-Process Inspections (IPI), Rigger Checks or Quality Check Inspections (QCIs) that could impact aircrew and operator survivability (e.g., specific medications, ADAPT, etc.).

2.13.3. Ensure AFE functions are advised of changes to applicable contingency plans within a reasonable time to ensure required equipment is available for deployment.

2.13.4. Assign and designate qualified 1P071A/1P071B/1P091 SMEs to the Wing Inspection Team (WIT). **Note:** The wing, group, or squadron WIT appointment process may fill this requirement. Ensure AFE WIT members provide AFE exercise scenarios and inspection data points based on wing IG guidance and plans, as required.

2.13.5. Budget for, fund and provide personal protective equipment to all assigned AFE personnel using O&M expense account, non-CPFH program items (e.g., steel toed boots, hearing protection, rain and cold weather clothing items) needed in garrison or deployed, regardless of duty location.

2.13.6. Ensure all AFE Self-Assessment Checklist (SACs) are accomplished in MICT IAW CCIP business rules.

2.13.7. Ensure e-Tools and/or equivalent that contain instructions, publications, manuals, procedures and Time Compliance Technical Orders (TCTO) pertaining to the inspection, maintenance, and use of assigned equipment, systems, and subsystems are maintained and a plan exists to periodically update the peripherals.

2.13.8. Budget for and ensure adequate funding is provided to sustain non-CPFH program items (e.g., testers, tools, facilities, etc.).

2.13.9. Fund for unit AFE Rigger representation at US Army Quartermaster Center and School (USAQMC&S), and MAJCOM- hosted Bi-Annual Airdrop Malfunction and Safety Analysis Review Boards (AMSARB), as applicable.

2.13.10. Ensure AFE technicians have met all 5, 7 and 9-level upgrade requirements IAW the DAFECD and 1P0X1 CFETP prior to approving DAF Form 2096 to update the member's skill level in MilPDS.

2.13.11. Notify MAJCOM/FOA when AFE technicians cannot attend scheduled courses (e.g., any course taught by 361 TS, 436 TS and/or Ft. Lee). Annual allocation of school quotas is based on the quantity of used slots, and repeated cancellations reduce the quantity of available slots for future use. CCs must carefully review these cancellations and provide the MAJCOM with cancellation justification.

2.13.12. Coordinate Manpower Change Requests (MCR) with owning MAJCOM FM/ANG CFM to assess mission impacts prior to submission.

2.13.13. Commanders with Premeditated Parachute programs will:

2.13.13.1. Assign an organizational POC in accordance with **paragraph 2.20**.

2.13.13.2. Report all personnel parachute malfunction/incident reports IAW AFI 10-3503 and AFMAN 13-210 Volume 1 and AFMAN 13–210 Volume 2.

2.13.13.3. Ensure all users of premeditated parachuting equipment, including parachutes and ancillary equipment listed in **Chapter 7**, are trained on inspection requirements/intervals, proper handling and storage of all life-sustaining related equipment prior to issue.

2.13.13.4. Ensure personally issued parachuting equipment (i.e., helmets, altimeters and NVDs) are available to AFE personnel for periodic inspection/maintenance.

2.14. Flying Squadron Commander or equivalent will:

2.14.1. Ensure assigned aircrew and/or personnel flying on-board unit aircraft are properly outfitted, equipped and trained IAW this publication and AFMAN 11-202 series.

2.14.2. Appoint liaisons to collaborate with AFE on equipment or support issues, to include female aircrew/operator support matters. Any matter that cannot be resolved at the lowest level will be forwarded to the AFE Leadership team and/or owning MAJCOM staff for resolution.

2.14.3. Support test and evaluation events on flight equipment when requested by HHQ.

2.14.4. Ensure all aircrew/operators in-process and schedule/attend required AFE training through the AFE section upon assignment or PCS. This may require aircrew/operators to provide data from outside agencies (e.g., optometry, etc.).

2.14.5. Ensure aircrew/operators perform pre-flight inspections and operational checks on all flight equipment prior to the first flight or operation of the day.

2.14.6. Ensure aircrew/operators return all signed-out equipment to the AFE section at the end of each flying day or upon returning from alert, TDY, deployments, exercises, etc. Failure to return AFE may impact unit training and/or readiness.

2.14.7. Notify AFE Leadership in advance of any changes in mission or configuration requirements.

2.14.8. Coordinate with the OSS/CC or equivalent on AFE program requirements or issues, as needed. This may include, but is not limited to, aircrew/operator equipment, technician training, readiness reporting, trend analysis and AFECT programs.

2.14.9. Ensure aircrew/operators out-process the AFE flight prior to PCA to non-aviation roles, and prior to PCS.

2.15. AFE Leadership.

2.15.1. AFE Leadership consists of the AFE CEM, AFES, and/or the AFE Contracting Officer Representative (COR), as applicable, per the approved organizational structure. AFE Leadership advises the SQ/CC or equivalent on technical matters, leads a mission-focused effort and manages resources necessary to accomplish assigned functions. They provide necessary administration to manage assigned responsibilities and control mission support by actively developing and mentoring shop or section NCOICs and/or Section Chiefs. Each installation, tenant and TFA sponsor/associate units are authorized to have their own AFE Leadership serving as the focal point for the owning MAJCOM/NGB/NAF/FOA.

2.15.1.1. AFE CEMs (1P000) provide expertise in the integration of AFE functional support to all units. To ensure mission readiness and effective aircrew/operator support, AFE CEM authorizations shall be strategically aligned to influential locations within the wing, group, squadron, or equivalent. This provides direct access to leadership decision-making processes and operational planning forums to effectively allocate resources, driving proactive AFE support and informed decision-making.

2.15.1.2. AFE CEMs serve as field-level functional staff by collaborating with the CFM, MAJCOM A3 offices, ALC, System Program Offices (SPO) and applicable Depot offices. AFE CEMs participate in functional councils and various working groups (e.g., APEC, AFEEC, APWG, etc.), communicate functional direction and efforts with assigned units to address 1P0 career field matters, and assist MAJCOM/NGB/NAF with additional responsibilities as directed by pertinent oversight authorities.

2.15.2. TFA Execution. The AFE Leadership assigned to the sponsor unit (see **paragraph 1.5.1**) is primarily responsible for executing the AFE program for TFA units. This is accomplished with the understanding that associate AFE Leadership shares the mission and are stakeholders in its execution. Responsibilities include issuing operational direction (OPDIR) tasks to integrated AFE personnel, such as assigning duties, setting objectives, managing personnel, and overseeing AFE operations in a unified manner IAW support agreements (e.g., approved MOA/MOU). For additional TFA guidance, refer to AFI 90-1001 and Section 1.5.

2.15.2.1. The associate AFE Leadership in integrated shops/sections will exercise OPDIR over Total Force AFE personnel assigned to their activities. Sponsor and associate AFE Leadership will collaborate to execute joint training, daily operations, program management, mission requirements, and deployments.

2.15.2.2. The associate AFE Leadership will assist the sponsor AFE Leadership manage joint programs by executing roles and responsibilities based on organizational needs. **Note:** If the sponsor unit AFE Leadership position is vacant, the sponsor unit commander may appoint an associate unit SNCO to this position on a temporary basis to ensure continuity.

2.15.2.3. The sponsor and associate AFE Leadership will coordinate the use of ARC personnel funded with MPA “man-days” to support operations IAW business rules, as required. Units will develop a utilization plan that may include MPA utilization, specific tasks or mission-related events, members using them, and execution dates. Refer to AFI 10-301, *Managing Operational Utilization Requirements of the Air Reserve Component Forces* and DAFI 36-2619 for further details.

2.15.2.4. TFA units administratively aligned to a parent wing at a different base, the parent AFE Leadership will provide oversight and support for TFA-specific tasks, (e.g., data calls, ACBRNE funding validation/execution, etc.), separate from the sponsor unit.

2.15.2.4.1. Parent AFE Leadership will conduct periodic visits to their TFA units and include these travel requirements in the annual budget request.

2.15.2.4.2. Parent AFE Leadership will assist the TFA unit, as required.

2.15.3. AFE Leadership manpower responsibilities include:

2.15.3.1. Manage the AFE organizational structure in a manner that optimizes operational capabilities and executes functional responsibilities.

2.15.3.2. Determine manpower/staffing requirements.

2.15.3.2.1. Forecast ARC support for next fiscal year to assist MAJCOM MPA budgeting.

2.15.3.2.2. Notify MAJCOM of emergent manning fluctuations and request ARC support utilizing MPA.

2.15.3.3. Assign AFE technicians to and within the Wing IAW with this instruction. **Note:** Examples of flight organizational structures are available on the AFEU SharePoint for reference in structuring AFE operations.

2.15.3.4. Validate the accuracy of unit manning documents and assigning personnel based on rank and skill level. At installations with multiple Personnel Accounting Symbol (PAS) codes within a command, the AFES will assign the gaining member's PAS code based on AFE program needs, coordinating with supported unit SEL. Adjust PAS assignments according to Force Support Squadron (FSS) procedures. **Exception:** Manning point "E" positions require billet owner or Air Force Personnel Center (AFPC) assignment cell approval.

2.15.4. Ensure all AFE duties and responsibilities are accomplished IAW this instruction. AFE roles and responsibilities are adaptable and may be delegated by AFE Leadership to best meet their organizational needs.

2.15.5. Elevate any conflicting policy guidance to publication OPRs for adjudication through MAJCOM channels.

2.15.6. Facilitate and manage corrective actions for deficiencies and observations identified during SAs, MAJCOM site visits, IG events, outside agency evaluations, locally developed SACs, and HAF MICT SACs. Ensure progress is tracked and reported in applicable system (e.g., ELMS, IGEMS, MICT).

2.15.7. Monitor the status of HHQ site visits, MAJCOM IG inspections, outside agency evaluations (e.g., Wing Safety, HAZMAT, etc.), and internally identified deficiencies and observations (e.g., CCIP, QC, SA, etc.). Develop corrective action plans for deficiencies and ensure necessary actions are taken to ensure proper management and close out of evaluations and inspections.

2.15.8. Ensure AFE WIT members have access to MICT and provide AFE inspection support based on wing IG guidance and plans.

2.15.9. Conduct an annual Self-Assessment (SA) of the AFE program, initially within 120 days of appointment. This SA will validate personnel proficiency and use risk-based sampling of equipment, programs, and key processes to assess the execution of occupational competencies. AFE Leadership will accomplish the SA IAW this publication and applicable Wing CCIP business rules. **Note:** Additional resources for SA execution are located on the AFEU SharePoint.

2.15.10. Perform on-site evaluations of units supporting premeditated parachute programs at a minimum of 12-month cycle, or 18-month cycle for geographically separated units. Document on-site evaluations via Memorandum for Record (MFR) and forward to AFSPECWAR commanders or equivalent, as well as to applicable MAJCOM AFE staff.

2.15.11. Prepare and evaluate AFE related portions of local support agreements. Consult the Installation Support Agreement Manager (ISAM) or equivalent position within the Logistics Readiness Squadron or Civil Engineer Squadron (location dependent) for support agreement guidance.

2.15.11.1. Ensure support agreements are reviewed annually.

2.15.11.2. Units providing host support to tenant units will maintain authorized flight equipment according to support agreements and directives IAW AFMAN 90-1001 and DODI 4000.19.

2.15.12. Ensure compliance with any contract related to the unit's AFE mission.

2.15.12.1. AFE functions may opt to track inspection due dates through a Contract Maintenance Function(s), if necessary.

2.15.12.2. This should be codified through a written agreement between the Contract Maintenance Function(s) and AFE.

2.15.12.3. Inclusion of the inspection on the aircraft Form 46 or within the aircraft forms suffices.

2.15.13. Ensure units have required flight equipment to support daily operations and unit-supported contingencies.

2.15.13.1. Ensure support/test equipment remains serviceable (e.g., Handheld Survival Radios, cryptographic loaders, test sets and beacon interface, etc.) IAW applicable TOs.

2.15.13.2. Ensure computers paired with support/test equipment are only used for their intended purpose and must remain off networks/ADPE accounts to eliminate software/operating system compatibility issues. Additional software installation is unauthorized outside of the intended use.

2.15.14. Ensure AFE only accomplishes locally manufactured activities IAW applicable TOs, or as directed by OG/CC or equivalent to sustain flying operations based on available resources and personnel.

2.15.15. Coordinate with Wing Plans, Scheduling & Documentation (PS&D) to determine a routine frequency to participate in MXG scheduling meetings with Egress and PS&D, as applicable.

2.15.16. Ensure unit NCOICs have unrestricted access to the Personnel Recovery Mission Software (PRMS) Joint SARSAT Electronic Tracking Software (JSETS) module to effectively manage AFE-maintained 406 MHz capable survival radios, beacons, etc. (**https://prmsglobal.prms.af.mil**).

2.15.17. Ensure deficiency reports are submitted through Joint Deficiency Report System IAW TO 00-35D-54 for all flight equipment or system deficiencies and provide a copy to applicable MAJCOM/NGB staff.

2.15.18. Quality Control (QC) Program. Be responsible to the commander, director, or equivalent for overseeing and managing all aspects of the AFE quality control program. QC Program "Best Practices" are shared on the AFEU SharePoint.

2.15.18.1. Establish a process to review any unit submissions for engineering authority (AFLCMC/ROU, Boeing, etc.) review to include Product Quality Deficiency Reports (PQDR), Engineering Technical Assistance Request (ETAR), or equivalent.

2.15.18.2. Appoint Quality Inspectors (QI) and IPI/Rigger Check inspectors who meet the requirements outlined in **Sections 2.18** and **2.19**. **Note:** Refer to **Chapter 7** for premeditated parachute IPI/Rigger Check requirements.

2.15.18.3. Ensure QIs and IPI/Rigger Check inspectors are trained and qualified IAW CFETP 1P0X1 requirements.

2.15.18.4. Oversee the Quality Trend Analysis (QTA) program to ensure standardized execution, data integrity, effective application across all shops/sections, and alignment with occupational competencies. This responsibility includes reviewing QTA reports submitted by NCOICs and ensuring any identified trends are appropriately analyzed, addressed and solutions to correct deviations are in place. Validate corrective actions assigned to identified trends are effective on a routine basis until permanently rectified.

2.15.18.4.1. Assess QTA inputs to identify trends impacting applicable shops/sections.

2.15.18.4.2. Coordinate with AFE NCOICs to validate root causes and ensure corrective actions resolve the issues.

2.15.18.4.3. Establish a suitable battle rhythm with unit leadership to discuss the health of the AFE program.

2.15.18.4.4. Elevate any major deficiencies/conditions to unit leadership when they present risk or require additional resources, policy changes, or MAJCOM coordination.

2.15.18.4.5. Retain QTA reports for 1 year to track progress and identify long-term trends.

2.15.19. Ensure AFE sections have access to electronic publications, TOs, manuals, and messages pertaining to issue, inspection, maintenance, use of assigned flight equipment, and ensure compliance with instructions contained therein.

2.15.20. Ensure personnel are trained, familiar with and know how to access all applicable TO libraries (e.g., ETIMS, eTOOLS, Autonomic Logistics Information System - ALIS, etc.), publications, manuals, and messages applicable to daily duties.

2.15.21. Ensure all equipment modifications are approved IAW TO/COTS manuals, official TO content managers or MAJCOM/FOA guidance.

2.15.22. Advise MAJCOM staff(s) of TCTO program delays or supply issues as they arise, and upon completion of the TCTO.

2.15.23. Ensure TO accounts are managed accurately by overseeing the TO Distribution Office (TODO) which monitors TO Distribution Accounts (TODAs). TODAs are authorized as their own TODO at each AFE section assigned within the wing, or equivalent using the web-based Enhanced Technical Information Management System (ETIMS) IAW TO 00-5-1 and TO 00-5-15.

2.15.24. Serves as the installation, flight or PAS code-assigned AFE Product Improvement Manager (PIM) IAW Technical Order (TO) 00-5-1. Provides guidance, evaluates, processes, submits and tracks all RC, ETAR, deficiency reports, and suggestions affecting flight equipment in coordination with the AFE policy. All RCs, ETARs and suggestions pertaining to flight equipment will be evaluated by AFE Leadership prior to submittal to the applicable MAJCOM staff for review and action. **Exception:** ANG will follow wing guidance. If wing guidance is not provided, comply with this paragraph. Report TCTO program delays, supply problems, and upon completion of the TCTO to AFE Leadership.

2.15.25. When applicable, establish a Computer Program Identification Number (CPIN) account in ETIMS and validate an Electronic Software Download System is established to receive software updates when released. Links are available in the applicable TO and/or USAF AFE SharePoint.

2.15.26. Ensure units with a cryptographic requirement establish Communications Security (COMSEC) and crypto accounts for emergency electronic communication and/or signaling equipment, as required, to requisition materials needed for programming. **Note:** Units are authorized to utilize another section's crypto account providing AFE has unrestricted access and can meet readiness needs (e.g., UTC LOGDET requirements).

2.15.27. AFE Technician Training (AFETT). Ensure all supervisors, trainers, and trainees are actively engaged in the AFETT program. Ensure personnel are trained and qualified IAW this instruction, CFETP 1P0X1 and DAFMAN 36-2689.

2.15.27.1. Skill Level Upgrade. Before submitting trainees for a skill level upgrade, verify that they meet all mandatory requirements outlined by the Air Force Enlisted Classification Directory (AFECD) and CFETP 1P0X1. Work with the UTM to complete DAF Form 2096 to update the trainee's skill level and Training Status Code (TSC) in MilPDS.

2.15.27.2. Develop the Master Training List (MTL) encompassing all requirements identified in the CFETP tables applicable to assigned MDS(s).

2.15.28. Special Experience Identifier (SEI) Award. SEIs identify special experience and training not otherwise identified within the military personnel data system. Guidance on SEIs applicability and application is located within the Department of the Air Force Enlisted Classification Directory (DAFECD).

2.15.28.1. AFE Leadership should assign qualified members to duty positions that fully utilize their SEI qualifications (e.g. premeditated personnel parachute inspection and packing, etc.). When reassigning members with SEI qualifications, supervisors must consider the Airman's career development, equipment/shop continuity, and the return on investment for training time and costs spent to qualify these individuals.

2.15.28.2. Supporting premeditated parachute programs requires unique qualifications and certifications which may take up to two years to earn. RegAF MFMs will add Special Experience Identifier (SEI) 077, *Premeditated Parachute Program*, to all UMD positions supporting premeditated parachuting programs/operations. Additionally, RegAF MFMs will collaborate with the Air Force Personnel Center to adequately provide manpower to units supporting premeditated parachute programs at Manning Points "E" (CONUS) and "Q" (OCONUS) to retain qualified personnel while maximizing unit continuity.

2.15.29. Determine the desired number of AFE technicians to attend formal courses IAW CFETP. Formal courses will be requested through owning MAJCOMs. ANG units will forward requests through their unit training manager (UTM) and courtesy copy NGB/A3OS.

2.15.30. Manage the AFECT program to maintain instructor qualification, and establish a requalification schedule to ensure continuous validation of the training program.

2.15.30.1. AFE Leadership will ensure adequate training equipment mirrors operational equipment to the maximum extent possible and secure a distraction-free training facility to support all AFECT events.

2.15.30.2. AFECT Instructors (AFECTI) must be notified by AFE Leadership of configuration changes affecting operational and training equipment to ensure currency and accuracy of the training program.

2.15.31. Provide personnel and equipment readiness status to the commander (or designated representative), for Defense Readiness Reporting System (DRRS), Air Force Input Tool (AF-IT) regarding AFE performance measures impacting assigned Mission Essential Tasks (MET). Collaborate with MAJCOM to address issues affecting readiness.

2.15.32. Requisition Out-of-Cycle or supplemental munitions requirements through the supporting Munitions Accountable Systems Officer (MASO). Review DAFMAN 21-201 and policies for requisition procedures. Inform MAJCOM/FOA of shortages and status.

2.15.33. Establish AFE program leads to coordinate additional support with other organizations (e.g., Precision Measurement Equipment Laboratory, Munitions, Medical Supply, etc.).

2.15.34. Report time change component requirements IAW TO 00-20-9 and HHQ directives, when solicited.

2.15.35. Ensure compliance with all safety standards to include, but not limited to, AF Occupational, Safety, and Health Standard Training, documentation, and increased precautions for storage and handling of lithium batteries.

2.15.36. Ensure equipment involved in physiological incidents is properly managed IAW **Chapter 5** of this instruction.

2.15.37. Execute the annual Outstanding AFE Awards program IAW HAF and MAJCOM/NGB guidance.

2.15.38. AFE COR responsibilities:

2.15.38.1. Must receive a written designation of their authority to act on behalf of the contracting officer IAW Defense Federal Acquisition Regulation Supplement (DFARS) Subsection 201.602-2.

2.15.38.2. Complete Phase 1 and Phase 2 Initial COR training for the Contracting Officer (CO). AFE COR will receive prescribed and required surveillance and technical training prior to performing duties.

2.15.38.3. Oversee and document overall contractor performance. Develop a random sampling plan and accomplish random sampling of contracted services.

2.15.38.4. Develop the Master Training List, encompassing and covering all requirements identified in the PWS or statement of work (SOW), if required per governing contract.

2.15.38.5. The AFE Chief COR will train subordinate CORs to evaluate tasks and requirements listed in the PWS or SOW. The AFE Chief COR will accomplish annual over-the-shoulder evaluations on each assigned COR.

2.15.38.6. Ensure AFE COR training is documented in approved electronic records systems (e.g., TBA 2.0).

2.15.38.7. Develop a Quality Surveillance Plan detailing how the PWS or SOW will be surveilled by the COR.

2.15.38.8. Collaborate with the contractors, functional commanders and/or contracting officers to resolve problems.

2.15.38.9. Develop and endorse Monthly Surveillance Schedules and maintain copies for the life of the contract.

2.15.38.10. Prepare and endorse monthly Performance Assessment Reports and a summary of COR Surveillance Activities.

2.15.38.11. Review the contractor’s quality management program used to control quality and comply with contract requirements. Validate that the system adheres to all aspects of the PWS or SOW, including contract-specified sections, IAW the Inspection of Services clause in FAR 52.246.

2.15.38.12. Assist the CO with accomplishing routine Contractor Performance Assessment Rating Reporting System (CPARS) grade/rating.

2.15.38.13. Develop Independent Government Estimates (IGE) and evaluate contractor proposals, as required.

2.15.38.14. Act as a member of the Multi-Functional Team (MFT), as required.

2.15.38.15. Issue Letters of Concern (LOC) or Corrective Action Requests, when required.

2.15.38.16. Validate that AFE Government Furnished Equipment (GFE) is inventoried, accounted for, and properly disposed of by the contractor when directed by the CO.

2.15.38.17. When directed by the CO, assist with contract closeout upon completion of the PWS/SOW.

2.15.38.18. Ensure all contractors, internal, and external new hires for this career field are graduates of the AFE (1P0X1), prior Aircrew Life Support (AFSC 1T1X1) and/or Survival Equipment (AFSC 2A7X4) technical training courses or sister-service equivalent courses. Federal Aviation Administration (FAA) certified riggers may be used in premeditated units as an equivalent certification with limitations IAW AFMAN 13-210 series and this publication. Ensure these requirements are written into the position requirement, contract, and/or SOW as applicable.

2.16. AFE NCOIC (Section Chief when responsible for multiple work centers/sections). AFE NCOICs are responsible for the production quality and mission execution of the section or program they are assigned. In cases where work centers are subdivided into sections (e.g., aircrew/operator support section, aircraft support section, premeditated parachute section, etc.), subordinate NCOICs are responsible for performing the appropriate functional responsibilities. AFE NCOICs will:

2.16.1. Serve as the primary trainer on all tasks within their assigned shop/section.

2.16.2. Serve as the primary quality assessor (e.g., QCs, self-assessments within their assigned shop/section, etc.) to:

2.16.2.1. Establish and foster a culture of commitment to quality in all AFE operations, including mission execution, equipment inspections, customer service, training and leadership.

2.16.2.2. Responsible for keeping AFE Leadership and their section informed on equipment quality and personnel performance. NCOICs will use and consolidate equipment inspection data and analyze negative trend indicators. Major discrepancies, safety, integrity, and/or readiness concerns will be reported up to AFE Leadership. When reporting, consider key findings and root causes, identify areas for improvement, potential training needs, suggested process changes, and/or personnel rotations warranted to rectify observations. **Note:** Examples of best practices are available on the AFEU SharePoint.

2.16.2.3. Provide on-the-spot training and instruction to address deficiencies identified during routine inspections, QCIs, and self-assessments.

2.16.2.4. Identify individual and section performance gaps. Analyze root causes and assess training needs among assigned personnel. Develop and implement solutions to improve performance.

2.16.2.5. Ensure assigned personnel at all levels are responsible and accountable for enforcing mandatory standards and adhering to all applicable TOs, policies and practices.

2.16.2.6. Ensure all procedural TO changes are briefed and physically demonstrated to all assigned technicians, ensuring comprehension and understanding of the change.

2.16.3. Monitor and manage daily operations, ensuring scheduled equipment inspections are accomplished (e.g., daily workloads, flying schedule coverage, leave, and appointments, etc.).

2.16.3.1. AFE personnel will not maintain ground crew Night Vision Devices (NVD) or ground crew optical devices (e.g., Security Forces, Airfield Operations, etc.). **Exception:** AFSPECWAR, AMC C-17A Special Operations Low Level II (SOLL II), Forward Area Refueling Point (FARP) and Aerial Bulk Fuel Delivery Systems (ABFDS) AFE teams may support maintenance of these devices for that specific operator mission. (**AFMC only)** J-prefix coded AFE positions will provide direct rigging support to assigned test parachutists and will be responsible for maintenance of all Test Parachute Program (TPP) jump related equipment; qualified members will participate in test jumps as identified by the TPP Superintendent.

2.16.3.2. Support Non-Aircrew Position Identifier (non-API) personnel performing aircrew duties including FARP teams, ABFDS, Maintenance Activity Special Operations Personnel (MASOP), 1D7X1 RF Transmission System Operators, X17WX Warrant Officers, Combat Camera personnel in flying positions, and Aeromedical Evacuation personnel. Personnel assigned to flying positions will be issued individual flight equipment. Unless specified, owning unit/command has administrative control for these types of personnel and will purchase or provide funding for flight equipment (e.g., NVDs, helmet, oxygen mask, etc., if required). **Exception:** AFSOC does not provide equipment for non-API personnel.

2.16.3.3. Flying Crew Chiefs will not be issued or provided individual flight equipment. **Exception:** MASOP and B-52 Flying Crew Chiefs may be issued individual AFE.

2.16.4. Establish unrestricted access to the PRMS JSETS module to manage assigned 406 MHz capable survival radios, beacons, etc. (**https://prmsglobal.prms.af.mil**).

2.16.5. Ensure units have the required equipment to support daily operations and unit-supported contingencies.

2.16.5.1. Store, handle, service, and account for 412A System associated items IAW TO 00-25-06-2-1.

2.16.5.2. Maintain equipment used in flight simulators, Egress Procedure Trainers (EPT), and fuselage trainers. MAJCOMs may specify frequency and procurement procedures. If not specified, inspect equipment used in or on these devices at the same intervals as operational equipment/aircraft (e.g., F-15 EPT AFE will be inspected IAW in-service equipment). AFE personnel are not required to do daily post-flight/Mission Termination Inspections of equipment used in support of these devices.

2.16.5.3. Ensure that MDS approved bladder relief devices are procurable through OG-approved processes and available for aircrew that request them. StF letters per MDS are located on the AFLCMC/ROU SharePoint.

2.16.5.4. **F-22 Aircrew only.** F-22 aircrew undergoing Permanent Change of Station (PCS) will be out-processed according to the following equipment transfer procedures. Aircrew transferring to another F-22 unit will hand-carry their helmet, oxygen mask, visor, CSU-23/P anti-gravity garment, PRU-73/P life preserver, Environmental Protection Layer (EPL) and undergarments. Aircrew transferring to support other airframes or missions will hand-carry their helmet, oxygen mask, visor and issued undergarments, but the issuing unit will retain the CSU-23/P, PRU-73/P, and EPL.

2.16.6. Ensure AFE section access is restricted from thoroughfare by any individual(s) not assigned to the unit to the maximum extent possible. This is to prevent theft, tampering, damage, and/or contaminants to equipment.

2.16.7. Validate assigned section/shop complies with all AFE requirements related to administration, training and equipment applicable to assigned UTC MISCAP statements.

2.16.8. If assigned to a deployable unit, secure a SIPRNET token or access to validate SPINS for operational planning purposes.

2.16.9. Where applicable, establish and maintain access to the PRMS, Joint SARSAT Electronic Tracking System (JSETS) module to manage assigned personnel recovery hardware (e.g., Handheld Survival Radios, Personnel Locator Beacons, etc.).

2.16.10. Ensure compliance with AFI 10-3503, DAFMAN 13-217 and AFMAN 13-210 series guidance, as applicable, for premeditated parachute operations.

2.16.11. Ensure the capability exists to clean, repair, package and perform in-shop inspection on aircraft thermal curtains and thermal radiation barriers, if required.

2.16.12. Develop and coordinate a work center specific explosive safety program through AFE Leadership and the wing safety office.

2.16.13. Notify AFE Leadership when personnel fail to return all temporarily issued equipment to AFE at the end of each day, or upon returning from alert status, TDY, deployments, missions, exercises, etc. for required inspection, maintenance, and fit.

2.16.14. Manage the TCTO program IAW TO 00-5-15 to ensure proper integration of equipment with MDS/Weapon System/recovery systems.

2.16.14.1. Coordinate with the AFE Leadership to monitor progress, resolve delays, and address supply issues.

2.16.14.2. Ensure AFE technicians document completion of TCTOs in ELMS. Locally developed products may be used to track and monitor TCTOs.

2.17. Quality Inspectors (QI).

2.17.1. The purpose of Quality Control (QC) is to promote a culture that values high quality inspections by providing feedback to AFE personnel. NCOICs serve as the primary QI within their assigned section/shop, though AFE Leadership may train and appoint additional QIs to support the program. QIs are responsible for ensuring equipment meets quality and standards outlined in applicable TO/COTS manuals.

2.17.2. QIs responsibilities:

2.17.2.1. Perform Quality Control Inspections (QCI) on equipment they are qualified on IAW CFETP 1P0X1 and document in ELMS. **Note:** Units are authorized to use AF Form 2420 or equivalent to facilitate workflow, but records must be transcribed in ELMS as the official system of record. **Exception:** F-35 units will use AF Form 2420 or equivalent to document QCIs due to the lack of capability within the Autonomic Logistics Information System (ALIS). QCI documentation will be maintained until next inspection/repack. Duplicate documentation is not required.

2.17.2.2. Perform QCIs on 100 percent of all survival vests, survival kits (not to include SRU-16/P minimum survival kit), hand-held radios loaded with Special Instructions (SPINS), multi-place life rafts, escape slides, all variations of inspected/repacked parachute assemblies and all new equipment build-ups (e.g., parachutes, harness, helmet, LPU).

2.17.2.3. Perform QCIs on 100 percent of all equipment inspected/repacked by AFE technicians that are not qualified at the basic competency level on a specific task or equipment item applicable to their assigned MDS as outlined in the CFETP 1P0X1 attachments

2.17.2.4. Perform QCIs on a minimum of 10 percent of each equipment type inspected daily.

2.17.2.5. Ensure all QCI discrepancies are corrected prior to the equipment being placed back into service. **Note:** To the maximum extent possible, the original technician will correct all discrepancies.

2.17.2.6. Validate that QCI corrective action remarks include, at a minimum, the applicable inspection guidance or directive, page and paragraph number, date corrected, and the initials of the technician who corrected the discrepancy in ELMS

2.18. In-Process Inspection (IPI).

2.18.1. Designated 1P071A, 1P071B or civilian/contractor equivalents will perform IPI duties IAW this instruction, responsible for verifying that all IPIs directed within TO/TM/COTS guidance are correctly accomplished.

2.18.2. Inspectors will only perform IPIs on equipment they are qualified to validate IAW CFETP 1P0X1 requirements.

2.18.3. **Exception:** Highly experienced and qualified SrA 1P051 may be appointed to perform IPIs when approved by AFE Leadership based on 7-level or manpower shortages. IPI inspectors will enforce the Two-Person Concept when performing IPIs on equipment.

2.19. Rigger Check Inspector.

2.19.1. Rigger Check Inspector Qualifications and Responsibilities: Designated 1P051B or qualified civilian/contractor equivalents will perform Rigger Checks. These inspectors are responsible for verifying that all Rigger Checks directed within TO/TM/COTS guidance are accomplished and will only perform inspections on equipment for which they are qualified IAW CFETP 1P0X1 requirements.

2.19.2. Waiver Authority: To facilitate training or mission requirements, the first O-6 in the chain of command may grant a temporary waiver for Rigger Check and/or QCI grade and skill level requirements.

2.20. USAF Parachute Rigger Program. This instruction establishes procedures governing the authority and administration of the USAF Parachute Rigger Program (PRP), qualifications, requirements and procedures appliable to rigging personnel and cargo parachutes.

2.20.1. The requirements for the USAF PRP originate from DOD Directive (DODD) 5100.01 *Functions of the Department of Defense and Its Major Components*.

2.20.2. The functional and management objectives of the USAF PRP are:

2.20.2.1. Inspect and maintain systems and equipment that contribute to tactical employment of forces across the range of military operations.

2.20.2.2. Provides standards for training and qualifications of USAF riggers.

2.20.2.3. Increases mission effectiveness and safety

2.20.2.4. Ensures compliance with DoW and USAF activity, mishap, incident and malfunction reporting requirements.

2.20.3. USAF Parachute Rigger Program Manager (PRPM). Manages the entire Parachute Rigger Program (PRP). The USAF PRPM is the principal rigging personnel and cargo parachute programmatic subject matter expert (SME) responsible for PRP standardization, evaluation, and rigger related activities to include logistics.

2.20.3.1. Must be a graduate of Parachute Rigger Courses, US Army Quartermaster Center and School (USAQMC&S), Fort Lee.

2.20.3.2. Will attend the USAF Personnel Parachute Program (PPP) Executive Committee meeting IAW AFI 10-3503.

2.20.3.3. Each activity or unit with a parachuting mission will have a MAJCOM Command Rigger (MCR) and an Organizational (Wing, Group and Squadron) Rigger Point of Contact (POC) for personnel and cargo issues. MAJCOMs lacking a rigger on staff, will designate a field-level SNCO **Exception:** NGB CFM designates an ANG weapons system team chief.

2.20.3.4. Must be a qualified rigger familiar with their MAJCOM's operational procedures.

2.20.3.5. Responsible for standardization and parachute-related logistics.

2.20.3.6. MCR will coordinate with MAJCOM PPPM and Command Parachutist to ensure shared awareness of trends and programmatic updates.

2.20.4. Organizational Rigger POC. Manages their organization's PRP and serves as a communication link with the MCR, ideally being a rigger qualified in the unit's primary personnel and cargo parachute mission.

2.20.5. MAJCOM Command Rigger (MCR) and Rigger POC responsibilities.

2.20.5.1. Disseminate safety information, report incidents and hazards, assist commanders in requirements development, provide leadership and oversight, and facilitate mishap information flow.

2.20.5.2. Must have direct access to Air Force Safety Automated System (AFSAS) or establish a process to ensure organizational safety personnel inform them of all parachute and cargo mishaps in IAW AFMAN 13-210 Vol 1 and Vol 2, and AFI 10-3503.

2.21. Aircraft Commanders.

2.21.1. Ensure that aircraft prepositioned flight equipment is serviceable, inventoried, and certified on the Form 46, or equivalent before local flights, TDY, deployments, or when the aircraft or crew changes. Report any shortages or unserviceable equipment to the AFE section and note discrepancies on AFTO Form 781A.

2.21.2. Document details such as location and contact information on AFTO Form 781A and Form 46 when missing or improperly configured equipment is discovered, to help AFE recover items, DODI 7000.14-R Vol 12 covers all financial liability investigation guidelines.

2.21.3. Ensure equipment (e.g., survival kits, life preservers, anti-exposure suits, EPOS, parachutes, etc.) is returned to proper storage locations aboard aircraft.

2.22. Aircrew/Operators.

2.22.1. Obtain personal flying clothing and accessories (e.g., flight suits, bladder relief, jackets, boots, gloves, etc.) from assigned or attached squadron supply, or applicable resource advisor.

2.22.1.1. The following guidance identifies approved flight clothing and outlines inspection, maintenance and serviceability requirements: TO 14-1-1, TO 14P3-1-112, TO 14P3-5-111-1, TO 14P3-5-111-2, DAFI 36-2903, and the AFLCMC SharePoint.

2.22.1.2. AFMC's Air Force uniform office at Wright Patterson AFB is the focal point for garments authorization. **Exception:** F-35 units will use F-35 program guidance. **Note:** A listing of authorized equipment, procurement methods, and equipment modifications can be found at the USAF AFE SharePoint under the *Equipment* tab.

2.22.2. Ensure equipment is made available to AFE technicians IAW local requirements to conduct TO required inspections, maintenance, and fitting requirements prior to operational use.

2.22.2.1. Provide prescription optical inserts and/or outserts used with equipment to AFE personnel upon optical issues and/or technician requests, if needed, and worn in the performance of duties.

2.22.3. Notify AFE technicians prior to going TDY with equipment to ensure inspections are current through projected return date.

2.22.4. Ensure only helmets, oxygen masks and padded night vision goggle cases are carried in the main compartment of the helmet bag to and from the AFE facility. Carry all headsets in the helmet bag outer pocket. **Note:** F-35 aircrew will use F-35 program guidance.

2.22.5. Ensure unauthorized items such as food, batteries, bug spray, petroleum-based products, or other items that may cause contamination to equipment are not placed or stored in helmet bags or equipment lockers.

2.22.6. Ensure ACBRNE has been fit and issued prior to deployment. Hand-carry assigned D-1 ACBRNE bags. **Note:** These assets will not be palletized or floor loaded unless placed in a durable nesting box or hard protective case to prevent damage.

2.22.7. Maintain responsibility for all issued equipment (e.g., NVD, ACBRNE, HMDs) and ensure items are returned to the AFE section upon completion of training, mission, alert tour, deployment or TDY.

2.22.8. Hand-carry fragile personal equipment (e.g., helmet, mask, NVDs, radio, etc.) unless packed in a hard protective case while traveling on any commercial flight.

2.22.8.1. Review commercial flight regulations prior to transporting equipment on commercial carriers.

2.22.9. Perform preflight inspections on assigned or prepositioned equipment as required by appropriate aircraft manuals, TOs, joint technical data, policies, and HHQ directives. Operational checks using in-shop equipment will be accomplished on personal equipment prior to flight (e.g., Oxygen equipment, communications devices and NVDs).

2.22.10. Ensure all issued equipment fits properly. Promptly notify AFE technicians of fluctuations in weight, or any other circumstances that would affect the fit and/or functionality of equipment.

2.22.11. Ensure equipment is sanitized IAW mission requirements, SPINS and applicable AFTTPs.

2.22.12. Not perform any modifications or use any unauthorized equipment without prior approval IAW this publication.

2.23. Flightline Maintenance Elements.

2.23.1. Responsible for the removal and installation of escape slides and the following life raft assemblies: wing-well, over-wing, 25-man and 46-man life rafts (to include the Age Limited Kits). AFE is responsible for removal and installation on escape slides and life rafts (F2B) on the KC-135 only (to include outer-kits).

2.23.2. Servicing, inspecting, recharging, testing, and overhaul of cylinder/valve assemblies will be performed by Aircraft Electrical and Environmental Systems (E&E) Specialists (2A6X6), or qualified/fully trained personnel at field-level, to include AF contractors.

2.23.2.1. If the E&E function does not possess the capability to maintain cylinders, they are responsible for coordinating with appropriate agencies (e.g., qualified vendors) to accomplish the required task. AFE sections requiring external support for repair of components will accomplish the applicable forms and forward items to the appropriate activity to initiate maintenance. If maintenance activity uses an approved contractor for cylinder maintenance, flight equipment cylinders must be added to the contract.

2.23.3. A trained aircraft maintenance crew chief will remove thermal protective devices, complete on-aircraft inspections, and reseal serviceable devices. Aircraft maintenance will deliver unserviceable curtains/barriers to AFE for in-shop inspection and repair, as required. Devices and shields that are stored in a sealed container are not re-inspected.

2.23.4. In units with an ACBRNE response/mitigation requirement, AFE Leadership will collaborate with flightline maintenance leadership to provide trained aircraft maintenance crew chiefs or designated maintainers to complement aircraft/aircrew response procedures.

2.24. Plans, Scheduling and Documentation (PS&D).

2.24.1. Responsible for forecasting and tracking of aircraft installed equipment using the highest assembly’s inspection/due date.

2.24.2. Units must work independently with the plans, scheduling and documentation offices to determine what items are tracked IAW DAFI 21-101 and TO 00-20-9.

2.24.3. Establish a digital library (e.g., SharePoint, MS Teams, etc.) accessible by AFE and Egress with a directory of required documents where applicable highest assembly inspection records/printouts (e.g. AFERMS/ALIS printout) can be uploaded. Ensure completed AFERMS/ALIS records are available in the library prior to off-equipment maintenance updates in the Maintenance Information System (MIS) (e.g., IMDS, ALIS, etc.), and request updates from AFE when discrepancies are noted. MXG and AFE will collaborate to determine what documents shall be kept in the library. AFE will be responsible for maintaining record accuracy.

2.24.4. Provide AFE and Egress timely information regarding on-equipment maintenance scheduling to facilitate coordination.

2.24.5. Ensure information in MX-MIS matches the AFE provided AFERMS/ALIS record. When differences are noted, AFERMS/ALIS shall be the system of record. Clear MX-MIS suspense(s) when required and file applicable AFERMS/ALIS records in the aircraft jacket file and aircraft forms prior to the next scheduled flight. This includes, but is not limited to, unscheduled maintenance actions, TCI, Extensions, TCTO's etc., which can be found in AFERMS/ALIS.

2.24.6. Ensure that AFE and Egress attend all MX-related meetings with installed AFE (i.e., seat kits, chutes).

2.25. Egress Elements.

2.25.1. Egress elements are responsible for the removal, installation, and tracking of integrated parachutes, survival kits and oxygen connectors (while aircraft installed) as listed in applicable Job Guides. **Exception:** AFGSC AFE may install B-52 series aircraft equipment.

2.25.2. Egress technicians will locate inadvertent beacon activation on the flightline. Egress responsibilities are further defined in DAFI 21-101. **Note:** AFE technicians will locate inadvertent beacon activations within their shops/vehicles and on a flightline where Egress technicians are not assigned.

2.25.3. Egress personnel are responsible for documenting location of connector local IDs installed on ejection seat aircraft, if applicable.

2.25.4. Ensure the digital library established by PS&D contains updated AFERMS/ALIS documents for scheduled assets before pickup (e.g., no overdue items without current extensions). If issues are identified, rectify with AFE before leaving with assets. Conduct an inspection of AFE assets upon receipt, in accordance with technical guidance (and local procedures as applicable) before taking possession of the assets and leaving the AFE facility.

2.25.5. Close out highest-level assembly on-equipment maintenance in MX-MIS upon installation of AFE item and file all relevant AFERMS/ALIS records in the applicable aircraft forms. Notify PS&D upon completion of MX-MIS to ensure suspense(s) has been processed and confirm no overdue items were installed before the next flight.

2.25.6. Provide SME input regarding scheduling viability (personnel availability, workload balance, time change background information, etc.) at all scheduling meetings as prescribed.

2.25.7. Attend all MX-related meetings with installed AFE (i.e., seat kits, chutes).

2.25.8. Coordinate with AFE for date/time of asset pickup.

2.26. Avionics. Routes all Helmet Mounted Cueing System related equipment issues and coordinates inspection of Helmet Mounted Cueing System helmets used for aircraft maintenance through the AFE Leadership for resolution.

2.27. Optometry Clinic.

2.27.1. Provides optometry support for aircrew and operators to include ACBRNE eyepieces, interpupillary distance measurements, screening of users for Aircrew Laser Eye Protection (ALEP), High Contrast Visors, and Night Vision Devices (NVD), etc.

2.27.2. Perform annual eye exams on AFE technicians who maintain NVDs and provide documented results of the annual eye exam. Technicians must have 20/20 (correctable) vision in at least one eye to perform NVD maintenance IAW TO 12S10-2AVS9-2. **Note:** 20/20 visual acuity may also be assessed by any authorized medical clinic (e.g., Family Medicine, Flight Medicine, etc.) but must be documented or referred to Optometry if visual correction is needed. **Exception:** AFE technicians do not require annual eye exams when only issuing ground NVDs.

2.28. Flight Medicine.

2.28.1. Conducts annual visits to AFE sections to ensure compliance with TO 15X-1-1.

2.28.2. Provides units a list of aircrew and/or operators approved to use High Contrast Visors IAW TO 14P3-4-151.

2.29. Operational Medicine. Provides standard ear impression technique for Attenuating Custom Communication Earpiece System (ACCES) and similar devices IAW AFMAN 48-149.

2.30. Medical Logistics.

2.30.1. Inspects and maintains first aid kits IAW TO 00-35A-39.

2.30.2. Medical Logistics may be used as a POC for procuring first aid kits, isopropyl alcohol, gauze pads, and other medical supplies used for cleaning and maintaining equipment.

2.31. Occupational and Environmental Health. Conducts workplace surveillance and health monitoring programs IAW DAFI 48-145.

2.32. Air Force Safety Center (AFSEC).

2.32.1. Provides AFE experience data to the Directorate of Human Factors or Aviation Safety upon request.

2.32.2. Field-level requests for privileged mishap related data must be processed through AFMC Safety (AFMC/SE) IAW DAFI 91-204. Requests for non-privileged mishap-related data should be processed through the MAJCOM, including the servicing Staff Judge Advocate's office.

2.33. Wing Safety. See DAFI 91-202 for all mishap investigation kits/items authorized.

Chapter 3

CAREER FIELD DEVELOPMENT

3.1. Purpose. AFE career field development is the cornerstone of the career field and is realized through the guidance, direction and execution of the Air Force 1P0X1 Career Field Education and Training Plan (CFETP) and associated training resources. Progression planning is the responsibility of the CFM and applies to all personnel in the AFS. The CFM utilizes input from the AFEEC to develop and adjust the career field progression plan, as needed.

3.2. Aircrew Flight Equipment University (AFEU). The AFEU was established to develop, cultivate and advance a unified vision for the 1P0 AFS, executed across diverse formats, platforms and organizations. An elected BoT manages the strategic direction and priorities of the AFEU, establishes committees, policies and procedures to facilitate effective governance and execution of the Board's responsibilities. The AFEU hosts a repository of BoT approved content to assist 1P0 personnel shape and execute operations.

3.3. Career Field Education and Training Plan (CFETP) 1P0X1. The CFETP serves as the primary roadmap for developing competent and proficient AFE technicians, outlining the comprehensive training continuum from initial entry through advanced skill levels. It details the specific knowledge, skills, and abilities required at each stage of career progression, from Apprentice to Superintendent. This competency-based approach facilitates training focused on practical skills and measurable outcomes, providing an effective and efficient learning process. The CFETP includes sections on general information, career progression, training courses, AFE University resources and the Specialty Training Standard (STS), ensuring standardized and effective training across the AFE career field.

3.4. AFE Technician Training (AFETT). The AFETT program is the foundation of the 1P0 AFS and provides a structured, high-quality training framework to ensure military and civilian personnel achieve and maintain task qualification IAW CFETP 1P0X1. An effective AFETT program produces highly skilled AFE technicians capable of sustaining equipment, safeguarding life and enhancing mission readiness. The AFETT program encompasses upgrade, qualification, and continuation training. Units will execute the AFETT IAW DAFMAN 36-2689, CFETP 1P0X1, and this instruction.

3.5. Training Program Progression and Administration. AFE Leadership and supervisors will collaborate to develop a training plan focused on technician development to meet mission requirements while also mentoring Airmen to achieve career objectives outlined in CFETP 1P0X1. AFE training consists of three components: job knowledge, job proficiency, and job experience. Together, these components ensure AFE personnel are fully prepared to both meet and sustain mission requirements.

3.5.1. *Job knowledge* is acquired through the understanding of processes and mission sets, active mentorship and engagement by leaders at all levels. Resources to develop job knowledge include doctrine, AFMANs or other service directives, Learning Modules, TOs, and other technical references. These resources provide foundational knowledge across AFE systems and MDS/mission-specific equipment, and shape technical understanding of career field requirements and operational procedures.

3.5.2. *Job proficiency* is developed through hands-on training by building and reinforcing habit patterns through repetition over time, which allows technicians to apply knowledge in the work center. This phase builds technical skills, reinforces execution of assigned tasks, and prepares personnel to operate under home station or deployed conditions.

3.5.3. *Job experience* is gained during and after upgrade training (UGT). The UGT program builds technician competence and confidence in executing all aspects of the mission.

3.5.4. 100% Task Coverage. 100% task coverage describes specific tasks deemed critical to mission accomplishment. This concept requires that an appropriate number of qualified technicians are available to accomplish the mission. It is not intended to, nor requires, all assigned technicians to be qualified on every task. It is AFE Leadership's responsibility to determine the appropriate number of qualified technicians required to meet mission needs.

3.5.4.1. AFE Leadership, in coordination with AFE NCOICs, must capture all applicable tasks in the Master Task List (MTL). Ensure sufficient qualified personnel are available to meet operational demands while accounting for the section's daily dynamic (e.g., deployments, leave, medical restrictions, shift work, etc.). Example: 46-Man life-rafts, while not a core UGT task, still require inspection. AFE Leadership determines the minimum number of qualified technicians required to always ensure all equipment remains serviceable for the shop/section, without requiring every technician to be qualified on every task.

3.5.5. AFE Supervisor and Trainer Responsibilities:

3.5.5.1. Trainer Qualifications. AFE trainers must be highly qualified and experienced in the tasks they are training. The AFE NCOIC is the primary trainer for all shops/sections they have responsibility for. The UTM and AFE Leadership will ensure all trainers meet the requirements outlined in DAFMAN 36-2689. **(T-1)**

3.5.5.2. Competency Qualification. Competency qualification is achieved when a supervisor or trainer verifies that a technician in training has demonstrated the required task knowledge, proficiency, and experience to meet equipment maintenance (basic) sub-competencies for a specific task or equipment item. See CFETP 1P0X1 for Competency Model details.

3.5.5.2.1. Provide real-time guidance and mentorship throughout the training process. Ensure technicians receive the necessary support to progress from the initial task introduction until task qualification is achieved.

3.5.5.2.2. Provide technicians with the opportunity to analyze and solve problems independently. Under no circumstances will a trainee be placed in situations where supervisor/trainer guidance is needed, but not available.

3.5.5.3. Training Documentation. Supervisors and trainers will document training progression utilizing TBA 2.0, and IAW CFETP 1P0X1 and DAFMAN 36-2689. **Exception:** ALC AFE related technicians will track appropriate training and task qualifications using Part II of CFETP 1P0X1 or civilian Training Schedule System (TSS-PAC) program parts II and III. **(T-2)**

3.5.5.4. Training Planning and Execution. AFE NCOICs will collaborate with supervisors and technicians to plan, schedule, and conduct upgrade and/or duty qualification training.

3.5.5.5. Training Deficiency Resolution. AFE NCOICs will collaborate with supervisors and technicians to resolve training related matters or observed negative trends. AFE Leadership will be informed of training related matters for situational awareness to ensure mission requirements are met.

3.6. AFE Special Duty Positions. AFE special duty opportunities provide unique and key functional experiences. These positions are generally advertised under the Enlisted Quarterly Assignment Listing (EQUAL) Plus assignment process and usually have mandatory job requirements. Members interested in these positions should pursue the job-specific requirements for future consideration/eligibility. The following AFE special duty positions include but are not limited to:

3.6.1. USAF Aerial Demonstration Squadron (Thunderbirds)

3.6.2. AFE Initial Skills Training Instructor (Technical School)

3.6.3. AFE Instructor (436 TRS, ACC)

3.6.4. Air Advisor

3.6.5. Defense POW/MIA Accounting Agency

3.6.6. USAF Parachute Demonstration Team (98 FTS, Wings of Blue)

3.6.7. Parachute Rigger Course Instructor (US Army Aerial Delivery Field Services Department)

3.6.8. MAJCOM Staff, Command Manager

3.6.9. MAJCOM Staff, Deputy MFM

3.6.10. MAJCOM Staff, Requirements Manager

3.6.11. MAJCOM Staff, Inspector General AFE Inspector

3.7. Development Teams (DT).

3.7.1. DTs are a vital component to the 1P0 AFS talent management process. It focuses on the deliberate development of eligible SNCOs by strategically aligning their skills and experience with Air Force needs. DTs provide a structured, transparent vectoring process to guide SNCO career progression by placing the right leaders in the right positions at the right time. A full description and illustrated pyramid progression for each career path (vector) are contained within the 1P0X1 Aircrew Flight Equipment Development Team Charter, which is posted to the HAF AFE SharePoint.

3.7.2. DTs guide SNCO development through record evaluations (e.g., performance briefs, decorations, experience, and development plans) to assess strengths and potential to serve in strategic roles. It identifies career paths aligned with individual skills and Air Force needs, providing a roadmap for development and *potential* future assignments. Personalized feedback offers tailored guidance and mentorship, while DT recommendations inform assignment decisions to strategically place talent within the AFE career field.

3.8. AFE Superintendent Workshop.

3.8.1. The AFE Superintendent Workshop is organized by HAF/A34P on a biennial basis and will be hosted in collaboration with senior AFE leaders identified during the AFEEC.

3.8.2. The objective of the AFE Superintendent Workshop is to develop 1P0 SNCOs across the Total Force through various curriculum, aligning knowledge and skills required to lead, manage and synchronize wing level AFE functions with DAF policies and directives. **Note:** MAJCOMs/NGB may conduct their own training workshop provided they use course material approved by AF/A34P.

3.9. Special Experience Identifiers (SEI). A full list of all applicable SEIs, qualifications and the authority to recommend, approve, and remove are listed in the DAFECD. SEIs will be initiated via AF Form 2096. **(T-1)**

3.10. Civil Service 1P0-Assigned Personnel.

3.10.1. Applicability. This section applies to DoW civilians performing AFE duties only. **Exception:** Not applicable to ANG Title 32 Dual Status Civilian Employees.

3.10.2. Prior to hiring, AFE Civil Service Personnel must have:

3.10.2.1. Met all AFE mandatory specialty qualification requirements listed in the Department of the Air Force Enlisted Classification Directory (DAFECD) **(T-1)**. Security clearance requirements may be determined by the hiring unit and MAJCOM FM. **(T-1)**

3.10.2.2. A minimum of three years of experience fitting aircrew/operator helmets, oxygen masks, and working with aviator flight equipment. **(T-1)**

3.10.2.3. Graduated from one of the following courses: USAF AFE Initial Skills Course (1P0X1), Aircrew Life Support (AFSC 1T1X1) and/or Survival Equipment (AFSC 2A7X4) technical training course(s), sister-service equivalent courses (e.g., US Navy Parachute Rigger, US Army Aviation Life Support Equipment) or possess a Federal Aviation Administration (FAA) certified background or equivalent training/certification. Ensure this is written into the position(s) requirement, contract, and/or Statement of Work as applicable. Air Force Materiel Command (AFMC) may authorize other methods of training for ALC AFE related hires only with the express permission of AF/A34P to best meet mission needs. **(T-1)**

3.10.2.4. **(Pre-meditated parachute qualification only)** Graduated from: Parachute Rigger Courses, USAQMC&S, Ft. Lee, VA., and/or Static Line/RAM-Air Parachute Systems Courses, 361 TRS, Sheppard AFB, TX**. (T-2)**

Chapter 4

AIRCREW FLIGHT EQUIPMENT CONTINUATION TRAINING (AFECT)

4.1. Purpose.

4.1.1. AFE Leadership oversees the AFE Continuation Training (AFECT) program to deliver aircrew/operator ground training AFE-centric events (not ancillary training) for all assigned or attached aircrew, operators, designated non-rated personnel and ejection seat passengers to establish initial familiarization, or refresh and enhance individual knowledge and proficiency in use of AFE.

4.1.2. This chapter establishes specific requirements for all AFECT events and applies to all aircrew/operators and personnel who require training. This chapter also outlines specific criteria for AFECT Instructor (AFECTI) qualifications.

4.1.3. Training will be conducted by a qualified instructor using training equipment that mirrors operational equipment. Where practical, training will include realistic scenarios that aircrew/operators are likely to encounter, and aid passenger recall.

4.1.4. The Air Armament Center and AF Flight Test Center (AFFTC) should maintain the ability to send qualified training instructor(s) and suitable training aids TDY to field activities unable to obtain the minimum training from host bases or contractors. Personnel may be sent TDY to the Air Armament Center or AFFTC for training when it is more appropriate and less costly. Units requesting external support are responsible for scheduling and covering TDY costs. **(T-3)**

4.1.5. Miscellaneous Training. In support of AFI 32-2001, AFE provides training on the fundamentals and hazards of equipment related to aircrew/operator extraction training requirements. AFE is only responsible for training Fire Department lead trainers and providing updates on newly fielded equipment. See **paragraph 4.5** for lesson plan requirements. **(T-2)**

4.2. AFECT Instructor (AFECTI) Requirements and Qualifications.

4.2.1. The term AFECTI applies only to qualified 1P0X1 technicians who are qualified IAW the 1P0X1 CFETP and this instruction. **(T-1)**

4.2.2. AFECTIs will be qualified by AFE Leadership before instructing LL04, LL06, and LL09 with requalification required at each new assignment. **Exception:** Units that are geographically separated from parent AFE Leadership will be qualified by means outlined in the parent-unit guidance.

4.2.2.1. AFECTIs assigned to locations with multiple aircraft types must be qualified IAW CFETP 1P0X1 and AFE Leadership policy for each MDS they are instructing based on variations of provided and installed equipment.

4.2.3. AFECTI initial qualification and requalification will include:

4.2.3.1. AFECTIs must possess a 5-skill level at a minimum **(T-2)**.

4.2.3.2. An initial "start-to-finish" evaluation must be conducted by AFE Leadership for each LL event and documented on an AETC Form 281, AETC Form 281A, AETC Form 620, or MAJCOM equivalent. **(T-2) Note:** AFECTIs are not required to complete the ACCA course as outlined in CFETP 1P0X1. However, units with an ACBRNE commitment must have at least one (1) qualified AFECTI who have attended the ACCA course.

4.2.3.3. AFECTIs must teach at least once every 12 months per qualified event to maintain currency. Exceeding 12 months will require requalification. **(T-2) Note:** Due to the limited number of classes per year requirement for ARC units, AFECTIs must teach at least one LL event within 12 months. Exceeding 12 months requires requalification. **(T-2)**

4.2.3.4. AFECTI will be requalified every 24 months by AFE Leadership on a minimum of one LL-event, documented on an AETC Form 281, AETC Form 281A, AETC Form 620, or MAJCOM equivalent. **(T-2) Note:** Recurring instructor evaluations do not require observation from start-to-finish and may be conducted in whole or in part, provided the instructor's proficiency is effectively validated.

4.2.3.5. The most current evaluation form will be retained while the member is instructing LL events. **(T-2)**

4.3. AFECT Event Descriptions. LCs will be OPR for developing core curriculum for the following blocks of instruction and provide AFECT event guidance in applicable AFMAN 11-2 MDS publications and AFMAN 10-3500 Vol 1. **(T-2)**

4.3.1. AFE Familiarization (LL01).

4.3.1.1. LL01 is a grounding event, occurring once during aircrew/operator in-processing. **(T-1) Exception:** LL01 is not required for pre-meditated programs.

4.3.1.2. LL01 is AFE Familiarization Training and will be provided to aircrew or assigned flying personnel using the AF/A34P approved AFE LL01 checklist. **(T-1)** The LL01 checklist is located on the HAF SharePoint.

4.3.1.3. AFE Leadership will tailor the LL01 checklist to their MDS and unit mission to familiarize assigned flying personnel with AFE policies and procedures, including equipment issue and use, aircraft and equipment configurations (including survival components), inspection and fit-check cycles, and pre-flight and post-flight requirements.

4.3.1.4. Technicians providing LL01 must hold at least a 5-skill level. **(T-1) Note:** Technicians performing LL01 are not required to be AFECTI qualified.

4.3.2. ACBRNE Training (LL04).

4.3.2.1. LL04 is an initial and recurring event that must be completed prior to first ACBRNE flight and IAW DAFI 11-2 MDS and/or MDS RTM. **(T-2)**

4.3.2.2. LL04 is an academic and equipment training session where aircrew members or assigned flying personnel demonstrate and perform donning (dress out), doffing, and buddy dressing procedures using ACBRNE. This training also covers hazards and limitations of wearing the equipment properly and improperly, preflight procedures, aircraft integration, and familiarizes aircrew with ACCA/ACCS processing.

4.3.2.3. Each aircrew member must demonstrate proper dress out procedures during each class. **(T-2)** AFE Leadership will manage class sizes and/or coordinate to acquire additional training ACBRNE to ensure aircrew develop proper dress out habits.

4.3.2.4. LL04 will only be instructed by qualified 1P0X1 AFECTIs. **(T-1)** LL04 training materials are located at the USAF AFE SharePoint.

4.3.3. Aircrew Flight Equipment Training (LL06).

4.3.3.1. LL06 is a grounding event for all aircrew occurring on an initial and recurring frequency. Aircrew must complete LL06 prior to first flight and/or IAW DAFI 11-2 MDS and/or MDS RTM thereafter. **(T-2)**

4.3.3.2. LL06 is an academic and equipment training event where aircrew members or assigned flying personnel demonstrate their ability to locate, preflight, and use all AFE carried aboard unit aircraft or issued to aircrew members or assigned flying personnel. This training covers the limitations and safety issues related to AFE, including aircrew clothing items and information on hazards associated with improper wear and failure to use only authorized clothing and equipment. **Exception:** LL06 is not required for pre-meditated programs. MDS-specific training equipment will be available and presented during LL06. **(T-2)**

4.3.3.3. LL06 will only be instructed by 1P0X1 AFECTIs qualified by AFE Leadership. **(T-1) Exception:** Contracted/program office flying operations with LL06 requirements under AFMC administrative oversight that do not have AFE equivalent personnel are allowed to instruct LL06 with the approval of AFMC's Director of Air, Space, and Cyberspace, Flight Operations and Standardization and Evaluation Division (AFMC/A3V). The AFMC AFE MFM will evaluate, qualify, and approve all LL06 instructors in writing. Instructors must be qualified instructor aircrew and use training materials approved by AF/A34P and/or AFMC/A3V.

4.3.4. AFE Fit Check (LL07).

4.3.4.1. LL07 is a grounding event for aircrew/operators that occurs on an initial and recurring frequency. Aircrew/operators must accomplish fitting prior to first flight and/or IAW DAFI 11-2 MDS and/or MDS RTM thereafter. **(T-2) Note:** LL07 is required after each PCS and when a PCA incurs a change in operational commitment (e.g., PCA from FTU to operational unit).

4.3.4.2. LL07 is a comprehensive sizing and fit check of individually issued AFE applicable to assigned MDS, including but not limited to helmet and O2 mask assemblies, survival vest, torso harness, anti-G suit, body armor, etc. **Exception:** Pilots accomplishing U-2 high altitude flights using the full pressure suit, perform fit and leak tests prior to each flight and are exempt from LL07. **(T-2)**

4.3.4.3. AFE such as ALEP, nuclear flash blindness goggles, night vision goggles, etc. are sized/fit during in-processing and validated at mission step.

4.3.4.4. AFE technicians performing LL07 must be qualified in their training records in all equipment maintenance (basic) sub competencies applicable to the equipment they are fitting. AFECTI qualification is not required for these fit checks. **(T-1)**

4.3.5. Ejection Seat ACBRNE Fit Check (LL08).

4.3.5.1. LL08 is a comprehensive sizing and fit check for all individually assigned ACBRNE occurring as an initial and recurring frequency. Aircrew must complete LL08 prior to first ACBRNE flight and IAW DAFI 11-2 MDS and/or MDS RTM thereafter. **(T-2)**

4.3.5.2. For scheduling efficiency, LL08 should be completed concurrently with LL07 (during the corresponding/closest LL07 cycle). LL07 and LL08 will be documented as separate events on separate AF Form 1522s. **(T-2)**

4.3.5.3. AFE technicians performing LL08 must be qualified in their training records in all equipment maintenance (basic) sub competencies applicable to the equipment they are fitting. AFECTI qualification is not required for these fit checks. **(T-1)**

4.3.6. Air Force Special Warfare Aircrew Flight Equipment (AFE) Training (LL09).

4.3.6.1. This event will familiarize parachutists with AFE policies and procedures to include equipment issue, configurations, and turn-in of all unit issued AFE. **(T-2)**

4.3.7. **Exception:** Mission Essential Personnel (MEP) or Operational Support Flyers are not required to accomplish AFECT events unless MDS guidance specifies.

4.3.8. **Exception:** All (LL/IA) currency requirements are N/A for CAP-USAF.

4.4. Training Aids and Equipment.

4.4.1. AFECTIs will perform a pre-flight inspection and document completion of all training aids/equipment to ensure they are properly configured, safe, and operational for training use prior to every LL event. **(T-2)** This includes displays, ACBRNE, AFE and Personnel Lowering Devices (PLD).

4.4.2. Total Force Association (TFA) AFE functions will follow this guidance for managing AFECT equipment For Training Use Only (FTUO). **(T-2)**

4.4.2.1. The sponsor AFE will manage and account for all AFECT FTUO equipment. The training aids/equipment will be shared between the sponsor and associate units to support LL events. **(T-2)**

4.4.2.2. Pre-flighting, maintenance, marking, tracking, etc., of AFECT FTUO equipment must be a collaborative effort between the sponsor and associate AFECTIs.

4.4.3. FTUO equipment will mirror operational equipment to the maximum extent possible. All FTUO aids/equipment will be clearly marked "FOR TRAINING USE ONLY" and stored to prevent co-mingling with operational assets.

4.4.4. Operational equipment may be used in place of AFECT FTOU equipment for training events under the following conditions:

4.4.4.1. The training must not damage, degrade, or compromise the operational integrity or serviceability of the equipment.

4.4.4.2. Operational assets will remain on TO/COTS directed inspection intervals.

4.4.4.3. The use of operational assets must be authorized by AFE Leadership.

4.4.5. Low-density operational equipment (e.g., NVDs, ACBRNE, ALEP, pre-meditated parachute equipment and F-35 equipment) may be used for training when FTOU equivalents are unavailable. Such use must meet all conditions outlined in Paragraphs **4.4.4.1** and **4.4.4.2**.

4.4.6. Maintain sufficient assets to enable hands-on instruction for all students.

4.5. AFECT Lesson Plan Development.

4.5.1. AFECT AF Master Lesson Plans (AFMLPs) are owned by AF/A34P with content managed by LCs and posted on the USAF AFE SharePoint. **(T-1)**

4.5.2. If a lesson plan does not include required content (e.g., missing equipment), the AFE Leadership will incorporate them into the lesson plan and forward them to their owning MAJCOM/NGB staff, who will then coordinate with the LC, if applicable, for approval.

4.5.3. Units may omit non-mission related information from approved lesson plans.

4.5.4. The LC will update lesson plans with new equipment or training requirements and forward them to AF/A34P for inclusion in the AFMLP.

4.5.5. AF/A34P will oversee the annual review of LL AFMLPs and publish annual updates requested by the LC. Changes will be annotated on the AFMLPs change summary page.

4.5.6. Unit tailored lesson plans will be reviewed annually by the AFE Leadership and documented in the lesson plan. **Note:** Individual lesson plans are not authorized. **(T-2)**

4.5.7. Unit tailored lesson plans for LL06 will provide Fire Department lead trainers with tailored instruction to satisfy related aircrew extraction training and equipment "fundamentals" knowledge requirements. **(T-2)**

4.5.8. AFE Leadership may tailor unit lesson plan for MEP requiring LL06 IAW AFMAN 11-202V1 including only the minimum required items. **(T-3)**

4.5.9. HHQ correspondences (e.g., messages, Flight Crew Information Files, etc.) directing the inclusion of information not covered in AFMLPs will be incorporated by the MAJCOM/NGB staff, as required. **(T-2)**

4.6. AFECT Documentation.

4.6.1. All completed AFECT events will be documented on AF Form 1522 or equivalent IAW AFMAN 11-202V1 and forwarded to squadron aviation resource management (SARM) office for processing.

4.6.2. Only qualified LL instructors/AFECTI are authorized to certify AF Form 1522 for LL-events. Instructors must print and sign their names in the instructor certification block. **(T-2)**

4.6.3. Only those event identifiers shown in **Table 4.1** of this instruction will be used to identify AFECT events. **(T-2)**

4.6.4. AFE is not responsible for scheduling training or tracking Mission Ready status for AFECT events. **(T-2)**

4.6.5. AFE is not responsible for maintaining copies of AF Form 1522s after they are submitted to the SARM office. **(T-2)**

4.6.6. When instructing visiting aircrew/operators not assigned to the unit, the AFECTI will forward the completed AF Form 1522 to the SARM office, which will then be forwarded to the member's home station, IAW AFMAN 11-202V1. **(T-2)**

Table 4.1. AFECT REQUIREMENTS. (T-2)

Note: AFECT courses may be instructed concurrently with other complimentary LL events, if all required learning objectives are accomplished.			
Task ID	**Event Description**	**Frequency**	**Notes**
LL01	Aircrew Flight Equipment (AFE) Familiarization	Initial	1, 3, 5
LL04	ACBRNE Training	Recurring	4
LL06	Aircrew Flight Equipment (AFE) Training	Recurring	3, 4
LL07	Aircrew Fit Check	Recurring	1, 3, 4, 5
LL08	ACBRNE Fit Check	Recurring	2, 5
LL09	Special Warfare Aircrew Flight Equipment (AFE) Training	Recurring	3, 4, 5
Notes: 1. Accomplished before first flight at each base of assignment. 2. Unless otherwise stated in AFMAN 11-202V1, AFMAN 11-2 MDS, or RTM, LL08 must be accomplished in assigned *ejection seat aircraft* only, before first flight using ACBRNE. 3. **Grounding items:** Unless otherwise stated in AFMAN 11-202V1, AFMAN 11-2 MDS, AFMAN 10-3500V1 or RTM, the following events are grounding: LL01, LL06 (initial only) LL07, and LL09. 4. Frequencies are identified in AFMAN 11-202V1, AFMAN 11- 2 MDS-series, AFMAN 10-3500V1 or RTM 5. No specific AFECTI qualification required			

Chapter 5

PROGRAM MANAGEMENT

5.1. Purpose. This chapter provides guidance and perspective on the intent of AFE program management and duty position responsibilities. It is intended to allow for flexibility in field application if the core objectives are met.

5.2. Publication Supplements. Units are authorized to establish supplements, operating instructions (OIs) or standard operating procedures (SOPs) to standardize processes and address AFE requirements and practices IAW DAFMAN 90-161.

5.3. Budgeting/Financial Plan (FINPLAN).

5.3.1. AFE Leadership, in coordination with AFE NCOICs, will develop and submit an annual budget/FINPLAN IAW local policies, practices or business rules. This plan will include, but not be limited to, the requirement to attend MAJCOM AFE TRB, unit-funded formal training courses (e.g., any course taught by 361 TS, 436 TS, and/or Ft. Lee, etc.), host MAJCOM SAV, and/or attend AFE workshops. Section-specific equipment acquisition and sustainment needs (e.g., shipping testers, local purchases, etc.) will also be included in the budget/FINPLAN. **Note:** Budget/FINPLAN training products and examples are located on the AFEU SharePoint.

5.3.2. AFE programs are funded through multiple Program Element Codes (PECs), each representing a specific mission or program. Examples of PECs associated with AFE include, but are not limited to: 27593A, Chemical and Biological Defense Program, 41130A, C-17 Airlift Squadrons, 27227A, Combat Rescue-Pararescue or 27142A, F-35 JSF Squadrons.

5.3.3. ACBRNE Funding and Forecast. ACBRNE funding is encompassed under PEC 27593A for AD units, 55166F for AFRC units, and 55165F for ANG units. AFE programs will prepare and submit annual ACBRNE forecasts to their owning MAJCOM/NGB, as required.

5.3.4. AFE Leadership will work closely with the Resource Advisor (RA) and Financial Management (FM) offices to ensure program requirements are accurately incorporated into budgets IAW business practices/rules.

5.3.5. **Exception:** ANG AFE funds are available from NGB (pending annual budget approval) using 7V ESP for O&M and MILPERS funding; and 2Q ESP for CBRN funding. Units will update budget requests per ESP code annually on the ANG AFE SharePoint page.

5.4. Air Force Cost Analysis Improvement Group/Cost Per Flying Hour (AFCAIG/CPFH) Program.

5.4.1. Aircraft and aircrew/operator safety equipment used exclusively for flying operations are purchased through the CPFH program.

5.4.2. Centrally managed or accountable support equipment is excluded. CPFH-funded items must meet criteria listed in DAFI 64-117 and the following criteria:

5.4.2.1. Have been assigned a valid Budget Code (BC) and Expendability, Recoverability, Repairability Code (ERRC).

5.4.2.2. Listed on an aircraft IPB or be referenced in a TO/publication for installation or use. Items required for launching, operating, recovering, inspecting, servicing, configuring or maintaining aircraft or components, as specified in a TO/publication, are CPFH-funded. **(T-0)**

5.4.2.3. Flight Test Organizations (e.g., depot support) use Consolidated Sustainment Activity Group (CSAG) funding. **(T-2)** Refer to AFMAN 63-143 for AFE purchase guidance.

5.5. Enterprise Logistics Management System (ELMS) – AFE Records Management System (AFERMS).

5.5.1. ELMS is the official accountable property system of record (APSR) for all DoW Support Equipment. AFE technicians will use this system to document maintenance and inspections for all AFE assets, accountability and forecasting of stock on hand, and manage all aircrew/operator profiles within their assigned ELMS warehouse. **(T-1)**

5.5.1.1. **Exception:** ALC AFE related work centers are exempt from updating ELMS for equipment they do not own (e.g., depot status). ALC AFE related work centers will provide owning work centers with necessary equipment maintenance and repair documentation.

5.5.1.2. **Exception:** Data masked units will use a tracking system located on SIPR.

5.5.1.3. **Exception:** F-35 units will only use ELMS to track ACBRN assets (e.g., C2A1 cannisters, etc.) to support ACBRNE funding and forecast requirements.

5.5.2. HAF, AFLCMC and MAJCOM/NGB staff functions utilize ELMS data to address equipment support contracts or acquisition needs, track overall AFE sustainment health enterprise-wide, and meet departmental and congressional audit requirements. **(T-0)**

5.5.3. TFA units will maintain separate ELMS warehouses for ARC and RegAF ACBRNE and aircrew/operator personnel data for accurate resource accountability and budgeting. **(T-2)**

5.5.4. Units with foreign military sourced (FMS) assets will maintain a separate ELMS warehouse for all U.S. serviced FMS equipment items to ensure separate and accurate resource accountability and budgeting. **(T-1)** Warehouses will utilize “FMS” at the end of their name in ELMS to clearly delineate itself from the U.S. government furnished equipment warehouse. **(T-1)** Individual FMS equipment items will have an “F” at the end of the local ID to clearly delineate FMS status. **(T-2)**

5.5.5. AFE Leadership will standardize equipment tracking methods by incorporating a local control numbering system or equivalent when introducing newly assigned AFE to an ELMS warehouse (e.g., local control number, etc.).

5.5.6. Units will utilize the last day of the month for components that do not have a specific date printed on the manufacturer’s label or equivalent data.

5.5.7. AFE assets issued to aircrew/operators will be tracked in ELMS. **(T-1)**

5.5.8. AF/A34P will appoint Warehouse Officers for higher level ELMS management.

5.5.9. DAF ELMS Functional Management Office (FMO). AFE technicians will utilize the FMO for all ELMS related inquiries and requests.

5.5.9.1. Gaining Access. Submit requests to **hqafmc.a4anl.dafdpasuseraccess@us.af.mil**.

5.5.9.1.1. Access paperwork can be found by selecting the FMO icon on the Equipment tab on the HAF AFE SharePoint site.

5.5.9.1.2. Submit ELMS role requests for PCS inbound AFE technicians and include all units where warehouse access is needed. AFE Leadership may delegate the required supervisor signature needed for role requests.

5.5.9.2. Suspended Accounts. Users who have suspended accounts due to 30 days of inactivity can email **ELMSSecurity@Leidos.com** to request their account be unlocked if not exceeding 120 days.

5.5.9.3. Bug reporting. Submit a ticket directly to the FMO through their online portal by selecting the FMO icon on the Equipment tab on the HAF AFE SharePoint site.

5.5.9.3.1. Validate the issue with AFE Leadership and MAJCOM prior to submitting to the FMO.

5.5.9.3.2. Include your Unit/Warehouse ID, MAJCOM, and select Warehouse Module.

5.5.9.4. System Change Requests (SCR). SCRs are new capabilities which do not currently exist but are required to capture AFE inventory and inspection data, or other AFE information needed to accomplish the mission.

5.5.9.4.1. Submit requests for new functionality, or changes to warehouse records (e.g., NSN, shelf life, inspection intervals) that require higher level access through AFE Leadership to MAJCOM/NGB.

5.5.9.4.2. MAJCOM/NGB will validate and submit an SCR or request Warehouse Officer action through the AFE ELMS Change Control Board routing and approval process.

5.5.9.4.3. MAJCOM ELMS representatives will have 10 business days to coordinate. Non-response beyond the coordination period will constitute concurrence.

5.5.9.4.4. AF/A34P will review all approved MAJCOM/NGB SCRs and collaborate with applicable MAJCOMs/NGB to prioritize implementation. **(T-1)**

5.6. Aircraft Documentation/Maintenance Information System (MIS) and Red X.

5.6.1. The Integrated Maintenance Data System (IMDS) is the MIS of record for all U.S. Government-owned aircraft-related maintenance functions IAW TO 00-20-1 and TO 00-20-2.

5.6.1.1. When AFE is installed on an aircraft (on-equipment), AFE personnel will provide due dates for all Time Change Items, Special Inspections, and open TCTO to the unit scheduler IAW the following guidance:

5.6.1.1.1. Use the digital library established by PS&D IAW guidance outlined in DAFI 21-101 (e.g., SharePoint, Microsoft Teams, etc.), where applicable highest assembly inspection records (e.g., ELMS/ALIS printouts) can be placed. This will also include extension documents upon completion of off-equipment maintenance and prior to releasing AFE assets to maintenance to negate any delay in on-equipment maintenance being performed or final sign offs being completed. **(T-3)**.

5.6.1.1.2. Submit requests for AFE asset service/shelf-life extensions through appropriate MAJCOMs. Refer to TO 00-20-1 and TO 00-20-9 for additional guidance on TCI extensions.

5.6.1.1.3. Coordinate AFE pick-up date/time with maintenance prior to custodial release.

5.6.1.1.4. Attend recurring MX meetings and provide a quarterly outlook to discuss upcoming swap outs, due dates, current and required extensions to the MXG regarding the status of AFE (e.g., seat kits, chutes, etc.).

5.6.1.1.5. The unit (AMU, FGS, BGS, etc.) scheduler will ensure all applicable MIS/JSTs are updated to reflect the correct data prior to first flight. The Wing Time Change monitor will validate updates are completed when validating Missing and Wrongs. Wing PS&D NCOIC/Section Chief will conduct visits to AFE section IAW DAFI 21-101 and applicable MAJCOM supplements.

5.6.1.1.6. **Exception:** Units where AFE performs on-equipment maintenance of AFE assets, AFE will be responsible for closing out highest-level assembly on-equipment maintenance in MX-MIS upon installation of AFE item and file all relevant AFERMS/ALIS records in the applicable aircraft forms. Notify PS&D upon completion of MX-MIS to confirm processing and validate no overdue items were installed before the next flight.

5.6.2. Red X Certification.

5.6.2.1. A Red X on maintenance forms indicates the aerospace vehicle, equipment or support equipment is considered unsafe or unserviceable, non-airworthy, or an unknown status/lack of accountability of special inspection/time change item requirements has been identified and will not be flown or used until the unsatisfactory condition is corrected and/or the symbol is cleared. Guidance on various maintenance form symbols (including the Red X, Red Dash, Red Diagonal) is contained in TO 00-20-1 and/or applicable MAJCOM/NGB supplement.

5.6.2.2. Reference DAFI 21-103 and coordinate with the MX Lead Production Superintendent to determine if AFE personnel require this certification.

5.6.2.3. If Red X certification is required due to MDS or mission requirements, AFE technicians must be certified and current on the Red X task to clear noted discrepancies. Certified individuals must be identified on an appointment letter or Special Certification Roster (SCR) approved by the OG/CC or equivalent.

5.7. Supply.

5.7.1. Supply Account Management. AFE Leadership will establish their own supply account(s) for home station and deployed operations IAW DAFMAN 23-300. **(T-2) Note:** (TFA Only) The sponsor AFE (e.g., the unit that owns the aircraft) will manage an account for all ELMS reportable items. **(T-2)**

5.7.2. Supply Ordering. Develop procedures to track supply, equipment and non-uniform item expenditures to provide quantitative requirements to the unit commander and resource manager to assist in and justify budgeting and funding requirements. **(T-3)**

5.7.2.1. AFE Leadership, in coordination with AFE NCOICs, will monitor the status of backorder requisitions and submit supply difficulty/assistance requests IAW AFMAN 23-300. Notify owning MAJCOM/NGB staff if supply difficulties are not resolved and may result in mission impact.

5.7.2.2. Work with supply customer service to update proper Force Activity Designator (FAD) codes when requisitioning AFE. Reference AFMAN 23-300 for FAD code descriptions and processes.

5.7.2.2.1. When ordering time-change items, TEX Code 8 bypasses base level stock if the remaining service life is inadequate to meet the full inspection cycle/mission needs.

5.7.2.2.2. Advice code "2G" ensures assets received from depot have the most service-life remaining on item.

5.7.3. Spare AFE Authorization. Spare AFE is necessary to augment maintenance and repair turn-around time, and to ensure serviceable AFE is available to meet assigned Operation Plan (OPLAN) obligations. Spare AFE, to include platform authorization tracked items and non-accountable (e.g., expendable items) are authorized as follows:

5.7.3.1. Spare Set Authorization (e.g., survival vests, life rafts, parachutes) is established by AFE Leadership and/or UTC Pilot Units. Spare equipment is typically calculated as 10 percent of the Basis of Issue (BOI), as determined by AFMAN 11-2 MDS Volume 3, Addenda A, or aircraft configuration tables on the HAF AFE SharePoint. **(T-2)** Units with less than 10 aircraft will maintain one spare set. **(T-2)** Units may reduce their total spare AFE quantity as needed to align with operational requirements or comply with MAJCOM/NGB guidance (e.g., C-17A raft spares are determined by the AMC Director of Operations, Aircrew Tactics and Training Division, Aircrew Flight Equipment (AMC/A3TL) and Special Purpose Recoverable Authorized Maintenance account authorizations). **(T-2) Exception:** KC-46 units may adjust the spare set quantity upward for Emergency Respiratory Oxygen System (EROS) masks to allow for contract servicing and repairs. **(T-2) Note:** AFE is authorized to maintain additional backpacks and aircrew/operator body armor to support SOLL II Alert Aircraft as required by local configuration requirements.

5.7.3.1.1. If a set of equipment includes reportable items (items on equipment account), use the higher-level assembly to determine authorizations (e.g., radios installed in survival vests, life raft containers, etc.). **(T-2)**

5.7.3.1.2. Unless authorized by UTC, reportable items contained within spare sets will be classified as Use Code B (non-mobility) under Authorization Platform 450 authorization IDs 450AOOB (Combat Air Force), 450COOB (GA), 450DOOB (STS), 450EOOB (Mobility Air Force), and 450S*** (AFE items belonging to SERE), and 450***C (AFECT equipment). **(T-2)**

5.7.4. Mobility Equipment Authorizations. Reportable items (items on equipment account) used for mobility are classified as Use Code A (Mobility) and must be either on-hand or have an active requisition. Units will cite the appropriate authorization platform and authorization ID (e.g., 450A… for Combat Air Force, 450E… for Mobility Air Force), etc. **Example:** Authorization ID 450ECLR corresponds with UTC 3YCLR. **(T-2)** DAFMAN 10-406 outlines requirements for deployed equipment accounts.

5.7.4.1. Annotate equipment as deployed in ELMS Custody Inventory Report to maintain accountability. Do not transfer equipment to deployed locations unless directed by MAJCOM/NGB/FOA.

5.7.4.1.1. UTC pilot units will ensure ELMS reportable NSN authorizations match the UTC LOGDET data. Since LOGDET data is categorized by NSN, items like radios may or may not match the quantities of survival vests and rafts contained in the UTC LOGDET. **(T-2)**

5.7.4.1.2. If reportable equipment authorizations in ELMS are incorrect when comparing UTC LOGDET data, the UTC pilot unit will coordinate with the responsible MAJCOM/NGB/FOA to correct the issue. **(T-2)**

5.8. Equipment Redistribution.

5.8.1. If mission support changes result in excess AFE, AFE Leadership will coordinate redistribution or turn-in through their owning MAJCOM/NGB staff.

5.8.2. Once excess AFE is identified and a redistribution or turn-in is authorized by the owning MAJCOM/NGB staff, and instructions have been provided, the unit will proceed with disposition.

5.9. Aircrew Small Arms Program.

5.9.1. AFE sections that are directed to store and/or issue Small Arms/Light Weapons (SA/LW) in support of aircrew operations will comply with DAFI 31-101, AFMAN 23-300, DAFI 31-117, and DAFMAN 31-131V3.

5.9.2. Aircrew Self-Defense Weapon (ASDW). The ASDW is a modified carbine/rifle installed in TO approved aircraft survival kits IAW SPINS or when directed by the OG/CC or equivalent.

5.9.3. USAF Approved Handgun/Sidearm(s). Individually issued to aircrew prior to flight and installed in a holster listed in the USAF Authorized Small Arms and Light Weapons Accessories memorandum when required by SPINS or when directed by the OG/CC or equivalent.

5.10. Munitions.

5.10.1. AFE Leadership will coordinate with the munitions squadron to ensure their annual forecast is accomplished by using the Forecast and Allocation Module of the Agile Munitions Support Tool (AMST). **(T-2)**

5.10.2. Ensure AFE shops/sections have access to the Master Conventional Munitions Restricted and Suspended (CMRS) listing located on the USAF AFE SharePoint.

5.10.3. Maintain munitions storage facilities within AFE sections IAW this chapter, DODM 5100.76_DAFMAN 31-101V2, and Defense Explosives Safety Regulation (DESR) 6055.09_AFMAN 91-20.

5.11. Composite Tool Kit Program. The objective of the CTK program is to prevent and eliminate Foreign Object Damage (FOD) to aircraft, engines, missiles, training and support equipment, and to reduce tool replacement cost through effective control of assets.

5.11.1. Program Management. AFE Programs will establish a CTK program IAW DAFI 21-101, MAJCOM/NGB supplements, and local policy. **(T-2)**

5.11.2. Tool Accountability.

5.11.2.1. CTK custodians are responsible for tool and equipment accountability and control (e.g., knowing where all tools are and who has responsibility for them). When AFE technicians sign for a CTK, individual tool, or piece of equipment, they are responsible and accountable for the item(s) until it is returned to its proper location and signed back in, and accountability returns to the CTK custodian.

5.11.2.2. AFE sections will manage CTK accountability and control using either manual or digital tracking methods (e.g., opening/closing checklist, user sign in/out logs, MILs, etc.),

5.11.2.3. AFE functions performing any aircraft/flightline maintenance with tools (to include red-ball maintenance), will develop a dispatchable flightline CTK IAW DAFI 21-101. **(T-2)** Dispatchable CTKs are managed identically to standard CTK management practices.

5.11.2.4. Premeditated parachute programs utilizing personal rigger CTKs will develop local procedures to track all CTKs. **(T-2)**

5.12. Technical Orders (TO)/Commercial Off-the-Shelf (COTS).

5.12.1. AFE programs will only maintain electronic TOs, unless an equipment or program requires guidance that is not electronically available.

5.12.1.1. AFE functions will maintain equipment in accordance with applicable TOs and this AFMAN without deviation, unless approved through the waiver process. **(T-1) Note:** F-35 units will follow Joint Technical Data for AFE only. TOs will be used for equipment not contained within Joint Technical Data.

5.12.2. TOs will be filed and maintained IAW TO 00-5-1, TO 00-5-3 and/or managed through ETOOL IAW 31S5-4-ETOOL-1.

5.12.2.1. Refer to TO 00-5-1 for guidance on the use of manufacturers' manuals in support of approved COTS/NDI equipment.

5.12.2.2. Duties that require printed TOs (including portions of TOs) and locally prepared checklists and/or guides developed from TOs must comply with TO 00-5-1. **(T-2)**

5.12.2.3. When utilizing COTS items, units will adhere to all manufacturer-recommended guidance set forth in the equipment manual. In instances where the COTS manual does not provide necessary guidance, the Technical Order for a comparable system shall be utilized as the authoritative guidance.

5.13. Product Quality Deficiency Reports (PQDRs)/Engineering Technical Assistance Request (ETAR). PQDRs and ETARs are essential for identifying and resolving equipment deficiencies.

5.13.1. Policy, procedures, and responsibilities for PQDR submission and exhibit handling and processing are outlined in TO 00-35D-54.

5.13.2. If an AFE work center requires assistance for evaluation, repair (or both) beyond unit capability, ETARs must be submitted IAW TO 00-25-107 and Air Force Materiel Command Manual (AFMCMAN) 63-1202. All requests for assistance must be coordinated through the owning MAJCOM and LC, as applicable. **Note:** Engineering authority programs that are not U.S. Government owned, such as Boeing, have technical assistance request processes that are unique to the owning organization (e.g., Request Engineering Disposition Instructions – REDI). Work with the program representative usually embedded within maintenance functions for resolution, however, contact your MAJCOM/NGB if unable to determine the appropriate means to submit concerns.

5.13.3. Field units will establish a local protocol to evaluate all PQDRs and ETARS prior to submission for action. This protocol should validate submission content to drive an effective expert response.

5.14. AFE Facilities.

5.14.1. Aircrew Flight Equipment (FAC 2184; CATCODE 218-852 and FAC 1444; CATCODE 141-74): The AFE function may be located within the Squadron Operations facility or as a separate facility. Space authorization is dependent on the number of aircrew/operators supported. The type and number of weapons systems supported, and any associated specialized equipment and training requirements must also be considered when determining facility needs. Requirements are based on mission support for training and applicable classroom space, secure storage for supported equipment, night vision device storage and maintenance (including testing), AFE inspection and maintenance, mobility operations, and administrative space.

5.14.2. Facilities will be maintained IAW applicable AF Occupational, Safety, and Health standards, TOs 15X-1-1, 12S10-2AVS9-2, and 14D3-11-1. The sensitivity of equipment requires environmental and climatic controls. Refer to DAFMAN 32-1084, 14S and 14D series TOs for guidance on spatial and environmental requirements. **(T-1) Exception:** ANG units will utilize ANGH 32-1084 and AFRC units will utilize AFRCH 32-1001.

5.14.3. Store AFE, supplies and stock items neatly and separately to prevent co-mingling of serviceable, repairable, and unserviceable items. Provisions will be made to protect shelf stock components from dust, impurities, and direct sunlight. Maintain equipment in original packaging or protective storage (e.g., plastic bags, storage cases, etc.) when able. **(T-2)**

5.14.3.1. All equipment and shop stock items and/or supplies will be considered serviceable unless otherwise marked with repairable and/or unserviceable condition tags. **(T-3)**

5.14.3.2. Repairable and unserviceable items will be properly marked and stored neatly and separately to prevent accidental issue and/or use. **(T-2)**

5.14.4. Ensure sufficient work and storage areas are available for technicians to perform equipment inspections and store AFE. When able, work benches and storage bins should be padded and covered with material to provide smooth surfaces and edges. **(T-2)**

5.15. Resource Protection and Storage.

5.15.1. Installation commanders designate controlled areas and storage facilities IAW DAFI 31-101. AFE will assist with the commander's resource protection program, if applicable.

5.15.2. AFE maintains and stores a multitude of mission essential equipment that must be safeguarded. AFE NCOICs will ensure their shop/section is designated as a limited access area to prevent unauthorized entry. AFE NCOICs will use discretion when allowing visitors in AFE sections and ensure visitors are escorted. **(T-3)**

5.15.2.1. AFE personnel are not responsible for storing, handling, servicing, or accounting for the following items: dosimeters, medical sensors, thermos jugs, aircraft fire extinguishers, aircraft portable O2 cylinders, pre-breather O2 assemblies, high altitude O2 cylinder assemblies, aircraft O2 regulators, ground crew headsets, ground crew ballistic helmets, ground crew ballistic vests, ground crew chemical defense equipment, pyrotechnic flare pistols, E&E kits, passenger service equipment, aircraft first aid kits, hand sanitizers, aircraft night vision goggle lighting components, contact lens and/or contact lens supplies, ground crew night vision devices, rear vision devices, Emergency Vision Assurance Systems, medications (including "go pills"), aircrew tool kits, luggage or baggage loading equipment, fire containment bags/containers, non-AFE support equipment, gun transportation cases, binoculars, ground command pointers, reduced oxygen breathing device/reduced oxygen breathing environment (ROBD/ROBE), aircrew/operator headsets, firefighter's gloves, escape slide covers, Enhanced Small Arms Protective Inserts (ESAPI), ice chests, seat cushions, Personnel Recovery Kits (PRKs), Chemical /Biological Aircraft Survivability Barrier, and Individual Issue Equipment (IIE), or items not related to the 412A System (TO 00-25-06-2-1) work unit code manual.

5.15.2.2. Units must report all related issues to their MAJCOM AFE staff for action. **(T-3)** **Exception:** Guardian Angel (GA), Special Tactics and Test Parachute Program AFE personnel may be responsible for pre-breather O2 assemblies, high altitude oxygen cylinder assemblies, ground crew ballistic helmets, binoculars and ground-crew night vision devices. MAF units will follow the Air Mobility Command Portable High-Altitude High-Pressure Oxygen System Concept of Employment for the Knight Aerospace Portable High-Altitude High-Pressure Oxygen System (HPOS) for specific AFE responsibilities.

5.15.3. Pre-meditated Parachute Storage Requirements.

5.15.3.1. Secure all packed and RFI parachutes using two layers of security. The AFE facility constitutes the first layer, with a locked storage room or container providing the second. Access will be limited to personnel directly involved in parachute rigging or maintenance. Units assigned to USSOCOM will also adhere to USSOCOM Manual 350-3. **(T-3)**

5.15.3.2. Physically segregate RFI equipment from all items awaiting service. For parachute assemblies pending maintenance, repack, or component time-changes, remove the main and reserve ripcord handles as applicable before storage. All other requirements, including access control and physical security procedures, will be enforced. **(T-2)**

5.16. Deployment Requirements.

5.16.1. AFE sections will ensure mobility packages meet all postured UTC requirements, including Manpower Force Elements (MFE) and Logistic Details (LOGDET). Units will ensure they are prepared to support their assigned OPLAN(s). **(T-2) Note:** Units may bulk store UTC assets provided they are secured and clearly marked for UTC use only, and unit is able to meet OPLAN timeline requirements. **(T-2)**

5.16.2. Mobility packages will be inventoried and inspected for serviceability post-employment or at least once a year, whichever comes first, and documented within ELMS. **(T-3)**

5.16.3. Ensure items listed in LOGDET are on-hand, serviceable and are protected by an inventory control process. **(T-3)** Coordinate with the Unit Deployment Manager (UDM) or wing log plans office to obtain current UTC LOGDET, as required.

5.16.4. Test equipment, time change items, hazards, accountable equipment and high value items may be stored in a separate secure location.

5.16.5. Ensure TMDE items designated for use with mobility packages follow guidance outlined in AFI 25-101. **Note:** Inspection cycles should be staggered to prevent all TMDE coming due at the same time. **(T-3)**

5.16.6. Coordinate UTC updates and UTC biennial reviews according to pilot and non-pilot unit responsibilities as outlined in DAFMAN 10-406.

5.16.7. In addition to maintenance equipment and supplies, based on any LOGDET and applicable MISCAP requirements, units must ensure any required portable/deployable equipment racks, workbenches, parachute packing tables, temperature/humidity detection device and storage bins are included in the mobility package(s). **(T-3)**

5.16.8. When mission requirements dictate, OG/CCs or equivalent are authorized to add only TO-authorized or MAJCOM-approved survival components or increase aircraft equipment configurations provided all changes comply with this publication, flight manuals, and MDS-specific guidance. Applicable TOs, and platform authorizations serve as the basis of authorization to obtain equipment required to meet mission needs.

5.16.9. OG/CCs or equivalent may select and substitute TO-authorized survival components with non-standard survival components in ejection seat survival kits. Selection of non-standard components will be evaluated by SERE and AFE to assess capability, space in survival kit, and survival kit weight limitations. Selection and substitution of non-standard components will not include replacement of TO listed flare, life raft, radio/radio battery, strobe light, and Aircrew Self Defense Weapon/Ammunition/Magazines/MAGPUL. AFE will provide training on non-standard component kit configurations during LL06.

5.16.10. Duplication of low density, high demand survival components, such as radios, is not authorized unless directed by MAJCOM or AOR SPINS.

5.17. Safety.

5.17.1. Administer Mishap Prevention and Risk Management programs tailored to the needs of AFE technicians. Refer to DAFI 91-202 and AFI 90-802 for program execution and management.

5.17.2. Coordinate with local wing or group safety, bioenvironmental engineering services, and the Fire Department to ensure section hazards are identified and corrective actions are addressed.

5.17.3. Maintain a DAF Form 55 or equivalent for all assigned technicians IAW AFI 91-202 and local wing safety standards.

5.17.4. Units identified as authorized explosive and/or munitions storage facilities will establish an explosive and munitions storage safety program IAW DESR 6055.09_DAFMAN 91-201, DAFI 91-202, and local wing safety requirements. **(T-2)**

5.17.5. At a minimum, AFE programs will have one dedicated vehicle (full size preferred) capable of transporting flight equipment, munitions, specialized tools and to respond to aircraft/aircrew emergencies as required for mission support. The vehicle must be maintained and operated IAW AFI 24-302, DESR 6055.09_DAFMAN 91-201, DAFI 91-202, and local wing safety requirements.

5.17.6. AFE technicians will follow universal precautions, including the use of impermeable gloves where contact with body fluids (e.g., saliva) is likely, IAW DAFMAN 91-203, DAFI 91-202, and AFI 48-101. **(T-1)**

5.17.7. AFE technicians will wear impermeable gloves, as specified by the Bioenvironmental Engineering Flight, when handling or performing O2 mask inspections (e.g., pre/post-flight, periodic maintenance) in the work center or flightline. **(T-2)**

5.18. Hazardous Communications (HAZCOM) Program.

5.18.1. AFE NCOICs will establish a work area-specific HAZCOM program IAW AFI 90-821.

5.18.2. Each AFE section will identify all hazards within the work environment and work with AFE Leadership, Bioenvironmental Engineering and/or Public Health for resolution. **(T-3)**

5.18.3. AFE NCOICs Document training provided and abatement controls (engineering controls, administrative controls, and personal protective equipment) for everyone exposed to shop hazards on individual DAF Form 55, or equivalent. **(T-3)**

5.19. Post-MISHAP procedures.

5.19.1. Equipment used in any aircraft ejection will not be reused. **(T-1)**

5.19.2. Equipment subjected to a Class A incident will immediately be retained and preserved until released from legal hold by AF/JAOA as directed by AFI 51-307, Aerospace and Ground Accident Investigations.

5.19.3. Upon release of legal hold, AFE Leadership will determine re-usability of AFE involved in the mishap. Conduct a thorough inspection IAW TOs or work manuals to verify equipment serviceability before use. **Note:** Consult owning MAJCOM/NGB when determination is in question. **(T-1)**

5.20. Premeditated Parachute Malfunction/Incident Reporting.

5.20.1. Reporting requirements for premeditated parachute and cargo malfunctions or incidents are outlined in AFI 10-3503, AFMAN 13-210V1 and V2, and this publication.

5.20.2. Initial Notification. Any premeditated parachute or cargo malfunction/incident must be reported to the USAF Parachute Rigger Program Manager (PRPM) within 24 hours through the owning MAJCOM/NGB AFE staff.

5.20.3. Non-Fatal Automatic Activation Device (AAD) Activation Reporting. AFE sections will inform AFE Leadership of any non-fatal AAD activation. Impacted devices will be sent to appropriate servicing facilities for functional testing. Testing results will be sent to the MAJCOM/NGB AFE staff.

5.21. Physiological Events.

5.21.1. A physiological event is any injury, illness, or abnormal physiological condition experienced by aircrew or others during flight or intent for flight. Further definition and response actions are governed under DAFMAN 91-223.

5.21.2. AFE Response to Physiological Events. AFE technicians will use the AFE Physiological Incident Response Checklist, located on the USAF AFE SharePoint. Attach all affected equipment database records (e.g., ELMS, ALIS, etc.) to the checklist and submit the package to the investigating officer, flight surgeon, or aerospace physiologist (AP) upon request.

5.21.2.1. Units will notify MAJCOM/NGB staff of the incident and provide regular status updates. **(T-2)** MAJCOM/NGB staff will notify AF/A34P and MAJCOM/SG3 as soon as possible. **(T-1)**

5.21.2.2. Units will maintain a copy of completed incident response checklists for 12 months. **(T-2)**

Chapter 6

MANAGEMENT AND CONFIGURATION OF FLIGHT EQUIPMENT

6.1. General Aircraft Installed/Pre-positioned AFE Guidance.

6.1.1. In the event installed AFE inspections come due while the aircraft is on alert status or temporarily located away from home-station, follow guidance per TO 00-20-1.

6.1.2. Aircraft/Aircrew Configurations: Specific aircraft configuration tables are located on the USAF AFE SharePoint or other MAJCOM guidance.

6.1.2.1. For LFA, AFE will be loaded and configured per the applicable 11-2MDS V3, Addenda A. If no MDS Specific Addenda A is published, units will follow the AFE Aircraft Configuration guidance in this manual.

6.1.2.1.1. AFE Aircraft Configuration guidance/tables are owned by AF/A34P with content managed by LCs and posted on the USAF AFE SharePoint. AF/A34P will oversee the annual review and publish annual updates requested by the LC. Units submit changes to the owning MAJCOM/NGB/FOA for initial coordination.

6.1.2.1.2. MAJCOM/NGB/FOA will submit vetted changes to the LC, who adjudicates and submits changes to AF/A34P for update. **(T-1) Note:** AFMC units have unique mission requirements and may deviate from this instruction to meet the needs of associated DT&E and Flight Test operations. AFE Leadership will standardize equipment configurations with similar MDS to the greatest extent possible.

6.1.2.2. LFA flight equipment will be pre-positioned to maximize mission flexibility unless specified otherwise within 11-2MDS V3, Addenda A. This minimizes handling and damage. For multi-place/LFA, prepare an

6.1.2.3. Form 46 in duplicate. Maintain a file of original and completed forms by tail number for all assigned aircraft. Purge old copies when equipment changes require a new form. **(T-2).**

6.1.2.4. LFA and B-52 AFE will perform mission termination (MTI) or post-flight inspections at all locations with AFE personnel. These inspections occur after the final mission of the duty day or upon return from TDY. MTIs/post-flight inspections are not required if an aircraft preflight inspection covers the same checks and procedures. **(T-2)**.

6.1.2.5. Aircrew required to wear anti-exposure suits or aircrew chemical defense ensembles will have a second anti-G garment issued and fitted for use with these configurations. F-22 pilots will have two (2) full coverage anti-G suits and two (2) upper pressure garments each. **(T-2)**

6.1.3. Units will install minimum components in equipment items IAW TO 14S1-3-51. **Note:** AFMC/A3V is the approval authority for minimum components for AFMC MDS. **(T-2)**

6.1.4. Aircrew/operator pre-flight inspections do not replace MTIs. AFE pre-flight/MTI/post-flight inspections ensure equipment accountability, serviceability, and cleanliness. AFE personnel will emphasize O2 mask cleanliness and serviceability during pre-flight MTI/post-flight. Discrepancies must be corrected IAW the applicable TO before the next use. **(T-2) Note:** Aircraft on alert status are exempt from MTIs until after they are removed from alert status.

6.1.5. For AFE removed from transient aircraft. Immediately notify the owning organization with aircraft type, tail number, equipment details (type/quantity), and present location. Mark assets for the gaining AFE unit. Do not retain; return equipment to the owning unit using Shipping Priority Designator-02 (minimum). **(T-3).**

6.1.6. AFE will ensure all equipment inspections remain current throughout scheduled missions when AFE support is unavailable.

6.1.6.1. Units with prepositioned AFE operating at forward locations with the capability to inspect and repack AFE must have at least 60 days remaining on the current repack and inspection cycle before departing home station (e.g., tanker/airlift/fighter deployments). **(T-2)**

6.1.6.2. Aircraft on "out and back" missions, or aircraft transfers must have at least 30 days remaining on the current repack and inspection cycle before departing home station. **(T-2)**

6.1.7. Off-station equipment losses. Owning organizations will communicate with enroute locations describing the lost equipment (including serial numbers for accountable items), TDY duration and aircraft route. Notify MAJCOM staff for awareness. Document all investigative actions. **(T-3)**

6.1.8. Aircraft transfers. Follow guidance outlined in TO 00-20-1, this manual, and the 11-2MDS V3. If an aircraft is transferred without the correct AFE, the gaining unit will first contact the losing unit to seek resolution. If unresolved, the gaining unit will contact its MAJCOM/NGB staff for assistance. **Note:** Aircraft loaned for over 30 days are treated as transfers unless otherwise specified in 11-2MDS V3 or by the gaining unit. **(T-1)**

6.1.9. Equipment shipped for aircraft depot retrievals will have sufficient serviceability (remaining service-life, inspection duration) at the time of shipment to mitigate impact to scheduled flight returning home. **(T-1)**

6.1.10. Both losing and gaining unit warehouses will complete transfer actions of AFE within ELMS NLT 30 days after aircraft transfer. **(T-1)**

6.1.11. AFE will follow AOR SPINS to sanitize assets during contingency operations or when operations transit Combatant Commands. AFE passenger support items (e.g., multi-place life rafts, passenger LPUs) do not require sanitization.

6.2. Forward Area Refueling Point (FARP) and Airborne Bulk Fuel Delivery System (ABFDS) Equipment.

6.2.1. FARP and ABFDS requirements are addressed in AFI 23-201. ACC/A4 funds FARP equipment in accordance with AFI 11-235. AFSOC/A4 funds individual flight equipment items for FARP teams (excluding NVD's) and the user's organization will fund individual flight equipment items for ABFDS personnel per **paragraph 2.14.3.2**. **(T-2)**

6.2.2. AFE will maintain and issue SOLL II FARP NVDs as the FARP teams are an integral part of the primary aircrew/operator during special operations missions. SOLL II FARP NVDs are the only non-Operations Group NVDs AFE personnel will maintain. **(T-2)**

6.3. Emergency Respiratory Oxygen Systems (EROS) Mask. EROS masks are typically installed on Operational Support Aircraft/Executive Airlift (OSA/EA) aircraft and will be maintained in accordance with the applicable COTS manual and commercial maintenance support agreement/s. **(T-2)**

6.4. Custom Oxygen Mask.

6.4.1. When an aircrew member cannot be properly fit to a standard issue O2 mask, units will coordinate an Electronic Technical Assistance Request (ETAR), in accordance with TO 00-25-107 through their MAJCOM staff. MAJCOMs will forward the TAR to AFLCMC/ROU for review/approval. Approved ETARs will remain on file within the members ELMS record as authorization to use the custom configuration. Additionally, a copy of the ETAR will be provided to the members for their personal records. **(T-1)**

6.4.2. Upon receipt of the approved ETAR, units will contact Gentex® Corporation, **sales@gentexcorp.com**, 909-481-7667 to receive a quote for two (2) custom O2 masks: one (1) for daily operations and one (1) spare. Requesting units will fund all associated travel costs for either Gentex® to travel to the requesting unit, or to send the aircrew member directly to Gentex®. **(T-1)**

6.4.3. The custom mask is accepted as a CPFH expense. Units will coordinate with their resource advisor and the base contracting office to complete an AF Form 9 or a one-time purchase with the GPC. **(T-3)**

6.5. Aircrew and Operator Protective Helmets and Helmet Liners.

6.5.1. Units using Joint Helmet Mounted Cueing System (JHMCS) will use JHMCS helmets for all non-ACBRNE flights. **(T-2)** Helmets retained to exclusively support ACBRNE operations (and/or an additional mask) for routine flying operations will be stored and inspected concurrently with D-Bag inspection cycles. **(T-3) Note:** After considering current earned manpower and funding, FTU and ANG Group/CC may authorize dual use of helmet/mask configurations for routine flying missions (e.g. JHMCS/HGU-55/P). **Exception:** Test units are authorized to maintain multiple helmets to account for test needs.

6.5.2. Foreign Students may use their own helmets if systems are compatible. However, continued use will depend on the availability of maintenance procedures and replacement parts. **(T-1)**

6.5.3. AFSPECWAR helmets issued to operators are considered individual issued equipment. Users are responsible for ensuring serviceability IAW TC 3- 21.220 and TC 18-11.

6.6. Aircrew Optical Devices, Helmet Mounted Devices (HMD), and Accessories. Store high value optical devices in a secure area when not in use.

6.7. Training ACBRNE.

6.7.1. Units with an ACBRN commitment will maintain enough ACBRNE training gear to support aircrew members during recurring training (LL-events) and local exercises. Units will ensure enough serviceable training gear is available to accommodate average class attendance. **(T-2)**

6.7.2. Aircrew members will use their individually fitted operational ACBRNE mask for exercises and training. **(T-2)** AFE will safeguard real world ACBRNE to mitigate damage.

6.7.3. Units will build ACBRNE Training Bags with the following components: applicable ACBRNE filter(s); overcape; overboots; system-specific aircrew protective ensemble (e.g., CBRL, 2PUG); system-specific aircrew protective glove(s); batteries as applicable; any equipment worn specific to the MDS being supported (e.g., anti-G ensemble, survival vest, body armor, etc.).

6.7.4. AFE is authorized one set (2 each) of blower batteries per aircrew, per year to support ACBRNE training requirements and exercises. This requirement must be included in the annual ACBRNE funding forecast. **(T-1)**

6.8. Emergency Electronic Communication and Signaling Equipment.

6.8.1. Joint SARSAT Electronics Tracking System (JSETS).

6.8.1.1. Unit NCOICs will have unrestricted access to the PRMS JSETS module to effectively manage assigned 406 MHz capable survival radios, beacons, etc. (**https://prmsglobal.prms.af.mil**)

6.8.1.1.1. At least two personnel assigned to sections dealing with 406 MHz assets will possess an active login and be assigned a manager role. **(T-2)** Do not create new organizations. Unit designations are pre-established, providing MAJCOMs tracking capability. **Note:** TFAs will base their configuration on which component owns the aircraft/equipment (RegAF vs ARC). **(T-1)**

6.8.1.1.2. Select AF unit/OSS follow on screen prompts.

6.8.1.1.3. ARC units may use “Unit/OSF” based on organizational alignment. Assets owned by GA/ST units may be loaded as “Unit/RQS/STS.”

6.8.1.1.4. Since these beacons/devices are frequently rotated/swapped out of equipment, do not assign them to individual aircraft, survival vests/kits, parachutes, etc., in the “VEHICLE” block in JSETS.

6.8.1.1.5. Enter beacon/device identification numbers, serial numbers, and convert status from “in-pool” to “in-use.”

6.8.1.1.6. AFE Leadership will ensure all beacon/device POCs have current contact information loaded into JSETS. **(T-1)**

6.8.1.1.7. Enter the home station 24-hour Command Post as the primary emergency contact number in the “local phone” and “DSN phone” block of the JSETS beacon contact information section.

6.8.1.1.8. Use the responsible MAJCOM command center as a secondary contact number. Place MAJCOM command center name in the Command Post duty name block and the command center phone number in the Command Post number block. **Exception:** ARC units may coordinate a different secondary contact number that best reflects organizational structure/operations and provides the most effective means of notification (including AFRC/ANG AFE staff in coordination process).

Table 6.1. Command Centers.

ACC - DSN 312-574-1555	AFSOC – DSN 312-579-8900
AETC – DSN 312-487-1859	AMC – DSN 312-779-0360
AFGSC – DSN 312-781-9788	PACAF – DSN 315-448-8500
AFMC – DSN 312-787-5637	USAFE – DSN 314-480-8200
AFRC – DSN 312-497-0680	

6.8.1.2. Ensure all emergency contacts are aware of their responsibility and familiar with required actions during a notification or mishap event.

6.8.1.3. All USAF AFE registered beacons/devices must be correctly identified (e.g. PRQ-7A vs PRQ-7, etc.). Units must ensure "U.S. AIR FORCE" is selected for agency designation. **(T-1)**

6.8.1.4. All serviceable USAF AFE registered beacons/devices must remain in either "Active" or "In Service" status unless clearly identified and segregated from usable stock in preparation for shipment to another unit or for maintenance. **(T-1)** This is to mitigate unserviceable items from being installed in equipment while in "maintenance" and/or "in pool" status.

6.8.1.5. Deployed AFE maintained 406 MHZ beacons/devices will follow JSETS instructions listed in applicable SPINS. **(T-1) Note:** Does not apply to transient aircraft/aircrew.

6.8.1.6. The AFES will ensure condemned (not in service) 406MHZ beacons/devices are deleted from JSETS within 60 calendar days. All items physically transferred to new units will also be moved to "in pool" status by the losing unit prior to shipment and subsequently placed to "in service" by the gaining unit upon receipt. **(T-1)**

6.8.2. Handheld Survival Radios (HSR).

6.8.2.1. AFE Leadership will ensure HSR beacons/devices condemned (not in service) are deleted from JSETS. All items physically transferred to new units will also be moved to "in pool" status by the losing unit prior to shipment and subsequently placed to "in service" by the gaining unit upon receipt. **(T-1)**

6.8.2.2. Units will acquire GSA approved safes for home station and mobility requirements to store classified and cryptographic materials. A safe is required to store the GPS Key Fill Device (KFD) with encryption keys. The KFD is a Cryptographic Controlled Item (CCI) and AFE must be trained and qualified on the device prior to use. Combat Survivor Evader Locator (CSEL) Planning Computers (CPC) become classified once SPINs are loaded and must be stored and handled appropriately. **(T-2)**

6.8.2.3. Units will coordinate with the wing encryption custodian to acquire a minimum of one KFD with two spare batteries per UTC supported with sufficient numbers for home station use. **(T-2)**

6.8.2.4. Configure, load and issue HSRs in the following manner:

6.8.2.4.1. For contingency or deployment, units will follow AOR SPINS for programming, reporting instructions and adding HSRs to the routing tables. HSRs will be handled in the same manner as other classified aircrew equipment/material, as applicable. Units will not use the password option. **(T-2)**

6.8.2.4.2. Loading SATCOM and GPS keys for non-contingency/daily flight operations does not make the HSR classified. When loading radios for non-contingency/daily flight operations, units will follow the general loading parameters (parameters only, not CSAR data) located in theater SPINS. **(T-2)**

6.8.2.4.3. HSR radios issued in kits or backpacks will have the Quick Reference Guide, TO 31R2-2PRQ7-21, attached to the radio strap/pouch with 100lb cord.

6.8.2.5. Units deploying or tasked to fly into AORs will issue HSRs from home station. **Note:** Minimum of two per crew for LFA units. **(T-2)**

6.8.3. Personnel Locator Beacon (PLB).

6.8.3.1. AFE personnel will locate inadvertent beacon activations where Egress personnel are not assigned, or if tasked by the Wing per DAFI 21-101. **(T-1)**

6.8.3.2. PLBs will be placed in the appropriate mode based on established theater requirements or as directed by MAJCOM, theater instructions, or battle staff. **(T-1)**

6.8.3.3. Units will ensure a beacon is installed in all back style parachutes. **Exception:** Not applicable to parachutes used on the Escape System Upgrade Program (ESUP) platform, AFSOC, or units performing AFSOC missions. **(T-1)**

6.9. Life Rafts and Escape Slides.

6.9.1. AFE is authorized to perform removal and installation of F2B life rafts, where applicable.

6.9.2. KC-135 Escape Slide. AFE is responsible for removal and installation of escape slides for periodic inspections for KC-135 aircraft only.

6.9.3. KC-46A Escape Slides, Slide/Rafts, and Life Rafts. AFE technicians will not remove, install, inspect or otherwise manage escape slides, slide/rafts, or life rafts and associated survival kits for KC-46 aircraft. Escape slides, slide/rafts are maintained at Warner Robins Air Logistics Center (WR-ALC). Assets will be removed/installed by maintenance personnel for routing to depot facilities.

6.10. Anti-Exposure Suits.

6.10.1. Ensure aircrew/operators are fitted with a constant-wear personnel anti-exposure suit (including required liners and undergarments) prior to their first flight requiring an anti-exposure suit IAW applicable TO or manufacturer's guidance. **(T-1)** Units will provide divers gloves for use with constant wear anti-exposure suits as directed by MAJCOM. **(T-2)** Gloves may be issued to the aircrew/operator before flight. Gloves individually issued before flight will be inspected "prior to issue" for every flight. **(T-1)** Inspect divers gloves concurrently with the assigned anti-exposure suit or next higher assembly installed in (e.g., survival kit, vest etc.) in accordance with applicable TO or manufacturer's guidance.

6.10.2. When detailed anti-exposure suit ensemble wear guidance is not outlined within applicable 11-2MDS V3 (takes precedence), ejection seat and vertical lift aircrew will comply with the following guidance: Constant wear anti-exposure suit ensembles (including required liners and undergarments) will be worn by ejection seat and vertical lift aircrew on any preplanned overwater flight when the water temperature is 60F/15.5C or less. **(T-3)**

6.10.3. Ensure IAE EPLs are only issued to F-22 aircrew.

Chapter 7

PREMEDITATED PARACHUTE PROGRAMS

7.1. General.

7.1.1. The term "Rigger," applies to military, civilian and/or contracted AFE personnel who have completed the required formal parachute rigging courses outlined in the 1P0X1 CFETP. AFE Riggers supporting and/or conducting premeditated parachute operations will comply with all requirements outlined in this publication.

7.1.2. Units that maintain government owned Non-Standard Equipment (NSE) must comply with applicable manufacture's technical guidance, FAA regulations, and/or U.S. Parachute Association (USPA) guidance.

7.1.3. No physical modifications are authorized for NSE or ancillary items without written consent from the manufacture, or authorization by a U.S. Government test agency after evaluation and approval for the modification.

7.2. AFSPECWAR Training Requirements.

7.2.1. Only graduates from the US Army Quartermaster Center and School (USAQMC&S), applicable phase, and/or USAQMC&S-approved New Equipment Training (NET) or Mobile Training Team (MTT) rigging courses are authorized to pack, perform maintenance, repair, or conduct Rigger Checks and QCIs. **(T-1)**

7.2.1.1. Personnel parachute systems must be on the Approved for Use List (AUL).

7.2.1.2. Cargo parachute systems must be approved by the Department of Defense.

7.2.2. Malfunction Officer Training Requirements. AFE Malfunction Officers (MOs) must meet all requirements outlined in AFMAN 13-210 V1 and V2. Additionally, local training and hands-on evaluations are required, and must include: **(T-1)**

7.2.2.1. Familiarization with AFI 10-3503, AFI 13-217 and other applicable regulations/guidance.

7.2.2.2. Drop zone (DZ) operations.

7.2.2.3. Hands-on malfunction kit/equipment familiarization.

7.2.2.4. Practical scenarios utilizing equipment and requesting transportation and communication support.

7.2.2.5. Maintaining current contact information for emergency services/support agencies such as medical, local law enforcement, Command Post, and Range Control.

7.2.3. Rigger Supervisors (RS) and Parachutist Packing Training.

7.2.3.1. Rigger Check/QCI qualified RS will oversee all daily parachute packing operations.

7.2.3.2. RS will perform all Rigger Checks and QCIs prior to placing parachutes in RFI status. Designated RS's will not perform other duties (e.g., Malfunction Officer, Drop zone Control Officer, packing, etc.). **(T-3)**

7.2.3.3. The following supervision ratios will be maintained. **(T-3)**

7.2.3.3.1. One (1) RS to every six (6) AFE Riggers**.**

7.2.3.3.2. One (1) RS to every four (4) MFF qualified parachutists.

7.2.3.4. Parachutist Packing Training. AFE functions will provide MFF qualified parachutists with main canopy packing training and documentation for MFF systems and NTRAPS IAW AFI 10-3503. The Rigger providing the training must be certified and current on the specific system being taught.

7.3. Federal Aviation Administration (FAA) and Contract Service Support (CSS). This section defines qualification standards for AFE Riggers providing familiarization and training to FAA-certified and Contract Service Support (CSS) personnel.

7.3.1. Instructor Qualifications. AFE Riggers training FAA/CSS personnel must be current, qualified, and proficient in all tasks taught. They must provide current military or manufacturer instructions for each system and adhere to applicable manuals, with training occurring within 30 days of the event. **(T-1)**

7.3.2. Inspection and Documentation. AFE Riggers training FAA/CSS personnel must ensure parachute inspections are documented. All parachutes packed by FAA/CSS personnel must undergo 100% QCI by a current and qualified AFE RS for that system. **(T-1)**

7.3.3. Supervision Ratio. During training iterations, FAA/CSS civilian packers must be supervised by a current and qualified AFE RS IAW 7.2.4.3.2.

7.4. FAA Civilian Rigger Operations.

7.4.1. Authorization. When AFE or sister-service rigger manning levels are insufficient, or surge operations create a need for external support, FAA civilian riggers are authorized to perform MFF/RASL system packing.

7.4.2. FAA Qualifications. FAA civilian riggers must be formally qualified (certified and appropriately type-rated) in accordance with Federal Aviation Regulation (FAR) Title 14, **Part 65**. **(T-0)** Under this certification, they are permitted to inspect, maintain, and repair all NTRAPS as per this instruction and FAR Title 14, **Part 105**.

7.4.3. System-Specific Training and Packing.

7.4.3.1. FAA civilian riggers who meet the above standards are authorized to pack both main and reserve canopies for MFF and RASL mission systems.

7.4.3.2. They must receive training on system-specific requirements from a qualified AFE or sister-service rigger no more than 30 days before the event they are supporting.

7.4.3.3. They must be provided with applicable system-specific manuals to ensure their packing configuration meets established standards for the mission parachute system. **(T-2)**

7.4.3.4. All training must be documented using AF Form 1098 or an equivalent organizational system. Copies of this document are to be maintained by both the FAA civilian rigger and the supported unit.

7.5. Parachutist Main Canopy Packing Authorizations. MFF parachutists packing main canopies must comply with all technical guidance and squadron training programs. **(T-1)** Specific authorizations are as follows:

7.5.1. A parachutist may only pack the main MFF canopy they intend to jump, and only when a waiver has been issued IAW AFI 10-3503. This waiver requirement does not apply to MFF qualified AFE Riggers. **(T-1)**

7.5.2. MFF parachutists are not authorized to pack RASL-configured MFF main canopies.

7.6. Non-Tactical Ram Air Parachute Systems (NTRAPS) and Tandem Systems.

7.6.1. A qualified MFF parachutist is authorized to pack the main NTRAPS and main tandem canopies they will be jumping; waivers are not required. **(T-2)**

7.6.2. All AFE Rigger-packed main tandem canopies will receive Rigger Checks.

7.6.3. Commanders will publish Rigger Check requirements for parachutists packing their own NTRAPS and tandem main canopies. **(T-2)**

7.7. Tandem Passenger Harness Inspection.

7.7.1. Each tandem passenger harness will be assigned to a specific tandem system and inspected on the same periodic interval as its harness/container. Document all inspections in ELMS and associated record logs.

7.7.2. Local inspection procedures will be established if manufacturer guidance is not provided. **(T-2)**

7.8. Ancillary Parachute Equipment.

7.8.1. Parachutist Oxygen Systems: Only graduates of training courses for AUL-approved parachutist oxygen systems are authorized to inspect and maintain parachutist oxygen masks, bottles, consoles, test stands, and other oxygen equipment used during parachute operations. **(T-3)**

7.8.2. Other Ancillary Equipment:

7.8.2.1. On-the-Job Training (OJT) is authorized to train and qualify personnel to inspect and maintain ancillary parachuting equipment such as tactical helmets, night vision devices, wrist altimeters, flotation devices, equipment lowering devices, cargo releases, and cargo/T-DUCK harnesses.

7.8.2.2. AFE sections will develop local maintenance procedures for all equipment not covered by TOs/TMs or manufacturers' manuals, and forward to the applicable MAJCOM staff for upload to the MAJCOM SharePoint site.

7.8.2.3. MAJCOMs will coordinate with other applicable MAJCOMs and AFLCMC/ROU to determine the feasibility of converting locally developed procedures into standardized and cataloged Work Cards and/or Job Guides. **Note:** AFE Riggers will not rig or maintain T-DUCK bundles. **(T-2)**

Chapter 8

DEPLOYED OPERATIONS

8.1. General. This chapter provides guidance for a safe and effective AFE Contingency Operations program, protecting and sustaining the lives of aircrew/operators and AFE personnel during contingency operations, which include ACBRN operations. The purpose is to develop and prepare AFE Leadership, supervisors and technicians, to support, conduct, and sustain operations during exercises and real-world contingencies. It will also aid in preparation, deployment, employment, and recovery of personnel and equipment to support the full range of operational environments**.**

8.2. Planning and Preparation.

8.2.1. AFE Leadership should consider developing a local mobility response plan to increase agility and flexibility when tasked to support mission execution in dynamic environments (e.g., short-notice tasking). Lessons Learned (L2), After Action Reports (AAR) and DRRS (readiness reports) from previous iterations of deployed operations can help in identifying limiting factors and shortfalls. Plans should incorporate all functional requirements listed in AF Publications, Technical Data, Hazardous and Material and Explosive Declarations, OPLANs, DOC statements, and the 1P0X1 CFETP.

8.2.2. Contact AFE POCs within applicable AORs when your unit will be conducting operations away from garrison (home station). These POCs will provide access to SPINS, AARs and/or other data to facilitate your operational needs, tailored to your location/operation. CENTCOM AOR – 9 AF (AFCENT) AFE Functional Manager, PACAF AOR – PACOM AFE Staff, and the EUCOM AOR – USAFE AFE Staff.

8.2.3. Additional planning considerations should include, but are not limited to:

8.2.3.1. COMSEC courier requirements to possess crypto materials

8.2.3.2. SIPRNet access before and at deployed location

8.2.3.3. Tactical LMR and cell phone access

8.2.3.4. Logistics access for resupply

8.2.3.5. AFE-specific facilities (validate facility meets requirements outlined in AF Pubs/TOs, or equivalent, otherwise pursue applicable waivers)

8.2.3.6. Flight/operations flow

8.2.3.7. Establish emergency services cooperation for AFE familiarity

8.2.3.8. Emergency Action Plan (EAP) to bug-out. Ensure secondary location permits the reestablishment of operations to meet mission needs.

8.3. ACBRN Operational Responsibilities:

8.3.1. The AF is governed by and subject to U.S. laws, approved treaties and international agreements. These agreements, such as NATO STANAGs, must be considered and implemented (as warranted) under combined operations. **(T-0) Note:** ACCA/ACCS procedures, planning and operating checklists, and ACBRNE Donning Checklists are located on the USAF AFE SharePoint.

8.3.2. When SPINS or Reporting Instructions dictate, aircrews deploying into CBRN threat areas will hand carry their individually fit ACBRNE D-1 bag ensemble. Unit Commanders will ensure the remaining ACBRNE D bags are forward shipped to maximize aircrew/operator protection within CBRN threat areas. Commanders may direct the palletization of ACBRNE D-1 bags when sufficient space on the aircraft does not permit these bags to be hand carried on aircraft or when there is not an immediate need for these assets at the deployed location.

8.3.3. AFE must process uninjured aircrew, operators and equivalent personnel from other NATO partners, other military alliances, and DoW agencies through the nearest ACCA/ACCS. AFE will collaborate with Military Treatment Facilities (MTF) to devise plans for injured personnel. **(T-1)**

8.4. Deployed AFE Supply Custodians.

8.4.1. Ensure mobility packages containing accountable equipment are kept secure and monitored, ensuring equipment items are prepared for operational requirements. **(T-2)**

8.4.2. Upon arrival of deployed assets/mobility bins, perform a thorough inventory to ensure all required assets are on-hand and serviceable. Report needed equipment shortages to the deployed AFE Leadership, or equivalent, for awareness and assistance.

8.4.3. Ensure accountable equipment is issued to unit aircrew/operators and tracked using the ELMS 1297 issue function. **(T-2)** Annotate equipment as deployed in ELMS Custody Inventory Report to maintain accountability. Do not transfer equipment to deployed locations unless directed by MAJCOM/NGB/FOA.

8.4.4. Ensure all Equipment Authorization Inventory Data reportable equipment items contained within AFE UTC LOGDETs are designated as Use Code “A” Mobility and are properly reflected on ELMS-Property Accountability (PA) module, Custodian Inventory Report.

CASE A. CUNNINGHAM, Lt Gen, USAF
Deputy Chief of Staff, Operations

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

FAR Title 14, Part 65, *Certification: Airmen Other Than Flight Crewmembers*, 1 Jan 2025

FAR Title 14, Part 105, *Parachute Operations*, 1 Jan 2025

DODD 5100.01, *Functions of the Department of Defense and Its Major Components*, 21 December 2010

DODI 4000.19, *Support Agreements,* 16 December 2020

DODI 5000.89_DAFI99-103, *Capabilities-Based Test and Evaluation*, 17 October 2022

DoDM 5100.76_DAFMAN 31-101V2, *Physical Security of Sensitive Conventional Arms, Ammunition, and Explosives (AA&E)*, 17 April 2012

DESR 6055.09_AFMAN 91-201, *Explosives Safety Standard*, 18 June 2025

DAFPD 10-9, *Lead Command/Lead Agent Designation and Responsibilities for United States Air Force Weapons System, Non-Weapons Systems, and Activities*, 25 May 2021

AFPD 11-3, *Aircrew Flight Equipment*, 27 September 2023

DAFI 20-101_63-101, *Integrated Life Cycle Management*, 16 February 2024

DAFI 21-101, *Aircraft and Equipment Maintenance Management*, 20 December 2023

DAFI 21-103, *Equipment Inventory, Status and Utilization Reporting*, 23 July 2025

DAFI 31-101, *Base Defense Operations*, 10 September 2024

DAFI 31-117, *Arming and Use of Force*, 28 January 2025

DAFI 36-2619, *Active Duty Operational Support (ADOS) – Active Component (AC) Man-Day Program*, 15 January 2025

DAFI 36-2670, *Total Force Development*, 25 June 2020

DAFI 36-2903, *Dress and Personal Appearance of Department of the Air Force Personnel*, 29 February 2024

DAFI 48-145, *Occupational and Environmental Health Program*, 22 September 2022

DAFI 62-601, *Airworthiness*, 30 June 2025

DAFI 64-117, *Government Purchase Card Program*, 28 March 2022

DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program*, 20 March 2020

DAFI 91-204, *Safety Investigations and Reports*, 10 March 2021

AFI 10-3503, *Personnel Parachute Program*, 23 September 2020

AFI 10-201, *Force Readiness Reporting*, 5 June 2024

AFI 10-301, *Managing Operational Utilization Requirements of the Air Reserve Component Forces,* 20 December 2017

AFI 10-401, *Operations Planning and Execution*, 19 July 2024

AFI 10-403, *Deployment Planning and Execution*, 17 December 2025

AFI 11-235, *Specialized Fueling Operations*, 31 May 2019

AFI 13-520, *Aircraft and ICBM Nuclear Operations*, 27 July 2021

AFI 90-1001, *Total Force Associations (TFAs),* 22 June 2020

AFI 24-302, *Vehicle Management*, 21 February 2020

AFI 25-101, *War Reserve Materiel (WRM)*, 27 August 2019

AFI 25-201, *Intra-Service, Intra-Agency, And Inter-Agency Support Agreements Procedures*, 18 October 2013

AFI 32-2001, *Fire and Emergency Services (F&ES) Program*, 28 July 2022

AFI 33-322, *Records Management and Information Governance Program*, 23 March 2020

AFI 48-101, *Aerospace Medical Enterprise*, 8 December 2014

AFI 48-139, *Laser and Optical Radiation Protection Program*, 30 September 2014

AFI 51-307, *Aerospace and Ground Accident Investigations*

AFI 90-802, *Risk Management*, 01 April 2019

AFI 90-821, *Hazard Communication (HAZCOM) Program,* 13 May 2019

DAFMAN 10-406, *Unit Type Code Management*, 6 October *2021*

DAFMAN 23-300, *Materiel Management Procedures*, 22 July 2025

DAFMAN 13-217, *Drop Zone, Landing Zone, and Helicopter Landing Zone Operations*, 22 April 2021

DAFMAN 21-201, *Munitions Management*, 24 October 2024

DAFMAN 31-131V3, *USAF Small Arms and Light Weapons Handling Procedures*, 1 April 2025

DAFMAN 32-1084, *Standard Facility Requirements*, 15 January 2020

DAFMAN 36-2100, *Military Classification, Technical Training, and Retraining*, 24 June 2025

DAFMAN 36-2806, *Military Awards: Criteria and Procedures*, 27 October 2022

DAFMAN 90-161, *Publishing Processes and Procedures*, 18 October 2023

DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards*, 25 March 2022

DAFMAN 91-223, *Aviation Safety Investigations and Reports*, 20 September 2022

AFMAN 10-3500, Volume 1, *Air Force Special Warfare Training Program*, 3 June 2025

AFMAN 11-202, Volume 1, *Aircrew Training*, 27 September 2019

AFMAN 13–210 Volume 1, *Joint Airdrop Inspection Records, Malfunction or Incident Investigations, and Activity Reporting*, 9 August 2024

AFMAN 13–210 Volume 2, *Joint Airdrop Inspection Records, Malfunction or Incident Investigations, and Activity Reporting Procedures*, 9 August 2024

AFMAN 48-149, *Flight and Operational Medicine Program (FOMP)*, 13 October 2020

AFMAN 63-143, *Centralized Asset Management Procedures*, 19 August 2025

CFETP 1P0X1, *AFSC 1P0X1 Aircrew Flight Equipment*, 18 August 2025

F35A-PFE-001, *F-35A Lightning II, Pilot Flight Equipment Configuration*, 20 July 2021

TO 00-5-1, *Air Force Technical Order System*, 19 November 2024

TO 00-5-3, *Air Force Technical Order Life Cycle Management*, 23 April 2025

TO 00-20-1, *Aerospace Equipment Maintenance Inspection, Documentation, Policies and Procedures*, 19 December 2023

TO 00-20-9, *Forecasting Replacement Requirements for Selected Calendar and Hourly Time-Change Items*, 4 September 2024

TO 00-25-06-2-1, *Work Unit Code (WUC) Manual*, *Intermediate Maintenance, 412A Aircrew Flight Equipment (AFE)*, 9 February 2017

TO 00-35A-39, *Instructions for Procurement, Issue, Use and maintenance of Medical Kits*, 15 March 2025

TO 00-35D-54, *USAF Deficiency Reporting, Investigation, and Resolution (DRI&R)*, 15 February 2024

TO 12S10-2AVS9-2, *Intermediate with IPB, Image Intensifier Set, Night Vision, Type AN/AVS-9*, 11 June 2025

TO 14-1-1, *U.S. Air Force Aircrew Flight Equipment Clothing and Equipment*, 23 December 2025

TO 14D3-11-1, *Operation, Inspection, Maintenance, and Packing Instructions for Emergency Personnel Recovery Parachute (Chest, Back, Seat Style, and Torso Harness)*, 9 September 2025

TO 14P3-1-112, *Maintenance Instructions - Nomex Flt Gr Coveralls, Types CWU-27P and CWU-28P and Gloves, Type GSFRP-2, Jacket, Flyers Summer Type CWU-36P, Jacket, Flyers Winter Type CWU-45P, Hood, Winter, Flyers (CWU-17P Jacket), Trousers, Flyers, Extreme Cold Weather, CWU-18P*, 21 August 2025

TO 14P3-5-111, *Aircrew Personal Protective Equipment, (Clothing), Volume 2*, 1 Dec 2023

TO 15X-1-1, *Maintenance Instructions; Oxygen Equipment*, 1 Sep 2025

AFMCI 63-1201, *Integrated Life Cycle* S*ystems Engineering and Technical Management*, 2 December 2022

AFMCMAN 63-1202, *Engineering Technical Assistance Request (ETAR) Process*

AFRCH 32-1001, *Standard Facility Requirements*, 19 October 2023

Platform 016, *Special Purpose Clothing and Personal Equipment*

Platform 450, *Aircrew Flight Equipment, and Survival Evasion Resistance Escape (SERE)*

Platform 538, *Security Police Equipment, Organizational Small Arms Equipment, Military Dogs, Associated Equipment and Civil Disturbance Equipmen*t

Prescribed Forms

None

Adopted Forms

DD Form 1748-2, *Joint Airdrop Malfunction Report (Personnel-Cargo)*

DAF 55, *Employee Safety and Health Record*

DAF Form 457, *USAF Hazard Report*

DAF Form 679, *Air Force Publication Compliance Item Waiver Request Approval*

DAF Form 847, *Recommendation for Change of Publication*

AF Form 1522, *ARMS Additional Training Accomplishment Report*

AF Form 2420, *Quality Control Inspection Summary*

AFTO Form 46, *Prepositioned Aircrew Flight Equipment*

AFTO Form 392, *Parachute Repack Inspection and Component Record*

AFTO Form 781A, *Maintenance Discrepancy and Work Document*

AETC Form 281, *Instructional Evaluation*

AETC Form 281A, *Instructor Evaluator Checklist,*

AETC Form 620, *Academic Instructor Monitoring Checklist*

Abbreviations and Acronyms

ACBRN—Aircrew chemical, biological, radiological, nuclear

ACBRNE—Aircrew chemical, biological, radiological, nuclear equipment

ACCA—Aircrew contamination control area

ACCS—Aircrew contamination control station

AF—Air Force

AFE—Aircrew flight equipment

AFECT—Aircrew flight equipment continuation training

AFECTI—Aircrew flight equipment continuation training instructor

AFES—Aircrew flight equipment superintendent

AFETT—Aircrew flight equipment technician training

AFFTC—Air Force Flight Test Center

AFI—Air Force Instruction

AFMAN—Air Force Manual

AFMAN 11-2 MDS—Air Force Manual 11-2 Mission Design Series

AFMC—Air Force Materiel Command

AFMLP—Air Force master lesson plan

AFPD—Air Force Policy Directive

AFSPECWAR—Air Force Special Warfare

AFRC—Air Force Reserve Command

AFSC—Air Force Specialty Code

ALC—Air Logistics Complex

ALEP—Aircrew Laser Eye Protection

ANG—Air National Guard

AP—Aircrew Performance

APEC—Aircrew Performance Executive Council

APP—Aircrew Performance Program

APS—Aircrew Performance Systems

APSP—Aircrew Performance Strategic Plan

APWG—Aircrew Performance Working Group

ARC—Air Reserve Component (AFRC and NGB)

A3—Director of Operations

CAF—Combat Air Forces

CBRN—Chemical, biological, radiological, and nuclear

CCP—Command control points

CCIP—Wing Commander's Inspection Program

CFETP—Career field education and training plan

CFM—Career Field Manager

COR—Contracting Officer Representative

COTS—Commercial-off-the-shelf

COTS/NDI—Commercial-off-the-shelf/non-developmental item

CPFH—Cost per flying hour

CTK—Composite tool kit

DAFMAN—Department of the Air Force manual

DoW—Department of War

DRU—Direct reporting units

DZCO—Dropzone Control Officer

EPL—Environmental Protective Layer

ETIMS—Enhanced Technical Information Management System

FAM—Functional area manager

FOA—Field operating agency

FTUO—For Training Use Only

HAF—Headquarters Air Force

HHQ—Higher headquarters

ID—Identification

IAE—Integrated Aircrew Ensemble

IAW—In accordance with

IPI—In-process-inspection

LC—Lead command

LOGDET—Logistics detail

MAF—Mobility Air Forces

MAJCOM—Major command

MAJCOM/CC—MAJCOM commander

MDS—Mission design series

MFF—Military freefall

MFM—MAJCOM functional manager

MICT—Management Internal Control Toolset

MO—Malfunction officer

MTI—Mission termination inspection

MTL—Master task listing

MXG—Maintenance group

MXG/CC—Maintenance group commander

N/A—Not applicable

NCO—Noncommissioned officer

NCOIC—Noncommissioned officer in-charge

NDI—Non-Developmental Item

NGB—National Guard Bureau

NSN—National stock number

NTRAPS—Non-tactical ram air parachute system

NVD—Night Vision Device

OG—Operations Group

OG/CC—Operations Group commander

O&M—Operations and Maintenance

OI—Operating instruction

OJT—On-the-job trainingOPLAN—Operations plan

OPR—Office of primary responsibility

OSS—Operations Support Squadron

OSS/CC—Operations Support Squadron commander

POC—Point of contact

QC—Quality control

QCI—Quality control inspection

QI—Quality Inspector

RC—Recommended change

RegAF—Regular Air Force

RS—Rigger Supervisor

SA—Self-assessment

SA/LW—Small arms/light weapons

SAC—Self-assessment checklist

SARM—Squadron Aviation Resource Management

SAV—Staff assistance visits

SME—Subject matter expert

SMSgt—Senior master sergeant

SOW—Statement of work

SPINS—Special instructions

SPO—Systems program office

SQ/CC—Squadron commander

SrA—Senior Airman

SSgt—Staff sergeant

TCTO—Time compliance technical order

TDY—Temporary duty

TFA—Total Force Association

TM—Technical manual

TMDE—Test, measurement, and diagnostic equipment

TO—Technical order

UEI—Unit effectiveness inspections

UMD—Unit manpower document

USAF—United States Air Force

UTC—Unit type code

UTM—Unit training manager

WIT—Wing Inspection Team

Office Symbols

ACC/A3TO—Air Combat Command, Director of Operations, Training Division, Operations Support Branch

ACC/TRSS/ATD—Air Combat Command, Training Support Squadron, Detachment 9

AF/SE—Air Force Chief of Safety

AF/A3S—Air Force Specialized Air and Ground Operations Division

AF/A34—Air Force Deputy Chief of Staff, Operations, Director of Training and Force Management

AF/A34P—Air Force Deputy Chief of Staff, Operations, Director of Training and Force Management, Aircrew Performance Division

AFCAIG/CPFH—Air Force Cost Analysis Improvement Group/Cost Per Flying Hour

AFCEC/CXR—Air Force Civil Engineer Center, Emergency Management Division

AFGSC/A3OL—Air Force Global Strike Command, Director of Operations, Aircrew Performance Branch

AFMC/A4F—Air Force Materiel Command, Director of Logistics, Product Support Division

AFMC/A3V—Air Force Materiel Command, Director of Air, Space, and Cyberspace,

Flight Operations & Standardization and Evaluation Division

AFMC/SE—Air Force Materiel Command, Director of Safety

AFRC/A345F—Air Force Reserve Command, Director of Operations, Operations and Force Management Division, Aircrew Flight Equipment Branch

AFSEC/SEF—Air Force Safety Center, Aviation Safety Division

AF/SG3P—Air Force Medical Readiness Agency, Chief of Aerospace Medicine

AFLCMC/ROU—Air Force Life Cycle Management Center, Human Systems Division

AMC/A3TL—Air Force Mobility Command, Director of Operations, Aircrew Tactics and Training Division, Aircrew Flight Equipment

AF/SG—Air Force, Surgeon General

SAF/AQP—Secretary of the Air Force, Acquisitions, Director of Global Power

SAF/IG—Secretary of the Air Force, Inspector General

Terms

100% Task Coverage—Minimum number of technicians within a work center that are required to be qualified on a given task to meet mission requirements.

Air Force Special Warfare (AFSPECWAR)—The Department of the Air Force's offensive ground force that specializes in air-ground-space-cyber integration in hostile, denied, and politically sensitive environments to achieve air, space, and cyber dominance. AFSPECWAR Airmen comprise the Guardian Angel, Tactical Air Control Party, and Special Tactics weapon systems. These Airmen are employed to: (1) gain global access; (2) provide precision strike; and (3) conduct personnel recovery across the spectrum of conflict and the multi-domain battlefield.

Aircrew—The total complement of rated (pilots, navigators, combat systems officers, air battle managers, and flight surgeons), career enlisted aviators (1AXXX and 1UXXX AFSC), and nonrated aircrew (K-, Q-, or X-prefixed AFSC) personnel responsible for the safe ground and flight operation of the aircraft and onboard systems, or for airborne duties essential to accomplishment of the aircraft's mission. Includes members in initial formal training for immediate assignment to an authorized operational flying position.

Aircrew Contamination Control Area (ACCA)—A self-sustaining, aircrew only Chemical/Biological mitigation control area that minimizes cross contamination to aircrew and is staffed by certified AFE technicians.

Aircrew Contamination Control Station (ACCS)—A self-sustaining, aircrew only contamination mitigation area removes radiological particulates from aircrew and is staffed by certified AFE technicians.

Aeromedical Evacuation (AE)—Movement of patients under medical supervision between medical treatment facilities (MTF) by fixed-wing aircraft by qualified AECMs.

Aeromedical Evacuation Crew Members (AECM)—Qualified Flight Nurses (FN), AE Technicians (AET), and unqualified student trainees under the direct supervision of a qualified instructor or FN, performing AE duties.

Aircrew Flight Equipment—Flight equipment encompasses all equipment that was formerly known as aircrew life support equipment and is part of the 412A life support system.

Associate Unit—The partner unit of a TFA that shares the primary physical resources (e.g., facilities, equipment, and workspaces), assigned to the sponsor unit (i.e., the unit the owns the aircraft). The associate unit may also provide additional resources or manpower required to sustain the collective mission. The associate unit remains subordinate to the associate MAJCOM but operates in direct coordination with the sponsor unit to maintain joint operational effectiveness.

Contracting Officer Representative (COR)—Responsible for surveillance and compliance of products and services IAW government contract and applicable governing directives. When directly responsible for the oversight of AFE sections, the AFE COR is synonymous with AFE CEM/AFES. This term is not to be misrepresented by applying it to any other CORs aligned outside the scope of AFE section management (e.g., Mission Support Group functions, or other contract managed workcenters).

D-Bag—Full complement of ACBRNE BOI. Includes the contents of the D-1 bag, plus any remaining BOI items.

D-1 Bag—One complete ACBRNE carried by aircrew when deploying to chemical threat environment.

In-Process Inspection (IPI)—A point during the rigging, installation, repair, assembly, or reassembly of systems or components which require a third-party validation in accordance with technical directives, or as directed by the CFM or MAJCOM Functional Manager. IPIs must be accomplished by qualified personnel in accordance with this instruction.

Laser—An acronym for Light Amplification by Stimulated Emission of Radiation. Any device that can be made to produce or amplify electromagnetic radiation in the x-ray, UV, visible, and infrared or other portions of the spectrum by the process of controlled stimulated emission of photons.

Locally Designed Tool—A tool designed, manufactured, or modified without approved guidance from an official source (e.g., TO, TCTO, COTS manual).

Logistics Detail (LOGDET)—The LOGDET defines standard passenger and equipment movement requirements for each UTC. Equipment detail is provided at the NSN level. Lists all material in an UTC, prioritizes increment movement, provides increment characteristics, and is the standard equipment listing for planning.

Major Discrepancy/Finding—A major discrepancy is defined as a condition that would endanger personnel, jeopardize equipment or system reliability, impact safety of flight or warrant discontinuing the process or equipment inspection. Any major discrepancy will result in an automatic inspection failure. All discrepancies will be documented for trends.

Minor Discrepancy/Finding—A minor discrepancy is defined as an unsatisfactory condition that requires repair or correction, but does not endanger personnel, impact safety of flight, jeopardize equipment reliability or warrant discontinuing a process or equipment operation. A minor discrepancy is one that will not affect the operation of the equipment but prevents the equipment from being 100 percent compliant with current directives. All discrepancies will be documented for trends.

Newly Assigned—A technician /NCOIC new to the unit by way of PCS, new hire or changing MDS, etc.

Nomex®—Nomex® fabric is a high-temperature resistant and inherently flame-retardant synthetic fabric with no-hot-melting point or drip characteristics. The fabric is light in weight, will not support combustion, but will begin to char at 700° to 800° F. The fabric has good abrasion resistance like nylon and is non-absorbent like nylon and other synthetic fabrics.

Operation Plan (OPLAN)—Any plan, except for the Single Integrated Operational Plan (SIOP), for the conduct of military operations. Plans are prepared by combatant CCs in response to requirements established by the Chairman of the Joint Chiefs of Staff and by CCs of subordinate commands in response to requirements tasked by the establishing unified CC. An OPLAN identifies the forces and supplies required to execute the CINCs Strategic Concept and a movement schedule of these resources to the theater of operations. The forces and supplies are identified in Time-Phased Force Deployment Data files. OPLANs will include all phases of the tasked operation. The plan is prepared with the appropriate annexes, appendixes, and files as described in the Joint Operation Planning and Execution System manuals containing planning policies, procedures, and formats. OPLANs are prepared either in a complete format OPLAN or as a Concept Plan (CONPLAN). The CONPLAN can be published with or without a file. An OPLAN for the conduct of joint operations that can be used as a basis for development of an Operation Order (OPORD).

Passenger (PAX)—Individual aboard aircraft for the purpose of transportation.

Pilot Unit—Unit designated by the MAJCOM functional manager (MFM) to handle LOGDET management responsibilities for an UTC. Pilot units are listed in the header record of each UTC and LOGDET.

Sponsor Unit—The primary unit within a TFA responsible for maintaining ownership and management of the shared physical resources (e.g., facilities, equipment, and workspaces). The sponsor unit provides the foundational support structure, processes, and oversight necessary to sustain mission readiness and execution. The sponsor unit establishes the operational framework for integrated maintenance, inspection, quality control, and shop programs that ensure all equipment meets airworthiness and safety standards. The sponsor unit collaborates with the associate unit to align training, sustainment, and resource utilization in support of the shared mission.

Theater—The geographical area outside the continental United States for which a CC of a combatant command has been assigned responsibility.

Two-Person Concept—Is designed and used throughout all IPIs/Rigger Checks to ensure the IPI/Rigger Check is conducted by a different person other than the item inspector. The two-person concept ensures an additional set of eyes validates the critical point in the inspection process.

Unit Manpower Document (UMD)—A detailed staffing list reflecting the distribution of staffing allocations into a finite structure of authorizations (by work center).

Unit Type Code (UTC)—A five-character, alphanumeric code that uniquely identifies each type unit of the Armed Forces.

Attachment 2

LEAD COMMAND/LEAD AGENCY (LC/LA) FOR AFE SYSTEMS

A2.1. Note: LC/LAs listed in BOLD are the default lead for that category, to include testers for equipment in that same category. Commands/agencies not in bold are the lead for those specifically listed equipment items and associated testers. Refer to DAFPD 10-9 for complete LC/LA authorities and responsibilities.

Figure A2.1. Lead Command/Lead Agency (LC/LA) For AFE Systems.

GARMENTS & PROTECTIVE CLOTHING	**-**
AIRCREW FLIGHT CLOTHING	**AFLCMC**
ANTI-EXPOSURE SUITS	**ACC**
Multi-place, Non-ejection Seat Anti-exposure Suits	AMC
Quick-Donning, Non-Fitted Anti-Exposure Suits	AMC
Bomber Aircraft Anti-Exposure Suits	AFGSC
COLD WEATHER AVIATION SYSTEMS (CWAS)	**PACAF**
ANTI-GRAVITY GARMENTS	**ACC**
OXYGEN SYSTEMS	**-**
AIRCREW OXYGEN MASKS AND CONNECTORS	**ACC**
MBU-12/P	AMC
Quick Don Folding Mask Assembly, 358 Series	AMC
Quick Don Folding Mask Assembly, 359 Series	AMC
Emergency Respiratory Oxygen Systems (EROS) Mask	AMC
Custom Oxygen Mask	AFLCMC
Commercial Aircrew Oxygen Masks for Large Frame Aircraft (LFA) & Operational Support Aircraft/ Executive Airlift (OSA/EA)	AMC
EMERGENCY AIRCREW OXYGEN SYSTEMS	**ACC**
Protective Breathing Equipment (PBE)	AMC
PASSENGER EMERGENCY OXYGEN MASKS AND SYSTEMS	**AMC**
HELMET SYSTEMS	**-**
AIRCREW PROTECTIVE HELMETS AND HELMET LINERS	**ACC**
HGU-56/P and Aircrew Ballistic Helmet (ABH)	AFGSC
AIRCREW OPTICAL DEVICES AND ACCESSORIES	**ACC**
Flash Blindness Protection Devices	AFGSC
AIRCREW CBRN EQUIPMENT (ACBRNE)	**ACC**
ACBRNE Development & Fielding	ACC
Containment Mitigation, Radiological Nuclear Protection/Detection Equipment	AFGSC
EMERGENCY ELECTRONIC COMMUNICATION & SIGNALING EQUIPMENT	**ACC**
Peacetime Signaling Devices (SKED & PRC-648)	AETC
PERSONNEL PARACHUTE SYSTEMS, TORSO HARNESSES, RESTRAINT DEVICES, DECELERATION DEVICES & ACCESSORIES	**ACC**
Restraint Devices (PCU-17/P and HBU-6/P Safety Strap)	AMC
Air Warrior Primary Survival Gear Carrier (PSGC)	AFGSC
Personal Restraint Tether (PRT)	AFGSC
Gunner's Belt	AFGSC
Special Tactics/ MFP-11 Funded Equipment	AFSOC
SURVIVAL KITS, VESTS, BACKPACKS, & AIRCREW BODY ARMOR	**ACC**
CNU-129/P Survival Kits	AFGSC
Parachute Spacer Kit (PSK)	AFGSC

Air Warrior (AW)	AFGSC
Aircraft Minimum Survival Kit (MSK)	AMC
KC-10 Auxiliary Survival Kit (ASK)	AMC
Aircraft Protective Clothing Kit (PCK)	AMC
Aircrew Body Armor (ABA)	AMC
Aeromedical Evacuation Crewmember Support	AMC
Passenger Demonstration Kits	AMC
KC-10 Auxiliary Survival Kit	AMC
Aircrew Flight Clothing	AFMC
LIFE PRESERVER UNITS (LPU)	**AMC**
LPU-38/P	ACC
LPU-40/P	AFGSC
PRU-75/P (IAE LPU)	ACC
LIFE RAFTS AND ESCAPE SLIDES	**AMC**
LRU-16/P	ACC
BLADDER RELIEF SYTEMS	**ACC**
TEST EQUIPMENT	**ACC**