DEPARTMENT OF THE AIR FORCE
Headquarters US Air Force
Washington, D.C. 20330-1030

QTP24-3-500
8 October 2026

GOVERNMENT MOTOR VEHICLE OPERATIONS IN MISSION ORIENTED PROTECTIVE POSTURE (MOPP) LEVEL 4 DRIVING



QUALIFICATION TRAINING PACKAGE

Chapter 1—OVERVIEW **4**
1.1. Overview 4
1.2. Applicability 4
1.3. Administrative 4
Chapter 2—ROLES AND RESPONSIBILITIES **5**
2.1. Trainer 5
2.2. Trainee 5
2.3. Certifier 5
Chapter 3—INTRODUCTION **6**
3.1. Objectives 6
3.2. Desired Learning Outcomes 6
3.3. Lesson Duration 6
Table 3.1. Recommended Training Time for Training Activities. 6
3.4. Instructional References 6
3.5. Instructional Training Aids and Equipment 7
Chapter 4—KNOWLEDGE LECTURE **8**
4.1. Government Motor Vehicle Operations in MOPP Level 4 8
4.2. Physiological and Psychological Factors 8
4.3. Heat Stress and Dehydration 8
4.4. Vehicle Operation and Sensory Degradation 9
4.5. Safety and Nighttime Operations 9
4.6. Weapon Manipulation 9
4.7. CBRN Tactical Operations and Combat Conditions 10
4.8. Operating a Vehicle in a Contaminated Area 10
4.9. Marker Descriptions 10
Figure 4.1. Standard CBRN and Unexploded Ordnance Hazard Markers 11
4.10. Vehicle and Equipment Decontamination 11
4.11. Pre/Post-Attack Preparation & Contaminated Vehicle Identification 12
4.12. Dispersal and Expedient Hardening 12
4.13. Contaminated Vehicle Operations and Waste Disposal. 12
Table 4.1. Mission Criticality Level Codes 13
4.14. Clean and Contaminated Cargo Movement. 13
Chapter 5—EXPLANATION AND DEMONSTRATION **16**
5.1. Trainer's Preparation 16
5.2. Practical Safety Procedures 16
5.3. Operator Maintenance Demonstration 16
5.4. Trainer's Hands on Demonstration 17
Chapter 6—PERFORMANCE AND EVALUATION **18**
6.1. Overview and Desired Learning Outcome 18

6.2. Phase I: Familiarization and Practical Exercise 18
6.3. Phase II: Formal Performance Evaluation..... 18
6.4. Grading and Retraining 19
6.5. Documentation and Certification 19
Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 20
Attachment 2—PERFORMANCE TEST 22
Attachment 3—WORK-REST CYCLES AND HYDRATION 23

Chapter 1

OVERVIEW

1.1. Overview. This Qualification Training Package (QTP) establishes standardized training requirements, content, and certification protocols for all Air Force and Space Force operators operating a vehicle in Mission Oriented Protective Posture (MOPP) gear and while maintaining a small arms weapon (dummy rubber rifle) during day and night operations. Designed to ensure consistency and excellence across all installations, this package provides comprehensive guidance for both trainers and trainees.

1.1.1. The training standards outlined herein align with military requirements while incorporating best practices for adult learning and competency-based instruction. This package serves as the authoritative source for curriculum development, performance evaluation criteria, and certification documentation, ensuring all operators receive uniform, high-quality training.

1.1.2. Successful completion of this training program demonstrates operator proficiency and supports mission readiness by maintaining the highest standards of safety, compliance, and operational effectiveness across both services when operating vehicles under restricted mobility and visibility conditions inherent to MOPP environments.

1.2. Applicability. This QTP applies to all Department of the Air Force personnel operating a government motor vehicle while postured in MOPP gear. Personnel operating a vehicle while postured in this manner must complete the prescribed training and performance evaluation outlined in this QTP. Certification on MOPP gear training will only be valid for two years from the completion of the requirements in this QTP. Career fields may prescribe a shorter period of revalidation on this training.

1.3. Administrative. Send comments and suggested improvements on DAF Form 847, *Recommendation for Change of Publication* through Air Force Installation and Mission Support Center (AFIMSC) functional managers via e-mail at: AFIMSC.A34OG.GroundTrans@us.af.mil.

Chapter 2

RESPONSIBILITIES

2.1. Trainer. Provide an overview of the training outlined in Chapters 2 and 3. Deliver classroom instruction, conduct trainee preparation, provide knowledge training, conduct demonstrations, and evaluate performance activities. Coordinate with the Unit Training Manager (UTM) or designated authority to ensure training and certification documentation is properly completed.

2.1.1. Review this QTP, applicable installation procedures, vehicle technical data, manufacturer's operator manuals, and local directives with the trainee. Explain the QTP process and the trainee's responsibilities.

2.1.2. Conduct knowledge training using this QTP and ensure the trainee understands MOPP Level 4 vehicle-operation requirements, safety precautions, and task-performance standards.

2.1.3. Conduct performance-task explanations and demonstrations using the applicable vehicle, Ground Crew Ensemble (GCE), field gear, and training aids.

2.1.4. Evaluate the trainee's task performance.

2.1.5. Document and sign off completed training and evaluation requirements in the trainee's Individual Training Record (ITR), DAF Form 623, *Individual Training Record Folder*, or electronic on-the-job training (OJT) record, as applicable.

2.2. Trainee. Read this QTP in its entirety before attending training. Actively participate in classroom instruction, demonstrations, practical application, and the performance evaluation.

2.2.1. Ensure the trainer explains the QTP process and the trainee's responsibilities. Ask questions when objectives, safety requirements, vehicle-operation procedures, or performance standards are not understood.

2.2.2. Demonstrate the ability to safely operate assigned government motor vehicles (GMVs), low-speed vehicles (LSVs), work equipment, and other applicable ground vehicles while wearing MOPP Level 4 equipment and maintaining a small-arms weapon, as required.

2.2.3. Complete the performance test with zero instructor assists.

2.3. Certifier. The certifier acts as the independent evaluating authority. The certifier evaluates the Airman's physical task performance without providing assistance or coaching. Upon successful, independent completion of the performance test, the certifier signs off the applicable task(s) to document completion of certification requirements.

2.3.1. Evaluate the Airman's performance to verify the ability to execute required MOPP procedures independently, correctly, and safely.

2.3.2. Document certification in the trainee's ITR, DAF Form 623 or electronic OJT record, as applicable.

Chapter 3

INTRODUCTION

3.1. Objectives. Upon completion of lectures, demonstrations, hands-on driving sessions, and a performance evaluation, trainees will be able to safely perform vehicle-operation tasks while wearing chemical, biological, radiological, and nuclear (CBRN) defense individual protective equipment (IPE). This training supports the requirement for personnel to perform functional tasks for extended periods while in a CBRN environment.

3.1.1. In accordance with DAFI 10-2503, *Chemical, Biological, Radiological, Nuclear (CBRN) Defense Program*, train and qualify personnel to operate applicable GMVs, LSVs, work equipment, and other common ground vehicles while in MOPP Level 4.

3.1.2. Train personnel to safely operate applicable vehicles during day and night conditions while maintaining accountability and control of a small-arms weapon, as required.

3.1.3. This QTP establishes baseline MOPP Level 4 vehicle-operation training requirements. Career fields or units may require additional training and certification for specialty vehicles or equipment not addressed in this QTP.

3.2. Desired Learning Outcomes. Upon completion of this training, trainees will demonstrate the knowledge and skills necessary to safely operate applicable vehicles while in MOPP Level 4. Trainees must demonstrate technical proficiency, situational awareness, safe equipment operation, and compliance with applicable safety requirements during both day and night operations.

3.3. Lesson Duration. The recommended instructional and hands-on training time is 10 hours.

Table 3.1. Recommended Training Time for Training Activities.

Training Activity	Training Time
Trainee's Preparation	1 Hour
Trainer's Lecture and Demonstration	1 Hour
Trainee's Personal Experience (to build confidence and proficiency) • Day Operation (2-hrs) • Night Operation (2-hrs)	4 Hours
Trainee's Performance Evaluation • Day Evaluation (2-hrs) • Night Evaluation (2-hrs)	4 Hours

3.4. Instructional References.

3.4.1. DAFI 10-2503, Chemical, Biological, Radiological, and Nuclear Defense Program.

3.4.2. DAFI 90-802, Risk Management.

3.4.3. Applicable technical orders, manufacturer's operator manuals, and vehicle-specific QTPs.

3.4.4. AFTTP 3-4, Airman's Manual.

3.4.5. AFTTP 3-2.60, *Chemical, Biological, Radiological, and Nuclear Decontamination*.

3.4.6. Installation Emergency Management Plan (IEMP) 10-2.

3.5. Instructional Training Aids and Equipment.

3.5.1. Vehicles. Provide the vehicle(s), LSVs, work equipment, or other common ground vehicles applicable to the trainee's assigned duties. Apply "STUDENT DRIVER" magnetic signs or placards when operating in or near live traffic.

3.5.2. Ground Crew Ensemble (GCE).

3.5.2.1. Duty uniform.

3.5.2.2. Protective mask and filters, including optical inserts when required.

3.5.2.3. Chemical protective overgarment.

3.5.2.4. Protective gloves and glove liners.

3.5.2.5. Footwear covers or overboots.

3.5.3. Field Gear. Members will have helmet, web belt, a canteen filled with water for hydration, body armor, and load-bearing vest with pouches.

3.5.4. Weapons and Safety Gear.

3.5.4.1. Small-arms weapon training aid, such as a dummy or rubber rifle.

3.5.4.2. Reflective safety belt and flashlight for night operations.

3.5.5. Driving Course Materials. Traffic cones or other suitable course markers.

3.5.6. Training Props. Simulated M8 paper and M295 Individual Equipment Decontamination Kits (IEDK) are optional but recommended for contamination and decontamination practical exercises.

Chapter 4

KNOWLEDGE LECTURE

4.1. Government Motor Vehicle Operations in MOPP Level 4. While in a CBRN environment, units must continue to operate. A routine task of operating a vehicle, especially during night operations, becomes significantly more difficult when personnel must operate in MOPP Level 4. The degradation caused by operators driving in MOPP can be significantly reduced by conducting actual vehicle operations during field training exercises. Operators must practice driving while in MOPP Levels, as learned skills are perishable. As a warfighter, it is important to successfully perform your unique mission while in a CBRN environment driving in MOPP 4.

4.2. Physiological and Psychological Factors. Degradation of military operations primarily results from the physiological and psychological impact of encapsulation in MOPP Levels. Tests and lessons learned at the Combat Training Centers, from Operations DESERT SHIELD and DESERT STORM, and from the Combined Arms in a Nuclear/Chemical Environment (CANE) program have shown that operations are seriously degraded while wearing MOPP Level 4 versus the battledress uniform.

4.2.1. Vehicle Inspections and loading can take longer when in MOPP Level 4.

4.2.2. Patrols and Damage Assessment Response Teams can take longer.

4.2.3. Changing vehicle power packs can take longer.

4.2.4. Re-fueling operations take longer.

4.2.5. Re-arming takes longer.

4.2.6. Most activities require more time when the unit is in MOPP Level 4.

4.2.7. Muscle fatigue occurs faster due to increased load-out weight (weapon, body armor, etc.).

4.3. Heat Stress and Dehydration. MOPP Level 4, the highest level, provides full respiratory and contact protection against field concentrations of CBRN agents. However, it also causes the highest level of performance degradation from increased heat and mental stress, loss of visual and tactile acuity, and reduced hearing.

4.3.1. Adding layers over the duty uniform (e.g., protective overgarment, gloves, and over boots) increases the risk of heat stress, even at moderate environmental temperatures and work intensities. Hunger, thirst, and discomfort during sustained periods of MOPP wear can seriously degrade performance and increase the possibility of heat casualties.

4.3.2. Because of higher body temperatures, personnel operating in MOPP sweat considerably more than usual, often losing more than 1.5 quarts of water every hour during work. Even a slight degree of dehydration impairs the body's ability to regulate temperature, nullifies the

benefits of heat acclimatization, increases susceptibility to heat injury, and reduces alertness.

4.3.3. Dehydration is a severe problem. Personnel must drink water regularly *before* donning MOPP and *while* in MOPP gear to maintain performance and recover more quickly after strenuous activity.

4.4. Vehicle Operation and Sensory Degradation. Operating a vehicle in MOPP Level 4 gear adds additional safety concerns. The bulky boots can affect the operation of the clutch (if equipped), brakes, and accelerator. The protective gloves are bulkier than ordinary gloves, making it difficult to operate or adjust vehicle controls. GMV operators are trained to use their senses (look, listen, smell, feel) to check for vehicle problems. In MOPP 4, these senses are severely diminished:

4.4.1. Sight is reduced. You may be required to turn your head more to ensure all is clear while driving.

4.4.2. Hearing is reduced. You must be more visually attentive to compensate.

4.4.3. Smell is eliminated. You must closely monitor vehicle gauges and regularly check mirrors.

4.4.4. Feel is reduced. The extra layers take away tactile feedback.

4.4.5. Snag Hazards. Bulky clothing presents a snag hazard. Exercise extreme care around moving parts and assure all clothing is clear of snags before jumping from running boards, cargo beds, or elevated M-Series bumpers.

4.5. Safety and Nighttime Operations. One safe way to avoid an incident is to slow down. Drive slower than the posted speed limit. Take the extra time to ensure all is clear; if in doubt, stop and double-check. Remember your sensory perception is reduced, meaning your reaction time will be slower. Stop regularly to hydrate, but NEVER try to hydrate yourself while the vehicle is in motion. Additionally, extra caution is required during hours of darkness due to the following factors:

4.5.1. Drivers can be blinded for a short time by bright lights; even two seconds of glare blindness is dangerous.

4.5.2. Less light means hazards are harder to see, which is compounded by wearing a gas mask. Drive slower when lighting is poor or confusing.

4.5.3. It is critical to keep the windshield and mirrors clean, as bright lights at night can cause dirt to create a glare of its own, further obstructing your view.

4.6. Weapon Manipulation. When traveling with a weapon system, it is important to ensure that the weapon is always secured for safety. Most non-tactical vehicles, and some tactical vehicles, do not have a storage system equipped for weapons, requiring additional consideration. For these

situations, consider the following:

4.6.1. Place the weapon between the operator and the driver's door.

4.6.2. Ensure the barrel is pointed at the floorboard with the butt-stock closest to the operator.

4.6.3. Ensure the weapon is not in a position that will interfere with, or could move into a position to impede, the manipulation of the accelerator or brake pedals.

4.6.4. Always secure the weapon prior to egress from the vehicle or equipment being utilized.

4.7. CBRN Tactical Operations and Combat Conditions. Actual operations prove that response actions conducted during training are also done during warfare. A GMV operator must know what to do when driving in a CBRN environment. For additional guidance, see AFTTP 3-2.60*, Chemical, Biological, Radiological and Nuclear Decontamination*, AFTTP 3-4, DAFI 10-2503, and the IEMP 10-2.

4.7.1. Under combat conditions, situations change. GMV operators may be moving forward, in a fighting position, or standing by in a replacement area some distance from the combat area. In any of these situations, they are subject to enemy attacks.

4.7.2. Tasks that involve wearing chemical warfare defense ensembles, Individual Protective Equipment (IPE), and MOPP, are outlined in Career Field Education and Training Plan (CFETP) wartime tasks for certification. MOPP gear vehicle operations will be completed as part of Air Force Expeditionary Force (AEF) training (e.g., law of war, self-aid buddy care). Training is documented in personnel training records (if applicable).

4.8. Operating a Vehicle in a Contaminated Area. Personnel operating vehicles in a CBRN contaminated environment can reduce the risk of contamination through the use of avoidance measures referenced in the Airman's Manual and AFTTP 3-2.60, though operating times will vary based on protective equipment, environmental conditions, and the specific mission task. For critical operations in radiological environments, the commander maintains the authority to establish minimum exposure doses to protect personnel, and the following practices are established to assist in safely carrying out the mission.5.8.3.1. Before entering CBRN contaminated areas, don protective clothing and the protective mask, as required.


4.8.1. Use hard-surface roads, if available. Avoid puddles and unnecessary splashing if roads are muddy.

4.8.2. Clean the wheels of the vehicle after crossing the area.

4.8.3. Move through the area as rapidly and safely as possible.

4.9. Marker Descriptions. Use the triangular signs described in this chapter and DAFI 10-2503, unless the area is to be abandoned to threat forces, to mark CBRN contaminated areas, chemical minefields, booby traps, and unexploded ordnance.

Figure 4.1. Standard CBRN and Unexploded Ordnance Hazard Markers



4.10. Vehicle and Equipment Decontamination.

4.10.1. In addition to the IEMP 10-2 checklists, follow these guidelines. Contaminated vehicles and equipment are still serviceable. Do not abandon or stop protecting items contaminated from previous attacks. Personnel using the proper IPE and protective measures can use contaminated vehicles. Decontaminate unit equipment as soon as the situation permits.

4.10.2. Operational Decontamination. The most effective time to perform operational decontamination is within one hour of contamination. Operators use the M295 Individual Equipment Decontamination Kit (IEDK) to decontaminate the surfaces they need to touch to operate the equipment. Radiological contamination (dust particles) may be wiped, scraped, or brushed off.

4.10.3. DAF Paint Scheme.

4.10.3.1. Chemical Agent Resistant Coating (CARC) delays liquid agent absorption for up to six hours (if painted within two years). The contact and transfer hazard remains viable as long as the agent is on the surface, and vapor concentrations are at their maximum limit. If CARC-painted assets must be used within 6 hours of contamination, decontaminate the entire exterior and all continuously touched areas.

4.10.3.2. Polyurethane paint (majority of AF vehicles) absorbs agents readily.

Decontamination must occur within minutes to be effective. When absorbed, the residual contact hazard is reduced, but it creates a long-term vapor off-gassing hazard.

4.11. Pre/Post-Attack Preparation & Contaminated Vehicle Identification.

4.11.1. Pre-attack: Plan a vehicle covering strategy, protect the fleet, and pre-position M8 paper on all vehicle assets.

4.11.2. Post-attack: Prioritize vehicle use, conduct expedient decontamination, perform maintenance in a contaminated environment, provide long-term identification, and support open-air Contamination Control Area (CCA) operations.

4.11.3. Identification and Marking: Operators are responsible for identifying and marking contamination. Upon notification from the Unit Control Center (UCC) or Emergency Operations Center (EOC), check pre-positioned M8 paper and mark contamination with the appropriate symbol to warn maintenance personnel.

4.11.4. The operator must notify their UCC of the item's contamination status. The UCC consolidates this for the EOC, GTOC, and Vehicle Fleet Manager, including POC, location, contamination type, and vehicle registration number.

4.11.5. Place the marker in the lower center portion of the windshield. The operator will annotate the DAF Form 1800 when the marker is placed, including date, time, agent type, and location. If the form is unavailable or contaminated, pass this data to the UCC.

4.12. Dispersal and Expedient Hardening.

4.12.1. Vehicle dispersal is a valuable asset protection technique that may protect assets from contamination or conventional weapons. Use dispersal actions with expedient hardening and overhead cover whenever possible. Guard against the tendency to park a large number of vehicles at any one location due to ease of access.

4.12.2. When identifying/constructing dispersal sites, choose features providing the best expedient/natural protection that support mission needs. Locate multiple sites outside the effective range of adversary ground force weapons.

4.12.3. If possible, locate sites on a concrete or asphalt surface and ensure there are at least two entry/exit routes (one should be concrete/asphalt). Enhance protection by locating sites under the direct observation of a security forces defensive fighting position or checkpoint.

4.12.4. Place sites near a unit work area to simplify retrieval and post-attack reconnaissance. Consider using dispersed vehicles as storage locations for alternate mission supporting materials (e.g., tools and equipment).

4.13. Contaminated Vehicle Operations and Waste Disposal.

4.13.1. Use contaminated vehicles only when uncontaminated ones are unavailable. Delay non-critical operations until an uncontaminated vehicle is available. Always wear appropriate IPE around contaminated vehicles.

4.13.2. Waste Disposal: Dispose of contaminated waste within a closed/marked container or in a marked plastic disposal bag at the unit/work center contaminated waste disposal point. If transporting waste, place it inside marked plastic bags or closed containers before loading into the vehicle.

4.13.3. Passenger Movement. Contaminated buses move contaminated passengers; non-contaminated buses move non-contaminated passengers. If insufficient resources dictate the prompt movement of personnel, use caution and place plastic barrier materials on seats to prevent cross-contamination. Ensure to transport personnel to the CCA as required.

4.13.4. Vehicle Interior Mitigation. Place plastic sheeting/barriers on seats and steering wheels. Body heat and sitting pressure increase the potential for liquid agents to penetrate the MOPP ensemble.

4.13.5. Expedient Decontamination parts continuously touched within one hour using the M295 IEDK or a 5-percent chlorine bleach solution. The Installation Control Center will dictate the Mission Criticality Level (See Table 4.1).

Table 4.1. Mission Criticality Level Codes

Mission Criticality Level	Definition
Critical	Property is sufficiently important that it must be transported within 4 hours, regardless of existence of contamination.
Priority	Property is sufficiently important that it must be transported within 12 hours, regardless of existence of contamination.
Accelerated	Property is sufficiently important that it must be transported within 24 hours, regardless of existence of contamination.
Routine	Mission can be delayed until contamination levels are such that MOPP 4 is not required, regardless of how long it takes the contamination to dissipate.
Negligible	Mission can be delayed until there is no measurable indication of contamination; property should not normally be accepted inside property movement area and save room for higher priority property.

4.14. Clean and Contaminated Cargo Movement.

4.14.1. Uncontaminated Transport Vehicle with Contaminated Cargo: Take the following precautions to keep the vehicle clean during the contaminated cargo movement process:

4.14.1.1. Decontaminate the portions of the Material Handling Equipment (MHE) exposed to either the cargo pallet or the transport vehicle (e.g., forklift tines and aircraft loader rollers). Use the M295 IEDK or a 5-percent chlorine bleach solution.

4.14.1.2. Place plastic or another barrier material in the bed of the transport vehicle over the area the cargo sits on.

4.14.1.3. The GMV operator should be the only person in the transport vehicle and must wear the appropriate level of IPE.

4.14.1.4. Local cargo handlers should perform the actual cargo loading. Cargo handlers should not touch or stand on or inside the vehicle unless absolutely necessary.

4.14.1.5. If handlers touch or stand on or inside the vehicle, they should use decontamination troughs containing 5-percent chlorine solutions to decontaminate their gloves and boots before they make contact again.

4.14.1.6. Check the clean transport vehicle for evidence of cross-contamination and decontaminate with the M295 kit if contaminated.

4.14.1.7. Seal vehicle chocks or other transport vehicle accessories that may have come in contact with contaminated surfaces inside a plastic bag prior to loading.

4.14.1.8. Appropriately mark the vehicle and the cargo to clearly identify the hazard associated with the contaminated cargo.

4.14.2. Loading Clean Cargo After Attacks (Contaminated MHE or Transport Vehicle). Use the following guidelines when loading and transporting clean cargo after attacks with chemical or biological agents:

4.14.2.1. Determine the contamination status of the MHE (forklifts and aircraft loaders) and the transport vehicle(s). If the MHE and/or transport vehicle is contaminated, take precautions to prevent them from cross contaminating the 463L cargo pallet.

4.14.2.2. Expediently decontaminate the portions of the MHE equipment that may come in contact with the cargo.

4.14.2.3. Place at least two sheets of plastic or another layer of barrier material in the bed of the transport vehicle over the area the cargo or pallets sit on.

4.14.2.4. Ensure the cargo has at least a double wrap of barrier material.

4.14.2.5. The GMV operator should be the only person in the transport vehicle and must wear the appropriate level of IPE.

4.14.2.6. Local cargo handlers should perform the actual cargo loading without touching or standing on/inside the vehicle unless absolutely necessary.

4.14.2.7. If handlers touch or stand on/inside the vehicle, they must use decontamination troughs containing 5-percent chlorine solutions to decontaminate their gloves and boots.

4.14.2.8. Check the pallet(s) for evidence of cross-contamination and decontaminate with the M295 IEDK if contamination is present.

4.14.2.9. Appropriately mark the vehicle to clearly identify the associated hazard.

Chapter 5

EXPLANATION AND DEMONSTRATION

5.1. Trainer's Preparation. The trainer must ensure the physical training environment is safe and all logistical requirements are met prior to bringing the trainee to the vehicle.

5.1.1. Site Setup: Establish a training location away from normal traffic flow (e.g., an empty parking lot or designated training area). Do not allow the trainee to interact with live traffic until they have demonstrated competence in driving while in MOPP 4.

5.1.2. Vehicle Prep: Schedule, reserve, and perform a pre-inspection of the training vehicle.

5.1.3. Scheduling: Schedule a certification time. Note: If 24-hour operations are a possibility, it is highly recommended to conduct a secondary performance test during the hours of darkness after the Trainee has successfully completed daytime testing.

5.1.4. Verify Prerequisites: Ensure the trainee has met all requirements outlined in Section 4 (e.g., possesses proper licenses, mask inserts, small arms "dummy" weapon, reflective belts, and a water canteen).

5.1.5. Consider weather, heat categories, and workload when scheduling MOPP gear training.

5.2. Practical Safety Procedures. The following safety protocols must be strictly enforced during the hands-on demonstration and evaluation phases.

5.2.1. Buddy System: A buddy system will be always used. During the trainee's driving evaluation, the trainer must be in the vehicle without their GCE mask and hood to maintain unimpeded situational awareness and verbal control of the vehicle.

5.2.2. Hydration & Rest: Enforce frequent breaks to rest and hydrate.

5.2.3. Vehicle Safety: Ensure the transmission is placed in neutral/park, the parking brake is set, the engine is shut off, and the ignition key is removed (if equipped) before either party exits the vehicle.

5.2.4. Ensure all occupants properly adjust seats/mirrors and wear seat belts prior to operation.

5.2.5. Apply standard Risk Management (RM) procedures throughout the training event.

5.3. Operator Maintenance Demonstration. The trainer will physically demonstrate how MOPP gear impacts standard vehicle walk-around procedures.

5.3.1. With the trainee observing, accomplish a vehicle inspection using DAF1800

5.3.2. WARNING: Chemicals such as brake fluid, transmission fluid, and oil degrade the GCE

very quickly. Take extreme care to avoid getting these on the GCE during the inspection.

5.3.3. Demonstrate how to document any discrepancies, sign off the DAF Form 1800, and simulate reporting safety items to Vehicle Management.

5.4. Trainer's Hands-On Demonstration. Within the closed training area, the trainer will demonstrate vehicle operation to the trainee. Allow time for questions and repeat demonstrations as needed.

5.4.1. Sensory & Mobility Demonstration: With GCE and Field Gear on (minus the mask), physically show the trainee how the bulkiness of the boots affects the operation of the pedals (clutch, brake, accelerator).

5.4.2. Demonstrate how operating controls and dashboard switches are significantly more difficult with protective gloves on.

5.4.3. Pre-Mask Sensory Check: Have the trainee sit in the running vehicle without their mask on. Have them point out normal vehicle sounds, vibrations, and exhaust/engine odors. This establishes a baseline of what the vehicle "feels" like before their senses are degraded by the mask.

Chapter 6

PERFORMANCE AND EVALUATION

6.1. Overview and Desired Learning Outcome. This section establishes the procedures for the hands-on familiarization and the formal performance evaluation. The desired learning outcome is for the trainee to safely and efficiently operate a GMV in MOPP Level 4 (fully donned GCE and field gear), while maintaining a small arms weapon without incident or injury.

6.2. Phase I: Familiarization and Practical Exercise. The trainer will guide the trainee through a progressive build-up of gear to ensure they adapt to the sensory degradation safely. Strict adherence to the safety and hydration protocols outlined in Section 6 must be maintained. Ensure all vehicle windows are rolled up, and the air conditioner is NOT in use to simulate real-world MOPP conditions.

6.2.1. Mask-Only Acclimation: Have the trainee wear only the protective mask for 30 minutes prior to vehicle operation to experience restricted breathing and vision conditions.

6.2.2. Partial Gear Maneuvering: Have the trainee don the GCE and Field Gear (minus the protective mask). Practice maneuvering the vehicle in the designated closed training area. The course must include turns, stops, and an area for backing up.

6.2.3. Spotter Execution: During backing exercises, the trainee must use a spotter. Ensure the operator and spotter agree on standard hand signals prior to movement.

6.2.4. Full MOPP 4 Maneuvering: Have the trainee don the protective mask (Full MOPP Level 4). Have the trainee compare their current sensory degradation against the baseline established earlier. Practice maneuvering in the closed training area until the trainee is comfortable operating the vehicle.

6.3. Phase II: Formal Performance Evaluation. Once the trainee is comfortable, control transfers to the Certifier. The trainee is not allowed any physical or verbal assists from the Certifier to pass the evaluation.

6.3.1. Course Setup: The Certifier will establish a road course that includes turns, intersections, start/stops, curves, upgrades, and downgrades. (Note: If the local course lacks one of these features, the trainee must verbally explain the correct driving technique to the Certifier).

6.3.2. Traffic Safety: If the evaluation route interacts with live traffic, it is highly recommended to place "STUDENT DRIVER" signs on the front and rear of the vehicle.

6.3.3. Pre-Test Briefing: The Certifier and trainee will review the Go/No-Go Performance Checklist (Attachment 2). The Certifier will brief the entire route and ensure the trainee understands that directions will be given in sufficient time to execute maneuvers.

6.3.4. Scoring Awareness: Inform the trainee that the Certifier will be making various marks

on the checklist during the drive. The trainee should be briefed that these marks do not necessarily indicate a failure, and they should focus solely on operating the vehicle safely.

6.4. Grading and Retraining.

6.4.1. Passing Criteria: The trainee must receive a "Go" on all items on the Performance Checklist (Attachment 2). Trainees must have zero "No-Go" items annotated by the Certifier.

6.4.2. Knock-it-Off: The Certifier will stop the test immediately if safe vehicle operations are not being followed or if any safety/health concern arises.

6.4.3. Retraining: If a trainee receives a "No-Go," the training will be paused. The Trainer will re-demonstrate the failed item, critique weaknesses, and have the trainee re-perform the task until proficient. Once proficiency is shown, the Certifier will re-evaluate. Conduct a full after-action review at the conclusion of the test.

6.5. Documentation and Certification.

6.5.1. Update the trainee’s individual training record within the unit's system of record to reflect training and certification. Copies of the signed Performance Test Checklists, Attachment 2 must be kept on file by the unit until certification expires.

6.5.2. DAF Form 2293: Do NOT document this training on the DAF Form 2293, U.S. Air Force Motor Vehicle Operator Identification Card.

6.5.3. Revalidation: Refresher training, including completion of the Go/No-Go checklist, will be completed every 24 months. Individual career fields or units may direct shorter timelines based on mission requirements.

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

AFTTP 3-2.60, *Chemical Biological, Radiological, and Nuclear Decontamination*

AFTTP 3-4, *Airman's Manual*

DAFI 10-2503, *Chemical, Biological, Radiological, Nuclear (CBRN) Defense Program*, 6 October 2023

DAFI 90-802, *Risk Management*, 20 January 2026

Adopted Forms

DAF Form 623, *Individual Training Folder*

DAF Form 847, *Recommendation for Change of Publication*

DAF Form 1800, *Operator's Inspection Guide and Trouble Report*

DAF Form 2293, *USAF Motor Vehicle Identification Card*

Abbreviations and Acronyms

AEF—Air Expeditionary Force

AF—Air Force

AFTTP—Air Force Tactics, Techniques, and Procedures

AFIMSC—Air Force Installation and Mission Support Center

CANE—Combined Arms in a Nuclear/Chemical Environment

CARC—Chemical Agent Resistant Coating

CBRN—Chemical, Biological, Radiological, and Nuclear

CCA—Contamination Control Area

CFETP—Career Field and Education Training Plan

DAF—Department of the Air Force

DAFI—Department of the Air Force Instruction

EOC—Emergency Operations Center

GCE—Ground Crew Ensemble

GMV—Government Motor Vehicle

GTOC—Ground Transportation Operations Center

IEDK—Individual Equipment Decontamination Kits

IPE—Individual Protective Equipment

ITR—Individual Training Record

IEMP—Installation Emergency Management Plan

LSV—Low-Speed Vehicle

QTP—Qualification Training Package

MHE—Material Handling Equipment

MOPP—Mission Oriented Protective Posture

NBC—Nuclear, Biological, Chemical

NL—No Limit

OJT—On-the-Job Training

RM—Risk Management

TO—Technical Order

UCC—Unit Control Center

UTM—Unit Training Manager

WBGT—Web Bulb Globe Temperature

Attachment 2

PERFORMANCE TEST CHECKLIST

Figure A2.1. Performance Test Checklist.

PERFORMANCE TEST CHECKLIST

Instructions to Certifier and Trainee:

Pre-Test Briefing: The Certifier will review this entire checklist with the trainee and brief the intended road course route. The trainee must understand that all driving directions will be provided in sufficient time to execute maneuvers safely.

Scoring Awareness: The Certifier will make various marks on this checklist during the evaluation. These marks do not inherently indicate a "No-Go"; the trainee must focus exclusively on safe vehicle operation.

Conduct of Test: No Trainer or Certifier assists are permitted during the evaluation. Results will be explained to the trainee upon the conclusion of the test.

Safety: The Certifier will stop the test immediately if unsafe operations occur or health concerns arise.

SECTION I. TRAINEE AND CERTIFIER INFORMATION

1.Trainee Name (Last, First MI)	**2. Unit/Office Symbol**
3. Certifier Name (Last, First MI)	**4. Unit/Office Symbol**

SECTION II. PERFORMANCE TEST INFORMATION

5. Vehicle Management Code for Vehicle Tested	**6. Date**

SECTION III. SCORESHEET

7. Equipment & Posture	Go	No Go
Dons full GCE, field gear, and weapon to achieve MOPP 4	☐	☐

8. Pre-Operational & General Safety:	Go	No Go
Ensures "All Clear" before proceeding with vehicle movement	☐	☐
Safely and securely stows individual weapon prior to operations	☐	☐
Seat belt is properly donned and adjusted prior to movement	☐	☐
Demonstrates smooth and safe control of all vehicle systems	☐	☐
Speed is maintained below the posted limit	☐	☐

9. On-Road Operational Compliance:	Go	No Go
Obeys all traffic signs, signals, local/military traffic laws.	☐	☐
Completes course without accidents/moving violations.	☐	☐
Regular traffic/mirror checks/safe following distances.	☐	☐
Uses proper signals/smooth, safe lane changes.	☐	☐

10. Maneuvers (Turns and Curves):	Go	No Go
Turns: Checks traffic in all directions/signals properly.	☐	☐
Turns: Decelerates smoothly/proper gear for the turn.	☐	☐
Turns: Checks mirrors/avoids drifting into oncoming traffic.	☐	☐
Curves: Reduces speed/proper gear prior to entry	☐	☐
Curves: Maintains lane positioning/360-degree traffic checks	☐	☐

11. Intersections and Hazards:	Go	No Go
Int.: Decelerates gently/brakes smoothly on approach.	☐	☐
Int: Stop (no coasting) behind stop lines/signs/sidewalks.	☐	☐
R/R: Decelerates and shifts gears before the crossing.	☐	☐
R/R: Does not stop, shift, or change lanes while crossing.	☐	☐

12. General Vehicle Control and Environmental Config.:	Go	No Go
Starting: Checks traffic and avoids "jerky" or rapid starts.	☐	☐
Stopping: Decelerates smoothly/full stop without coasting.	☐	☐
CBRN Prep: All windows are rolled completely "Up." CBRN	☐	☐
Prep: Air conditioning system is "Off."	☐	☐
CBRN Prep: All exterior vents are closed.	☐	☐

13. Remarks:

SECTION IV. CERTIFIERS ENDORSEMENT

I, the undersigned, do attest and certify that the trainee named herein has successfully completed all required training and is deemed proficient in the operation of the vehicle(s)/equipment listed in **Section II** while wearing MOPP Level 4 gear. This certification is made to the best of my knowledge and belief, based on training conducted pursuant to the approved qualification training package.

14. Signature	**15. Date**

Attachment 3

WORK-REST CYCLES AND HYDRATION

A3.1. The difficulty of drinking in the protective mask increases the likelihood of dehydration. Thirst is not an adequate indicator of dehydration; personnel will not sense dehydration and will fail to replace body water losses, even when drinking water is readily available. The Trainer/Supervisor must take responsibility for enforcing regular and timely fluid replacement in their trainees. In addition, only consume water through the protective mask drinking tube; do not include additives such as electrolyte replacement.

Figure A3.1. Air Force Tactics, Techniques, and Procedures

Heat Category	WBGT Index (°F)	Easy Work (250 W) Weapon maintenance, marksmanship training, drill and ceremony		Moderate Work (425 W) Patrolling with 30 lb load, low and high crawl, dig defensive position		Heavy Work (600 W) Patrolling with 45 lb load, four-person litter carry (180 lbs), jogging 4 mph		Very Heavy Work (800 W) Two-person litter carry (150 lbs), move under direct fire, obstacle course	
		Work/Rest (minutes)	*Fluid Intake* (quarts/hour)	*Work/Rest* (minutes)	*Fluid Intake* (quarts/hour)	*Work/Rest* (minutes)	*Fluid Intake* (quarts/hour)	*Work/Rest* (minutes)	*Fluid Intake* (quarts/hour)
1	78-81.9	NL	1/2	NL	3/4	40/20 (110)*	3/4	20/40 (45)*	1 (3/4)*
2 (GREEN)	82-84.9	NL	1/2	NL	3/4 (1)*	30/30 (70)*	1	15/45 (40)*	1
3 (YELLOW)	85-87.9	NL	3/4	NL	3/4 (1)*	30/30 (60)*	1	10/50 (25)*	1
4 (RED)	88-89.9	NL	3/4	50/10 (180)*	3/4 (1 1/4)*	20/40 (50)*	1 (1 1/4)*	10/50 (20)*	1 (1 1/4)*
5 (BLACK)	> 90	NL	1	20/40 (70)*	1 (1 1/2)*	15/45 (45)*	1 (1 1/2)*	10/50 (20)*	1 (1 1/2)*

NL = No limit to work time per hour

*Use the amounts in parentheses for continuous work when rest breaks are not possible. Leaders should ensure several hours of rest and rehydration time after continuous work

CAUTION: Hourly fluid intake should not exceed 1.25 quarts. Daily fluid intake should not exceed 12 quarts.

[1]This guidance will sustain performance and hydration for at least 4 hours of work in the specified heat category.

[2]Fluid needs can vary based on individual differences (+/-0.25 qt/hr) and exposure to full sun or full shade (+/-0.25 qt/hr).

[3]Rest means minimal physical activity (sitting or standing) in the shade if possible.

[4]Body Armor - Add 5°F to WBGT index in humid climates.

[5]NBC (MOPP 4) - Add 10°F (Easy Work) or 20°F (Moderate or Hard Work) to WBGT index.