BY ORDER OF THE COMMANDER
AIR FORCE MATERIEL COMMAND

DEPARTMENT OF THE AIR FORCE
INSTRUCTION 21-101

AIR FORCE MATERIEL COMMAND
Supplement

ADDENDUM A

25 OCTOBER 2024

Maintenance

NON-STANDARD ORGANIZATION (NSO) LOGISTICS/MAINTENANCE MANAGEMENT

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available on the e-Publishing website at **www.e-Publishing.af.mil** for downloading or ordering.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: HQ AFMC/A4MM

Certified by: AFMC/A4M
(Col Jacob Sullivan)

Supersedes: AFI21-101_AFMCSUP_ADD_A, 30 September 2020

Pages: 77

This instruction implements DAFI 21-101_AFMCSUP, *Aircraft and Equipment Maintenance Management*. This publication applies to Regular Air Force AFMC units designated as Non-Standard Organizations (NSOs) in **paragraph 1.3**. Applicability. This publication does not apply to the Air National Guard Bureau (ANG) and the Air Force Reserve Command (AFRC) and their units. However, if an AFRC unit is assigned or associated with AFMC where AFMC is the lead, this guidance would be applicable to the AFRC unit. This publication does not apply to United States Space Force. This publication is one of the Air Force directives for maintenance management and provides the minimum basic logistics/maintenance-related program requirements for AFMC NSOs. It applies to all personnel who: Perform, plan, schedule, evaluate, supervise or control maintenance of research, manufacturing, test, development, and integration laboratories and work centers. Deviation to provide/scope applicability for logistics/maintenance NSOs in an Addendum(s) to the MAJCOM supplement has been approved by AF/A4LM @ **AF.A4LM.Maintenance.Policy@us.af.mil** IAW DAFI 21-101. Therefore, NSOs are not required to follow DAFI 21-101 or DAFI 21-101 AFMCSUP, they follow this addendum. **Note:** This Addendum scopes the NSOs requirements in meeting the intent of the DAFI and AFMCSUP based on their respective organizational mission(s). Ensure all records created as a result of

processes prescribed in this publication are maintained IAW Air Force Instruction 33-322, *Records Management and Information Governance Program*, and disposed of IAW the Air Force Records Disposition Schedule located in the Air Force Records Information Management System. The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the AFMC. This publication may be supplemented at any level, but all direct Supplements must be routed to the Office of Primary Responsibility (OPR) of this publication for coordination prior to certification and approval. Throughout this supplement, the civilian equivalent (unless no civilian may hold the position) may be applied to any reference to a military rank, grade or position. All references to aircraft and equipment maintenance in DAFI21-101 include support equipment, test equipment, special projects equipment, etc. The authorities to waive wing/unit level requirements in this publication are identified with a Tier ("T-2, T-3") number following the compliance statement. See DAFMAN 90-161, *Publishing Processes and Procedures*, for a description of the authorities associated with the tier numbers. Submit requests for waivers through the chain of command to the appropriate Tier waiver approval authority. For not-tiered AFMC Addendum items only, submit requests for waiver through chain of command to the AFMC Addendum OPR. Submit recommendations for change or improvement to this instruction on DAF Form 847, *Recommendation for Change of Publication*. For questions on interpreting this instruction, first contact your Quality Assurance Office/activity. Send questions to the OPR at AFMC Maintenance Division (AFMC/A4M) Workflow (**AFMC.A4M.Workflow@us.af.mil**), 4375 Chidlaw Rd, Bldg 262 Room C117 WPAFB OH 45433-5006. Organizations that implement processes that were not identified as applicable in this Addendum or gain those functions will follow the guidance in DAFI 21-101 and DAFI 21-101 AFMCSUP or submit a deviation in the form of a waiver request.

SUMMARY OF CHANGES

This publication has been revised to meet the intent of DAFI 21-101_AFMCSUP for AFMC NSOs; and the following significant changes to this Addendum must be reviewed. This revision clarifies and implements recommended policy guidance changes, updating policy references, and office symbols. Adding requirements for Specialized Management Munitions Division, (AFTC-SMW) to **Table 6.2**. AFMC Conventional Munitions QA Program Applicability Matrix and for Quality Assurance (QA) in coordination with Maintenance Training will serve as the OPR and focal point for the management of the Impound Official training course. Updated QA general, Evaluator Personnel Evaluation (EPE), Routine Inspection List (RIL), and the Key Task List (KTL) guidance. Also, updated Dropped Object Program (DOP) and Foreign Object Damage (FOD) reporting procedures/applicability. Deleted attachment 3 the use of the DOP report format and attachment 4 the use of the FOD report format. Added Electrostatic Discharge (ESD) Program applicability and updated Transient Alert services is provided through the Air Transportation Function for the 66 Air Base Group. Added Logistics QA requirement for the 412 Test Wing Operating Location-PLANT 42. Additionally, added the use of the Aircraft and Aviation Support Equipment Maintenance Information System (MIS).

Chapter 1—MANAGEMENT PHILOSOPHY AND APPLICABILITY 6

1.1. Overview. 6

1.2. Logistic Maintenance Cyber Discipline. 6

1.3. Applicability. 6

Table 1.1. AFLCMC Applicability. 7

Table 1.2. AFSC Applicability. 9

Table 1.3. AFTC Applicability. 11

Chapter 2—COMPLIANCE TERMINOLOGY 13

2.1. For the purpose of this instruction, the following definitions apply: 13

Chapter 3—WAIVERS 14

3.1. Any policy waivers to this addendum will be processed IAW higher headquarters directives. 14

Chapter 4—POLICY DEVELOPMENT 15

4.1. At a minimum, the affected NSOs will: 15

Chapter 5—LOGISTICS/MAINTENANCE PROGRAMS 16

5.1. Logistics/Maintenance Program Responsibilities. 16

5.2. Special Certification (SC) Documentation. 16

5.3. Equipment Maintenance. 17

5.4. Electrostatic Discharge (ESD) Program. 17

5.5. Safety and Security of Explosives. 17

5.6. Safety. 17

5.7. Tool and Equipment Management. 18

5.8. Foreign Object Damage (FOD) Prevention Program. 19

5.9. Impoundment Procedures. 22

5.10. In Process Inspection (IPI). 24

5.11. Forms. 24

5.12. Dropped Object Prevention (DOP) Program. 25

5.13. Scheduling. 26

5.14. Engine Borescope Training and Certification Program. 26

5.15. Engine Management. 26

5.16. Ground Instructional Trainer Aircraft (GITA) 27

Chapter 6—QUALITY ASSURANCE **33**

6.1. General. 33

Table 6.1. AFMC Small and Unique Maintenance QA Program. 37

6.2. AFMC Conventional Munitions Program. 37

Table 6.2. AFMC Conventional Munitions QA Program Applicability Matrix. 37

6.3. HQ AFMC/A4MM Command QA Functional Manager will: 38

Chapter 7—TECHNICAL DATA **39**

7.1. The affected NSOs will: 39

Chapter 8—MAINTENANCE INFORMATION SYSTEM (MIS) **40**

8.1. NSOs will: 40

Chapter 9—MAINTENANCE METRICS **41**

9.1. Because of the differences between the mission areas: 41

Chapter 10—SUPPLY SUPPORT **42**

10.1. Units utilizing Shop Stock, Operating Stock or Work Order Residue: 42

Chapter 11—CRASH DAMAGED OR DISABLED AIRCRAFT RECOVERY (CDDAR) PROGRAM **43**

11.1. CDDAR Implementation. 43

11.2. Responsibilities: 43

Chapter 12—MODIFICATION MANAGEMENT **46**

12.1. See DAFI 63-101/20-101 and AFMCI 21-126, Temporary 2 (T-2) Modification of Aerospace Vehicles. 46

Chapter 13—EGRESS SECTION **47**

13.1. The Egress Section maintains: 47

13.2. Classification Training. 47

Chapter 14—CONTRACT SURVEILLANCE **50**

14.1. Contract Surveillance Guidance. 50

Chapter 15—TRANSIENT AIRCRAFT (TA) “ALERT” **51**

15.1. Sustain a TA “Alert” function if assigned/required. 51

15.2. Transient Aircraft (TA) Section. 51

15.3. Order transient aircraft parts IAW DAFMAN 23-122 and TO 00-20-3, 54

15.4. Additional program references below, not all inclusive: 54

Chapter 16—MUNITIONS POLICY, WEAPONS NCOIC AND WEAPONS TASK QUALIFICATION LOADING PROGRAM 55

16.1. AF Munitions Policy. 55

16.2. Test/Training Munitions List (TTML). 55

16.3. Weapons NCOIC. 56

16.4. Weapons Task Qualification Loading Program. 57

16.5. Weapons Task Qualification. 57

16.6. Weapons Task Qualification Manager (WTQM). 58

16.7. Weapons Task Qualification Crew (WTQC). 59

16.8. Training Requirements. 59

16.9. Disqualifying Weapons Task Qualification Load Personnel. 60

16.10. Weapons task qualified maintenance personnel will: 61

16.11. Additional Requirements (as applicable). 62

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING DOCUMENTS 64

Attachment 2—UNIT MSEP GRADING 76

Attachment 3—AFMC TRANSIENT AIRCRAFT (ALERT) COUNT TEMPLATE 77

Chapter 1

MANAGEMENT PHILOSOPHY AND APPLICABILITY

1.1. Overview. The NSO applicability to DAFI 21-101 and DAFI 21-101 AFMC Supplement 1 is subjective; therefore, this instruction prescribes the basic programs to be used in NSOs (i.e., list of requirements) and provides senior management, middle management, maintenance supervisors, researchers, engineers, scientists, and technicians direction for accomplishment of logistics/maintenance management. The affected NSOs have distinct mission areas requiring development of separate guidance. The NSOs are expected to effectively use the resources assigned to ensure mission accomplishment. NSOs will establish guidance to implement procedures listed in this addendum, and may use additional management procedures not specifically prohibited by this instruction, any technical order, or other applicable instruction. Supervisors at all levels are responsible to ensure this directive is fully implemented. In the event of a conflict between this instruction and Technical Orders (TOs), TOs will take precedence. See, NSO applicability matrices below in **Tables 1.1, 1.2, and 1.3.**.

1.2. Logistic Maintenance Cyber Discipline. Cyber Security Protection and Discipline is vital. The 17 series publications and system(s) technical orders establish guidance implementing daily/periodic cyber mitigation processes for Electronic Tools (eTools). For the purpose of this Addendum, eTools are portable electronic devices (e.g., laptop computer, tablets, hand held device) that operate in a disconnected mode and/or, are certified to inter-operate on Air Force (AF) networks, are mission critical because they are the primary method for viewing electronic technical publications, and in some cases are used to exchange maintenance data with approved Maintenance Information Systems (MIS) at the point of maintenance. **Note:** eTools does not include electronic devices and test equipment issued and configuration managed by a system Program Manager (PM). Improper procurement, sustainment, and use of eTools poses a significant cyber risk to AF systems. Protocols have been identified as a critical element in mitigating emerging cyber threats. The intent is to reduce cyber risk and assigns responsibilities that provide the best possible opportunity for success for achieving mission assurance in cyber threat environments.

1.3. Applicability. The term NSO refers to the following organizations which are identified in the NSO applicability matrices below and in **Tables 1.1.**, **1.2.**, and **1.3.**. Air Force Life Cycle Management Center (AFLCMC) units: 66th Air Base Group (ABG), 88th Air Base Wing (ABW), Cryptologic and Cyber Systems Division (HNC) (specifically the Technical Application Products and Space COMSEC Maintenance mission areas), 645th Aeronautical Systems Group (AESG), Armament Sustainment Division (ASD) (AFLCMC/EB) AFLCMC/EBRM GACP Missiles and Weapons and AFLCMC/EBWWE Weapons Engineering Laboratories (Labs), AFLCMC/USAF Gunsmith Shop (GSS) specifically the geographically separated maintenance function in support of Small Arms/Light Weapons (SA/LW) located at Joint Base Lackland San Antonio, Munitions Sustainment Division (MSD) Laboratory (EBH), and Global Ammunitions Control Point (GACP) Afloat Preposition Fleet (APF) Flight/Cell (AFLCMC/EBHMA); Air Force Sustainment Center (AFSC) units: 72nd Air Base Wing, 72nd Logistics Readiness Squadron Munitions Section (72 LRS/LGRM), 75th Air Base Wing, 649th Munitions Squadron, 78th Air Base Wing, 78 LRS/LGRW Ammo; and Air Force Test Center (AFTC) units: Arnold Engineering and Development Complex (AEDC), 704th Test Group (TG) and Plant 42, and Specialized Management Munitions Division, (AFTC-SMW).

Table 1.1. AFLCMC Applicability.

Paragraph	66ABG	88ABW	HNC	ASD Labs (EBWWE & EBRM)	ASD GSS (SA/LW)	645AESG	MSD Lab (EBH)	MSD APF (EBHMA)
1.1. Overview	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2.1. Compliance Terminology	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3.1. Waivers	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
4.1. Policy Development	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5.1. Logistics/Maintenance Program Responsibilities	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5.2. Special Certification (SC) Documentation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5.3. Equipment Maintenance	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
5.4. Electrostatic Discharge (ESD) Program	Yes	Yes	Yes	Yes	No	No	Yes	Yes
5.5. Safety and Security of Explosives	Yes	Yes	No	Yes	Yes	No	Yes	Yes
5.6. Safety	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5.7. Tool and Equipment Management	Yes	Yes	Yes	Yes	Yes	Yes*	Yes	Yes
5.8. Foreign Object Damage (FOD) Prevention Program	Yes	Yes	Yes	Yes	No	Yes****	Yes	No

5.9. Impoundment Procedures	Yes	Yes	Yes	No	Yes	Yes****	No	No
5.10. In-Progress Inspection (IPI)	Yes	Yes	No	No	Yes	Yes****	No	No
5.11. Forms	Yes	Yes	Yes	Yes	Yes	No	No	No
5.12. Dropped Object Prevention (DOP) Program	Yes	Yes	No	No	No	Yes****	No	No
5.13. Scheduling	No	No	No	No	Yes	No	No	No
5.14. Engine Borescope Training and Certification Program	No	No	No	No	No	No	No	No
5.15. Engine Management	No	No	No	No	No	No	No	No
5.16. Ground Instructional Trainer Aircraft	No	No	No	No	No	No	No	No
6.1. Quality Assurance	Yes	No	Yes	No	Yes****	Yes****	No	No
6.2. AFMC Conventional Munitions Program	Yes	Yes	No	Yes	No	No	Yes	Yes
7.1. Technical Data	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
8.1. Maintenance Information System (MIS)	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
9.1. Maintenance Metrics	Yes	Yes	Yes		Yes	No	No	No
10. Supply Support	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
11. Crash Damaged or Disabled Aircraft Recovery (CDDAR) Program	Yes	Yes	No	No	No	No	No	No

12.1. Modification Management	No	Yes	Yes	Yes	No	No	Yes	No
13.1. Egress Maintenance	No	No	No	No	No	No	No	No
13.2. Classification Training	No	No	No	No	No	No	No	No
14.1 Contract Surveillance	No	Yes	No	No	Yes	Yes	No	No
15. Transient Aircraft (Alert) (TA)	**	Yes	No	No	No	No	No	No
16. Weapons Task Qualifications Loading Program	No	No	No	No	No	No	No	No
(*) **Note:** 645 AESG Tool Accountability is limited to paragraph 5.7.15.								
(**) **Note:** For the 66 ABG, see paragraph **15.1.** for **exceptions**.								
(***) **Note: Exception**, ASD GSS QA requirements are limited to paragraph 6.1.5.								
(****) **Note:** 645 AESG programs are accomplished by contractor/ Contracting Officer's Representative (COR)/DCMA								

Table 1.2. AFSC Applicability.

Paragraph	72ABW	72LRS/ LGRMW (LGRM)	75ABW	649MUNS	78ABW	78LRS/ LGRW
1.1. Overview	Yes	Yes	Yes	Yes	Yes	Yes
2.1. Compliance Terminology	Yes	Yes	Yes	Yes	Yes	Yes
3.1. Waivers	Yes	Yes	Yes	Yes	Yes	Yes
4.1. Policy Development	Yes	Yes	Yes	Yes	Yes	Yes
5.1. Logistics/Maintenance Program Responsibilities	No	Yes	No	Yes	No	Yes
5.2. Special Certification (SC) Documentation	Yes	Yes	Yes	Yes	Yes	Yes
5.3. Equipment Maintenance	Yes	Yes	Yes	Yes	Yes	Yes

5.4. Electrostatic Discharge (ESD) Program	No	Yes	No	Yes	No	Yes
5.5. Safety and Security of Explosives	Yes	Yes	Yes	Yes	Yes	Yes
5.6. Safety	Yes	Yes	Yes	Yes	Yes	Yes
5.7. Tool and Equipment Management	No	Yes	No	Yes	No	Yes
5.8. Foreign Object Damage (FOD) Prevention Program	Yes*	Yes	Yes*	Yes*	Yes*	Yes
5.9. Impoundment Procedures	Yes	No	Yes	No	Yes	No
5.10. In-Progress Inspection (IPI)	No	No	No	Yes	No	No
5.11. Forms	No	Yes	No	Yes	No	Yes
5.12. Dropped Object Prevention (DOP) Program	Yes*	No	Yes*	No	Yes*	No
5.13. Scheduling	No	Yes	No	No	No	Yes
5.14. Engine Borescope Training and Certification Program	No	No	No	No	No	No
5.15. Engine Management	No	No	No	No	No	No
5.16. Ground Instructional Trainer Aircraft	No	No	No	No	No	No
6.1. Quality Assurance	No	No	No	Yes	No	Yes
6.2. AFMC Conventional Munitions Program	No	Yes	No	Yes	No	Yes
7.1. Technical Data	No	Yes	No	Yes	No	Yes
8.1. Maintenance Information System (MIS)	No	Yes	No	Yes	No	Yes
9.1. Maintenance Metrics	No	No	No	No	No	No
10. Supply Support	No	Yes	No	Yes	No	Yes
11. Crash Damaged or Disabled Aircraft	Yes	No	Yes	No	Yes	No

Recovery (CDDAR) Program						
12.1. Modification Management	No	No	No	Yes	No	No
13.1. Egress Maintenance	No	No	No	No	No	No
13.2. Classification Training	No	No	No	No	No	No
14.1. Contract Surveillance	Yes	Yes	Yes	No	Yes	No
15. Transient Aircraft (Alert) (TA)	Yes	No	Yes	No	Yes	No
16. Weapons Task Qualifications Loading Program	No	No	No	No	No	No
(*) **Note**: 5.8. FOD Prevention Program, 72/75/78 ABW and 649 MUNS will follow guidance in AFMCI 21-100 Vol. 2, Chapter 4 and local guidance.						
(*) **Note:** 5.12. DOP Program, 72/75/78 ABW will follow guidance in AFMCI 21-100 Vol. 2, Chapter 4 and local guidance.						

Table 1.3. AFTC Applicability.

Paragraph	AEDC	704TG	Plant 42	SMW
1.1. Overview	Yes	Yes	Yes	Yes
2.1. Compliance Terminology	Yes	Yes	Yes	Yes
3.1. Waivers	Yes	Yes	Yes	Yes
4.1. Policy Development	Yes	Yes	Yes	Yes
5.1. Logistics/Maintenance Program Responsibilities	Yes	Yes	No	Yes
5.2. Special Certification (SC) Documentation	Yes	Yes	No	Yes
5.3. Equipment Maintenance	Yes	Yes	Yes	Yes
5.4. Electrostatic Discharge (ESD) Program	Yes	Yes	No	Yes
5.5. Safety and Security of Explosives	Yes	Yes	Yes	Yes
5.6. Safety	Yes	Yes	Yes	Yes
5.7. Tool and Equipment Management	Yes	Yes	No	Yes
5.8. Foreign Object Damage (FOD) Prevention Program	Yes	Yes	Yes	Yes

5.9. Impoundment Procedures	Yes	Yes	No	No
5.10. In-Progress Inspection (IPI)	No	Yes	No	Yes
5.11. Forms	Yes	Yes	No	Yes
5.12. Dropped Object Prevention (DOP) Program	No	Yes	No	No
5.13. Scheduling	No	Yes	No	Yes
5.14. Engine Borescope Training and Certification Program	No	No	No	No
5.15. Engine Management	Yes	No	No	No
5.16. Ground Instructional Trainer Aircraft	No	No	No	No
6.1. Quality Assurance	No	Yes	Yes *	Yes
6.2. AFMC Conventional Munitions Program	Yes	Yes	No	Yes
7.1. Technical Data	Yes	Yes	No	Yes
8.1. Maintenance Information System (MIS)	Yes	Yes	No	Yes
9.1. Maintenance Metrics	No	Yes	No	Yes
10. Supply Support	No	Yes	No	Yes
11. Crash Damaged or Disabled Aircraft Recovery (CDDAR) Program	No	No	Yes	No
12.1. Modification Management	No	Yes	No	No
13.1. Egress Maintenance	No	Yes	No	No
13.2. Classification Training	No	Yes	No	No
14.1. Contract Surveillance	Yes	Yes	No	No
15. Transient Aircraft (Alert) (TA)	No	No	No	No
16. Weapons Task Qualifications Loading Program	No	Yes	No	No

(*) Note: Logistics QA

Chapter 2

COMPLIANCE TERMINOLOGY

2.1. For the purpose of this instruction, the following definitions apply:

2.1.1. *Must, Will* - Indicate mandatory requirements.

2.1.2. *Should* - Indicates a preferred method of accomplishment.

2.1.3. *May* - Indicates an acceptable or suggested means of accomplishment.

Chapter 3

WAIVERS

3.1. Any policy waivers to this addendum will be processed IAW higher headquarters directives. Waiver requests will be submitted IAW DAFMAN 90-161 (e.g., DAF Form 679, *Air Force Publication Compliance Item Waiver Request/Approval).* DAFMAN 90-161 waiver authority tiers do not apply to TO waivers/deviations, see TO 00-5-1, *AF Technical Order System*.

Chapter 4

POLICY DEVELOPMENT

4.1. At a minimum, the affected NSOs will: Publish specific policy guidance (e.g., Supplement/Operating Instruction(s) (OI(s)) in the appropriate publication series as required for the programs outlined in this instruction and publish an applicability matrix for subordinate units not addressed in **Tables 1.1 through 1.3.**. **(T-2)**

Chapter 5

LOGISTICS/MAINTENANCE PROGRAMS

5.1. Logistics/Maintenance Program Responsibilities. Establish written policy if responsibilities differ from a standard organizational structure. Indicate the responsibilities for key leaders involved in their logistics/maintenance activities. Due to diversity of organizational structures, responsibilities are assigned at the appropriate level as applicable. NSO policy, at a minimum if applicable, will detail responsibilities for the following positions or their applicable equivalents: **(T-2)**

5.1.1. Wing Commanders CC/CL or Directors. **(T-2)**

5.1.2. Commanders/Detachment Commanders. **(T-2)**

5.1.3. Deputy Commanders/Deputy Detachment Commanders. **(T-2)**

5.1.4. Logistics Managers. **(T-2)**

5.1.5. Squadron Commanders/Director of Operations. **(T-2)**

5.1.6. Division Chiefs, Branch Chiefs, Flight Chiefs, Section Chiefs, and Work Center Supervisors/Leads. **(T-2)**

5.2. Special Certification (SC) Documentation. NSOs will establish SC documentation to identify personnel authorized to perform the special certification requirements. The MXG/CC or equivalent are not required to be on the SCR/SC by virtue of their position as the SC approval authority. The SC documentation will identify personnel authorized to: **(T-2)**

5.2.1. Clear Red X conditions (i.e., aircraft/support equipment, egress, etc.). Identify systems or Air Force Specialty Code (or equivalent) in which authorized to clear Red X conditions. Approved by GP/CC or equivalent (HNC – Branch Chief, ASD Labs/GSS – Section Chief). **(T-2)**

5.2.2. Sign Test Measurement and Diagnostic Equipment (TMDE) limited certification labels. Lowest level of approval by FLT/CC or Chief/equivalent (ASD GSS – Section Chief). **(T-2)**

5.2.3. Initiate/release equipment from impoundment. Approved by GP/CC or equivalent (HNC and ASD GSS – Branch Chief) (AEDC - TSS Division Chief/TSS Deputy). **(T-2)**

5.2.4. Downgrade Red X. Approved by GP/CC or equivalent (HNC– Branch Chief, ASD GSS – Section Chief). **(T-2)**

5.2.5. Administrate Cannibalization (CANN) authority. Approved by GP/CC or equivalent (HNC – Branch Chief) Exception-not applicable to ASD Labs/GSS. **(T-2)**

5.2.6. Clear In Process Inspection (IPI) by primary Air Force Specialty Code and Mission Design Series (MDS). Approved by SQ/CC or equivalent, ASD GSS – Section Chief. **(T-2)**

5.2.7. Clear Red X when a lost tool/item cannot be found. Approved by GP/CC or equivalent (HNC – Branch Chief). Exception-not applicable to ASD Labs/GSS. **(T-2)**

5.2.8. Clear “Red-X” and/or In Process Inspection (IPI) by Cross Utilization Training (CUT) for tasks outside primary Air Force Specialty Code (for multiple Mission Design Series (MDS) list separately). Approved by SQ/CC or equivalent. **(T-2)**

5.2.9. Assignment as Weapons Task Qualification Manager (WTQM). SNCO, minimum 7-skill level Air Force Specialty Code 2A871X or 2AX7X (or civilian equivalent). Approved by MXG/CC or equivalent.

5.2.10. Assignment as Weapons Task Qualification Crew (WTQC). Lead will be SSgt or higher, minimum 7-skill level 2AX7X (or civilian equivalent); other crew member minimum 5-skill level 2AX5X (or civilian equivalent). Approved by SQ/CC/MX Superintendent or equivalent.

5.3. Equipment Maintenance. Maintenance and calibration of support equipment must meet the requirements of TO 00-20-1, *Aerospace Equipment Maintenance Inspection, Documentation, Policies and Procedures*; DAFMAN 21-113, *Department of the Air Force Metrology and Calibration Program Management,* TO 00-20-14, *Air Force Metrology and Calibration Program*, TO 34-1-3, *Machinery and Shop Equipment,* equipment specific TOs and owner's manuals, host unit instructions and local supplements.

5.3.1. Maintenance repair priorities are not based on the standard repair priority designators as established in DAFI 21-101. Repair priorities will be based on parameters such as customer required delivery dates, stock levels of critical items and other mission requirements. **(T-2)**

5.3.2. Units must ensure annual transient aircraft landing data, if applicable, is submitted to the Headquarters Air Force Materiel Command Maintenance Division (HQ AFMC/A4MM) Aerospace Ground Equipment (AGE) functional manager at **AFMC.A4M.Workflow@us.af.mil** by 1 February of each year. Using the template in **Attachment 3**, the data will reflect previous calendar year's transient aircraft landings by aircraft MDS. Electronic version of template can be obtained from the HQ AFMC/A4MM AGE manager. **(T-2)**

5.4. Electrostatic Discharge (ESD) Program. NSOs working on items that meet ESD criteria as defined in TO 00-25-234, *General Shop Practice Requirements for the Repair, Maintenance, and Test of Electrical Equipment*, must comply with TO 00-25-234 requirements.

5.5. Safety and Security of Explosives. NSOs working with, handling or storing explosive items must comply with DAFI 31-101, *Base Defense Operations*; DoDM 5100.76, *Physical Security Of Sensitive Conventional Arms, Ammunition, And Explosives (AA&E)*; DSER 6055.09_DAFMAN 91-201, *Explosives Safety Standards*; AFMAN 21-200, *Munitions and Missile Maintenance Management;* DAFMAN 21-201, *Munitions Management,* and applicable host unit instructions.

5.5.1. Certifying Items Associated with Explosives. Ensure items such as Triple Ejector Racks (TERS), pylons, launchers, rafts, bomb racks, ejection seats, fire suppression bottles, Aircrew Flight Equipment and gun systems and components are certified explosive-free prior to turn-in to LRS and/or Defense Logistics Agency (DLA) Disposition Services. **(T-2).** Refer to T.O. 11A-1-60, *General Instructions Inspection of Reusable Munitions Containers and Scrap Material Generated from Items Exposed to or Containing Explosives,* and DAFMAN 21-201 for specific certification requirements.

5.6. Safety. NSOs will comply with all applicable safety standards and instructions. ASD GSS will address housekeeping in local publication(s). **(T-2)**

5.6.1. Ensure contracts with contractor personnel working on government installations require compliance with safety and health requirements as specified by Department of the Air Force

Federal Acquisition Regulation Supplement (DAFFARS) Part 5352.223-9001, as allowed in DAFFARS Part 5323.9001. For more information, visit **https://www.acquisition.gov/daffars** .

5.7. Tool and Equipment Management. NSOs will develop procedures for accountability and management of tools and equipment used in the work centers. As a minimum, guidance will address the following: **(T-2)**

5.7.1. Roles and responsibilities of key personnel involved in managing the tool accountability program. **(T-2)**

5.7.2. Standardized procedures for security and accountability of tools and equipment. **(T-2)**

5.7.3. Inventory requirements. As a minimum, Tool Custodians must conduct and document a comprehensive annual inventory of all tools and equipment. **(T-2)**

5.7.4. Government owned tools warranty program management. **(T-2)**

5.7.5. Procedures to procure tools using the Blanket Purchasing Agreement (BPA) wherever applicable. **(T-2)** See AFMC Hand Tools Strategic Sourcing Ordering Guide at: **https://org2.eis.af.mil/sites/22208/A4M/Hand_Tools/Forms/AllItems.aspx**

5.7.6. Procedures for accountability and management of replacement, expendable, and consumable hand tools, and other items contained in Composite Tool Kit (CTKs) and/or Individual Tool Kits (ITKs). **(T-2)**

5.7.7. Procedures for transfer of tools contained in CTKs/ITKs at the job site (on-site transfers). CTKs are not normally passed from one individual to another at the job site; however, mission needs occasionally require this action to occur. Ensure tool accountability and control is maintained when transfer occurs between the individuals. Exception-not applicable to ASD Labs/GSS. **(T-2)**

5.7.8. Procedures for lost or missing tools to reduce the potential for Foreign Object Damage (FOD) (Exception-FOD is not applicable to ASD Labs/GSS). **(T-2)**

5.7.9. Procedures to document missing, broken or removed tools/items. NSOs will document missing, broken or removed tools/items on AFMC Form 61, *Missing/Removed Tools and Equipment*. **(T-2)**

5.7.10. Procedures to assign and control Event Identification Description/Equipment Identification Designator (EIDs) for CTKs/ITKs, equipment, and individual tools. **(T-2)**

5.7.10.1. All units must permanently mark their tools with the assigned EID. Etching will be the preferred method to mark tools; however, any method that ensures the EID is not easily removed will be sufficient. Small tools (such as drill bits, allen wrenches, apexes, jewelers screwdrivers, etc.) and/or items that cannot be etched will be maintained in a container marked with the EID along with the number of tools it contains and identified as such on the inventory list.

5.7.10.2. For equipment identification marking requirements see AFI 23-101, *Materiel Management Policy*, Section 5D-Equipment Management.

5.7.11. Procedures and responsibilities for situations where two or more work centers operate a single tool room/support section, or when work centers elect to distribute CTKs or peculiar support/test equipment to decentralized locations. **(T-2)**

5.7.12. Procedures for controlled access to tool rooms. **(T-2)**

5.7.13. Procedures for sign out/sign in inventories of CTKs/ITKs when used. (Daily or weekly) **(T-2)**

5.7.13.1. Units are authorized to increase the open/close interval to monthly if the annual comprehensive inventory interval is decreased to quarterly. **(T-2)**

5.7.14. Procedures to train personnel on the tool accountability program requirements. **(T-2)**

5.7.15. Procedures to control individually issued tools. Individually issued tools will be limited to mini-flashlights, Leatherman type multi-tools and inspection mirrors. Personal tools are not authorized. **(T-2)**

5.7.16. Procedures to manage spare tools. **(T-2)**

5.7.17. Procedures to manage locally manufactured, developed, or modified tools and equipment. **(T-2)**

5.8. Foreign Object Damage (FOD) Prevention Program. FOD is any damage to an aircraft, engine, aircraft system, component, tire, munitions, or Support Equipment (SE) caused by a Foreign Object (FO) which may or may not degrade the required safety and/or operational characteristics of the aforementioned items.

5.8.1. There are two categories of FO areas: critical and non-critical. FO critical areas are areas where aerospace maintenance, testing, and operations are performed (e.g., jet engine maintenance, fuel cell maintenance, major sub-assembly maintenance, and support equipment maintenance). Non-critical FO areas are all other areas not defined previously. NSOs will identify and document critical/non-critical FO areas. **(T-2)**

5.8.2. Head Quarter Air Force Materiel Command Maintenance Division (HQ AFMC/A4M) is the OPR for the AFMC FOD Prevention Program.

5.8.3. NSOs with FO critical areas will:

5.8.3.1. Appoint a FOD Prevention Program Manager and post their name in a prominent place within each applicable unit on a locally developed visual aid. **(T-2)**

5.8.3.2. Ensure all cut aircraft tires are reported to airfield management upon discovery so they can inspect the taxiway and runway for possible FO. Maintenance will inspect the aircraft taxi route from the parking ramp up to the taxiway for possible FO. **(T-2)**

5.8.3.3. Ensure the organization FOD Prevention Program Manager provides an initial FOD report via the HQ AFMC/A4M Propulsion Management SharePoint™ site: **https://usaf.dps.mil/teams/22355/SitePages/Home.aspx** (AFMC Propulsion Management Site) within 24 hours of occurrence. **(T-2)**

5.8.3.3.1. In addition, when FOD is discovered on a transient aircraft, the organization FOD Prevention Program Manager will notify the owning organization within 24 hours. An informational copy of the FOD report must be provided to the owning organization's safety office/FOD monitor to ensure compliance with DAFI 91-204,

Safety Investigations and Reports. Aircrews must ensure proper documentation in the AFTO Form 781A, *Maintenance Discrepancy and Work Document,* or electronic equivalent has been completed IAW TO 00-20-1. **(T-2)**

5.8.3.4. Ensure the organization FOD Prevention Program Manager provides a final report via the HQ AFMC/A4M Propulsion Management SharePoint™ site: **https://usaf.dps.mil/teams/22355/Lists/ALC%20FOD%20Incident%20Report/Standard%20View.aspx** within two duty days of completing the FOD investigation and collecting all data. **(T-2)**

5.8.3.5. Ensure organizations supporting local or transient aircraft provide a completed FOD report monthly, completed within five duty days of previous month, via the HQ AFMC/A4M Propulsion Management SharePoint™ site: **https://usaf.dps.mil/teams/22355/Lists/ALC%20FOD%20Incident%20Report/Standard%20View.aspx**. **(T-2)**

5.8.3.6. Develop and implement detailed guidance and procedures to supplement the Command FOD Prevention Program in this addendum. Directives will outline organizational responsibilities for airfield, runways, taxiways, parking ramps, and outside maintenance areas. As a minimum, the FOD Prevention Program must address the following: **(T-2) Note:** Tenant units may follow a host base's FOD Program as long as the tenant unit's Local OI specifies the requirement to follow the host base's program. The tenant unit is still required to appoint a FOD Program Manager to act as the unit's focal point for FOD related issues and must submit FOD Reports monthly to the HQ AFMC/A4M SharePoint™ IAW the requirements outlined above. **(T-2)**

5.8.3.6.1. All openings, ports, lines, hoses, electrical connections, and ducts on aircraft, engines, munitions, missiles, drones, space systems, support equipment, AGE, trainers, or components will be capped or plugged to prevent FO from entering these systems IAW applicable technical data. At no time will items (e.g., aircraft forms binders, checklists, tools, etc.) be placed in or on engine intakes. **(T-2) Note:** Does not apply to technicians performing inlet maintenance, inspections, and blade blending requiring lights, files, or other tools inside aircraft inlets.

5.8.3.6.2. A standardized flightline clothing policy to include addressing the wearing of hats, berets, wigs, hairpieces, badges, passes, etc. aimed at FOD prevention. Climate and safety will be considered. **(T-2)**

5.8.3.6.3. Elimination of FOs in aircraft prior to flight. **(T-2)**

5.8.3.6.4. Vehicle operators will stop and perform a visual FOD inspection on all vehicles, vehicle tires, open cargo areas, and towed equipment prior to entering the runway, taxiway, airfield, or other areas as directed by DAFI 13-213, *Airfield Driving*, and the organizations FOD Prevention Program.

5.8.3.6.4.1. When inspecting tires, ensure a roll-over check is completed to ensure the entire surface is inspected for FOD including the unseen area in contact with the pavement. **(T-2)**

5.8.3.6.4.2. Vehicle operators departing the paved surface will perform a FOD inspection on all equipment and vehicle tires immediately upon re-entering the

paved surface of runways, taxiways, airfield, and aircraft parking ramps areas. **(T-2)**

5.8.3.6.4.3. A locally manufactured tool for removing debris from tire treads is authorized for use and will be identified to the vehicle by using the vehicle identification number or vehicle registration number. **(T-2)**

5.8.3.6.5. All flightline grounding points will be kept clean of debris and should be a high interest item for FOD walks. **(T-2)**

5.8.3.6.6. Grounding wires will have two screws securing the cable to the grounding clip. Screws will be coated with a thread locking compound and covered with Room Temperature Vulcanizing (RTV) sealant to prevent them from backing out. Unused screws will be removed. **(T-2)**

5.8.3.6.7. FOD walks/sweeps are mandatory within areas designated as FO critical areas. Local OIs will outline frequency and areas of responsibility for each participating organization. **(T-2)**

5.8.3.6.8. FOD walks will be accomplished prior to towing aircraft through low potential FO areas to ensure damage does not occur to aircraft tires. **(T-2)**

5.8.3.7. Develop and implement a FOD awareness and prevention training program. At a minimum, the training program must address the following: **(T-2)**

5.8.3.7.1. Standardized training documentation requirements. **(T-2)**

5.8.3.7.2. FOD awareness and prevention practices. **(T-2)**

5.8.3.7.3. Initial FOD training. Supervisors will ensure newcomers who work in or transit FOD critical areas (other than designated walk areas) are trained on work center specific FOD awareness and prevention practices prior to starting work in their assigned work area. Ensure individuals who are assigned temporary duty (TDY), transferred, or loaned from other units receive work center FOD training prior to beginning work in their area. **(T-2)**

5.8.3.7.4. Annual FOD training. Supervisors will ensure personnel receive annual FOD awareness and prevention training. **(T-2)**

5.8.3.8. Investigate each FOD incident to determine the precise cause and ensure positive corrective action is accomplished. FOD incidents are classified as preventable and non-preventable. **(T-2)**

5.8.3.8.1. FOD incidents are considered preventable except when:

5.8.3.8.1.1. Caused by natural environment or wildlife. This includes hail, ice, animals, insects, sand, and birds. Report this type of damage IAW DAFI 91-204.

5.8.3.8.1.2. Caused by internal engine materiel failure, as long as damage is confined to the engine.

5.8.3.8.1.3. Caused by materiel failure of an aircraft/equipment component if the component failure is reported as a Deficiency Report (DR) using the combined mishap DR reporting procedures of DAFI 91-204 and TO 00-35D-54, *USAF Deficiency Reporting, Investigation, and Resolution*.

5.8.3.9. Consult TO 1-1-691, *Cleaning and Corrosion Prevention and Control, Aerospace and Non-Aerospace Equipment*, and aircraft specific TOs for bird strike clean up procedures; and DAFMAN 91-223, *Aviation Safety Investigations and Reports,* for bird strike reporting procedures.

5.8.4. NSOs with FO non-critical areas will:

5.8.4.1. Develop and implement a FOD awareness and prevention training program. Those NSOs that are Tenant organizations may elect to follow Host-Base FO procedures if established. At a minimum, the training program must address the following: **(T-2)**

5.8.4.1.1. Standardized training documentation requirements. **(T-2)**

5.8.4.1.2. FOD awareness and prevention practices.

5.9. Impoundment Procedures.

5.9.1. Aircraft and Equipment Impoundment. Aircraft or equipment is impounded when intensified management is warranted due to system/component malfunction or failure of a serious/chronic nature. Refer to DAFI 91-204 for aircraft and equipment involved in accidents, mishaps or incidents. Impounding aircraft and equipment enable investigative efforts to systematically proceed with minimal risk relative to intentional/unintentional actions and subsequent loss of evidence.

5.9.1.1. Unit personnel will ensure development of a local OI for local impoundment procedures and include the following as a minimum:

5.9.1.1.1. Impoundment Authority: (Flying Mission Units) The NSO Commander/Director will appoint Impoundment Authority personnel on the SC documentation. Non-Flying units can use Sq/CC or equivalent designee. **(T-2)**

5.9.1.1.2. The Impoundment Authority will select an Impoundment Official, minimum of a first line supervisor, not directly related to the equipment considered for impoundment. **(T-2)**

5.9.1.1.3. Impoundment Release Authority will be the individual appointed as the Impoundment Authority. **(T-2)**

5.9.1.1.4. The isolation area will be determined by the Impoundment Authority.

5.9.1.1.5. QA in coordination with MT, will serve as the OPR and focal point for the management of the Impound Official training course. The course completion is mandatory prior to being assigned as an Impound Official. (T-3)

5.9.2. Applicable units with assigned aircraft or TA (Contracted Transient Aircraft process/procedures may vary based on contract/PWS) will additionally complete the following:

5.9.2.1. Ensure local OI also includes notification, release officials, specific forms entries, appointment and responsibilities of Impoundment Officials, special handling or tagging of parts from impounded items sent through the repair cycle and conducting or transferring impoundment investigations across organizations. **(T-2)**

5.9.2.1.1. Mandatory Impoundments. Aircraft and/or equipment will be impounded**:**

5.9.2.1.1.1. When the Impoundment Authority determines extraordinary measures are required to address any degradation of aircraft airworthiness or serious aircraft/equipment anomaly. **(T-2)**

5.9.2.1.1.2. Following an aircraft mishap as defined in DAFI 91-204 and AFMAN 91-223. **(T-2)**

5.9.2.1.1.3. When support equipment is known or suspected to have been a factor in a mishap or may have contributed to injuries. **(T-2)**

5.9.2.1.1.4. Following an uncommanded flight control movement. **(T-2)**

5.9.2.1.1.5. Following an inadvertent weapons release or explosive mishap IAW DAFI 91-204. **(T-2)**

5.9.2.1.1.6. Following aircraft engine anomalies to include but not limited to:

5.9.2.1.1.6.1. Unselected propeller reversal. **(T-2)**

5.9.2.1.1.6.2. Flameout/stagnation (for single engine aircraft). **(T-2)**

5.9.2.1.1.6.3. Unselected power reversal. **(T-2)**

5.9.2.1.1.6.4. Engine case penetrations, ruptures, or burn-through from an internal engine component. **(T-2)**

5.9.2.1.1.6.5. When an aircraft experiences a loss of thrust sufficient to prevent maintaining level flight at a safe altitude. **(T-2)** This includes all cases of multiple engine power loss or roll back.

5.9.2.1.1.6.6. Engine damage due to a foreign object and source of FO is determined to be internal to the engine. **(T-2)**

5.9.2.1.1.6.7. Engine damage which occurs during transport. **(T-2)**

5.9.2.1.1.7. Following an in-flight fire. **(T-2)**

5.9.2.1.1.8. When an aircraft experiences an in-flight loss of all pitot-static system instruments or all gyro stabilized attitude or direction indicators. **(T-2)**

5.9.2.1.1.9. When there is evidence of intentional damage, tampering, or sabotage. **(T-2)**

5.9.2.1.1.10. When physiological incidents attributable to aircraft systems or cargo occur. **(T-2)**

5.9.2.1.1.11. When authorized procedures are not adequate or the unit is unable to identify/repair loaded nuclear weapons system malfunctions IAW DAFI 91-101. **(T-2)**

5.9.2.2. Unit TAs will contact the owning MXG/CC for release authority.

5.9.3. Rules of Impoundment Specifically for Weapons-Related Events/Mishaps. When an inadvertent release or an explosive mishap is reported, the following procedures will apply: **(T-2)**

5.9.3.1. In-flight:

5.9.3.1.1. When the involved aircraft returns to the de-arm or parking area, the aircraft will be impounded. **(T-2)** Limit maintenance actions to those required to make the aircraft safe.

5.9.3.1.2. The Maintenance Operations Center (MOC), Munitions Control, Quality Assurance (QA) and Wing Safety will be notified of the impoundment action. **(T-2)**

5.9.3.1.3. The aircraft with unsafe munitions will be parked and isolated in an area approved by the weapons safety office and airfield management. **(T-2)**

5.9.3.1.4. Investigate and report the incident IAW DAFI 91-204.

5.9.3.2. Ground:

5.9.3.2.1. The senior ground crew member will be in charge of the aircraft or equipment until relieved and will ensure involved persons remain at the scene. **(T-2)**

5.9.3.2.2. Protect other aircraft or equipment located near the incident if an explosive hazard exists. **(T-2)**

5.9.3.2.3. Do not change the position of any switches except as needed for safety. **(T-2).**

5.9.3.2.4. Limit maintenance actions to those actions required to make the aircraft or equipment safe. **(T-2)**

5.9.3.3. Preserve mishap evidence to the maximum extent possible. **(T-2)** An example would be segregating an aircraft gun versus destroying it if it poses no immediate danger. This allows for evaluation of all the evidence and the ability to recreate the mishap conditions.

5.9.3.4. If an incident, malfunction, or mishap is suspected to have occurred or was caused by in-use, installed, or otherwise configured munition (live or inert), or a 20 or 30MM gun system jam creating a safety condition, notify the GACP Air Force Life Cycle Management Center, Munition Division (AFLCMC/EBH) Munitions Rapid Response Team (MRRT): DSN: 777-4865; COMM: (801) 777-2666 and the MAJCOM munitions staff. **(T-2)**

5.9.3.4.1. Refer to DAFI 91-202 for additional information about the MRRT team. **Note:** The MRRT team can also provide units technical assistance in resolving recurring 20 or 30MM gun system jams and malfunction isolation.

5.10. In Process Inspection (IPI). IPIs are inspections performed during the assembly or reassembly of systems, subsystems, or components with applicable technical data.

5.10.1. NSOs will determine if maintenance tasks require a locally directed IPI. If so, they will publish and forward an IPI listing to QA. The IPI listing will be reviewed every two years. **(T-2)**

5.10.2. QA will publish the IPI listing in the Evaluation and Inspection Plan. **(T-2)**

5.11. Forms. NSOs will use TO 34-1-3, and TO 00-20-1 to determine required forms along with form documentation requirements. Additional requirements, above and beyond the TO, will be addressed in unit policy directives.

5.12. Dropped Object Prevention (DOP) Program. A dropped object is any aircraft part, component, surface, or other item lost during aircrew operations, unless intentionally jettisoned from engine start to engine shutdown.

5.12.1. HQ AFMC/A4M is the OPR for the AFMC DOP Program.

5.12.2. NSOs will:

5.12.2.1. Appoint a DOP Program Manager and post their name in a prominent place within each applicable unit on a locally developed visual aid. **(T-2)**

5.12.2.2. Ensure the organization's DOP Program Manager provides an initial dropped object report via HQ AFMC/A4M Propulsion Management SharePoint™ Site: **https://usaf.dps.mil/teams/22355/Lists/24%20hr%20Notification/Allitemsg.aspx** within 24 hours of occurrence. In addition, if it involves casualties, property damage, or if adverse publicity is likely, report IAW AFMAN 10-206, *Operational Reporting*. The local safety office will be notified of all dropped objects within 24 hours of occurrence. **(T-2)**

5.12.2.3. Ensure the organization DOP Program Manager provides a final dropped object report via HQ AFMC/A4M Propulsion Management SharePoint™ Site: **https://usaf.dps.mil/teams/22355/Lists/FOD%20Incident%20Report/Standard%20View.aspx** Reports will be maintained for a minimum of 24 months (may be electronic). **(T-2)**

5.12.2.4. Develop and implement detailed guidance and procedures to include organizational responsibilities. **(T-2). Note:** Tenant units may follow a host base's DOP Program as long as the tenant unit's Local OI specifies the requirement to follow the host base's program. The tenant unit is still required to assign a DOP Program Manager to act as the unit's focal point for DOP related issues and must submit DOP Reports IAW the requirements outlined above.

5.12.2.5. Develop and implement a DOP training program. As a minimum, the DOP training program must address the following: **(T-2)**

5.12.2.5.1. Standardized training documentation requirements. **(T-2)**

5.12.2.5.2. Inspection, installation, removal, and repair procedures for aircraft panels, doors, access covers, cowlings, etc. Also, include training on the care of panel latches, fasteners, nut plates, and other locking devices. **(T-2)**

5.12.2.5.3. Initial DOP training. Supervisors will ensure newcomers who are responsible for performing aircraft maintenance/servicing are trained on work center DOP awareness and prevention practices prior to starting work in their assigned work area. Ensure individuals who are assigned TDY, transferred, or loaned from other units receive work center DOP training prior to beginning work in their area. **(T-2)**

5.12.2.5.4. Annual DOP training. Supervisors will ensure personnel receive annual DOP awareness and prevention training. **(T-2)**

5.12.2.6. Investigate dropped objects from transient aircraft and provide the home station DOP Program Manager with sufficient data to generate a report for trending and tracking purposes.

5.13. Scheduling. At a minimum, the affected NSOs will publish or reference specific scheduling policy guidance in the appropriate publication. **(T-2)**

5.14. Engine Borescope Training and Certification Program. NSOs will develop an OI on borescope training certification criteria, proficiency requirements, qualifications, and training documentation that meets the needs of the customer. **(T-2)**

5.14.1. Personnel assigned to perform borescope inspections of engine test articles will be trained prior to performing task. **(T-2)**

5.14.2. As a minimum, the training course(s) will include:

5.14.2.1. Care and handling of the equipment. **(T-2)**

5.14.2.2. All borescope/port locations to include all inspection requirements and procedures. **(T-2)**

5.14.2.3. All applicable technical data, fault isolation/damage assessment/defect size determination, and performance of an actual engine borescope. **(T-2)**

5.15. Engine Management.

5.15.1. NSOs will:

5.15.1.1. Develop, implement, and maintain standardized engine management, Engine Trending and Diagnostics (ET&D), and Engine Health Management (EHM) policies and procedures IAW DAFI 63-101/20-101, *Integrated Life Cycle Management,* and TO 00-25-254-1, *Comprehensive Engine Management System Engine Configuration, Status and TCTO Reporting Procedures,* as identified in matrix. As a minimum, NSO Engine Management policy guidance will address the following: **(T-2)**

5.15.1.1.1. How to monitor accuracy and timeliness of reporting after all engine status changes and/or required action IAW TO 00-25-254-1.

5.15.1.1.2. Engine inventory control and management procedures. **(T-2)**

5.15.1.1.3. Responsibilities of affected work centers for accurate and timely Maintenance Information System (MIS) and Comprehensive Engine Management System (CEMS) reporting of Time Compliance Technical Order (TCTO), Special Inspection (SI), Time Change Item (TCI), and other documentation requirements (e.g., borescope inspections, blade blending, and CANN actions). **(T-2)**

5.15.1.1.4. Process to ensure engine, module, and component data is reported to Stock Record Account Number (SRAN) Engine Manager IAW TO 00-25-254-1 (e.g., part removal, installation, time update, and TCTO status change).

5.15.1.1.5. Process to ensure aircraft, engine records, MIS (N/A for AEDC) and CEMS database reconciliation occurs after maintenance actions are complete. **(T-2)**

5.15.1.1.6. Responsibilities and procedures for EHM and ET&D IAW DAFI 63-101/20-101, not applicable to AEDC RDT&E engines.

5.15.1.1.7. A CEMS and MIS contingency plan for when either or both systems are down for extended periods (more than 48 hours). The plan will include procedures for retaining data in date-time order for input when MIS/CEMS operation resumes. **(T-2)**

5.15.1.2. Coordinate Engine Management policy with the HQ AFMC/A4M Command Engine Manager prior to publication. **(T-2)**

5.15.1.3. Ensure units appoint a primary and alternate SRAN Engine Manager to monitor engine removals and replacements, component tracking, engine TCTOs and TCIs, engine records in the MIS, CEMS, and perform engine manager duties IAW DAFI 63-101/20-101and TO 00-25-254-1.

5.15.1.4. Ensure SRAN Engine Managers attend the Air Education and Training Command (AETC) Engine Management Training Course to meet training required per TO 00-25-254-1.

5.15.1.4.1. SRAN Engine Managers located at Tinker AFB will be able to attend the Oklahoma City-Air Logistics Complex (OC-ALC) developed Depot Maintenance Engine Management Training Course in place of the AETC course. The CEMS/Project Management Office (PMO) CEMS Training Course is a pre-requisite to attending the OC-ALC developed Depot Maintenance Engine Management Training Course. **(T-2)**

5.15.2. The SRAN Engine Manager will:

5.15.2.1. Act as the single POC between the unit and Command Engine Manager for SRAN Engine Management issues/concerns. **(T-2)**

5.15.2.2. Comply with DAFI 63-101/20-101, TO 00-25-254-1 and all other applicable instructions and technical data.

5.15.2.3. Ensure all engine/module inspections/TCIs tracked by Engine Operating Time (EOT), Calculated Cycles (CCY), Total Accumulated Cycles (TAC), etc., are loaded/tracked in CEMS. **(T-2)**

5.15.2.4. Provide TCI information (cycles remaining, EOT, etc.) on serially controlled items to propulsion maintenance for engine and engine component cannibalization actions. **(T-2)**

5.15.2.5. Manage time changes on all engines and “life-limited and serially tracked” components. **(T-2)**

5.15.2.6. Ensure all engine SIs are loaded in MIS against the engine, not the aircraft/missile. **(T-2)**

5.15.2.7. Manage/monitor the unit ET&D and EHM programs when applicable. **(T-2)**

5.15.2.8. Perform duties and requirements for engine shipments, protection, and storage IAW DAFI 24-602V2, *Cargo Movement*, DAFI 63-101/20-101, and TO 00-85-20, *Engine Shipping Instructions*, TO 2J-1-18, *Preparation for Shipment and Storage of Gas Turbine Engines*, and TO 2-1-18, *Aircraft Engine Operating Limits and Factors*.

5.15.2.9. Maintain a jacket file of engine shipping documents IAW AFI 33-322.

5.15.2.10. Maintain and update historical documents for all assigned engines, modules, and major assemblies in the MIS IAW TO 00-20-1.

5.16. Ground Instructional Trainer Aircraft (GITA). This section applies to all AFMC units that utilize GITA/TAA. The MXG/CC or equivalent has overall responsibility for maintenance of assigned GITA/TAA and will ensure requirements of this section are implemented. Permanently

assigned GITA are those aircraft that are not maintained in airworthy condition. Active GITA are maintained in system/subsystem operational condition for purposes of maintenance training and normally carried in possession codes as outlined in DAFI 21-103, *Equipment inventory, Status and Utilization Reporting* or AFI 16-402, *Aerospace Vehicle Programming, Assignment, Distribution, Accounting, and Termination*. Inactive GITA are permanently grounded for use in personnel training. This section does not apply to Aircraft Battle Damage Repair (ABDR) training aircraft. ABDR training aircraft are managed by AFSC/LZD (ABDR PO). This chapter does not apply to training equipment maintained by Contracted Logistics Support contracts administered by commands other than AETC. **(T-2)**

5.16.1. Temporarily Grounded GITA (active). Temporarily grounded aircraft are subject to recall to the active fleet. **(T-2)**

5.16.1.1. Only those items requested by the PM are considered for removal. If the item does not affect training and if approved by MXG/CC, the part will be removed and turned in as per the MXG/CC's (or equivalent) instructions. **(T-2)**

5.16.1.2. Units are responsible for storing uninstalled or removed equipment that is not required for training. **(T-2)**

5.16.2. Permanently Grounded GITA (inactive). Permanently grounded aircraft are those declared excess to future operations or flying requirements by higher headquarters. Aircraft in this category will be re-designated by the addition of the prefix "G" to the basic MDS. **(T-2)**

5.16.2.1. Training Aid Aircraft (TAA) are considered Permanently Grounded GITA (inactive). Aircraft in this category, at a minimum, require an aircraft fuselage that is to be accountable in the AF inventory as an aircraft. TAAs will be re-designated by the addition of the prefix "T" to the basic MDS. **(T-2)**

5.16.2.1.1. Assigned aircraft are not maintained in airworthy condition, and only the system/subsystem (e.g., doors, ramp, lights. etc.) required for the specific training requirements will be maintained in operational condition for purposes of required maintenance/organizational training. **(T-2)**

5.16.2.1.2. Aircraft used for maintenance training are not terminated from the AF inventory IAW AFI 16-402. TAA requests for use by non-maintenance Air Force Specialty Code personnel require coordination through HQ AFMC/A3F, HQ AFMC/A4M, and the AFLCMC PM.

5.16.2.1.3. Questions about the designation of an aircraft used for training should be directed to the MAJCOM Aerospace Vehicle Distribution Office **(**AVDO) at **AFMC.A4M.Workflow@us.af.mil**. **(T-2)**

5.16.2.2. Permanently grounded missiles retain their original MDS without a prefix, if applicable.

5.16.2.3. Upon assignment of a permanently grounded GITA/TAA, the MXG/CC or equivalent will e-mail HQ AFMC/A4M to coordinate "save list" requirements identified by the applicable PM. **(T-2)**

5.16.2.3.1. "Save list" items removed will be turned into LRS for shipment. **(T-2)**

5.16.2.3.2. If an item on the "save list" is not removed, the reason for not removing it will be annotated and coordinated with HQ AFMC/A4M. **(T-2)**

5.16.2.3.3. If items on the "save list" are required for training and an unserviceable item will suffice, units will coordinate with HQ AFMC/A4M for receipt of the unserviceable item(s). **(T-2)**

5.16.2.3.4. All unserviceable items furnished by ALC will be marked/identified as "unserviceable" in a conspicuous manner (e.g., Red X or Red dot system). **(T-2)**

5.16.3. MAJCOM Responsibilities. AFMC units are not required to use a MIS for permanently grounded GITA records management.

5.16.3.1. HQ AFMC/A4M will coordinate "save list" requirements/changes with the applicable PMs.

5.16.4. MXG/CC Responsibilities. MXG/CC or equivalent will:

5.16.4.1. Develop an installation publication or supplement to define the scope of training functions for GITA/TAA use, functional responsibility for funding, operations, maintenance, and records management. **(T-2)**

5.16.4.2. Ensure maintenance support of GITA/TAA used for training. Units that do not have organic maintenance capability will establish a Support Agreement (SA), in the form of a Memorandum of Agreement, IAW AFI 25-201, *Intra-Service, Intra-Agency, and Inter-Agency Support Agreements Procedures*, assigning maintenance responsibility for GITA/TAA training use. With respect to Memorandum of Agreement content, also apply AFI 16-402 and DAFI 21-103, as supplemented by AFMC. **(T-2)**

5.16.4.2.1. GITA maintenance includes on- and off-equipment maintenance of active systems and subsystems and necessary actions to maintain the aircraft in a safe and presentable condition.

5.16.4.2.2. TAA requires minimal maintenance on systems/subsystems used to meet training requirements and should be maintained in a safe and presentable condition.

5.16.4.2.3. Determine which system and subsystem are required to support the training. Consider present, future, and cross-utilization of systems when making determinations. These systems will be maintained in the same configuration as operational equipment. **(T-2)**

5.16.4.2.4. Ensure explosive components are removed that are not required to support training requirements.

5.16.4.2.5. Place retained systems and subsystems not currently being used for training into extended storage IAW applicable technical data.

5.16.4.2.6. Ensure standard maintenance practices regarding inspection appearance, cleanliness, occupational safety, and prevention of corrosion are met. Corrosion control procedures are outlined in TO 1-1-691.

5.16.4.2.7. Develop and prepare inspection technical data check lists for use in inspecting the condition and safety of equipment before use and ensure inspections are performed.

5.16.4.2.7.1. Prior-to-use inspections will be conducted by the using organization employing a tailored weapon system pre-/post-dock checklist. **(T-2)**

5.16.4.2.7.2. Conduct periodic maintenance inspections using a tailored work deck. **(T-2)**

5.16.4.2.8. Prepare a separate memorandum for each GITA/TAA, addressed to the appropriate PM for the aircraft and inform them of the systems and subsystems that will be maintained in operational configuration. **(T-2)**

5.16.4.2.8.1. When changes in requirements occur, initiate a new memorandum.

5.16.4.2.8.2. Ensures copies of all GITA/TAA memorandums are forwarded to the MAJCOM AVDO at **AFMC.A4M.Workflow@us.af.mil**. (Subject: Attention MAJCOM AVDO) **(T-2)**

5.16.4.2.9. Air and space vehicle inventory will be reported IAW DAFI 21-103 as required for ground trainers. Aircraft used for ground trainers are exempt from status and utilization reporting.

5.16.4.2.10. Maintenance actions will be documented IAW TO 00-20-1. **(T-2)**

5.16.4.2.10.1. Owning units not having maintenance capability will establish Memorandum of Agreements with organizations which can provide maintenance support. **(T-2)**

5.16.4.2.10.2. The AFTO FORMS 781, 781A, 781F, 781H and 781K are mandatory for trainers in the 6930 Federal Stock Class (FSC). GP/CCs may opt the use of any 781 series forms with other FSC trainers.

5.16.4.2.10.3. The 711 HPW will deviate from normal maintenance documentation procedures on AFTO Form 781A due to the nature of maintenance being done on TAA no longer on PM's save list. Maintenance performed is for enhancing simulated aeromedical training and day-to-day upkeep.

5.16.4.2.10.4. When utilizing these forms, at a minimum, the documentation of the forms will be as follows: **(T-2)**

5.16.4.2.10.4.1. AFTO Form 781F. Blocks 6, 7, 8, and 9 will be filled in as applicable.

5.16.4.2.10.4.2. AFTO Form 781B. Fill out form IAW 00-20-1 paragraph 5.8. if COMSEC equipment is installed; otherwise leave blank.

5.16.4.2.10.4.3. AFTO Form 781. Blocks 1, 2, 3, and 4 will be filled out as applicable.

5.16.4.2.10.4.4. AFTO Form 781H. Blocks 1, 2, 3, and 4 will be filled out as applicable.

5.16.4.2.10.4.5. AFTO Form 781A. Fill in *From*, *MDS*, and *Serial Number* blocks as applicable. Print a thorough description of the discrepancy in the "DISCREPANCY" block. Fill in *Date Disc*, *Discovered By* blocks, and your contact number in *Employee No.* block. When discrepancies are corrected, the *Date Corrected*, *Corrective Action*, and *Inspected By* blocks will be filled in.

Symbol Block 781A. The use of a Red X in the symbol block will be annotated when a discrepancy renders the equipment unserviceable or unsafe to use. Equipment written up in a Red X condition will not be used until it is restored to a serviceable and safe condition.

5.16.4.2.10.4.6. AFTO Form 781K. Fill in *From*, *MDS*, and *Serial Number* as applicable. Document major inspections and delayed discrepancies on corresponding blocks if necessary.

5.16.4.2.11. Ensure timely completion of TCTOs on systems designated for configuration management and proper configuration status accounting is maintained.

5.16.4.2.11.1. Accomplish TCTOs on systems not designated for configuration management as required to ensure safety of operation or as directed by the PM.

5.16.4.2.11.2. TCTOs are not maintained on TAA.

5.16.4.2.12. Ensure proper coordination and documentation of parts removed from training aircraft are accomplished as follows:

5.16.4.2.12.1. When an item is removed or replaced, supervisors will ensure this action is documented in the aircraft forms. **(T-2)** Include the authority for removal (e.g., message number, telecon, letters, and dates) and condition of installed/replacement items.

5.16.4.2.12.2. When the limited save list actions have been done, a copy of the completed list will be forwarded to the appropriate PM and the local documentation function which will be added to the TAA historical record. **(T-2)**

5.16.4.2.12.3. For (Active) GITA only, W&B handbook requirements will be maintained IAW TO 1-1B-50, *Joint Service Technical Manual Organizational, Intermediate and Depot Maintenance Aircraft Weight and Balance*, and applicable -5 series TOs.

5.16.4.2.12.4. Operating and maintenance technical data will be readily accessible whenever the GITA/TAA is in use or undergoing inspection.

5.16.4.2.12.5. MXG/CC will designate a GITA/TAA Manager as an additional duty. **(T-2)**

5.16.4.2.12.5.1. The GITA/TAA Manager must be qualified to operate GITA/TAA systems and appropriate support equipment to conduct GITA/TAA maintenance. **(T-2)**

5.16.4.2.12.5.2. The GITA/TAA Manager will accomplish and/or coordinate maintenance actions for the GITA/TAA and ensure GITA/TAA documentation is accurate and complete. **(T-2)**

5.16.4.2.13. For equipment designated as trainers, only the systems required for technical training (or those required to ensure safety or system integrity) need to be maintained. **Note:** This does not apply to "temporarily" grounded aircraft, operational equipment, or systems on loan from MAJCOMs or ALCs.

5.16.5. Technical Data Applicability.

5.16.5.1. Operational systems on GITA/TAA are maintained IAW applicable technical data. The specific policy governing the use and modification of technical data is contained in TO 00-5-1.

5.16.5.1.1. Some systems may be operated and maintained with original contractor data because formal technical data was never developed and/or the contractor data was never assigned a TO number. If data was not assigned a TO number, The appropriate Program Office should be contacted and notify HQ AFMC/A4FI.

5.16.5.2. Inspection and lubrication requirements may be adjusted to correspond with training requirements and equipment usage and to prevent over or under inspection.

5.16.5.3. When significant savings may be achieved, the commander or contract project manager must request deviations or changes to technical data requirements, including substitution of materiel from the weapon system PM.

5.16.5.3.1. If deviations are approved, the unit will retain approved deviations/changes in the GITA historical records. **(T-2)** In all cases, safety or design function must not be compromised.

5.16.5.4. TCTOs. The QA function or other designated agency will be responsible for determining applicability of TCTOs for GITAs. **(T-2)** TCTO upgrades are not required on TAA.

Chapter 6

QUALITY ASSURANCE

6.1. General. Maintenance quality and equipment reliability is the responsibility of all maintenance personnel. The combined efforts of QA personnel, maintenance leaders, and technicians are necessary to ensure high quality maintenance production and equipment reliability. The QA staff evaluates the quality of maintenance accomplished and performs necessary functions to manage the Maintenance Standardization and Evaluation Program (MSEP). Aircraft and equipment condition and personnel proficiency are validated through the MSEP and recorded in the Logistics Evaluation Assurance Program (LEAP) QA database. Civil service and contracted personnel are to follow requirements established in their respective civilian position description/contract and accepted quality assessment system.

6.1.1. NSOs with Aircraft maintenance related functions e.g. Transient Alert, Crash Damaged or Disabled Aircraft Recovery etc., will direct, implement, and maintain a Maintenance QA process. Maintenance QA will be defined in local policy and if applicable, combined with Logistic Readiness QA per DAFI 20-112. At a minimum, the policy must: **(T-2)**

6.1.1.1. Address the roles and responsibilities of key personnel involved in the QA Program to include, as applicable, the CC, CV, Logistics Manager, site QA Superintendent, and site QA inspectors' roles. **(T-2)**

6.1.1.2. The Hiring Authority must ensure civilian and/or military QA inspectors have the proper maintenance experience in the functional area/position to be filled. **(T-2)**

6.1.2. Develop a training plan to train all QA and QA augmentee personnel as required, identify the site QA inspector training, and Evaluator Personnel Evaluation (EPE) requirements. **(T-2)**

6.1.2.1. The following are minimum QA training requirements:

6.1.2.1.1. Complete an EPE, prior to performing QA evaluations, and subsequently every two years. Track EPE completion in QA database. **(T-2)**

6.1.3. Units will develop a MSEP and conduct local inspections to ensure their programs, processes, maintenance technician proficiency, equipment condition and other focus areas are in compliance with AF, MAJCOM and local directives. **(T-2)**. Inspections will be documented in the LEAP database per **para 6.1.3.11**. The unit level MSEP is not applicable to contract maintenance activities unless required by the contract SOW or PWS. NSOs may use **Attachment 2** or local scoring model for monthly/quarterly QA rating. **(T-2)** Local Scoring models must be fully defined in local OI. At a minimum, the MSEP must address the following results:

6.1.3.1. Compliance with and currency of technical data. **(T-2)**

6.1.3.2. Equipment forms documentation. **(T-2)**

6.1.3.3. Equipment maintenance actions. **(T-2)**

6.1.3.4. Equipment inspections. **(T-2)**

6.1.3.5. Compliance and management of safety, environmental, and housekeeping programs. **(T-2)**

6.1.3.6. Requirements for conducting PEs, Quality Verification Inspections (QVI), SI, Management Inspections (MI), EPE, Detected Safety Violation (DSV), TDV, and Unsatisfactory Condition Reports (UCR), if applicable. See **Attachment 2** for MSEP scoring model. Any variations to **Attachment 2** will be defined in local OI. **(T-2)**

6.1.3.7. A process to develop an Evaluation and Inspection (E&I) plan. The E&I plan must provide monthly/quarterly E&I criteria to ensure leadership has a reasonable representation of the compliance status of their maintenance programs. **(T-2)**

6.1.3.7.1. The E&I plan identifies areas, types and number of inspections and evaluations to be conducted. It contains Routine Inspection List (RIL), the Key Task List (KTL), if applicable, and other pertinent evaluation and inspection information. **(T-2)**

6.1.3.7.1.1. RIL. A list of tasks that are subject to evaluation on a routine basis. QA will work in concert with the unit leadership (HNC - Branch Chief/Program Manager or designee) to create the RIL and coordinate with maintenance related program managers for inputs/suggested changes to the list. **(T-2)**

6.1.3.7.1.1.1. Specific MAJCOM equipment RILs. Refer to the following link and review the current Lead Command Routine Inspection List (RIL) for assigned equipment/focus recommendations to tailor unit Evaluation and Inspection plan as needed: HQ AFMC A4M Functions - Test Wing & Non-Std Orgs - All Documents (dps.mil)

6.1.3.7.1.2. KTL. A list contain tasks that are complex, have been or have the potential to be problems, or high interest areas that require inspection. QA will work in concert with the unit leadership (HNC - Branch Chief/Program Manager or designee) to create KTLs as applicable and coordinate with maintenance related program managers for inputs/suggested changes to the list. Review and update the list, at a minimum, every two years. **(T-2)**

6.1.3.7.1.2.1. Units will use Lead Command KTLs for the specific MDS assigned. **(T-2)** The Center/Wing/Group may add additional tasks to the KTL. Lead Command KTLs can be found at the following link: HQ AFMC A4M Functions - Test Wing & Non-Std Orgs - All Documents (dps.mil) .

6.1.3.8. A process to establish and adjust Acceptable Quality Levels (AQLs). **(T-2)**

6.1.3.8.1. Acceptable Quality Levels (AQL). AQLs denotes the maximum allowable number of minor findings that a process or product may be charged for the task to be rated “Pass” and are used to minimize subjectivity in assessing tasks identified by the MSEP. **(T-2)**

6.1.3.8.2. Exceeding the established AQL results in a “Fail” rating. **(T-2)**

6.1.3.8.3. A major deficiency results in a “Fail” rating. **(T-2)**

6.1.3.8.4. The AQL is derived/revised from QA performance-based data. AQLs will be determined based on trends associated with the evaluation/inspection process.

Adjustments to AQLs are reviewed, at a minimum, annually with the appropriate leadership before being adjusted accordingly. **(T-2)**

6.1.3.8.5. AQLs for work center tasks will be published in the E&I plan or the MSEP. **(T-2)**

6.1.3.9. In the event summary data is maintained on classified networks, only the unclassified data will be used to create a summary. Data will be processed through appropriate security channels prior to release. **(T-2)**

6.1.3.10. Establish a requirement for the QA office to publish a monthly/quarterly MSEP summary to advise appropriate senior leadership on the quality of the site logistics activities. **(T-2)**

6.1.3.11. LEAP QA Database. Units will use the LEAP QA database to capture MSEP data. **(T-2)** The LEAP User's Manual provides information on registration, site management, and evaluation/inspection input and can be found at: **https://leap.disa.mil/mi/LEAPQA/Account/Login.aspx?ReturnUrl=%2fmi%2fLEAPQA%2fDefault.aspx**

6.1.3.11.1. LEAP QA Database Roles and Responsibilities. Roles in LEAP are assigned based on each user's authorized level of control needed. The roles themselves operate in a hierarchical manner with each successively higher role possessing all of the rights of the subordinate roles. Only one role will be assigned to a LEAP user at any given time.

6.1.3.11.1.1. Application Administrator. This role is limited to Defense Information System Administration (DISA) programming staff and PMO personnel only. They perform Department of the AF-wide database management and modification. LEAP Application Administrator will:

6.1.3.11.1.1.1. Host a quarterly (virtual) Functional Review Board (FRB) and an annual (Physical or Virtual) Functional Review Board. **(T-2)** Attendees will include: DISA Programming staff, PMO, AF/A4LM LEAP representative, Functional Administrators, and when possible, Site Managers. **(T-2)**

6.1.3.11.2. Provide initial training to Functional Administrators and Site Managers as necessary. **(T-2)**

6.1.3.11.2.1. Update the LEAP User's Manual as necessary. **(T-2)**

6.1.3.11.2.2. Provide a monthly status of all System Change Requests (SCRs). **(T-2)**

6.1.3.11.3. Functional Administrator. LEAP Functional Administrators provide overall database management and typically operate at the MAJCOM level. Usually assigned to a MAJCOM's policy section, they ensure proper use and alignment of the database with current policy guidelines. They also operate as the primary focal point for all LEAP-related issues within their MAJCOM and coordinate directly with the LEAP PMO. LEAP Functional Administrators will:

6.1.3.11.3.1. Manage access to LEAP either directly or through local site offices that have the capability for delegation for Site Managers only, for example, G081

Manager on site. **(T-2)**

6.1.3.11.3.2. Develop and assign LEAP Finding Codes IAW MAJCOM directives. **(T-2)**

6.1.3.11.3.3. Create, modify, and manage sites within the LEAP Database for their MAJCOM. **(T-2)**

6.1.3.11.3.4. Transcribe and manage Command Task Lists (CTL) in LEAP IAW MAJCOM directives (example, RILs).

6.1.3.11.3.5. Assist local Site Managers with day-to-day operations in LEAP to include troubleshooting and reporting SCRs to the PMO. **(T-2)**

6.1.3.11.4. Site Manager. LEAP Site Managers provide local oversight for their respective Group (or equivalent). Possessing "base level" control, they are able to approve and modify LEAP Users and assign roles up to and including other Site Managers. While there is no limitation to how many Site Managers can be assigned per site, the level of control available should warrant assignment based on appropriate rank/position (typically, QA Superintendent and Chief Inspector). LEAP Site Managers will:

6.1.3.11.4.1. Manage access to LEAP by coordinating new user documentation with their assigned G081 Manager and approving accounts in LEAP after user registration. **(T-2)**

6.1.3.11.4.2. Modify user accounts according to need. **(T-2)**

6.1.3.11.4.3. Ensure LEAP users are deactivated or downgraded in LEAP when out-processing the QA office. **(T-2)**

6.1.3.11.4.4. Create Flights and Sections in LEAP to which evaluations will be assigned. **(T-2).**

6.1.3.11.4.5. Assign RILs (Command Task Lists/Site Task Lists) within the LEAP application to Organizational Sites in order to facilitate entry of the MXG's Evaluation and Inspection Plan. **(T-2)**

6.1.3.11.4.6. Build and manage the E&I Plan (if used) in LEAP and ensure it incorporates all MAJCOM specific requirements. **(T-2)**

6.1.3.11.5. **Read-Only Guest.** LEAP Read-Only Guests are intended to be supervisory personnel and unit leadership who require regular access to LEAP Reports and Evaluation documentation.

6.1.4. QA Product Improvement Program (PIP). Establish a PIP, if applicable (i.e., DR and TO Recommended Change (RC) process. **(T-2)**

6.1.5. Small and unique functions/units where a full QA program is not assigned/practical as identified in **Table 6.1** will develop procedures for asterisk (*) item(s) in local publication(s).

Table 6.1. AFMC Small and Unique Maintenance QA Program.

AFMC Small and Unique Maintenance QA Program Applicability Matrix	ASD GSS
Inspection Plan with number of Inspections and AQL	*
QA Training Qualification/Certification Requirements	*
Personnel Evaluations	*
Quality Verification Inspections (Workmanship)	*
Quarterly QA report requirements	*

6.2. AFMC Conventional Munitions Program. Munitions activities will follow Group/Squadron QA program. Small and unique units where a full QA program is not assigned/practical as identified in **Table 6.2** with an asterisk must demonstrate how the requirements are met utilizing the Commanders Inspection Program and applicable mandated inspections/reviews listed in DAFMAN 21-201, DAFI 91-202, DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards,* and DESR 6055.09_DAFMAN 91-201 (e.g., Quarterly/Semi-Annual/Annual/Bi-annual Safety inspection/reviews).

Table 6.2. AFMC Conventional Munitions QA Program Applicability Matrix.

AFMC Conventional Munitions QA Program Applicability Matrix	78 LRS /LG RW	649 MUN S	704 TG	SMW	88 OSS/ OSG	72 LRS/ LGR M	66 LRS/ LGLC	AEDC/ TSD-LG	ASD Labs	MSD Lab
Munitions Quality Specific Areas										
10. Accountability	x	x	x	x	*	*	*	*	*	*
11. Storage practices, security, and safety	x	x	x	x	*	*	*	*	*	*
12. Inspection	x	x	x	x	*	*	*	*		
13. Materiel and handling and test equipment	x	x	x	x	*	*		*	*	*
14. Stockpile management	x	x	x	x	*	*	*	*		*

15. Training programs	**x**	**x**	**x**	**x**	*	*	*	*	*	*
16. Infrastructure (LPS, grounds, and bonds)	**x**	**x**	**x**	**x**	*	*	*	*	*	*
17. TAS, CTKs, tools, and support equipment	**x**	**x**	**x**	**x**	*	*	*	*	*	*
18. Munitions assembly	**x**	**x**	**x**	**x**	*	*		*		
19. Tactical Munitions Reporting System (TMRS)	**x**	**x**							*	

6.3. HQ AFMC/A4MM Command QA Functional Manager will:

6.3.1. Oversee the AFMC MSEP, and serve as POC for AFMC QA functions.

6.3.2. Ensure development and review of Commanders Inspection Program Self-Assessment Checklists IAW DAFI 90-302 AFMC Sup, *The Inspection System of the Department of the Air Force*.

6.3.3. Review results of HQ AFMC/IG inspections and unit MSEP reports for needed policy actions.

6.3.4. Serve as LEAP Functional Administrator duties per **6.1.3.11.3**.

6.3.5. Host and chair the Quality Assurance Working Group.

6.3.5.1. Quality Assurance Working Group members include Unit QA Chiefs/reps. Additionally, HQ AFMC/IGI, HQ AFMC MAJCOM Functional Managers (MFMs)/Subject Matter Experts (SMEs), Contracting Officer's Representative (COR) and designated union representatives may attend as required.

6.3.5.2. Quality Assurance Working Group will conduct a face-to-face technical interchange meeting every 2 years (funding permitting) and participate in teleconferences at least bi-monthly.

Chapter 7

TECHNICAL DATA

7.1. The affected NSOs will: Ensure program specific technical data, i.e., and Air Force Cryptographic Operation and Maintenance Manuals, to include Original Equipment Manufacturer (OEM)/Federal Aviation Administration (FAA) approved commercial instructions, that are created or used are managed as required by TO 00-5-1, AFKAG-1, *Air Force COMSEC Publication, Air Force Communications Security (COMSEC) Operations*, and/or local guidance.

Chapter 8

MAINTENANCE INFORMATION SYSTEM (MIS)

8.1. NSOs will: Use Aircraft and Aviation Support Equipment MIS e.g. Defense Property Accountability System (DPAS) Maintenance and Utilization (M&U) Module, or Information Systems (IS) as directed by TOs/AFI or submit a deviation or a waiver. If systems are not directed, NSOs will document systems used, system requirements and responsibilities in local instructions. **(T-2)**

8.1.1. HNC will use local MIS to schedule and document equipment inspections and maintenance actions. Specific use requirements will be addressed in local policy. **(T-2)**

Chapter 9

MAINTENANCE METRICS

9.1. Because of the differences between the mission areas: Specific guidance as to what will be produced and what forum to present it will be addressed in NSO policy directives. **(T-2)**

Chapter 10

SUPPLY SUPPORT

10.1. Units utilizing Shop Stock, Operating Stock or Work Order Residue: Will adhere to following guidance: **(T-2)**

10.1.1. Shop Stock. Includes gas cylinders, random length bar stock, sheet metal, plastic, fabric, electrical wire, and similar items not normally included in bench stocks. Maintain shop stock for day-to-day operations. Monitor shop stock to prevent materials from becoming excessive or outdated. Shop stock should not normally exceed 90 days usage, or the unit of issue or unit pack, whichever is greater; special consideration should be given for items no longer in production, not stock listed, or with long lead times. All stocks can be stored near/adjacent to each other, if practical, but do not mix together. Clearly identify materials as ―Shop Stock and label them with noun, national stock number and/or part number (if applicable), unit of issue, and shelf-life, if applicable. **(T-2)**

10.1.2. Operating Stock. Includes connector dust covers, hydraulic line caps/plugs, and similar items that are normally recovered after use and re-used. All stocks can be stored near/adjacent to each other, if practical, but do not mix together. Monitor operating stock to prevent it from becoming excessive or outdated. Retain partially used bench stock items in bench stock and not in operating stock. **(T-2)** Identify, tag, and turn in items with no forecasted use IAW AFI 23-101, and DAFMAN 23-122, *Materiel Management Procedures*; special consideration should be given for items no longer in production, not stock listed, or with long lead times. **(T-2)** Clearly identify items as ―Operating Stock and label them with noun, national stock number and/or part number (if applicable), unit of issue, and shelf-life, if applicable. **(T-2)**

10.1.3. Work Order Residue. Includes expendable bit/piece items left over from maintenance work orders or bench stock deletions. All stocks can be stored near/adjacent to each other, if practical, but do not mix together. Ensure excesses are consolidated for turn-in to LRS at least annually; special consideration should be given for items no longer in production, not stock listed, or with long lead times. Clearly identify items as ―Work Order Residue and label them with noun, national stock number and/or part number (if applicable), unit of issue, and shelf-life, if applicable. Control all work order residues used on or around aircraft, uninstalled engines, and AGE. **(T-2)**

10.1.4. Units who maintain stocks that do not fit Shop, Operating Stock, or Work Order Residue requirements and no other guidance is provided in other publication series will develop policy to ensure management oversight, review and control of their stocks.

Chapter 11

CRASH DAMAGED OR DISABLED AIRCRAFT RECOVERY (CDDAR) PROGRAM

11.1. CDDAR Implementation. All NSO host and tenant units with a flying mission or responsibility for active airfields and/or runways will implement a CDDAR Program IAW TO 00-80C-1, *Crashed, Damaged, Disabled Aircraft Recovery Manual*. Host units are responsible for developing the CDDAR program, but execution of the program can be delegated to tenant or nearby units (as appropriate). Any CDDAR program must be designed to provide a response and/or recovery capability of assigned host, tenant, and consider transient aircraft consistent with the following considerations: (1) urgency to open the runway for operational use; (2) prevention of secondary damage to the aircraft; and (3) preservation of evidence for mishap or accident investigations IAW DAFI 91-202 and DAFI 91-204. See **paragraph 3.1** for waivers for compliance with **Chapter 11** requirements (e.g., will statements) to implement CDDAR program IAW TO 00-80C-1, except as tiered below.

11.2. Responsibilities:

11.2.1. Host and tenant WG/CCs or equivalent with a flying mission or responsibility for active airfields/runways will:

11.2.1.1. Collaborate to develop a publication IAW DAFMAN 90-161, that assigns specific responsibilities and procedures to implement a CDDAR program IAW TO 00-80C-1. **(T-2).**

11.2.1.2. NSOs without a Maintenance Group or sufficient personnel with aircraft specialties/ backgrounds to form a CDDAR team, may enter into agreements with nearby units (e.g., ANG units) for CDDAR activities as long as their ability to respond to recovery site is within 12 hours. Overall CDDAR responsibility remains with the host unit.

11.2.1.3. Any agreements with nearby CDDAR teams must be exercised annually to ensure all roles/responsibilities are clear and that response times remain adequate. **(T-2)**

11.2.1.4. The following additional references are to be used in developing the publication: AFMAN 10-206, DAFI 10-2501, *Emergency Management Program*; DAFI 21-103, DAFMAN 91-203, TO 00-105E-9, *Aerospace Emergency Rescue and Mishap Response Information* and this instruction.

11.2.1.5. Ensure CDDAR responsibilities and procedures are coordinated with Fire Emergency Services, Wing Safety, CES, LRS, SFS, MDS, OSS, and other on-/off-base agencies, as applicable. **(T-2)**

11.2.1.6. Ensure wings with geographically-separated units/auxiliary fields outline support requirements in their publication. **(T-2)**

11.2.2. Host and tenant unit MXG/CC or equivalent will:

11.2.2.1. Ensure CDDAR mobility UTC equipment requirements are available to deploy and accounted for on an AS (if applicable). **(T-2)**

11.2.2.2. In coordination with the MSG/CC, determine unit recommended vehicle/equipment requirements beyond those authorized in the AS(s) to provide 24/7 CDDAR response/runway clearing capability. **(T-2)** Unit vehicle control officer must

justify any additional vehicle authorization(s) to Vehicle Management for submittal to the 441 VSCOS for final approval IAW AFI 24-302, *Vehicle Management*. **(T-2)** Units must identify vehicles and SE designated to support CDDAR recovery in a local publication to ensure 24-hour availability. **(T-2)**

11.2.2.3. Ensure as a minimum, units with a CDDAR requirement possess sufficient equipment to accomplish a recovery of the assigned MDS aircraft. **(T-2)** Refer to T.O. 00-80C-1 for specific requirements.

11.2.2.3.1. For NSOs without an assigned MDS, units should possess sufficient equipment to accomplish a recovery of MDSs that most transit the airfield/runway.

11.2.2.4. Establish an in-flight emergency response capability. **(T-2)**

11.2.2.5. Participate in CDDAR training exercises. **(T-2)**

11.2.2.6. Manage base level CDDAR equipment to minimize duplication of resources. **(T-2)**

11.2.2.7. Ensure an annual CDDAR equipment inventory is completed and an inventory report containing CDDAR excess and shortage equipment items is sent to MAJCOM CDDAR OPR annually, NLT 30 Sep. **(T-2)**

11.2.2.7.1. For AFMC units, must send inventory to **afmc.a4m.workflow@us.af.mil**. **(T-2)**

11.2.2.8. Designate in writing a CDDAR Team Chief and Alternate. **(T-2)**

11.2.3. CDDAR Team Chief and alternate will IAW TO 00-80C-1:

11.2.3.1. Be designated as the unit's subject matter expert on aircraft recovery operations and equipment and will be thoroughly familiar with and perform their Team Chief duties IAW TO 00-80C-1. **(T-2)**

11.2.3.2. Be in the grade of MSgt (E-7) or above or be a civilian in an equivalent grade. **Note:** The MXG/CC may waive the requirement to TSgt (E-6) or civilian equivalent grade when personnel with appropriate skill sets/background are not available in the MSgt/civilian equivalent grades.

11.2.3.3. Attend or be scheduled for the AETC initial training course within 6 months of assignment to CDDAR team unless previously qualified prior to the inception of the AETC course.

11.2.3.4. Perform an actual aircraft lift every 3 years. This can be accomplished through real-world events, an AETC approved CDDAR course, the ANG CDDAR training course, or by utilizing a local Ground Instructional Training Aircraft (GITA).

11.2.3.5. Develop/implement a local CDDAR annual training program comprised of both academic and hands on training/exercises for additional CDDAR team members. Ensure all training is documented. **Note:** Locally developed annual CDDAR training DOES NOT satisfy the requirement for all team members to complete the AETC initial training course.

11.2.3.6. Follow additional guidance found in TO 00-80C-1, for developing and managing unit's CDDAR program.

11.2.4. Additional CDDAR team members will:

11.2.4.1. Attend or be scheduled for the AETC initial CDDAR training course within 6 months of assignment to the team. **(T-2)**

11.2.4.2. Receive locally developed annual training following AETC initial training comprised of both academic and hands on training/exercises.

11.2.5. CDDAR Augmentees:

11.2.5.1. The recovery team may be augmented by personnel drawn from the general base populace to support recovery operations. These augmentees will receive a briefing from the CDDAR Team Chief or competent authority on their responsibilities as well as site hazards/safety prior to entering the recovery site. **(T-2)** Augmentees should NOT be used to conduct aircraft recovery tasks that require specialized skill to complete (e.g., lifting an aircraft). Instead, augmentees should be utilized in a supporting role (transporting supplies/equipment, setting up tents, etc).

Chapter 12

MODIFICATION MANAGEMENT

12.1. See DAFI 63-101/20-101 and AFMCI *21-126, Temporary 2 (T-2) Modification of Aerospace Vehicles.*

Chapter 13

EGRESS SECTION

13.1. The Egress Section maintains: Aircraft egress systems, components, and trainers (e.g., aircraft ejection seats, extraction and escape systems, egress components of jettisonable canopies, explosive components of escape hatches/doors); and stores egress explosive components that are removed to FOM during egress systems maintenance.

13.1.1. Facilities.

13.1.1.1. The installation commander will provide an enclosed shop facility, separated from other inhabited buildings or areas whenever possible, for off-equipment egress maintenance. **(T-2)**

13.1.1.2. Egress facilities will have limited access to ensure system integrity and will also be properly licensed for explosive component storage. Explosives are listed on an AF2047, *Explosive Facility License,* and maintained within the egress section. **(T-2)**

13.1.1.3. Facility must be large enough to accommodate the average number of egress components requiring maintenance and storage at any one time, see DAFMAN 32-1084, *Standard Facility Requirements*.

13.1.1.4. The egress section's licensed explosive facility will not exceed the licensed Net Explosive Weight (NEW) capacity for each Hazard Class Division (HC/D) without approval from the Wing Weapons Safety Office. See DESR 6055.09_DAFMAN 91-201 for additional restrictions.

13.1.1.5. Only egress section personnel will be authorized unescorted entrance to the egress licensed explosive location. **(T-2)**

13.1.1.6. All off equipment ejection seat maintenance will be accomplished in the egress section maintenance facility. **(T-2)**

13.1.2. Safety Requirements.

13.1.2.1. Personnel will strictly adhere to all safety requirements outlined in DESR 6055.09_DAFMAN 91-201, DAFI 91-202, DAFMAN 91-203, and DAFI 11-209, *Participation in Aerial Event*, and all 11A-, 11P-, 13A-series, and aircraft-specific technical orders.

13.1.2.2. The use of safety pins without an appropriate streamer properly attached is strictly forbidden. Only authorized flight safety pins will be installed on aircraft egress systems. Substitute safety devices are strictly prohibited. **(T-2)**

13.2. Classification Training.

13.2.1. Egress personnel will meet mandatory training requirements contained in DAFI 36-2670, *Total Force Development*, (or intra-service equivalent), DAFI 91-202, DAFMAN 91-203, this AFI, and the CFETP.

13.2.2. Civil service egress maintenance personnel who possess, as a minimum, one year of experience within the last three years performing egress intermediate- and organizational-level maintenance, repair, inspections, etc., may be considered for a waiver of classification training

requirements. Waiver requests will be submitted to the applicable 2A6X3 MAJCOM functional manager for review then forwarded to the 2A6X3 Career Field Manager for final approval/disapproval. If waiver is disapproved, individuals must complete classification training. **(T-2)**

13.2.3. Initial Certification of Egress Personnel.

13.2.3.1. Once classification training is complete, egress personnel must successfully complete an AETC egress technician course for the specific aircraft to be maintained. ***EXCEPTION:*** Advanced Concept Ejection Seat (ACES) II-trained and certified egress SSgt 5-levels and above being reassigned to another base or unit maintaining ACES II-equipped aircraft are not required to complete the Organizational Maintenance (O/M; on-equipment) egress technician course. Whether or not these individuals attend the O/M course is the decision of the Egress workcenter supervisor. **(T-2)**

13.2.3.2. Personnel are certified to perform egress systems maintenance by demonstrating adequate proficiency to a designated certifying official in the egress systems workcenter. Certification pass/fail criteria will be established by the egress workcenter supervisor. Document certification in accordance with DAFI 36-2670. Retrain any individual who fails the practical evaluation until the individual demonstrates adequate proficiency or withdraw the individual from training. If egress personnel are withdrawn from training, retrain in accordance with DAFI 36-2670.

13.2.4. Initial Certification of Non-Egress who augment egress technicians or perform Quality Assurance Evaluations of Egress Systems.

13.2.4.1. Non-egress personnel must successfully complete an AETC egress technician course for the specific aircraft to be maintained. ***EXCEPTION:*** AFE personnel do not have to complete the technician course unless they are to be employed as egress augmentees. **(T-2)**

13.2.4.2. After completing the AETC technician course, non-egress personnel will be initially certified in accordance with **paragraph 13.2.3**. Non-egress personnel will also be recertified in accordance with **paragraph 13.2.6**. **(T-2)**

13.2.4.3. COR exclusively performing contract surveillance do not have to be certified. However, if these personnel are performing egress maintenance, they must be certified. **(T-2)**

13.2.4.4. All egress augmentees will complete Egress Explosive Safety training. **(T-2)**

13.2.5. Decertification.

13.2.5.1. Decertify any individual who fails to demonstrate adequate proficiency or who has a documented administrative action that could adversely affect job performance.

13.2.5.2. Decertify non-egress personnel who have not been recertified in the past 180 days. Decertify egress personnel after not having performed egress maintenance for more than 18 months. Instructing and inspecting egress maintenance is not considered performing maintenance. **(T-2)**

13.2.5.3. Document decertification in accordance with DAFI 36-2670.

13.2.6. Recertification.

13.2.6.1. The purpose of recertification is to ensure personnel still maintain the required knowledge and skills to safely maintain and/or inspect egress systems. **(T-2)**

13.2.6.2. Recertify non-egress personnel at least every 180 days. **(T-2)**

13.2.6.3. Recertify egress personnel after not having performed egress maintenance for at least 18 months. **(T-2)**

13.2.6.4. COR personnel exclusively performing contract surveillance do not have to be recertified. If these personnel are performing egress maintenance, they must be recertified. **(T-2)**

13.2.6.5. Recertification procedures are identical to initial certification procedures and will be accomplished in accordance with **paragraph 13.2.3 (T-2)** Document recertification in accordance with DAFI 36-2670.

Chapter 14

CONTRACT SURVEILLANCE

14.1. Contract Surveillance Guidance. See DAFI 63-138, *Acquisition of Services*, DoDI 5000.72, *DoD Standard for Contracting Officer's Representative (COR) Certification*, and DAFFARS Mandatory Procedures (MP)5301.602-2(d), *Designation, Assignment, and Responsibilities of a Contracting Officer's Representative (COR)* as applicable. The *Multi-Functional Team (MFT) Resources Guide, is hosted at AFPEO/CM SharePoint®:* **https://usaf.dps.mil/sites/SAFAQ/projects/Services/MFT/MFT.aspx**

Chapter 15

TRANSIENT AIRCRAFT (TA) "ALERT"

15.1. Sustain a TA "Alert" function if assigned/required. However, contracted TA processes/procedures may vary based on contract/PWS. **(Exception for 66 ABG:** Transient Alert services is provided through the Air Transportation Function element assigned to the Logistics Readiness Squadron. Hanscom AFB does not have any assigned aircraft maintenance personnel or dedicated aircraft maintenance shops. The only maintenance available is ground handling for transiting aircraft (e.g., park military/DoD aircraft; removes foreign objects and obstructions from taxiways; and performs operator maintenance on vehicles and AGE**)**. The following items will be accomplished:

15.1.1. The MXG/CC or equivalent will establish procedures and furnish necessary personnel and facilities for handling transient aerospace vehicles to ensure that servicing, inspection, and maintenance are consistent with the mission of each transient aerospace vehicles. **(T-2)** Special consideration should be given to medical or air evacuation aerospace vehicle, emergency missions, and special missions.

15.1.2. When issuing or renewing a TA contract, owning/requiring activity will use the Standardized TA Services Performance Work Statement, POC is 763d Enterprise Sourcing Squadron, Contracting (763 ESS/PKB). **(T-2)**

15.2. Transient Aircraft (TA) Section. Recovers, services, inspects, maintains, and launches transient aircraft. Transient aircraft are those aircraft not assigned to a base that are enroute from one location to another that may require routine servicing. Aircraft are not considered transient aircraft when deploying to or staging from a base for the purpose of flying sorties or conducting training with a squadron assigned to the base, with or without the necessary maintenance support from the home base. MOC coordinates specialist support for transient aircraft through appropriate squadrons. For off-station recovery procedures refer to owning MAJCOM instructions and command-to-command agreements. In addition to applicable guidance in this Addendum, TA will:

15.2.1. Recover and deliver all deceleration chutes for assigned, transient, and tenant aircraft to the AFE. **(T-2)**

15.2.2. Complete reimbursement documentation. **(T-2)**

15.2.2.1. AF Form 726, *Transient Aircraft Service Record*, may be used for documenting maintenance servicing requirements and necessary billing information.

15.2.3. Record arrivals and departures of transient aircraft on AF Form 861, *Base/Transient Job Control Number Register,* or locally-approved form if it captures all AF Form 861 fields. **(T-2)** TA Section NCOIC/Chief (or equivalent) will:

15.2.3.1. Assign each aircraft a single EID for all support general work performed by TA. **(T-3)**

15.2.3.2. Enter, as a minimum, "P" for park, "I" for inspect, "S" for service, "L" for launch, and "E" for EOR in the job description/remarks block. **(T-2)**

15.2.3.3. Forward completed AF Form 861 or electronic equivalent for contracted transient alert activities to the COR monthly. **(T-2)** The COR forwards completed forms to

the applicable contracting officer managing the TA contract for inclusion in the contract file.

15.2.3.4. Route the AF Form 861 for non-contracted transient alert activities to the Maintenance Flight CC/Chief for review. **(T-2)**

15.2.3.4.1. After review, the TA Section NCOIC/Chief will file AF Form 861 for a minimum of 1 year. **(T-2)**

15.2.3.4.2. AF Form 861 may be used to validate manpower and equipment requirements against current AF standards.

15.2.4. Close out support general EIDs daily. **(T-2)**

15.2.4.1. Use the same last four digits on subsequent days for the same aircraft.

15.2.4.2. Use a separate EID for each discrepancy that is not support general.

15.2.5. Ensure that when a Functional Check Flight is required on transient aircraft, QA at the transient base serves as the focal point and ensures all Functional Check Flight requirements are completed. **(T-2)**

15.2.5.1. The TA Section NCOIC/Chief will coordinate all required Functional Check Flight requirements through owning MXG/CC, off-station transient alert and off-station QA sections. **(T-2)**

15.2.5.2. If no off-station agencies exist, owning MXG/CC and owning OG/CC will issue guidance directly to the aircraft commander and off-station maintenance personnel. **(T-2)**

15.2.6. Supervise maintenance performed by assigned personnel on transient aircraft. **(T-2)**

15.2.7. Maintain the appropriate TOs for aircraft that can be expected to transit the function on a regular basis. **(T-2)**

15.2.8. Ensure personnel are trained and strictly adhere to sample requirements specified in the respective -6 TO.

15.2.9. Ensure personnel authorized to run engines are qualified and documented, and special certification documentation IAW this instruction. **(T-2)**

15.2.9.1. Request the aircrew to run engines if TA or maintenance personnel are not authorized.

15.2.9.2. If qualified aircrew members are not available, contact MOC to request assistance from the home station.

15.2.10. Ensure transient aircraft status changes are reported to MOC. **(T-2)** If support is required, the MOC notifies the home station for support.

15.2.11. Ensure End Of Runway (EOR) procedures for transient aircraft are developed IAW TO 00-20-1.

15.2.12. Ensure procedures exist for required weapons loading actions on TA, TA impulse cartridge tracking and storage, and weapons safing equipment requisition and maintenance for frequently transiting aircraft. **(T-2)**

15.2.12.1. Arming, de-arming and munitions unloading/loading operations on TA will be performed by a weapons load crew certified/qualified on the munitions and aircraft. **(T-2)**

15.2.12.2. The MXG/CC may direct the LSC to arm, de-arm, and unload an aircraft on which they are not certified/qualified, if appropriate technical data and support equipment is available.

15.2.12.2.1. In such cases, the aircrew will be available for consultation on aircraft peculiarities. **(T-2)**

15.2.12.2.2. If these criteria cannot be met, request assistance from higher headquarters.

15.2.12.3. Chaff/Flare operations.

15.2.12.3.1. Under no circumstances will personnel attempt chaff/flare load operations without current technical data. **(T-2)**

15.2.12.3.2. If current technical data is available, then qualified personnel may perform chaff/flare load operations. **(T-2)**

15.2.12.3.3. If current technical data is available but no one is qualified on the TA type, then the MXG/CC (or AMS/CC at enroute locations) may authorize the WTQC or WTQM to de-arm and/or unload the aircraft.

15.2.12.3.3.1. The WTQM will submit a written request to the MXG/CC (or AMS/CC at enroute locations) identifying personnel selected to perform the task, aircraft type and (if applicable) number of aircraft to be de-armed and unloaded. **(T-2)**

15.2.12.3.3.1.1. Approved requests will be maintained for 90 days. **(T-2) Note:** This is a temporary, one-time authorization to facilitate required maintenance when qualified personnel are not available.

15.2.13. Ensure checklists exist to ask pilots about explosive egress systems pertaining to unfamiliar aircraft that do not normally transit their base. **(T-2)**

15.2.13.1. Aircrew members remove and install flight status safety pins on aircraft when transient maintenance personnel are not qualified.

15.2.13.1.1. The host GP/CC or his authorized representative may delegate this responsibility to the transient aircraft commander/pilot if the aerospace vehicle is a new or experimental aerospace vehicle with which base maintenance personnel are not familiar, or when personnel qualified to provide the required services accompany the aerospace vehicle. In such cases, the host unit will provide assistance within their capability. **(T-3)**

15.2.13.1.2. If TA cannot accomplish the required inspections, servicing, or repairs because of a lack of qualified personnel, facilities, or material (or there is no TA support available), and the TA commander does not wish to continue the flight without accomplishment of these items, the TA commander is responsible for requesting assistance through the appropriate external organizations.

15.3. Order transient aircraft parts IAW DAFMAN 23-122 and TO 00-20-3, *Maintenance Processing of Reparable Property and The Repair Cycle Asset Control System*.

15.4. Additional program references below, not all inclusive:

15.4.1. FOD see paragraph **5.8.3.3.1** and **5.8.3.5**.

15.4.2. DOP see **paragraph 5.12.2.6**.

15.4.3. Impoundment see **paragraph 5.9**.

15.4.4. Annual Transient Aircraft Landing Data see **paragraph 5.3.2**.

15.4.5. Special Certification Documentation see **paragraph 5.2**.

Chapter 16

MUNITIONS POLICY, WEAPONS NCOIC AND WEAPONS TASK QUALIFICATION LOADING PROGRAM

16.1. AF Munitions Policy. AF munitions policies are contained in AFMAN 21-200, and DAFMAN 21-201. AF nuclear munitions policy is contained in AFMAN 21-204.

16.1.1. Live and inert missiles (or electrical simulators) of the same type (i.e., Captive Air Training Munition (CATM) with Air to Air) must not be loaded or flown together on an aircraft for any purpose. **(T-2)** Live and inert (to include training or practice) bombs must not be loaded in/on the same dispenser/rack or flown on an aircraft load together. **(T-2)** Any request to deviate from or waiver this policy must be coordinated through official coordination to the AFMC Munitions Division, Weapons Safety, and the Command Chief Pilot through the AFMC Flight Operations and Stan/Eval Division. **(T-2). Note:** Units that fly rocket pods will not fly Target Practice rockets with any combination of live rockets. **Note:** With Program Office/Seek Eagle approval, configurations with inert Air Surface Attack Guided Missile (AGM) can be flown with all types of bombs and rockets. The MAJCOM Munitions Division is the sole approval authority for these deviations/waivers. Test organizations may load and fly live and inert munitions on the same aircraft for test missions only, as long as the flight profile is IAW an approved test directive that has been through a Safety Review Board process and flight clearance through the applicable SPO/Seek Eagle office has been properly obtained.

16.1.2. Request for waiver of, or deviation to, this policy will include as a minimum: (1), an Operational Risk Assessment report and proposed controls to mitigate or eliminate hazards to personnel, damage to aircraft and support equipment or inadvertent employment of live ordnance, and (2), a signed copy of the Test Requirement Plan, Test Plan, or Concept Employment Plan. **(T-2)** Approved requests will remain valid only for the event requested and will not exceed 60 days. **(T-2)**

16.2. Test/Training Munitions List (TTML). Test/Training units will use TTMLs. **(T-2)** The TTML is a list of Primary Munitions (PM), Support Munitions (SM), and Limited-use Munitions (LM) necessary to meet unit test/training requirements and is published IAW this instruction. The list of PM will not include more than 10 individual munitions or Munitions Family Groups (MFG) combined per mission, design, and series (MDS) aircraft assigned. **(T-2)** The TTML also specifies the minimum certified load crews required to meet unit requirements.

16.2.1. As a minimum, TTML's will be updated annually to identify all munitions tasked and/or required to support test/training. **(T-2)** Additional munitions may be included on the TTML as SM or LM munitions if required by the unit or designated by the MAJCOM to support test. The TTML is the base document for aircrew and load crew training munitions forecasts, authorizations and operations. Units will start their TTML validation in July, and have a coordinated input to the MAJCOM Munitions Division in August. **(T-2)** MAJCOM will supply approved UCML/TTML to the units in September.

16.2.2. Unit changes to the TTML will be justified by Wing Weapons and Tactics, coordinated and processed through the WWM, Munitions Squadron/Flight, MXG/CC and OG/CC before sending it to higher headquarters and MAJCOM. **(T-2)**

16.3. Weapons NCOIC. The Weapons NCOIC is the unit's focal point for all weapons loading and armament systems related matters. The Weapons NCOIC will:

16.3.1. Inform the MAJCOM, within 24 hours, of any significant weapons or armament related issues such as dropped/hung munitions, equipment and aircraft release reliability or deficiency problems, and weapons safety or mishap issues. **(T-2) Note:** Units follow MAJCOM and local reporting instructions.

16.3.1.1. If a unit has an incident, it is important to preserve the evidence to the maximum extent allowable by operational requirements and safety. An example would be segregating an aircraft gun versus destroying it if it poses no immediate danger. This allows for evaluation of all the evidence and the ability to recreate the mishap conditions.

16.3.2. Communicate with host unit Wing Weapons Manager and Weapons Standardization. Attend the host unit Weapons/Munition meeting along with representatives from Weapons Standardization, Wing Safety, Quality Assurance, Munitions Squadron/Flight, Armament Flight, and Weapons Section(s) to discuss and resolve any weapons-related issues, concerns or problems. **(T-2)**

16.3.3. Provide monthly load crew, weapons release and gun reliability rates, equipment, and tester status (9405 report, or equivalent) to MAJCOM No Later Than (NLT) the 5th of each month. **(T-2)** The WWM will monitor the status of critical armament and weapons systems support equipment and testers for serviceability, accountability and status of TCTO modifications. 9405 report accuracy will be verified on the HAF Armament SharePoint™ site no later than the 5th of each month. **(T-2)**

16.3.3.1. The Weapons NCOIC will provide a valid document number and off-base requisition number for all items listed in Awaiting Parts (AWP) status in the remarks column of the report if the item is procured through USAF supply channels. **(T-2)** If parts are obtained from commercial sources, and purchased using Government Purchase Card, provide source, date ordered, and status in the remarks column.

16.3.3.2. 9405 report will include all suspension equipment currently T-2 modified, to include original modification date, modification number and anticipated de-modification date. **(T-2)**

16.3.3.3. Provide a monthly Weapons Loading/Armament Systems activity summary to HQ AFMC/A4MW no later than the 5th of each month. Summary will include Tests/Projects completed in the previous 30 days and expected Tests/Projects in the next 30 days, future planning, requests for assistance and any other significant events. **(T-2)**

16.3.4. It may be necessary to authorize the temporary use of preliminary TO changes, engineering data or contractor source data. Ensure all Test Technical Data requirements for the use of contractor source data, Preliminary Technical Orders (PTO), and local Technical Data are in compliance with TO 00-5-1 and AFTCI63-101_20-101. Forward Technical Data Requirements coordination to HQ AFMC/A4MW, AFMC Armament Org Box at **HQAFMC.A410A4MW.HQAFMCArmament@us.af.mil** and AFLCMC/EBHMA, Weapons Standard Data Package Org Box at **AFLCMC.EBHMA.StdDataPkgs@us.af.mil** within 5 duty days of receipt/completion. **(T-2)**

16.4. Weapons Task Qualification Loading Program.

16.4.1. Weapons Task Qualification Loading Program provides instruction required to perform weapons task qualification items as outlined in this chapter on unique mission aircraft; provided Seek Eagle approval has been granted and verified technical data/procedures are available, in units where there are no Weapons Standardization authorizations or less than five 2W1s assigned. MAJCOMs will designate/approve these type units to install/remove chaff/flare and impulse cartridges on unique mission aircraft as per mission requirements (N/A to units loading non-explosive chaff IAW approved tech-data). It is recommended that tenant units coordinate with host Weapons Standardization function if at a collocated unit. The Group/CC or equivalent will establish procedures and furnish necessary personnel and facilities to support program IAW with this paragraph as it applies.

16.4.2. Group/CC or equivalent will work with the installation Weapon Safety Manager and Airfield Operations Flight to develop written instructions for handling explosive-loaded (chaff/flare/impulse cartridges) aircraft IAW DESR 6055.09_DAFMAN 91-201 and DAFI 91-202. **(T-2)**

16.4.2.1. As a minimum, written instructions will include procedures for launch/recovery/parking of explosive-loaded aircraft; munitions (chaff/flare/impulse cartridges) storage and transportation; and partially ejected flares and minimum requirements outlined in DESR 6055.09_DAFMAN 91-201. **(T-2)**

16.4.2.2. Authorized units: Group/CC/equivalent will establish a program to train and qualify personnel to perform tasks IAW procedures outlined in DAFMAN 21-201 and this chapter. **(T-2)**

16.4.2.3. All individuals will receive full task qualification training to include use of the checklist (as applicable). Checklist Qualification. Indicates that the person with the checklist is trained, knowledgeable and in-charge of the overall operation or task. Members must possess a minimum 5-skill level to be checklist qualified. **(T-2)**

16.4.2.4. Training is provided, documented and tracked by the Weapons Task Qualification Manager (WTQM).

16.5. Weapons Task Qualification. A weapons task qualification is a munitions-related task that does not require certification. Individuals require both initial/recurring weapons academics and initial/annual practical qualification training for these tasks.

16.5.1. Two or more qualified personnel in any aircraft maintenance Air Force Specialty Code will be required to perform the following tasks (members must be qualified in all aspects of task to be performed; i.e., aircraft prep, rack/launcher prep, munitions prep, etc.):

16.5.1.1. Install/remove impulse cartridges if task is not accomplished as part of a loading operation (a “loading operation” is not fuel tank, avionics pod or travel pod installation). **(T-2)**

16.5.1.2. Load/unload pyrotechnics. **(T-2)**

16.5.1.3. Install/remove chaff/flare magazines and other defensive countermeasures. **(T-2)**

16.5.1.4. Perform portions of the conventional loading checklist pertaining to delayed-flight or alert, and Immediately Prior to Launch (IPL)/safing procedures. **(T-2) Note:** Removal of dome cover(s) is not considered IPL and does not require initial/recurring academics.

16.5.1.5. Perform munitions/missile isolation procedures to facilitate other maintenance on conventional loaded aircraft only. **(T-2)**

16.6. Weapons Task Qualification Manager (WTQM). The Group/CC will appoint in writing a 7-skill or 9-skill level individual with a maintenance Air Force Specialty Code as the Weapons Task Qualification Manager (WTQM). **(T-2)**

16.6.1. WTQM and Weapons Task Qualification Crew (WTQC) responsibilities. The WTQM/WTQC provide oversight of weapons task qualification loading operations to ensure they are conducted safely by providing initial and recurring load training, serving as the focal point for all weapons task qualification loading issues, and observing loading operations during training. The WTQM and WTQC will not participate in load operations during training. **(T-2)**

16.6.2. WTQM. The WTQM typically holds a 2A871X Air Force Specialty Code and is a SNCO; however, other flightline personnel with the 2AX7X/2WX7X Air Force Specialty Code may perform this function. The WTQM develops and oversees the weapons task qualification loading program, sets standards, and develops local policies and procedures. The WTQM will be tracked on the SCR. **(T-2)** The WTQM will:

16.6.2.1. The WTQM (once trained and qualified) will develop and administer the unit's weapons task qualification load training program and train/qualify home station WTQC personnel. **(T-2)**

16.6.2.2. Receive initial and recurring load qualification training from a WTQC and maintain currency on weapons task qualification loading tasks.

16.6.2.3. Ensure sufficient numbers of personnel are qualified to perform weapons task qualification loads (chaff/flare/impulse cartridges) to support the unit's mission requirements. **(T-2)**

16.6.2.4. Load a course code in the MIS to identify trained personnel and qualification status. **(T-2)**

16.6.2.5. As a minimum, the WTQM will identify the number of qualified personnel, names and employee numbers, MDS qualification, Defensive Systems (DS) equipment type, qualification date, and date(s) recurring training is due. **(T-2)**

16.6.2.6. Select, train, evaluate, and qualify a minimum of two personnel as the WTQC on safe and reliable munitions loading procedures. **(T-2)**

16.6.2.7. Evaluate and re-qualify WTQC members annually. **(T-2)** WTQC members will be tracked on the SC. **(T-2)**

16.6.2.8. Develop locally produced weapons task qualification loading technical data (if required). **(T-2)**

16.6.2.9. Review and approve/disapprove locally produced weapons task qualification loading technical data and TO RC that pertain to loading (if applicable). **(T-2)**

16.6.2.10. Develop a local MDS-specific Task Assignment List (TAL) for use during training for all weapons task qualification loading operations. **(T-2)** A TAL is derived from applicable MDS munitions load checklist (TO 33-1-20-series as applicable) and identifies the crewmember's responsibilities by step.

16.6.2.11. Ensure weapons task qualification loading CTKs are standardized to the maximum extent possible. **(T-3).** Weapons task qualification loading CTKs must include all tools and equipment necessary to support applicable MDSs and Alternate Mission Equipment **(**AME) configurations.

16.6.2.12. Coordinate the scheduling of personnel for weapons task qualification load training. **(T-2)**

16.6.2.13. Coordinate aircraft availability for training purposes. **(T-2)**

16.6.2.14. Ensure training magazines (if assigned) match the characteristics and "feel" of live magazines (e.g., weight, dimensions). **(T-2)**

16.7. Weapons Task Qualification Crew (WTQC). The WTQC assists the WTQM in managing the weapons task qualification loading program. The WTQC's primary purpose is to train and qualify personnel to perform weapons task qualification loads but may also perform these loads. The lead WTQC member is typically a 7-skill level technician with the 2AX7X/2WX7X Air Force Specialty Code. The number of trained WTQC members should be based on current/anticipated workloads and their ability to maintain proficiency on all applicable MDSs. WTQC members are qualified by the WTQM. The WTQC members will:

16.7.1. Provide personnel with initial and recurring load qualification training. **(T-2)** One WTQC member will be required to conduct practical training. **(T-2)**

16.7.2. Monitor personnel qualifications to ensure required academic and practical training is complete. **(T-2)**

16.7.3. Disqualify individuals if recurring requirements are not met. **(T-2)**

16.7.4. Spot-check personnel to evaluate proficiency. **(T-2)**

16.7.5. The WTQC will disqualify personnel who violate safety, technical data, and reliability procedures, or fail to demonstrate proficiency. **(T-2)**

16.7.6. Develop/coordinate training schedules for inclusion in the appropriate schedule (e.g., monthly, weekly). **(T-2)**

16.8. Training Requirements. Personnel are considered qualified upon successful completion of training provided by a qualified WTQC. All personnel who maintain specific weapons task qualifications will complete initial and recurring (not exceeding a 12-month interval) weapons academic training. **(T-2)**

16.8.1. Initial qualification will be conducted using inert munitions. **(T-2)**

16.8.2. Live munitions may be used during annual qualification to maintain currency. Load qualification training consists of academic and practical training.

16.8.3. Document the initial and recurring load qualification training requirements in the Training Business Area (TBA). (**T-2)**

16.8.4. Academic and practical training must be provided during initial and recurring load qualification training. Coordinate training requirements and course control documents annually through Wing Safety or the safety officer. Initial and recurring course outlines may be combined. **(T-2)** Academic training is required before practical training is accomplished.

16.8.4.1. Academic training is administered every 12 months. **(T-2)** As a minimum, academic training will include:

16.8.4.2. Familiarization with weapons task qualification loading publications, including TO 11A-1-33 *Handling and Maintenance of Explosives-Loaded Aircraft,* MAJCOM, and local procedures. **(T-2)**

16.8.4.3. Aircraft and munitions familiarization. **(T-2)**

16.8.4.4. Safety, security, and emergency procedures. **(T-2)**

16.8.4.5. Support, test, handling equipment, and special tools familiarization. **(T-2)**

16.8.4.6. System knowledge test on which minimum score of 80 percent is required to receive credit for academic testing.

16.8.5. Initial practical training must be completed within 14 days of successfully completing initial academic training. **(T-2)** Practical training starts when academic training is complete and is the initial hands-on procedural training given to crew members.

16.8.5.1. Practical training should duplicate operational conditions as closely as possible.

16.8.5.2. Recurring practical task qualification is administered at least annually. **(T-2)**

16.8.5.3. As a minimum, practical training will include chaff/flare module and impulse cartridge serviceability criteria, actual chaff/flare loading and impulse cartridge installation, and operation of support equipment/AGE used during loading operations. **(T-2) Note:** Weapons task qualification academic training may fulfill the requirements for explosive safety training if the requirements of DAFI 91-202 are included.

16.8.6. Personnel qualified on a specific task on a specific MDS are considered qualified to perform that task on all series of that MDS; however, the member must be familiar with differences within the MDS (e.g., cockpit switch locations). **(T-2)**

16.8.6.1. The WTQM or WTQC will provide practical, on-aircraft training on these differences and document these qualifications for each dispensing system in the qualification status or equivalent system. **(T-2)**

16.9. Disqualifying Weapons Task Qualification Load Personnel. Disqualification will be documented in the TBA and the qualification status system. **(T-2)**

16.9.1. Although not all-inclusive, the following criteria constitute grounds for disqualifying personnel from weapons task qualification loading duties:

16.9.1.1. Failing to complete recurring training.

16.9.1.2. Committing a safety or reliability error.

16.9.1.3. Lack of proficiency.

16.10. Weapons task qualified maintenance personnel will:

16.10.1. Verify aircraft weapons/load configurations are authorized IAW DAFI 63-101/20-101 for the SEEK EAGLE Program. **(T-2)** All proposed modifications to aircraft-carried munitions include SEEK EAGLE certification IAW DAFI 63-101/20-101. All modifications to AF nuclear munitions or their associated support/training equipment are nuclear certified IAW DAFI 91-101, *Air Force Nuclear Weapons Surety Safety Program* and DAFI 63-125, *Nuclear Certification Program*. All modifications to AF conventional munitions or their associated support/training equipment are certified IAW DAFI 91-205, *Non-Nuclear Munitions Safety Board*.

16.10.2. Will load and unload munitions in support of aircraft operations and be task qualified to perform on-equipment armament maintenance. **(T-2)**

16.10.2.1. Personnel will not handle, load or perform maintenance on nuclear weapons, conventional munitions and/or egress explosives beyond a 12-hour continuous duty period. **(T-2)** This requirement may not be waived for exercises or inspections; however, the 12-hour continuous duty period may be exceeded for shift turnover/administrative actions only and will be avoided to the maximum extent possible. The Group/CC or equivalent may waive this requirement during advance defense readiness conditions, actual emergencies as defined in DOD Directive 3150.02, DOD Nuclear Weapons Surety Program, or to resolve an unexpected event (e.g., disabled vehicle, WS3 fault, hoist failure).

16.10.3. Coordinate with the MOC or Munitions Control for the delivery and pick-up of munitions items. **(T-3)**

16.10.4. Comply with flightline munitions accountability requirements outlined in DAFMAN 21-201. **(T-2)**

16.10.5. Track status and configuration of aircraft, suspension equipment, and weapons. **(T-2)** Ensure 100 percent documented accountability of in use AME/ Normally Installed Equipment (NIE) by location and status, whether installed or stored. If installed, track in MIS by serial number, aircraft tail number and position. Track uninstalled equipment by serial number on locally developed and approved product.

16.10.6. Ensure inspection requirements are carried forward/documented for all items that have specific periodic inspections (e.g., Munitions Racks, Electronic Control Units, System Control Panels). Inform scheduling when actions affect the aircraft inspection schedule.

16.10.7. Install and remove armament related suspension equipment, launchers, adapters, etc., on assigned aircraft to support configuration requirements for daily and contingency operations.

16.10.8. Install and remove all armament AME and NIE to Facilitate Other Maintenance (FOM) or for repair action.

16.10.9. Maintain equipment historical records (AFTO Form 95) for AME, and weapons system NIE. **(T-2)**

16.10.10. Ensure AME and Special Purpose Recoverable Authorized Maintenance (SPRAM) accountability and control requirements are met and maintained IAW DAFI 21-103 and AFI 23-101. **(T-2)** Ensure all mission specific safing gear is controlled and accounted for to preclude loss and potential FOD.

16.10.11. Establish procedures to ensure items requiring explosive-free certification IAW TO 11A-1-60, are properly inspected, marked and certified prior to shipment. **(T-2)**

16.10.12. In coordination with scheduling, ensure all inspections, TCTOs, time changes, maintenance and repair actions for aircraft armament systems suspension and release components and AME, including AME items preloaded with munitions for contingencies are scheduled and performed. **(T-2)**

16.10.13. Ensure the off-equipment portion of major inspections is performed. **(T-2)**

16.10.14. Identification of Explosive Loaded (Chaff/Flare/Impulse Cartridges) Aircraft. Verify chaff/flare/impulse cartridge load status of aircraft by checking AFTO Form 781A/C before performing any maintenance. **(T-2)** If chaff/flare/impulse cartridges are loaded on aircraft ensure/verify applicable MIS documentation requirements are completed.

16.10.15. If an aircraft is loaded, it will be safed IAW applicable technical data prior to performing any maintenance. **(T-2)**

16.10.16. Before loading, review the AFTO Form 781C, *Avionics Configuration and Load Status Document*, for defensive/bomb rack systems inspection status. **(T-2) Note:** Do not load chaff/flares/impulse cartridges if the aircraft is overdue a scheduled DS or bomb rack inspection.

16.10.17. Tracking and Reconciliation of Explosive-Loaded Aircraft.

16.10.17.1. Expenditure tracking and processing will be handled by Munitions Personnel (2W0X1) IAW DAFMAN 21-201, Chapter 7. **(T-2)**

16.10.17.2. All expenditures will be returned to the Munitions Storage Area (MSA) for verification by munitions personnel before processing expenditures in Theatre Integrated Combat Munitions System (TICMS).

16.11. Additional Requirements (as applicable).

16.11.1. Document DS software version data, aircraft and bomb rack inspections (e.g., 90-, 120-, or 180-day checks) on AFTO Form 781C. **(T-2)**

16.11.2. For software version data, enter the following information in the remarks section for each reprogrammable system: type system; installed Operational Flight Program (OFP) version; and/or Mission Data File (MDF) version (e.g., ALE-47, OFP XXXX, MDF XXXX).

16.11.2.1. If a system contains multiple OFPs, list all applicable versions (e.g., ALE-47, Programmer OFP XXXX, Sequencer OFP XXXX, MDF XXXX).

16.11.3. Chaff/Flare Build-up. Chaff/flare magazine build-up will only be accomplished by personnel with 2W0 Air Force Specialty Code or qualified contractors. **(T-2)** Units must have an approved explosive site plan or explosives facility license on file with Wing Safety prior to initiating chaff/flare build-up or munition storage operations. **(T-2)**

16.11.3.1. Units will only perform chaff/flare build-up in facilities/locations approved by the installation Weapon Safety Manager IAW DESR 6055.09_DAFMAN 91-201. **(T-2)**

LINDSAY C. DROZ, Colonel, USAF
Director of Logistics, Civil Engineering, Force Protection, and Nuclear Integration

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING DOCUMENTS

References

DAFI 10-2501, *Emergency Management Program,* 16 Oct 2023

DAFI 11-209, *Participation in Aerial Event*, 20 May 2021

DAFI 13-213, *Airfield Driving,* 4 Feb 2020

AFI 16-402, *Aerospace Vehicle Programming, Assignment, Distribution, Accounting, and Termination*, 27 Sep 2019

DAFI 20-112, *Logistics Readiness Quality Assurance Program (LR QA),* 21 Mar 2022

DAFI 21-101, *Aircraft and Equipment Maintenance Management*, 16 Jan 2020

DAFI 21-103, *Equipment inventory, Status and Utilization Reporting*, 01 Nov 2022

AFMCI 21-126, *Temporary 2 (T-2) Modification of Aerospace Vehicles*, 19 Jul 2005

AFI 23-101, *Materiel Management Policy*, 22 Oct 2020

AFI 24-302, *Vehicle Management,* 21 February 2020

DAFI 24-602V2, *Cargo Movement*, 20 Dec 2023

DAFI 31-101, *Base Defense Operations*, 10 Sep 2024

AFI 33-322, *Records Management and Information Governance Program,* 28 Jul 2021

AFI 36-2654, *Combat Arms Program*, 16 Apr 2020

DAFI 36-2670, *Total Force Development*, 25 Jun 2020

AFI 38-101, *Manpower and Organization*, 29 Aug 2019

DAFI 63-101/20-101, *Integrated Life Cycle Management,* 16 Feb 2024

DAFI 63-125, *Nuclear Certification Program*, 16 Jan 2020

DAFI 63-138, *Acquisition of Services*, 02 Jan 2024

DAFI 90-302 AFMCSUP, *The Inspection System of the Department of the Air Force*, 28 Mar 2024

DAFI 91-101, *Air Force Nuclear Weapons Surety Safety Program*, 26 Mar 2020

DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program*, 12 Mar 2020

DAFI 91-204, *Safety Investigations and Reports*, 10 Mar 2021

DAFI 91-205, *Non-Nuclear Munitions Safety Board*, 30 Mar 2023

AFMAN 10-206, *Operational Reporting (OPREP)*, 18 Jun 2018

DAFMAN 21-113, *Department of the Air Force Metrology and Calibration Program Management*, 27 Dec 2023

AFMAN 21-200, *Munitions and Missile Maintenance Management*, 9 Aug 2018

DAFMAN 21-201, *Munitions Management*, 03 May 2022

AFMAN 21-204, *Nuclear Weapons Maintenance*, 13 Jan 2023

DAFMAN 23-122, *Materiel Management Procedures,* 27 Oct 2020

DAFMAN 32-1084, *Standard Facility Requirements*, 15 Jan 2020

DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards,* 25 Mar 2022

AFMAN 91-221,*Weapons Safety Investigations and Reports*, 26 Mar 2020

DAFMAN 91-223, *Aviation Safety Investigations and Reports*, 20 Sep 2022

DAFMAN 90-161, *Publishing Processes and Procedures*, 18 Oct 2023

DoD Manual 5100.76, *Physical Security of Sensitive Conventional Arms, Ammunition, and Explosives*, 12 Apr 2012.

DESR 6055.09_DAFMAN 91-201, *Explosives Safety Standards*, 28 May 2020

DAFFARS Mandatory Procedures (MP)5301.602-2(d), *Designation, Assignment, and Responsibilities of a Contracting Officer's Representative (COR). June 2024*

DoDI 5000.72, *DoD Standard for Contracting Officer's Representative (COR) Certification*, 26 Mar 2015

FAR Part 45, *Government Property*.

TO 00-20-1, *Aerospace Equipment Maintenance Inspections, Documentation, Policies and Procedures*, 19 Dec 2023

TO 00-20-3, *Maintenance Processing of Reparable Property and The Repair Cycle Asset Control System,* 17 Dec 2021

TO 00-20-14, *Air Force Metrology and Calibration Program*, 30 Nov 2023

TO 00-25-234, *General Shop Practice Requirements for the Repair, Maintenance, and Test of Electrical Equipment*, 12 May 2024

TO 00-25-254-1, *Comprehensive Engine Management System (CEMS) (D042) Engine Status,*

Configuration, and TCTO Reporting Procedures, 1 Feb 2022

TO 00-35D-54, *USAF Deficiency Reporting, Investigation, and Resolution*, 15 Aug 2022

TO 00-5-1, *AF Technical Order System*, 11 Sep 2023

TO 00-80C-1, *Crashed, Damaged, Disabled Aircraft Recovery Manual*, 21 Jun 2023

TO 00-85-20, *Engine Shipping Instructions*, 01 Jul 2022

TO 00-105E-9, *Aerospace Emergency Rescue and Mishap Response Information,* 6 Jul 2023

TO 1-1-691, *Cleaning and Corrosion Control and Control Aerospace and Non-Aerospace Equipment*, 22 Jul 2022

TO 1-1B-50, *Joint Service Technical Manual Organizational, Intermediate and Depot Maintenance Aircraft Weight and Balance*, 12 Sep 2023

TO 2-1-18, *Aircraft Engine Operating Limits and Factors*, 01 Jan 2023

TO 2J-1-18, *Preparation for Shipment and Storage of Gas Turbine Engines*, 01 Nov 2022

TO 11A-1-33, *Handling and Maintenance of Explosive Loaded Aircraft,* 26 Oct 2022

TO 34-1-3, *Inspection and Maintenance of Machinery and Shop Equipment*, 11 Jan 2024

AFKAG-1, *Air Force COMSEC Publication, Air Force Communications Security (COMSEC) Operations*, 24 Mar 2004

AFI 25-201, *Intra-Service, Intra-Agency, and Inter-Agency Support Agreements Procedures*, 18 Oct 2013

Prescribed Forms

None

Adopted Forms

AFTO 244, *Industrial/Support Equipment Record*

AFTO 781A, *Maintenance Discrepancy and Work Document*

DAF Form 679, *Air Force Publication Compliance Item Waiver Request/Approval*

DAF Form 847, *Recommendation for Change of Publication*

AF 2047, *Explosives Facility License*

AFMC 61, *Missing/Removed Tools and Equipment*

Office Symbols

AF/A4LM—Air Force Maintenance Division

HQ AFMC/A3F—AFMC Aerospace Vehicle Fleet Management

HQ AFMC/A4FI—Air Force Materiel Command Life Cycle Management Branch

HQ AFMC/A4M—Air Force Materiel Command Maintenance Division

HQ AFMC/A4MM—Air Force Materiel Command Maintenance Management Branch

HQ AFMC/A4MW—Air Force Materiel Command Munitions and Missiles Branch

HQ AFMC/IG—Air Force Materiel Command Inspector General Directorate

HQ AFMC/IGI—Air Force Materiel Command Inspector General Inspections Directorate

AFLCMC/EB—AFLCMC Armament Sustainment Division

AFLCMC/EBHMA—AFLCMC Global Ammunitions Control Point, Afloat Preposition Fleet (APF) Flight/Cell

AFLCMC/EBRM—AFLCMC GACP Missiles and Weapons

AFLCMC/EBWWE—AFLCMC Weapons Engineering Laboratories

AFSC/LZD—Air Force Sustainment Center USAF Aircraft Battle Damage Repair Office

AFTC_SMW—Air Force Test Center Specialized Management Munitions Division

72 LRS/LGRM—72nd Logistics Readiness Squadron Munitions Section

78 LRS/LGRW—78th Logistics Readiness Squadron Ammo

763 ESS/PKB—763d Enterprise Sourcing Squadron, Contracting

GP/CC—Group Commander

SQ/CC—Squadron Commander

SQ/CC/MX—Squadron Commander/Maintenance Superintendent

Abbreviations and Acronyms

ABDR—Aircraft Battle Damage Repair

ABG—Air Base Group

ABW—Air Base Wing

ACES—Advanced Concept Ejection Seat

ACO—Administrative Contracting Officer

AEDC—Arnold Engineering and Development Complex

AETC—Air Education and Training Command

AFE—Aircrew Flight Equipment

DAFFARS—Department of the Air Force Federal Acquisition Regulation Supplement

AFKAM—Air Force Cryptographic Operational Maintenance Manuals

AFLCMC—Air Force Life Cycle Management Center

AFMETCAL—Air Force Metrology and Calibration Program

AFNWC—Air Force Nuclear Weapons Center

AFMC—Air Force Materiel Command

AFOSH—Air Force Occupational Safety and Health

AFPD—Air Force Policy Directive

AFRC—Air Force Reserve Command

AFRL—Air Force Research Laboratory

AFSC—Air Force Sustainment Center

AFTC—Air Force Test Center

AGE—Aerospace Ground Equipment

AGM—Air Surface Attack Guided Missile

AME/NIE—Alternate Mission Equipment/Normally Installed Equipment

ANG—Air National Guard Bureau

APF—Afloat Preposition Fleet

A&P—Airframe & Powerplant

AQL—Acceptable Quality Level

AS—Allowance Standard

ASD—Armament Sustainment Division

AVDO—Aerospace Vehicle Distribution Office

BEE—Bioenvironmental Engineering Element

CANN—Cannibalization

CATM—Captive Air Training Munition

CC—Commander

CCY—Calculated Cycles

CDDAR—Crash Damaged or Disabled Aircraft Recovery

CE—Civil Engineering

CEMS—Comprehensive Engine Management System

CFETP—Career Field Education and Training Plan

CG—Center of Gravity

COMSEC—Communications Security

COR—Contracting Officer's Representative

CTK—Composite Tool Kit

CV—Vice Commander

CWO—Combat Wing Organization

DAFI—Department of the Air Force Instruction

DCMA—Defense Contract Management Agency

DFARS—Defense Federal Acquisition Regulation Supplement

DoD—Department of Defense

DOP—Dropped Object Prevention

DPAS—Defense Property Accountability System

DR—Deficiency Report

DS—Defensive Systems

DRU—Direct Reporting Unit

DSV—Detected Safety Violation

EAID—Equipment Authorized Inventory Data

EHM—Engine Health Management

EID—Event Identification Description/Equipment Identification Designator

E&I—Evaluation and Inspection

EOT—Engine Operating Time

EPE—Evaluator Proficiency Evaluation

ESD—Electrostatic Discharge

ET&D—Engine Trending and Diagnostics

FAA—Federal Aviation Administration

FAR—Federal Acquisition Regulation

FC/FD—Functional Commander/Functional Director

FO—Foreign Object

FOD—Foreign Object Damage

GACP—Global Ammunitions Control Point

GITA—Ground Instructional Training Aircraft

GP—Group

GSS—Gunsmith Shop

HC/D—Hazard Class Division

HNC—Cryptologic and Cyber Systems Division

HPO—High Performance Organization

HSC—Home Station Check

HTSA—Host/Tenant Support Agreements

IAW—In Accordance With

IFE—In-Flight Emergency

IPI—In Process Inspection

IPL—Immediately Prior to Launch

IS—Information Systems

ISO—Isochronal Inspection

ITK—Individual Tool Kit

IPMS—Information Processing Management System

KTL—Key Task List

LRS—Logistics Readiness Squadron

M&U—Maintenance and Utilization

MDS—Mission Design Series

MEO—Most Efficient Organization

MFT—Multi-Functional Team

MI—Management Inspection

MIS—Maintenance Information Systems

MOC—Maintenance Operations Center

MP—Mandatory Procedure

MSEP—Maintenance Standardization and Evaluation Program

MUNS—Munitions

MXG—Maintenance Group

MXS—Maintenance Squadron

NEW—Net Explosive Weight

NSO—Non Standard Organization

OEM—Original Equipment Manufacturer

OFP—Operations Flight Program

OI—Operating Instruction

OK-ALC—Oklahoma City-Air Logistics Complex

OL-RAM—Operating Location-Ramstein

OM—Organizational Maintenance

OPR—Office of Primary Responsibility

PCO—Procuring Contracting Officer

PDM—Programmed Depot Maintenance

PE—Personnel Evaluations/Periodic Inspection

PH—Phase

PIP—Product Improvement Program

PM—Program Management

PMO—Program Management Office

POC—Point of Contact

PPE—Personal Protective Equipment

PWS—Performance Work Statement

QA—Quality Assurance

QASP—Quality Assurance Surveillance Program

QVI—Quality Verification Inspection

RC—Recommended Change

RIL—Routine Inspection List

RTV—Room Temperature Vulcanizing

SA/LW—Small Arms/Light Weapons

SC—Special Certification

SDO—Services Designated Official

SE—Support Equipment

SI—Special Inspection

SMW—Specialized Management Munitions Division

S/N—Serial Number

SNCO—Senior Noncommissioned Officer

SPO—System Program Office

SPRAM—Special Purpose Recoverable Authorized Maintenance

SRAN—Stock Record Account Number

TA—Transient Alert/Aircraft

TAA—Training Aid Aircraft

TAC—Total Accumulated Cycles

TAL—Task Assignment Lists

TBA—Training Business Area

TCI—Time Change Item

TCTO—Time Compliance Technical Order

TG—Test Group

TICMS—Theatre Integrated Combat Munitions System

TO—Technical Order

TDV—Technical Data Violation

TDY—Temporary Duty

TMDE—Test Measurement and Diagnostic Equipment

TMSM—Type, Make, Series, Modification

UCR—Unsatisfactory Condition Report

W&B—Weight & Balance

WTQC—Weapons Task Qualification Crew

WTQM—Weapons Task Qualification Training Manager

WUC—Work Unit Code

Terms

Allowance Standard—Authorized document that identifies the amount and type of equipment for an organization.

Alternate Mission Equipment (AME)—Equipment identified to a higher end-item, not listed in the table of allowance. Normally, -21 equipment.

Composite Tool Kit—A controlled area or container used to store tools or equipment and maintain order, positive control, and ease of inventory. CTKs are assembled as a kit and designed to provide quick, easy visual inventory and accountability of all tools and equipment. CTKs may be in the form of a toolbox, a shadow board, shelves, system of drawers (Stanley Vidmar, Lista, etc.), cabinets, or other similar areas or containers. The CTK contains tools and equipment necessary to accomplish maintenance tasks, troubleshooting, and repair.

Crash Damaged or Disable Aircraft Recovery—The ability to move damaged or disabled aircraft using specialized equipment.

Decertification—The removal of certification status from a person for a specific task.

Delayed Release—Munition or store that fails to eject from an aircraft upon firing of impulse cartridge, but releases sometime afterwards. Release times qualifying "delayed" bombs are outlined in MDS-specific technical orders.

Equipment Identification Designator—A number assigned to a piece of shop equipment, used to track status and accountability.

Evaluated Load—A loading task that is assessed according to **Chapter 10** of this instruction.

Evaluator Proficiency Evaluations—An EPE is the direct evaluation of a Quality Assurance (QA) individual or any individual performing a quality/compliance assurance function in a unit.

Foreign Object Critical—FO critical areas are areas where aircraft or high speed test track maintenance, testing, and operations are performed (e.g., jet engine maintenance, fuel cell maintenance, major sub-assemble maintenance, and support equipment).

Hung Ordnance—Any item attached to the aircraft for the purpose of dropping or firing which has malfunctioned or failed to release. In addition, hung ordnance includes the following items: (1) External fuel tanks after unsuccessful jettison attempt; (2) Remaining ordnance after an inadvertent release; (3) 20/30 mm ammunition after a gun malfunction (no fire, unplanned cease fire, runaway gun, or gun unsafe indication); (4) Any stores determined to be in an unsafe condition.

Immediately Prior to Launch (IPL)—Specific tasks accomplished immediately prior to launching an aircraft.

Impoundment—Isolation of an aircraft/equipment due to an unknown malfunction or condition making it unsafe.

Inadvertent Release—Uncommanded launch or release of a store or ordnance, or launch/release of a store/ordnance other than those selected when a launch/release command was generated (i.e.,

system malfunction); does not include an unintentional release. If commanding a single release, do not consider a double bomb release as an inadvertent release if the releases occur from a practice bomb dispenser.

In Process Inspection—Inspection performed during the assembly or reassembly of systems, subsystems, or components with applicable technical orders.

Loading Task—The actions required by one crew member, in a designated position, to accomplish a munitions load

Maintenance Standardization and Evaluation Program (MSEP). —The purpose of the MSEP is to provide units with a method of evaluating technical compliance and measure how well they comply with established standards.

Maintenance Training—Any proficiency, qualification, or certification tasking required by a technician to perform duties in their primary Air Force Specialty Code.

Major Deficiency—A major finding is defined as a condition that would endanger personnel, jeopardize equipment or system reliability, impact safety of flight or warrant discontinuing the process or equipment operation. Any Major discrepancy will result in an automatic inspection failure.

Minor Finding—A minor finding is defined as an unsatisfactory condition that requires repair or correction, but does not endanger personnel, impact safety of flight, jeopardize equipment reliability or warrant discontinuing a process or equipment operation. CAT II minors will be documented for trends, but must not be counted against the AQL.

Mission Design Series—Alpha and numeric characters denoting primary mission and model of a military weapons system.

Munitions Decertification—Removal of the certification status of a person that precludes them from loading a specific type munitions or MFG

Normally Installed Equipment (NIE)—Bomb racks, launchers, and pylons normally installed on an aircraft.

Non-Release—System malfunction in which a weapon does not release from the delivery system

Non Standard Orgainizations (NSOs)—NSOs are organizations where their logistics/maintenance support missions are not organized under the standard DAFI 21-101 Wing Organization (CWO) concept in accordance with (IAW) AFI 38-101, *Manpower and Organization*, and require supplemental guidance.

Off Equipment Maintenance—Maintenance tasks that are not or cannot be effectively accomplished on or at the weapon system or end-item of equipment, but require the removal of the component to a shop or facility for repair.

On Equipment Maintenance—Maintenance tasks that are or can be effectively performed on or at the weapon system or end-item of equipment.

Operating Stock—The bits and pieces needed to support a maintenance work center that does not meet the criteria of bench stock. It includes reusable items such as dust covers, hydraulic line covers, caps, items leftover from work orders, TCTOs, and items deleted from bench stock.

Organizational Level Maintenance—Maintenance consisting of those on-equipment tasks normally performed using the resources of an operating command at an operating location.

Personnel Evaluation—A PE is an over-the-shoulder evaluation of a PAC certified mechanic/ technician or team performing a maintenance task.

Personnel Protective Equipment—Equipment required to do a job or task in a safe manner.

Programmed Depot Maintenance—Inspection requiring skills, equipment, or facilities not normally possessed by operating locations.

Quality Assurance—QA serves as the primary technical advisory agency in the maintenance organization, assisting maintenance supervision at all levels to resolve quality problems. QA personnel are not an extension of the work force and will not be tasked to perform production inspections.

Quality Verification Inspection—An assessment/evaluation of a maintenance procedure, process, product, or portion thereof, while it is being accomplished, or after it has been completed and the task/WCD stamped.

Save List items—Parts (bits, pieces, assemblies) that are reclaimed from a higher assembly at the direction of the item manager concerned.

Shop Stock—Includes items such as sheet metal, electrical wire, fabric, and metal stock, used and stored within a maintenance work center to facilitate maintenance.

Small Arms and Light Weapons—See AFI 36-2654, *Combat Arms Program*. Small arms and light weapons are defined as man-portable weapons made or modified to military specifications for use as lethal instruments of war that expel a shot, bullet or projectile by action of an explosive. Small arms are broadly categorized as those weapons intended for use by individual members of armed or security forces. They include handguns, rifles and carbines, sub-machine guns and light machine guns. Light weapons are broadly categorized as those weapons designed for use by two or three members of armed or security forces serving as a crew, although some may be used by a single person. They include heavy machine guns, hand-held under-barrel and mounted grenade launchers, portable anti-aircraft guns, portable anti-tank guns, recoilless rifles, man-portable launchers of missile and rocket systems and mortars

Special Certification Documentation—Management tool that provides supervisors a listing of personnel authorized to perform, evaluate, and inspect critical work.

Subcrew—Two or more certified and/or qualified personnel who may perform specific tasks.

Task Assignment List (TAL)—Functional grouping of procedural steps from applicable -33 series TOs, by crew position, to be accomplished in sequence by each crew member during an operation.

Weapons Qualification—The act of verifying and documenting a person’s ability to load a particular type of aircraft, and munition within established standards

Weapons Locally-Manufactured Equipment (LME)—All equipment that measures, tests, or verifies system, subsystem, component, or item integrity. It also includes equipment such as handling dollies, storage racks (except storage shelves), maintenance stands, or transport adapters. It does not include simple adapter cables and plugs constructed as troubleshooting aids to replace pin-to-pin jumper wires specified in TOs.

Weapons Standardization (WS)—Organization comprised of the Wing Weapons Manager, a Superintendent, the Load Standardization Crew, an academic instructor, and lead crews.

Weapons Task Qualification—A munitions related task not requiring certification.

Work Order Residue—Includes expendable bit/piece items left over from maintenance work orders or bench stock deletions.

Attachment 2

UNIT MSEP GRADING

A2.1. Unit MSEP Grading. Units must grade their MSEP evaluations using objective ratings (Outstanding, Excellent, Satisfactory, Marginal, and Unsatisfactory). The unit MSEP will publish a final report of findings, problem areas, and recommended improvements (as required), from the evaluation for distribution and/or briefing to unit Senior Leadership and inspected organizations at least quarterly.

A2.2. Inspections and evaluations performed (e.g., PE, SI, QVI) will be rated PASS/FAIL.

A2.2.1. Units will use the following five tier rating system:

A2.2.1.1. Outstanding 95-100%

A2.2.1.2. Excellent 90-94.99%

A2.2.1.3. Satisfactory 80-89.99%

A2.2.1.4. Marginal 70-79.99%

A2.2.1.5. Unsatisfactory 0-69.99%

A2.3. Ratings are calculated by: Dividing the total number of inspections passed by total completed. For example, QA inspects 10 inspections with the following results: 9 “passes” and 1 “failure.” Divide the total “passes” by the total inspections (9/10=0.90) 90 percent for an “Excellent” rating.

A2.3.1. Deduct 0.5 percentage points from overall percentage grade for each TDV, DSV, and UCR. For example, a squadron earns an overall rating of 90 percent, Excellent. However, QA observed 4 TDVs and 3 DSVs. Multiply the sum (7) by 0.5 and subtract the product (3.5) from the original 90 percent. The adjusted total is 86.5 percent; therefore, the squadron is rated Satisfactory.

A2.4. A cumulative Mx Group (or Squadron) score will be determined by: Dividing the Group’s total number of inspections and evaluations passed by the total inspections and evaluations completed. Deduct 0.5 percentage points for each TDV, DSV, and UCR from the overall percentage grade, using same formula in previous step.

Attachment 3

AFMC TRANSIENT AIRCRAFT (ALERT) COUNT TEMPLATE

Figure A3.1. AFMC Transient Aircraft Alert Count Template.

CY 13 TRANSIENT ALERT COUNT													
ACFT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Total
F-15													
F-16													
A-10													
T-1													
F-22													
T-38													
T-6													
C-21													
C-12													
C-17													
C-5													
KC-10													
E-3													
C-130													
KC-135													
TOTAL													