BY ORDER OF THE COMMANDER
UNITED STATES AIR FORCES IN
EUROPE-AIR FORCES AFRICA

UNITED STATES AIR FORCES IN
EUROPE-AIR FORCES AFRICA
INSTRUCTION 23-104

2 MARCH 2022

Materiel Management

USAFE-AFAFRICIA COMMAND
DANGEROUS GOODS PROGRAM

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: Publications and forms are available for downloading or ordering on the e-Publishing web site at **www.e-publishing.af.mil**

RELEASABILITY: There are no releasability restrictions on this publication

---

OPR: USAF/USAFE-AFAFRICA/A4RT

Certified by: USAFE-AFAFRICA/A4R
(Col Mark J.T. Vitantonio)

Supersedes: USAFEI23-104, 31 May 2012

Pages: 25

This instruction implements Air Force Policy Directive (AFPD) 23-1, *Material Management* and is consistent with the guidance regarding the handling of hazardous materials as described in Air Force Joint Manual (AFJMAN) 23-209, *Storage and Handling of Hazardous Materials.* This instruction describes a two-level program and delineates responsibilities between United States Air Forces in Europe-Air Forces Africa (USAFE-AFAFRICA) and its subordinate organizations. Specifically, it assigns responsibilities and prescribes guidance and procedures for the USAFE-AFAFRICA Command Dangerous Goods Program Office (CDGPO), as well as wing/installation commanders. It also describes the general responsibilities of the Installation Dangerous Goods Advisors (IDGAs) and unit commanders on USAFE-AFAFRICA main operating bases (MOB) and at geographically separated units (GSUs) that move dangerous goods (DG) by road, rail, or sealift. This instruction applies to all USAFE-AFAFRICA Regular Air Force. It does not apply to United States Space Force, Air National Guard and Air Force Reserve Command units. This instruction applies to the extent it does not conflict with requirements imposed by international agreements or host nation (HN) requirements. Ensure that all records created as a result of processes prescribed in this publication are maintained in accordance with (IAW) Air Force Instruction (AFI) 33-322, *Records Management and Information Governance Program*, and disposed of IAW Air Force Records Information Management System (AFRIMS) Records Disposition Schedule (RDS). Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, *Recommendation for Change of Publication.* The authorities to waive wing and unit level requirements in this publication are identified with a tier number ("T-0, T-1, T-2, T-3") following the compliance statement. See

Department of the Air Force Instruction (DAFI) 33-360, *Publications and Forms Management*, for a description of the authorities associated with the Tier numbers. Submit requests for waivers through the chain of command to the appropriate Tier waiver approval authority, or alternately, to the Publication OPR for non-tiered compliance items, utilizing guidance identified in DAFI 33-360. This publication may be supplemented at any level. All supplements must be routed to the OPR of this publication for coordination prior to certification and approval. Compliance with the supplemental attachments in this publication is mandatory.

SUMMARY OF CHANGES

This publication has been substantially revised and must be completely reviewed. Major changes reflect the reorganization to a two level program, the requirement of all installations/wings to implement a Dangerous Goods Management Program (DGMP), and inclusion of the United States Africa Command (USAFRICOM) area of responsibility (AOR).

1. General Information. 2
2. Responsibilities. 3

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 11

Attachment 2—ADR VEHICLE INSPECTION AND CERTIFICATION 15

Attachment 3—ADR DRIVER TRAINING 20

Attachment 4—DANGEROUS GOODS CERTIFYING OFFICER AND UNIT DANGEROUS GOODS ADVISOR TRAINING REQUIREMENTS 22

Attachment 5—DANGEROUS GOODS MANAGEMENT PROGRAM REQUIREMENTS 24

1. General Information. Military organizations operating in the European and African Areas of Responsibility (AOR) are subject to international legal obligations, such as Status of Forces Agreements (SOFA), that require respect for host nation (HN) or other bi-lateral agreements, which may obligate U.S. Forces to apply HN laws concerning the carriage of DG on public roads. In this instruction, the term "DG" is used to describe ammunition, explosives, hazardous material and hazardous waste, unless otherwise identified. Additionally, the term "carriage" is used to describe both the movement and handling (including but not limited to: packing, labeling, filling, loading, certifying, and unloading) of DG according to the safety obligations described in mode-specific regulations. This instruction defines the safety advisor as an IDGA for an AF wing. The duties and responsibilities of the safety advisor described in the Agreement concerning the International Carriage of Dangerous by Road (ADR), Regulations concerning the International Carriage of Dangerous Goods by Rail (RID), and HN regulations remain unaffected and must be carried out by the IDGAs. Additionally, local requirements concerning the carriage of DG and the duties of the safety advisors may vary by country.

1.1. **Purpose.** This Instruction (level one) describes a two-level program that requires each installation/wing commander to develop and implement an installation Dangerous Goods Management Program (DGMP) (level two) that is in-line with HN regulations and

requirements. The installation/wing commander is the head of the organization and remains ultimately responsible for implementing a DGMP, and appointing an IDGA to execute and manage the program. **(T-0)**

2. Responsibilities.

2.1. **Commander, USAFE-AFAFRICA.** Establish the USAFE-AFAFRICA Command Dangerous Goods Program Office (CDGPO) under the responsibility and appointment of the Logistic Readiness Division (USAFE-AFAFRICA/A4R).

2.2. **USAFE-AFAFRICA CDGPO.** The CDGPO, which consists of the Command Dangerous Goods Program Manager (CGDPM) and Command Dangerous Goods Advisors (CDGAs), is the OPR for the Command Dangerous Goods Program (CDGP). Within the USAFE-AFAFRICA AOR, the CDGPO will:

2.2.1. Provide general guidance and oversee implementation of this instruction.

2.2.2. Provide consultation to the Commander, USAFE-AFAFRICA, USAFE-AFAFRICA Directorates and Special Staff, and IDGAs on plans and programs involving the carriage of DG.

2.2.3. In coordination with HQ USAFE-AFAFRICA/JAI, provide clarification and interpretation between U.S. national and military regulations and applicable HN regulations.

2.2.4. Assist subordinate organizations by clarifying the applicability or identification of rules and regulations concerning the carriage of DG in countries not recognizing the *ADR*, *RID*, or IMDG-Code.

2.2.5. Notify the responsible OPR when a military instruction is found non-compliant with HN and/or USAFE-AFAFRICA rules for the carriage of DG.

2.2.6. Serve as the focal point for HN authorities in the USAFE-AFAFRICA AOR for DG-related issues. The USAFE-AFAFRICA United Kingdom (UK) Host Nation Coordination Cell (HNCC), Transportation and Customs Division, serves as a liaison between the Ministry of Defense (MoD) DG Advisor (DGA) and USAFE-AFAFRICA CDGPM for UK-specific DG policy. This relationship is further described in the local DGMPs (UK AOR only). HNCC also serves as a liaison for UK IDGAs concerning the request of waivers, Interim Hazard Classification (IHC), deviations and permits required for the carriage of DG in the UK AOR.

2.2.7. Verify DoD IHC and waivers in case DG, packing, equipment, or transport assets are non-compliant to DG regulations in the USAFE-AFAFRICA AOR. Request waivers/Competent Authority Approvals (CAAs) from HN Authorities if not compliant. **(T-0)**

2.2.8. Maintain an *ADR* vehicle and tank inspection program.

2.2.8.1. Implement, monitor, and administer the Command *ADR* vehicle certification/inspection program and the *ADR* tank certification/inspection program, as described in AFI24-302, *Vehicle Management*.

2.2.8.2. Ensure MOBs and GSUs in USAFE-AFAFRICA maintain a military *ADR* vehicle and *ADR* tank program in compliance with regulations concerning registration,

inspection, and utilization of vehicles/tanks for the carriage of DG over public highways.

2.2.8.3. Use USAFE-AFAFRICA Form 68, *Certificate of Approval for Vehicles Carrying Certain Dangerous Goods* and USAFE-AFAFRICA Form 69, *Vehicle Inspection Checklist – Pre-Requisite for the ADR Inspection* to document *ADR*-approved vehicles. Samples of each form and the *ADR Tank Test Certificate* are provided in **Attachment 2**.

2.2.8.4. Identify alternate certified inspectors and/or local contractors for the initial/annual inspection of U.S. military *ADR* vehicles in accordance with *ADR* 9.1.2.3 in the event the CDGP engineer is unavailable.

2.2.9. Maintain an *ADR* driver training program as described in **Attachment 3**.

2.2.9.1. Administer and monitor the *ADR* driver training program in compliance with European regulations, SOFA, and specific HN rules applicable to U.S. Forces.

2.2.9.2. Identify training prerequisites and provide funding for the initial and refresher training of instructors that conduct *ADR* driver training of personnel assigned to USAFE-AFAFRICA MOBs.

2.2.10. Ensure standing waivers are negotiated for assigned transport assets and tanks if technical requirements cannot be met.

2.2.11. Conduct risk analysis to identify recommendations on how risks can be minimized by technical or operational measurements and to ensure safety is not compromised.

2.2.12. Serve as members of the USAFE-AFAFRICA Inspector General (IG) team. Conduct inspections of the CDGP on USAFE-AFAFRICA installations in sequence with the IG schedule. Document the inspections on USAFE-AFAFRICA Form 63*, Command Dangerous Goods Advisor (CDGA)/Installation Dangerous Goods Advisor (IDGA) Monitoring Report*.

2.2.13. Administer, compose, and submit the annual Command DG Carriage Report to the HN upon request. The report must be in accordance with *ADR/RID* section 1.8.3.3. The format is provided through USAFE-AFAFRICA Form 60, *Command/ Installation Dangerous Goods Advisor Annual Report*. The reports must be maintained on file for at least five years.

2.2.14. Provide and attend training.

2.2.14.1. Provide awareness training to senior leadership assigned to USAFE-AFAFRICA organizations regarding the CDGP.

2.2.14.2. Attend refresher training and workshops (e.g., HN MoD DG Workshops) as needed to stay abreast of the latest developments and changes on DG regulations, and this program.

2.2.14.3. Initiate and conduct an annual workshop to provide refresher training to IDGAs and other personnel involved in the carriage of DG, as required.

2.2.14.4. Assist wing/installation commanders with the hiring, onboarding and initial training of newly hired IDGAs. The initial training must include military elements

listed in **paragraph A4.2.2,** which are not covered by the safety advisor training in accordance with **paragraph 2.3.2.3**.

2.2.15. Attend and participate in conferences and committees.

2.2.15.1. The CDGPM or representative serves as the USAFE-AFAFRICA representative and functional expert to the International Coordination Group, HN military committees, and hazardous cargo subgroups.

2.2.15.2. Serve as the USAFE-AFAFRICA co-Chairman of the Joint Hazardous Material Steering Committee.

2.2.15.3. Serve as the USAFE-AFAFRICA representative to the North Atlantic Treaty Organization (NATO) Transportation Dangerous Goods Group and standardization committees for air, land, and sea DG movements.

2.2.15.4. Share information gained from conferences and committees with headquarters USAFE-AFAFRICA leadership and IDGAs.

2.2.16. Provide guidance on DG safety and security matters for deployment and contingency operations.

2.2.16.1. Provide technical assistance to deploying units regarding the safe and secure carriage of DG.

2.2.16.2. Determine which regulations are applicable to U.S. Forces at deployment and exercise locations where there is no permanent U.S. military presence to establish standard procedures for the carriage of DG.

2.2.17. Review and approve the initial DGMP prior to release/implementation by the wing/installation.

2.2.18. Review altered, modified and changed DGMPs during inspections in conjunction with the IG schedule.

2.3. **Wing/installation commanders.** Installation commanders, and wing commanders acting as installation commanders, will:

2.3.1. Establish an installation DGMP to ensure compliance with the Defense Transportation Regulations (DTR) 4500.9-R, Part II, chapter 204-5, this instruction, and applicable international, European, and local laws and regulations**. (T-0)**

2.3.1.1. The DGMP must be based on the wing/installation mission, inventory, and types of DG 2oved by its units and must describe the elements included in **Attachment 5**, as applicable.

2.3.1.1.1. Identify supplemental HN regulations and requirements concerning the transport of DG applicable in the AOR. **(T-0)**

2.3.1.1.2. Determine the requirements and provide guidance for on- and off-installation transportation of DG. **(T-0)**

2.3.1.1.3. In accordance with the *ADR*/*RID*/IMDG-Code and relevant HN regulations, define and describe the training requirements and the roles and responsibilities for the:

2.3.1.1.3.1. IDGAs.

2.3.1.1.3.2. Unit commanders (Reference **paragraph 2.5**).

2.3.1.1.3.3. Unit DGAs (UDGA) (Reference **paragraph 2.6.**).

2.3.1.1.3.4. DG Certifying Officials (DCOs) (Reference **paragraph 2.7**).

2.3.1.1.3.5. Participants in the carriage of DG (*ADR/RID* sections 1.3 and 1.4 and IMDG-Code section 1.3.1); **Note:** Training of the DCOs and UDGAs must include elements described in **Attachment 4.**

2.3.1.1.4. Create and distribute checklists ensuring the safe transport of DG.

2.3.2. Appoint a primary and an alternate wing IDGA in writing to develop and maintain the required DGMP and to execute duties described in *ADR/RID* section 1.8.3, respective HN regulations, and this instruction. **(T-0)** Use USAFE-AFAFRICA Form 66*, Dangerous Goods Advisor (DGA) Appointment Order* for the appointment of the IDGAs.

2.3.2.1. Upon request, inform HN competent authority of the names of the IDGAs (safety advisors by definition of the *ADR/RID*). **(T-0)**

2.3.2.2. Establish the IDGA office not lower than group level (e.g., mission support group or logistics readiness group). The IDGA is a full-time position provided through the USAFE-AFAFRICA Commander Bill Pay program. Unless described otherwise in the installation DGMP, the alternate IDGA duty shall be delegated to a qualified UDGA, preferably with a logistics background, and support the required on-call duty program of the IDGA.

2.3.2.3. Ensure IDGAs attend recurring training for safety advisors in accordance with *ADR/RID* section 1.8.3 and HN regulations, and are in possession of valid training certificates. **(T-0)**

2.3.2.4. Verify that IDGAs are properly trained and qualified to instruct and train the UDGAs and DCOs for modes road, rail, and sealift, and *ADR* drivers, as applicable. **(T-0)**

2.3.2.5. Give IDGAs access to organizations and information to review and analyze organizational processes (e.g., qualifications and appointments of personnel, DG inventory, *ADR* vehicles/tanks, and equipment).

2.3.2.6. Ensure that IDGAs can contact the installation commander on short notice to report a situation that requires the commander's immediate attention. **(T-0)**

2.3.2.7. Provide sufficient funding to the IDGA office to purchase publications, regulations, and training aids/material to conduct training and inspections of associated GSUs.

2.3.3. Complete the annual DGA report**,** USAFE-AFAFRICA Form 60 in accordance with *ADR/RID* section 1.8.3.3, and sign and submit it to the USAFE-AFAFRICA CDGPO not later than (NLT) 15 January each year. **(T-0)** The report must be kept on file for at least 5 years and be made available to HN competent authorities upon request. **(T-0)**

2.3.4. Ensure wing/installation compliance with DG carriage regulations and the CDGP and installation DGMP. **(T-0)**

2.3.4.1. Ensure IDGAs become members of the Wing IG Teams (WIT) and frequently inspect units involved in the carriage of DG.

2.3.4.2. Ensure tenant units located on the installations comply with the CDGP and DGMP. **(T-0)** Ensure the IDGA has access to tenant units to review compliance with DG carriage regulations.

2.3.4.3. Report, track, and manage all enforcement actions according to given timelines.

2.3.5. Receive awareness training on the CDGP from the IDGA within 90 days of assumption of command.

2.4. **IDGAs.** IDGAs will:

2.4.1. Develop, implement, and execute the DGMP described in **paragraph 2.3.1** on behalf of the wing/installation commander.

2.4.2. Execute all IDGA duties described in paragraph **2.3** and **2.4**.

2.4.3. Consult with the wing/installation commander and subordinate organizations. **(T-0)**

2.4.4. Attend training.

2.4.4.1. Stay up-to-date on DG regulations and attend required training for DG instructors and safety advisors described in **paragraph 2.3.2**. **(T-0)**

2.4.4.2. The primary and/or alternate IDGA must attend training described in **paragraph 2.2.9** to qualify as an instructor for the training of *ADR* drivers in accordance with *ADR* section 8.2. **(T-0)**

2.4.5. Conduct inspections and prepare and submit reports. **(T-0)**

2.4.5.1. Conduct frequent inspections of subordinate organizations to review compliance with DGMP and DG carriage regulations in sequence with the IG schedule.

2.4.5.2. Units entering DG into public traffic area shall be inspected at least annually, regardless of the IG schedule.

2.4.5.3. Use USAFE-AFAFRICA Form 63 or equivalent form identified by the wing IG to document the inspection and recommended solutions for eliminating identified discrepancies.

2.4.5.4. IDGAs assigned to the WIT will comply with standards and processes described in AFI 90-201, *The Air Force Inspection System,* and supplements thereto.

2.4.5.5. Compose the annual DG report based on data provided by the UDGAs as described in **paragraph 2.2.13** on USAFE-AFAFRICA Form 60, and submit to the wing/installation commander for review and signature. **(T-0)** Provide a signed copy to the CDGPO.

2.4.6. Request waivers and deviations.

2.4.6.1. Route verification requirements for IHC and standing waivers through the CDGPO or representative.

2.4.6.2. Request standing waivers through the USAFE-AFAFRICA CDGPO for vehicles not in compliance with DG carriage regulations.

2.4.6.3. For one time local deviations and permits, contact the CDGPO to request the required waiver/CAA from the HN Government Authority.

2.4.6.4. Within the UK AOR, waivers, IHCs, deviations, and permits may be requested and obtained through the USAFE-AFAFRICA UK HNCC.

2.4.7. Maintain a DG vehicle program and technical requirements.

2.4.7.1. Provide guidance and surveillance for ensuring the installation has a military vehicle program in compliance with safety regulations concerning registration, inspection, and utilization of vehicles for the carriage of DG on public roads. **(T-0)**

2.4.7.2. Contact the USAFE-AFAFRICA CDGA engineering office if vehicles need to be technically upgraded to comply with part 9 of the *ADR*.

2.4.8. Provide awareness training to unit commanders having a responsibility identified in the CDGP/DGMP. Ensure awareness training concerning DG carriage rules applicable in the AOR is provided to commanders within 90 days of assumption of responsibilities and provide awareness training to the installation commander upon request.

2.4.9. Attend the CDGA workshop, upon request, to stay aware of the latest developments and changes in the CDGP, and laws and provisions concerning the transport of DG.

2.4.10. Be the installation focal point for investigations and formal compliance inspections concerning the DGMP.

2.4.10.1. Investigate reportable accidents/incidents in accordance with *ADR/RID* section 1.8.5, determine and analyze causes, and implement new or revised policies and procedures to prevent accidents/incidents on and off the installation during the carriage of DG. **(T-0)**

2.4.10.1.1. The *ADR/RID* accident/incident reporting program is separate from investigations required by DAFI91-204, *Safety Investigations and Reports*, and AFI51-307, *Aerospace and Ground Accident Investigations,* and will not be used to initiate immediate notifications of an accident/incident to emergency response forces. IDGAs are only required to prepare reports IAW *ADR/RID* section 1.8.5. **(T-0)**

2.4.10.1.2. The *ADR/RID* accident/incident reporting program is designed to discover deficiencies and implement corrections in regulations applicable to the safe carriage of DG. **(T-0)**

2.4.10.2. Use USAFE-AFAFRICA Form 61, *Accident/Incident Report on Occurrences during the Carriage of Dangerous Goods,* for the documentation of any reportable accidents/incidents.

2.4.10.3. Organize on-call duty service (24/7) with the alternate IDGA to ensure DGA support is always available to the on-scene commander for managing the safe carriage of DG from the scene of incident/accident. Local regulations and procedures may differ from the above and must be described in the installation DGMP. In accordance with European and host nation laws/regulations, IDGAs must investigate and, where

appropriate, prepare reports on serious accidents, incidents, or infringements recorded during the carriage of DG.

2.4.11. Maintain records and a DG library.

2.4.11.1. Maintain the following records and documentation on all DGA actions and annual reports for review by higher headquarters and HN authorities for at least 5 years.

2.4.11.1.1. Documentation on inspections

2.4.11.1.2. Training records of DCOs, *ADR* drivers, and UDGAs

2.4.11.1.3. Appointment orders of DCOs and UDGAs

2.4.11.1.4. List of certified DG vehicles and tanks (i.e., EX/II or EX/III (explosives) vehicle and FL (flammable) vehicle certifications)

2.4.11.1.5. Accidents/incident reports

2.4.11.1.6. Annual DG report

2.4.11.1.7. IHCs

2.4.11.1.8. CAAs and waivers

2.4.11.1.9. Commander briefings.

2.4.11.1.10. Current list of vehicles/tanks certified for the carriage of DG by registration number and type

2.4.11.2. Maintain a current and up-to-date DG library according to the mission of the organization. This may include national and international laws and regulations, and training material required for the training of UDGAs, DCOs and *ADR* drivers.

2.5. **Unit commanders.** Commanders of units involved in the carriage of DG will comply with duties and responsibilities described in the installation DGMP. Additionally, unit commanders will:

2.5.1. Ensure UDGAs and the DCOs are fully trained prior to their appointments.

2.5.2. Appoint at least one primary and one alternate UDGA using USAFE-AFAFRICA Form 66. Specify the type of authority (e.g., primary or alternate) and area of responsibility of each UDGA in block 10 of the form.

2.5.3. Appoint at least two DCOs using USAFE-AFAFRICA Form 67, *Certifier for Dangerous Goods and Hazardous Waste Movements Appointment Order,* if the unit enters DG into public traffic.

2.5.4. Submit signed copies of appointment orders to the IDGA NLT 30 days after training completion.

2.5.5. Ensure that vehicles used for the carriage of placarded amounts of DG on public roads are furnished with the required equipment in accordance with *ADR* sections 8.1.4 and 8.1.5, and carry a current copy of USAFE-AFAFRICA Form 68 in accordance with **paragraph 2.2.8** as applicable. **(T-0)**

2.5.6. Ensure initial and annual inspections on FL, AT, EX/II or EX/III vehicles used for the carriage of DG, as described in **paragraph 2.2.8** and **Attachment 2** are conducted. **(T-**

0) Initial and recurring inspections in accordance with USAFE-AFAFRICA Form 69 are required for initial vehicle registrations and/or annual extension of the registrations.

2.5.7. Through the UDGA (**paragraph 2.6.**) ensure that all personnel involved in the carriage of DG are trained according to their functions and duties. **(T-0)**

2.6. **UDGAs.** UDGAs ensure compliance with DG carriage regulations and CDGP/DGMP on behalf of their commanders. Because of the overseas regulatory environment, UDGA duties are mission-essential. UDGA duties are identified in DG regulations and fit the duty of a supervisor in charge. Based upon the duties and compliance requirements of the position, the appointed UDGA, must, either by grade/rank or commensurate civilian position, have sufficient authority to give instructions or orders to the DCOs. UDGAs must comply with duties and responsibilities described in the installation DGMP**.**

2.7. **DCOs.** DCOs certify that DG are properly identified, classified, packaged, marked, labeled, and documented and in proper condition for transportation in accordance with International, European, federal, and military regulations. DCOs must ensure compliance with regulations concerning the safe carriage of DG via road, rail, or sealift prior to release into public traffic. DCOs assist unit commanders and UDGAs with their DG expertise and must comply with duties and responsibilities described in the installation DGMP**.**

GEORGE T.M. DIETRICH III, Brigadier General, USAF
Director, Logistics, Engineering and Force Protection

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

DTR 4500.9-R-Part II, *Defense Transportation Regulation - Cargo Movement,* May 2014

DoD Instruction (DODI) 4715.05, *Environmental Compliance at Installations Outside the United States*, 31 August 2018, or country-specific *Environmental Final Governing Standards* (FGS)

Air Force Joint Manual (AFJMAN) 23-209, *Storage and Handling of Hazardous Materials*, 4 March 2020

AFI 24-302*, Vehicle Management,* 21 February 2020

Defense Explosives Safety Regulation (DESR) 6055.09_AFMAN 91-201 USAFE-AFAFRICA Command Supplement, *Explosives Safety Standards*, 6 January 2021

ADR, *Agreement Concerning the International Carriage of Dangerous Goods by Road (Accord relatif au transport international des marchandises Dangereuses par Route),* 1 January 2021

IMDG-Code 2020 Edition, *International Maritime Dangerous Goods Code,* 1 January 2021

RID, *Regulations Concerning the International Carriage of Dangerous Goods by Rail* (*Règlement concernant le transport international ferroviaire des marchandises dangereuses),* 1 January 2021

Prescribed Forms

USAFE-AFAFRICA Form 60, *Annual Dangerous Goods Advisor Report*

USAFE-AFAFRICA Form 61, *Accident/Incident Report on Occurrences during the Carriage of Dangerous Goods*

USAFE-AFAFRICA Form 63, *Dangerous Goods Advisor Monitoring Report*

USAFE-AFAFRICA Form 66, *Dangerous Goods Advisor (DGA) Appointment Order*

USAFE-AFAFRICA Form 67, *Certifying Official (DCO) for Dangerous Goods Movements Appointment Order*

USAFE-AFAFRICA Form 68, *Certificate of Approval for Vehicles carrying certain Dangerous Goods*

USAFE-AFAFRICA Form 69, *Vehicle inspection checklist – Prerequisite for the ADR Inspection*

Adopted Forms

AF Form 847, *Recommendation for Change of Publication*

Abbreviations and Acronyms

ADR—Agreement Concerning the International Carriage of Dangerous Goods by Road

AFI—Air Force Instruction

AFJMAN—Air Force Joint Manual

AFPD—Air Force Policy Directive

AOR—Area of Responsibility

CAA—Competent Authority Approval

CDGA—Command Dangerous Goods Advisor

CDGP—Command Dangerous Goods Program

CDGPM—Command Dangerous Goods Program Manager

CDGPO—Command Dangerous Goods Program Office

DAFI—Department of the Air Force Instruction

DCO—Dangerous Goods Certifying Official

DG—Dangerous Goods

DGA—Dangerous Goods Advisor

DGMP—Dangerous Goods Management Plan

DGP—Dangerous Goods Program

DGR—Dangerous Goods Regulation

DOD—Department of Defense

DOT—Department of Transportation

DTR—Defense Transportation Regulation

EX—Explosive

FL—Flammable Liquid

GSU—Geographically Separated Unit

HN—Host Nation

HNCC—Host Nation Coordination Cell

IDGA—Installation Dangerous Goods Advisor

IG—Inspector General

IHC—Interim Hazard Classification

IMDG—Code—International Maritime Dangerous Goods Code

MAJCOM—Major Command

MOB—Main Operating Bases

MoD—Ministry of Defense

NATO—North Atlantic Treaty Organization

NLT—No later than

OCONUS—Outside Continental United States

OI—Operating Instruction

OPR—Office of Primary Responsibility

RID—Regulation Concerning the International Carriage of Dangerous Goods by Rail

SOFA—Status of Forces Agreement

UDGA—Unit Dangerous Goods Advisor

UK—United Kingdom

UN—United Nations

U.S.—United States

USAF—United States Air Force

USAFE-AFAFRICA—United States Air Forces in Europe and Air Forces Africa

USAFRICOM—United States Africa Command

USEUCOM—United States European Command

WIT—Wing Inspection Team

Terms

Command Dangerous Goods Program Manager (CDGPM)—Under the responsibility and appointment of the Logistic Readiness Division (USAFE-AFAFRICA/A4R) the USAFE-AFAFRICA CDGPM manages the Command Dangerous Goods Program (CDGP).

Command Dangerous Goods Program Office (CDGPO)—Office established under the responsibility and appointment of the Logistic Readiness Division (USAFE-AFAFRICA/A4R), with duties and obligations described in this instruction.

Dangerous Goods—Substances and articles the carriage of which is prohibited by *ADR*/*RID*/IMDG-Code or authorized only under the conditions prescribed therein.

Dangerous Goods Advisor (DGA)—Term refers to command, installation, and unit dangerous goods advisors.

Dangerous Goods Certifying Officials (DCOs)—DCO declares, by signing the transport document or multimodal dangerous goods form, that the contents of a DG consignment complies with DG carriage and safety regulations.

Dangerous Goods Management Program (DGMP)—An installation-level program that provides guidance for the safe transportation of dangerous goods by road, rail or sealift; and establishes the roles, responsibilities, and training requirements of personnel involved in the carriage of dangerous goods.

Dangerous Goods Program (DGP)—Term refers to command, installation, and unit dangerous goods programs.

Hazardous Material (HAZMAT)—For the purpose of this instruction, the term HAZMAT includes all classes of dangerous goods that are covered by *ADR*, *RID* and IMDG-Code, including hazardous waste.

Hazardous Waste (HAZWASTE)—Any material subject to the hazardous waste manifest requirements of Environmental Protection Agency specified in AFMAN 32-7002, *Environmental Compliance and Pollution Prevention*, and/or European Directives (e.g. 2000/532/EC).

Installation Dangerous Goods Advisor (IDGA)—The wing IDGA implements and manages the Installation Dangerous Goods Management Program (DGMP) on behalf of the wing commander that acts as installation commander. The IDGA must be appointed at the group level (i.e., Mission Support Group or Logistics Readiness Group).

Placarded Amounts—For the purpose of this instruction, any quantity of dangerous goods carried on a transport unit that exceeds the limits of *ADR*table 1.1.3.6.

Safety Advisor—A position required by and described in *ADR/RID*section 1.8.3., which is responsible for helping to prevent risks inherent to the carriage of dangerous goods. The IDGA will assume the duties of the safety advisor.

Unit Commander—For the purpose of this instruction, unit commanders are squadron or group commanders.

Unit Dangerous Goods Advisor (UDGA)—Execute the Unit Dangerous Goods Program (UDGP) on behalf of the squadron or group commander.

USAFE—AFAFRICA Main Operating Bases—USAFE-AFARICA area of operations spans 7 MOBs with IDGAs at the following wings:

31st Fighter Wing at Aviano Air Base (AB), Italy

39th Air Base Wing at Incirlik AB, Turkey
48th Fighter Wing at Royal Air Force (RAF) Lakenheath, UK
52nd Fighter Wing at Spangdahlem AB, Germany
86th Airlift Wing at Ramstein AB, Germany
100th Air Refueling Wing at RAF Mildenhall, UK
501st Combat Support Wing at RAF Alconbury, UK / RAF Molesworth, UK

Attachment 2

ADR VEHICLE INSPECTION AND CERTIFICATION

A2.1. Vehicle Inspection Checklist.

A2.1.1. A maintenance unit must complete page one of USAFE-AFAFRICA Form 69, *Vehicle Inspection Checklist – Pre-requisite for the ADR Inspection,* (Figure A2.1) prior to presenting the vehicle to the Competent Authority for conducting the *ADR* inspection.

A2.1.2. The back of USAFE-AFAFRICA Form 69 (Figure A2.2) must be completed by a certified vehicle expert assigned to the CDGP engineering office. **(T-0)** The annual inspection and the extension of registration of vehicles and tank-vehicles assigned to the USAFE-AFAFRICA fleet by a certified and appointed CDGPO engineer is recognized by all *ADR* member states. **(T-0)**

A2.2. *ADR* Vehicle Certificate of Approval. A copy of USAFE-AFAFRICA Form 68, *Certificate of Approval for Vehicles Carrying Certain Dangerous Goods,* (Figure A2.3) must be kept by the unit Vehicle Control Officer and fleet management. The HN Surveillance Agency may request review of the copies at the unit or at fleet management. The original must be kept in the driver cab and must be presented to enforcement authorities during road checks upon request. **(T-0) Note:** *ADR* vehicles scheduled for depot maintenance in CONUS: Whenever possible, remove *ADR*-specific safety equipment in accordance with *ADR* section 8.1.5 from the vehicle prior to departure to depot-level maintenance. This equipment must be held and stored and reinstalled on the vehicles upon return.

A2.3. *ADR* Tank Testing. *ADR* tank vehicles require a valid tank test in accordance with *ADR* section 6.8 as a prerequisite. The tank tests must be carried out every 3 years by an approved/recognized tank testing organization. **(T-0)** Certificates on the results of the tank tests must be issued by the testing organization and attached to the tank record of each tank. The organization of the tank tests is the responsibility of the unit, see details in *ADR* sections 6.8.2.4.2 and 6.8.2.4.3. **(T-0)**

Figure A2.1. USAFE-AFAFRICA Form 69, Vehicle Inspection Checklist - Sample (Front).

VEHICLE INSPECTION CHECKLIST - PREREQUISITE FOR THE ADR INSPECTION

Article I. Customer: 86 VRS	Article II. Inspection Certificate No.: CDGA-XY-123-N
Article III. Vehicle Manufacturer: MAN	Article IV. Vehicle Type: R-11
Article V. Chassis No.: TUVWXYZ	Article VI. Registration No.: 04 B012345
Article VII. Mileage: 20.000	

Inspections	OK	Not OK	Inspections	OK	Not OK	Inspections	OK	Not OK
Frame, basic parts	☑	☐	Steering	☑	☐	Brake cylinder	☑	☐
Lateral under ride guard	☑	☐	Steering gear	☑	☐	Brake drums / disks	☑	☐
Rear under ride guard	☑	☐	Steering joints / disks	☑	☐	Brake linings / pads	☑	☐
Front axle / axle housing	☐	☑	Steering boogie	☑	☐	Brake cams / shafts	☑	☐
Front axle, axle tie rod	☑	☐	Steering pitman arm	☑	☐	Coupling halves	☑	☐
Front axle, axle springs	☑	☐	Steering linkage / robe	☑	☐	ALB plate	☑	☐
Front axle, stabilizer bar	☑	☐	Steering assistance	☑	☐	Brake booster / valves	☑	☐
Front axle, shock absorber	☑	☐	Auxiliary steering	☑	☐	Air reservoir	☑	☐
Front axle, wheel bearing	☑	☐	Steering damper	☑	☐	Test connections	☑	☐
Rear axle / axle housing	☑	☐	Wheels	☑	☐	Anti-lock device	☑	☐
Rear axle, axle suspension	☑	☐	Exhaust system	☑	☐	**Brake System - Function Test**		
Rear axle, axle leaf springs	☑	☐	**Brake System - Visual Inspection**			Service brake	☑	☐
Rear axle, stabilizer bar	☑	☐	Service brake actuating device	☑	☐	Emergency brake system	☑	☐
Rear axle, shock absorber	☑	☐	Parking brake actuating device	☑	☐	Parking brake system	☑	☐
Rear axle, wheel bearing	☑	☐	Brake control cable	☑	☐	Release valve at the trailer	☑	☐
Engine / drive (clutch, shifting)	☑	☐	Brake linkage / brake joints	☑	☐	Brake power testing	☑	☐
Trailer coupling / fifth wheel	☑	☐	Brake camshaft	☑	☐	Service brake - front	☑	☐
Towing device	☑	☐	Brake pipes	☑	☐	Service brake - rear	☑	☐
Vehicle body	☑	☐	Brake hoses	☑	☐			

Brake Values

Axel	Brake Pressure	Brake Force	Average Retardation	Braking Retardation
1	bar	kN	m/s²	
2	bar	kN	m/s²	
3	bar	kN	m/s²	
4	bar	kN	m/s²	
Test weight:		kg		

Inspection date:	
Date of next safety inspection:	Stamp / Signature of authorized vehicle inspector

Remarks:

USAFE-AFAFRICA FORM 69, 202XXXXX PREVIOUS EDITION IS OBSOLETE PAGE 1 OF 2
PRESCRIBED BY: USAFE-AFAFRICAI 23-104

Figure A2.2. USAFE-AFAFRICA Form 69, Vehicle Inspection Checklist - Sample (Back).

Specific ADR requirements								
Inspections	OK	Not OK	Inspections	OK	Not OK	Inspections	OK	Not OK
Rear protection (Tank vehicle)	☑	☐	Permanently energized circuits	☑	☐	Fire extinguishing equipment		
Prevention of heating / ignition			Electrical circuits behind cab.	☑	☐	Numbers	☑	☐
Engine	☑	☐	Electrical system	☑	☐	Weather protection	☑	☐
Exhaust System	☐	☑	Coupling devices of trailers	☑	☐	Fitted with a seal	☑	☐
Fuel tank	☑	☐	Tank			Date of the next inspection	☑	☐
Endurance brake, thermal shield	☑	☐	Tank examination certificate	☐	☑	Orange warning plates	☑	☐
Combustion heaters	☑	☐	Operator identification	☑	☐			
Combustion heaters, load compartment	☑	☐	Data plate	☑	☐			
Driver cab., construction material	☑	☐	Tank skin / shell	☑	☐			
Driver cab, thermal shield	☑	☐	Tank equipment	☑	☐			
Anti-lock braking system	☑	☐	Tank mountings	☑	☐	Other equipment		
Endurance brake	☑	☐	Grounding of tanks and symbol	☑	☐	Wheel chocks	☑	☐
Emergency braking system (trailer)	☑	☐	Tank vehicle stability	☑	☐	Warning signs		
Speed limitation device	☑	☐	Lateral stability	☑	☐	2 reflective cones	☑	☐
Electric system			Vehicle chassis (EX II u. EX III)			2 warning triangles	☑	☐
Wiring (mech. & therm. protection)	☑	☐	Closed or sheeted	☑	☐	2 flashing warning lights	☑	☐
Battery master switch	☑	☐	Lockable doors, rigid covers.	☑	☐	Warning vest	☐	☑
Casing battery master switch	☑	☐	Cab and compartment separated	☑	☐	Hand lamp	☑	☐
Batteries	☑	☐	Engine (Diesel)	☑	☐		☐	☐

Checklist reviewed by: Click to sign

Date:

Printed Name

Stamp of CDPG Engineering Office

Remarks:

USAFE-AFAFRICA FORM 69,2021 XXXXXX PREVIOUS EDITION IS OBSOLETE PAGE 2 of 2

Prescribed by: USAFE-AFAFRICAI 23-104

Figure A2.3. USAFE-AFAFRICA Form 68, Certificate of Approval for Vehicles Carrying Certain Dangerous Goods - Sample (Front).

CERTIFICATE OF APPROVAL FOR VEHICLES CARRYING DANGEROUS GOODS

This certificate testifies that the vehicles specified below fulfills the conditions prescribed by the Agreement concerning the International Carriage of Dangerous Goods by Road

1. Certificate No.:	2. Vehicle Manufacturer:	3. Vehicle ID No.:	4. Registration No. (if any):
CDGA-DL-108-N	INTERNATIONAL/KOVATCH	1HTWGADT99J127226	09 L 000XX

5. Name and business address of carrier, operator, or owner:
US AIR FORCE

6. Description of vehicle: [1]
N3 TANK VEHICLE R11

7. Vehicle designation(s) according to 9.1.1.2. of ADR: [2] EX/II EX/III FL AT MEMU

8. Endurance braking system: [3]
☑ Not applicable
☐ The effectiveness according to 9.2.3.1.2. of ADR is sufficient for a total mass of the transport unit of _____ [4]

9. Description of the fixed tank(s)/battery vehicle (if any)
- 9.1. Tank manufacturer: KOVATCH
- 9.2. Tank/battery vehicle approval number: DOT 206
- 9.3. Tank manufactures' serial number/ID of elements of battery vehicle: 1307
- 9.4. Year of manufacture: 2009
- 9.5. Tank code (ADR section 4.3.3.1 or 4.3.4.1.) LGBF
- 9.6. Special provisions TC and TC (ADR section 6.8.4.) [6] N/A

10. Dangerous goods authorized for carriage:
The vehicle fulfills the conditions required for the carriage of dangerous goods assigned to the vehicle designaton(s) in Block 7.

10.1. In the case of an EX/II or EX/III vehicle:
- ☐ Class 1 goods including compatibility group J
- ☐ Class 1 goods excluding compatibility group J

10.2. In the case of a Tank vehicle or battery vehicle:
- ☐ Only substances permitted under the tank code & any special provisions specified in No. 9 may be carried [5]
- ☑ Only the following substances (Class, UN # & if required packing group & proper shipping name) may be carried

Only substances which are not liable to react dangerously with the materials of the shell, gaskets, equipment, & protective linings (if applicable) may be carried.

Kl.3, F1, UN1202, DIESEL FUEL comp. w. standard EN 590; 2013 + AC2014 or GAS OIL or HEATING OIL LIGHT (flash-point spec. in EN590; 2013 + AC; 2014), III;
Kl.3, F1, UN1202, GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT (flash point more than 60°C and not more than 100°C), III;
Kl.3, F1, UN1203, MOTOR SPIRIT or GASOLINE or PETROL, II;
Kl.3, F1, UN1223, KEROSENE, III;
Kl.3, F1, UN1268, PETROLEUM DESTILLATES, N.O.S., or PETROLEUM PRODUCTS, N.O.S. (vapor pressure at 50° C more than 110kPA), II;
Kl.3, F1, UN1268, PETROLEUM DESTILLATES, N.O.S., or PETROLEUM PRODUCTS, N.O.S., III;
Kl.3, F1, UN1863, AVIATION, TURBINE ENGINE (vapor pressure at 50° C and not more than 110kPA), II;
Kl.3, F1, UN1863, AVIATION, TURBINE ENGINE, III

11. Remarks:

NOTE: In the case of tank vehicles: the tank built in accordance with Dept. of Trans. 406 specifications complies with paregraph 35c, chapter 3, number 2 of GGVSEB and following the changes incorporated since 17 March 2017 (formerly exemption 14 (S) GGAV.
Betreff Tank Fahrzeuge: Tank entspricht paregraph 35c Abs. 3 Nr.2 GGVSEB i.d.F.d.A.v. 17.2.2017 ehemals Ausnahme 14 (S) GGAV.

Next HP/P: 12/2021 Next ZP/L: 12/2024

12. Valid until: 12/31/21

Stamp of issuing service:	Place	Date	Signature
	Ramstein AB	1/26/21	

1. According to Annex 7 of the Consolidated Resolution on the Construction of Vehicles (R.E.3.)/Directive 97/27/EC power-driven vehicles & trailers
2. Strike out what is not appropriate
3. Mark the appropriate
4. Enter appropriate value. A value of 441 will not limit the "registration line-service max. permissible mass" indicated in the registration documents
5. Substances assigned to the tank code specified in No 9/another tank code under 4.3.3.1.2./4.3.4.1.2., taking account of any special provisions
6. Not required 6 when the authorized substances are listed in No. 10.2.

USAFE-AFAFRICA Form 68, 202XXXXX PREVIOUS EDITION IS OBSOLETE Page 1 of 2
Prescribed by: USAFE-AFAFRICAI 23-104

Attachment 3

ADR DRIVER TRAINING

A3.1. General Information. Driver training in accordance with *ADR* section 8.2 is required for driving all U.S. Armed Forces military vehicles (including rented and leased vehicles) when carrying DG in placarded amounts. **(T-0)** Drivers carrying loads exceeding the threshold limits identified in *ADR* section 1.1.3.6 must carry an *ADR* driver training certificate issued by, or recognized by the USAFE-AFAFRICA CDGPO. **(T-0)** Drivers in the possession of *ADR* driver training certificates issued by other sources must receive additional training to cover elements described in paragraph **A3.2.1** and **A3.2.2**. **(T-0)** Drivers of U.S. military vehicles must be familiar with military regulations on DG transport, carriage release requirements, military road network clearances, surveillance, signature service, or armed escorting described in U.S. military regulations. They must possess a valid driver's license for the class of vehicle they operate. **(T-0)** Drivers who are scheduled for *ADR* driver training must complete basic driver training before they can participate in any of the specific modules. The student must complete all sections of the training module they attend. Each training element described below closes with a written test which must be passed. **(T-0)** Test material is controlled by the USAFE-AFAFRICA CDGA Engineering Office. The *ADR* driver training certificate is valid for five years. **(T-0)** To stay proficient, the UDGA shall brief the driver on any changes concerning *ADR* provisions and *ADR* driver program. A certified translator, supported by the CDGPO and provided by the German MoD, will translate the test papers.

A3.2. Basic ADR driver training. The theoretical (knowledge-based) element of the basic course consists of 18 teaching units in accordance with *ADR* and at least 2 additional teaching units for the U.S. military transportation management requirements referenced in paragraphs **A3.2.1** and **A3.2.2**. **(T-0)** Additionally, there are individual practical (performance-based) exercises that cover situations of first aid, firefighting, and incident/accident response that must be completed unless the student completed practical training via other sources. **(T-0)** The course covers ADR section 8.2.2.3.2, applicable military regulations, and applicable HN regulations, including:

A3.2.1. USEUCOM Movement Control System.

A3.2.2. The surveillance and security requirements established in DTR Volume II, Chapter 205, *Transportation Protective Service.*

A3.3. Tank *ADR* driver training. The theoretical (knowledge-based) element of the tank course consists of 12 teaching units in accordance with ADR section 8.2.3.3. and applicable military and HN regulations. **(T-0)**

A3.4. Ammunition and explosives *ADR* driver training. The theoretical (knowledge-based) element of the ammunition and explosives course consists of 12 teaching units in accordance with *ADR* section 8.2.3.4. and applicable military and HN regulations. **(T-0)**

A3.5. *ADR* driver refresher training. Refresher training in accordance with *ADR* section 8.2.2.5 must be completed before the expiration of the *ADR* driver training certificate. It shall cover new, technical, legal, and substance-related changes. The duration of refresher training shall be of at least two days for comprehensive training courses, or at least one-half duration allocated to the

corresponding initial basic or initial specialization training courses as specified above for the individual course. **(T-0)**

Attachment 4

DANGEROUS GOODS CERTIFYING OFFICER AND UNIT DANGEROUS GOODS ADVISOR TRAINING REQUIREMENTS

A4.1. Overview. UDGA and DCO training must include the below training elements aligned to their individual responsibilities and duties. Unless otherwise specified in the installation DGMP, the IDGA is responsible for arranging and/or conducting UDGA and DCO training.

A4.2. Dangerous Goods Certifying Officer training. DCO training may be tailored to address only those classes, divisions, or United Nations (UN) numbers that they prepare for transport. The following elements must be included in the DCO training lesson plan:

A4.2.1. Basics of the SOFA and applicable HN DG regulations;

A4.2.2. Military regulations;

A4.2.2.1. USEUCOM Movement Control System;

A4.2.2.2. CDGP;

A4.2.2.3. Installation DGMP;

A4.2.2.4. Surveillance and security requirements;

A4.2.3. DCO responsibilities in accordance with the CDGP and installation DGMP;

A4.2.4. Waivers and exemptions;

A4.2.4.1. Exemptions (*ADR* section 1.1.3);

A4.2.4.2. Limited quantities (*ADR* section 3.4);

A4.2.4.3. Excepted quantities (*ADR* section 3.5);

A4.2.4.4. Exemptions (*ADR* section 1.1.3.6);

A4.2.5. Structure and overview of the *ADR*, *RID* and/or IMDG-Code, as applicable;

A4.2.5.1. Contents of *ADR* parts 1 through 9 and/or *RID*/IMDG-Code parts **1** through **7**;

A4.2.6. Dangerous Goods List (*ADR* section 3.2);

A4.2.7. Hazard Classification

A4.2.8. Characteristics of DG by class and danger label;

A4.2.9. DG forbidden for transportation;

A4.2.10. Hazardous Waste;

A4.2.11. Packaging of DG;

A4.2.12. Marking and labeling;

A4.2.13. Placarding and marking of vehicles and/or containers;

A4.2.14. Documentation;

A4.2.14.1. Documents to be carried on the transport unit;

A4.2.14.2. Contents and format of the transport document;

A4.2.15. Requirements to be complied by the vehicle crew (including tunnel provisions and load securing);

A4.2.16. Types of vehicles and/or railcars authorized for the carriage of DG;

A4.2.17. Safety equipment and fire-extinguishers;

A4.2.18. Loading and unloading;

A4.2.19. Handling and stowage;

A4.2.20. Mixed loading prohibitions;

A4.3. Unit Dangerous Goods Advisor training. The training of the UDGAs executing the unit's DG program shall include the following elements:

A4.3.1. All elements listed in **paragraph A4.2** as general awareness training. Other elements listed below require in-depth training.

A4.3.2. Basics of the SOFA and applicable HN DG Regulations;

A4.3.3. Military regulations;

A4.3.3.1. CDGP;

A4.3.3.2. Installation DGMP;

A4.3.4. Obligations of the DCO in accordance with CDGP and DGMP;

A4.3.5. Obligations of the UDGA in accordance with CDGP and DGMP;

A4.3.6. Obligations of the unit commander in accordance with CDGP and DGMP.

Attachment 5

DANGEROUS GOODS MANAGEMENT PROGRAM REQUIREMENTS

A5.1. Installation Dangerous Goods Management Program minimum requirements. Each installation's DGMP must align with local and HN laws and regulations. **(T-0)** Additionally, at a minimum, the plan must include the following activities and information:

A5.1.1. Monitoring compliance with the requirements governing the carriage of DG. **(T-0)**

A5.1.2. Advising the wing/installation on the carriage of DG. **(T-0)**

A5.1.3. Preparing an annual report for the wing/installation commander regarding the wing/installation activities in the carriage of DG. Such annual reports shall be preserved for five years and made available, through the CDGA office, to the HN authorities upon their request. **(T-0)**

A5.1.4. Procedures for compliance with the requirements governing the identification of DG being transported. **(T-0)**

A5.1.5. Procedures that take into account the special requirements of the DG being transported when procuring transport units (e.g., tank vehicles). **(T-0)**

A5.1.6. Procedures for checking the equipment used in connection with the carriage of DG. **(T-0)**

A5.1.7. Provide proper training of the wing/installation employees, including on the changes to the regulations, and the maintenance of records of such training. **(T-0)**

A5.1.8. Assuring the implementation of proper emergency procedures in the event of any accident or incident that may affect safety during the carriage of DG. **(T-0)**

A5.1.9. Investigating and, where appropriate, preparing reports on serious accidents, incidents or serious infringements recorded during the carriage of DG. **(T-0)**

A5.1.10. Implementing the appropriate measures to avoid the recurrence of accidents, incidents or serious infringements. **(T-0)**

A5.1.11. Assuring compliance with the legal prescriptions and special requirements associated with the carriage of DG in the choice and use of sub-contractors or third parties. **(T-0)**

A5.1.12. Verify that employees involved in the carriage of DG have detailed operational procedures and instructions. **(T-0)**

A5.1.13. Introduce measures to increase awareness of the risks inherent in the carriage of DG. **(T-0)**

A5.1.14. Implement verification procedures to ensure the presence of documents and safety equipment which must accompany transport and the compliance of such documents and equipment with the regulations. **(T-0)**

A5.1.15. Implement verification procedures to ensure compliance with the requirements governing the carriage of DG. **(T-0)**

A5.1.16. Monitor the existence of the security plan prescribed in the *ADR/RID*/IMDG-Code. **(T-0)**