BY ORDER OF THE COMMANDER
FAIRCHILD AIR FORCE BASE (AMC)

FAIRCHILD AIR FORCE BASE
INSTRUCTION

13-213

25 SEPTEMBER 2025

Nuclear, Space, Missile, Command and Control

AIRFIELD DRIVING PROGRAM

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

ACCESSIBILITY: This publication is available for downloading or ordering on the e-Publishing website at **www.e-Publishing.af.mil**.

RELEASABILITY: There are no releasability restrictions on this publication.

OPR: 92 OSS/OSAA

Certified by: 92 OG/CC
(Col Brian C. Epperson)

Supersedes: FAIRCHILDAFBI13-213, 21 February 2023

Pages: 69

The Fairchild Air Force Base (AFB) Airfield Driving Program (ADP) is published in accordance with the requirements of Department of the Air Force Instruction (DAFI) 13-213, *Airfield Driving*. The purpose of this document is to provide instruction for operation of motor vehicles on the Fairchild AFB airfield and for obtaining airfield driving authorization. This instruction promulgates requirements contained in DAFI 13-213, Air Force Manual (AFMAN), 24-306, *Operation of Air Force Government Motor Vehicles*, DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards*, and applies to all operators of motor vehicles on the Fairchild AFB airfield. It includes policy and procedures regarding airfield vehicle operations, initial and refresher airfield driver's training requirements, driving violations, accident reporting procedures, unit Airfield Driving Program Manager (ADPM) responsibilities, lesson plans, airfield diagram, sample letters and more. This instruction establishes airfield driving procedures, training and certification requirements for all motor vehicle drivers with access to Fairchild AFB (FAFB) airfield. This publication applies to all assigned, attached, or associate units of FAFB and units or individuals of units deployed to FAFB, to include Regular Air Force, the Air Force Reserve, the Air National Guard, and contractors. This publication does not apply to the United States Space Force. It also outlines procedures for issue and control of privately owned vehicle (POV) airfield permits and requirements for airfield driver certification. This instruction requires the collection and or maintenance of information protected by the Privacy Act of 1974 authorized by 5 USC 552a. The applicable System of Records Notice F024 AF IL C is available at: **https://pclt.defense.gov/DIRECTORATES/Privacy-and-Civil-Liberties-**

Directorate/Privacy/SORNsIndex/Article/4017136/f024-af-il-c/. Ensure all records generated as a result of processes prescribed in this publication adhere to Air Force Instruction (AFI) 33-322, *Records Management and Information Governance Program*, and are disposed in accordance with the Air Force Records Disposition Schedule, which is located in the Air Force Records Information Management System. Ensure all records created by this instruction containing Controlled Unclassified Information (CUI), including privacy records, are marked IAW DoDI5200.48_DAFI16-1403, *Controlled Unclassified Information (CUI)*, and AFI 33-332, *Air Force Privacy and Civil Liberties Program*. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using DAF Form 847, *Recommendation for Change of Publication*; route DAF Forms 847 from the field through the appropriate functional chain of command. This publication may not be supplemented or further implemented or extended. The authorities to waive wing, unit level requirements in this publication are identified with a tier ("T-0, T-1, T-2, T-3") number following the compliance statement. Submit requests for waivers through the chain of command to the appropriate tier waiver approval authority, or alternately, to the publication OPR for non-tiered compliance items.

SUMMARY OF CHANGES

This document has been revised and incorporates required changes IAW Air Mobility Command Supplement (AMCSUP) to DAFI 13-213, *Airfield Driving*, dated 17 April 2022.

Chapter 1—GENERAL POLICY AND RESPONSIBILITIES **6**

1.1. Policy. 6

1.2. Authorization. 6

1.3. Responsibilities. 6

Chapter 2—OBTAINING AF FORM 483 FOR AIRFIELD DRIVING (TRAINING, TESTING, AND ISSUANCE) **10**

2.1. Training Procedures. 10

2.2. Testing Procedures. 11

2.3. Issuance of AF Form 483. 12

2.4. Obtaining AF Form 483 for Airfield Driving (Training, Testing and Issuance) for TDY, Non-Base Assigned Contractor Personnel and Inspection/Survey Teams. ... 13

2.5. Base-Assigned Contractors. 13

2.6. Annual Refresher Training. 13

Chapter 3—OPERATING PROCEDURES AND STANDARDS FOR VEHICLES ON THE AIRFIELD **15**

3.1. Policy. 15

3.2. Procedures and Standards. 15

Figure 3.1. DAFVA 11-240. 18

Figure 3.2. AFVA 13-222. 18
Figure 3.3. Runway Markings. 19
Figure 3.4. Taxiway Centerline and Edge Markings. 19
Figure 3.5. Runway Edge Lights. 20
Figure 3.6. Runway Approach Lights. 20
Figure 3.7. Taxiway Edge Light Lights. 21
Figure 3.8. Mandatory Hold Signs. 21
Figure 3.9. Taxiway Guidance Signs. 22
Figure 3.10. VFR Hold Line. 22
Figure 3.11. Instrument Hold Line. 22
3.3. Procedures and standards for operating in the CMA. 23
3.4. FOD Prevention and Control. 25
Figure 3.12. FOD Check Sign. 26
3.5. Traffic Flow. 26
Figure 3.13. Vehicular Traffic. 26
3.6. Alerts and Exercises. 27
3.7. sUAS Procedures. 27
3.8. Driving in blackout conditions. 27
3.9. Disabled Vehicle. 27
3.10. Fire Department (FD) Operations. 27
3.11. Snow-removal procedures. 27
3.12. Jet Blast. 28
3.13. Visual and Radio Blind Spots. 28
3.14. Smoking Areas. 28
3.15. Pedestrian Movement. 28

Chapter 4—RADIO COMMUNICATIONS PHRASEOLOGY, DISCIPLINE AND TECHNIQUES 29

4.1. Radio Procedures. 29
4.2. Phraseology. 29
Table 4.1. Sample Read back Instructions. 30
Table 4.2. Sample Read back Instructions. 30
4.3. Air Traffic Control Tower Light Gun Signals. 30
4.4. Vehicle Call Signs. 31

Chapter 5—REPORTING, ENFORCEMENT AND VIOLATION CONSEQUENCES 32

5.1. Airfield Driving Violations and Accidents. 32

5.2. Airfield Driving Violation Categories and Consequences. 33

Table 5.1. Minor Airfield Driving Violations. 33

Table 5.2. Major Airfield Driving Violations. 33

5.3. Controlled Movement Area Violation Event. 34

Table 5.3. Disciplinary Actions. 36

Chapter 6—PRIVATELY OWNED, GOVERNMENT LEASE, AND CONTRACTOR VEHICLES 37

6.1. Airfield Permit Issuing Authority. 37

6.2. Authorization of Privately Owned Vehicles (POVs) On Airfield. 37

6.3. Authorized POV Airfield Permit. 37

6.4. Temporary Permits. 37

6.5. Construction Zones. 38

6.6. Protection Level Resources and Conditions. 38

6.7. POV List. 38

Chapter 7—HELICOPTER OPERATIONS 39

7.1. Helicopter Movement Area Driving Procedures. 39

7.2. Standards and Procedures. 39

Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 41

Attachment 2—LIGHT GUN COLOR RECOGNITION TEST 47

Attachment 3—COLOR VISION DOCUMENTATION MEMORANDUM (SAMPLE) 48

Attachment 4—UNIT AIRFIELD DRIVING PROGRAM MANAGER AND TRAINER(S) APPOINTMENT LETTER 49

Attachment 5—UNIT AIRFIELD DRIVING PROGRAM MANAGER TRAINING CHECKLIST 50

Attachment 6—RADIO CALL SIGNS 52

Attachment 7—AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST 56

Attachment 8—CONTRACTOR/TDY AF FORM 483 61

Attachment 9—AIRFIELD DRIVING DIAGRAM 62

Attachment 10—SECOND TIME TEST FAILURE MEMORANDUM (SAMPLE) 63

Attachment 11—CMA VIOLATION, RUNWAY INCURSION OR AIRFIELD DRIVING VIOLATION **64**

Attachment 12—REINSTATEMENT LETTER (SAMPLE) **65**

Attachment 13—POV JUSTIFICATION LETTER (SAMPLE) **66**

Attachment 14—FAIRCHILD/GUARDIAN DROP ZONE **67**

Attachment 15—REQUIRED DISTANCES FOR ROTARY AIRCRAFT AREAS (100') **68**

Attachment 16—HELICOPTER AUTOROTATION TRAINING MAP **69**

Chapter 1

GENERAL POLICY AND RESPONSIBILITIES

1.1. Policy. Motor vehicle operations on the airfield are necessary for mission accomplishment. Operating vehicles on the airfield, however, creates a clear and present danger to aircraft and personnel. Airfield driver carelessness and disregard of safety standards are the primary causes of aircraft vehicle collisions and Controlled Movement Area Violations (CMAVs).

1.1.1. The standards and directives on the following pages have been established for the control of all motor vehicles on FAFB airfield.

1.1.2. This instruction is applicable to all personnel driving on any portion of the FAFB airfield. This includes all locally assigned personnel (military and civilian), DoD, all tenant units, private contractors and temporary duty (TDY) personnel.

1.2. Authorization. Motor vehicle traffic on the airfield is restricted to government-owned vehicles (GOV) on official business. Privately Owned Vehicles (POVs), rental vehicles and vendor contractor vehicles are not authorized on the airfield without the approval of Airfield Management Operations (AMOPS). Reference **Chapter 6** for procedures on obtaining authorization for POVs, government leased vehicles, and contractor vehicles.

1.3. Responsibilities. 92 ARW/CC, 92 OG/CC, 92 ARW/SE, and unit commanders will conduct prescribed duties, roles and responsibilities as outlined in AFI 13-213 AMCSUP.

1.3.1. Wing ADPM (WADPM).

1.3.1.1. Is appointed by the 92 ARW Airfield Manager.

1.3.1.2. Validates requests and issues all airfield POV permits.

1.3.1.3. Ensures Unit Airfield Driving Program Managers (UADPMs) provide appropriate training to TDY personnel and non-base-assigned contractors based on type, location, time and duration of work. See Chapter **2** **and** **6** of this Airfield Driving Instruction (ADI) for additional information.

1.3.1.4. Inspects each program, to include a copy of the UADPM MICT SAC at least annually (every 12 months) for program integrity and compliance with this ADI. Programs will be re-inspected within 30 calendar days if there are any write-ups that warrant follow up actions. Programs that fail a second inspection are subject to a suspension of their unit's ADP.

1.3.1.5. Establishes a list of all AF Form 483, *Certificate of Competency*, driving restrictions in the Airfield Driving Training and Certification System (ADTCS) for use by the certifying official. Codes are: CMA Access Approved – "CMA", Daylight Hours Only – "D", MOPP Gear Authorized – "M", No CMA Access – "NON-CMA".

1.3.1.6. For additional responsibilities see AFI 13-213 AMCSUP.

1.3.2. Unit ADPM (UADPM).

1.3.2.1. Will be trained by the WADPM using AFI 13-213 AMCSUP, Attachment 5. and trained on the ADTCS database before assuming role of program manager.

1.3.2.2. Reviews ADTCS database at a minimum monthly. Ensures all personnel are completing training in a reasonable time, and still have a need to drive on the airfield, out process members as applicable, accept members in processing, and accepting those with restrictions. Personnel who do not complete all training within 60 calendar days will be evaluated for removal and/or possible restarting of training (141 ANG personnel will be evaluated at 90 days).

1.3.2.3. Trainees are entered into and will utilize ADTCS and complete training and certification prior to issuance of AF Form 483. UADPMs will review all ADTCS test failures with the trainee and provide additional training as required.

1.3.2.4. Ensures designated airfield driving trainers conduct and document practical day and night airfield familiarization training and practical driving test on members prior to issuance of an AF Form 483. Only persons certified on CMA procedures may train or certify others on CMA procedures. All newly appointed trainers will receive an initial training briefing regarding management of the airfield driving training program from their UADPM.

1.3.2.5. Ensures personnel undergoing training or orientation on the airfield do not operate a vehicle within 50 ft. of an aircraft, unless performing job-specific requirements such as firefighting, loading and unloading, refueling, etc. In all cases, while the trainee is driving, they must be qualified to operate the vehicle and be accompanied by a designated airfield driving trainer and/or UADPM. If the trainee is authorized to drive the vehicle have them start driving to gain experience on the airfield.

1.3.2.6. Ensures the vehicle operator is decertified and remedial training is completed before recertification when notified by the WADPM of an airfield driving violation. The UADPM will notify the individual's unit commander and WADPM in writing after revoking airfield driving privileges. **Note:** Personnel who lose base driving privileges will automatically lose airfield driving privileges.

1.3.2.7. Ensures all TDY personnel required to drive on the airfield and are assigned or attached to the unit, possess a home-station AF Form 483. If they are not licensed complete FAFB brief, and ensure the WADPM issues an AF Form 483, shown in **Attachment 8**. (see **Paragraph 2.4**.).

1.3.2.8. Ensures all personnel authorized to operate vehicles on the airfield and have a direct role in parking, servicing, or conducting maintenance on aircraft are familiar with the aircraft marshaling signals found in AFMAN 11-218, *Aircraft Operations and Movement on the Ground*, Chapter 2 and Attachment 2.

1.3.2.9. Ensures trainees who will drive in the CMA schedule themselves for color-vision testing if the member's Air Force Specialty Code (AFSC) is not identified in DAFMAN 36-2100, *Military Classification, Technical Training, and Retraining*, as being an AFSC requiring normal color vision. See **Paragraph 2.1.7** for additional information on color-vision testing.

1.3.2.10. Annual refresher training will be completed utilizing the ADTCS and at a minimum include Annual refresher test in ADTCS. **Note:** Personnel who do not have access to ADTCS will complete training via paper products. The test and CBT are available from the Wing ADPM.

1.3.2.11. Coordinates to identify a replacement UADPM. A new appointment letter will be forwarded to the WADPM not-later-than (NLT) 30 calendar days prior to the ADPM's PCS, deployment, or TDY. Training for the new program manager will be completed prior to the current manager relinquishing duties.

1.3.2.12. Use the MICT SAC to conduct and document a self-assessment of the unit's airfield driving program at least annually. Provide a copy to the WADPM upon request for functional oversight to determine overall program effectiveness and compliance.

1.3.2.13. For additional responsibilities see AFI 13-213 AMCSUP.

1.3.3. 92d Operations Support Squadron, Airfield Management (AM) (92 OSS/OSAA).

1.3.3.1. Conducts applicable airfield driving briefings for higher-headquarters (HHQ) inspectors or special teams as required. Reference AFI 13-213 AMCSUP.

1.3.3.2. Conducts applicable airfield driving briefings for contractors on the airfield, (**Attachment 8**). All contractor personnel, including subcontractors, require an airfield driving brief before proceeding to any airfield area.

1.3.3.3. Trains, certifies and issues airfield authorization to TDY personnel who are not sponsored by a unit, contractors and non-AF personnel working on the airfield.

1.3.3.4. Submits AF 651, *Hazardous Air Traffic Report (HATR)*, to WADPM and Airfield Manager (AFM) for processing to 92 ARW Safety Office (92 ARW/SE) within 24 hours for all CMAVs that have an adverse impact on flight operations (if not generated by ATCT).

1.3.3.5. Submits DAF 457, *USAF Hazard Report*, to WADPM and AFM for processing to 92 ARW/SE within 24 hours for specific incidents of runway incursions and other CMAVs that did not impact aircraft operations (if not generated by ATCT).

1.3.3.6. For additional responsibilities see AFI 13-213 AMCSUP.

1.3.4. 92d Operations Support Squadron, Air Traffic Control Tower (ATCT) (92 OSS/OSAT).

1.3.4.1. Reports known runway incursions, CMAVs and problems with vehicle operators, pedestrians and radio communications to AMOPS. Assists AMOPS to identify and locate unauthorized personnel and vehicles on or near the CMA.

1.3.4.2. Submits AF 651 through the AOF/CC to 92 ARW/SE within 24 hours for all runway incursions that have an adverse impact on flight operations. Provide a copy to the AFM and WADPM.

1.3.4.3. Submits DAF 457 through the AOF/CC to 92 ARW/SE within 24 hours for specific incidents of runway incursions and other CMAVs that did not impact aircraft operations. Provide a copy to the AFM and WADPM.

1.3.4.4. Provides light gun signals when requested for training purposes.

1.3.4.5. For additional responsibilities see AFI 13-213 AMCSUP.

1.3.5. 92d Security Forces Squadron (92 SFS).

1.3.5.1. Informs the WADPM of any new guidance that affects airfield driving.

1.3.5.2. Detains all unauthorized POVs driving on the airfield and notifies AMOPS. (Authorized POVs have a permit displayed on the far left-hand side of the front windshield).

1.3.5.3. Notifies WADPM of any vehicle mishaps and citations on the airfield after information is processed through 92 SFS/S5R (Reports and Analysis).

1.3.5.4. For additional responsibilities see AFI 13-213 AMCSUP.

1.3.6. 92d Medical Group (92 MDG).

1.3.6.1. Verifies the color-vision status of individuals for the purpose of airfield driving qualification. Reference AFI 13-213 AMCSUP.

1.3.6.2. Provides documentation of color-vision test results if needed (**Attachment 3**).

1.3.6.3. For additional responsibilities see AFI 13-213 AMCSUP.

1.3.7. 92d Contracting Squadron (92 CONS).

1.3.7.1. Ensures contractors needing access to the airfield are directed to AMOPS for an airfield driving briefing and agreement (**Attachment 8**).

1.3.7.2. Includes in all bid specifications, statements of work and requests for proposals for contract work on FAFB requirement to furnish its own conspicuous vehicle markings. **Note:** Two-way radio communications equipment will be provided by the sponsoring agency before vehicles can operate on the airfield.

Chapter 2

OBTAINING AF FORM 483 FOR AIRFIELD DRIVING (TRAINING, TESTING, AND ISSUANCE)

2.1. Training Procedures.

2.1.1. All base-assigned personnel whose job requires them to drive on the airfield must complete airfield driver's training and possess a valid AF Form 483 certified for airfield driving. UADPMs will provide trainees with the website link for ADTCS (**https://aodms.af.mil/AirfieldDriving)toself-register.If** a trainee is coming from another unit or base (PCA or PCS), their previous WADPM or current WADPM will PCS/PCA them to their new FAFB Unit in ADTCS.

2.1.2. Trainee will login to the ADTCS website and self-register. Members will select "Fairchild" then "92 AIR REFUELING WG" then their respective unit. **Note:** all 141 ANG member will select the "141 AIR REFUELING WG". Members that assign themselves to the wrong unit will need to notify the WADPM to be transferred.

2.1.3. After member self-register in ADTCS member will open their "Courses" tab and under "Assigned" enroll into the "myLearning Airfield Driving Training (CBT)". This course must be completed prior to enrolling into any other courses. Members already licensed skip to "Wing Refresher". **Note:** Members prior licenses that are PCS/PCA'd do not need to retake the course.

2.1.4. Upon completing the "myLearning Airfield Driving Training (CBT)" members will enroll in the Wing course/test.

2.1.5. Wing Test (92 ARW).

2.1.5.1. First, member will review the "Lessons" and check off all tasks by clicking on the "Next" button it the top right of the screen. All required training IAW AFI 13-213_AMCSup, are preloaded. **Attachment 7**'s will be maintained by the member's UADPM. Members must complete hands-on/practical day and night airfield driving before taking the wing test.

2.1.5.2. All members will be shown how to get to and from their work areas/centers to include vehicle gates to enter/exit the airfield and entry control points (ECP) on the airfield; how to conduct a foreign object debris (FOD) check; drive up to the Visual Flight Rule (VFR) and Instrument Hold Line (ILS) to show the control movement area boundary. If member has CMA access the member must request access into the CMA with ATCT via the Tower Net frequency.

2.1.6. Color-Vision Requirements. Personnel who require access to the CMA must have the ability to distinguish between red, green, white, yellow, and blue. If the member is determined to be color vision deficient, they can be issued an AF Form 483 with appropriate restrictions for apron and taxiway access only or ("NON-CMA") depicted on the front. Access to the CMA will not be granted at any time if the trainee does not pass the color vision test.

2.1.6.1. Members who require CMA access must have their **Attachment 7**, section III, signed by the clinic or off-base equivalent stating that the driver has normal color vision.

2.1.6.2. AFSCs that have a mandatory requirement for normal color vision do not require memorandums for color vision to be filed. These AFSCs are listed in the Officer and Enlisted Classification Directory which can be found on the AF Portal. It is recommended that UADPMs retain a copy of this AFSC listing in their program binders. UADPMs must still certify that the individual has normal color vision and/or no waiver to the classification directory standards. Also see DAFMAN 48-123, *Medical Examinations and Standards* for additional information.

2.1.6.3. For civilian employees who require access to the CMA, proper color vision should be listed as a requirement for employment. The color vision exam will be accomplished during the pre-employment exam. If the member fails color vision screening, they must be referred to an optometrist to determine the level of deficiency.

2.2. Testing Procedures.

2.2.1. Practical driving test. While on the airfield for familiarization, trainer will conduct a practical driving test and annotate completion in ADTCS. At a minimum, the individual must:

2.2.1.1. Drive the vehicle during the check ride.

2.2.1.2. Demonstrate the ability to operate a vehicle in all areas required for the duty position and/or work areas without assistance.

2.2.1.3. Identify what vehicle gates member will use to perform duties.

2.2.1.4. Identify restricted areas and entry control points (ECP) on airfield.

2.2.1.5. Identify the location of runways, VFR/INST Hold Lines and other CMAs (All drivers).

2.2.1.6. Conduct a light gun check with ATCT (CMA drivers only).

2.2.1.7. Demonstrate the ability to contact ATCT prior to entry on the CMA (CMA drivers only).

2.2.1.8. Demonstrate the ability to request access into the CMA with the ATCT via the Tower Net frequency (CMA drivers only).

2.2.2. ADTCS Test Question Requirements: All tests in the ADTCS must be comprised of at least 25 questions. Questions are classified as “general knowledge”, “runway incursion prevention”, “airfield diagram/layout”, or “communications”. Each test must meet the criteria listed AFI 13-213 AMCSUP. General Knowledge, Airfield Diagram/Layout, Runway Incursion Prevention and Communications will be combined into one test that meets each categories minimum requirements.

2.2.2.1. General Knowledge: These questions will ensure individuals are familiar with the ADI and local procedures at FAFB. Minimum passing score is 80%, corrected by UADPM to 100%. Of the 25 minimum test questions 15 question will cover “General Knowledge” (NON-CMA). Of the 25 minimum test questions 10 question will cover “General Knowledge” (CMA).

2.2.2.2. Airfield Diagram/Layout: These questions will ensure individuals know the location of runways, taxiways, aprons, perimeter road, VFR/INST Hold Lines, airfield

access points, etc. Individuals must achieve a minimum passing score of 100%. Of the 25 minimum test questions, 5 questions will cover airfield diagram/layout.

2.2.2.3. Runway Incursion Prevention: These questions will ensure individuals know what the major causes are for runway incursions and CMAVs, hot spots for violations, two-way radio contact requirements, etc. Individuals must achieve a minimum passing score of 100%. Of the 25 minimum test questions, 5 questions will cover "Runway Incursion Prevention" questions.

2.2.2.4. Communications: These questions are required for access onto the CMA; however, all personnel will take the test. Communication questions will ensure members know basic communication principles, phonetic alphabet, standard aviation phraseology, escort phraseology/rules and a simulation of radio communications between a vehicle operator and ATCT. Members must achieve a minimum passing score of 100%. Of the 25 minimum test questions, 5 questions will cover "Communications." (CMA tests only).

2.2.3. Test Failures.

2.2.3.1. First failure: UADPM will conduct additional training for those members who fail the wing test. UADPM will contact WADPM once remedial training is accomplished, but no sooner than 24 hours from the date of failure to unlock the test.

2.2.3.2. Second failure: UADPM request WADPM to unlock member's training after conduct material review/remedial training. Once remedial training is accomplished, but no sooner than 72 hours from the date of failure to unlock the test.

2.2.3.3. Third failure: Member will need unit commander approval to retest or determine member is not eligible to drive on airfield. Unit commander's request MFR for retest will be sent to the WADPM. Once remedial training is accomplished, but no sooner than one calendar week (Failed on Tuesday, able to test the following Monday) from the date of failure to unlock the test.

2.2.3.4. Fourth failures: Will result in individual being withdrawn from airfield driving training and deleted from ADTCS for one month before being eligible to reenroll in training. Member will need unit commander approval to reenroll in ADTCS. Unit commander's request MFR for reenrollment will be sent to the WADPM.

2.3. Issuance of AF Form 483.

2.3.1. UADPM will utilize the ADTCS website for an AF Form 483s to be issued to their airfield drivers. Individuals that don't have access to ADTCS will be trained and tested outside of ADTCS by the WADPM. 92 ARW AMOPS will enter their information into ADTCS after training and testing and issue an AF Form 483 via ADTCS.

2.3.2. Once trainees pass the CBT, Wing test, applies for and receives an approved license, they will print their AF Form 483 via ADTCS. They are now certified to drive on the airfield.

2.3.3. The AF Form 483 will be digitally signed via ADTCS website by 92 ARW AMOPS personnel. Certificate numbers, which are in the top right corner of the AF Form 483, are assigned electronically in ADTCS. Refresher training is annotated on the back side of the card electronically, and a new card can be printed from ADTCS.

2.4. Obtaining AF Form 483 for Airfield Driving (Training, Testing and Issuance) for TDY, Non-Base Assigned Contractor Personnel and Inspection/Survey Teams.

2.4.1. All TDY personnel, non-based assigned contractors and Inspection/Survey Teams will be briefed, by the WADPM or designated AM representative, on FAFB airfield driving procedures using The Fairchild Airfield Driving Brief.

2.4.2. For large inspection/survey teams a mass brief may be conducted, contact the WADPM at least one week prior their arrival date to set up an appointment.

2.4.2.1. This briefing will cover, at a minimum, basic orientation of the airfield, speed limits, CMA procedures and radio procedures.

2.4.2.2. Team members must carry a Fairchild Issued AF Form 483 **Attachment 8** or their home station AF Form 483 with them when operating on the airfield.

2.4.2.3. The digital AF Forms **Attachment 8** of trained drivers will be completed and maintained by the WADPM or designated AM representative.

2.4.2.4. TDY personnel, and inspection/survey teams, who have a valid home station AF Form 483 will still be required to be trained on local airfield driving procedures to operate a vehicle on the airfield without an escort. TDY personnel, Inspection/Survey teams and non-based assigned contractors will not be granted access to the CMA unless they have completed all training and testing requirements outlined in in this instruction.

2.4.2.5. For TDY, Non-Base Assigned Contractor Personnel and Inspection/Survey Teams needing POV passes for personal, company or rental vehicles refer to **Chapter 6**, PRIVATELY OWNED, GOVERNMENT LEASE, AND CONTRACTOR VEHICLES.

2.5. Base-Assigned Contractors.

2.5.1. Civilian contractor hired on a seasonal basis (i.e., snow-removal, mowers, etc.) must receive airfield training and certification annually. This applies to the designated escorts of contracted personnel. The UADPM is responsible for training and certification of base assigned contractors.

2.5.2. Base-assigned contractors or their designated escorts, will use ADTCS and must meet the same certification requirements as assigned military/DoD personnel as listed in AFI 13-213 AMCSUP and this ADI. If a base-assigned contractor does not have ADTCS access, they will be trained by the WADPM and issued an AF Form 483 via manual input by AMOPs.

2.6. Annual Refresher Training.

2.6.1. All personnel who are licensed to drive on the airfield at FAFB will conduct annual refresher training. Members will utilize the ADTCS database, and the following items must be completed:

2.6.1.1. Review of this ADI.

2.6.1.2. A review of the AFFSA Runway Incursion Prevention Briefing, located in the ADTCS refresher training items list.

2.6.1.3. Annual refresher test “92 ARW” on ADTCS will follow same criteria as all ADTCS tests.

2.6.2. Annual refresher training is located within ADTCS “Courses” and click “Take Refresher Training”. **Note:** The ADTCS site is accessible from any CAC enabled terminal. Therefore, refresher training may be completed while TDY or deployed instead of completing early/prior to departing. Failure to complete annual refresher training by the due date is cause for competency card suspension.

2.6.3. Once all refresher training is complete, drivers will print a new AF Form 483 from ADTCS, with Airfield Managements signature on the back of the AF Form 483.

Chapter 3

OPERATING PROCEDURES AND STANDARDS FOR VEHICLES ON THE AIRFIELD

3.1. Policy. The following procedures and standards will always be observed when vehicles are operated on the airfield. Strict adherence to these regulations will prevent CMAVs, runway incursions, accidental damage to aircraft and personnel.

3.2. Procedures and Standards. All personnel driving on the airfield must complete airfield driver's training or be escorted by a vehicle driver possessing a valid AF Form 483 prior to entering the airfield.

3.2.1. Units sponsoring TDY personnel or non-base assigned contractors are responsible for providing training or an escort who possesses a valid AF Form 483. TDY personnel/non-base-assigned contractors will not be granted access to the CMA unless they have completed all training and testing requirements outlined in this ADI.

3.2.2. Never block an aircraft. Vehicle operators shall yield right-of-way to aircraft. No vehicle (except "Follow Me") will be parked or driven in front of taxiing or hovering aircraft. No vehicle will be driven between an aircraft and a "Follow Me" vehicle or aircraft marshaller. FAFB marshallers stand approximately 100 ft. in front of the aircraft.

3.2.3. Yield right of way to all emergency vehicles. All vehicle operations not involved with an emergency response shall leave the area immediately and remain clear of the area.

3.2.4. Vehicles approaching taxiing aircraft must remain clear of the aircraft. Normally, this is accomplished by pulling off the taxiway onto an intersecting taxiway, or onto a parking ramp/apron, to clear the aircraft wingtip. Ensure vehicle is at least 50 ft. from the wingtip of the aircraft. **Note:** This may require pulling into the infield. If this is the case, make sure to perform a rollover FOD check when returning to the paved surface.

3.2.5. Use of headlights at night:

3.2.5.1. It is extremely important that vehicles operating on the airfield always be seen. While on the airfield, vehicles must have their low-beam headlights on to increase visibility for safety. When approaching a taxiing aircraft, reposition the vehicle to achieve appropriate wing-tip clearance and turn off headlights. Turn on parking lights and keep headlights off until the aircraft has passed.

3.2.5.2. Vehicles equipped with daytime running lights must be positioned so as not to shine lights toward moving aircraft. While towing equipment, vehicles will operate with flashers on. Except when required for special-purpose equipment, high-beams or fog lamps shall not be used on the airfield.

3.2.6. The driver and all passengers must wear seat belts and shoulder harnesses, if available. Passengers must remain seated and keep their arms and legs within the vehicle body while the vehicle is in motion. All flatbed vehicles carrying personnel in the back without seat belts must have sideboards installed.

3.2.7. Drivers will only use hands free capabilities while driving on the airfield (i.e. texting and driving, holding a phone in your hand to talk is not authorized). Wearing portable

headphones, earphones, or other listening devices while operating a motor vehicle is prohibited. Use of approved devices may impair driving and may prevent recognition of emergency signals, alarms, or radio calls.

3.2.8. Tire chains may only be employed on airfield pavements after obtaining coordination/ approval from AFM, 92 ARW/SE and 92 CES. Tire chains must be secure and in good repair to prevent FOD on the airfield. The requesting agency will conduct an operational risk assessment with the above agencies when evaluating the need for tire chains to minimize pavement damage and FOD hazard AFI 13-213 AMCSUP. The following units are authorized to use tire chains, after receiving approval from the aforementioned agencies, from 1 October – 31 April:

3.2.8.1. 92 MXS.

3.2.8.2. 92 AMXS.

3.2.8.3. 92 CES/CEF (Fire Department).

3.2.8.4. 92 LRS/LGRF (Fuels) and LGRDDO (Vehicle Operations).

3.2.9. Enter restricted areas (red-lined areas) at established entry control points. Do not cross the red boundary lines ("break red") unless authorized to do so by the Base Defense Operations Center (BDOC). **Note:** Airfield vehicle operators are authorized to cross restricted area painted red lines to clear the path of taxiing or towed aircraft. Once the aircraft is safely clear, proceed back across the red painted restricted area line to the original route. If Security Forces (SF) attempts to stop you, stop and explain your situation. No violation will have occurred. This is ONLY when no other option is available.

3.2.10. Bicycles, tricycles, segways, motorcycles, and scooters are not permitted on the FAFB airfield.

3.2.11. Use of government-owned golf carts, all-terrain/utilities vehicles (ATV/UTVs), are allowed on the airfield if the drivers have a current AF Form 483. The following requirements must be met:

3.2.11.1. All items inside golf carts, ATV/UTVs must be secured so as not to be blown out by high winds, jet blast, or prop wash.

3.2.11.2. Vehicles must remain a minimum 25 ft. in front of and 200 ft. behind all aircraft engines while running or about to start.

3.2.11.3. Most golf carts and ATV/UTVs are not equipped with speedometers, however they are not an exempt to speeding violations.

3.2.11.4. Golf carts, ATV/UTVs must be equipped with headlights and taillights when operating during periods of darkness and/or inclement weather.

3.2.12. Fuel pits. Vehicular traffic over fuel pit covers is prohibited.

3.2.13. Speed Limits. No vehicle will be operated at a speed more than that deemed reasonable and prudent for existing traffic, road and weather conditions. Any vehicles responding to a Red Ball, or precautionary landings are not authorized to exceed published speed limits. Alert and exercise responses see **Paragraph 3.6**. Airfield speed limits are designated as follows:

3.2.13.1. Vehicles within 50 ft. of an aircraft: 5 MPH.

3.2.13.2. Aircraft parking ramps: 15 MPH.

3.2.13.3. Special-purpose vehicles: 10 MPH.

3.2.13.4. Taxiways 15 MPH, Taxiway Papa 30 MPH.

3.2.13.5. Taxilane Juliet: 20 MPH.

3.2.13.6. Runway: as required but shall be reasonable and prudent for the conditions, not to exceed 55 MPH.

3.2.13.7. Airfield access or perimeter roads: 15 MPH.

3.2.13.8. Aircraft in tow: 5 MPH.

3.2.13.9. Aerospace Ground Equipment (AGE): 10 MPH; non-powered: 5 MPH.

3.2.13.10. Vehicle parking areas: 5 MPH.

3.2.13.11. Restricted visibility. During restricted-visibility conditions (visibility ½ mile or less), only mission-essential vehicles will be operating on the airfield at a maximum speed of 10 MPH.

3.2.13.12. Snow and ice removal operate at a speed that facilitates safe operations. When not removing snow or ice follow published speed limits.

3.2.13.13. Transient Alert may exceed published speed limits when necessary to accommodate the safe taxiing speed of aircraft.

3.2.13.14. During emergencies, all emergency response vehicles (aerospace rescue firefighting equipment, ambulances, AM, SFS, may exceed speed limits only with due regard for the safety or persons and property.

3.2.14. Vehicle Air Force Visual Aid (AFVA) requirements: All vehicles on the airfield, to include POVs and contractor vehicles, shall have the following visual aids:

3.2.14.1. DAFVA 11-240, *USAF Airport Signs and Markings*.

3.2.14.2. AFVA 13-222, *Runway/Controlled Movement Area (CMA) Procedures*.

3.2.14.3. The official airfield diagram for Airfield Driving. (**Attachment 9**).

3.2.15. Airfield Markings and Signs. Drivers on any part of the airfield must know the meaning of airfield markings and signs. All airfield vehicle operators will know and comply with all airfield signs, markings and ATCT signals. Drivers at Fairchild AFB will stop before Instrument Hold lines located on Taxiways Alpha, Bravo and Hotel and request permission from Tower before entering the Runway.

3.2.15.1. Airfield Signs: Reference UFC 3-535-01 Chapter 9.

3.2.15.2. Airfield Markings.

3.2.15.2.1. Runway: Reference UFC 3-260-04, Chapter 5 (See **Figure 3.3**.).

3.2.15.2.2. Taxiway Centerline: UFC 3-260-04, Chapter 6 (See **Figure 3.4**.).

3.2.15.2.3. Taxiway Edge Stripes/Apron Boundary: UFC 3-260-04, Chapter 6 (See **Figure 3.4**.)**.**

3.2.15.2.4. Instrument Hold Lines/ Visual Flight Rules (VFR) Hold Lines: UFC 3-260-04, **Chapter 6** (See **Figure 3.1**. Hold Lines).

3.2.16. Airfield Lighting.

3.2.16.1. Runway: Reference UFC 3-535-01, Chapter 5 (See Figures **3.5 and 3.6**.).

3.2.16.2. Taxiway: Reference UFC 3-535-01, Chapter 6 (See **Figure 3.7**.).

Figure 3.1. DAFVA 11-240.




Figure 3.2. AFVA 13-222.




Figure 3.3. Runway Markings.




Figure 3.4. Taxiway Centerline and Edge Markings.




Figure 3.5. Runway Edge Lights.



Figure 3.6. Runway Approach Lights.



Figure 3.7. Taxiway Edge Light Lights.



Figure 3.8. Mandatory Hold Signs.



Figure 3.9. Taxiway Guidance Signs.



Figure 3.10. VFR Hold Line.



Figure 3.11. Instrument Hold Line.



3.3. Procedures and standards for operating in the CMA.

3.3.1. The CMA is visually defined on all intersecting taxiways to the runway by either an ILS Hold Line (Taxiways Alpha, Bravo, and Hotel) or a VFR Hold Line marking (Taxiways Charlie, Delta, Foxtrot, and Golf). Vehicle access roads which intersect the runway there is a white stop bar painted on the paved surface and an associated STOP/FOD check sign. On all infield/un-paved surfaces, there are signs indicating where mowers and other mission essential support personnel identifying the CMA boundary.

3.3.2. No vehicle operator or pedestrian may enter the CMA without specific approval from ATCT. Vehicles and/or pedestrians without two-way radio contact with ATCT must be escorted into the CMA by another certified vehicle and/or pedestrian that has two-way radio contact with ATCT. While in the CMA they will monitor the Tower net.

3.3.3. All emergency response vehicles must have approval from ATCT or to enter the CMA. Fire Department (FD) vehicles may contact ATCT via the Crash Net for CMA access while responding to emergencies only.

3.3.4. First responders will typically proceed to Taxiway Delta, the approach end and roll-out end of the landing runway for an in-flight emergency. The Incident Commander will be the point of contact for contacting ATCT and receive permission to enter the CMA. All follow-on/support response agencies are required to stand-by on Taxiway Delta unless otherwise directed by the Incident Commander, to include SFS, medical first responders and maintenance personnel. These support agencies must still receive separate permission from ATCT to enter the CMA even after the FD has entered the CMA. **Exception:** If the support agencies have pre-coordinated with Fire Chief and have been added to the CMA request/coordination with ATCT as a plus vehicle. The Incident Commander is responsible for all vehicles called onto the CMA with them.

3.3.5. Vehicle drivers and/or pedestrians will read back all ATCT instructions verbatim.

3.3.6. Vehicle operators will use light-emitting diode (LED)/rotating beacon lights and/or emergency flashers when driving in the CMA.

3.3.7. Vehicles operating in the CMA daily should have a permanent radio mounted in the vehicle to communicate with ATCT. A hand-held radio should only be used as a back- up or when communication is required outside the vehicle. Conduct an operational test of the radio before entering the airfield.

3.3.8. Vehicle drivers and/or pedestrians operating in the CMA must use a distinct call sign (e.g., Airfield 1, Chief 1, Sweeper 1, TA 1, etc.) which has been approved and listed in **Attachment 6** in order to avoid duplicating, confusing, or different agencies using similar names (e.g., Airfield 1, Airfield Lighting, Airfield Sweeper, etc.).

3.3.9. In the event of vehicle or ATCT radio failure:

3.3.9.1. ATCT personnel will first flash the runway edge lights on and off then if needed, utilize the light gun to alert vehicle operators/pedestrians on the runway that there is a problem and/or emergency that requires them to immediately exit the runway.

3.3.9.2. All vehicle operators/pedestrians must exit the runway immediately. Contact ATCT or AMOPS immediately and advise when off the runway, include any pertinent information that might affect safe runway operations. If not able to communicate with

ATCT or AMOPS via radio, use other means of communication such as a cellular phone (using hand free device or stopped) or driving to AM to advise of the situation. Report incident to WADPM immediately.

3.3.9.3. When a vehicle operator experiences a radio failure in the CMA, vacate the CMA as quickly as possible and contact ATCT or AM by cell phone if hands free to advise of the situation. If this is not practical, after vacating the CMA turn the vehicle towards the Tower and start flashing headlights and wait for the controller to signal with the light gun.

3.3.10. Vehicle Operations Near Aircraft.

3.3.10.1. Vehicles will not be backed or parked in the immediate vicinity (25 ft. to front/200 ft. to rear) of any aircraft, except as authorized for operations such as loading or unloading, servicing or towing. If backing up toward an aircraft is necessary, post a spotter to guide the approach and pre-position chocks to prevent your vehicle from backing into the aircraft. Keep chocks in position until vehicle is ready to leave the area.

3.3.10.2. Do not operate a vehicle within the fuel servicing safety zone (FSSZ) during aircraft fueling operations. The FSSZ is the area within 50 ft. of a pressurized fuel-carrying servicing component IAW T.O. 00-25-172, *Ground Servicing of Aircraft and Static Grounding/Bonding*.

3.3.10.3. All vehicles will approach parked aircraft with the driver's side facing the aircraft.

3.3.10.4. Do not drive directly toward an aircraft.

3.3.10.5. When Fairchild Drop Zone (DZ) is active, vehicles will not be permitted to drive in the DZ. AMOPS will notify MOC and advise on the ramp net of the affected times. See **Attachment 14**.

3.3.11. Parking and Chocking Vehicles on Airfield Near or Adjacent to Aircraft.

3.3.11.1. When parking a vehicle on the airfield, the ignition will be turned off, gear lever will be placed in park and parking brake will be engaged. All motorized self-propelled vehicles without an integral braking system will be chocked while parked within a 25 ft. radius of an aircraft. Chocks will be placed both in front of and behind one of the rear wheels. At least one chock will be placed between the tandem wheels of dual axle vehicles. Standard transmission equipped vehicles or vehicles without a parking gear will be parked with the gear in reverse. Vehicles will be left unlocked with keys in the ignition when parked in an operational area of the airfield. The only vehicles exempt from these requirements are vehicles responding to an emergency, (i.e., FD, medical, AM, safety and SFS vehicles).

3.3.11.2. Vehicles within 25 ft. of an aircraft must be parked in a manner that permits departure from the area without backing. Do not park unattended vehicles pointed toward an aircraft. Never leave a vehicle unattended with the engine running exception for emergency vehicles. All wheeled AGE and maintenance equipment will have the brake on or, if not equipped with brakes, chocked.

3.3.11.3. Fuel trucks servicing aircraft or parked within 25 ft. are required to have one rear wheel chocked and the parking brake set (except when the temperature is below 32 degrees Fahrenheit and brake freezing could be expected.

3.3.11.4. Vehicles or equipment shall not be parked or sit idle on an active taxiway or taxilane centerline unless engaged in an aircraft tow or responding to an emergency.

3.3.11.5. Emergency vehicles that must remain in operation at the scene of an emergency and may be parked with the engine running, parking brake set, transmission in neutral or park and drive wheels chocked when the driver's seat is not occupied. AGE towing vehicles may be left running, with the vehicle placed in PARK or NEUTRAL, with parking brake applied while the driver is connecting or disconnecting support equipment and/or opening or closing hangar doors.

3.3.11.6. All motor vehicles will use emergency flashing lights or rotating beacons when temporarily parked on any part of the parking ramp during hours of darkness or inclement weather. This does not apply to vehicles parked in designated parking areas.

3.3.11.7. Lateral distance requirements for mobile obstacles. Vehicles and equipment will not be parked in the runway lateral clearance zone (Taxiway Papa). This area shall be kept clear of fixed or mobile objects. No vehicles or equipment shall be left within 200 ft. of a taxiway centerline. For aprons (parking ramps), the distance required to be kept free of obstructions is dependent on the type of aircraft utilizing the parking spot.

3.4. FOD Prevention and Control.

3.4.1. FOD Containers. All vehicles normally driven on the airfield will be equipped with secured lidded FOD containers stenciled with the word “FOD” in contrasting letters no smaller than two inches (AFI 21-101, *Aircraft and Equipment Maintenance Management*). FOD prevention is everyone’s responsibility and is critical to mission safety. Anyone who sees foreign objects on the airfield should pick them up.

3.4.2. All vehicles entering the airfield, including the street side entrances, hangars and unpaved surfaces such as Perimeter Rd and facilities located in the infield, will stop and perform an inspection of their vehicle tires for foreign objects prior to entering. Before entering the airfield, inspect the exterior of vehicle for loose objects and remove foreign objects to prevent possible FOD incidents. Example of FOD Check sign can be seen in **Figure 3.8**. Driving off paved surfaces should be avoided, except in an emergency situation or if duty related. **Note:** Check with AM for local procedure updates.

3.4.3. Drivers of vehicles entering airfield pavements from an unpaved surface shall check the vehicle tires for foreign objects. Before proceeding onto the airfield, any foreign objects removed from tires will be kept in a FOD containers or inside the vehicle until it can be disposed of off the airfield. If paved surfaces have loose rocks or gravel, stop the vehicle, check tire treads and remove foreign objects before driving on aircraft-movement surfaces. Contact AM for removal of excess foreign objects, (i.e., mud, rocks, dirt). Do not enter airfield access roads during muddy conditions unless mission essential. Do not drop rocks/FOD on the pavement when removing them from tires.

Figure 3.12. FOD Check Sign.




3.5. Traffic Flow.

3.5.1. Routine vehicle traffic operating on the taxiways will stay to the immediate right of the taxiway/lane centerline and avoid driving on taxiway shoulders (See **Figure 3.9**.). When leaving the vicinity of an aircraft, make a 90-degree turn and proceed back to the yellow taxiway/lane centerline.

3.5.2. Vehicle passing should be avoided. Passing on the right-hand side of another vehicle is prohibited. If required be cautious when passing another vehicle and ensure that no hazards exist. Emergency response vehicles, AM and Snow removal vehicles may deviate from normal traffic patterns while performing official duties.

Figure 3.13. Vehicular Traffic.



3.6. Alerts and Exercises.

3.6.1. When directed by 92 SFS, all POVs will be removed from the airfield during increased force protection conditions (FPCON) measures, (See 92 ARW PLAN 31-1, *Integrated Defense Plan*). This includes real-world and exercises. When authorized, shuttle transportation to and from airfield will be provided.

3.6.2. Use caution when parking on spots R1/2, spots 5/6, the Christmas Tree. These areas are congested and have a high potential for accidents.

3.6.3. Exercise speed limits. No vehicle will be operated at a speed more than that deemed reasonable and prudent for existing traffic, road and weather conditions. All vehicles participating in alerts, exercises, Red Ball, or precautionary landings are not authorized to exceed the speed limits in 3.2.13 unless specified below.

3.6.4. During Exercises the speed limits in 3.2.13 may be exceeded for mission requirements without impeding safe operations in the following areas.

3.6.4.1. Aircraft Parking ramps.

3.6.4.2. Taxiways.

3.6.4.3. Taxilane Juliet.

3.7. sUAS Procedures.

3.7.1. When Base Defense Operations Center (BDOC) contacts ATCT after detecting a Small Unmanned Aircraft System, ATCT notifies all vehicle drivers to stop movement via Ramp Net. After the airspace has been determined safe, they will resume normal operations.

3.7.2. ATCT will then use the Primary Crash Net (PCN) to communicate the location of the threat (now a ground hazard) to everyone on the airfield. AM will then close or suspend operations in the area until a FOD sweep has been concluded.

3.8. Driving in blackout conditions. Night-vision device (NVD) driving operations are not authorized and will not be conducted on the FAFB airfield.

3.9. Disabled Vehicle. When a vehicle has a malfunction that prevents operation under its own power, every means will be used to alert taxiing aircraft in the vicinity. Notify Airfield Management immediately of the location. At a minimum, the ground vehicle operator will leave the vehicle parking lights or emergency flashers on.

3.10. Fire Department (FD) Operations.

3.10.1. To meet requirements for driver's training, FD drivers may be required to exceed the speed limits listed in **paragraph 3.2.9**.

3.10.2. Coordinate with the AFM two hours prior to conducting an exercise or training on the airfield. Additionally, FD will notify Command Post (CP), Maintenance Operations Center (MOC) and SFS before conducting this training.

3.11. Snow-removal procedures.

3.11.1. During snow and ice removal, snow equipment vehicles have the right- of-way. Snow and ice vehicles operate at a speed that facilitates safe operations.

3.11.2. Airfield drivers will not drive through snow berms or in front of snow removal equipment performing snow/ice/de-icing/operations.

3.12. Jet Blast. Jet blast is an airfield hazard and at a high speed can disrupt a motor vehicle. Areas of concern are as follows: Spots 13 and 14, 24-28, 33-45, 55-67, R1 and 2, R5 and 6, on the shoulder of the Christmas Tree.

3.13. Visual and Radio Blind Spots.

3.13.1. There are several areas on the airfield which ATCT cannot see (visual blind spots). These areas are: Taxiway Foxtrot and Taxilane Juliet intersection, spots 2-8 on the Christmas Tree, spots 56-67, spots 82-86, and the areas in front of Hangars 1 and 4 on Building 2050. Visual blind spot areas are also annotated on the airfield diagram **Attachment 9**.

3.13.2. There are no known radio blind spots on FAFB.

3.14. Smoking Areas. Smoking is prohibited on the runway, taxiways, taxilanes, or parking aprons. Use designated smoking areas only. Designated Tobacco Areas (DTA) are in the following areas:

3.14.1. South side of Building 1 (50 ft. from the building).

3.14.2. Northeast corner of Building 2050 (50 ft. from Hangar 1 personnel door, inside the smoking shelter).

3.15. Pedestrian Movement. Pedestrians are authorized on the airfield for official business in support of the flying mission, and will adhere to the following procedures:

3.15.1. Walk facing oncoming traffic.

3.15.2. Will not sit or position on the ramp in such a manner that interferes with normal ground vehicle and aircraft operations.

3.15.3. Will not enter the CMA without two-way radio contact and approval from ATCT.

Chapter 4

RADIO COMMUNICATIONS PHRASEOLOGY, DISCIPLINE AND TECHNIQUES

4.1. Radio Procedures.

4.1.1. Authorized airfield personnel do not require two-way communications with ATCT for operation of vehicles outside of the CMAs.

4.1.2. A discreet FM radio frequency is established for the exclusive purpose of vehicle-to-ATCT communications. Tower Net will always be monitored by ATCT for vehicles requesting access onto the CMA.

4.1.3. No vehicle will proceed on or across a CMA without approval from ATCT. Vehicles will come to a complete stop at the ILS or VFR hold lines before asking for permission to enter the CMA. Vehicles approaching a CMA from access roads will stop at the white vehicle stop lines and stop signs to obtain approval before proceeding. When approaching from the infield stop before the posted signs to obtain approval before proceeding.

4.1.4. It is critical that all vehicles approved on the CMA notify ATCT when they have exited the CMA and exit location. Vehicle operators shall NOT use the word “clear,” “cleared,” or “clearance” to exit the CMA. Any instructions received from ATCT will be read back verbatim. **Exception:** Vehicle operators may reply, “Loud and Clear” in response to an ATCT request for radio transmission quality or clarity.

4.1.5. Vehicles required to operate on both sides of the runway should use the perimeter road and not cross the runway. The following exceptions are permitted:

4.1.5.1. FD, when responding to an emergency and when conducting training at the fire training grounds.

4.1.5.2. Ambulance, when responding to an emergency.

4.1.5.3. SFS, when responding to an emergency.

4.1.5.4. Radar Airfield Weather Systems (RAWS), when responding to emergencies or other mission-related duties.

4.1.5.5. Wing Safety and United States Department of Agriculture for mission-related duties.

4.1.5.6. Entomology/Snow Barn, for mission related duties.

4.2. Phraseology.

4.2.1. Proper phraseology when transmitting on any frequency used for ground control on the airfield will be limited to “Fairchild Ground, call sign, followed by the specific request.” When requesting permission to enter the CMA, the individual’s specific request will be included in the vehicle’s location on the airfield.

4.2.2. Due to the variety of frequencies monitored by ATCT, it is imperative that all individuals use proper and concise radio phraseology. ATCT has ultimate authority over all traffic entering the CMA and will issue, specific instructions by radio or directional light gun signals, approving or disapproving access onto the CMA.

4.2.3. Use of nonstandard terminology such as “ten-four,” when conducting communications over tower net will not be condoned due to the possible misinterpretation by other individuals operating on these frequencies. All radio communication while operating on tower net will be kept to an absolute minimum.

4.2.4. For CMA access, training airfield drivers of ATCT phraseology is mandatory. Drivers operating on the airfield are required to read back verbatim, to ATCT any instruction when operating in the CMA.

4.2.5. A typical runway crossing transmission sequence is as follows:

4.2.5.1. Sample Read back Instructions:

Table 4.1. Sample Read back Instructions.

VEHICLE OPERATOR:	*“AIRFIELD ONE UNDERSTANDS APPROVED TO CROSS (runway) AT (point/intersection). WILL REPORT WHEN OFF.”* **OR** *“AIRFIELD ONE. HOLDING SHORT (at location).”*
VEHICLE OPERATOR:	*“FAIRCHILD GROUND, AIRFIELD ONE CROSSING COMPLETE, OFF (runway) AT (location).”*
ATCT:	*“AIRFIELD ONE, ROGER.”*

4.2.5.2. Sample Runway Crossing Phraseology:

Table 4.2. Sample Read back Instructions.

VEHICLE OPERATOR:	*“FAIRCHILD GROUND, AIRFIELD ONE.”*
ATCT:	*“AIRFIELD ONE, FAIRCHILD GROUND.”*
VEHICLE OPERATOR:	*“FAIRCHILD GROUND, AIRFIELD ONE REQUEST TO CROSS (runway) AT (point/intersection).*
ATCT:	*“AIRFIELD ONE, CROSS (runway) AT (point/intersection).* **OR** *“AIRFIELD ONE, HOLD SHORT OF (runway).”*

4.2.5.3. Reference DAFI 13-213 for common use phrases: Affirmative, Negative, Wilco, etc.

4.2.5.4. Phonetic Aviation Alphabet. Because some letters have similar sounds, like B and P, the international aviation industry uses the phonetic aviation alphabet to reduce confusion. For the phonetic aviation alphabet reference AFI 13-213 AMCSUP.

4.3. Air Traffic Control Tower Light Gun Signals. ATCT uses a light gun as a backup system for communicating with aircraft, vehicles, and pedestrians if their radios stop working. All airfield vehicles will have the ATCT light-gun signals DAFVA 11-240 displayed in the vehicle, where it is easily available for reference. Suggest clipped to the inside of the driver’s sun visor. The AFVAs are available for printing in color via the e-publishing website. Reference **Figure 3.1**. & **Figure 3.2**.

4.4. Vehicle Call Signs. Based land mobile radio (LMR) net call signs are managed by the personal wireless communications system (PWCS) manager unless otherwise designated by the base commander. Vehicle call signs will be coordinated by the WADPM to ensure duplicate call signs are not used. Vehicle approved call signs are found in **Attachment 6**.

Chapter 5

REPORTING, ENFORCEMENT AND VIOLATION CONSEQUENCES

5.1. Airfield Driving Violations and Accidents.

5.1.1. Violators of airfield driving rules are subject to citation by 92 SFS personnel for violating DoD and FAFB Traffic Enforcement Codes IAW 92 ARW Installation Defense Plan 31-1. Airfield driving violations or accidents will be reported to the WADPM to determine further requirements (this is in addition to other notification criteria that may require SFS action, etc.).

5.1.2. Personnel observing airfield violations should, as a minimum, record license number or government registration number of the vehicle, the type of incident, the time of the occurrence and the location. This information should be reported via phone to AMOPS and BDOC immediately.

5.1.3. AM or designated representative and/or SFS, depending upon the situation, will determine if the vehicle and its operator will be allowed to move or stay in place.

5.1.4. The individual involved will be escorted to AM to obtain the name and organization and a written statement from all involved parties (**Attachment 11**). When feasible, the UADPM and the operator's immediate supervisor will attend this interview. Based upon the findings, the WADPM or designated representative will take whatever appropriate corrective action is deemed necessary.

5.1.5. If a runway incursion or CMAV occurs and an aircraft was involved, the WADPM must notify 92 ARW/SE, AOF/CC and AFM to ensure appropriate documents are being filed (hazardous air traffic report or other safety investigation requirements). All runway incursions or incidents will be documented on **Attachment 11**.

5.1.6. CMAVs must be reported to AM immediately. AMOPS will take the necessary steps to have the individual operating the vehicle escorted to AM. Obtain the name and organization of the driver and the driver's statement concerning the incident. The statement will be recorded on **Attachment 11**, CMA Violation, Runway Incursion, or Airfield Driving Violation, and filed with the Wing ADPM and AFM.

5.1.7. The WADPM, AFM, UADPM, and unit commanders have the authority to revoke airfield driving privileges. Revoking airfield driver's licenses is done in ADTCS and will result in the driver re-accomplishing all training and testing. When the license is revoked, the AF Form 483 is confiscated, and the individual is prohibited from driving on the airfield until appropriate refresher training is accomplished and the individual is recertified, and a reinstatement letter is approved and on file with the WADPM. The unit commander and the UADPM will be notified by the WADPM when an individual's airfield driving privileges have been revoked.

5.1.8. If an individual is decertified, the UADPM will immediately enter the individual into remedial training. Remedial training will include the entire initial training program with special emphasis in the areas in which a violation occurred. Upon completion of remedial training, the UADPM will forward a reinstatement letter signed by the unit commander to the WADPM prior to relicensing within ADTCS.

5.1.9. The Wing Test will be enabled by WADPM or designated representative in ADTCS. If the trainee fails, an immediate review of the unit's airfield driving program and an interview with the trainee's airfield driving UADPM and/or trainer will occur prior to any further training of the individual. The WADPM will make the final determination to reinstate or deny airfield driving privileges.

5.2. Airfield Driving Violation Categories and Consequences.

5.2.1. Minor violation. A minor violation is defined as an unsatisfactory condition that requires correction but doesn't endanger personnel, jeopardize equipment reliability or warrant discontinuing a process or equipment operation. Disciplinary actions will be as follows for MINOR violations (within a 12-month period).

Table 5.1. Minor Airfield Driving Violations.

Occurrence	Action
First Violation	Written warning, unit commander, UADPM, and WADPM notified via e-mail.
Second Violation	Suspension of AF Form 483 for a minimum of seven calendar days. Remedial training is mandatory. Individual suspending the AF Form 483 will email WADPM to report the incident with all the required data to update the database.
Third Violation	Immediate revocation of AF Form 483 for 30 calendar days after verification of third incident within 12 months. Remedial training is

5.2.2. Major violation. A major violation is defined as any driving violation within 50 ft. of an aircraft or any condition that would endanger personnel, jeopardize equipment reliability, or warrant discontinuing a process or equipment operation. Disciplinary actions will be as follows for MAJOR violations (within a 12-month period).

Table 5.2. Major Airfield Driving Violations.

Occurrence	Action
First Violation	Incur a warning (minimum) or loss of airfield driving privileges for a period of up to 30 calendar days.
Second Violation	Loss of airfield driving privileges for a period of 60 calendar days
Third Violation	Loss of airfield driving privileges for a period of six months.

5.2.3. On top of the above mentioned in **5.2.1 & 5.2.2**, the following specific violations will result in citations issued by 92 SFS. These citations will be tied to the driver's base driving record and 3 points will be applied for each of the following violations.

5.2.3.1. Driving between a marshaller and aircraft.

5.2.3.2. Vehicles driving 200 feet or less in front of a taxiing aircraft.

5.2.3.3. Vehicles driving 100 feet or less in front of snow removal equipment.

5.2.3.4. CMAV (Controlled Movement Area Violation).

5.3. Controlled Movement Area Violation Event.

5.3.1. A CMAV event is defined as an airfield violation caused by vehicles or pedestrians who enter the CMA without specific approval from ATCT. This also includes runway incursions.

5.3.2. A runway incursion is a CMAV event that involves the incorrect presence of an aircraft, vehicle or person on the protected area of a surface designated for the landing and take-off of aircraft.

5.3.3. Runway incursions are further classified into three operational categories: operational error, pilot deviation and vehicle/pedestrian. (**Attachment 1**)

5.3.3.1. The unit commander, Unit ADPM, and Wing ADPM will be notified immediately of any CMAV event.

5.3.3.2. For an actual or suspected runway incursion, the individual's AF Form 483 shall investigation and retraining is completed. The member's profile in the ADTCS will be suspended. Only the WADPM can un-suspend the member's ADTCS profile.

5.3.3.3. The unit commander of the individual who committed a runway incursion will be notified that one of their unit personnel was involved in a CMAV and the incident is under investigation. This notification will be made within 3 duty days of the alleged incident.

5.3.3.4. Runway incursions and CMAV events will be reported to 92 ARW/SE as outlined in DAFMAN 91-223, *Aviation Safety Investigations and Reports*.

5.3.3.5. The WADPM, AOF/CC, and 92 ARW/SE will work as a team to assign all runway incursions an operational category (operational error, pilot deviation and vehicle/pedestrian) as defined in **Attachment 1** for trend analysis. The AOF/CC will ensure these classifications are annotated in the recommendation section of the DAF Form 457 or narrative section of the AF Form 651.

5.3.3.5.1. An AF Form 651 and/or DAF Form 457 will be completed and include the following information in the narrative section:

5.3.3.5.2. Individual's information (e.g., rank, job title, organization, TDY, or base assigned).

5.3.3.5.3. Individual's experience working on or near the airfield and date trained.

5.3.3.5.4. If individual was authorized on the airfield and/or CMA.

5.3.3.5.5. If individual completed all training required to operate a vehicle on the airfield.

5.3.3.5.6. Approximate location where the CMAV occurred (e.g., runway/taxiway intersection, distance from threshold or overrun etc.).

5.3.3.6. The WADPM will take immediate actions to correct any identified systematic problems and ensure interim control measures are applied until permanent corrections are made.

5.3.3.7. The WADPM and 92 ARW/SE will inspect the unit's airfield driving program of personnel who commit a runway incursion as part of the investigation. Emphasis will be placed on how the unit trained the individual and their compliance with the ADI. The results will be reported to the unit commander.

5.3.3.8. In the event of a CMAV or vehicle operations on the airfield that endanger any aircraft airborne operations, or endanger aircraft ground taxiing ATCT will:

5.3.3.8.1. Log the date and time of unauthorized vehicle movement.

5.3.3.8.2. Immediately notify AM of the vehicle and position.

5.3.3.8.3. Contact SFS and AM to have the vehicle driver detained and escorted to the WADPMs office to process the violation.

5.3.3.8.4. Complete an AF Form 651 and/or DAF Form 457 and forward to 92 ARW/SE and Wing ADPM.

5.3.3.9. In the event of CMAV, the WADPM or AMOPS personnel will:

5.3.3.9.1. Confiscate the violator's AF Form 483 and suspend member in ADTCS.

5.3.3.9.2. Ensure the detaining official escorts the violator to AM. The WADPM will take immediate actions to correct the problem or apply interim control measures.

5.3.3.9.3. Ensure 92 ARW/SE is forwarded a copy of the AF Form 651 and/or DAF Form 457 on the violation or incursion as soon as possible (notification must be within 24 hours of violation IAW DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program*.

5.3.3.9.4. Ensure 92 ARW/SE forwards applicable copies of AF 651 to the AOF/CC after investigation is completed for records filing.

5.3.3.9.5. After successful retraining is completed, forward reinstatement of driving privilege letter to the WADPM for approval and reinstate member in ADTCS.

5.3.3.10. 92 SFS will issue a citation with 3 points applied to the drivers base driving record.

5.3.3.11. 92 ARW/SE will:

5.3.3.11.1. Investigate occurrence and process the intruder's AF Form 651 and/or DAF Form 457, IAW DAFI 91-202.

5.3.3.11.2. Coordinate processing of AF Form 651 and/or DAF Form 457 with the Wing ADPM.

5.3.4. Gross or repeated violations of safety or of airfield driving rules or an overall demonstrated lack of ability on the part of the licensee will result in suspension of airfield driving privileges, surrender of AF Form 483 without comment or revocation of the certificate.

5.3.4.1. Suspension of airfield driving privileges for Minor/Major violations or CMAVs can be done by any supervisor in the driver's chain of command, 92 SFS, 92 ARW/SE, 92 MXG/QA or AM may suspend a driver's certification pending further training. All suspensions will be reported to the UADPM and WADPM. Member's profile in the ADTCS will be suspended. Only the WADPM can unsuspended the member's profile.

5.3.4.2. In all cases of suspended airfield driving privileges, the unit commander will submit a letter to the WADPM identifying actions taken. The letter should confirm that all requirements outlined in this instruction have been re-accomplished if reissue of AF Form 483 is desired. The respective UADPM or designated trainer will indicate in the commander's letter if the violator has successfully completed remedial training.

5.3.4.3. Surrender. All licensees will surrender AF Form 483 upon request of the UADPM, unit commander or by the WADPM or designated representative. The licensee will notify the UADPM if someone other than the UADPM has demanded the surrender of their AF Form 483.

5.3.4.4. Revocation. The AF Form 483 may be revoked by their UADPM, unit commander or the WADPM or the representative. Once the AF Form 483 is revoked, another certificate will not be reissued until the driver is retrained and tested and without the explicit approval of the WADPM. All revoked certificates will be forwarded to the WADPM.

5.3.5. Violators are also subject to actions taken by 92 SFS. All suspended, surrendered or revoked certificates require written correspondence from the individual’s unit commander to be reissued. Progressive disciplinary action will be applied to repeated violators in the following manner:

5.3.6. Disciplinary actions will be as follows in **Table 5.3** for CMAVs.

Table 5.3. Disciplinary Actions.

Occurrence	Action
First Violation	Incur loss of airfield driving privileges for a minimum of 30 calendar days
Second Violation	Loss of airfield driving privileges for six months or permanent revocation if within a 12-month period.
Third Violation	Loss of airfield driving privileges for one year or permanent revocation.
Note: 92 ARW/CC has the waiver authority to reduce this suspension.	

5.3.7. Repeated airfield driving violations by the same individual or unit may result in permanent revocation of airfield driving privileges and or loss of vehicle permits for that unit. In the event of repeated violations, the UADPM will meet with the WADPM to determine appropriate remedies.

5.3.8. Individuals detected on the airfield during a random check without an **Attachment 8** an/or an AF Form 483 will be in violation of this instruction. The individual’s background information (i.e. date, name, rank, unit and nature of violation, commander’s and supervisor’s names) will be taken to AM. The unit and nature of violation will also be presented to the Wing/CV or designated representative at the Airfield Operations Board. Individuals will not be permitted to operate on the airfield until the investigation is complete.

5.3.9. The possession of a restricted area badge and/or a government driver’s license does not constitute airfield driving privileges.

Chapter 6

PRIVATELY OWNED, GOVERNMENT LEASE, AND CONTRACTOR VEHICLES

6.1. Airfield Permit Issuing Authority. Host AM is the issuing authority for POV passes.

6.2. Authorization of Privately Owned Vehicles (POVs) On Airfield.

6.2.1. POVs operating on the airfield are discouraged and shall be restricted to an absolute minimum. Authorization to operate a POV on the airfield is limited to those persons who must use a POV to perform special duties or other mission essential tasks on the airfield when government-owned vehicles cannot be provided. POV access may also be granted to individuals working in facilities accessible only from the airfield.

6.2.2. POVs authorized on the airfield shall be clearly identified with an airfield permit IAW DAFI 31-101, *Base Defense Operations.* Only POVs with current valid state registrations and airfield permits for FAFB shall be granted airfield access. All drivers must possess a current AF Form 483 or **Attachment 8** to drive on the airfield.

6.3. Authorized POV Airfield Permit. POVs and contractor vehicles must display an airfield permit. The permit must be clearly visible and mounted on the left/driver's side of the dashboard or outer portion of the vehicle if no window is available. The permit must be visible (always facing out) when the vehicle is in motion or when parked on the airfield. Owners of vehicles found without a permit will be removed from the airfield and will be subject to towing at vehicle owner's risk and expense.

6.3.1. POV permits are accountable, controlled items. The permits are issued and revalidated annually (Dec) for each new calendar year. Permit appearance will be changed annually and the WADPM will issue an announcement advising affected personnel when the permit changes. Once issued, these permits are not transferable to others. If permit is lost, stolen or damaged, UADPMs must submit a written letter endorsed by unit commander to the WADPM stating the circumstances of the loss. All POV permits must be turned in to the WADPM when no longer needed.

6.3.2. Request for an annual airfield permit must be endorsed by the individual's unit commander, company, or contractor representative for driving on the airfield. This shall not be delegated. Submit memos to the WADPM listing the authorized individuals from their units/company annually, no later than 1 December of the preceding year. The memo will follow the format provided in **Attachment 11** and can be sent via e-mail.

6.4. Temporary Permits. Temporary airfield vehicle permits will not be issued for personal use. Only rental cars and contractor vehicles to be used for official duty on the airfield will be granted temporary airfield passes.

6.4.1. Temporary airfield vehicle permits must be clearly visible and mounted on the driver's side of the dashboard of the vehicle or outer portion if no window is available. The permit will always be visible when the vehicle is in motion or when parked on the airfield.

6.4.2. Temporary airfield vehicle permits shall be issued only to contractor personnel who possess a valid and current FAFB contractor's permit (**Attachment 8**). All contractor vehicles will display the following when operating on the airfield:

6.4.2.1. Permanent company identification or logos prominently displayed on the vehicle exterior.

6.4.2.2. Temporary airfield permits issued by AM.

6.5. Construction Zones. Operators of contractor vehicles operating within designated project sites or "construction zones" will be briefed by the WADPM or designated representative for airfield driving authorization, as required, within their work areas only.

6.6. Protection Level Resources and Conditions. Protection Level 1 and 2 restricted areas are always off-limits to POVs, unless specifically authorized by 92 ARW PLAN 31-1. Authorized POVs have access to Protection Level 3 and 4 areas except during increased FPCONs. This restriction does not apply to rental vehicles used for alert crews performing official duties. These vehicles shall display airfield permits issued by AM.

6.7. POV List. WADPM will provide SFS with a current and accurate list of all POVs authorized on the airfield. SFS will process and remove any POV from the airfield that does not display the temporary airfield permit and is not registered by AM. Any airfield driver not in possession of a valid and current AF Form 483 or **Attachment 8** airfield driving briefing and agreement for contractor and TDY personnel will be detained and cited for operating a motor vehicle on the airfield without a permit and be escorted off the airfield. AM is the sole responsible agency for authorizing and documenting POVs on the airfield.

Chapter 7

HELICOPTER OPERATIONS

7.1. Helicopter Movement Area Driving Procedures. Motor vehicle operations on the airfield are necessary for mission accomplishment however, driving around helicopters can be more unpredictable than other areas on the airfield. The standards and directives in this chapter have been established to reduce the risk for helicopters and drivers when operating in these specific areas.

7.2. Standards and Procedures. When approaching Hangar 1005, stop to ensure the parking area in front of the hangar(s) and surrounding airspace (at least 50 ft. above) are clear of helicopter traffic. If there is no helicopter in front of the hangar or above it (landing/departing/hovering) and the hanger door is closed no action is required. If a helicopter is conducting operations or the hanger door is open, stop check for a helicopter tow and/or allow it to land/depart, or take an alternate route away from the area. If it becomes necessary to leave the paved surface for any reason, vehicle operators must conduct a FOD check when returning to the paved surface.

7.2.1. Helicopters always have the right-of-way. Vehicles not directly supporting ground operations or servicing will remain 100 ft. from operating helicopter(s). Remain 50 ft. from parked helicopters (rotors tied down not or in motion). **Note:** Required distances to avoid rotary aircraft areas are in **Attachment 15**.

7.2.1.1. Be alert when moving out of the way of helicopters in front of Hangar 1005. Pay attention to restricted areas, parked and taxiing aircraft in the area.

7.2.1.2. Helicopters often do hovering ground checks. This can take time, proceed to an alternate route when this is occurring, or stop and wait.

7.2.2. All vehicles will approach a helicopter with the driver's side of the vehicle toward the front of the helicopter.

7.2.2.1. Do not back a vehicle toward a helicopter except as authorized for servicing in certain towing, loading, refueling operations and spotters and chocks are required in all instances.

7.2.2.2. Never approach a running helicopter from the rear. Remain in front or the side whenever possible.

7.2.2.3. When encountering towed helicopters, ensure at least 25 ft. from the aircraft and proceed to the edge of the paved surface, stop the vehicle and wait for the aircraft to pass.

7.2.3. Vehicles will never pass under any part of a helicopter to include the blade unless performing procedures prescribed by technical orders for the task. Guides/spotters will be posted to ensure the vehicle does not contact the aircraft.

7.2.4. Taxiway Papa between Taxiway Alpha and Taxiway Charlie is designated as an Autorotation area for helicopter auto-rotation emergency landing training **Attachment 16**.

7.2.4.1. Avoid Papa between Alpha and Charlie if a rapidly descending helicopter is observed in the area or if ATC has announced via TWR Net an autorotation is going to occur.

7.2.4.2. After a helicopter has touched the ground during an autorotation, do not approach the helicopter until it resumes normal operation.

7.2.5. Helicopter Landing areas. ATC cannot provide departure or landing clearance for helicopter operations at areas other than the runway. At locations other than the runway, pilots are responsible for ensuring that areas are safe and obstacle-free before requesting clearance for departure and landings. ATC may allow the operations at the pilot's own risk.

7.2.6. Helicopter Departures. If a helicopter is departing the area from Taxilane Juliet, the following procedures will apply:

7.2.6.1. Helicopters departing west–northwest–northbound from Taxilane Juliet do not need to hold for wake turbulence if an immediate turn can be accomplished. The helicopter must request to depart west, northwest, or northbound, ATC must approve the departure as west, northwest, or north-bound only. If the pilot cannot conduct an immediate west, northwest, or northbound departure turn, they must notify ATC who will then apply the appropriate wake turbulence separation.

7.2.6.2. Due to the proximity of several buildings to Taxilane Juliet, helicopters may require additional space to conduct an immediate west, northwest, or northbound turn. The points at the intersection of Taxilanes Juliet and Charlie, Juliet and Golf, and Juliet and Hotel may be utilized if it is more advantageous for the pilot to conduct an immediate west-northwest-north bound turn. The pilot shall request for taxi to these points with ground control before calling ready for departure. **EXAMPLE:** “DEPARTURE FROM TAXILANE JULIET WILL BE AT YOUR OWN RISK, USE CAUTION. WIND (direction) AT (velocity), PROCEED (direction)” (any additional information as necessary).

CHAD K. CISEWSKI, Colonel, USAF
Commander, 92d Air Refueling Wing

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

5 USC § 552a, *Public information; agency rules, opinions, orders, records, and proceedings*

DAFI 13-213, *Airfield Driving,* 4 February 2020

DoDI5200.48_DAFI16-1403 *Controlled Unclassified Information*, 5 October 2021

DAFI 21-101, *Aircraft and Equipment Maintenance Management,* 16 January 2020

DAFI 31-101, *Base Defense Operations,* 10 September 2024

AFI 33-322, *Records Management and Information Governance Program,* 23 March 2020

AFI 33-332, *Air Force Privacy and Civil Liberties Program*, 10 March 2020

DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program*, 20 March 2020

AFMAN 11-218, *Aircraft Operations and Movement on the Ground*, 5 April 2019

AFMAN 24-306, *Operation of Air Force Government Motor Vehicles,* 30 July 2020

DAFMAN 36-2100, *Military Classification, Technical Training, and Retraining*, 24 June 2025

DAFMAN 48-123, *Medical Examinations and Standards*, 8 December 2020

DAFMAN 91-203, *Air Force Occupational Safety, Fire, and Health Standards,* 25 March 2022

DAFMAN 91-223, *Aviation Safety Investigations and Reports,* 20 September 2022

DAFVA 11-240, *USAF Airports Signs and Markings*, 4 August 2021

AFVA 13-222, *Runway/Controlled Movement Area (CMA) Procedures,* 22 November 2022

UFC 3-535-01, *Visual Air Navigation Facilities, with Change 4*, 25 April 2023

UFC 3-260-04, *Airfield and Heliport Marking*, 16 May 2018

T.O. 00-25-172, *Ground Servicing of Aircraft and Static Grounding/Bonding*

AFI 13-213_AMCSUP, *Airfield Driving*, 23 December 2020

92 ARW PLAN 31-1, *Integrated Defense Plan*, 6 May 2022

Adopted Forms

DAF Form 457, *Hazard Report,* 3 October 2024

AF Form 483, *Certificate of Competency,* 14 May 2020

AF IMT 651, *Hazardous Air Traffic Report (HATR),* 2 October 1998

DAF Form 847, *Recommendation for Change of Publication,* 3 July 2025

Abbreviations and Acronyms

ADI—Airfield Driving Instruction

ADP—Airfield Driving Program

ADPM—Airfield Driving Program Manager

ADTCS—Airfield Driving Training & Certification system

AF—Air Force

AFB—Air Force Base

AFFSA—Air Force Flight Standards Agency

AFI—Air Force Instruction

AFM—Airfield Manager

AFMAN—Air Force Manual

AFSC—Air Force Specialty Code

AFVA—Air Force Visual Aid

AGE—Aerospace Ground Equipment

AM—Airfield Management

AMOPS—Airfield Management Operations

AMXS—Aircraft Maintenance Squadron

ANG—Air National Guard

AO—Airfield Operations

ARW—Air Refueling Wing

ATC—Air Traffic Control

ATCT—Air Traffic Control Tower

ATV/UTVs—All-Terrain/Utilities Vehicles

BDOC—Base Defense Operations Center

CAC—Common Access Card

CBT—Computer Based Training

CES—Civil Engineering Squadron

CMA—Controlled Movement Area

CMAV—Controlled Movement Area Violation

CONS—Contracting Squadron

CP—Command Post

CUI—Controlled Unclassified Information

CV—Vice Commander

DAF—Department of the Air Force

DAFI—Department of the Air Force Instruction

DAFM—Deputy Airfield Manager

DAFMAN—Department of the Air Force Manual

DoD—Department of Defense

DTA—Designated Tobacco Areas

DZ—Drop Zone

ECP—Enty Control Point

FAA—Federal Aviation Administration

FD—Fire Department

FOD—Foreign Object Damage

FPCON—Force Protection Conditions

FSSZ—Fuel Servicing Safety Zone

GOV—Government Owned Vehicle

HATR—Hazardous Air Traffic Report

HHQ—Higher-Headquarters

IAW—In Accordance With

ILS—Instrument Landing Systems

IMT—Information Management Tool

INST—Instrument

LED—Light-Emitted Diode

LMR—Land Mobile Radio

LRS—Logistics Readiness Squadron

MAJCOM—Major Command

MDG—Medical Group

MFR—Memorandum for Record

MICT—Management Internal Control Toolkit

MOC—Maintenance Operation Center

MOPP—Mission Oriented Protective Posture

MPH—Miles per Hour

MSG—Mission Support Group

MXG—Maintenance Group

MXS—Maintenance Squadron

NCOIC—Noncommissioned Officer in Charge

NLT—Not Later Than

NVD—Night-Vision Device

OG—Operations Group

OPR—Office of Primary Responsibility

OSS—Operations Support Squadron

PCA—Permanent Change of Assignment

PCN—Primary Crash Net

PCS—Permanent Change of Station

POC—Point of Contact

POV—Privately Owned Vehicle

PWCS—Personal Wireless Communications System

RAWS—Radar Airfield Weather Systems

SAC—Self-Assessment Checklist

SF—Security Forces

SFS—Security Forces Squadron

TDY—Temporary Duty

UADPM—Unit Airfield Driving Program Manager

UFC—Unified Facilities Criteria

USC—United States Code

VFR—Visual Flight Rules

WADPM—Wing Airfield Driving Program Manager

WG—Wing

Office Symbols

92 ARW/CC—92d Air Refueling Wing, Commander

92 ARW/SE—92d Air Refueling Wing, Safety

92 CES/CEF—92d Civil Engineering Squadron, Fire Department

92 LRS/LGRDDO—92 Logistics Readiness Squadron, Vehicle Operations

92 LRS/LGRF—92 Logistics Readiness Squadron, Fuels

92 MXG/QA—92d Maintenance Group, Quality Assurance

92 OG/CC—92d Operations Group, Commander

92 OSS/OSAA—92d Operations Support Squadron, Airfield Management (AM)

92 OSS/OSAT—92d Operations Support Squadron, Air Traffic Control Tower (ATCT)

92 SFS/S5R—92d Security Forces Squadron, Reports and Analysis

AOF/CC—Airfield Operations Flight Commander

Terms

Airfield—An area prepared for the accommodation (including any buildings, installations, and equipment) of landing and take-off of aircraft.

Foreign Object Damage (FOD)—FOD is any object, such as rocks, aircraft parts, tools, metal, etc. that could be ingested by an aircraft engine and thus cause internal damage.

Hold Lines—This is a standard airfield marking and applies to all aircraft and vehicle operations. It marks a position beyond which a vehicle cannot proceed without tower approval. Do not cross this line without first receiving and acknowledging instructions issued from the ATCT prior to entry into the CMA. VFR hold lines are marked on each taxiway intersecting the runway. The marking consists of two sets of parallel yellow stripes, perpendicular to the taxiway centerline. The stripes closest to the runway are dashed lines and the others are solid lines (**Figure 3.10**.). Instrument (INST) hold lines are used to protect navigation systems during low visibility. The INST hold line is marked with two solid yellow lines intersected every three ft. by double yellow bars (**Figure 3.11**.).

Host Wing Commander—The individual with ultimate responsibility for operating the airfield.

Lateral Clearance Zone—An area measured 1,000 ft. from the runway centerline, and coinciding with the runway ends that shall be kept clear of fixed or mobile objects, including parked aircraft, parked and moving vehicles and similar equipment. Towing aircraft and emergency vehicles are exempt from this restriction (UFC 3-260-01, Chapter 3). (See **Attachment 8**).

Light-Gun Signals—**Figure 3.1**. Depicts light gun signals use by Air Traffic Control for use when radio communications cannot be maintained by vehicles in the CMA.

Precision Object Free Zone (POFZ)—Applies to any approach with ceiling below 250 ft. and/or visibility below ¾ of a statute mile or below 4000 Runway Visual Range. (See **Attachment 8** for markings).

Runway Incursion—Any occurrence at an aerodrome involving the incorrect presence of an aircraft, vehicle or person on the protected area of a surface designated for the landing and take-off of aircraft. Runway incursions have the potential to result in aircraft endangerment and loss of life. While there are several factors involved in a runway incursion, the leading causes of these incidents result from failure to follow procedures, inadequate vehicle operator training, and loss of situational awareness. These are further classified into three operational categories:

Operational Error (OE)—A failure of the air traffic control system that results in loss of separation.

Pilot Deviation—The action of a pilot that results in the violation of Air Traffic Control instructions, Air Force Instructions and/or Federal Aviation Regulations.

Vehicle/Pedestrian Deviation (V/PD)—Any entry or movement on the controlled movement area by a vehicle (including aircraft operated by non-pilots) or pedestrian that has not been authorized by ATCT.

Unit—For the purpose of this AFI, the term unit is equivalent to a squadron, also known as the basic units in the USAF organizational structure. Squadrons are usually made up of several flights (typically four) and commanded by a field-grade officer.

Vehicle Stop Line-—In addition to hold lines on the taxiways, roads leading onto CMAs are marked with standard white vehicle stop lines. The stop lines are placed adjacent to standard vehicle stop signs (**Attachment 8**). ATCT approval is required before proceeding across stop lines onto a movement area.

Attachment 2

LIGHT GUN COLOR RECOGNITION TEST

Figure A2.1. Light Gun Color Recognition Test.

Date:_____

Trainer/trainee may need to contact AM, 247-5202, for an opening in the flying schedule to ensure airfield safety. Trainer must accompany trainee during test.

Trainee - Write in the color combination

Trainer - After each section write "√" if correct and "X" if incorrect.

#1:_____

#2:_____

#3:_____

#4:_____

When test is complete, trainee must go to AM with this completed form. The DAFM and your ADPM will keep a copy in their ADPM binder.

ADPM/Trainer: _____ _____

Print Sign

Trainee: _____ _____

Print Sign

This section will <u>ONLY</u> be completed by AM:

DAFM/AFM _____ _____

Representative Print Sign

Pass/Fail: _____

Attachment 3

COLOR VISION DOCUMENTATION MEMORANDUM (SAMPLE)

Figure A3.1. Color Vision Document Memorandum (SAMPLE).

Date

MEMORANDUM FOR 92 OSS/OSAA

FROM: 92 XXX

SUBJECT: Proof of Normal Color Vision for Airfield Driving

1. AFI 13-213, *Airfield Driving* states that in order to drive on any air traffic control tower "controlled movement area" individuals must have normal color vision. This memorandum is to document that (Rank/Name of individual) has normal color vision.

2. I certify that the individual listed in paragraph 1 has normal color vision.
(This section must be completed by Hospital/Medical Treatment Facility Personnel Only)

Name (Last, First, MI):	Grade:	Unit:	Signature:	Date:

3. Please direct any questions or concerns concerning the above information to (Name/Rank of Unit ADPMs) at 247-XXXX.

NAME, Rank, USAF
Unit Airfield Driving Program Manager

Attachment 4

UNIT AIRFIELD DRIVING PROGRAM MANAGER AND TRAINER(S) APPOINTMENT LETTER

Figure A4.1. Unit Airfield Driving Program Manager and Trainer(s) Appointment Letter.

Date

MEMORANDUM FOR 92 OSS/OSAA

FROM: (Unit Commander Office Symbol)

SUBJECT: Appointment of Unit Airfield Driving Program Managers and Trainers

1. The following individuals are appointed as unit Airfield Driving Program Managers (ADPM) (primary/alternate) and trainers for (insert unit and office symbol). Individuals have received training IAW AFI 13-213 and the Fairchild Airfield Driving Instruction. Both unit ADPM and alternate unit ADPM have been delegated the authority to certify personnel on airfield driving training. Both ADPM and alternate ADPM are qualified to drive on the airfield and will ensure completion and tracking of all airfield drivers training for unit assigned and TDY personnel.

NAME/Email	OFFICE SYMBOL	DUTY PHONE	AF FORM 483 #
PRIMARY: (Rank First MI Last) Email:		247-XXXX	XXXXX
ALTERNATE: (Rank First MI Last) Email:		247-XXXX	XXXXX

2. The following individuals are appointed as Airfield Driving Program Trainers and are authorized to train personnel on airfield driving procedures:

PRIMARY: (Rank First MI Last) Email:		247-XXXX	XXXXX
ALTERNATE: (Rank First MI Last) Email:		247-XXXX	XXXXX

3. This letter supersedes all previous letters, same subject.

NAME, Rank, USAF
Commander, 92d XXXX Squadron

Attachment 5

UNIT AIRFIELD DRIVING PROGRAM MANAGER TRAINING CHECKLIST

Table A5.1. Unit Airfield Driving Program Manager Training Checklist.

UNIT AIRFIELD DRIVING PROGRAM MANAGER CHECKLIST			
SECTION I TRAINEE INFORMATION (Completed by the Wing Airfield Driving			
Name: (Last, First, MI)	Rank, Civilian Grade or	Unit/Office Symbol or	Duty Phone
SECTION II QUALIFICATION TRAINING (Completed by Trainee and Wing Airfield Driving Program Manager)			
	Date	**Trainee**	**WG ADPM**
1. Unit Airfield Driving Program Manager (ADPM) duties and			
2. Appointment of unit trainers.			
3. Runway incursion prevention.			
4. Governing Directives, AFI 13-213,			
5. Testing requirements to include testing security/compromise.			
6. Color vision testing requirements. See DAFMAN 48-123, *Medical Examinations and Standards* for additional information.			
7. Airfield Driver's training	**Date**	**Trainee**	**WG ADPM**
7.1. Local Qualification.			
7.2. Refresher.			
8. Unit ADPM Continuity Binder.			
9. Reporting, Enforcement, and Violations Consequences.			
10. Vehicle Passes (Privately Owned/Government Leased).			
11. Controlled Movement Area (CMA) procedures and training for unit personnel.			
12. Temporarily assigned personnel/Non-based assigned contractors briefing and/or training requirements.			
13. Escort procedures.			

14. Procedures for issuing, revoking and reissuing an AF Form 483, *Certificate of Competency.*			
15. Participate with the Unit ADPM on an actual training session and practical check ride.			
16. AF Form 483 CERTIFICATE #:			
SECTION III TRAINING CERTIFICATION (Completed by the Unit Airfield Driving Program Manager and Wing Airfield Driving Program Manager or designated			
Unit Airfield Driving Program Manager			
I have received and completed all of the above training requirements and will comply with Air Force Instruction 13-213 and wing/base supplement.			
Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
Wing Airfield Driving Program Manager			
Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
Note: A local form may be used as long as it includes all information listed above.			

Attachment 6

RADIO CALL SIGNS

Table A6.1. Radio Call Signs.

CALL SIGN	SYMBOL	TITLE
92d Air Refueling Wing		
Knight 1	92 ARW/CC	Wing Commander
Knight 2	92 ARW/CV	Vice Wing Commander
Safety 1	92d or 141st	Director of Wing Safety
Safety 2, 3	92 ARW/SE	Wing Safety
USDA 1,2,3	92 ARW/SE	U.S. Department of Ag
92d Operations Group		
Knight 3	92 OG/CC	92 OG Commander
Knight 4	92 OG/CD	92 OG Deputy Commander
92d Air Refueling Squadron		
Black 1	92 ARS/CC	92 ARS Commander
Black 2	92 ARS/DO	92 ARS Deputy Commander
93d Air Refueling Squadron		
Blue 1	93 ARS/CC	93 ARS Commander
Blue 2	93 ARS/DO	93 ARS Deputy Commander
97th Air Refueling Squadron		
Gold 1	97 ARS/CC	97 ARS Commander
Gold 2	97 ARS/DO	97 ARS Deputy Commander
384th Air Refueling Squadron		
Red 1	384 ARS/CC	384 ARS Commander
Red 2	384 ARS/DO	384 ARS Deputy Commander
92d Operations Support Squadron		
Wizard 1	92 OSS/CC	Commander
Wizard 2	92 OSS/DO	Director of Ops
Badger	92 OSS/OSA	AOF/CC
Airfield 1	92 OSS/OSAA	Airfield Manager
Airfield 2	92 OSS/OSAA	Deputy Airfield Manager

Airfield 3	92 OSS/OSAA	AMOPS Vehicle
RAWS 1, 2, 3, etc.	92 OSS/OSAM	Airfield Systems
92d Maintenance Group		
Knight 5	92 MXG/CC	Commander
Knight 6	92 MXG/CD	Deputy Commander
Shark 1	92 MXG/MXQ	Quality Assurance
Shark 2	92 MXG/MXQ	Quality Assurance
Shark 3	92 MXG/MXQ	Quality Assurance
92d Aircraft Maintenance Squadron		
Tanker 1	92 AMXS/CC	Commander
Tanker 3	92 AMXS/MXA	MX Supervision
Tanker Chief	92 AMXS/MXAA	MX Superintendent
Tanker Lead	92 AMXS/MXAA	Lead Pro Super
Desk Super	92 AMXS/MXAA	Desk Pro Super
Tanker Maintenance	92 AMXS/MXAA	Maintenance Pro Super
Tanker “Launch”	92 AMXS/MXAA	Generation Pro Super
Maintenance 6	92 AMXS/MXAA	Mechanical
“Launch” 6	92 AMXS/MXAA	Generation Specialist Expediter
“Launch” 7	92 AMXS/MXAA	Generation APG Expediter
Raptor 1	92 AMXS/MXAS	Flight Commander
Raptor Chief	92 AMXS/MXAS	Flight Chief NCOIC
TA	92 AMXS/MATA	Transient Alert
92d Maintenance Squadron		
MS 8	92 MXS/MXMTA	A/R (Mobile)
141st Operations Group		
SQUATCH 1	141 OSS/OSAA	Lead/FDS (Flight Duty Supervisor)
SQUATCH 2	141 OSS/OSAA	Shift Supervisor
SQUATCH 3	141 OSS/OSAA	Shift Coordinator
Safe house	141 ARW/SE	Wing Safety
373d Training Group/FTD		
FTD	373 FTD/ DET 13/CC	Field Training
92 Mission Support Group		

Viking	92 MSG/CC	92d Mission Support Group Commander
Viking 1	92 MSG/CD	92d Mission Support Group Deputy Commander
92d Civil Engineer Squadron		
CE 1	92 CES/CC	92 CES Commander
CE 2	92 CES/CD	92 CES Deputy Base Civil Engineer
Heavy Repair		
HR 1	92 CES/CEOH	Superintendent
HR 2	92 CES/CEOHH	Foreman
HR 3	92 CES/CEO	NCOIC
HR 4, 5, etc…	92 CES/CEO	Shift Leads
HR Control	92 CES/CEO	Heavy Repair Control
Snowman	92 CES/CEO	Snow Removal Lead
CES Operations Flight		
Ops 1	92 CES/CEO	Flight/CC
Ops 2	92 CES/CEO	Deputy Flight/CC
SK1	92 CES/CEOES	Tessera
Mower1	92 CES/CEOES	Tessera
Mower2	92 CES/CEOES	Tessera
Trimmer1	92 CES/CEOES	Tessera
Sprayer1	92 CES/CEOES	Tessera
Sprayer2	92 CES/CEOES	Tessera
PM1	92 CES/CEOES	Tessera
PM2	92 CES/CEOES	Tessera
Water1	92 CES/CEOES	Tessera
Electric 7	92 CES/CEOFE	Airfield Lighting
Fire Department		
Chief 1	92 CES/CEF	Fire Chief
Fairchild 20	92 CES/CEF	Assistant Chief
Rescue 5	92 CES/CEF	Rescue
Crash 1, 2, 3, etc.	92 CES/CEF	Crash Response

Engine 1, 2, 3, etc.	92 CES/CEF	Fire Engine
Brush	92 CES/CEF	Wildland
Quint	92 CES/CEF	Ladder Truck
EOD		
Adat1	92 CES/CED	EOD
Adat2	92 CES/CED	EOD
92d Security Forces Squadron		
Defender 1	92 SFS/CC	92 SFS Commander
Defender 2	92 SFS/S3O	Operations Officer
Defender 3	92 SFS/S3O	Operations Superintendent
Defender 4	92 SFS	Flight Sergeant
Defender 5	92 SFS	Flight Leader
Defender 7	92 SFS	Operations NCOIC
Security 1	92 SFS	E SRT Leader
Security 2	92 SFS	I SRT Leader
Security 3	92 SFS	I SRT Leader
Police 1	92 SFS	Base Patrol 1
Police 2	92 SFS	Base Patrol 2
Police 3	92 SFS	Base Patrol 3
336 TRSS		
Fairchild Drop Zone	336 TRSS/LGLR	Malfunction NCO, Jumpmaster/DZ Controller
92 MDG		
Med-1	92 MDOS/SGOP	Primary Ambulance
Med-2	92 MDOS/SGOP	Secondary Ambulance
Med-99	92 MDG	Medical Branch Director

Attachment 7

AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST

Table A7.1. Airfield Driving Training Documentation and Certification Checklist, Part 1.

AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST			
SECTION I - TRAINEE INFORMATION (Completed by the Unit ADPM)			
Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Unit/Office Symbol or Company Name	Duty Phone
SECTION II - QUALIFICATION TRAINING (Completed by the Trainee and Unit Trainer)			
	Date	**Trainee's**	**Trainer's**
1. Trainee possesses a valid (List State of Issue) Driver's License (List restrictions).			
2. Trainee possesses a valid Government Driver's License.			
3. Airfield Driver Classroom Training (as determined locally)			
4. Airfield Driving Qualification Training Checklist/Curriculum. (Completion of this checklist).			
5. Local Airfield Familiarization. Training Outcome(s): Trainee must be familiar with knowledge of the local airfield environment.	**Date Completed**	**Trainee's Initials**	**Trainer's Initials**
5.1. Non-Movement Area Boundary Marking as applicable.			
5.2. Non-Standard Airfield Markings as applicable.			
5.3. Aircraft Arresting Gear Markings as applicable.			
5.4. Locations of airfield Navigational Aids and Visual Approach Aids.			
5.5. Location of Restricted Area and Entry Control Points.			

5.6. Location of Free Zones as applicable.			
5.7. Location of the Fire Department, Air Traffic Control Tower (ATCT) and Airfield Management.			
5.8. Location/use of traffic control device as applicable.			
5.9. Hazardous Jet Blast locations on the airfield.			
5.10. Runway(s) configuration (e.g. dimensions, location, designation). Also, explain and define runway approach end and departure end.			
5.11. Taxiway configuration (e.g. dimensions, location, designation).			
5.12. Controlled Movement Area Boundaries.			
5.13. Congested Areas.			
5.14. Hot Spots as required locally.			
5.15. ATCT and vehicle blind spots.			
6. Local Vehicle Operator Requirements. Training Outcome(s): Trainee must be knowledgeable on local procedures and requirement for operating a vehicle on the airfield.	**Date Completed**	**Trainee's Initials**	**Trainer's Initials**
6.1. Use of perimeter and infield roadways.			
6.2. Lateral distance requirements for mobile obstacles on an apron/ramp and taxiway.			
6.3. Speed limits for vehicles operating on an apron/ramp and taxiway.			
6.4. Procedures for reporting and removing FOD.			
6.5. Restricted visibility and/or night driving.			
6.6. Procedures for operating bicycles, tricycles, etc. on the airfield.			
6.7. Use of traction control devices as applicable.			

6.8. Emergency Response Vehicle requirements.			
6.9. Vehicle Escort/Convoy driving procedures as applicable.			
7. Practical Day Airfield Familiarization Training. Training Outcome(s): Trainee must be knowledgeable of the airfield environment. At a minimum, the trainee must demonstrate the ability to operate a vehicle to and from their designated work areas.			
7.1. Practical Day Driving Check-ride			
8. Practical Night (as applicable) Airfield Familiarization Training. Training Outcome(s): Trainee must be knowledgeable of the airfield environment. At a minimum, the trainee must demonstrate the ability to operate a vehicle to and from their designated work areas.			
8.1. Practical Night Driving Check-ride (as applicable).			
9. Review Local AFI 13-213			
10. USAF Airfield Driving CBT (Date Completed).			
11. Runway Incursion Prevention Training.			
12. Airfield Diagram/Layout Test [Score:]			
13. General Knowledge Test (written) [Score:]			
14. Runway Incursion Prevention Test [Score:]			
15. Communication Test [Score:]			

16. Demonstrate the ability to contact ATCT for approval to enter/exit the **CMA**. **Note:** Required for all personnel that require access on or across taxiways, and aprons located in the CMA.			
17. Demonstrate the ability to contact ATCT for approval to enter/exit the **runway**. **Note:** Required for all personnel that require access on or across taxiways, and aprons located in the CMA.			
SECTION III - Color Vision Test for CMA drivers only. (Completed by Hospital/Medical Treatment Facility Optometry)			
Results: Pass / Fail (Circle one)			
Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
SECTION IV - TRAINER CERTIFICATION (Completed by Authorized Airfield Driving Trainer)			
I certify the trainee has received all required qualification training requirement annotated above.			
Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:

Table A7.2. Airfield Driving Training Documentation and Certification Checklist, Part 2.

I have received and completed all of the training requirement and will comply with my local base's Airfield Driving AFI 13-213 Supplement instructions. I am also fully aware that no vehicle or pedestrian shall enter a runway or other controlled movement area without approval from the Air Traffic Control Tower (ATCT).			
Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
SECTION VI - UNIT CERTIFICATION (Completed by Unit Commander or Unit ADPM)			
I certify that the above trainee has successfully completed all training requirements to operate a vehicle on Fairchild AFB airfield.			
Check all applicable restrictions and/or special access.			
Ramp Only	Daylight Only	CMA Authorized	Other (Specify):

Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
SECTION VII - AIRFIELD DRIVING AUTHORIZATION (Completed by the Wing			
Approved	**Disapproved**	**AF Form 483#:**	
Name: (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
Note: A local form may be used as long as it includes all information listed above.			

Attachment 8

CONTRACTOR/TDY AF FORM 483

Table A8.1. Contractor/TDY AF Form 483 (EXAMPLE).


CERTIFICATE OF COMPETENCY		CERTIFICATE NO. Sample-1
NAME(Last, First, Middle Initial) John , Smith		DATE 1/28/2025
INSTALLATION Fairchild Air Force	UNIT/OFFICE SYMBOL Sample	
HAS SUCCESSFULLY COMPLETED THE PRESCRIBED COURSE OF INSTRUCTION AS REQUIRED BY CURRENT DIRECTIVES AND IS DEEMED QUALIFIED FOR: NON-CMA; EXPIRES ON: 2/28/2025		
TYPED NAME, TITLE AND ORGN WADPM Julian Sears, FC1LFDVQ/OSAA		SIGNATURE (Digital) SEARS.JULIAN.12893 72888

AF FORM 483, 20200513

Attachment 9

AIRFIELD DRIVING DIAGRAM

Figure A9.1. Airfield Driving Diagram.



Attachment 10

SECOND TIME TEST FAILURE MEMORANDUM (SAMPLE)

Figure A10.1. Second Time Test Failure Memorandum (SAMPLE).

Date

MEMORANDUM FOR 92 OSS/OSAA

FROM: 92 XXX/CC

SUBJECT: Airfield Driving Test Failure Remedial Training

1. (Rank/Name of individual) has had two consecutive airfield driving test failures. (He/She) has met the required review and remedial training time period prescribed in FAFBI 13-213 and is prepared to test again.

2. Please direct any questions or concerns concerning the above information to (Name/Rank of Unit ADPM) at 247-XXXX.

NAME, Rank, USAF
Commander, 92d XXXX Squadron

Attachment 11

CMA VIOLATION, RUNWAY INCURSION OR AIRFIELD DRIVING VIOLATION

Figure A11.1. CMA Violation, Runway Incursion or Airfield Driving Violation.

Name: Rank:

Organization: Duty Telephone:

Date of incident and time:

Location of violation:

License Plate Number and Vehicle Type:

Supervisor Name: ADPM:

STATEMENT: (Write, in your own words, what occurred. State the circumstances, which led to the incident. Use additional blank page, if needed).

SIGNATURE:

Attachment 12

REINSTATEMENT LETTER (SAMPLE)

Figure A12.1. Reinstatement Letter (SAMPLE).

Date

MEMORANDUM FOR 92 OSS/OSAA

FROM: 92 XXX/CC

SUBJECT: Airfield Driving Privilege Reinstatement

1. On (day/month/year) (Rank/Name of individual) was involved in a controlled movement area violation and (his/her) airfield driver's license was suspended.

2. Please reinstate airfield driving privileges for (Rank/Name of individual). The required suspension period is complete. (Rank/Name of individual) has accomplished all required remedial and refresher training prescribed in FAFBI 13-213.

3. Direct any questions or concerns concerning the above information to (Name/Rank of Unit ADPM) at 247-XXXX.

NAME, Rank, USAF
Commander, 92d XXXX Squadron

Attachment 13

POV JUSTIFICATION LETTER (SAMPLE)

Figure A13.1. POV Justification Letter (SAMPLE).

Date

MEMORANDUM FOR 92 OSS/OSAA

FROM:

SUBJECT: Request for Airfield Access Permit

1. REQUEST ISSUE OF AIRFIELD ACCESS PERMIT FOR THE FOLLOWING INDIVIDUAL(S):

NAME	RANK	UNIT/OFFICE SYMBOL or COMPANY NAME	TEL NO.	BLDG

2. VEHICLE INFORMATION:

MAKE/MODEL	YEAR/COLOR	LICENSE PLATE NUMBER

3. AREA OF OPERATON(S)/LOCATION:

4. JUSTIFICATION:

5. EFFECTIVE PERIOD/DATES:

6. POC INFORMATION:

7. This letter will be updated annually.

NAME, Rank, USAF
Commander, 92d XXXX Squadron

Attachment 14

FAIRCHILD/GUARDIAN DROP ZONE


Figure A14.1. Fairchild/Guardian Drop Zone.



Attachment 15

REQUIRED DISTANCES FOR ROTARY AIRCRAFT AREAS (100')

Figure A15.1. Required Distances for Rotary Aircraft Areas (100').



Attachment 16

HELICOPTER AUTOROTATION TRAINING MAP

Figure A16.1. Helicopter Autorotation Training Map.

