DEPARTMENT OF THE AIR FORCE
Headquarters US Air Force
Washington, D.C. 20330-1030

QTP24-3-HAZMAT
13 AUGUST 2026

EXPLOSIVES/HAZARDOUS MATERIALS TRANSPORT



QUALIFICATION TRAINING PACKAGE

(QTP)

CONTENTS

Chapter 1—OVERVIEW **4**

1.1. Overview 4

1.2. Applicability 4

1.3. Administrative 5

Chapter 2—ROLES AND RESPONSIBILITIES **6**

2.1. Trainer 6

2.2 Trainee 6

2.3. Certifier 7

2.4. TVO Section 7

2.5. Vehicle Control Official (VCO) or Designated Authority 7

Chapter 3—INTRODUCTION **8**

3.1. Objectives 8

3.2. Desired Learning Outcome 8

3.3 Lesson Duration 8

Table 3.1. Recommended Initial Training Time for Training Activities 8

3.4. Instructional References 8

3.5. Instructional Training Aids and Equipment 9

Chapter 4—REQUIREMENTS AND CERTIFICATION **10**

4.1 Training Requirements 10

4.2. Required Reading (Testable Material) 10

4.3 Licensing Requirements 10

Chapter 5—KNOWLEDGE LECTURE **11**

5.1. Overview of Knowledge Lecture 11

5.2. Safety and Equipment 11

5.3. Explosives/Hazardous Materials Transportation Roles and Responsibilities 12

5.4. Military Shipping Forms for Explosives/Hazardous Materials 13

Table 5.1. Decision Table for Use of Hazardous Material-Related Forms 15

5.5. Safety for Transporting Explosives/Hazardous Materials 16

5.6. Rules for Transporting Explosives/Hazardous Materials 16

Chapter 6—DEMONSTRATION & EVALUATION **19**

6.1. Instructor's Preparation 19

6.2. Demonstration 19

6.3. Performance Test 19
Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION 20
Attachment 2—PLACARDING GUIDANCE 24
Attachment 3—MILITARY SHIPPING FORMS 25
Attachment 4—EXPLOSIVES/HAZARDOUS MATERIALS TRANSPORT PERFORMANCE TEST 31

Chapter 1
OVERVIEW

1.1. Overview. This Qualification Training Package (QTP) establishes standardized training requirements, content, and certification protocols for all Air Force and Space Force operators handling explosives and hazardous materials (HAZMAT). Designed to ensure consistency and excellence across all installations, this package provides comprehensive guidance for both trainers and trainees throughout the certification process.

1.1.1. The training standards outlined herein align with federal regulations and military requirements while incorporating best practices for adult learning and competency-based instruction. This package serves as the authoritative source for curriculum development, performance evaluation criteria, and certification documentation, ensuring all operators receive uniform, high-quality training in explosives and HAZMAT handling regardless of location or unit assignment.

1.1.2. Successful completion of this training program demonstrates operator proficiency and supports mission readiness by maintaining the highest standards of safety, compliance, and operational effectiveness across both services when handling these critical and potentially dangerous materials.

1.2. Applicability. This QTP applies to Department of the Air Force personnel transporting HAZMAT in placarded quantities, per Title 49, Code of Federal Regulations (CFR), Part 172, Subpart F, *Placarding,* or materials listed as select agents or toxins (per Title 42, CFR, Part 73, *Select Agents and Toxins*). Personnel operating a vehicle designated as a commercial motor vehicle (CMV) (as defined in Title 49, CFR, Part 383.5, *Definitions,* Commercial Motor Vehicle (CMV)," as "any size vehicle used in the transportation of hazardous materials") must complete the prescribed training and certification process outlined in this QTP. This includes successful completion of the formal *Commercial Motor Vehicle Equivalent (CMVE) Knowledge Test*, *HAZMAT*, administered at the Education & Training Section (E&TS) or test control facility (TCF). Upon successful completion of the test and certification, and verification of qualification on the applicable vehicle, members will coordinate with Ground Transportation to obtain an DAF Form 2293 with the HAZMAT endorsement. **Note:** Operators who completed hazardous material training prior to 17 July 2017 are not required to repeat the prescribed training until the expiration of their previously received training, which is valid for two years from the date of completion.

1.2.1. All personnel required to transport explosives or HAZMAT on or off installation must review the materials contained within this QTP and the supporting references identified within. Airmen will complete the CMVE HAZMAT test initially and biennially thereafter. Civilian personnel will review and understand the information contained in this QTP but must also comply with all applicable state or local jurisdictional policies regarding proper licensing for transporting HAZMAT.

1.2.2. The *Commercial Motor Vehicle Equivalent (CMVE) Knowledge Test* has been developed by the American Association of Motor Vehicle Administrators (AAMVA). This test contains proprietary business information designated as controlled unclassified information (CUI). Further distribution is restricted and requires direction from Headquarters Department of the Air Force, Logistics Readiness Division, dated 1 September 2024, or a higher DoW authority.

1.2.3. Airmen who wish to challenge test questions must do so in person at the local Ground Transportation Training, Validation, and Operations (TVO) office. Electronic transmission (e.g., email, MS Teams instant message, etc.) of test questions or challenges is strictly prohibited.

1.2.4. The Ground Transportation TVO section manages oversight of these tests and updates operator records in the Online Vehicle Interactive Management System (OLVIMS).

1.3. Administrative. Send comments and suggested improvements on DAF Form 847, *Recommendation for Change of Publication* through Air Force Installation and Mission Support Center (AFIMSC) functional managers via e-mail at: AFIMSC.A34OG.GroundTrans@us.af.mil.

Chapter 2

ROLES AND RESPONSIBILITIES

2.1. Trainer. Provide an overview of training per **Chapters 2** and **3**. Deliver classroom lectures and conduct trainee preparation using the lesson plans in **Chapter 4**. Present the *Commercial Driver's License Manual* (AAMVA, 2022) content per **Chapter 4** lesson plans. Provide knowledge overview training per **Chapter 5** lesson plans. Conduct demonstration, performance, and evaluation activities per **Chapter 6** and **Attachment 4**. Coordinate with the Vehicle Control Official (VCO) or designated authority and Unit Training Manager to schedule trainees for testing at the local E&TS or TCF for those requiring certification to operate vehicles transporting HAZMAT, documented on DAF Form 2293, *U.S. Air Force Motor Vehicle Operator Identification Card*.

2.1.1. Review this QTP, DESR 6055.09_DAFMAN 91-201 Volume 1 – Enclosure 6, *Explosives Safety Standards* and Sections 2 and 9 of the AAMVA CDL manual and applicable command and local directives with the trainee.

2.1.2. Conduct knowledge training with the trainee using the Explosives/Hazardous Materials Transport QTP and the AAMVA CDL manual.

2.1.3. Review questions with the trainee to ensure the required task knowledge has been gained to complete the task.

2.1.4. Coordinates with VCO and unit training manager (UTM) to schedule the *HAZMAT* test with the local Education Center. The formal test with endorsement is only required if the Trainee is transporting HAZMAT that are classified under 49 U.S.C. § 5103, requiring placarding per Subpart F of 49 CFR Part 172, or any quantity designated as a select agent or toxin under 42 CFR Part 73.

2.1.5. Verify completion of Section 1 and 2 on the Trainee's DAF Form 171, *Request for Driver Training and Addition to U.S. Government Driver's License*.

2.2. Trainee. Read Sections 2 and 9 of the AAMVA CDL manual prior to lecture and follow along during instructions using this QTP, its attachments, and the manual. Complete the required knowledge and performance test identified in **Chapter 4**, ensuring all testing is requested through the local unit VCO or designated authority and scheduled at the E&TS or TCF. **Note:** Civilian personnel are not required to complete the knowledge test identified in **Chapter 4** but must comply with requirements identified in **paragraph 1.2.1.**

2.2.1. Review Volume 1-Enclosure 6, Defense Explosives Safety Regulation (DESR) 6055.09_DAFMAN 91-201, Volume 1 - Enclosure 6.

2.2.2. Review applicable command, installation guidance/directives to include state and local traffic laws for transport of hazardous material on public roadways.

2.2.3. Trainees should ask questions if they do not understand the objectives for each section.

2.2.4. Complete Sections 1 and 2 on the DAF Form 171.

2.2.5. The knowledge test is controlled test materials. Do not capture images, share, or discuss test questions with anyone, to include supervisors, UTMs, or other Airmen. Sharing formal test material is a 'test compromise' and is punishable under the UCMJ.

2.2.6. Submit certificate of training completion to the unit VCO or designated authority for

submission to the local Ground Transportation Operator Records & Licensing.

2.3. Certifier. Will evaluate the Airmen's task performance without assistance and document certification in the members on-the-job training (OJT) records.

2.4. TVO Section. Will document completion of training requirements in OLVIMS upon receipt of completed DAF Form 171.

2.4.1. In unique circumstances when CMVE electronic testing (e.g., *HAZMAT* test) is unavailable at E&TS or TCF (e.g., technical difficulties with the electronic testing system, issues that hinder electronic testing for an extended period), the Ground Transportation TVOE will be notified by the UTM to schedule and conduct an in-house knowledge test utilizing manual testing procedures (e.g., paper test) at an approved knowledge testing site. CMVE electronic testing will resume at the servicing E&TS or TCF immediately upon resolution.

2.4.2. Ground Transportation elements that have been approved to conduct testing utilizing the AAMVA Testing System by Headquarters Department of the Air Force, Logistics Readiness Division will add the "Class C" CDL (Commercial Driver License) Classification to the License tab information and the "H - Hazardous Materials" to the CDL Endorsement tab of the applicants record in OLVIMS.

2.4.3. Ground Transportation elements that have not been approved to conduct testing utilizing the AAMVA Testing System will add the management code "0HMH - HAZMAT MATL HNDLG" to the Qualifications tab of the applicants record in OLVIMS.

2.5. VCO or Designated Authority.

2.5.1. Coordinate with the UTM to schedule trainees for CMVE *HAZMAT* test. **Note:** In unique circumstances when CMVE electronic testing (e.g., *HAZMAT* test) is unavailable at E&TS or TCF, coordinate with Ground Transportation TVO Section for manual testing procedures.

2.5.2. Ensure all test results are documented on DAF Form 171. Note: VCO will obtain a hard copy or electronic copy of test results for verification/record from the UTM or trainer.

Chapter 3

INTRODUCTION

3.1. Objectives. Upon completion of lectures and demonstrations, trainees will successfully meet all training requirements outlined in **Chapter 4.** This training ensures each trainee is a qualified operator for the ground transportation of explosives/hazardous materials, possessing the necessary knowledge and skills for safe and professional handling.

3.2. Desired Learning Outcome.

3.2.1. Understand the safety precautions to be followed pre-, during- and post-operation of explosives/hazardous material.

3.2.2 Understand the purpose of explosives/hazardous material ground transportation and the role of explosives/hazardous material ground transportation in the mission.

3.2.3 Know the proper inspection and transport procedures for explosives/hazardous material shipments.

3.3. Lesson Duration.

3.3.1 Recommended initial instructional and hands on training time is 7 hours. **Note:** This is a recommended time; training time may be dependent on how quickly a trainee learns new tasks.

Table 3.1. Recommended Initial Training Time for Training Activities.

Training Activity	Training Time
Trainee's Preparation	2 Hours
Instructor's Lecture	3 Hours
Instructor's Demonstration	1 Hour
Performance Evaluation	1 Hour

3.3.2. Recommended biennial instructional training time is 1 hour prior to testing.

3.4. Instructional References.

3.4.1. Explosives/Hazardous Materials Transport QTP.

3.4.2. AAMVA CDL manual

3.4.3. Command and local directives. **Note:** When operating off-base at overseas locations, ensure compliance with all applicable international regulations, requirements, and restrictions.

3.4.4. Risk Management (RM) and Safety Principles in accordance with (IAW) Air Force Pamphlet (AFPAM) 90- 803, *Risk Management (RM) Guidelines and Tools*.

3.4.5. Applicable Technical Orders (TOs) or Manufacturer's Operator's Manual (see Vehicle Management for TO number for vehicle being used in training).

3.4.6. Applicable Vehicle Training Packages (lesson plans), e.g., petroleum tank vehicles, tractor-trailer, forklift, etc.

3.4.7. DAFI 91-202, *The Department of the Air Force (DAF) Mishap Prevention Program*.

3.4.8. DAFMAN 91-203, *Air Force Occupational Safety Fire and Health Standards*.

3.4.9. DESR 6055.09_DAFMAN 91-201, *Explosives Safety Standards*, Volume 1 – Enclosure 6

3.4.10. DAFI 24-301, *Ground Transportation*

3.4.11. AFJMAN 23-209, *Storage and Handling of Hazardous Materials*

3.4.12. Defense Transportation Regulation (DTR) 4500.9-R, part II, *Cargo Movement*; on-line at https://www.ustranscom.mil/dtr/dtrp2.cfm.

3.4.13. DoD 5100.76-M, *Physical Security of Sensitive Conventional Arms, Ammunition and Explosives*.

3.4.14. Title 49, CFR, *Transportation*, Subtitle B—*Other Regulations Relating to Transportation* (Continued), Chapters I and III—Federal Motor Carrier Safety Administration (FMCSA), United States Department of Transportation (USDOT), Parts 100-185 and Parts 300-399; on-line at http://www.access.gpo.gov/nara/cfr/cfr-table-search.html.

3.4.15. 2024 *Emergency Response Guidebook (ERG)*, USDOT, Transport Canada, Transportation Secretariat of Mexico.

3.4.16. United States Department of Transportation, Federal Motor Carrier Safety Administration; on-line at http://www.fmcsa.dot.gov/.

3.4.17. American Association of Motor Vehicle Administrators (AAMVA); on-line at http://www.aamva.org/.

3.5. Instructional Training Aids and Equipment.

3.5.1. Explosives/Hazardous Materials Transport QTP.

3.5.2. AAMVA CDL manual

3.5.3. DESR 6055.09_DAFMAN 91-201 Volume 1 – Enclosure 6

3.5.4. Command and local directives.

3.5.5. Examples of shipping paper, package marking/labels, placards.

3.5.6. Explosives/hazardous material routes, as applicable.

3.5.7. Suitable training area.

Chapter 4

REQUIREMENTS AND CERTIFICATION

4.1. Training Requirements.

4.1.1. Initial training for explosives/hazardous material transport includes the educational and hands-on training, provided by this QTP, the CMVE *HAZMAT* test, and the Performance Test (**Attachment 4**).

4.1.2. Following initial training, refresher training will be accomplished, biennially, by completing the CMVE *HAZMAT* test. **Note:** Local initial and recurring general explosives safety training requirements, identified in DAFI 91-202 (para 9.11.3.), for personnel who operate, handle, transport, maintain, load or dispose of missiles, explosives or nuclear weapons must still be accomplished, as applicable for the specific installation and unit operation requirements.

4.2. Required Reading (Testable Material).

4.2.1. Read the Explosives/Hazardous Materials Transport QTP

4.2.2. Read Sections 2 and Section 9 of the *AAMVA CDL manual*.

4.2.3. Read manufacturer's operator's manual and applicable TOs for the vehicle being trained on.

4.3. Licensing Requirements.

4.3.1. Trainees must be scheduled to take the *HAZMAT* test at E&TS or TCF. If the Trainee passes the CMVE *HAZMAT* test, then Ground Transportation may add the H endorsement on the Trainee's DAF Form 2293 as identified in **paragraph 2.4**. **Note:** Units not transitioned to CMVE will not be able to use the "H" endorsement and will need to use the established On-Line Vehicle Interactive Management System management code "0HMH".

4.3.2. Trainees must complete the Performance Test found in **Attachment 4**.

4.3.3. Military personnel (Active Duty, Reservists, National Guardsmen, including full-time technicians) will ensure certification has been annotated in appropriate OJT records.

4.3.4. Commercial drivers, Department of War (DoW) civilian employees, DoW contractors, U.S. Reservists, and National Guardsmen will have a valid Commercial Driver's License with the HAZMAT endorsement.

4.3.5. Foreign national operators working for the U.S. Government Outside the Continental United States (OCONUS) will, at a minimum, have a valid civilian driver's license from the host nation and a permit/agreement stating the joint employment policy and specifying limitations and restrictions for foreign national drivers. Additional requirements for the host nation and installation must also be met.

Chapter 5

KNOWLEDGE LECTURE

5.1. Overview of Knowledge Lecture.

5.1.1. Knowledge lecture objective:

5.1.2. Given lectures and demonstrations, trainees will be able to successfully accomplish training requirements identified in **Chapter 4**.

5.1.3. *Commercial Driver's License Manual*. This manual contains the bulk of the lecture knowledge material for training on transporting explosives/hazardous materials. It must be used in conjunction with this vehicle training package for training and lecture on explosives/hazardous material transport.

5.1.4. Air Force explosives safety standards are identified in DESR6055.09_DAFMAN91-201. Criteria for specific explosives are specified in technical publications and other standard publications, such as command and local directives.

5.1.5. Definition. For the purposes of this vehicle training package, the terms: "ammunition, explosives and munitions are synonymous. The term "hazardous material" includes all regulated hazardous material, including ammunition, explosives and munitions.

5.1.6. Overview of CDL standards.

5.1.6.1. Military members are not required to obtain a CDL IAW 49 CFR Part 383.3.: "Each State must exempt from the requirements of this part individuals who operate CMVs for military purposes. This exception is applicable to active-duty military personnel; members of the military reserves; member of the national guard on active duty, including personnel on full-time national guard duty, personnel on part-time national guard training, and national guard military technicians (civilians who are required to wear military uniforms); and active-duty U.S. Coast Guard personnel."

5.1.6.2. The Air Force is, however, required to develop and provide training meeting or exceeding national requirements for CMV operation IAW Department of Defense Manual (DoDM) 4500.36, *Acquisition, Management, and Use of DoD Non-Tactical Vehicles*, Appendix 1 to Enclosure 5, paragraph 4a: *"DoD Components will prescribe licensing requirements for its military and civilian drivers that meet or exceed the minimum national requirements issued by the Secretary of Transportation"*

5.1.6.3. FMCSA, under the USDOT, serves as the administrator for CDL requirements.

5.1.6.3.1. AAMVA, on behalf of FMCSA, develops, provides and maintains the minimum national standards through its CDL Test System model, to include hazardous material transport, standards and resources IAW the CFR and the Commercial Motor Vehicle Safety Act of 1986.

5.1.6.3.2. Transportation of HAZMAT endorsement requires additional knowledge, and skill sets IAW AAMVA requirements. **Note:** For information on the knowledge and skill set evaluations required for operators of AF government motor vehicles (GMV), transporting hazardous material, see **Chapter 4**.

5.2. Safety and Equipment.

5.2.1. Hazards and human factors.

5.2.1.1. Explosives/hazardous materials are not properly identified.

5.2.1.2. Shipments are not safely loaded.

5.2.1.3. Vehicle is not properly placarded.

5.2.2. Safety clothing and equipment:

5.2.2.1. Safety steel-toed boots must be worn.

5.2.2.2. Gloves will be worn during cargo loading and unloading cargo (remove rings/jewelry first).

5.2.2.3. First aid kit, if required.

5.2.2.4. Warning triangles, if required.

5.2.2.5. Inclement weather gear, if required.

5.2.2.6. DAF Form 1800.

5.2.2.7. Proper shipping forms. See **Paragraph 5.4.**

5.3. Explosives/Hazardous Materials Transportation Roles and Responsibilities.

5.3.1. See **Attachment 1** for definitions.

5.3.2. Shipper (transportation officer) will:

5.3.2.1. Ensure proper packaging, blocking and bracing are accomplished.

5.3.2.2. Ensure accurate hazardous warning labels, marking, placards are used.

5.3.2.3. Certify shipping papers.

5.3.2.4. Ensure only commercial or government vehicles are used for transporting regulated HAZMAT and Hazardous Waste (HW) as defined by 40 CFR 261, *Identification and Listing of Hazardous Waste*, and 40 CFR 261.3, *Definition of Hazardous Waste*. Use of POVs for transporting HAZMAT and HW is prohibited.

5.3.2.5. Ensure, before releasing explosives/hazardous materials, the operator of the vehicle or material handling equipment (MHE) provides the items listed below and meets the requirements of DoD 4500.36, *Management, Acquisition and Use of Motor Vehicles*:

5.3.2.5.1. Employee identification card or similar photo identification that identifies operator and his/her company affiliation.

5.3.2.5.2. License requirements for vehicle or MHE being operated and a hazardous material certification.

5.3.2.5.3. Written route plan, as prescribed by 49 CFR 397.67(d), *Motor Carrier Responsibility for Routing*, for classes of explosives/hazardous materials. For radioactive material, ensure the driver has a route plan IAW 49 CFR 397.101, *Requirements for Motor Carriers and Drivers*.

5.3.2.6. The carrier (operator) will:

5.3.2.6.1. Ensure the shipper has identified, marked, and labeled explosives/hazardous materials properly.

5.3.2.6.2. Refuse leaking packages and shipments.

5.3.2.6.3. Placard vehicle when loading, if required.

5.3.2.6.4. Safely transport the shipment without delay.

5.3.2.6.5. Follow all special rules about transporting explosives/hazardous materials.

5.3.2.6.6. Keep hazardous material shipping papers and emergency response information in the proper place.

5.3.2.6.7. Report accidents involving explosives/hazardous material to the appropriate agencies.

5.3.2.6.8. Explosives movement routes. Explosive movement routes will be reviewed IAW AFI 91-202, biennially.

5.4. Military Shipping Forms for Explosives/Hazardous Materials.

5.4.1. No operator may transport explosives/hazardous materials unless it is accompanied by applicable shipping papers. **See Attachment 3**.

5.4.1.1. DD Form 626, *Motor Vehicle Inspection (Transporting Hazardous Materials)*. Leads the operator through an extensive inspection to ensure that the vehicle is safe to drive.

5.4.1.1.1. The shipping activity must prepare a DD Form 626 before any vehicles are used for transportation of any placarded amounts of HAZMAT, and any placarded or non- placarded AA&E shipments moving under TPS. All spaces on the DD Form 626 must be completed for GMVs. Additional pages may be used if necessary. Shipments will not be tendered if any unsatisfactory items are noted and not corrected.

5.4.1.1.2. The receiving activity must complete the destination portion of the DD Form 626 before a motor vehicle containing a shipment of regulated HAZMAT is accepted for delivery. However, if a vehicle arrives at a receiving point with deficiencies, that vehicle will not be returned to service on the highway and will be unloaded.

5.4.1.1.3. DD Form 626 is divided into the following three sections:

5.4.1.1.3.1. Section I: Mechanical inspection.

5.4.1.1.3.1.1. Government Motor Vehicles. DoW inspectors must perform a detailed mechanical inspection on all GMVs transporting regulated HAZMAT on public highways. Item 12g, fire extinguisher requirements, applies to both commercial and GMVs.

5.4.1.1.3.1.2. Commercial Vehicles. If commercial vehicles have a current Commercial Vehicle Safety Alliance (CVSA) sticker, DoW inspectors may perform a cursory inspection verifying that, at a minimum, the following are operational: headlights, taillights, brake lights, and windshield wipers. DoW inspectors may verify that the fire extinguishers are charged, no fluids are leaking (visibly), and the tires are properly inflated and are not balding. If defects are noted during a cursory inspection, a detailed inspection will be performed on commercial vehicles using the DD Form 626. The activity may perform a detailed inspection at its option even if a current CVSA sticker is

present.

5.4.1.1.3.2. Section III: Post loading inspection. This section applies to commercial and GMVs.

5.4.1.1.4. Deficiencies that are discovered during inspection and are corrected before the loading or unloading of the vehicle will be entered in the "Remarks" column opposite the proper item. Only deficiency-free vehicles will be accepted for loading. The carrier must correct deficiencies before vehicles are permitted to enter sensitive or restricted areas.

5.4.1.1.5. The inspecting activity will retain a copy of the DD Form 626 IAW Service/Agency directives. For all shipments, the original will be given to the vehicle driver at origin for delivery to the consignee. For a deficient commercial vehicle that has been rejected from loading or unloading or if the driver of the vehicle has been found unsatisfactory, one copy will be sent to each of the following:

5.4.1.1.5.1. The nearest DOT field office.

5.4.1.1.5.2. The carrier home office.

5.4.1.1.5.3. SDDC Safety, ATTN: AMSSD-SA, 1 Soldier Way, Building 1900 West, Scott AFB, IL 62225-5006.

5.4.1.2. DD Form 2781. *Container Packing Certificate or Vehicle Packaging Declaration*. Required for each cargo transport unit or vehicle containing hazardous material, if hazardous material is packed within.

5.4.1.2.1. The shipper or person who stuffs the container and has been designated by the CDR to certify HAZMAT cargo will sign the DD Form 2890, *DOD Multimodal Dangerous Goods Form*, and the DD Form 2781.

5.4.1.2.2. DD Form 2781 is required for all movements of containers/vehicles.

5.4.1.3. DD Form 2890. Used to regulate hazardous material shipped in a military or non-commercial vehicle by highway movements.

5.4.1.3.1. When shipping papers are required by 49 CFR, a DD Form 2890 must be used to provide emergency response information for all government vehicles transporting regulated HAZMAT. If more than one emergency response number is required, each number must be annotated on the DD Form 2890 in bold highlighted letters or circled. Emergency response instructions will provide information to enable the driver to protect self, cargo, vehicle, and any other life or property in the vicinity from hazards associated with accidents or incidents. Additional information as required by 49 CFR, this regulation, and DoD Component/Service/Agency HQ will be annotated.

5.4.1.3.2. DD Form 2890 will serve as both a shipping paper on public highway and military and commercial vessel as regulated HAZMAT documentation from origin to final destination. The HN/Command regulations will apply once a DoD shipment arrives at the OCONUS POD.

5.4.1.3.3. The originating government or military driver will be instructed to keep DD Form 2890 in the vehicle while transporting regulated HAZMAT and to transfer it to each successive driver for delivery to the consignee.

5.4.1.3.4. When the Security Escort Vehicle Service is used, personnel performing the service will be provided with a duplicate copy of the DD Form 2890.

5.4.1.3.5. When government contractors/vendors load government vehicles with HAZMAT shipments for movement on a public highway, the contractor will complete/certify Blocks 21b, c, d on the DD Form 2890. The government vehicle operator will complete Block 20d. When a contractor employee operates the government vehicle on behalf of the government, the contractor employee vehicle operator will sign Block 20d. The contractor is the shipper in this case and has technical knowledge of the HAZMAT contents of the shipment to certify Blocks 21b, c, and d of the DD Form 2890. In addition, a DD Form 626 and DD Form 1907, *Signature and Tally Record,* may be required. When a contractor employee operates the government vehicle, the contractor employee must meet Federal Motor Carrier requirements, to include possessing a CDL with a vehicle/HAZMAT endorsement, medical certificate, alcohol/drug testing profile, and security plan as is required for commercial vehicle operators.

5.4.1.4. Decision table for use of explosives/hazardous materials military shipping forms.

Table 5.1. Decision Table for Use of Hazardous Material-Related Forms.

Required Document by Mode of Shipment				
Mode of Shipment	DD Form 2890	Shipper's Declaration for Dangerous Goods	DD Form 626	DD Form 2781
Air Military		X[1]		X
Air Commercial		X[1]		X
Vessel Military	X			X[2]
Vessel Commercial	X			X[2]
Highway Unit Move	X		X[1,3]	X
Highway Commercial	X[6]		X[1,3]	X
Rail Unit Move	X		X[1,3]	X
Rail Commercial	X		X[1,3]	X

Note:

1. Transporting HAZMAT via highway to a commercial or military aerial port requires the Shipper's Declaration for Dangerous Goods. This red border form will be used for the air/motor portion or IATA Dangerous Goods Regulations, ICAO Technical Instructions, or 49 CFR 175.

2. DD Form 2781 is required for all movements of containers/vehicles.

3. DD Form 626, is required for all vehicles marked or placarded IAW Title 49 CFR.

4. If a shipment is moving on an intermodal basis (e.g., highway to an aerial port), the Shipper's Declaration for Dangerous Goods will be used for HAZMAT transport by aircraft and by motor vehicle either before or after being transported by aircraft IAW IATA Dangerous Goods Regulations, ICAO Technical Instructions, or 49 CFR 175). However, if a shipment is moving on an intermodal basis (e.g., highway to water port), DD Form 2890 and its continuation Form 2890-C will be used for military and commercial vessel movements during the land/rail portion to final destination.

5. Shipper's Declaration for Dangerous Goods is required for placarded quantities.

6. A CBL/B/L may be used for domestic commercial highway movements completed IAW with HAZMAT declaration shipping paper data requirements.

5.4.1.5. The GMV operator will keep shipping papers for explosives/hazardous cargo:

5.3.1.5.1. In a pouch on the driver's door;

5.4.1.5.2. In clear view within reach, while driving;

5.4.1.5.3. On the driver's seat when out of the vehicle.

5.5. Safety for Transporting Explosives/Hazardous Materials.

5.5.1. Observe the following safety measures when handling and transporting explosive and/or HAZMAT:

5.5.1.1. Follow regulatory guidance and local standard operating procedures for safety requirements when loading, unloading and handling explosives/hazardous material. Ensure each individual is properly trained and familiar with safety requirements. **Note:** Ensure that applicable international regulations, requirements and restrictions are reviewed and adhered to for overseas bases, if operating off-base.

5.5.1.2. Designate specific, segregated areas for container loading and unloading activities and in-transit storage purposes.

5.5.1.2.1. Mark explosives/hazardous materials operating and storage areas with appropriate warning signs.

5.5.1.2.2. Initiate security measures, when necessary, to prevent theft, sabotage and unauthorized access.

5.5.1.2.3. Prohibit smoking, except in an established smoking area and provide means for safe disposal of smoking materials.

5.5.1.2.4. Prohibit matches, lighters or other sparking or open flame-producing items in the vicinity of explosives/hazardous materials.

5.5.1.2.5. Establish and follow firefighting and emergency plans. Ensure fire extinguisher requirements are met IAW Federal and State laws.

5.5.1.2.5.1. Two fully charged, dry chemical fire extinguishers must be carried on a placarded vehicle. One should be mounted on the outside of the cab, on the driver's side. One should be mounted on the inside of the cab.

5.5.1.2.6. Avoid jars or shocks to the cargo when driving.

5.5.1.2.7. Keep personnel clear of loads being lifted by terminal or marshaling yard equipment.

5.5.1.2.8. Keep roadways and marshaling yard aisles in good repair.

5.6. Rules for Transporting Explosives/Hazardous Materials.

5.6.1. General rules.

5.6.1.1. Before loading/unloading explosives/hazardous materials, set the parking brake and, if required, use chocks, to ensure the vehicle will not move.

5.6.1.2. Look for signs of leaking or damaged containers. Caution do not transport leaking packages.

5.6.1.3. Secure material against movement.

5.6.2. Parking a placarded vehicle:

5.6.2.1. With Division 1.1, 1.2 or 1.3 (Class A or B) Explosives.

5.6.2.1.1. Never park within five feet of the traveled part of the road; except for short periods of time needed for vehicle operation necessities (e.g., fueling, repairs, etc.).

5.6.2.1.2. Do not park within 300 feet of: a bridge, tunnel, building, gathering place, or open fire.

5.6.2.1.3. If you must park to perform your job, do so briefly.

5.6.2.1.4. Do not park on private property unless the owner is aware of the danger and has agreed to allow you to park on the private property.

5.6.2.1.5. Someone must always watch the parked vehicle. Someone, other than the operator, may watch the vehicle if the vehicle is: on the shipper's property, on the carrier's property, on the consignee's property.

5.6.2.1.6. You are allowed to leave your vehicle unattended in a safe haven. A safe haven is an approved place for parking unattended vehicles loaded with Class A or B explosives.

5.6.2.1.6.1. Designation of authorized safe havens may be done by local, state or federal authorities.

5.6.2.1.6.2. You must know the location of safe havens along your route.

5.6.2.2. Without Division 1.1, 1.2 or 1.3 (Class A or B) Explosives.

5.6.2.2.1. You may park a placarded vehicle, not laden with explosives, within five feet of the traveled part of the road, only if your work requires it.

5.6.2.2.2. If you must park to perform your job, do so briefly.

5.6.2.2.3. Someone must always watch the parked vehicle when parked on a public roadway or shoulder.

5.6.2.2.4. Do not uncouple a trailer with explosives/hazardous material and leave it on a public street.

5.6.2.2.5. Do not park within 300 feet of an open fire.

5.6.3. Detecting and Responding to Fuel Leakage Off-Road.

5.6.3.1. Leak Detection: When traveling off-road, inspect for fuel leaks at each stop. Off-road conditions and terrain can loosen connections, potentially causing leaks.

5.6.3.2. Emergency Procedures: Upon detecting a fuel leak from the cargo tank, immediately perform the following actions:

5.6.3.2.1. Deactivate the vehicle's electrical system.

5.6.3.2.2. If the tanker is a semi-trailer, lower the landing gear, disconnect the semi-trailer from the tractor, and move the tractor to a safe distance.

5.6.3.2.3. Retrieve the vehicle fire extinguisher and keep it readily accessible. If an assistant GMV operator or other personnel are available, assign them to monitor the

fire extinguisher.

5.6.3.2.4. Assess the leak to determine if a field expedient (e.g., wooden plug or rubber matting) can temporarily control it.

5.6.3.2.5. If possible, and without creating a hazardous condition, transfer fuel from the leaking compartment to a secure compartment within the tanker. NOTE: Do not attempt this procedure if fuel vapors have accumulated around the tanker pump.

5.6.3.3. Fuel Jettisoning: When the leaking compartment cannot be transferred, contact the nearest HAZMAT response facility (local fire station) to obtain authorization and guidance for selecting an appropriate fuel jettison location. Air Force, Department of War, and Federal regulations prohibit discharging fuel onto the ground.

5.6.4. Petroleum Tank Vehicle Safety. When operating any petroleum tank vehicle, all operators must be knowledgeable of and adhere to critical safety precautions and procedures. (T-0). Refer to the Manufacturer's Operator's Manual and the vehicle's respective lesson plan for detailed safety procedures and guidelines.

Chapter 6

DEMONSTRATION & EVALUATION

6.1. Instructor's Preparation.

6.1.1. Establish a training location.

6.1.2. Schedule/reserve a vehicle.

6.1.3. Ensure trainee completes DAF Form 171.

6.2. Demonstration.

6.2.1. Allow for questions.

6.2.2. Repeat demonstrations as needed.

6.2.3. During the demonstration, the trainer should review the following:

6.2.3.1. Safety and personal protective equipment.

6.2.3.2. Emergency/incident response procedures and points-of-contact.

6.2.3.3. Shipping paper verification.

6.2.3.4. Explosives/hazardous cargo tie-down.

6.2.3.5. Vehicle placarding verification.

6.2.3.6. Parking requirements and restrictions.

6.3. Performance Test.

6.3.1. Trainee will complete the performance test found in **Attachment 4**.

6.3.2. Certifier will:

6.3.2.1. Always ensure safety. Use wheel chocks (if required) when parking the vehicle, and ensure the trainee removes all jewelry, including identification tags, during loading and unloading procedures.

6.3.2.2. The Certifier is not allowed to assist the trainee in completing any portion of the Performance Test found in **Attachment 4**. They will orient the trainee on Attachment 4 and the expectations of the Performance Test. Certifiers may answer questions about the Performance test but will not lead the applicant to answers.

6.3.2.3. Retrain. Any items identified as a "No-Go" will be communicated to the trainer for additional training prior to additional attempts at the performance test.

Attachment 1

GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

References

42 CFR, Part 72, *Select Agents and Toxins*

49 CFR, Part 172, Subpart F, *Placarding*

49 CFR, Part 383, *Commercial Driver's License Standards; Requirements and Penalties*

DoD 5100.76-M, *Physical Security of Sensitive Conventional Arms, Ammunition and Explosives (AA&E)*, 17 April 2012

DAFI 24-301, *Ground Transportation*, 9 January 2026

DAFI 91-202, *The US Air Force Mishap Prevention Program*, 20 March 2020

DAFMAN 91-203, *Air Force Consolidated Occupational Safety Standard*, 25 March 2022

DESR 6055.09 DAFMAN 91-201, *Explosives Safety Standard*, 28 May 2020

DTR 4500.9R, Part II, *Cargo Movement*, 23 July 2026

AFJMAN 23-209, *Storage and Handling of Hazardous Materials*, 4 March 2020

Commercial Driver's License Manual, Modernized Testing System, 2022, AAMVA

Adopted Forms

DAF Form 171, *Request for Driver's Training and Addition to U.S. Government Drivers*, 6 May 2026

DD Form 626, *Motor Vehicle Inspection (Transporting Hazardous Materials)*, 13 May 2024

DAF Form 847, *Recommendation for Change of Publication*, 15 April 2022

DAF Form 1800, *Operator's Inspection Guide and Trouble Report*, 17 February 2026

DAF Form 2293, *U.S. Air Force Motor Vehicle Operator Identification Card*, No Date

DD Form 2781, *Container Packing Certificate or Vehicle Packing Declaration,* 1 August 2013

DD Form 2890, *DoD Multimodal Dangerous Good Form,* 1 September 2015

Abbreviations and Acronyms

AAMVA—American Association of Motor Vehicle Administrators

AFI—Air Force Instruction

AFIMSC—Air Force Installation and Mission Support Center

AFJMAN—Air Force Joint Manual

AFMAN—Air Force Manual

CDL—Commercial Driver's License

CFR—Code of Federal Regulations

CMV—Commercial Motor Vehicle

CMVE—Commercial Motor Vehicle Equivalent

CUI—Controlled Unclassified Information

CVSA—Commercial Vehicle Safety Alliance

DAF—Department of the Air Force

DAFI—Department of the Air Force Instruction

DAFMAN—Department of the Air Force Manual

DESR—Defense Explosives Safety Regulation

DoD—Department of Defense

DoW—Department of War

DODM—Department of Defense Manual

DTR—Defense Transportation Regulation

E&TS—Education & Training Section

ERG—Emergency Response Guide

FMCSA—Federal Motor Carrier Safety Administration

GMV—Government Motor Vehicle

HAZMAT—Hazardous Materials

HN—Host Nation

IAW—In Accordance With

MHE—Material Handling Equipment

OCONUS—Outside the Continental United States

OJT—On-the-Job-Training

OLVIMS—Online Vehicle Interactive Management System

POD—Port of Debarkation

POE—Port of Embarkation

PPE—Personal Protective Equipment

QTP—Qualification Training Package c

RM—Risk Management

SDDC—Surface Deployment and Distribution Command

TCF—Test Control Facility

TMO—Traffic Management Office

TO—Technical Order

TPS—Trailer Protection System

TVO—Training, Validation, and Operations

UCMJ—Uniform Code of Military Justice

USAF—United States Air Force

U.S.C.—United States Code

USDOT—United States Department of Transportation

UTM—Unit Training Manager

VCO—Vehicle Control Official

Terms

Carrier—Any individual, company, or corporation commercially engaged in transporting cargo or passengers between two points. DoD-approved carriers, as defined above, are approved by the Commander, Military Surface Deployment and Distribution Command or the headquarters, Air Mobility Command.

Commercial Driver's License—A license issued to an individual by a State or other jurisdiction of domicile, in accordance with the standards contained in this part, which authorizes the individual to operate a class of a commercial motor vehicle.

Commercial Motor Vehicle—A motor vehicle or combination of motor vehicles used in commerce to transport passengers or property, classified as follows: (1) Combination Vehicle

(Group A), having a gross combination weight rating or weight of 11,794 kilograms (26,001 pounds) or more, inclusive of a towed unit(s) exceeding 4,536 kilograms (10,000 pounds); (2) Heavy Straight Vehicle (Group B), having a gross vehicle weight rating or weight of 11,794 kilograms (26,001 pounds) or more; or (3) Small Vehicle (Group C) not meeting Group A or B requirements but is either designed to transport 16 or more passengers, including the driver, or is of any size and used to transport hazardous materials.

Endorsement—An authorization to an individual's commercial driver's license is required to permit the individual to operate certain types of commercial motor vehicles.

Hazardous Materials—Any material that has been designated as hazardous under 49 U.S.C. 5103 and is required to be placarded under subpart F of 49 CFR part 172 or any quantity of a material listed as a select agent or toxin in 42 CFR part 73.


Shipper—A Service or agency activity (including the contract administration or purchasing office for vendors) or vendor that originates shipments. The functions performed include planning, assembling, consolidating, documenting, and arranging material movement.

Transportation Officer—Person(s) designated or appointed to perform traffic management functions. The official at an activity that is designated or appointed as Installation Transportation Officer, Traffic Manager, Traffic Management Officer, Passenger Transportation Officer, Personal Property Transportation Officer, Unit Movement Coordinator, or Department of State General Service Officers.

Attachment 2

PLACARDING GUIDANCE

Figure A2.1. Hazardous Material Transport Placarding Sample.



Attachment 3

MILITARY SHIPPING FORMS

Figure A3.1. DD Form 626, *Motor Vehicle Inspection (Transporting Hazardous Materials).*

Prescribed by: DTR 4500.9-R (Updated 20240708)

MOTOR VEHICLE INSPECTION (TRANSPORTING HAZARDOUS & SENSITIVE MATERIALS)

(This form provides a limited inspection of the general operation of the vehicle and is not to be confused with the more thorough vehicles' periodic inspection. Read Instructions before completing this form.)

This form applies to all vehicles which must be marked or placarded in accordance with Title 49 CFR.	1. BILL OF LADING/TRANSPORTATION CONTROL NUMBER

SECTION 1 - DOCUMENTATION	ORIGIN a.	DESTINATION b.
2. CARRIER/GOVERNMENT ORGANIZATION		
3. DATE/TIME OF INSPECTION		
4. LOCATION OF INSPECTION		
5. OPERATOR(S) NAME(S)		
6. OPERATOR(S) LICENSE NUMBER(S)		

7. *(X if satisfactory at origin)*

7.a. HAZMAT ENDORSEMENT		7.d. ERG OR EQUIVALENT COMMERCIAL:		YES		NO		8. PERIODIC INSPECTION CURRENT (WITHIN 1 YEAR)*	YES / NO
7.b. VALID LEASE*		7.e. DRIVER'S CERTIFICATION OF SAFE EQUIPMENT*						8.a. TRUCK/TRACTOR	
7.c. ROUTE PLAN		7.f. COPY OF 49 CFR PART 397						8.b. TRAILER	

SECTION II - VEHICLE INSPECTION

All items shall be checked on empty equipment prior to loading. Items with an asterisk shall be checked on all incoming loaded equipment.

9. TYPE OF VEHICLE(S)	10. VEHICLE NUMBER(S)

11. PART INSPECTED *(X as applicable, for military, government-owned, or commercial vehicles)*	ORIGIN (1) SAT	ORIGIN (1) UNSAT	DESTINATION (2) SAT	DESTINATION (2) UNSAT		ORIGIN (1) SAT	ORIGIN (1) UNSAT	DESTINATION (2) SAT	DESTINATION (2) UNSAT	COMMENTS (3)
11.a. HORN OPERATIVE					11.h. COUPLING DEVICES					
11.b. WINDSHIELD/WIPERS					11.i. CARGO SPACE					
11.c. MIRRORS					11.j. LANDING GEAR*					
11.d. WARNING EQUIPMENT					11.k. TIRES, WHEELS, RIMS					
11.e. SAFETY EQUIPMENT					11.l. TAILGATE/DOORS*					
11.f. LIGHTS AND REFLECTORS					11.m. TARPAULIN*					
11.g. BRAKES*					11.n. OTHER *(Specify)*					

12. INSPECTION RESULTS *(X one)* ACCEPTED REJECTED

(If rejected give reason under "Remarks". Equipment will be approved if deficiencies are corrected prior to loading.)

13. SATELLITE MOTOR SURVEILLANCE SYSTEM: *(X one)* ACCEPTED REJECTED

14. REMARKS

15. INSPECTOR PRINTED NAME *(Origin)*	16. INSPECTOR SIGNATURE *(Origin)*

SECTION III - POST LOADING INSPECTION

This section applies to Commercial and Government/Military vehicles. All items will be checked prior to release of loaded equipment and shall be checked on all incoming loaded equipment.

	ORIGIN (1) SAT	ORIGIN (1) UNSAT	DESTINATION (2) SAT	DESTINATION (2) UNSAT	COMMENTS (3)
17. LOADED IAW APPLICABLE SEGREGATION/COMPATIBILITY TABLE OF 49 CFR					
18. LOAD PROPERLY SECURED TO PREVENT MOVEMENT					
19. SEALS APPLIED TO CLOSED VEHICLE; TARPAULIN APPLIED ON OPEN EQUIPMENT					
20. PROPER PLACARDS APPLIED					
21. SHIPPING PAPERS/DD FORM 2890 FOR GOVERNMENT VEHICLE SHIPMENTS					
22. COPY OF DD FORM 626 FOR DRIVER					
23.SHIPPED UNDER DOT SPECIAL PERMIT 868 OR OTHER DOT SPECIAL PERMIT(S)					

24. INSPECTOR PRINTED NAME/SIGNATURE *(Origin)*	25. DRIVER(S) PRINTED NAME(S)/ SIGNATURE(S) *(Origin) (By signing I certify all motor carrier equipment is in safe operating condition)*
26. INSPECTOR PRINTED NAME/SIGNATURE *(Destination)*	27. DRIVER(S) PRINTED NAME(S)/SIGNATURE(S) *(Destination)*

DD FORM 626, MAY 2024 PREVIOUS EDITION IS OBSOLETE. Page 1 of 3

INSTRUCTIONS

SECTION I - DOCUMENTATION

General Instructions.

All items (2 through 8) will be checked at origin prior to loading. Items with an asterisk (*) apply to commercial operators or equipment only. Only Items 2 through 7 are required to be checked at destination.

Items 1 through 5. Self explanatory.

Item 6. Enter operator's Commercial Driver's License (CDL) number or Military OF-346 License Number. CDL and OF-346 must have the HAZMAT and other appropriate endorsements IAW 49 CFR 383.

Item 7.a. Hazardous Materials Certification. In accordance with applicable service regulations, ensure operator has been certified to transport hazardous materials. Check the expiration date on driver's HAZMAT Certification.

b. *Valid Lease. Shipper will ensure a copy of the appropriate contract or lease is carried in all leased vehicles and is available for inspection. (49 CFR 376.12 and 376.11(c)(2)).

c. Route Plan. Prior to loading any Hazard Class/Division 1.1, 1.2, or 1.3 (Explosives) for shipment, ensure that the operator possesses a written route plan in accordance with 49 CFR Part 397. Route Plan requirements for Hazard Class 7 (Radioactive) materials are found in 49 CFR 397.101.

d. Emergency Response Guidebook (ERG) or Equivalent. Commercial operators must be in possession of an ERG or equivalent document. Shipper will provide applicable ERG page(s) to military operators.

e. *Verify the driver has completed a pre-trip inspection. The driver's signature in item 25 serves as the certification that both the motor vehicle and trailer are in safe operating condition.

f. Copy of 49 CFR Part 397. Operators are required by regulation to have in their possession a copy of 49 CFR Part 397 (Transportation of Hazardous Materials Driving and Parking Rules). If military operators do not possess this document, shipper will provide a copy to operator.

Item 8. * Check the last periodic inspection date for the Truck/Tractor and Trailer to ensure currency (1 year). Acceptable documentation: (1) A copy of the inspection report or (2) A sticker or decal with the date of inspection, name and address of the motor carrier, information uniquely identifying the vehicle inspected and a certification the vehicle has passed an inspection in accordance with § 396.17.

SECTION II - VEHICLE INSPECTION

General Instructions.

Item 9. Type of Vehicle(s). For military tactical vehicles, enter Nomenclature/ Model of vehicle (and trailer, if applicable). For GSA or commercial vehicles, enter Make & Model of vehicle (and trailer, if applicable).

Item 10. Vehicle Number(s). For military tactical vehicles, enter bumper number(s). For GSA or commercial vehicles, enter Vehicle Identification Number (VIN) or Company-assigned number(s) for vehicle (and trailer, if applicable).

All items (11.a. through 11.n.) will be checked on all incoming military, government-owned, or commercial empty equipment prior to loading. All UNSATISFACTORY conditions must be corrected prior to loading.

Item 11.a. Horn Operative. Ensure that horn is securely mounted and of sufficient volume to serve purpose. (49 CFR 393.81)

b. Windshield/ Wipers. Inspect to ensure that windshield is free from breaks, cracks or defects that would make operation of the vehicle unsafe; that the view of the driver is not obscured and that the windshield wipers are operational and wiper blades are in serviceable condition. Defroster must be operative when conditions require. (49 CFR 393.60, 393.78 and 393.79)

c. Mirrors. Every vehicle must be equipped with two rear vision mirrors located so as to reflect to the driver a view of the highway to the rear along both sides of the vehicle. Mirrors shall not be cracked or dirty. (49 CFR 393.80)

d. Warning Equipment. Equipment must include three bidirectional emergency reflective triangles that conform to the requirements of FMVSS No. 125. FLAME PRODUCING DEVICES ARE PROHIBITED. (49 CFR 393.95)

e. Safety Equipment. Military vehicles must be equipped with one serviceable fire extinguisher with an Underwriters Laboratories rating of 10 BC or more (Commercial motor vehicles must be equipped with one serviceable 10 BC Fire Extinguisher). Fire extinguisher must be located so that it is readily accessible for use and securely mounted on the vehicle. The fire extinguisher must be designed, constructed and maintained to permit visual determination of whether it is fully charged. A set of wheel chocks is required to prevent movement of unattended vehicles. (49 CFR 393.95 and 49 CFR 398.4(p))

f. Lights and Reflectors. (Head, tail, turn signal, brake, clearance, marker and identification lights, Emergency Flashers). Inspect to see that all lighting devices and reflectors required are operable, of proper color and properly mounted, and are not obscured by dirt or grease or have broken lenses. High/Low beam switch must be operative. Emergency Flashers must be operative on both the front and rear of vehicle. (49 CFR 393.24, 25, and 26)

g. Brakes (to include hand brakes, parking brakes and Low Air Warning devices). Check to ensure that brakes are operational and stop and hold the vehicle or tractor/trailer combination. Check for audible air leaks around air brake components and air lines. Check for fluid leaks and visible cracked or damaged lines. Ensure that parking brake is operational. Low air warning devices must be operative. (49 CFR 393.40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 51, 52, 53, and 55)

INSTRUCTIONS

SECTION II *(Continued)*

h. Coupling Devices (inspect without uncoupling). Fifth Wheels: Inspect for unsecured mounting to frame or any missing or damaged parts. Inspect for any visible space between upper and lower fifth wheel plates. Ensure that the locking jaws are around the shank and not the head of the kingpin. Ensure that the release lever is seated properly and safety latch is engaged. Pintle Hook, Drawbar, Towbar Eye and Tongue and Safety Devices: Inspect for unsecured mounting, cracks, missing or ineffective fasteners (welded repairs to pintle hook is prohibited). Ensure safety devices (chains, hooks, cables) are in serviceable condition and properly attached. (49 CFR 393.70 and 71)

i. Cargo Space. Inspect to ensure that cargo space is clean and free from exposed bolts, nuts, screws, nails or inwardly projecting parts that could damage the lading. Check floor to ensure it is tight and free from holes. Floor shall not be permeated with oil or other substances. (49 CFR 393.84)

j. Landing Gear. Inspect to ensure that landing gear and assembly are in serviceable condition, correctly assembled, adequately lubricated, and properly mounted.

k. Tires, Wheels, and Rims. Inspect to ensure that tires are properly inflated. Flat or leaking tires are unacceptable. Inspect tires for visible cuts, bruises, breaks and blisters. Tires with cuts that extend into the cord body are unacceptable. Thread depth shall not be less than: 4/32 inches for tires on a steering axle of a power unit, and 2/32 inches for all other tires. Mixing bias and radial on the steering axle is prohibited. Inspect wheels and rims for visible cracks, unseated locking rings, broken, loose, damaged or missing lug nuts or elongated stud holes. (49 CFR 393.75)

l. Tailgate/ Doors. Inspect to see that all hinges are tight in body. Check for broken latches and safety chains. Doors must close securely. (49 CFR 177.835(h))

m. Tarpaulin. If shipment is made on open equipment, ensure that lading is properly covered with fire and water resistant tarpaulin. (49 CFR 177.835(h))

n. Other. Note any other unsatisfactory condition which would prohibit the vehicle from being loaded with hazardous or sensitive materials.

Item 13. For AA&E and other shipments requiring satellite surveillance, ensure that the Satellite Motor Surveillance System is operable. The DTTS Message Display Unit, when operative, will display the signal "DTTS ON". The munitions carrier driver, when practical, will position the DTTS message display unit in a manner that allows the shipping inspector or other designated shipping personnel to observe the "DTTS ON" message without climbing aboard the cab of the motor vehicle.

Item 15. Ensure inspector prints name on DD Form 626 at origin prior to loading vehicle.

Item 16. Ensure inspector signs name on DD Form 626 at origin prior to loading vehicle.

SECTION III - POST LOADING INSPECTION

General Instructions.

All placarded quantities/items will be checked prior to the release of loaded equipment. Shipment will not be released until deficiencies are corrected. All items will be checked on incoming loaded equipment. Deficiencies will be reported in accordance with applicable service regulations.

Item 17. Check to ensure shipment is loaded in accordance with 49 CFR Part 177.848 and the applicable Segregation or Compatibility Table of 49 CFR 177.848.

Item 18. Check to ensure the load is secured from movement in accordance with applicable service outload drawings.

Item 19. Check to ensure seal(s) have been applied to closed equipment; fire and water resistant tarpaulin applied on open equipment.

Item 20. Check to ensure each transport vehicle has been properly placarded in accordance with 49 CFR 172.504.

Item 21. Check to ensure operator has been provided shipping papers that comply with 49 CFR 172.201 and 202. For shipments transported by Government vehicle, shipping paper will be DD Form 2890.

Item 22. Ensure operator(s) sign DD Form 626, are given a copy and understand the hazards associated with the shipment.

Item 23. Applies to Commercial Shipments Only. If shipment is made under DOT Special Permit 868 or other applicable Special Permits, ensure that shipping papers are properly annotated and a copy of each Special Permit is with shipping papers.

Item 24. Ensure inspector signs & prints name on DD Form 626 at origin.

Item 25. Ensure driver(s)/operator(s) sign(s) & print(s) name on DD Form 626 at origin.

Item 26. Ensure inspector signs & prints name on DD Form 626 at destination.

Item 27. Ensure driver(s)/operator(s) sign(s) & print(s) name on DD Form 626 at destination.

Figure A3.2. DD Form 2781, *Container Packing Certificate or Vehicle Packing Declaration*.

CONTAINER PACKING CERTIFICATE
OR
VEHICLE PACKING DECLARATION

Person responsible for packing the cargo transport unit (vehicle/container) will complete the checklist. Cross out "vehicle" or "container", as applicable. After completion, sign the certificate.

1. It is declared that the undersigned has visually inspected (Container/Vehicle) Number: _____ (cross out whichever item does NOT apply) and it has been loaded/packed in accordance with the provisions of 5.4.2.1 (IMDGC) and CFR 49 and that (indicate "N/A" for all items that do NOT apply):

	a. The cargo transport unit (container/vehicle) was clean, dry, and apparently fit to receive the goods.
	b. If the consignment includes goods of class 1, other than 1.4, the cargo transport unit (container/vehicle) is structurally serviceable in conformity with 7.4.6 (IMDGC).
	c. Goods that should be segregated, have not been packed together onto or in the cargo transport unit (container/ vehicle) (unless approved by the competent authority concerned in accordance with 7.2.2.3 (IMDGC)).
	d. All packages have been externally inspected for damage, leakage, or sifting, and only sound packages have been packed.
	e. Drums have been stowed in an upright position, unless otherwise authorized by the competent authority.
	f. All packages have been properly packed onto or in the cargo transport unit (container/vehicle) and secured.
	g. When dangerous goods are transported in bulk packagings, the cargo has been evenly distributed.
	h. The cargo transport unit (container/vehicle) and packagings therein are properly marked, labeled, and placarded.
	i. When solid carbon dioxide (CO^2 - dry ice) is used for cooling purposes, the cargo transport unit (container/vehicle) is externally marked or labeled in a conspicuous place, such as the door, and with the words: **"DANGEROUS CO^2 - GAS (DRY ICE) INSIDE. VENTILATE THOROUGHLY BEFORE ENTERING".**
	j. The dangerous goods transport document required in 5.4.1 (IMDGC) has been received for each dangerous goods consignment packed in the cargo transport unit (container/vehicle).


2. PERSON RESPONSIBLE FOR PACKING

a. PRINTED NAME *(Last, First, Middle Initial)*	b. RANK/GRADE	c. TITLE	d. ORGANIZATION

e. PLACE PACKED	f. SIGNATURE	g. DATE *(YYYYMMDD)*

DD FORM 2781, AUG 2013 PREVIOUS EDITION IS OBSOLETE. Adobe Professional 9.0

Figure A3.3. DD Form 2890, *DOD Multimodal Dangerous Goods Declaration*.



DOD MULTIMODAL DANGEROUS GOODS DECLARATION

This form may be used as a dangerous goods declaration as it meets the requirements of SOLAS 74, Chapter VII, regulation 54; MARPOL 79/78, Annex III, Regulation 4.

1. SHIPPER/CONSIGNOR/SENDER	2. TRANSPORT DOCUMENT NUMBER	3. PAGE 1 OF PAGES	4. SHIPPER'S REFERENCE (TCN)

5. FREIGHT FORWARDER'S REFERENCE	6. CONSIGNEE	7. CARRIER *(To be completed by the carrier)*

24-HOUR EMERGENCY ASSISTANCE TELEPHONE NUMBERS:

DOD NON-EXPLOSIVE HAZMAT: (800) 851-8061/ (804) 279-3131 AT SEA: COLLECT: (804) 279-3131	DOD HAZ CLASS 1 (EXPLOSIVES) ONLY: COLLECT: (703) 695-4695/4696 or DSN: 225-4695/4696 (Watch Officer)	CHEMICAL/BIOLOGICAL WARFARE MATERIAL: (410) 436-6200 DSN: 584-6200	DOD SECURE HOLDING: (800) 826-0794 *(For TSPs/drivers emergency secure holding /issues, accidents, delays, and incidents)* OIL/CHEMICAL SPILLS: NRC & TERRORIST HOTLINE: (800) 424-8802 AT SEA: COLLECT: (202) 267-2675	DOD RADIOACTIVE MATERIALS: COLLECT ARMY: (703) 695-4695/4696 USAF: (301) 981-5058 DLA: (800) 851-8061 AT SEA: COLLECT: (804) 279-3131 USN/MC: Use 24-hour emergency response number provided by activity.

8. THIS SHIPMENT IS WITHIN THE LIMITATIONS PRESCRIBED FOR: *(X as applicable)* ☐ MILITARY VESSEL ☐ COMMERCIAL VESSEL ☐ HIGHWAY/RAIL		9. CONTAINER PACKING CERTIFICATE OR VEHICLE PACKING DECLARATION, DD FORM 2781, IS ATTACHED *(X if applicable)*
10. VOYAGE DOCUMENT NUMBER AND SAILING DATE *(To be completed by the carrier)*	11. PORT/PLACE OF LOADING	
12. PORT/PLACE OF DISCHARGE	13. DESTINATION	

14. SHIPPING MARKS	DESCRIPTION OF GOODS *(UN No., PSN, HC, SHC, PG, number and kind of package, and additional information as required by regulations)*	NET MASS/QTY *(kgf)*	GROSS MASS *(kg)*

16. CONTAINER IDENTIFICATION NO./ VEHICLE REGISTRATION NO.	16. SEAL NUMBER(S)	17. CONTAINER/VEHICLE AND TYPE	18. TARE MASS *(kg)*

19. ADDITIONAL HANDLING INFORMATION

20. RECEIVING ORGANIZATION RECEIPT

Received the above number of packages/containers/trailers in apparent good order and condition, unless stated hereon:

a. RECEIVING ORGANIZATION REMARKS

b. HAULER'S NAME	c. VEHICLE REGISTRATION NO.	d. SIGNATURE AND DATE	e. DRIVER'S SIGNATURE

21. SHIPPER PREPARING THIS FORM

SHIPPER'S DECLARATION. I hereby declare that the contents of this consignment are fully and accurately described above by the Proper Shipping Name, and are classified, packaged, marked, and labeled/placarded and are in all respects in proper condition for transport according to applicable international and national government regulations.

a. NAME OF COMPANY/MILITARY UNIT	b. NAME/STATUS OF DECLARANT/CERTIFIER
c. PLACE AND DATE	d. SIGNATURE OF DECLARANT/CERTIFIER

DD FORM 2890, SEP 2015 PREVIOUS EDITION IS OBSOLETE. Adobe Designer 9.0

Prescribed by: DTR 4500.9-R, Part II

INSTRUCTIONS FOR COMPLETING DD FORM 2890, DOD MULTIMODAL DANGEROUS GOODS DECLARATION

Item 1. Shipper/Consignor/Sender. Enter the address and telephone number where the HAZMAT was certified.

Item 2. Transport Document Number (Ocean container shipments only). The vessel manifest number to which the Multimodal Dangerous Goods Declaration will be attached may be entered in this block. The shipper need not enter this number. The accepting operator may enter it at the time it is assigned. Leave blank for breakbulk shipments. Shipper enters container "V" number.

Item 3. Page __ of __ Pages. Enter the page number and total number of pages. Example: Page 1 of 1.

Item 4. Shipper's Content Reference Number (TCN). Enter the 17-character TCN.

Item 5. Freight Forwarder's Reference. Leave blank.

Item 6. Consignee. Enter the six-digit DODAAC and/or the in-the-clear geographical location of the ultimate consignee (if known). For shipments of infectious substances, enter also the full address, name and telephone number of a responsible person for contact in an emergency.

Item 7. Carrier. Enter Vessel Carrier Name. To be completed by the carrier.

24 Hour Assistance Telephone Number(s). Circle applicable emergency number(s).

Item 8. Shipment Within the Limitations Prescribed for Military Vessel/ Commercial Vessel/Highway/Rail. Mark X in the appropriate block.

Item 9. Container Certification/Vehicle Declaration. Declarant must mark X if applicable. U.S. Coast Guard or port officials may require verification of the container certification/vehicle declaration. DD Form 2781 is a detailed checklist which meets USCG/Customs requirements. DD Form 2781 must be signed and attached to DD Form 2890.

Item 10. Voyage Document Number and Sailing Date (To be completed by the carrier). Enter the voyage document number and the date of sail.

Item 11. Port/Place of Loading. Enter the three-digit POE code and/or the in-the-clear geographical location of the port of embarkation.

Item 12. Port/Place of Discharge. Enter the three-digit POD code and/or the in-the-clear geographical location of the port of debarkation.

Item 13. Destination (in the clear). Enter destination address.

Item 14. Shipping Marks.
1. The identification number prescribed for the material as shown in Column (4) of the Section 49 CFR 172.101 table;
2. The proper shipping name prescribed for the material in Column (2) of the Section 172.101 table;
3. The hazard class or division number prescribed for the material, as shown in Column (3) of the Section 172.101 table. The subsidiary hazard class or division number is not required to be entered when a corresponding subsidiary hazard label is not required. Except for combustible liquids, the subsidiary hazard class(es) or subsidiary division number(s) must be entered in parentheses immediately following the primary hazard class or division number. In addition: The words "Class" or "Division" may be included preceding the primary and subsidiary hazard class or division numbers. The hazard class need not be included for the entry "Combustible liquid, N.O.S." For domestic shipments, primary and subsidiary hazard class or division names may be entered following the numerical hazard class or division, or following the basic description.
4. The packing group in Roman numerals, as designated for the hazardous material in Column (5) of the Section 172.101 table. Class 1 (explosives) materials; self-reactive substances; batteries other than those containing lithium, lithium ions, or sodium; Division 5.2 materials; and entries that are not assigned a packing group (e.g., Class 7) are excepted from this requirement. The packing group may be preceded by the letters "PG" (for example, "PGII");
5. Enter additional information from the IMDG, chapter 5.4, as required (i.e. Marine Pollutant, Flashpoint, Toxin Inhalation Hazard, RQ, etc.).
6. Enter the number and kind of packaging.

Item 14. Shipping Marks (Continued).
7. Except for transportation by aircraft, the total quantity of hazardous materials covered by the description must be indicated (by mass or volume, or by activity for Class 7 materials) and must include an indication of the applicable unit of measurement, for example, "200 kg" (440 pounds) or "50L" (13 gallons). The following provisions also apply: For Class 1 materials, the quantity must be the net explosive mass. For an explosive that is an article, such as Cartridges, small arms, the net explosive mass may be expressed in terms of the net mass of either the article or the explosive materials contained in the article.
8. Ammunition transported by Government Vehicle, Unit will enter the total net quantity for non-explosive material in metric measure. U.S. measure may be added in parentheses underneath the metric measure. For ammunition, enter the total number of rounds/articles and NEW in kg. Exception: Net total quantity is not required for bulk packages, empty packages and cylinders of Class 2.
9. Radioactive material. The description for a shipment of a Class 7 (radioactive) material must include the following additional entries as appropriate:
a. The name of each radionuclide in the Class 7 (radioactive) material that is listed in Section 173.435 of this subchapter. For mixtures of radionuclides, the radionuclides required to be shown must be determined in accordance with Section 173.433(g) of this subchapter. Abbreviations, e.g., "99 Mo," are authorized.
b. A description of the physical and chemical form of the material, if the material is not in special form (generic chemical description) is acceptable for chemical form).
c. The activity contained in each package of the shipment in terms of the appropriate SI units (e.g. Becquerels (Bq), Terabecquerels (TBq), etc.). The activity may also be stated in appropriate customary units (Curies (Ci), milliCuries (mCi), microCuries (uCi), etc.) in parentheses following the SI units. Abbreviations are authorized. Except for plutonium-239 and plutonium-241, the weight in grams or kilograms of fissile radionuclides may be inserted instead of activity units. For plutonium-239 and plutonium-241, the weight in grams of fissile radionuclides may be inserted in addition to the activity units.

Item 15. Container ID Number/Vehicle Registration Number. Enter ID number of the container or vehicle registration number. A dash (-) or blank space is acceptable before the check digit.

Item 16. Seal Number(s). Enter seal number installed on container.

Item 17. Container/Vehicle and Type. Enter type and size of container (20 or 40 ft.) or vehicle description (e.g., HUMVEE).

Item 18. Tare Mass (kg). Enter tare weight of the container.

Item 19. Additional Handling Information.
If applicable, provide additional handling instructions.
Enter the Emergency Response Guide (ERG) Number(s) of the HAZMAT and attach the specific ERG page to DD Form 2890.
If applicable, drivers transporting regulated HAZMAT on European highways must be provided Transport Emergency Cards (TREMCARDS) in the host nation language which must be attached to the shipping papers.

Item 20. Receiving Organization Receipt. Leave blank as this will be filled out by the receiving organization. Signing this block states that the shipment is in good order, unless otherwise noted.

Item 21. Shipper Preparing This Form.
a. Name of Company/Military Unit. Enter the name of company.
b. Name/Status of Declarant/Certifier. Enter the name and status of the person signing the form.
c. Place and Date. Enter the place and date the material was certified.
d. Signature of Declarant/Certifier. The person who certifies on behalf of DoD that the shipment complies with the applicable regulatory requirements must sign the form.

DD FORM 2890 (BACK), SEP 2015

Attachment 4

EXPLOSIVES/HAZARDOUS MATERIALS TRANSPORT PERFORMANCE TEST

Figure A4.1. Performance Test Checklist:

PERFORMANCE TEST CHECKLIST

Instructions to Certifier and Trainee:

Pre-Test Briefing: The Certifier will review this entire checklist with the trainee and brief the intended road course route. The trainee must understand that all driving directions will be provided in sufficient time to execute maneuvers safely.

Scoring Awareness: The Certifier will make various marks on this checklist during the evaluation. These marks do not inherently indicate a "No-Go"; the trainee must focus exclusively on safe vehicle operation.

Conduct of Test: No Trainer or Certifier assists are permitted during the evaluation. Results will be explained to the trainee upon the conclusion of the test.

Safety: The Certifier will stop the test immediately if unsafe operations occur or health concerns arise.

SECTION I. TRAINEE AND CERTIFIER INFORMATION

1.Trainee Name (Last, First MI)	2. Unit/Office Symbol
3. Certifier Name (Last, First MI)	4. Unit/Office Symbol

SECTION II. PERFORMANCE TEST INFORMATION

5. Vehicle Management Code for Vehicle Tested	6. Date

SECTION III. SCORESHEET

7. Equipment & Posture	Go	No Go
Wears all required PPE; removes jewelry before starting.	☐	☐
Explains and adheres to command, local, and international directives/ restrictions for explosives and hazardous material transport.	☐	☐
Identifies immediate emergency response procedures and lists key points of contact for incident reporting.	☐	☐
Accurately verifies all explosives and hazardous material shipping documentation for completeness and compliance.	☐	☐
Produces approved route plans and explains safe haven location requirements for the designated route.	☐	☐
Demonstrates the correct selection and physical placement of vehicle placards for the specific cargo hazard class.	☐	☐

8. Equipment & Posture	Go	No Go
Operator understands, is able to verify and implement necessary explosives/hazardous cargo tie-down procedures.	☐	☐

9. PARKING		
Operator understands parking requirements and restrictions.	☐	☐

10. Remarks

SECTION IV. CERTIFIERS ENDORSEMENT

I, the undersigned, do attest and certify that the trainee named herein has successfully completed all required training and is deemed proficient in the operation of explosives and hazardous materials. This certification is made to the best of my knowledge and belief, based on training conducted pursuant to the approved qualification training package.

11. Signature	12. Date