

CS-012-v0.3
2022/12/24
PU - Public

HORIZON
EUROPE



L^AT_EX Report Template

A template for reports and deliverables

Ricardo Sanz

CORESENSE
Horizon Europe Project #101070254
HORIZON-CL4-2021-DIGITAL-EMERGING-01-11



CORESENSE



CORESENSE


The **CORESENSE Project** is a four year research project focused in the development of a *technology of machine understanding* for the construction of dependable autonomous systems. It is a project funded by the European Union.

Programme: Horizon Europe
Project number: 101070254
Project name: CoreSense: A Hybrid Cognitive Architecture for Deep Understanding
Project acronym: CORESENSE
Topic: HORIZON-CL4-2021-DIGITAL-EMERGING-01-11
Type of action: HORIZON Research and Innovation Actions
Granting authority: European Commission-EU
Project start date: 1 October 2022
Project end date: 30 September 2026
Project duration: 48 months

Most of CORESENSE results are open science but IPR regulations may still hold. Requests for permission to reproduce this document or to prepare derivative works of this document should be addressed to the CORESENSE Consortium IPR management.

Copyright © 2022-2026 by The CORESENSE Consortium.

UNIVERSIDAD POLITÉCNICA DE MADRID (UPM)
TECHNISCHE UNIVERSITEIT DELFT (TUD)
FRAUNHOFER GESELLSCHAFT ZUR FÖRDERUNG DER ANGEWANDTEN FORSCHUNG (FHG)
UNIVERSIDAD REY JUAN CARLOS (URJC)
PAL ROBOTICS SL (PAL)
IRISH MANUFACTURING RESEARCH COMPANY LIMITED BY GUARANTEE (IMR)



For information about other CORESENSE products, reports or articles, please visit our Web site:

<http://www.coresense.eu/>

NO WARRANTY — Please read the fine print:

THIS CORESENSE MATERIAL IS FURNISHED ON AN “AS-IS” BASIS. THE CORESENSE CONSORTIUM NOR ANY OF THE INDIVIDUAL CORESENSE PARTNERS OR RESEARCHERS MAKE NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, AS TO ANY MATTER INCLUDING, BUT NOT LIMITED TO, ACCURACY, COMPLETENESS, WARRANTY OF FITNESS FOR PURPOSE OR MERCHANTABILITY, EXCLUSIVITY, OR RESULTS OBTAINED FROM USE OF THE MATERIAL. CORESENSE DOES NOT MAKE ANY WARRANTY OF ANY KIND WITH RESPECT TO FREEDOM FROM PATENT, TRADEMARK, OR COPYRIGHT INFRINGEMENT.



**Funded by
the European Union**

The CORESENSE project is funded by the EC Horizon Europe programme through grant HE #101070254 inside the HORIZON-CL4-2021-DIGITAL-EMERGING-01-11 topic. Views and opinions expressed in this document are however those of the author(s) only and do not necessarily reflect those of the European Union or the Horizon Europe Programme. Neither the European Union nor the granting authority can be held responsible for them.

Executive Summary

Title: $\LaTeX$ Report Template

Subtitle: A template for reports and deliverables

Author: Ricardo Sanz

Reference: CS-012 v 0.3

Date: 2022/12/24

Dissemination level: PU - Public

URL: <http://www.coresense.eu/doc/CS-012.pdf>

This document is an example of use with some basic explanations of the $\LaTeX$ class `csreport.cls`. This class is to be used in CORESENSE large reports, esp. deliverables.

Document Versions

Version 0.0 | 2022/06/20

Changes Initial draft

Authors R.Sanz

Version 0.1 | 2022/11/03

Changes Cover reformatting

Authors R.Sanz

Version 0.2 | 2022/12/24

Changes Adaptation to color schema

Authors R.Sanz

Version 0.3 | 2023/01/18

Changes Changes to adapt to base class commands' redefinitions

Authors R.Sanz

Contents

Executive summary	3
Document Versions	4
1 Introduction	7
2 The CSreport $\LaTeX$ template	9
2.1 Template description	9
2.2 Distribution of the template	9
2.3 Installation of the template	10
2.4 Template Packages	10
2.5 Template Colors	10
3 Using the template	13
3.1 Creating a report	13
3.2 Template Macros	14
3.3 $\TeX$ Engine	15
3.4 Using the template for deliverables	15
Annex: The class file	17

■ 1 Introduction

This brief report describes the **CORESENSE template for reports and deliverables**. It is a template based on the $\text{\LaTeX}$ document processing system [Lamport, 1986].

The default formatting of a $\text{\LaTeX}$ document is determined by the *class* used by that document at the very beginning of the source file.

This document describes the CORESENSE $\text{\LaTeX}$ template for reports and deliverables that is provided in the form of a class file: `csreport.cls` and additional resource files that will be described below.

The logos, colors and fonts of this template are based on the CORESENSE Brand Guidelines [Fitzsimons, 2022].


Precisely how much of the business of thinking a machine could possibly be made to perform, and what part of it must be left for the living mind, is a question not without conceivable practical importance; the study of it can at any rate not fail to throw needed light on the nature of the reasoning process. [Peirce, 1887]

■ 2 The CSreport L^AT_EX template

2.1 Template description

The `csreport.cls` class file is based on the basic `report.cls` class of L^AT_EX. It redefines some of the macros and defines new ones to create a homogeneous style for CORESENSE internal documentation.

This is how a document formatted with this template looks like:



2.2 Distribution of the template

The template is provided as a L^AT_EX class file (`.cls`), a style file (`.sty`) and some images:

- `csreport.cls` — the article class file.
- `csccommon.sty` — common definitions for CORESENSE L^AT_EX documents.
- Images — a set of PDF/PNG images with the CORESENSE logo, the partners logos, the EU emblems, and the cover background.

The source file used to generate this document (`csreport.tex`) is also distributed with the template as an example of use.

The template uses the following fonts: **Ubuntu Light** for main text body; **Montserrat** for titles¹; and **Ubuntu Mono** for code.

2.3 Installation of the template

To use the **csreport** template put the resource files in any folder that your $\LaTeX$ installation could locate. Note that the proper locations for $\LaTeX$ source files depend on the $\LaTeX$ distribution and operating systems you are using. They can be placed in system-wide **texmf** folders or in local user **texmf** folders.

They can also be copied to the very folder of the document being written if you want to keep all needed files together. This will produce duplications but simplifies copying and moving of documents.

The template uses several free fonts: Main text is Ubuntu Light, titles are Montserrat, and code is formatted in Ubuntu Mono. they can be downloaded from online free repositories.

2.4 Template Packages

The template class file pre-uploads the following packages:

Table 2.1: Pre-uploaded Packages

Package	Use for
listings	to include code listings (see $\LaTeX$ example above)
titlesec	to change section titles format
hyperref	to handle hypereferences
fontspec	to change document font
graphicx	to include graphics
tikz	to create graphics (e.g. generate the EU flag).

2.5 Template Colors

The template defines the colors that are shown in Table 2.2. You can use any color using the `\color{}` command; e.g.:

```
{\color{CSGray}This text is CORESENSE gray and this one is
\color{CSOrange} CORESENSE yellow.}
```

renders this:

This text is CORESENSE gray and **this one is CORESENSE yellow.**

¹Google Montserrat is similar to Adobe Futura but can be used freely.

Table 2.2: Template colors (name, RGB, example).

Name	HTML	Color
CSGreen	HTML(#006A63)	
CSRed	HTML(#BF002A)	
CSRussianGray	HTML(#0C0026)	
CSMaroon	HTML(#512977)	
CSOrange	HTML(#EAB82D)	
CSLightGreen	HTML(#009990)	
CSUltraLightGreen	HTML(#EEFFFA)	
CSLightOrange	HTML(#FAD85D)	
CSUltraLightOrange	HTML(#FFEECC)	
CSLightMaroon	HTML(#613997)	
CSUltraLightMaroon	HTML(#B1A9F7)	
CSGray	HTML(888888)	
CSLightGray	HTML(BBBBBB)	
CSUltraLightGray	HTML(EEEEEE)	

■ 3 Using the template

3.1 Creating a report

The formatting of a $\text{\LaTeX}$ document is determined by the *class* used by that document at the very beginning of the source file:

```
\textbackslash documentclass\{article\}
```

The default look can then be changed by means of including extra *packages* or redefining some of the commands or parameters.

```
\textbackslash usepackage\{fancyhdr\}
```

The class file names have the *.cls* extension, the package file names have the *.sty* extension.

```
10 % Load class file -----
   \documentclass[a4paper,11pt]{csreport}
12
   % Add current doc configurations -----
14 \graphicspath{./images/}

16 % Document proper -----
   \begin{document}
18
   % Set document macros -----
20 \title{CoreSense Report Template}
   \subtitle{A \LaTeX\ template}
22 \author{Ricardo Sanz}
   \copyrightyear{2022}
24 \reference{CS-R-XXX}
   \release{0.0}
26 \status{Draft}
   \dissemination{SEN - Sensitive}
28
   % Frontmatter -----
30 \maketitle

32 \documentversions
   \versionitem{0.0}{Initial draft}{R.Sanz}{2022/06/20}
34
   \tableofcontents
36
   % Main matter -----
38 \chapter{Introduction}
   \input{about.tex}
40
   % End matter -----
42 \finalcover

44 \end{document}
```

3.2 Template Macros

These are the macros provided by the template; some of them are the same as the base `article` class:

`\title{}` — Sets the title of the document.

`\author{}` — Name of author.

`\date{}` — Date of the document.

`\reference{}` — Reference (See CORESENSE controlled documents list).

`\release{}` — Release (See CORESENSE controlled documents list).

`\URL{}` — Link to download the document.

`\delno{}` — Specify a number for a deliverable.

`\background{}` — Select background image for cover.

`\orangecover{}` — Select the plain orange cover for deliverables.

`\greencover{}` — Select the plain green cover (e.g. for internal reports).

`\marooncover{}` — Select the plain maroon cover (e.g. for internal reports).

`\approval{}` — Approval signatures for deliverables.

`\documentversions{}` — Start versions page.

`\versionitem{}` — Add version item.

`\URL{}` — Link to download the document.

`\finalcover` — Generate final cover with data, acknowledgements and disclaimer.

`\euflag{}` — Generate an EU flag; e.g. `\euflag{0.02}` generates this .

`\code|` — Change font to monospaced colored (to highlight code). Beware this is an $\text{\LaTeX}$ environment and requires vertical bars (|) instead of braces ({}).

`\tabtitle{}` — Change table title to green background. See Table 2.1 below for an example.

`\bkg,bkr,bkl,bkma,bko,bkx` — Change table cell background to green, red, light green, light maroon, light orange, and light gray.

`\quotecite{...}` — Insert a quotation with a cite to bibliography.

Example of use of the `\quotecite{...}{Sowa-2007}`:

A procedure is used in only one way, but a declarative specification can be used in many different ways. [Sowa, 2007]

Example of use of the macros for coloring tables:

```

10 \begin{table}[h!]
   \centering
12 \renewcommand{\arraystretch}{1.2}
   \caption{Pre-uploaded Packages}\label{tab:packages}
14 \begin{tabular}{|c|c|}\hline
   \tabtitle{Package} & \tabtitle{Use for} \\ \hline \hline
16 \bko listings & to include code listings (see \LaTeX\ example above)\\ \hline

```

```

\lbo titlesec & to change section titles format\\ \hline
18 \lbo hyperref & to handle hyperreferences\\ \hline
\lbo fontspec & \lbo to change document font\\ \hline
20 \lbo graphicx & to include graphics\\ \hline
\lbo tikz & \lbo to create graphics (e.g. generate the EU flag).\\ \hline
22 \end{tabular}
\renewcommand{\arraystretch}{1}
24 \end{table}

```

3.3 T_FX Engine


This template uses the `fontspec` package and shall be compiled with `xelatex`.

3.4 Using the template for deliverables

In case of using this template for project formal deliverables, please follow these rules:

1. Set the deliverable number (e.g. **D4.3**) using the command `\delno{D4.3}` and the deliverable name as as `\title{Report on Experimental Understanding}`.
2. Set the plain orange cover instead of the iris background cover with `\orangecover`.
3. Use `\subtitle{}` to make any precision or highlight some aspect of particular relevance at the time of deliverable release (e.g. if releasing in draft status). You may also also leave it empty.
4. Identify the partner organisation in the authors list (e.g. `\author{R.Sanz (UPM)}`).
5. Establish the dissemination level of the deliverable with `\dissemination{}`. Our dissemination levels are only two: **Public** and **Sensitive**.
6. Verify that the list of document versions is complete and correct.
7. Add a `\approval{}` section after the list of versions (when the deliverable is approved by WPL, PC, and OA).

The cover of a deliverable contains some more information than a conventional report. This is how the deliverable cover is rendered:



Beware that deliverables shall follow the QA process stated in the PMP [Sanz, 2022]. This means they shall be approved by AA partner and the PC. Use the `\approval` command for this. Beware this command has six arguments (WPL approver, date; PC approver, date; QA approver, date). For example, use the following code for including the approval for a deliverable produced by FHG to be QA by IMR:

```
10 \approval{N. Hammoudeh (FHG)}{2022/12/13}  
    {R. Sanz (UPM)}{2022/12/14}  
12    {C. García (IMR)}{2022/12/14}
```

Will render this deliverable approval text into the document at the bottom of the page where it is used:

Deliverable Approval

2022/12/13 — **WPL**: N. Hammoudeh (FHG)

2022/12/14 — **PC**: R. Sanz (UPM)

2022/12/14 — **QA**: C. García (IMR)

The class file

This is the `csreport.cls` class file used to generate this report.

```
10 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
11 % CORESENSE report LaTeX class file
12 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%

14 \NeedsTeXFormat{LaTeX2e}[1995/12/01]
15 \ProvidesClass{csreport}[2023/01/18 v1.1 CORESENSE LaTeX report class]

16 % Base LaTeX Class -----
17
18 \LoadClass[a4paper,10pt,twoside,onecolumn,final,openright]{report}

20 \usepackage{cscommon}

22 \usepackage{geometry}
23 \usepackage{lastpage}
24 \usepackage{watermark}
25 \usepackage{booktabs}
26 \usepackage{array}
27 \usepackage{ragged2e}
28 \usepackage{titlesec}

30 %-- Section formats -----
31
32 \titleformat
33 {\chapter} % command
34 % [display] % shape
35 {\bfseries\Huge} % format
36 {\color{CSGreen}\rule{6mm}{6mm}\color{CSRussianGray}\quad \thechapter} % label
37 {0.5ex} % sep
38 {
39 } % before-code
40 [
41 ] % after-code

42
43 \titlespacing{\section}{0mm}{0mm}{0mm}
44 \titlespacing{\subsection}{0mm}{0mm}{0mm}
45 \titlespacing{\subsubsection}{0mm}{0mm}{0mm}

46
47 %-- Variables -----
48
49 \newcommand{\@dissemination}{} % PU - Public, SEN - Sensitive
50 \newcommand{\dissemination}[1]{\renewcommand{\@dissemination}{#1}}

51
52 \newcommand{\@delno}{}
53 \newcommand{\delno}[1]{\renewcommand{\@delno}{#1\ }}

54
```

```

56 \newcommand{\@subtitle}{}
   \newcommand{\subtitle}[1]{\renewcommand{\@subtitle}{#1}}
58
   \newcommand{\@finalsubtitle}{\@subtitle}
60 \newcommand{\finalsubtitle}[1]{\renewcommand{\@finalsubtitle}{#1}}

62 \newcommand{\@shortauthor}{\@author}
   \newcommand{\shortauthor}[1]{\renewcommand{\@shortauthor}{#1}}
64
   \newcommand{\@finalauthor}{\@author}
66 \newcommand{\finalauthor}[1]{\renewcommand{\@finalauthor}{#1}}

68 \newcommand{\@shorttitle}{\@title}
   \newcommand{\shorttitle}[1]{\renewcommand{\@shorttitle}{#1}}
70
   \newcommand{\@finaltitle}{\@title}
72 \newcommand{\finaltitle}[1]{\renewcommand{\@finaltitle}{#1}}

74 \newcommand{\@covertitle}{\@title}
   \newcommand{\covertitle}[1]{\renewcommand{\@covertitle}{#1}}
76
   \newcommand{\@reference}{}
78 \newcommand{\reference}[1]{\renewcommand{\@reference}{#1}}

80 \newcommand{\@release}{0.0}
   \newcommand{\release}[1]{\renewcommand{\@release}{#1}}
82
   \newcommand{\@copyrightyear}{2022-2026}
84 \newcommand{\copyrightyear}[1]{\renewcommand{\@copyrightyear}{#1}}

86 \newcommand{\@status}{}
   \newcommand{\status}[1]{\renewcommand{\@status}{#1}}
88
   \newcommand{\@URL}{http://www.coresense.eu/doc/\@reference.pdf}
90 \newcommand{\URL}[1]{\renewcommand{\@URL}{#1}}

92 \newcommand{\@abstract}{}
   \renewcommand{\abstract}[1]{\renewcommand{\@abstract}{#1}}
94
   \newcommand{\@keywords}{}
96 \newcommand{\keywords}[1]{\renewcommand{\@keywords}{#1}}

98 \newcommand{\@acknowledgements}{}
   \newcommand{\acknowledgements}[1]{\renewcommand{\@acknowledgements}{#1}}
100
   \newcommand{\@logo}{coresense-logo-reduced.png}
102 \newcommand{\logo}[1]{\renewcommand{\@logo}{#1}}

104 \newcommand{\@coverlogo}{coresense-logo-reverse-reduced.png}
   \newcommand{\coverlogo}[1]{\renewcommand{\@coverlogo}{#1}}
106
   \newcommand{\@background}{CSirisbackground.jpg}
108 \newcommand{\background}[1]{\renewcommand{\@background}{#1}}

110 %-- Cover colors -----
112
   \newcommand\orangecover{\definecolor{CSCover}{HTML}{EAB82D}}

```

```

114 \definecolor{CSCoverText}{HTML}{000000}
\coverlogo{coresense-logo-reduced.png}
116 \background{CSnobackground.png}}
\newcommand\greencover{\definecolor{CSCover}{HTML}{006A63}
118 \definecolor{CSCoverText}{HTML}{FFFFFF}
\coverlogo{coresense-logo-reverse-reduced.png}
120 \background{CSnobackground.png}}
\newcommand\redcover{\definecolor{CSCover}{HTML}{BF002A}
122 \definecolor{CSCoverText}{HTML}{FFFFFF}
\coverlogo{coresense-logo-reverse-reduced.png}
124 \background{CSnobackground.png}}
\newcommand\marooncover{\definecolor{CSCover}{HTML}{512977}
126 \definecolor{CSCoverText}{HTML}{FFFFFF}
\coverlogo{coresense-logo-reverse-reduced.png}
128 \background{CSnobackground.png}}

130 %-- Front cover -----

132 \renewcommand\maketitle{
\newgeometry{top=20mm, left=20mm, bottom=20mm, right=20mm}
134 \pagestyle{empty}

136 \hypersetup{urlcolor = CSCoverText}

138 \thiswatermark{\put(-100,-850){\includegraphics[scale=1.2]{\@background}} }

140 \parindent=0 true mm

142 \pagecolor{CSCover}

144 \fontsize{20}{20}\selectfont
\textcolor{CSCoverText}{\href{\@URL}{\@reference-v\@release}}\
146 \fontsize{15}{20}\selectfont
\textcolor{CSCoverText}{\@date}\
148 \fontsize{15}{20}\selectfont
\textcolor{CSCoverText}{\@dissemination}
150 \vspace{5cm}

152 \parbox{17cm}{\raggedright\fontsize{40}{40}\selectfont
\textcolor{CSCoverText}{\textbf{\@title}}\}
154 \vspace{2mm}

156 \parbox{17cm}{\raggedright\fontsize{20}{25}\selectfont
\textcolor{CSCoverText}{\textbf{\@subtitle}}\}
158 \vspace{20mm}

160 \normalsize
\fontsize{20}{25}\selectfont \textcolor{CSCoverText}{\noindent\@author}
162 \vfill
164 \normalsize

166 \fontsize{20}{15}\selectfont
\textcolor{CSCoverText}{\href{http://www.coresense.eu}{CORESENSE}}\
168 \fontsize{15}{15}\selectfont
\textcolor{CSCoverText}{Horizon Europe Project \#101070254}\
170 \fontsize{11}{15}\selectfont
\textcolor{CSCoverText}{HORIZON-CL4-2021-DIGITAL-EMERGING-01-11}

```

```

172 \vspace{3cm}

174 \begin{picture}(0,0)
    \put(420,680){\euflag{0.055}}
176 \put(330,717){\fontsize{20}{20}\selectfont \textcolor{CSCoverText}{HORIZON}}
    \put(342,698){\fontsize{20}{20}\selectfont \textcolor{CSCoverText}{EUROPE}}
178 \put(-10,0){\href{http://www.coresense.eu}{\includegraphics[height=3cm]{\@coverlogo}}}
    \put(0,535){\fontsize{40}{40}\selectfont
180 \textcolor{CSCoverText}{\href{\@URL}{\textbf{\@delno}}}}
    \end{picture}

182 \hypersetup{urlcolor = URLcolor}

184 \thispagestyle{empty}

186 \newpage
188 \nopagecolor
    \pagecolor{white}%\afterpage{\nopagecolor}

190

192 \href{http://www.coresense.eu}{\includegraphics[height=2cm]{\@logo}}

194 \vspace{1cm}

196 {\small

198 The \textbf{CORESENSE Project} is a four year research project
    focused in the development of a \emph{technology of machine understanding}
200 for the construction of dependable autonomous systems. It is a project funded
    by the European Union.

202 \begin{tabular}{ll}
204 Programme:& Horizon Europe\\
    Project number:& 101070254\\
206 Project name:& CoreSense: A Hybrid Cognitive Architecture for Deep Understanding \\
    Project acronym:& CORESENSE\\
208 Topic:& HORIZON-CL4-2021-DIGITAL-EMERGING-01-11\\
    Type of action:& HORIZON Research and Innovation Actions\\
210 Granting authority:& European Commission-EU\\
    Project start date:& 1 October 2022\\
212 Project end date:& 30 September 2026\\
    Project duration:& 48 months\\
214 \end{tabular}

216 Most of CORESENSE results are open science but IPR regulations may still hold.
    Requests for permission to reproduce this document or to prepare derivative works
218 of this document should be addressed to the CORESENSE Consortium IPR management.

220 Copyright $\copyright$ 2022-2026 by The CORESENSE Consortium.

222 UNIVERSIDAD POLITECNICA DE MADRID (UPM)\\
    TECHNISCHE UNIVERSITEIT DELFT (TUD)\\
224 FRAUNHOFER GESELLSCHAFT ZUR FORDERUNG DER ANGEWANDTEN FORSCHUNG (FHG)\\
    UNIVERSIDAD REY JUAN CARLOS (URJC)\\
226 PAL ROBOTICS SL (PAL)\\
    IRISH MANUFACTURING RESEARCH COMPANY LIMITED BY GUARANTEE (IMR)

228 \includegraphics[height=1cm]{UPM-logo.png}
230 \includegraphics[height=1cm]{TUD-logo.png}
    \includegraphics[height=1cm]{FHG-logo.png}

```



```

232 \includegraphics[height=1cm]{URJC-logo.png}
\includegraphics[height=1cm]{PAL-logo.png}
234 \includegraphics[height=1cm]{IMR-logo.png}

236 For information about other CORESENSE products, reports or articles, please visit
our Web site:
238 \href{http://www.coresense.eu}{\texttt{http://www.coresense.eu/}}
240
242 \vfill

244 NO WARRANTY --- Please read the fine print:

246 {\scriptsize
THIS CORESENSE MATERIAL IS FURNISHED ON AN ``AS-IS'' BASIS. THE CORESENSE CONSORTIUM
248 NOR ANY OF THE INDIVIDUAL CORESENSE PARTNERS OR RESEARCHERS MAKE NO WARRANTIES OF
ANY KIND, EITHER EXPRESSED OR IMPLIED, AS TO ANY MATTER INCLUDING, BUT NOT LIMITED
250 TO, ACCURACY, COMPLETENESS, WARRANTY OF FITNESS FOR PURPOSE OR MERCHANTABILITY,
EXCLUSIVITY, OR RESULTS OBTAINED FROM USE OF THE MATERIAL. CORESENSE DOES NOT MAKE
252 ANY WARRANTY OF ANY KIND WITH RESPECT TO FREEDOM FROM PATENT, TRADEMARK, OR COPYRIGHT
INFRINGEMENT.}\}

254 \parbox{60mm}{\href{http://www.horizoneurope.eu}{
256 \includegraphics[width=60mm]{EU_funded_en.jpg}}}
\parbox{11cm}{\scriptsize The CORESENSE project is funded by the EC Horizon Europe
258 programme though grant HE \#101070254 inside the
HORIZON-CL4-2021-DIGITAL-EMERGING-01-11 topic.
260 Views and opinions expressed in this document are however those of the author(s)
only and do not necessarily reflect those of the European Union or the Horizon
262 Europe Programme. Neither the European Union nor the granting authority can be held
responsible for them.}
264 }

266 \cleardoublepage
\setnormalpage
268 }

270 %-- Final cover -----

272 \newcommand{\finalcover}{

274 \cleardoublepage\newpage\newpage
\newgeometry{top=20mm, left=20mm, bottom=20mm, right=20mm}
276 \pagestyle{empty}

278 \pagestyle{empty}
\pagecolor{CSCover}
280
\thiswatermark{\put(-100,-850){\includegraphics[scale=1.2]{\@background}} }
282
\vspace*{\stretch{2}}
284 \begin{table}[htp]\sffamily\color{CSCoverText}
\begin{tabular}{rl}
286 ~ & \hspace{-1cm}\includegraphics[width=4cm]{\@coverlogo} \ll[5mm]
\textit{Title} & {\Large\bfseries \@delno \@finaltitle} \ll[2mm]
288 \textit{Subtitle} & \@finalsubtitle\ll[2mm]
\textit{Author} & \@finalauthor\ll[2mm]
290 \textit{Date} & \@date\ll
\textit{Reference} & \@reference\ll

```

```

292 \textit{Release} & \@release\ \@status\ \ [2mm]
\textit{URL} & \@URL\ \ [4mm]
294 \copyright\ \@copyrightyear & {\large \href{http://www.coresense.eu}{
\color{CSCoverText} The CORESENSE Horizon Europe Project}}\ \ [2mm]
296 ~ & {\Large\bfseries
\href{http://www.coresense.eu}{\color{CSCoverText}coresense.eu}}\ \ [2mm]
298 \end{tabular}
\end{table}%
300
\begin{picture}(0,0)
302 \put(0,700){\euflag{0.04}}
\put(73,722){\fontsize{20}{20}\selectfont \textcolor{CSCoverText}{HORIZON}}
304 \put(73,702){\fontsize{20}{20}\selectfont \textcolor{CSCoverText}{EUROPE}}
\end{picture}
306
}
308
310
%-- Summary -----
312
\newcommand{\executivesummary}{
314 \addcontentsline{toc}{chapter}{Executive summary}
{\Huge\textbf{Executive Summary}}\ \ [10mm]
316 Title: \@delno \@finaltitle \ \ [2mm]
Subtitle: \@finalsubtitle \ \ [2mm]
318 Author: \@finalauthor \ \ [2mm]
Reference: \@reference\ v \@release\ \ [2mm]
320 Date: \@date\ \ [2mm]
Dissemination level: \@dissemination\ \ [2mm]
322 URL: \@URL \ \ [10mm]
}
324
%-- Empty Page -----
326
\newcommand{\emptypage}{
328 \newpage
{\color{gray}This page is intentionally blank}
330 \pagestyle{fancy}
332 }
334
%-- Appendices -----
336
\newcommand{\appendices}{
\appendix
338 \titleformat
{\chapter} % command
340 [%display] % shape
{\bfseries\Huge} % format
342 {\color{CSOrange}\rule{6mm}{6mm}\color{CSRussianGray}\quad \thechapter:} % label
{0.5ex} % sep
344 {
} % before-code
346 [
] % after-code
348
\newpage
350 \thispagestyle{empty}

```

```

%\pagestyle{empty}
352 \pagecolor{CSCover}
~\
354
\vspace{15cm}
356 {\Huge{\textbf{Appendices}}}
}
358
360
%-- Versions Page -----
362 \newcommand{\documentversions}{
364 \thispagestyle{fancy}
366 \newpage
\addcontentsline{toc}{chapter}{Document Versions}
368 {\Huge \textbf{Document Versions}}\[\[10mm]
}
370
\newcommand{\versionitem}[4]{
372 \begin{tabular}[t]{R{2cm}L{14cm}}
\bkx \textbf{Version} & \bkx \textbf{\#1} | \textbf{\#4} \\\
374 \emph{Changes} & \#2 \\\
\emph{Authors} & \#3 \[\[4mm]
376 \end{tabular}
\newline
378 }
380
%-- Approval -----
382 \newcommand{\approval}[6]{
384 \thispagestyle{fancy}
\vfill
386 \section*{Deliverable Approval}
388 #2 --- \textbf{WPL}: \#1\\
#4 --- \textbf{PC}: \#3\\
390 #6 --- \textbf{QA}: \#5\\
392 \pagestyle{fancy}
}
394
396
%-- Float Placement Restrictions -----
398 \renewcommand{\textfraction}{0.05}
\renewcommand{\topfraction}{0.95}
400 \renewcommand{\bottomfraction}{0.95}
402
%-- Headers & Footers -----
404 \pagestyle{fancy}
\fancyhf{}
406
\fancyheadoffset[LE]{0cm}
408 \fancyheadoffset[RO]{0cm}

```

```

410 \fancyfootoffset[RO]{0cm}
411 \fancyfootoffset[LE]{0cm}
412
413 \fancyfoot[LE]{
414   \small\textsf{\thepage-\pageref{LastPage}} \textbar CORESENSE\ \@delno\
415   \textbar \textbf{\@reference} \textbar \@release\ \textbar \@date}
416 }
417
418 \fancyfoot[RO]{
419   \small\textsf{CORESENSE\ \@delno \textbar \textbf{\@reference} \textbar
420   \@release\ \textbar \@date\ \textbar \thepage-\pageref{LastPage}}
421 }
422
423 \fancyfoot[LO,RE]{}
424 \fancyhead[LO,RE]{}
425 \fancyhead[RO]{\nouppercase{\small\textsf{\rightmark}}}}
426 \fancyhead[LE]{\nouppercase{\small\textsf{\leftmark}}}}
427
428 \renewcommand{\headrulewidth}{0pt}
429 \renewcommand{\footrulewidth}{0pt}
430
431
432 %-- Page Geometry -----
433
434 \newcommand\setnormalpage{
435   \newgeometry{top=25mm, left=25mm, bottom=30mm, right=25mm}
436   \parindent=0 true mm
437   \parskip=2 true mm
438   \pagestyle{fancy}
439 }
440
441 \setnormalpage
442
443 %%
444 %% End of file `csreport.cls'.

```

Bibliography

- [Fitzsimons, 2022] Fitzsimons, S. (2022). Brand Guidelines. Technical report, The CORESENSE Project.
- [Lamport, 1986] Lamport, L. (1986). *LaTeX: A Document Preparation System*. Addison-Wesley.
- [Peirce, 1887] Peirce, C. S. (1887). Logical Machines. *The American Journal of Psychology*, 1:165–170.
- [Sanz, 2022] Sanz, R. (2022). CORESENSE Project Management Plan. Deliverable D10.1 CS-000, The CORESENSE Project.
- [Sowa, 2007] Sowa, J. F. (2007). Fads and Fallacies about Logic. *IEEE Intelligent Systems*, 22(2):84–87.



HORIZON
EUROPE



CORESENSE

Title **$\text{\LaTeX}$ Report Template**
Subtitle A template for reports and deliverables
Author Ricardo Sanz
Date 2022/12/24
Reference CS-012
Release 0.3
URL <http://www.coresense.eu/doc/CS-012.pdf>

© 2022-2026 The CORESENSE Horizon Europe Project
coresense.eu