

Week 4 Tutorial 3

The purpose of this tutorial is to teach you how to read and write data from a text (ASCII) file.

```
% Always clear workspace variables before a new tutorial or program.
clear
clc
```

Edit the code below and update the variable named **name** with your name for this tutorial in the code below.

```
name="";
fprintf("Output for Tutorial_04_3 run by %s.\n", name)
```

Input

Importing From a .txt File

Refer to the lecture slides, book, or the help doc if you don't remember. Load the data from the file **NorthernHemTempIndex.txt** into **tempMatrix**.

Data Manipulation

Get the Years

Extract the values from the first column

```
years=
```

Get the number of year values in **years**, search the docs for "length of ...".

```
numYears=
```

Now that we've extracted the data, delete the first column. Remember that `variable(1,2)=[]` deletes a single value, if you want to delete an entire column you'll have to apply it to "all rows" in that column. Essentially the same as extracting the values above, but here you're assigning the values.

```
% Delete the first column (years)
```

If you look at your Workspace, you should see that your **tempMatrix** variable says it's a 28x12 where it was 28x13 array since we just deleted a column.

We're just removing the years so we can perform calculations on the remaining data as a whole, as the rest of the data is temperature values.

Compute the Mean

Compute the mean of each column and row in **tempMatrix**. You'll have to check the doc to determine how to get the mean by column vs getting the mean by rows. That is, `mean()` of a matrix will return a vector containing the means for each column and row depending on which arguments you supply.

```
% Compute the mean by column (monthly temps)
meanMontlyTemps=

% Compute the mean by rows (yearly temps)
meanYearlyTemps=
```

Output

Open a .txt File

Output to a text file is slightly different than what we've seen with Excel or .mat files. In this case, a reference to the file is stored in a variable. Then we can `fprintf()` to that `fileId`. Remember, there is an optional first parameter to write to a file, by default it writes to the Command Window. Opening the file with **write** permissions will cause each `fprintf()` to append or, add to, the file so long as it is open. If the file is opened again later, it will overwrite the file entirely (starting from an empty file). There are other permissions options depending on how you want to open the file.

Don't forget the `\n` character.

```
% Open a file with 'w'rite permissions
fileId=fopen('TemperatureDataTable.txt','w');

% Print a title
fprintf(fileId,'Table of Northern Hemisphere Temperature Changes in Degrees Fahrenheit

% Print some table headings (the '\t' is a tab character which is generally 4 or 8 spaces)
fprintf(fileId,'Year      Jan\t Feb\t Mar\t Apr\t May\t Jun\t Jul\t Aug\t Sep\t
```

You may have noticed, I didn't use a `\n` character, but that is for good reason. We're going to be using for loops to print the data to the file. If we add a new line at the end of each print statement in the for loop, we will end with one extra new line from the last for-loop iteration. One common way to avoid this is to set yourself up so you can put the `\n` at the start of your print statement. In this case it will move the cursor down one line, then print the statement in the for loop.

Print the Temperature Data

Write a (nested) for-loop to print the year, followed by each month's temperature data. The data should look like the following.

```
2004  64  83  85  67  51  44  46  49  57  69  92  51  63.17
```

You have to think about the data you have and how you want it represented. So, we have the **years**, the **tempMatrix** data, and the **means**. Those are in three different variable arrays. The year and mean only show up once in each row so we will need a for loop to parse through each year. We should print the year (with a `\n` in the beginning), then we will need a for loop to parse each month's temp data. We will print those one by one but with these, we will begin with a `\t` because we want a tab of space between each value but again, we

don't want it on the end or we'll have an extra one. Then, after the months are parse, we want to print our mean value.

To summarize:

- Create a for loop to parse the NUMBER of years (we just want the values 1:n) you may find it easy to use `r=1:n`
- Print the year for the current iteration (with a `\n` to begin and use `%4i` for the format)
- Create a for loop to parse the columns in the month data, you may find it easy to use `c=1:n` where `n` is the number of columns in the **tempMatrix**. This way, when you are printing the temperature value, you can use **tempMatrix(r,c)** for the current row and column based on the for loops. Print the temp value (with a `\t` to begin and use `%3i` for the format)
- Outside of the nested for-loop, print the mean value for that year (again, beginning with a `\t` and use `%5.2f` for the format)

Do not forget to `fprintf` to the **fileId**!

```
% For loop to parse the number of years in our dataset

% Print the current year

% For loop to parse the months in the current year (r from the outer for loop)
    % Print the current month (r,c)

% Print the yearly mean at the end of each year's row
```

Now, while that file is still open, let's add a final row of information showing the mean from each column (months). Here we don't need to go for `r=1:n`, we can actually parse through the values so we can use `for mean=meanMontlyTemps` and then just print the value of `mean` rather than needing to use and index like `meanMonthlyTemps(r)`.

```
% Label the column "Mean" in place of where the Year would normally be

% For loop to step through each month in meanMonthlyTemps and print
% beginning with a \t and %5.2f format

% Finally, we need to always remember to close the file when we're done
fclose(fileId);
```

```
% Notify the user that the process is complete
fprintf('\n\nThe Output Data Table is in the file TemperatureDataTable.txt\n\n')
```

Example output

If you were to run your tutorial (enter **Tutorial_04_03** into the command window) your output should appear as follows.

Output for Tutorial_04_3 run by Geoff Berl.

tempMatrix =

1995	72	115	59	65	10	49	40
1996	36	53	36	17	30	19	27
1997	38	51	73	48	40	46	39
1998	59	97	65	83	62	68	79
1999	58	96	27	49	32	32	35
2000	31	89	84	83	53	38	39
2001	53	47	75	52	53	52	58
2002	97	103	108	52	45	61	59
2003	85	48	60	59	63	49	60
2004	64	83	85	67	51	44	46
2005	89	65	87	86	74	76	75
2006	61	84	76	50	70	71	60
2007	129	89	90	103	58	60	58
2008	22	43	106	55	54	53	53
2009	80	57	65	32	10	23	6
2010	-13	16	0	8	4	-1	4
2011	47	28	37	4	-2	6	17
2012	28	-1	16	-12	16	6	6
2013	3	-34	-5	-10	2	-1	-13
2014	32	33	21	14	14	8	-5
2015	20	47	1	2	17	14	27
2016	55	38	43	39	35	36	36
2017	0	45	39	28	15	19	27
2018	40	41	111	68	46	44	32
2019	50	54	41	51	34	43	44
2020	54	42	41	1	12	0	-11
2021	35	47	37	15	27	21	9
2022	37	0	40	45	34	34	32

years =

1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

numYears =

28

tempMatrix =

72	115	59	65	10	49	40	51	40	60	54	34
36	53	36	17	30	19	27	13	0	3	34	36
38	51	73	48	40	46	39	43	48	64	54	49
59	97	65	83	62	68	79	71	64	53	54	79
58	96	27	49	32	32	35	32	39	41	52	72
31	89	84	83	53	38	39	48	35	29	20	24
53	47	75	52	53	52	58	61	48	53	96	63
97	103	108	52	45	61	59	47	53	51	74	44
85	48	60	59	63	49	60	75	74	93	66	95
64	83	85	67	51	44	46	49	57	69	92	51
89	65	87	86	74	76	75	67	89	94	102	73
61	84	76	50	70	71	60	64	71	96	94	110
129	89	90	103	58	60	58	67	61	79	74	73
22	43	106	55	54	53	53	53	53	87	85	57
80	57	65	32	10	23	6	13	13	20	33	51
-13	16	0	8	4	-1	4	-10	3	-5	-19	32
47	28	37	4	-2	6	17	22	24	8	47	11
28	-1	16	-12	16	6	6	-2	-7	5	-17	-47
3	-34	-5	-10	2	-1	-13	-3	-2	-1	1	12
32	33	21	14	14	8	-5	-1	-4	1	-2	4
20	47	1	2	17	14	27	23	36	18	3	49
55	38	43	39	35	36	36	20	22	17	-4	40
0	45	39	28	15	19	27	23	22	21	4	32
40	41	111	68	46	44	32	37	37	45	48	38
50	54	41	51	34	43	44	31	35	32	32	17
54	42	41	1	12	0	-11	-10	-22	-17	-19	21
35	47	37	15	27	21	9	-3	-9	13	-11	5
37	0	40	45	34	34	32	29	28	55	38	30

meanMontlyTemps =

48.6429	52.7143	54.2143	41.2143	34.2500	34.6429	33.5357	32.5000	32.4286	38.7
---------	---------	---------	---------	---------	---------	---------	---------	---------	------

meanYearlyTemps =

54.0833
25.3333
49.4167
69.5000
47.0833
47.7500
59.2500
66.1667
68.9167
63.1667
81.4167
75.5833
78.4167
60.0833
33.5833
1.5833
20.7500
-0.7500
-4.2500
9.5833
21.4167
31.4167
22.9167
48.9167
38.6667
7.6667
15.5000
33.5000

The Output Data Table is in the file TemperatureDataTable.txt

Additional Notes:

.