



ACESSIBILIDADE TOOLKIT

<http://acessibilida.de>

Recommendations and Instructions for Use

This “toolkit” was produced with the sole purpose of simplifying the understanding and comprehension of the WCAG (Web Content Accessibility Guidelines) guidelines.

Use it as a research source, quick reference, comparison between guidelines, tool for facilitating workshops, disseminating knowledge and wherever else you find its use useful.

This material may be translated, edited and redistributed, as long as its usage license is maintained (see “artboard” Credits) and the original credits are kept.

Feel free to contribute improvements and updates by cloning the project at:

<https://github.com/acessibilidade/toolkit>

This project is
an initiative of:



<http://acessibilida.de>

1) The PDF file is released for vector editing using Adobe Illustrator (version CC - 22.0.1).

2) All cards are ready for printing.

2.1) If you choose to print at a print shop, you may need to make some adjustments to fit the standard you want.


2.2) If you choose to print on a home printer with regular paper, simply leave the size of the cards unchanged and, after printing, cut them all out, fold them as shown in the image below and glue the sides together, making them firmer to handle.




What is WCAG?

WCAG or Web Content Accessibility Guidelines are the guidelines that underpin the basic recommendations for creating web content that is accessible to all users, regardless of their disabilities and/or abilities. They are currently in version 2.1 and were created in such a way that they are independent of any technology created and are also easily testable and validated.

How are Success Criteria organized?



How to read the cards?





ACESSIBILIDADE TOOLKIT

Non-text Context

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.1.1

Text Alternatives


Non-text Context

All “non-text” content must have a text alternative to identify the content.

Note: unless the content is merely decorative or represents one of the exceptions described in the full criteria (captcha and test images, included).

[Complete Guideline](#)

<https://tinyurl.com/mvyfp4e3>





ACESSIBILIDADE TOOLKIT

Audio-only and Video-only (Prerecorded)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.2.1

Time-based Media

Audio-only and Video-only (Prerecorded)

An alternative to the content presented must be provided:

Audio only: provide descriptive text transcription;

Video only: provide alternative audio and/or descriptive text transcription;

[Complete Guideline](https://tinyurl.com/35py4z4h)

<https://tinyurl.com/35py4z4h>



ACESSIBILIDADE TOOLKIT

Captions (Prerecorded)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.2.2

Time-based Media

Captions (Prerecorded)

An alternative to the content presented must be provided:

Audio only: provide descriptive text transcription;

Video only: provide alternative audio and/or descriptive text transcription;

[Complete Guideline](#)

<https://tinyurl.com/cm86wmf6>



ACESSIBILIDADE TOOLKIT

Audio Description or Media Alternative (Prerecorded)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.2.3

Time-based Media


Audio Description or Media Alternative (Prerecorded)

Audio description or a descriptive text transcript must be provided for all pre-recorded video content.

Note: If audio description is provided, criterion 1.2.5 (AA) is met. If alternative media is provided, criterion 1.2.8 (AAA) is met.

Complete Guideline

<https://tinyurl.com/ybpp3jn8>





ACESSIBILIDADE TOOLKIT

Captions (Live)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.2.4


Time-based Media

Captions (Live)

Captions must be provided for all content that contains live audio (audio only or video with audio).

[Complete Guideline](#)

<https://tinyurl.com/4ynwuh4t>





ACESSIBILIDADE TOOLKIT

Audio Description (Prerecorded)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.2.5

Time-based Media

Audio Description (Prerecorded)

Audio description must be provided for all pre-recorded video content.

Note: See in conjunction with criterion 1.2.7.

Note 2: By meeting this criterion, criterion 1.2.3 (A) is also met.

Complete Guideline

<https://tinyurl.com/bdh8svjj>



ACESSIBILIDADE TOOLKIT

Sign Language (Prerecorded)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.2.6


Time-based Media

Sign Language (Prerecorded)

Sign language interpretation (e.g. Libras) must be provided for all content that contains pre-recorded audio.

Complete Guideline

<https://tinyurl.com/59n2xfb7>





ACESSIBILIDADE TOOLKIT

Extended Audio Description (Prerecorded)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.2.7


Time-based Media

Extended Audio Description (Prerecorded)

If it is not possible to maintain an audio description track in conjunction with the original audio of the video (e.g., overlaying speech), an alternative should be provided that allows the video to be paused, the audio description to play, and then the video to resume.

Complete Guideline

<https://tinyurl.com/2unxnppw>





ACESSIBILIDADE TOOLKIT

Media Alternative (Prerecorded)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.2.8

Time-based Media

Media Alternative (Prerecorded)

A descriptive text transcript of the content must be provided for all pre-recorded video content.

Note: By meeting this criterion, criterion 1.2.3 (A) will also be met.

[Complete Guideline](#)

<https://tinyurl.com/5n73vpte>



ACESSIBILIDADE TOOLKIT

Audio-only (Live)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.2.9


Time-based Media

Audio-only (Live)

A descriptive text transcript must be provided for all content presented live.

[Complete Guideline](#)

<https://tinyurl.com/4huh6cze>





ACESSIBILIDADE TOOLKIT

Info and Relationships

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.3.1

Adaptable


Info and Relationships

The structure and relationships between the components of the screen must make sense to both the eye and the ear.

Note to Developers: semantically correct code fully meets this criterion.

[Complete Guideline](#)

<https://tinyurl.com/5dnkay5f>





ACESSIBILIDADE TOOLKIT

Meaningful Sequence

<http://acessibilida.de>

Perceivable

A

1.3.2

Adaptable

Meaningful Sequence


The order in which the components are read and navigated on the screen must make sense to the user.

Note: the structural order of the components visible on the screen must be the same when playing the content through a screen reader.

Note 2: use in conjunction with criterion 2.4.3.

[Complete Guideline](https://tinyurl.com/3j7fumzv)

<https://tinyurl.com/3j7fumzv>





ACESSIBILIDADE ToolKit

Sensory Characteristics

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.3.3

Adaptable


Sensory Characteristics

Any type of instruction should not rely solely on shape, size, visual location or sound.

Examples: avoid "click on the green button", "click on the button below" or "when you hear the beep, select an option".

[Complete Guideline](https://tinyurl.com/yc7v35et)

<https://tinyurl.com/yc7v35et>





ACESSIBILIDADE TOOLKIT

Orientation

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.3.4

Adaptable

Orientation

Functionalities should not depend on a specific screen orientation (Example: Turning the phone horizontally) unless it is essential to perform the function.

Complete Guideline

<https://tinyurl.com/5n8uhew7>





ACESSIBILIDADE TOOLKIT

Identify Input Purpose

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.3.5

Adaptable

Identify Input Purpose

The input purpose of a field should be clearly defined (e.g. for an e-mail field, the e-mail input type should be correctly applied - input type="e-mail") and whenever possible, the auto-complete attribute should be enabled.

Note: see in conjunction with criteria 2.4.6 and 3.3.2.

Complete Guideline

<https://tinyurl.com/995bw2rr>



ACESSIBILIDADE TOOLKIT

Identify Purpose

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.3.6

Adaptable


Identify Purpose

The meaning and purpose of all on-screen elements must be clearly defined so that the content (which will be heard) is understandable enough for the user to customize the reading in the way that best suits them.

Note to Developers: Apply ARIA REGIONS and METADATA correctly.

Complete Guideline

<https://tinyurl.com/3b96nnv6>





ACESSIBILIDADE Toolkit

Use of Color

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.4.1

Distinguishable


Use of Color

Colors should not be used as the only way to convey content or distinguish visual elements.

Example: an error message in a form should include visual cues, text, and also a change in the color of the form (and not just a change in color).

Complete Guideline

<https://tinyurl.com/v8assdht>





ACESSIBILIDADE TOOLKIT

Audio Control

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.4.2


Distinguishable

Audio Control

A mechanism must be provided to pause, mute, or adjust the volume for any audio that automatically plays for more than 3 seconds.

[Complete Guideline](#)

<https://tinyurl.com/2nm3fpck>





ACESSIBILIDADE TOOLKIT

Contrast (Minimum)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.4.3

Distinguishable

Contrast (Minimum)


Text must have a contrast ratio* between foreground and background of at least 4.5:1.

Note: texts in larger font sizes (from 18pt or 14pt bold) can have a contrast ratio of 3:1.

Note 2: See the full Success Criterion to understand the contrast ratio.

[Complete Guideline](#)

<https://tinyurl.com/2b2eyfz2>





ACESSIBILIDADE TOOLKIT

Resize Text

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.4.4


Distinguishable

Resize Text

Text content must be readable and functional even when the screen is enlarged to up to 200% of its standard size.

Complete Guideline ↘

<https://tinyurl.com/3pvkv5w>





ACESSIBILIDADE Toolkit

Images of Text

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

A

1.4.5


Distinguishable

Images of Text

Avoid using text in images unless they are essential (example: brands and logos) or can be customized by the user.

Complete Guideline ↘

<https://tinyurl.com/bddubm6j>





ACESSIBILIDADE TOOLKIT

Contrast (Enhanced)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.4.6

Distinguishable

Contrast (Enhanced)


Texts must have a contrast ratio* between foreground and background of at least 7:1.

Note: texts in larger font sizes (from 18pt or 14pt bold) can have a contrast ratio of 4.5:1.

Note 2: See the full Success Criterion to understand contrast ratio.

[Complete Guideline](https://tinyurl.com/54fekf8t)

<https://tinyurl.com/54fekf8t>





ACESSIBILIDADE TOOLKIT

Low or No Background Audio

<http://acesibilida.de>

Perceivable

AAA

1.4.7


Distinguishable

Low or No Background Audio

Any type of sound other than voice in a pre-recorded audio or video must be low enough (or non-existent) so that the user has no difficulty understanding the main voice.

[Complete Guideline](https://tinyurl.com/y2nkh9w)

<https://tinyurl.com/y2nkh9w>





ACESSIBILIDADE TOOLKIT

Visual Presentation

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.4.8

Distinguishable


Visual Presentation

A mechanism must be provided that allows the user to control the presentation of text blocks.

The mechanism must allow the user to adjust the colors between foreground and background, maintain the text width within 80 characters, and configure the spacing between lines and paragraphs.

[Complete Guideline](#)

<https://tinyurl.com/2ws8bj8s>





ACESSIBILIDADE TOOLKIT

Images of Text (No Exception)

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AAA

1.4.9

Distinguishable


Images of Text (No Exception)

Avoid using text in images unless it is essential (e.g. brands and logos).

Note: by meeting this criterion, criterion 1.4.5 (AA) will also be met.

[Complete Guideline](#)

<https://tinyurl.com/3bhm7h9e>





ACESSIBILIDADE TOOLKIT

Reflow

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.4.10


Distinguishable

Reflow

When zooming up to 400% on the screen, vertical and horizontal scrolling should not occur at the same time.

Complete Guideline ↘

<https://tinyurl.com/4pjvpbws>



**ACESSIBILIDADE TOOLKIT****Non-text Contrast**

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA**1.4.11**

Distinguishable


Non-text Contrast

Interface components (e.g. buttons) and images essential to understanding the content must have a contrast ratio between foreground and background of at least 3:1.

Note: See full criterion and in conjunction with 1.4.3 and 1.4.6.

Complete Guideline

<https://tinyurl.com/3zsea9wy>





ACESSIBILIDADE TOOLKIT

Text Spacing

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.4.12

Distinguishable

Text Spacing


There should be no loss of content or functionality when the user adapts the content on the screen to:

Line spacing of at least 1.5x the font size;
Paragraphs of at least 2x the font size.

Note: See full criteria for more information.

Complete Guideline

<https://tinyurl.com/4pbpwzs9>





ACESSIBILIDADE TOOLKIT

Content on Hover or Focus

[http://
acessibilida.de](http://acessibilida.de)

Perceivable

AA

1.4.13

Distinguishable


Content on Hover or Focus

Additional content (e.g. tooltip or submenu) should not be triggered only by mouseover or keyboard focus. If this occurs, certain conditions must be met.

Note: See full criteria to check conditions.

Complete Guideline ↗

<https://tinyurl.com/bdjzhyne>





ACESSIBILIDADE Toolkit

Keyboard

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.1.1

Keyboard Accessible

Keyboard

All functionality must be available for keyboard use unless the functionality does not support keyboard-only control.

[Complete Guideline](https://tinyurl.com/wwa7ys4f)

<https://tinyurl.com/wwa7ys4f>



ACESSIBILIDADE ToolKit

No Keyboard Trap

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.1.2

Keyboard Accessible

No Keyboard Trap

It should be possible to navigate to and from all elements without any kind of keyboard lock.

[Complete Guideline](#)

<https://tinyurl.com/3xr8nne>



ACESSIBILIDADE TOOLKIT

Keyboard (No Exception)

<http://acessibilida.de>

Operable

AAA

2.1.3

Keyboard Accessible

Keyboard (No Exception)

All functionality must be available for use with a keyboard.

Note: By meeting this criterion, criterion 2.1.1 (A) will also be met.

Complete Guideline

<https://tinyurl.com/2xkz59v4>



ACESSIBILIDADE TOOLKIT

Character Key Shortcuts

[http://
accessibilida.de](http://accessibilida.de)

Operable

AA

2.1.4

Keyboard Accessible

Character Key Shortcuts

You should avoid creating keyboard shortcuts using only simple characters (letters, numbers, punctuation, etc.). If this happens, certain conditions must be met.

Note: See full criteria to check the conditions.

Complete Guideline

<https://tinyurl.com/yxwbypfz>



ACESSIBILIDADE TOOLKIT

Timing Adjustable

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.2.1

Enough Time

Timing Adjustable

If an application has a time limit, the user should have options to turn it off or adjust the time. Unless it is a situation where time is of the essence.

Note: recommended to use in conjunction with criterion 2.2.6.

Complete Guideline

<https://tinyurl.com/yc2ht83n>



ACESSIBILIDADE Toolkit

Pause, Stop, Hide

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.2.2

Enough Time

Pause, Stop, Hide

Any self-moving component that lasts longer than 5 seconds and is presented in conjunction with other content can be paused, stopped, or hidden by the user.

[Complete Guideline](#)

<https://tinyurl.com/9hrkr9pk>



ACESSIBILIDADE TOOLKIT

No Timing

<http://acessibilida.de>

Operable

AAA

2.2.3

Enough Time

No Timing

No functionality should have a time limit for an action to be executed.

Complete Guideline

<https://tinyurl.com/4tc8nf72>



ACESSIBILIDADE TOOLKIT

Interruptions

[http://
acessibilida.de](http://acessibilida.de)

Operable

AAA

2.2.4

Enough Time

Interruptions

Any type of interruption in the content that may confuse the user must have a mechanism that allows it to be turned off or postponed, unless it involves an emergency that preserves the health, safety or property of the user.

[Complete Guideline](#)

<https://tinyurl.com/3423km6k>



ACESSIBILIDADE TOOLKIT

Re-authenticating

<http://acessibilida.de>

Operable

AAA

2.2.5

Enough Time

Re-authenticating

If an authenticated session expires, any logged-in user must be able to continue their activity without any loss of data when re-authenticating in the environment.

[Complete Guideline](https://tinyurl.com/mryczft2)

<https://tinyurl.com/mryczft2>



ACESSIBILIDADE TOOLKIT

Timeouts

[http://
acessibilida.de](http://acessibilida.de)

Operable

AAA

2.2.6

Enough Time

Timeouts

If user inactivity results in the loss of previously filled data, the user must know the time limit (and remaining time) before automatic data loss occurs. Unless this limit is greater than 20 hours.

Note: Recommended to use in conjunction with criterion 2.2.1.

Complete Guideline

<https://tinyurl.com/4b633c2v>



ACESSIBILIDADE TOOLKIT

Three Flashes or Below Threshold

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.3.1

Seizures and Physical Reactions

Three Flashes or Below Threshold

No page content should flash more than 3 times per second, unless the flashes are low contrast or have little red.

[Complete Guideline](https://tinyurl.com/47sptbbb)

<https://tinyurl.com/47sptbbb>



ACESSIBILIDADE TOOLKIT

Three Flashes

[http://
acessibilida.de](http://acessibilida.de)

Operable

AAA

2.3.2

Seizures and Physical Reactions

Three Flashes

No page content should flash more than 3 times per second.

[Complete Guideline](#)

<https://tinyurl.com/34sp36r9>



ACESSIBILIDADE TOOLKIT

Animations from Interactions

[http://
accessibilida.de](http://accessibilida.de)

Operable

AAA

2.3.3

Seizures and Physical Reactions

Animations from Interactions

Any non-essential user-triggered interaction animation (e.g., parallax scrolling) must have a mechanism for the user to turn off the animation.

Note: Unlike criterion 2.2.2, this refers to user-triggered animation.

Complete Guideline

<https://tinyurl.com/494rjb97>



ACESSIBILIDADE TOOLKIT

Bypass blocks

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.4.1

Navigable

Bypass Blocks

A mechanism should be provided to ignore blocks of content that are repeated across different screens and flows.

Note: This criterion may be considered met in cases where there is an adequate heading structure. See criteria 2.4.2 and 2.4.10.

Complete Guideline

<https://tinyurl.com/yb8ddav4>



ACESSIBILIDADE TOOLKIT

Page Title

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.4.2

Navigable

Page Title

Pages or screens should have a title that clearly describes their purpose.

[Complete Guideline](https://tinyurl.com/mrp8frzm)

<https://tinyurl.com/mrp8frzm>



ACESSIBILIDADE TOOLKIT

Focus Order

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.4.3

Navigable

Focus Order

Navigation (via a keyboard) through focusable elements on screen must be sequential and logical according to the content presented.

Note: use in conjunction with criterion 1.3.2.

Complete Guideline

<https://tinyurl.com/mr2xns6c>



ACESSIBILIDADE Toolkit

Link Purpose (In Context)

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.4.4

Navigable

Link Purpose (In Context)

The purpose of each link should be determined from the text of the link itself or from the surrounding context.

[Complete Guideline](#)

<https://tinyurl.com/8d3b26xc>



ACESSIBILIDADE TOOLKIT

Multiple Ways

[http://
acessibilida.de](http://acessibilida.de)

Operable

AA

2.4.5

Navigable

Multiple Ways

The user should always have different options and ways to access or locate a specific content.

Example: The same content can be accessed through a navigation menu and also through a search field on the website.

Complete Guideline

<https://tinyurl.com/mw26ev6v>



ACESSIBILIDADE TOOLKIT

Headings and Labels

[http://
acessibilida.de](http://acessibilida.de)

Operable

AA

2.4.6

Navigable

Headings and Labels

Titles and subtitles of content and form labels must clearly describe the purpose of the elements or groupings without any ambiguity in their understanding.

Note: See in conjunction with criteria 1.3.5 and 2.4.2.

[Complete Guideline](https://tinyurl.com/3vehtvf5)

<https://tinyurl.com/3vehtvf5>



ACESSIBILIDADE TOOLKIT

Focus Visible

[http://
acessibilida.de](http://acessibilida.de)

Operable

AA

2.4.7

Navigable

Focus Visible

When navigating by keyboard (or touch) it should be possible to visually and easily identify which element on the page or screen currently has focus.

[Complete Guideline](https://tinyurl.com/yc7ukxf8)

<https://tinyurl.com/yc7ukxf8>



ACESSIBILIDADE TOOLKIT

Location

<http://acessibilida.de>

Operable

AAA

2.4.8

Navigable

Location

A means must be provided for the user to navigate between the contents of the same set of pages or screens.

Example: Using a breadcrumb.

[Complete Guideline](#)

<https://tinyurl.com/45h57myv>



ACESSIBILIDADE Toolkit

Link Purpose (Only Link)

[http://
acessibilida.de](http://acessibilida.de)

Operable

AAA

2.4.9

Navigable

Link Purpose (Only Link)

The purpose of each link should be determined from the text of the link itself.

Note: By meeting this criterion, criterion 2.4.4 (A) will also be met.

Complete Guideline

<https://tinyurl.com/yc2vbuz6>



ACESSIBILIDADE TOOLKIT

Section Headings

[http://
acessibilida.de](http://acessibilida.de)

Operable

AAA

2.4.10

Navigable

Section Headings

Whenever possible, headings should be provided in different sections and levels, allowing the user to easily identify the hierarchy of information in a given content.

Note: this criterion covers exclusively textual content, not to be confused with 4.1.2.

[Complete Guideline](#)

<https://tinyurl.com/mddvsuxp>

**ACESSIBILIDADE TOOLKIT****Pointer Gestures**

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.5.1

Input Modalities

Pointer Gestures

No functionality should be based on complex movement (e.g. 3-finger swipe right) unless it is essential functionality and there is no other alternative.

Complete Guideline

<https://tinyurl.com/yzva5sax>

**ACESSIBILIDADE TOOLKIT****Pointer Cancellation**

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.5.2

Input Modalities

Pointer Cancellation

It should be possible to cancel or reverse any action that involves a single click or tap. Some conditions must be met.

Note: See the full criteria for checking conditions.

Complete Guideline

<https://tinyurl.com/y5ywy6dt>



ACESSIBILIDADE TOOLKIT

Label in Name

[http://
acessibilida.de](http://acessibilida.de)

Operable

A

2.5.3

Input Modalities

Label in Name

Any visible label must be read exactly the same way by screen readers. If there is an additional description, the visible label must be the first to be read (e.g., a button labeled "buy now" should read similarly to "buy product XYZ now").

Note: See the full criteria.

Complete Guideline

<https://tinyurl.com/yws6pakb>



ACESSIBILIDADE TOOLKIT

Motion Actuation

[http://
accessibilida.de](http://accessibilida.de)

Operable

A

2.5.4

Input Modalities

Motion Actuation

Any functionality that requires the device to be moved (For example: “shake to undo”) must offer a mechanism to disable it and, if it is an essential function, the interface must offer an alternative way to activate it.

Complete Guideline

<https://tinyurl.com/tx57pjtd>



ACESSIBILIDADE TOOLKIT

Target Size (Enhanced)

[http://
acessibilida.de](http://acessibilida.de)

Operable

AAA

2.5.5

Input Modalities

Target Size (Enhanced)

The size of clickable areas must be at least 44x44 pixels, unless the clickable area is within a sentence or block of text.

Complete Guideline

<https://tinyurl.com/53rades8>

**ACESSIBILIDADE TOOLKIT****Concurrent Input Mechanisms**

[http://
accessibilida.de](http://accessibilida.de)

Operable

AAA**2.5.6**

Input Modalities

Concurrent Input Mechanisms

The use of different devices to operate a platform should not be restricted (for example, users with motor disabilities may attach a mobile keyboard to a cell phone to operate it), unless this restriction is essential or necessary to ensure the security of the content.

Complete Guideline ↗

<https://tinyurl.com/9ckt94kh>



ACESSIBILIDADE TOOLKIT

Language of Page

[http://
acessibilida.de](http://acessibilida.de)

Understandable

A

3.1.1

Readable

Language of Page

The content language must be defined on each of the application's pages or screens.

Complete Guideline

<https://tinyurl.com/3ze23xu8>



ACESSIBILIDADE TOOLKIT

Language of Parts

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AA

3.1.2

Readable

Language of Parts

The language of a given passage or phrase containing a language other than the original language of the current page or screen must be defined and correctly identified.

Note: See in conjunction with criterion 3.1.1.

Complete Guideline

<https://tinyurl.com/5cbn8v53>



ACESSIBILIDADE TOOLKIT

Unusual Words

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AAA

3.1.3

Readable

Unusual Words

If you use technical words or jargon, provide a glossary or explanations that inform the user of their meaning.

Complete Guideline

<https://tinyurl.com/4fp46js3>



ACESSIBILIDADE TOOLKIT

Abbreviations

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AAA

3.1.4

Readable

Abbreviations

Abbreviations and/or acronyms must be identified directly in the content or in a way that allows their definition to be presented in full.

Complete Guideline

<https://tinyurl.com/2p8569>



ACESSIBILIDADE TOOLKIT

Reading Level

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AAA

3.1.5

Readable

Reading Level

If a given content is so complex that a user with a complete elementary education* would not be able to understand it, it will be necessary to review it or use complementary content to facilitate its understanding.

Note: *based on international levels (UNESCO)

Complete Guideline

<https://tinyurl.com/4jzumkev>



ACESSIBILIDADE TOOLKIT

Pronunciation

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AAA

3.1.6

Readable

Pronunciation

A mechanism must be provided to identify the correct pronunciation of certain words that may be ambiguous out of context.

Complete Guideline

<https://tinyurl.com/5n896737>



ACESSIBILIDADE TOOLKIT

On Focus

[http://
acessibilida.de](http://acessibilida.de)

Understandable

A

3.2.1

Predictable

On Focus

When a component receives focus, no contextual changes that could confuse the user should be made.

Note: See in conjunction with criterion 3.2.2.

Complete Guideline

<https://tinyurl.com/4d2s8ksc>



ACESSIBILIDADE TOOLKIT

On Input

[http://
acessibilida.de](http://acessibilida.de)

Understandable

A

3.2.2

Predictable

On Input

When there is an interaction with a data entry field (form) or a control type (e.g. switch), no contextual change on the screen should occur unless the user has been informed that such a change would occur.

Note: See in conjunction with criterion 3.2.1.

Complete Guideline

<https://tinyurl.com/2bnfdpux>



ACESSIBILIDADE TOOLKIT

Consistent Navigation

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AA

3.2.3

Predictable

Consistent Navigation

Navigation components of the same website or application that are displayed on different screens must always be presented in the same position in relation to the other components (Example: Tab bar in an application).

Complete Guideline

<https://tinyurl.com/5dszuaxk>



ACESSIBILIDADE TOOLKIT

Consistent Identification

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AA

3.2.4

Predictable

Consistent Identification

Navigation components of the same website or application that are displayed on different screens, but have the same functionality, must always be identified in the same way (Example: A search field).

Complete Guideline

<https://tinyurl.com/57255ve3>



ACESSIBILIDADE TOOLKIT

Change on Request

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AAA

3.2.5

Predictable

Change on Request

Any change in context on the screen that may disorient the user should only occur after a confirmation action by the user, unless a mechanism to cancel the action is made available.

Note: By meeting this criterion, criterion 3.2.1 (A) will also be met.

Complete Guideline

<https://tinyurl.com/2a42yeb8>



ACESSIBILIDADE TOOLKIT

Error Identification

[http://
acessibilida.de](http://acessibilida.de)

Understandable

A

3.3.1

Input Assistance

Error Identification

Errors during and after filling in data on forms must be identified specifically and clearly for the user. Access to fields with errors must also be simplified.

Note: See in conjunction with criteria 3.3.2 and 3.3.3.

Complete Guideline

<https://tinyurl.com/mt2h5j7n>



ACESSIBILIDADE TOOLKIT

Labels of Instructions

[http://
acessibilida.de](http://acessibilida.de)

Understandable

A

3.3.2

Input Assistance

Labels or Instructions

Labels must clearly and correctly identify the respective form fields. Provide on-screen instructions or field completion tips whenever possible.

Note: See in conjunction with criteria 1.3.5, 3.3.1 and 3.3.3.

Complete Guideline

<https://tinyurl.com/5n6prass>



ACESSIBILIDADE TOOLKIT

Error Suggestion

<http://acesibilida.de>

Understandable

AA

3.3.3

Input Assistance

Error Suggestion

Provide simple suggestions so that the user can easily correct filling errors.

Note: see in conjunction with criteria 3.3.1 and 3.3.2.

Complete Guideline

<https://tinyurl.com/y5h3f2wh>



ACESSIBILIDADE TOOLKIT

Error Prevention
(Legal, Financial, Data)

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AA

3.3.4

Input Assistance

Error Prevention (Legal, Financial, Data)

Whenever the user can add any information involving legal responsibility or financial transaction via form, as well as changes to existing data, it must also be possible to cancel the sending or verify and confirm the data.

Complete Guideline

<https://tinyurl.com/52m3283n>



ACESSIBILIDADE TOOLKIT

Help

[http://
acessibilida.de](http://acessibilida.de)

Understandable

AAA

3.3.5

Input Assistance

Help

If a label is not sufficient to explain how to complete a given field, contextualized help must be provided.

Note: see also criterion 3.3.2.

Complete Guideline

<https://tinyurl.com/2524zbj7>



ACESSIBILIDADE TOOLKIT

Error Prevention (All)

<http://acesibilida.de>

Understandable

AAA

3.3.6

Input Assistance

Error Prevention (All)

Whenever the user can add any information via a form, it must be possible to cancel the submission or verify and/or confirm the data.

Complete Guideline

<https://tinyurl.com/mstbwknb>



ACESSIBILIDADE Toolkit

Parsing

[http://
acessibilida.de](http://acessibilida.de)

[Removed]

4.1.1

Parsing

This criterion has been removed from WCAG 2.2. In the past, it made sense for it to exist to ensure the proper application of HTML in assistive technologies, but nowadays it has become redundant due to technology updates. See the criteria for more information.

Note: The numbering has not changed yet.

Complete Guideline ↗

<https://tinyurl.com/44eesyr2>



ACESSIBILIDADE TOOLKIT

Name, Role, Value

<http://acessibilida.de>

Robust

A

4.1.2

Compatible

Name, Role, Value

Component names, functions, values, and states must be correctly identified by assistive technologies.

Note to Developers: Semantic code naturally provides much of this information.

[Complete Guideline](https://tinyurl.com/47vb9c7z)

<https://tinyurl.com/47vb9c7z>



ACESSIBILIDADE TOOLKIT

Status Messages



[http://
acessibilida.de](http://acessibilida.de)

Robust

AA

4.1.3

Compatible

Status Messages

Any type of informational message that is relevant to the user after performing an action must be transmitted without changing the focus on the element that originated the information.

Note: See the full criteria for identifying examples and use cases.

[Complete Guideline](#)

<https://tinyurl.com/8essdprx>

Glossary and Help

Audio Description

Literally, it is the audible description of all the elements and characters on the screen. If they are not already present in the characters' speech, a new audio track is inserted describing all the content on the screen.

Semantic Code

The HTML language was originally created so that it could be easily identified (by machines and humans). Writing semantic code is nothing more than giving meaning to the elements of a given content, thus facilitating the understanding of the code, including by assistive technologies.

Assistive Technology (AT)

Any type of resource capable of expanding or improving the functional abilities of people with difficulties and/or disabilities and consequently promoting their inclusion and facilitating access to information.

Descriptive Transcription of Content

It represents a text alternative that contains all the content of a video, including both the information contained in the audio track (if it exists) and the visual information transmitted during the video. Therefore, in addition to the information contained in the speech, it is necessary to inform all the visual content relevant to the understanding of the video, such as body language, laughter, text information, changes in environment, among others.

Source: Electronic Government Accessibility Model - eMAG

Do you have questions about this material or the guidelines?



Use the project Wiki at:

<https://github.com/acessibilidade/toolkit>

Credits

This material was produced by Marcelo Sales, a designer who works with UX, but has accessibility as his main cause and dissemination of knowledge.

The production of this material was intended to simplify the understanding of the WCAG (Web Content Accessibility Guidelines) guidelines and to be used as a tool to facilitate activities in workshops on accessibility, but you can use it as you see fit.

Feel free to use, translate, edit, customize and redistribute.

"Feel free to use, translate, edit, customize and redistribute."

Important:

Titles and descriptions of WCAG guidelines in this material have been edited and freely translated to make it easier to understand terms and jargon used in the Portuguese language (Brazil).

When translating material, it is important to pay attention to the same fact.

All adapted content in this material was originally created by the W3C.

Source Used: Tiresias Infofont

The font used in this material was specially commissioned for the RNIB (Royal National Institute of Blind People) by John Gill. It is an easy-to-read typeface in large and small sizes, with well-defined lines and well-designed letters. Distributed free of charge for personal and commercial use under a GNU GPL (General Public License) license can be easily found for editing this material.



Fork the project at:

<https://github.com/acessibilidade/toolkit>

This project is
an initiative of:



<http://>

acessibilida.de



Attribution-ShareAlike 4.0 International (CC BY-SA 4.0)