Corksec, SoHo, Cork 4th January 2015

Cloud Security addressing the 80%



Cloud Security addressing the 80%

- In our survey 80% cited security as their top concern with ~40% citing:
 - Regulatory or compliance issues
 - IT governance issues, including challenges related to defining standard services and SLAs
 - Reliability concerns in terms of service availability (response time & user downtime)
- Virtually all would accept having data in Europe
- Some said US Patriot Act would rule out their having data held there
- Low overall demand for public cloud laaS from the respondents
- All organizations would have some data resilience requirements
- No demand for "Burst" capability among these organizations



From Paper to iPad






From Paper

Ongoing Service-Current Practice


1. Log into Relay for client info



FPA

2. Print off Policy Lists & manually delete inactive policies & dated information






to iPad


Ongoing Service - Future Vision FPA has quick and easy access to accurate and up to date **Benefits:** information * Information close to hand Client Information for FPA * One source of info rather than multiple * Live policy feeds and Product brochures information & applications * No 'scraps' of paper at client meetings **FPA** Client policy reports and values


Bringing Sales in from the Cold






Bringing Sales in from the Cold






Checkpoint Endpoint




Mobile Iron






Note: MobileIron VSP, Atlas, and Sentry can be deployed behind the corporate firewall if desired.

Cisco Identity Services Engine



Cisco Wireless Controller



_ANs > E	dit 'WLAN		*	
General	Security	QoS	Policy-	Марр
Layer 2	Layer 3	AAA Se	ervers	
Layer 2	м	WPA+WPA2 AC Filterings	2 🗆	•
Fast Transi				
Protected	Managemen	t Frame		
PMF		Disabled 🔻		
WPA+WP/	A2 Paramete	rs		
WPA Policy				
WPA2 Policy		✓		
WPA2 Encryption		☑ AE	s [TKIP
Authentic	ation Key Ma	nagement		
802.1X	₽ i	Enable		
	_			
CCKM	□ t	Enable		

