

Exercise 7: Comparison Operators

Submission:

Date: 12th September, 2026

Time: 18:00hrs

Task

Create a Python program that uses **comparison operators** to solve practical, real-world problems.

Your program should use the following comparison operators:

- == Equal to
- != Not equal to
- > Greater than
- < Less than
- >= Greater than or equal to
- <= Less than or equal to

Instructions

Create variables for the situations below and use the appropriate comparison operator to determine whether each statement is **True** or **False**.

1. **Shirts:**
A clothing shop has **15 blue shirts** and **20 red shirts**. Check whether the number of blue shirts is less than the number of red shirts using <.
2. **Speed Limit:**
A vehicle is travelling at **60 km/h**, and the road speed limit is **60 km/h**. Check whether the vehicle's speed is equal to the speed limit using ==.
3. **Jet Thrust:**
A jet engine produces **90,000 units of thrust**, while another engine produces **85,000 units**. Check whether the two thrust values are not equal using !=.
4. **Fuel:**
An aircraft has **5,000 litres of fuel**, but the minimum required fuel is **4,000 litres**. Check whether the aircraft has more fuel than required using >.
5. **Exam Pass Mark:**
A student scores **50 marks**, and the pass mark is **50**. Check whether the student's mark is greater than or equal to the pass mark using >=.
6. **Warehouse Stock:**
A warehouse has **8 laptops**, and a customer order requires **10 laptops**. Check whether the available number of laptops is less than or equal to the required number using <=.

Requirements

- Create appropriate variables for each situation.

- Use the specified comparison operator.
- Use `print()` to display the result.
- Add a comment explaining each comparison.
- Do **not** change the given values.

Example

```
blue_shirts = 15
red_shirts = 20

# Check whether blue shirts are fewer than red shirts
print(blue_shirts < red_shirts)
```

Challenge

Create **three additional real-world examples** of your own. Each example must use a different comparison operator.