

06 – Wildcards, loops, and variables

CS 2043: Unix Tools and Scripting, Spring 2019 [1]

Matthew Milano

February 4, 2019

Cornell University

Table of Contents

1. As always: Everybody! ssh to wash.cs.cornell.edu
2. Quiz time! Everybody! run **quiz-02-04-19**
3. Chaining Commands
4. Returning to scripts!
5. Conditional Statements
6. Loops
7. Bash Basics

As always: Everybody! ssh to
wash.cs.cornell.edu

Quiz time! Everybody! run
quiz-02-04-19

Chaining Commands

Your Environment and Variables

- There are various *environment* variables defined for your shell.
- They are almost always all capital letters.
- You obtain their value by dereferencing them with a \$.

```
$ echo $PWD      # present working directory
$ echo $OLDPWD   # print previous working directory
$ printenv       # print all environment variables
```

- There are also *local* variables you can use / set.
- Primary difference:
 - *Environment* variables are available in your shell, *and* in scripts.
 - *Local* variables are *only* available in your shell.
 - “Shell” here just means “current terminal session.”

What is Defined?

- The environment:
 - **env**: displays all environment variables.
 - **unsetenv** <var_name>: remove an environment variable.
 - Create an environment variable*:
 - **export** ENV_VAR_NAME="value"
 - **export** is the most common. Exceptional explanation [here](#).
 - The local variables:
 - **set**: displays all shell / local variables.
 - **unset** <var_name>: remove a local shell variable.
 - Create a local variable*:
 1. **set** local_var="value"
 2. **local_var**="value"
- * These only last for the current shell session; we will learn how to make them “permanent” soon.

Brief Example: Environment Variable Manipulation

```
# MY_ENV_VAR is not set yet, so nothing prints
$ echo "My env var is: $MY_ENV_VAR"
My env var is:
```

```
# Set the environment variable (can also use `export` in bash)
$ export MY_ENV_VAR="Lemming King"
```

```
# Now that we have set it, print it
$ echo "My env var is: $MY_ENV_VAR"
My env var is: Lemming King
```

```
# "Delete" with `unsetenv`. Print again, confirming it's gone
# Emphasis: there is an `env` after `unset`
$ unsetenv MY_ENV_VAR
$ echo "My env var is: $MY_ENV_VAR"
My env var is:
```


Brief Example: Local Variable Manipulation

```
# my_local_var is not set yet, so nothing prints
$ echo "My local var is: $my_local_var"
My local var is:

# Just declare it (can also use the `set` command)
$ my_local_var="King of the Lemmings"

# Now that we have set it, print it
$ echo "My local var is: $my_local_var"
My local var is: King of the Lemmings

# "Delete" with `unset`. Print again, confirming it's gone
# Emphasis: there is *not* an `env` after `unset`
$ unset my_local_var
$ echo "My local var is: $my_local_var"
My local var is:
```

Exit Codes

- When you execute commands, they have an “exit code”.
 - This how you “signal” to others in the shell: through exit codes.
- The exit code of the *last command executed* is stored in `$?`
- There are various exit codes, here are a few examples:

```
$ super_awesome_command
bash: super_awesome_command: command not found...
$ echo $?
127
$ echo "What is the exit code we want?"
What is the exit code we want?
$ echo $?
0
```

- The success code we want is actually `0`. Refer to [2].
- Remember `cat` with no args? You will have to `ctrl+c` to kill it, what would the exit code be?

Executing Multiple Commands in a Row

- With exit codes, we can define some simple rules to chain commands together:
- Always execute:

```
$ cmd1; cmd2    # exec cmd1 first, then cmd2
```

- Execute conditioned upon exit code of **cmd1**:

```
$ cmd1 && cmd2 # exec cmd2 only if cmd1 returned 0  
$ cmd1 || cmd2 # exec cmd2 only if cmd1 returned NOT 0
```

- Kind of backwards, in terms of what means continue for *and*, but that was likely easier to implement since there is only one **0** and many *not 0*'s.

Returning to scripts!

Bash Scripting at a Glance

```
#!/usr/bin/env bash
# declare some variables
NAME="Sven Nevs"
MSK_ID=$(id -u)
# A simple if statement
if [[ $MSK_ID -eq 0 ]]; then
    echo "Executing as root."
else
    echo "Executing as normal user."
fi
# Expand variable inside string:
# Only because using _double_ quotes
echo "You are: $NAME"
# A simple for loop using a {} range
for n in {1..11}; do
    # String concatenation is easy!
    echo '$n is: "$n"'
    # Single quotes for literal $,
    # or use \$ in double quotes
done
```

- Use the shebang:
`#!/usr/bin/env bash`
- Declare variables...
 - ...no spaces!
- Use variables...
 - ...dereference with `$`
- Execute commands...
 - `$(command ...)`
 - ``command ...``
- If statements and loops.
- NEVER use aliases in bash scripts. EVER.

Storing command output

- Two options for storing output of command in variable:

- Surround it with backticks ``...cmd...``:

```
var="`echo hello world`"
```

- Surround it with `$(...cmd...)`:

```
var="$ (echo hello world)"
```

- Prefer `$(...)`, backticks are *deprecated*.

- Print debugging with `echo` can be very helpful, a bad example:

```
#!/usr/bin/env bash
# status will be empty because we redirected `stdout`
# from `echo` to `/dev/null`!
status="$ (echo "error string" > /dev/null)"
echo "status is: '$status'"
```

Conditional Statements

If Conditionals

```
if [ CONDITION_1 ]
then
    # statements
elif [ CONDITION_2 ]
then
    # statements
else
    # statements
fi # fi necessary
```

```
# The `then` is necessary...
# use semicolon to shorten code
if [ CONDITION_1 ]; then
    # statements
elif [ CONDITION_2 ]; then
    # statements
else
    # statements
fi # fi necessary
```

- Double brackets (**bash** only!) `[[expr]]` allow for more features e.g., boolean operations.
- both `[` and `[[` are actually commands!

```
if [[ CONDITION_1 ]] || [[ CONDITION_2 ]]; then
    # statements
fi
```

- **elif** and **else** clauses *allowed, not required*.

BE VERY CAREFUL WITH SPACES!

- Spaces on both the *outside* and the *inside* necessary!

```
# bash: syntax error near unexpected token `then`  
if [[ 0 -eq 0 ]]; then echo "Hiya"; fi
```

```
# bash: [[0 command not found...  
if [[0 -eq 0 ]]; then echo "Hiya"; fi
```

```
# bash: syntax error in conditional expression:  
#          unexpected token `;`  
# bash: syntax error near `;`  
if [[ 0 -eq 0]]; then echo "Hiya"; fi
```

```
# This has spaces after if, and before brackets (works)!  
if [[ 0 -eq 0 ]]; then echo "Hiya"; fi
```

Test Expressions

- [and [[have a special set of commands that allow checks.
- Numerical comparisons (often used with variables):
 - `$n1 -eq $n2` tests if $n1 = n2$.
 - `$n1 -ne $n2` tests if $n1 \neq n2$.
 - `$n1 -lt $n2` tests if $n1 < n2$.
 - `$n1 -le $n2` tests if $n1 \leq n2$.
 - `$n1 -gt $n2` tests if $n1 > n2$.
 - `$n1 -ge $n2` tests if $n1 \geq n2$.
 - If either `$n1` or `$n2` are not a number, the test *fails*.
- String comparisons:
 - `"$s1" == "$s2"` tests if `s1` and `s2` are identical.
 - `"$s1" != "$s2"` tests if `s1` and `s2` are different.
 - Make sure you have spaces!
 - `"$s1"=="$s2"` will *fail*...
 - For strings in particular, **use double quotes!**
 - If string has spaces *and* no double quotes used, it will *fail*.

Path Testing

- Test if `/some/path` exists: `-e /some/path`
- Test if `/some/path` is a file: `-f /some/path`
- Test if `/some/path` is a directory: `-d /some/path`
- Test if `/some/path` can be read: `-r /some/path`
- Test if `/some/path` can be written to: `-w /some/path`
- Test if `/some/path` can be executed: `-x /some/path`
- Test if `/some/path` is an empty file: `-s /some/path`
 - Many more of these, refer to [3] for more.

Path Testing Example

```
#!/usr/bin/env bash
path="/tmp"
if [[ -e "$path" ]]; then
    echo "Path '$path' exists."
    if [[ -f "$path" ]]; then
        echo "--> Path '$path' is a file."
    elif [[ -d "$path" ]]; then
        echo "--> Path '$path' is a directory."
    fi
else
    echo "Path '$path' does not exist."
fi
```

- Output from script:

```
Path '/tmp' exists.
--> Path '/tmp' is a directory.
```

Warning About Saving Exit Codes

- If you need to work with the exit code more than once...
- ...**always** save it!
- Simply put, get in the habit of **always** saving `cmd_exit=$?`
- Then use `$cmd_exit` in your *test* expressions.

Loops

For Loops

```
# Delineate by spaces, loop:
# s1, then s2, then s3, then s4
for var in s1 s2 s3 s4; do
    echo "Var: $var"
done

# Brace expansion:
# 00, 01, ..., 11
for var in {00..11}; do
    echo "Var: $var"
done

# "Traditional" for Loop:
# 0, 1, ..., 11
for (( i = 0; i <= 11; ++i )); do
    echo "i: $i"
done
```

```
# Output:
# Var: s1
# Var: s2
# Var: s3
# Var: s4
# Output:
# Var: 00
# Var: 01
# Var: ...
# Var: 11
# Output:
# i: 0
# i: 1
# i: ...
# i: 11
```

Bash Basics

Arithmetic Expansion

- Arithmetic expressions are encased in `$((expr))`

```
$ echo $(( 2 + 3 )) # standard addition
5
$ echo $(( 2 < 3 )) # less than: true is 1
1
$ echo $(( 2 / 3 )) # division: BASH IS ONLY INTEGERS!!!
0
$ x=10                # set a variable
$ echo $(( x++ ))     # post increment: only for variables,
10                    # does it AFTER...
$ echo "$x"           # ...but see it did increment
11
$ echo $(( ++x ))     # pre increment: only for variables,
12                    # does it BEFORE...
$ echo "$x"           # ...only one increment took place
12
$ sum=$(( $x+10 ))    # use variables like normal,
$ echo "$sum"          # note: no quotes "$x" needed in
22                    # arithmetic $(( expressions ))
```

Warning on Arithmetic Expansions

- Exponentiation example: $x ** y \implies x^y$

```
# bash: syntax error near unexpected token `('
$ x=(( 2 ** 3 ))
# Execute ls: I have only one file 'multiply.sh'
$ x="(( 2 ** 3 ))"
$ echo $x
(( 2 multiply.sh 3 ))
# That $ before the (( expr )) is NECESSARY!
$ x=$(( 2 ** 3 ))
$ echo $x
8
```

- Leading \$ in `$((expr))` is syntactically required.
 - Just like `$x` to read value
 - or `var="$((...cmd...))"`

Passing Arguments to Scripts

- When you pass arguments to a bash script, you can access them in a few different ways:
 - `$1`, `$2`, ..., `$10`, `$11`: values of the first, second, etc arguments
 - If 3 arguments given, `$4`, `$5`, ... higher are **empty**.
 - `$0` is the name of the script.
 - `$#` is the number of arguments (**argc** in C).
 - `$?` is the exit code of the last program executed.
 - You can have your script set this with `exit <number>` (read `man exit`).
 - No explicit call to `exit` same as `exit 0` (aka success).
 - `$$` is the current process identification number (PID).
 - `$*` expands `$1 .. $n` into one string.
 - `$*` \Rightarrow `"$1 $2 ... $n"` (one string)
 - `@` expands `$1 .. $n` into individual strings.
 - `@` \Rightarrow `"$1" "$2" ... "$n"` (n strings)

Demo files!

- `/course/cs2043/demos/06-demos/multiply.sh`
- `/course/cs2043/demos/06-demos/toLower.sh`
- `/course/cs2043/demos/06-demos/expansion.sh`

back to loops

While Loops

```
s="s" # Test expression comparison
while [[ "$s" != "ssss" ]]; do
    echo "$s" # prepend s until
    s="s$s"   # target length reached
done
x=0 # Arithmetic comparison
while (( x <= 11 )); do
    echo "x: $x"
    (( ++x ))
done
```

```
# Loop through lines in file
file="filename.txt"
while read -r line; do
    echo "Line: $line"
done < "$file"
```

```
# Output:
# s
# ss
# sss
# ssss
# Output:
# x: 0
# x: 1
# x: ...
# x: 11
```

- Print every line in a POSIX-compliant file.
- See [full demo](#) at end of lecture!
- (see [more_demos.txt](#))

Until Loops

- **bash** is one of the few languages that has an **until** loop:

```
x=0
until (( x == 4 )); do
    echo "x: $x"
    (( x++ ))
done
```

```
# Output:
# x: 0
# x: 1
# x: 2
# x: 3
```

- The **until** loop is exactly how it sounds: execute the loop body *until* the condition evaluates to **true**.
- So once **x** is 4, **((x == 4))** is **true**, loop stops.
 - Loop body not executed when **x == 4**, so **x: 4** not printed.
 - Like **for** and **while**, can also use *test expressions*:

```
until [[ $x -eq 4 ]]; do
```

Looping Through Files

See [lecture demo on looping through files](#).

References

- [1] Stephen McDowell, Bruno Abrahao, Hussam Abu-Libdeh, Nicolas Savva, David Slater, and others over the years. “Previous Cornell CS 2043 Course Slides”.
- [2] The Linux Documentation Project. *Exit Codes with Special Meanings*. 2017. URL: <http://tldp.org/LDP/abs/html/exitcodes.html>.
- [3] The Linux Documentation Project. *Introduction to If*. 2017. URL: http://tldp.org/LDP/Bash-Beginners-Guide/html/sect_07_01.html#sect_07_01_01.