



APM-W11-SEC-Baseline-P-1.2

Device configuration profile

Device and user check-in status



Device assignment status

This report shows all the devices that are targeted by the policy, including devices in a pending policy assignment state.

Per setting status

View the configuration status of each setting for this policy across all devices and users.

Properties

Basics [Edit](#)

Name	APM-W11-SEC-Baseline-P-1.2
Description	Baseline policy for Windows 11 with additional missing ASD/MS guidance elements added. CHG0031697 - Managed Installer deployment CHG0031879 - Telemetry setting added. CHG0032095 - Added MAC Authentication Devices to deny logon via RDP and Local.
Platform	Windows

Assignments [Edit](#)

Included groups

Group	Status	Filter	Filter mode
APM-W11-SEC-All W11 Devices-P	Active	APM-W11-FLT-W11 Devices-P	Include
APM-Win11-AllW11Devices	Active	APM-W11-FLT-W11 Devices-P	Include

APM-Win11-CFG-Managed Installer-P	Active	APM-W11-FLT-W11 Devices-P	Include
-----------------------------------	--------	------------------------------	---------

Excluded groups

Group	Status
APM DMA test	Active
APM-Win11-Testing	Active
Lifecare Screenshot and ScreenSaver Timeout Exem...	Active

Assignment via Policy sets

This object exists in one or more Policy sets and is assigned to the following groups. To edit these assignments, go to Policy sets.

Group	Policy Set	Mode	Status
APM-Win11-AutopilotBuild-Test	Staff-AU-Win11-WindowsDevices	Included groups	Active
APM-Win11-AutopilotCloudNative...	APM-AU-Win11-CloudNativeDe...	Included groups	Active
Intune-Nick-Test-Computer-Gro...	EUC-Autopilot-Test-PolicySet	Included groups	Active
Nerdio_Policy_test	APM-AU-Win11-CloudNativeDe...	Included groups	Active

Scope tags [Edit](#)

Selected tags Default

Configuration settings [Edit](#)

^ Above Lock

Allow Cortana Above Lock ⓘ

Block

^ Administrative Templates

Control Panel

Hide specified Control Panel items (User) Enabled ⓘ

List of disallowed Control Panel items (User)

Microsoft.PhoneAndModem, Microsoft.MobilityCenter

Control Panel > Personalization

Enable screen saver (User) ⓘ	Enabled
Password protect the screen saver (User) ⓘ	Enabled
Prevent enabling lock screen camera ⓘ	Enabled
Prevent enabling lock screen slide show ⓘ	Enabled
Screen saver timeout (User) ⓘ	Enabled
Seconds: (User)	480

MS Security Guide

Apply UAC restrictions to local accounts on network logons ⓘ	Enabled
Configure SMB v1 client driver ⓘ	Enabled
Configure MrxSmb10 driver	Disable driver (recommended)
Configure SMB v1 server ⓘ	Disabled
Enable Structured Exception Handling Overwrite Protection (SEHOP) ⓘ	Enabled
WDigest Authentication (disabling may require KB2871997) ⓘ	Disabled

MSS (Legacy)

MSS: (DisableIPSourceRouting IPv6) IP source routing protection level (protects against packet spoofing) ⓘ Enabled

DisableIPSourceRoutingIPv6 (Device) Highest protection, source routing is completely disabled

MSS: (DisableIPSourceRouting) IP source routing protection level (protects against packet spoofing) ⓘ Enabled

DisableIPSourceRouting (Device) Highest protection, source routing is completely disabled

MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes ⓘ Disabled

MSS: (NoNameReleaseOnDemand) Allow the computer to ignore NetBIOS name release requests except from WINS servers ⓘ Enabled

MSS: (SafeDllSearchMode) Enable Safe DLL search mode (recommended) ⓘ Enabled

MSS: (WarningLevel) Percentage threshold for the security event log at which the system will generate a warning ⓘ Enabled

WarningLevel (Device) 90%

Printers

Configure Redirection Guard ⓘ Enabled

Redirection Guard Options (Device) Redirection Guard Enabled

Configure RPC connection settings ⓘ	Enabled
Protocol to use for outgoing RPC connections: (Device)	RPC over TCP
Use authentication for outgoing RPC connections: (Device)	Default
Configure RPC listener settings ⓘ	Enabled
Authentication protocol to use for incoming RPC connections: (Device)	Negotiate
Protocols to allow for incoming RPC connections: (Device)	RPC over TCP
Configure RPC over TCP port ⓘ	Enabled
RPC over TCP port: (Device)	0
Limits print driver installation to Administrators ⓘ	Enabled
Manage processing of Queue-specific files ⓘ	Enabled
Manage processing of Queue-Specific files: (Device)	Limit Queue-specific files to Color profiles

System

Prevent access to registry editing tools (User) ⓘ	Enabled
Disable regedit from running silently? (User)	Yes

Prevent access to the command prompt (User)  Enabled

Disable the command prompt script processing also? (User) Yes

System > Audit Process Creation

Include command line in process creation events  Enabled

System > Credentials Delegation

Encryption Oracle Remediation  Enabled

Protection Level: (Device) Force Updated Clients

Remote host allows delegation of non-exportable credentials  Enabled

System > Early Launch Antimalware

Boot-Start Driver Initialization Policy  Enabled

Choose the boot-start drivers that can be initialized: Good, unknown and bad but critical

System > Group Policy

Configure registry policy processing  Enabled

Do not apply during periodic background processing (Device) False

Process even if the Group Policy objects
have not changed (Device) True

Configure security policy processing ⓘ Enabled

Do not apply during periodic
background processing (Device) False

Process even if the Group Policy objects
have not changed (Device) True

Continue experiences on this device ⓘ Disabled

Turn off background refresh of Group
Policy ⓘ Disabled

Turn off Local Group Policy Objects
processing ⓘ Disabled

Turn off Resultant Set of Policy logging
ⓘ Disabled

System > Local Security Authority

Allow Custom SSPs and APs to be loaded
into LSASS ⓘ Disabled

System > Logon

Allow users to select when a password is
required when resuming from connected
standby ⓘ Disabled

Block user from showing account details
on sign-in ⓘ Enabled

Do not display network selection UI ⓘ Disabled

Do not process the legacy run list ⓘ	Enabled
Do not process the run once list ⓘ	Enabled
Enumerate local users on domain-joined computers ⓘ	Disabled
Run these programs at user logon ⓘ	Disabled
Turn off app notifications on the lock screen ⓘ	Enabled
Turn off picture password sign-in ⓘ	Enabled
Turn on convenience PIN sign-in ⓘ	Disabled

System > Remote Assistance

Configure Offer Remote Assistance ⓘ	Disabled
Configure Solicited Remote Assistance ⓘ	Disabled

System > Remote Procedure Call

Enable RPC Endpoint Mapper Client Authentication ⓘ	Enabled
Restrict Unauthenticated RPC clients ⓘ	Enabled
RPC Runtime Unauthenticated Client Restriction to Apply:	Authenticated

Windows Components > Windows Remote Shell

Allow Remote Shell Access ⓘ Disabled

Windows Components > Windows Remote Management (WinRM) > WinRM Service

Allow Basic authentication ⓘ Disabled

Allow unencrypted traffic ⓘ Disabled

Disallow WinRM from storing RunAs credentials ⓘ Enabled

Windows Components > Windows Remote Management (WinRM) > WinRM Client

Allow Basic authentication ⓘ Disabled

Allow unencrypted traffic ⓘ Disabled

Disallow Digest authentication ⓘ Enabled

Windows Components > Windows PowerShell

Execution Policy (Device) Allow only signed scripts

Turn on PowerShell Script Block Logging ⓘ Enabled

Log script block invocation start / stop events: False

Turn on Script Execution ⓘ Enabled

Windows Components > Windows Logon Options

Configure the transmission of the user's password in the content of MPR Disabled

notifications sent by winlogon. ⓘ

Disable or enable software Secure Attention Sequence ⓘ Disabled

Sign-in and lock last interactive user automatically after a restart ⓘ Disabled

Windows Components > Store

Turn off the Store application ⓘ Disabled

Windows Components > Sound Recorder

Do not allow Sound Recorder to run ⓘ Enabled

Windows Components > RSS Feeds

Prevent downloading of enclosures ⓘ Enabled

Windows Components > Remote Desktop Services > Remote Desktop Session Host > Temporary folders

Do not delete temp folders upon exit ⓘ Disabled

Do not use temporary folders per session ⓘ Disabled ⓘ

Windows Components > Remote Desktop Services > Remote Desktop Session Host > Security

Encryption Level High Level

Always prompt for password upon connection ⓘ Enabled

Enabled

Do not allow local administrators to customize permissions ⓘ

Require secure RPC communication ⓘ Enabled

Require use of specific security layer for remote (RDP) connections ⓘ Enabled

Security Layer (Device) SSL

Require user authentication for remote connections by using Network Level Authentication ⓘ Enabled

Set client connection encryption level ⓘ Enabled

Windows Components > Remote Desktop Services > Remote Desktop Session Host > Device and Resource Redirection

Do not allow Clipboard redirection ⓘ Enabled

Do not allow drive redirection ⓘ Enabled

Windows Components > Remote Desktop Services > Remote Desktop Session Host > Connections

Allow users to connect remotely by using Remote Desktop Services ⓘ Disabled

Deny logoff of an administrator logged in to the console session ⓘ Enabled

Windows Components > Remote Desktop Services > Remote Desktop Connection Client

Configure server authentication for client Enabled
i

Authentication setting: (Device) Do not connect if authentication fails

Do not allow passwords to be saved Enabled
i

Windows Components > Network Sharing

Prevent users from sharing files within their profile. (User) Enabled
i

Windows Components > Microsoft Defender Antivirus

Turn off Microsoft Defender Antivirus Disabled
i

Turn off routine remediation Disabled
i

Windows Components > Microsoft Defender Antivirus > MAPS

Configure local setting override for reporting to Microsoft MAPS Disabled
i

Configure the 'Block at First Sight' feature Enabled
i

Join Microsoft MAPS Enabled
i

Join Microsoft MAPS (Device) Advanced MAPS

Windows Components > Microsoft Defender Antivirus > Quarantine

Configure removal of items from Quarantine folder ⓘ	Disabled
---	----------

Windows Components > Microsoft Defender Antivirus > Real-time Protection

Scan all downloaded files and attachments ⓘ	Enabled
Turn off real-time protection ⓘ	Disabled
Turn on behavior monitoring ⓘ	Enabled
Turn on process scanning whenever real-time protection is enabled ⓘ	Enabled

Windows Components > Microsoft Defender Antivirus > Scan

Allow users to pause scan ⓘ	Disabled
Define the number of days after which a catch-up scan is forced ⓘ	Enabled
Define the number of scheduled scans that can be missed after which a catch-up scan is forced (Device)	2
Scan archive files ⓘ	Enabled
Scan packed executables ⓘ	Enabled
Scan removable drives ⓘ	Enabled
Turn on e-mail scanning ⓘ	Enabled

Turn on heuristics ⓘ Enabled

Windows Components > Microsoft account

Block all consumer Microsoft account user authentication ⓘ Enabled

Windows Components > Location and Sensors

Turn off location scripting ⓘ Enabled

Windows Components > Location and Sensors > Windows Location Provider

Turn off Windows Location Provider ⓘ Enabled

Windows Components > Internet Explorer

Prevent bypassing SmartScreen Filter warnings ⓘ Enabled

Prevent bypassing SmartScreen Filter warnings about files that are not commonly downloaded from the Internet ⓘ Enabled

Prevent managing SmartScreen Filter ⓘ Enabled

Select SmartScreen Filter mode On

Prevent per-user installation of ActiveX controls ⓘ Enabled

Security Zones: Do not allow users to add/delete sites ⓘ Enabled

Security Zones: Do not allow users to change policies ⓘ Enabled

Security Zones: Use only machine settings ⓘ Enabled

Specify use of ActiveX Installer Service for installation of ActiveX controls ⓘ Enabled

Turn off Crash Detection ⓘ Enabled

Turn off the Security Settings Check feature ⓘ Disabled

Turn on the auto-complete feature for user names and passwords on forms (User) ⓘ Disabled

Windows Components > Internet Explorer > Internet Control Panel

Prevent ignoring certificate errors ⓘ Enabled

Windows Components > Internet Explorer > Internet Control Panel > Advanced Page

Allow software to run or install even if the signature is invalid ⓘ Disabled

Check for server certificate revocation ⓘ Enabled

Check for signatures on downloaded programs ⓘ Enabled

Do not allow ActiveX controls to run in Protected Mode when Enhanced Protected Mode is enabled ⓘ Enabled

Turn off encryption support ⓘ	Enabled
Secure Protocol combinations	Use TLS 1.1 and TLS 1.2
Turn on 64-bit tab processes when running in Enhanced Protected Mode on 64-bit versions of Windows ⓘ	Enabled

Turn on Enhanced Protected Mode ⓘ Enabled

Windows Components > Internet Explorer > Internet Control Panel > Security Page

Intranet Sites: Include all network paths (UNCs) ⓘ	Disabled
Turn on certificate address mismatch warning ⓘ	Enabled

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Internet Zone

Access data sources across domains ⓘ	Enabled
Access data sources across domains	Disable
Allow cut, copy or paste operations from the clipboard via script ⓘ	Enabled
Allow paste operations via script	Disable
Allow drag and drop or copy and paste files ⓘ	Enabled
Allow drag and drop or copy and paste files	Disable

Allow loading of XAML files ⓘ	Enabled
XAML Files	Disable
Allow only approved domains to use ActiveX controls without prompt ⓘ	Enabled
Only allow approved domains to use ActiveX controls without prompt	Enable
Allow only approved domains to use the TDC ActiveX control ⓘ	Enabled
Only allow approved domains to use the TDC ActiveX control	Enable
Allow script-initiated windows without size or position constraints ⓘ	Enabled
Allow script-initiated windows without size or position constraints	Disable
Allow scripting of Internet Explorer WebBrowser controls ⓘ	Enabled
Internet Explorer web browser control	Disable
Allow scriptlets ⓘ	Enabled
Scriptlets	Disable
Allow updates to status bar via script ⓘ	Enabled
Status bar updates via script	Disable
Allow VBScript to run in Internet Explorer ⓘ	Enabled

Allow VBScript to run in Internet Explorer Disable

Automatic prompting for file downloads Enabled
 ⓘ

Automatic prompting for file downloads Disable

Don't run antimalware programs against ActiveX controls ⓘ Enabled

Don't run antimalware programs against ActiveX controls Disable

Download signed ActiveX controls ⓘ Enabled

Download signed ActiveX controls Disable

Download unsigned ActiveX controls ⓘ Enabled

Download unsigned ActiveX controls Disable

Enable dragging of content from different domains across windows ⓘ Enabled

Enable dragging of content from different domains across windows Disable

Enable dragging of content from different domains within a window ⓘ Enabled

Enable dragging of content from different domains within a window Disable

Include local path when user is uploading files to a server ⓘ Enabled

Include local directory path when uploading files to a server Disable

Enabled

Initialize and script ActiveX controls not
marked as safe ⓘ

Initialize and script ActiveX controls not
marked as safe Disable

Java permissions ⓘ Enabled

Java permissions Disable Java

Launching applications and files in an
IFRAME ⓘ Enabled

Launching applications and files in an
IFRAME Disable

Logon options ⓘ Enabled

Logon options Prompt for user name and password

Navigate windows and frames across
different domains ⓘ Enabled

Navigate windows and frames across
different domains Disable

Run .NET Framework-reliant components
not signed with Authenticode ⓘ Enabled

Run .NET Framework-reliant components
not signed with Authenticode Disable

Run .NET Framework-reliant components
signed with Authenticode ⓘ Enabled

Run .NET Framework-reliant components
signed with Authenticode Disable

Show security warning for potentially unsafe files ⓘ	Enabled
Launching programs and unsafe files	Prompt
Turn on Cross-Site Scripting Filter ⓘ	Enabled
Turn on Cross-Site Scripting (XSS) Filter	Enable
Turn on Protected Mode ⓘ	Enabled
Protected Mode	Enable
Turn on SmartScreen Filter scan ⓘ	Enabled
Use SmartScreen Filter	Enable
Use Pop-up Blocker ⓘ	Enabled
Use Pop-up Blocker	Enable
Userdata persistence ⓘ	Enabled
Userdata persistence	Disable
Web sites in less privileged Web content zones can navigate into this zone ⓘ	Enabled
Web sites in less privileged Web content zones can navigate into this zone	Disable

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Intranet Zone

Don't run antimalware programs against ActiveX controls ⓘ	Enabled
	Disable

Don't run antimalware programs against
ActiveX controls

Initialize and script ActiveX controls not
marked as safe ⓘ Enabled

Initialize and script ActiveX controls not
marked as safe Disable

Java permissions ⓘ Enabled

Java permissions High safety

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Local Machine Zone

Don't run antimalware programs against
ActiveX controls ⓘ Enabled

Don't run antimalware programs against
ActiveX controls Disable

Java permissions ⓘ Enabled

Java permissions Disable Java

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Locked-Down Internet Zone

Turn on SmartScreen Filter scan ⓘ Enabled

Use SmartScreen Filter Enable

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Locked-Down Intranet Zone

Java permissions ⓘ

Enabled

Java permissions

Disable Java

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Locked-Down Local Machine Zone

Java permissions ⓘ

Enabled

Java permissions

Disable Java

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Locked-Down Restricted Sites Zone

Java permissions ⓘ

Enabled

Java permissions

Disable Java

Turn on SmartScreen Filter scan ⓘ

Enabled

Use SmartScreen Filter

Enable

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Locked-Down Trusted Sites Zone

Java permissions ⓘ

Enabled

Java permissions

Disable Java

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Restricted Sites Zone

Access data sources across domains ⓘ

Enabled

Access data sources across domains	Disable
Allow active scripting ⓘ	Enabled
Allow active scripting	Disable
Allow binary and script behaviors ⓘ	Enabled
Allow Binary and Script Behaviors	Disable
Allow cut, copy or paste operations from the clipboard via script ⓘ	Enabled
Allow paste operations via script	Disable
Allow drag and drop or copy and paste files ⓘ	Enabled
Allow drag and drop or copy and paste files	Disable
Allow file downloads ⓘ	Enabled
Allow file downloads	Disable
Allow loading of XAML files ⓘ	Enabled
XAML Files	Disable
Allow META REFRESH ⓘ	Enabled
Allow META REFRESH	Disable
Allow only approved domains to use ActiveX controls without prompt ⓘ	Enabled

Only allow approved domains to use
ActiveX controls without prompt Enable

Allow only approved domains to use the
TDC ActiveX control ⓘ Enabled

Only allow approved domains to use the
TDC ActiveX control Enable

Allow script-initiated windows without
size or position constraints ⓘ Enabled

Allow script-initiated windows without
size or position constraints Disable

Allow scripting of Internet Explorer
WebBrowser controls ⓘ Enabled

Internet Explorer web browser control Disable

Allow scriptlets ⓘ Enabled

Scriptlets Disable

Allow updates to status bar via script ⓘ Enabled

Status bar updates via script Disable

Allow VBScript to run in Internet Explorer ⓘ Enabled

Allow VBScript to run in Internet Explorer Disable

Automatic prompting for file downloads ⓘ Enabled

Automatic prompting for file downloads Disable

Don't run antimalware programs against ActiveX controls ⓘ Enabled

Don't run antimalware programs against ActiveX controls Disable

Download signed ActiveX controls ⓘ Enabled

Download signed ActiveX controls Disable

Download unsigned ActiveX controls ⓘ Enabled

Download unsigned ActiveX controls Disable

Enable dragging of content from different domains across windows ⓘ Enabled

Enable dragging of content from different domains across windows Disable

Enable dragging of content from different domains within a window ⓘ Enabled

Enable dragging of content from different domains within a window Disable

Include local path when user is uploading files to a server ⓘ Enabled

Include local directory path when uploading files to a server Disable

Initialize and script ActiveX controls not marked as safe ⓘ Enabled

Initialize and script ActiveX controls not marked as safe Disable

Enabled

Java permissions ⓘ

Java permissions

Disable Java

Launching applications and files in an IFRAME ⓘ

Enabled

Launching applications and files in an IFRAME

Disable

Logon options ⓘ

Enabled

Logon options

Anonymous logon

Navigate windows and frames across different domains ⓘ

Enabled

Navigate windows and frames across different domains

Disable

Run .NET Framework-reliant components not signed with Authenticode ⓘ

Enabled

Run .NET Framework-reliant components not signed with Authenticode

Disable

Run .NET Framework-reliant components signed with Authenticode ⓘ

Enabled

Run .NET Framework-reliant components signed with Authenticode

Disable

Run ActiveX controls and plugins ⓘ

Enabled

Run ActiveX controls and plugins

Disable

Script ActiveX controls marked safe for scripting ⓘ	Enabled
Script ActiveX controls marked safe for scripting	Disable
Scripting of Java applets ⓘ	Enabled
Scripting of Java applets	Disable
Show security warning for potentially unsafe files ⓘ	Enabled
Launching programs and unsafe files	Disable
Turn on Cross-Site Scripting Filter ⓘ	Enabled
Turn on Cross-Site Scripting (XSS) Filter	Enable
Turn on Protected Mode ⓘ	Enabled
Protected Mode	Enable
Turn on SmartScreen Filter scan ⓘ	Enabled
Use SmartScreen Filter	Enable
Use Pop-up Blocker ⓘ	Enabled
Use Pop-up Blocker	Enable
Userdata persistence ⓘ	Enabled
Userdata persistence	Disable

Web sites in less privileged Web content zones can navigate into this zone

Enabled

i

Web sites in less privileged Web content zones can navigate into this zone

Disable

Windows Components > Internet Explorer > Internet Control Panel > Security Page > Trusted Sites Zone

Don't run antimalware programs against ActiveX controls

Enabled

i

Don't run antimalware programs against ActiveX controls

Disable

Initialize and script ActiveX controls not marked as safe

Enabled

i

Initialize and script ActiveX controls not marked as safe

Disable

Java permissions

Enabled

i

Java permissions

High safety

Windows Components > Internet Explorer > Security Features

Allow insecure fallback for:

No Sites

Allow fallback to SSL 3.0 (Internet Explorer)

Enabled

i

Windows Components > Internet Explorer > Security Features > Add-on Management

Remove "Run this time" button for outdated ActiveX controls in Internet Explorer

Enabled

i

Disabled

Turn off blocking of outdated ActiveX controls for Internet Explorer ⓘ

Windows Components > Internet Explorer > Security Features > Consistent Mime Handling

Internet Explorer Processes ⓘ Enabled

Windows Components > Internet Explorer > Security Features > Mime Sniffing Safety Feature

Internet Explorer Processes ⓘ Enabled

Windows Components > Internet Explorer > Security Features > MK Protocol Security Restriction

Internet Explorer Processes ⓘ Enabled

Windows Components > Internet Explorer > Security Features > Notification bar

Internet Explorer Processes ⓘ Enabled

Windows Components > Internet Explorer > Security Features > Protection From Zone Elevation

Internet Explorer Processes ⓘ Enabled

Windows Components > Internet Explorer > Security Features > Restrict ActiveX Install

Internet Explorer Processes ⓘ Enabled

Windows Components > Internet Explorer > Security Features > Restrict File Download

Internet Explorer Processes ⓘ

Enabled

Windows Components > Internet Explorer > Security Features > Scripted Window Security Restrictions

Internet Explorer Processes ⓘ

Enabled

Windows Components > HomeGroup

Prevent the computer from joining a homegroup ⓘ

Enabled

Windows Components > File Explorer

Configure Windows Defender SmartScreen ⓘ

Enabled

Pick one of the following settings: (Device)

Warn and prevent bypass

Remove CD Burning features (User) ⓘ

Enabled

Remove Security tab (User) ⓘ

Enabled

Show hibernate in the power options menu ⓘ

Disabled

Show sleep in the power options menu ⓘ

Disabled

Turn off Data Execution Prevention for Explorer ⓘ

Disabled

Turn off heap termination on corruption

Disabled

i

Turn off shell protocol protected mode

Disabled

i

Windows Components > Event Log Service > System

Maximum Log Size (KB)

65536

Specify the maximum log file size (KB)

i

Enabled

Windows Components > Event Log Service > Security

Maximum Log Size (KB)

2097152

Configure log access

i

Enabled

Log Access (Device)

O:BAG:SYD:(A;;0xf0005;;;SY)(A;;0x5;;;BA)(A;;0x1;;;S-1-5-32-573)(A;;0x1;;;NS)

Specify the maximum log file size (KB)

i

Enabled

Windows Components > Event Log Service > Application

Maximum Log Size (KB)

65536

Specify the maximum log file size (KB)

i

Enabled

Windows Components > Event Forwarding

SubscriptionManagers (Device)

Server=http://azsydprdema04.ad.apm.net.au:5985/wsman/SubscriptionMar

Configure target Subscription Manager

Enabled

i

Windows Components > Credential User Interface

Do not display the password reveal button

Enabled

i

Enumerate administrator accounts on elevation

Disabled

i

Prevent the use of security questions for local accounts

Enabled

i

Require trusted path for credential entry

Disabled

i

Windows Components > AutoPlay Policies

Turn off Autoplay on:

All drives

Disallow Autoplay for non-volume devices

Enabled

i

Set the default behavior for AutoRun

Enabled

i

Default AutoRun Behavior

Do not execute any autorun commands

Turn off Autoplay

Enabled

i

Windows Components > Attachment Manager

Do not preserve zone information in file attachments (User)

Disabled

i

Hide mechanisms to remove zone information (User)

Enabled

i

Enabled

Notify antivirus programs when opening attachments (User) ⓘ

Windows Components > Application Compatibility

Turn off Inventory Collector ⓘ Enabled

Turn off Steps Recorder ⓘ Enabled

Windows Components > App runtime

Allow Microsoft accounts to be optional ⓘ Enabled

System > Troubleshooting and Diagnostics > Microsoft Support Diagnostic Tool

Microsoft Support Diagnostic Tool: Turn on MSDT interactive communication with support provider ⓘ Disabled

System > Power Management > Sleep Settings

System Sleep Timeout (seconds): 0

Allow network connectivity during connected-standby (on battery) ⓘ Disabled

Allow network connectivity during connected-standby (plugged in) ⓘ Disabled

Allow standby states (S1-S3) when sleeping (on battery) ⓘ Disabled

Allow standby states (S1-S3) when sleeping (plugged in) ⓘ Disabled

Require a password when a computer wakes (on battery) ⓘ Enabled

Require a password when a computer wakes (plugged in) ⓘ Enabled

Specify the system hibernate timeout (on battery) ⓘ Enabled

System Hibernate Timeout (seconds): 0

Specify the system hibernate timeout (plugged in) ⓘ Enabled

System Hibernate Timeout (seconds): 0

Specify the system sleep timeout (on battery) ⓘ Enabled

System Sleep Timeout (seconds): 0

Specify the system sleep timeout (plugged in) ⓘ Enabled

System > Internet Communication Management > Internet Communication settings

Turn off access to the Store ⓘ Enabled

Turn off downloading of print drivers over HTTP ⓘ Enabled

Turn off Internet download for Web publishing and online ordering wizards ⓘ

Enabled

System > Device Installation > Device Installation Restrictions

Prevented Classes

{d48179be-ec20-11d1-b6b8-00c04fa372a7}

Also apply to matching devices that are already installed.

True

Prevent installation of devices that match any of these device IDs ⓘ

Enabled

Also apply to matching devices that are already installed.

True

Prevented device IDs

PCI\CC_0C0010, SCSI\CdRomMsft____Virtual_DVD-ROM_

Prevent installation of devices using drivers that match these device setup classes ⓘ

Enabled

Start Menu and Taskbar > Notifications

Turn off toast notifications (User) ⓘ

Disabled

Turn off toast notifications on the lock screen (User) ⓘ

Enabled

Network > Windows Connection Manager