



APM-W11-SEC-Bitlocker-P-1.1

Device Configuration Profiles - Endpoint protection

Device and user check-in status



[View report](#)

Device assignment status

This report shows all the devices that are targeted by the policy, including devices in a pending policy assignment state.

Per setting status

View the configuration status of each setting for this policy across all devices and users.

Properties

Basics [Edit](#)

Name	APM-W11-SEC-Bitlocker-P-1.1
Description	Policy to enable Bitlocker on all Windows 11 systems.
	CHG0031879 - Production Rollout
Platform	Windows 10 and later
Profile type	Endpoint protection

Assignments [Edit](#)

Included groups

Group	Status	Filter	Filter mode
APM-Win11-Pilot Batch2	Active	None	None
APM-Autopatch - Test	Active	None	None
APM-Win11-Pilot Batch1	Active	None	None
APM-Win11-Production Batch2	Active	None	None
APM-Win11-Production Batch-CTA	Active	None	None

APM-Win11-Production Batch1	Active	None	None
APM-Win11-Production Batch3	Active	None	None
APM-Win11-Production Batch-Finance	Active	None	None
APM-W11-SEC-Policy Update Test	Active	None	None
APM-Win11-AllW11Devices	Active	None	None
APM-W11-SEC-All W11 Devices-P	Active	APM-W11-FLT-W11 Devices-P	Include

Excluded groups

Group	Status
No results.	

Assignment via Policy sets

This object exists in one or more Policy sets and is assigned to the following groups. To edit these assignments, go to Policy sets.

Group	Policy Set	Mode	Status
APM-Win11-AutopilotBuild-Test	Staff-AU-Win11-WindowsDevices	Included groups	Active
APM-Win11-AutopilotCloudNati...	APM-AU-Win11-CloudNativeDe...	Included groups	Active
Intune-Nick-Test-Computer-Gro...	EUC-Autopilot-Test-PolicySet	Included groups	Active
Nerdio_Policy_test	APM-AU-Win11-CloudNativeDe...	Included groups	Active

Scope tags [Edit](#)

Default

Configuration settings [Edit](#)

^ Windows Encryption	
Encrypt devices	Require
Warning for other disk encryption	Block
Allow standard users to enable encryption during Microsoft Entra join	Allow
Configure encryption methods	Enable
Encryption for operating system drives	XTS-AES 256-bit
Encryption for fixed data-drives	XTS-AES 256-bit
Encryption for removable data-drives	XTS-AES 256-bit
Additional authentication at startup	Require
OS drive recovery	Enable
Certificate-based data recovery agent	Block

Recovery options in the BitLocker setup wizard	Block
Recovery options in the BitLocker setup wizard	Block
Save BitLocker recovery information to Microsoft Entra ID	Enable
Save BitLocker recovery information to Microsoft Entra ID	Enable
Client-driven recovery password rotation	Key rotation enabled for Microsoft Entra joined and hybrid joined devices
Store recovery information in Microsoft Entra ID before enabling BitLocker	Require
Store recovery information in Microsoft Entra ID before enabling BitLocker	Require
Pre-boot recovery message and URL	Enable
Write access to fixed data-drive not protected by BitLocker	Block
Fixed drive recovery	Enable
Data recovery agent	Block
Write access to removable data-drive not protected by BitLocker	Block
Write access to devices configured in another organization	Block

Applicability Rules [Edit](#)

Rule	Property	Value	Rule Details
------	----------	-------	--------------