




APM-WIN-SEC-USB Baseline-P-1.0

Device configuration profile

Device and user check-in status



Device assignment status

This report shows all the devices that are targeted by the policy, including devices in a pending policy assignment state.

Per setting status

View the configuration status of each setting for this policy across all devices and users.

Properties

Basics [Edit](#)

Name	APM-WIN-SEC-USB Baseline-P-1.0
Description	Group to allow\deny USB drives for staff. Blocked for all, excluded for a few
Platform	Windows

Assignments [Edit](#)

Included groups

Group	Status	Filter	Filter mode
All devices	Active	None	None

Excluded groups

Group	Status
APM-CTA-Client-Win10-Autopilot	Active
APM-ES-Participant-Autopilot	Active

APM-USB-rw-ALLOW	Active
APM-Win11-Bitlocker Exception Test	Active

Assignment via Policy sets

This object exists in one or more Policy sets and is assigned to the following groups. To edit these assignments, go to Policy sets.

Group	Policy Set	Mode	Status
APM-Win11-AutopilotCloudNati...	APM-AU-Win11-CloudNativeDe...	Included groups	Active
Nerdio_Policy_test	APM-AU-Win11-CloudNativeDe...	Included groups	Active

Scope tags [Edit](#)

Selected tags Default

Configuration settings [Edit](#)

⤴ Administrative Templates

Windows Components > BitLocker Drive Encryption > Removable Data Drives

Do not allow write access to devices configured in another organization False

Deny write access to removable drives not protected by BitLocker ⓘ Enabled

System > Removable Storage Access

All Removable Storage classes: Deny all access ⓘ Enabled

CD and DVD: Deny execute access ⓘ Enabled

CD and DVD: Deny read access ⓘ Disabled

CD and DVD: Deny write access ⓘ	Enabled
Floppy Drives: Deny execute access ⓘ	Enabled
Floppy Drives: Deny read access ⓘ	Disabled
Floppy Drives: Deny write access ⓘ	Enabled
Removable Disks: Deny execute access ⓘ	Enabled
Removable Disks: Deny read access ⓘ	Disabled
Tape Drives: Deny execute access ⓘ	Enabled
Tape Drives: Deny read access ⓘ	Disabled
Tape Drives: Deny write access ⓘ	Enabled
WPD Devices: Deny read access ⓘ	Disabled
WPD Devices: Deny write access ⓘ	Enabled

^ Storage
