

I am going to be using you today to create a website on Gethub and versel. I wan...

Generated on: 29 Sep 2026 • 21:47

You

I am going to be using you today to create a website on Gethub and versel. I want you to create clear codes that i can upload into gethub. The website is ging to be created around basketball

Assistant

Basketball Website Project Setup

Great! I'd be happy to help you create a basketball website for GitHub and Vercel. Let me set you up with a clear, organized structure.

Project Structure

Here's what we'll create:

```
basketball-website/  
*** public/  
* *** images/  
* *** favicon.ico  
*** src/  
* *** components/  
* *** pages/  
* *** styles/  
* *** App.js  
*** .gitignore  
*** package.json  
*** README.md  
*** vercel.json
```

1. package.json (Dependencies)

json

```
{
  "name": "basketball-website",
  "version": "1.0.0",
  "description": "A basketball information and stats website",
  "private": true,
  "dependencies": {
    "react": "^18.2.0",
    "react-dom": "^18.2.0",
    "react-router-dom": "^6.20.0",
    "axios": "^1.6.0"
  },
  "devDependencies": {
    "react-scripts": "5.0.1"
  },
  "scripts": {
    "start": "react-scripts start",
    "build": "react-scripts build",
    "deploy": "vercel --prod"
  },
  "eslintConfig": {
    "extends": [
      "react-app"
    ]
  },
  "browserslist": {
    "production": [
      ">0.2%",
      "not dead",
      "not op_mini all"
    ],
    "development": [
      "last 1 chrome version",
      "last 1 firefox version",
      "last 1 safari version"
    ]
  }
}
```

```

  },
  "browserslist": {
    "production": [
      ">0.2%",
      "not dead",
      "not op_mini all"
    ],
    "development": [
      "last 1 chrome version",
      "last 1 firefox version",
      "last 1 safari version"
    ]
  }
}
```

2. src/App.js (Main Component)

javascript

```
import React from 'react';
import { BrowserRouter as Router, Routes, Route } from 'react-router-dom';
import Navbar from './components/Navbar';
import Footer from './components/Footer';
import Home from './pages/Home';
import Teams from './pages/Teams';
import Players from './pages/Players';
import Stats from './pages/Stats';
import './styles/App.css';
```

```
function App {
  return (
    <Router>
      <div className="App">
        <Navbar />
        <Routes>
          <Route path="/" element={<Home />} />
          <Route path="/teams" element={<Teams />} />
          <Route path="/players" element={<Players />} />
          <Route path="/stats" element={<Stats />} />
        </Routes>
        <Footer />

```

```
      </div>
    </Router>
  );
}
```

```
export default App;
```

3. src/components/Navbar.js

javascript

```
import React from 'react';
import { Link } from 'react-router-dom';
import './styles/Navbar.css';

function Navbar {
  return (
    <nav className="navbar">
      <div className="navbar-container">
        <Link to="/" className="navbar-logo">
          * Basketball Hub
        </Link>
        <ul className="navbar-menu">
          <li><Link to="/">Home</Link></li>
          <li><Link to="/teams">Teams</Link></li>
          <li><Link to="/players">Players</Link></li>
          <li><Link to="/stats">Stats</Link></li>
        </ul>
      </div>
    </nav>
  );
}
```

```
export default Navbar;
```

4. src/pages/Home.js

javascript

```
import React from 'react';
import '../styles/Home.css';

function Home {
  return (
    <div className="home">
      <section className="hero">
        <h1>Welcome to Basketball Hub</h1>
        <p>Your ultimate source for NBA news, teams, and player statistics</p>
        <button className="cta-button">Explore Now</button>
      </section>

      <section className="features">
        <div className="feature-card">
          <h3>* Live Stats</h3>
          <p>Track real-time player and team statistics</p>
        </div>
        <div className="feature-card">
          <h3>* Player Profiles</h3>
          <p>Detailed information about your favorite players</p>
        </div>
        <div className="feature-card">
          <h3>* Team Info</h3>
          <p>Complete team rosters and performance metrics</p>
        </div>
      </section>
    </div>
  );
}

export default Home;
```

5. src/pages/Teams.js

javascript

```

import React, { useState } from 'react';
import '../styles/Teams.css';

function Teams {
  const [teams] = useState([
    { id: 1, name: 'Los Angeles Lakers', wins: 45, losses: 37 },
    { id: 2, name: 'Boston Celtics', wins: 64, losses: 18 },
    { id: 3, name: 'Golden State Warriors', wins: 44, losses: 38 },
    { id: 4, name: 'Miami Heat', wins: 46, losses: 36 },
    { id: 5, name: 'Denver Nuggets', wins: 53, losses: 29 },
  ]);

  return (
    <div className="teams-page">
      <h1>NBA Teams</h1>
      <div className="teams-grid">
        {teams.map(team => (
          <div key={team.id} className="team-card">
            <h2>{team.name}</h2>
            <p>Wins: <strong>{team.wins}</strong></p>
            <p>Losses: <strong>{team.losses}</strong></p>
          </div>

        ))}
      </div>
    </div>
  );
}

export default Teams;

```

6. src/pages/Players.js

javascript

```

import React, { useState } from 'react';
import '../styles/Players.css';

function Players {
  const [players] = useState([
    { id: 1, name: 'LeBron James', team: 'Lakers', position: 'SF', ppg: 25.7 },
    { id: 2, name: 'Stephen Curry', team: 'Warriors', position: 'PG', ppg: 26.4 },
    { id: 3, name: 'Luka Doncic', team: 'Mavericks', position: 'PG', ppg: 32.4 },
    { id: 4, name: 'Kevin Durant', team: 'Suns', position: 'SF', ppg: 29.1 },
  ]);

  return (
    <div className="players-page">
      <h1>Top NBA Players</h1>
      <div className="players-grid">
        {players.map(player => (
          <div key={player.id} className="player-card">
            <h2>{player.name}</h2>
            <p>Team: <strong>{player.team}</strong></p>
            <p>Position: <strong>{player.position}</strong></p>
            <p>PPG: <strong>{player.ppg}</strong></p>
          </div>

        ))}
      </div>
    </div>
  );
}

```

```
    )})  
  </div>  
</div>  
);  
}  
  
export default Players;
```

7. src/pages/Stats.js

javascript

```
import React from 'react';  
import '../styles/Stats.css';  
  
function Stats {  
  return (  
    <div className="stats-page">  
      <h1>Basketball Statistics</h1>  
      <div className="stats-container">  
        <div className="stat-box">  
          <h3>Most Points in a Game</h3>  
          <p>100 - Wilt Chamberlain </p>  
        </div>  
        <div className="stat-box">  
          <h3>Career Points Leader</h3>  
          <p>LeBron James - 40,000+ Points</p>  
        </div>  
        <div className="stat-box">  
          <h3>All-Time Assists Leader</h3>  
          <p>John Stockton - 15,806 Assists</p>  
        </div>  
      </div>  
    </div>  
  );  
}  
  
export default Stats;
```

8. src/components/Footer.js

javascript

```
import React from 'react';
import '../styles/Footer.css';

function Footer {
  return (
    <footer className="footer">
      <p>&copy; 2024 Basketball Hub. All rights reserved.</p>
      <div className="footer-links">
        <a href="#about">About</a>
        <a href="#contact">Contact</a>
        <a href="#privacy">Privacy</a>
      </div>
    </footer>
  );
}

export default Footer;
```

9. src/styles/App.css

css

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background-color: #f5f5f5;
  color: #333;
}

.App {
  min-height: 100vh;
  display: flex;
  flex-direction: column;
}
```

10. src/styles/Navbar.css

css

```
.navbar {
  background-color: #222;
  padding: 1rem 0;
  position: sticky;
  top: 0;
  z-index: 100;
}

.navbar-container {
  max-width: 1200px;
  margin: 0 auto;
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 0 2rem;
}

.navbar-logo {
  color: #ffd700;
  font-size: 1.5rem;
  font-weight: bold;
  text-decoration: none;
```

```
}

.navbar-menu {
  display: flex;
  list-style: none;
  gap: 2rem;
}

.navbar-menu a {
  color: #fff;
  text-decoration: none;
  font-weight: 500;
  transition: color 0.3s;
}

.navbar-menu a:hover {
  color: #ffd700;
}
```

11. src/styles/Home.css

CSS

```
.home {
  flex: 1;
}

.hero {
  background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
  color: white;
  padding: 5rem 2rem;
  text-align: center;
}

.hero h1 {
  font-size: 3rem;
  margin-bottom: 1rem;
}

.hero p {
  font-size: 1.2rem;
  margin-bottom: 2rem;
}

.cta-button {
```

```
  background-color: #ffd700;
  color: #333;
  padding: 0.8rem 2rem;
  border: none;
  border-radius: 5px;
  font-size: 1rem;
  font-weight: bold;
  cursor: pointer;
  transition: transform 0.3s;
}
```

```
.cta-button:hover {
  transform: scale(1.05);
}
```

```
.features {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
  gap: 2rem;
  max-width: 1200px;
  margin: 3rem auto;
  padding: 0 2rem;
}
```

```

}

.feature-card {
  background: white;
  padding: 2rem;
  border-radius: 10px;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
  text-align: center;
}

.feature-card h3 {
  margin-bottom: 1rem;
  color: #667eea;
}
```

12. src/styles/Teams.css

CSS

```
.teams-page {
  max-width: 1200px;
  margin: 3rem auto;
  padding: 0 2rem;
  flex: 1;
}

.teams-page h1 {
  text-align: center;
  margin-bottom: 2rem;
  color: #333;
}

.teams-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax);
  gap: 2rem;
}

.team-card {
  background: white;
  padding: 1.5rem;

  border-radius: 8px;
  box-shadow: 0 4px 6px rgba;
}

.team-card h2 {
  color: #667eea;
  margin-bottom: 1rem;
}

.team-card p {
  margin: 0.5rem 0;
}
```

13. src/styles/Players.css

CSS

```
.players-page {
  max-width: 1200px;
  margin: 3rem auto;
  padding: 0 2rem;
  flex: 1;
}

.players-page h1 {
  text-align: center;
  margin-bottom: 2rem;
  color: #333;
}

.players-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax);
  gap: 2rem;
}

.player-card {
  background: white;
  padding: 1.5rem;
```

```
  border-radius: 8px;
  box-shadow: 0 4px 6px rgba;
  border-left: 4px solid #ffd700;
}

.player-card h2 {
  color: #333;
  margin-bottom: 1rem;
}

.player-card p {
  margin: 0.5rem 0;
}
```

14. src/styles/Stats.css

css

```
.stats-page {
  max-width: 1200px;
  margin: 3rem auto;
  padding: 0 2rem;
  flex: 1;
}

.stats-page h1 {
  text-align: center;
  margin-bottom: 2rem;
  color: #333;
}

.stats-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax);
  gap: 2rem;
}

.stat-box {
  background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
  color: white;
```

```
padding: 2rem;
border-radius: 8px;
text-align: center;
}
```

```
.stat-box h3 {
  margin-bottom: 1rem;
}
```

```
.stat-box p {
  font-size: 1.2rem;
  font-weight: bold;
}
```

15. src/styles/Footer.css

CSS

```
.footer {
  background-color: #222;
  color: white;
  text-align: center;
  padding: 2rem;
  margin-top: auto;
}

.footer-links {
  margin-top: 1rem;
  display: flex;
  gap: 2rem;
  justify-content: center;
}

.footer-links a {
  color: #ffd700;
  text-decoration: none;
  transition: color 0.3s;
}

.footer-links a:hover {
```

```
  color: #fff;
}
```

16. public/index.html

```
```html
<!DOCTYPE html>
<html lang="en">
<head>
```